

Industry-specific

QAD SOLUTIONS

Manufacturing Applications

MFG/PRO eB2 Technical Reference Database Definitions



78-0553A
MFG/PRO eB2
September 2002

This document contains proprietary information that is protected by copyright. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

MFG/PRO is a registered trademark of QAD Inc. QAD, QAD eQ, and the QAD logo are trademarks of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright ©2002 by QAD Inc.
78-0553A

QAD Inc.
6450 Via Real
Carpinteria, California 93013
Phone (805) 684-6614
Fax (805) 684-1890
<http://www.qad.com>

Contents

About This Guide	1
Introduction	2
How This Book Is Organized	2
Symbols and Conventions	3
Other MFG/PRO Documentation	4
Online Help	5
QAD Web Site	5
 Section 1 Database Definitions	 7
abd_det Asset Book Detail	8
absc_det Sales Order Detail Container Charges	9
absc_det Shipment Carrier Detail	10
absd_det Shipment Line Item Detail	10
absi_mstr Shipper Information Master	10
absl_det Shipment Detail Line Charges	11
absr_det Shipment Requirement Detail	12
abss_det Shipment Sequence Detail	12
abs_mstr ASN/BOL/Shipper Master	14
accd_det Asset Cost Change Detail	16
acdf_mstr Account Default Master	17
acd_det Account Total Detail	17
acm_mstr Co-product/By-product Average Cost Master	18
acod_mstr Application Code Master	19
act_mstr Alternate Container Master	20
acx_mstr Account Cross-Reference Master	20
ac_mstr Account Master	21
adc_ctrl Address Control	21
adx_det External Address Cross-Reference Detail	22
ad_mstr Address Master	22
ald_det Allocation Account Detail	24
alm_mstr Automatic Lot Master	25
al_mstr Allocation Account Master	25

anl_det	Analysis Code Link Detail	25
ans_det	Analysis Code Selection Detail	26
anx_det	Analysis Code Exploded Detail	27
an_mstr	Analysis Code Master	27
apc_ctrl	Accounts Payable Control	28
apmr_mstr	Advanced Pricing Management Customer Relationship Master	28
apm_ctrl	Advanced Pricing Management Control	29
aprm_mstr	Application Parameter Master	30
apr_mstr	Application Registry	30
ap_mstr	Accounts Payable Master	32
arc_ctrl	Accounts Receivable Control	33
ard_det	Accounts Receivable Detail	34
arsd_det	Accounts Receivable Payment Status Detail	35
art_mstr	Application Return Code Master	35
ar_mstr	Accounts Receivable Master	36
asc_mstr	Account/Sub-Account/Cost Center Master	39
ast_mstr	Asset Master	40
atd_mstr	Accounting Transaction Description Master	41
atp_det	Available-to-Promise Detail	42
aud_det	Audit Detail	42
ba_mstr	Batch Master	43
bcd_det	Batch Control Detail	43
bc_mstr	Batch Control Master	44
bdlid_det	Batch Data Load Detail	44
bdl_mstr	Batch Data Load Master	45
bdp_det	Bank Driver Payment Detail	45
bgd_det	Budget Detail	46
bg_mstr	Budget Master	48
bic_ctrl	Service/Support Contract Billing Control	48
bkad_det	Payment Selection Allocation Detail	49
bkd_det	Payment Method Detail	50
bkfm_mstr	Bank Account Format Master	50
bkpd_det	Payment Selection Detail	51
bkpm_mstr	Payment Selection Master	52
bk_mstr	Bank Master	53
bl_ctrl	Master Bill of Lading Control	55
bom_mstr	Product Structure (Bill of Material) Master	55
btb_det	Enterprise Material Transfer Primary Business Unit Detail	56
cac_ctrl	Service/Support Call Master Control	56
cah_hist	Service/Support Call History	57
cal_det	Calendar Detail	58
caq_mstr	Service/Support Call Queue Master	59
cas_mstr	Service/Support Call Status Master	60
ca_mstr	Service/Support Call Master	60
cb_mstr	Cash Book Master	64
ccc_ctrl	Credit Card Control	64
ccd1_det	Cost Center/Account Validation Detail	65

ccd2_det	Cost Center/Sub-Account Validation Detail	65
ccd_mstr	Service/Support Call Fault Code Master	66
cclscd_det	Ship-To/Container Price List Detail	67
cclsc_mstr	Ship-To/Container Master	67
ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master	68
ccl_ctrl	Container/Line Charge Control	69
cctr_hist	Credit Card Transaction History	69
cct_mstr	Container Charge Type Master	70
cc_mstr	Cost Center Master	70
cdf_mstr	Service/Support Call Default Master	71
cd_det	Master Comments	72
cfc_ctrl	Cash Flow Control	72
cf_mstr	Cash Flow Master	73
chg_mstr	Line Changeover Master	74
chm_mstr	Service/Support Call History Master	74
cild_det	Correction Invoice Link Detail	77
cil_mstr	Correction Invoice Link Master	78
kcd_det	Accounts Payable Check Detail	79
cksd_det	Check Status Detail	79
ck_mstr	Accounts Payable Check Master	80
clc_ctrl	Compliance Control	80
cls_mstr	Class Master	81
cmc_ctrl	Customer Control	81
cmd_det	Enterprise Material Transfer Change Management Detail	82
cmf_mstr	Enterprise Material Transfer Change Management Master	82
cmh_hist	Customer Sales History	83
cmt_det	Transaction Comments	83
cm_mstr	Customer Master	84
cncix_mstr	Consigned Shipment Inventory Cross-Reference Master	86
cncs_mstr	Customer Consignment Ship-To/Item Master	87
cncud_det	Customer Consignment Shipment Usage Detail	89
cncu_mstr	Customer Consignment Shipment Usage Master	89
cnc_ctrl	Customer Consignment Control	91
cnsix_mstr	Supplier Consignment Receipt Inventory Master	91
cnss_mstr	Supplier Consignment Supplier/Item Master	92
cnsud_det	Supplier Consignment Receipt Usage Detail	92
cnsu_mstr	Supplier Consignment Receipt Usage Master	93
cns_ctrl	Supplier Consignment Control	94
code_mstr	Generalized Code Master	94
comd_det	Commodity Code Detail	94
com_mstr	Commodity Code Master	95
cost_cal	Cost Set Calendar	95
co_ctrl	General Ledger (Company) Control	96
cpcd_det	Customer Period Calendar Detail	97
cpc_mstr	Customer Period Calendar Master	97
cph_hist	Customer/Item Sales History	98
cp_mstr	Customer Item Master	99

crc_ctrl	Carrier Control	99
cref_mstr	Service/Support Cross-Reference Master	99
cr_mstr	Code Range Master	100
csa_mstr	Controlled Substance Authority Master	100
csbd_det	Customer/Supplier Bank Detail	101
csc_mstr	Controlled Substance Customer Master	102
csid_det	Controlled Substance Item Detail	102
csil_mstr	Controlled Substance Individual License Master	104
csim_mstr	Controlled Substance Item Master	104
csld_det	Controlled Substance Individual License Detail	105
cslm_mstr	Controlled Substance General License Master	105
cssi_det	Site Cost Detail	106
css_mstr	Controlled Substance Site Master	106
cst_mstr	Fixed Asset Custodian Master	107
cs_mstr	Cost Set Master	107
ctd_det	Credit Terms Detail	107
ctry_mstr	Country Master	108
ct_mstr	Credit Terms Master	108
cu_mstr	Currency Master	109
dbk_mstr	Depreciation Book Master	110
dbv_mstr	Database Revision Control Master	110
dc_mstr	Database Connection Master	111
decl_mstr	Declarant Master	111
defr_det	Service Contract Deferred/Accrued Revenue Detail	112
delt_mstr	Delivery Time Master	113
df_mstr	Document Print Format Master	114
djrc_det	Daybook Journal Report Detail	114
djr_mstr	Daybook Journal Report Master	115
dmw_wkfl	Draft Management Work Table	116
dpc_mstr	Depreciation Convention Master	116
dprd_det	Depreciation Detail	117
dprt_det	Depreciation Method Detail	118
dpr_mstr	Depreciation Method Master	119
dpt_mstr	Department Master	119
drp_ctrl	Distribution Requirements Planning Control	120
dsd_det	Distributed Site Requisition Detail	121
dsr_mstr	Distributed Site Requisition Master	122
dss_mstr	Distributed Site Order Master	123
ds_det	Distributed Site Order Detail	124
dyd_mstr	General Ledger Default Daybook Master	125
dy_mstr	General Ledger Daybook Master	125
ea_mstr	Earnings Master	126
eca_mstr	Engineering Change Approval Master	126
ecd1_det	Engineering Change Product Structure Detail	127
ecd2_det	Engineering Change Routing Detail	128
ecd3_det	Engineering Change Text File Detail	129
ecd4_det	Product Change Control Test Results Detail	129

ecd5_det	Product Change Control Item Routing Detail	130
ecd9_det	Engineering Change Approval Detail	131
ecd_det	Engineering Change Item Detail	131
ecl_list	Engineering Change Master Lists	132
ecm_mstr	Engineering Change Master	132
ect_mstr	Engineering Change Type Master	134
ecx_ref	External Order Cross-Reference	134
ega_mstr	Service/Support Engineer Availability Master	135
egc_ctrl	Service/Support Engineer Schedule Control	135
egd_det	Service/Support Engineer Schedule Detail	136
egs_det	Service/Support Engineer Problem/Skills Detail	138
egt_mstr	Service/Support Engineer Tracking Master	138
egw_wkfl	Service/Support Engineer Selection Work Table	140
elg_hist	Export Document Log	140
emap_det	Mapped Export Document Detail	142
emc_ctrl	Employee Control	143
emg_msg	Export Document Message	143
emp_mstr	Employee Master	144
emsg_mstr	Service/Support Engineer Message Master	146
em_mstr	E-mail Master	147
eng_mstr	Service/Support Engineer Master	147
en_mstr	Entity Master	149
eraw_det	Raw Export Document Detail	149
ers_mstr	Evaluated Receipts Settlement Master	150
esc_ctrl	Service/Support Escalation Control	150
esh_mstr	Service/Support Engineer Schedule Master	151
esp_mstr	Export Document Specification Master	152
ess_mstr	Service/Support Engineer Status Master	153
es_mstr	Service/Support Escalation and Repair Master	154
et_ctrl	EMU Control	155
euc_ctrl	Service/Support End User Control	156
eud_det	Service/Support End User Detail	157
eu_mstr	Service/Support End User Master	157
excd_det	Consolidated Exchange Rate Detail	159
exc_mstr	Consolidation Currency Exchange Master	160
exru_usage	Exchange Rate Usage	161
exr_rate	Exchange Rate Master	161
faadj_mstr	Fixed Asset Adjustment Master	162
faba_det	Fixed Asset Account Detail	162
fabchd_det	Fixed Asset Batch Detail	163
fabch_mstr	Fixed Asset Batch Master	164
fabd_det	Fixed Asset Book Depreciation Detail	164
fabk_mstr	Fixed Asset Book Master	165
fab_det	Fixed Asset Book Detail	166
facd_det	Fixed Asset Class Account Detail	167
facld_det	Fixed Asset Calendar Detail	167
facis_mstr	Fixed Asset Class Master	168

faci_cal	Fixed Asset Calendar Master.....	169
fact_ctrl	Fixed Asset Control.....	169
fac_ctrl	Final Assembly Control.....	170
fadf_mstr	Fixed Asset Book Default Master.....	170
fad_det	Fixed Asset Component Detail.....	170
faloc_mstr	Fixed Asset Location Master.....	171
fal_mstr	Fixed Asset Location Code Master.....	172
famtd_det	Fixed Asset Custom Table Detail.....	172
famtrd_det	Fixed Asset Meter Detail.....	173
famtr_mstr	Fixed Asset Meter Master.....	173
famt_mstr	Fixed Asset Method Master.....	174
fas_ctrl	Fixed Asset System Control.....	175
fauop_det	Fixed Assets UOP Forecast Detail.....	175
fa_mstr	Fixed Asset Master.....	177
fcc_mstr	Service/Support Charge Code Product Line Master.....	178
fcd_mstr	Service/Support Default Charge Code Master.....	179
fcg_mstr	Service/Support Charge Code Master.....	180
fcs_sum	Forecast Summary.....	181
fct_mstr	Service/Support Call Type Master.....	181
fc_det	Seasonal Build Detail.....	182
ff_mstr	Simulated Forecast Master.....	182
fh_mstr	Family Hierarchy Master.....	183
fis_mstr	Invoice Sort Master.....	183
fkt_mstr	Service/Support Kit Master.....	184
flcrh_hist	Flow Line Capacity Rate History.....	185
flcr_mstr	Flow Line Capacity Rate Master.....	186
fldf_mstr	Field Default Master.....	187
flff_mstr	Flow Flex Fence Master.....	187
flh_mstr	Field Help Program Master.....	188
flpw_mstr	Field Security Master.....	188
flp_plan	Family Line Plan.....	188
flscd_det	Flow Schedule Code Detail.....	189
flsc_mstr	Flow Schedule Code Master.....	189
flsd_det	Flow Schedule Detail.....	190
fm_mstr	Format Position Master.....	191
fnd_det	Service/Support Field Notification Detail.....	192
fnh_hist	Service/Support Field Notification History.....	193
fn_mstr	Service/Support Field Notification Master.....	194
fp1_plan	Family Production Backlog and Cost Plan.....	197
fp2_plan	Family Production Inventory and Order Plan.....	197
fp3_plan	Family Production and Shipment Plan.....	198
fpcl_mstr	Service/Support Price Indexing Master.....	199
fpc_mstr	Service/Support Pricing Master.....	200
fpd_cost	Family Item Cost Detail.....	201
fpst_mstr	Return Status Master.....	202
frcd_det	Freight Charge Detail.....	202
frd_det	Freight Rate Detail.....	203

frm_mstr	Freight Rate Master	203
frzd_det	Freight Zone Detail	204
fr_mstr	Freight List Master	204
fsc_mstr	Service Category Master	205
fsd_det	Service/Support Call Activity Detail	206
fsh_mstr	Service/Support Holiday Master	207
fslp_pln	Simulation Line Plan	208
fsp1_pln	Family Simulation Backlog and Cost Plan	208
fsp2_pln	Family Simulation Inventory and Order Plan	209
fsp3_pln	Family Simulation Production and Shipment Plan	209
fsu_mstr	Service/Support User Preference Master	210
ftch_hist	Service/Support Trace History	210
ft_mstr	Freight Terms Master	211
fwk_mstr	Service/Support Work Code Master	212
giap_mstr	Application Definition Master	213
gimd_mstr	Model Definition Master	213
gip_det	Table Attribute Detail	214
gisi_mstr	Site/Item Model Definition Master	214
glcd_det	General Ledger Calendar Detail	215
glc_cal	General Ledger Calendar	215
glptr_hist	General Ledger Protocol History	215
glrd_det	General Ledger Report Detail	216
glr_mstr	General Ledger Report Master	217
glsd_mstr	General Ledger Description Source Master	217
gltm_det	General Ledger Transaction Matching Detail	217
gltm_mstr	General Ledger Transaction Matching Master	218
gltr_hist	General Ledger Transaction History	219
gltw_wkfl	General Ledger Work Table	220
glt_det	General Ledger Unposted Transaction Detail	221
gl_ctrl	System/Account Control	223
grac_det	GL Report Writer Account Balances	227
grad_det	GL Report Writer Analysis Code Detail	229
gral_det	GL Report Writer Analysis Code Link-File Detail	229
gras_det	GL Report Writer Selection Detail	230
gra_mstr	GL Report Writer Analysis Code Master	230
grbg_det	GL Report Writer Budgeted Account Balance Detail	231
grcd_det	GL Report Writer Column Group Detail	232
grc_mstr	GL Report Writer Column Group Master	233
grdf_mtx	GL Report Writer Definition Matrix	234
grhd_det	GL Report Writer Group Row/Column Sequence Detail	234
grib_det	GL Report Writer Break Group Detail	235
gric_det	GL Report Writer Image Column Detail	236
grid_det	GL Report Writer Report Image Detail	236
grig_mtx	GL Report Writer Report Image Matrix	237
grit_wkf	GL Report Writer Analysis Code and Item Type Work Table	237
gri_mstr	GL Report Writer Report Image Master	238
grqd_det	GL Report Writer Fiscal Quarter Calendar	239

grrd_det	GL Report Writer Row Group Detail.....	239
grr_mstr	GL Report Writer Row Group Master.....	240
grtx_det	GL Report Writer Text String Detail	240
grv_det	GL Report Writer Account Balance Detail.....	241
grx1_wkfl	GL Report Writer Analysis Code Explosion Work Table.....	242
grx2_wkfl	GL Report Writer Row/Column Explosion (Separate) Work Table	242
grx3_wkfl	GL Report Writer Row/Column Explosion (Hierarchical) Work Table	243
grx_mstr	GL Report Writer Report Content Master.....	243
gr_ctrl	GL Report Writer Control	244
hd_mstr	Holiday Master	245
hlp_mstr	Help Master.....	245
ibh_hist	Sales Order Configuration Bill History.....	245
ib_det	Service/Support Installed Configuration Detail	246
icc_ctrl	Inventory Control.....	247
idhlc_hist	Invoice History Line Charge Detail.....	248
idhr_hist	Invoice History Relationship Detail	249
idh_hist	Invoice History Detail	249
iec_ctrl	Import/Export Control.....	253
ied_det	Import/Export Detail	255
ieh_hist	Import/Export History	256
ie_mstr	Import/Export Master	258
ifs_mstr	Interface Session Master	259
ihcc_hist	Invoice History Credit Card Master	260
ihr_hist	Invoice History Relationship Master.....	261
ih_hist	Invoice History Master	261
ild_det	Item Location Detail	264
ilg_hist	Import Document Log	265
imap_det	Import Document Map Detail	267
img_msg	Import Document Message.....	267
im_mstr	Inventory Movement Code Master.....	268
ind_det	Independent Demand Detail	269
insd_det	Invoice Schedule Detail	270
ins_mstr	Invoice Schedule Master.....	270
in_mstr	Inventory Master	271
ipd_det	Item Specification Detail	272
iph_hist	Pricing History	273
ip_mstr	Master Specification Test Results.....	275
iraw_det	Raw Import Document Detail	275
iro_det	Item Routing Cost Detail	276
isb_mstr	Service/Support Installed Base Item Master	277
isd_det	Inventory Status Detail.....	279
isp_mstr	Import Document Specification Master	279
iss_mstr	Service/Support Installed Base Structure	281
isvc_mstr	Statistical Value Calculation Master.....	282
is_mstr	Inventory Status Master	282
itmh_hist	Service/Support Call Item History	283
itm_det	Service/Support Call Item Detail	285

itsd_det	Item Site Load Detail	288
its_mstr	Item Site Load Master	288
ivs_ctrl	Invoice Schedule Control	288
kbc_ctrl	Kanban Control	289
kcmd_mstr	Kanban Maximum Demand Master	290
kbp_mstr	Kanban Planning Period Master	291
kbtrd_det	Kanban Transaction History Detail	291
kbtr_hist	Kanban Transaction History	291
knbd_det	Kanban Card Detail	293
knbl_det	Kanban Loop Detail	294
knb_mstr	Kanban Master	295
lacd_det	Logistics Accounting Charge Detail	296
lac_ctrl	Logistics Accounting Control	297
lad_det	Location Allocation Detail	297
lblc_ctrl	Label Control	298
lc_mstr	Logistics Accounting Charge Code Master	298
ld_det	Location Detail	299
lgsi_det	Logistics Site Detail	300
lgs_mstr	Logistics Master	301
lna_det	Production Line Allocation Detail	302
ln_d_det	Production Line Detail	303
lnf_det	Flow Production Line Preference Detail	303
lngd_det	Language Detail	304
lng_mstr	Language Master	305
ln_mstr	Line Master	305
locc_det	Reserved Locations Detail	306
loc_mstr	Location Master	306
lotw_wkfl	Lot Number Work Table	307
lot_mstr	Lot Master	307
ls_mstr	Address List Detail	308
maxt_det	Maximum Table Detail	309
max_mstr	Maximums Master	309
ma_mstr	Mirror Account Master	310
mfc_ctrl	Control Work Table	310
mnd_det	Menu Detail	311
mnp_det	Service/Support Custom Program Detail	311
mnt_det	Menu Title Detail	312
mpd_det	Master Specification Detail	312
mph_hist	Master Specification Test History	313
mpp_det	Service/Support Custom Program Parameter Detail	314
mps_mstr	Master Production Schedule	314
mp_mstr	Master Specification	315
mrpc_ctrl	Material Requirements Planning Control	315
mrpp_det	Material Requirements Planning Pegging Detail	315
mrp_det	Material Requirements Planning Detail	316
msg_mstr	Message Master	317
mu_mstr	Monetary Union Master	317

ncc_ctrl	Net Commerce Control	318
nrh_hist	Number Range History	319
nr_mstr	Number Range Master	319
oa_det	Action Message Detail	320
ocm_mstr	Service/Support On Call Master	320
opc_ctrl	Shop Floor Operation History Control	321
opgl_det	Shop Floor Operation General Ledger Detail	321
opm_mstr	Standard Operation Master	322
ops_ctrl	Operations Plan Control	323
op_hist	Operation Transaction History	323
pac_mstr	Purchase Approval Code Master	326
pald_det	Pallet Detail	327
pal_mstr	Pallet Master	327
pcc_ctrl	Product Change Control	328
pcd_det	Purchase Order Line Cost Element Detail	328
pcld_det	Product Change Control Group Detail	329
pcl_mstr	Product Change Control Group Master	329
pct_mstr	Product Change Control Type Master	330
pc_mstr	Price List Master	330
pfc_det	Production Forecast Detail	331
pdf_det	Service/Support Item-Site Detail	332
pgc_ctrl	Service/Support Paging Control	333
pgh_hist	Service/Support Paging History	333
pgm_det	Program Detail	334
pic_ctrl	Pricing Control	335
pid_det	Price List Detail	335
pigc_det	Price List Group Customer Detail	336
pigp_det	Price List Group Item Detail	336
pig_mstr	Price List Group Master	337
pih_hist	Pricing History	338
pi_mstr	Price List Master	340
pjc_ctrl	Project Realization Control	342
pjd_det	Project Realization Subproject Detail	343
pjsh_hist	Project Realization Transaction History	344
pjsx_det	Project Structure Cross-Reference Detail	345
pjs_mstr	Project Realization Structure Master	346
pjt_mstr	Project Realization Project Type Master	347
pj_mstr	Project Master	348
pk_det	Pick List Work Table	348
pld_det	Product Line Detail	349
plid_det	Purchase Ledger Invoice Detail	350
pli_mstr	Purchase Ledger Invoice Master	350
plsd_det	Product Line Sales Detail	351
plt_det	Product Line Tax Detail	352
pl_mstr	Product Line Master	352
poc_ctrl	Purchase Order Control	355
pod_det	Purchase Order Detail	356

pould_det	Point of Use Location Detail	360
poul_mstr	Point of Use Location Master	360
pou_mstr	Point of Use Code Master	360
po_mstr	Purchase Order Master	361
pp_plan	Product Line Plan	363
pq_mstr	Product Line Requirements Master	364
prd_det	Printer Detail	364
prh_hist	Purchase Order Receipt History	365
prj_mstr	Project Realization Project Master	367
pr_mstr	Printer Master	369
pshc_ctrl	Purchase Shipper Control	369
ps_mstr	Product Structure Master	370
pta_det	Associated Item Detail	371
ptc_det	Container Item Detail	372
pth_hist	Products Sales History	372
ptls_det	Item Lot/Serial Detail	373
ptp_det	Item Planning Detail	374
ptqa_det	Item Quantitative Analysis Detail	376
ptr_det	Item Routing Detail	377
pts_det	Item Substitute Detail	377
ptt_det	Item Tax Detail	378
ptv_det	Item Statistical Value Detail	378
pt_mstr	Item Master	379
pvod_det	Pending Voucher Detail	383
pvo_mstr	Pending Voucher Master	384
qad_wkfl	QAD Work Table	385
qcc_ctrl	Quality Order Control	386
qcd_det	Quality Control Order Detail	386
qcs_mstr	Quality Sampling Pattern Master	387
qc_mstr	Quality Control Order Master	387
qob_det	Sales Quotation Configuration Bill Detail	388
qoc_ctrl	Sales Quotation Control	389
qodr_det	Sales Quotation Relationship Detail	390
qod_det	Sales Quotation Detail	390
qor_mstr	Sales Quotation Relationship Master	392
qo_mstr	Sales Quotation Master	393
qps_det	Quality Test Bill Detail	395
qqc_ctrl	Q/LinQ Control	395
qro_det	Quality Inspection Routing Detail	397
qr_test	Quality Order Test Steps	397
qtbl_ext	QAD Table Extension	398
rbm_mstr	Retrobill Master	399
rcc_mstr	Customer Sequence Schedule Master	399
rcf_ctrl	Customer Sequence Schedule Control	401
rcsd_det	Customer Sequence Schedule Detail	401
rctx_ref	Customer Sequence Schedule Cross-Reference	403
rct_mstr	Customer Schedule Master	404

rdf_mstr	Service/Support Return Defaults Master	405
reg_mstr	Service/Support Region Master	406
req_det	Requisition Detail	407
rhd_hist	Return Material Authorization Detail History	408
rma_mstr	Return Material Authorization Master	410
rmc_ctrl	Return Material Authorization Control	412
rmd_det	Return Material Authorization Detail	413
rnd_mstr	Rounding Method Master	415
ro_det	Routing Operation Detail	416
rpc_ctrl	Repetitive Control	417
rps_mstr	Repetitive Production Schedule Master	418
rqa_mstr	Requisition Approver Master	418
rqcd_det	Requisition Category Detail	419
rqc_mstr	Requisition Category Master	420
rqda_det	Requisition Approval Detail	420
rqd_det	Requisition Detail	421
rqf_ctrl	Requisition Control	422
rqh_hist	Requisition History	423
raj_mstr	Requisition Job Master	424
raj_mstr	Requisition Approval Level Master	424
rqm_det	Requirement Detail	424
rqm_mstr	Requisition Master	426
rqpo_ref	Requisition/PO Cross-Reference	427
rqr_mstr	Role Master	428
rq_mstr	Requirement Master	428
rsc_ctrl	Shipping Schedule Control	429
rsd_det	Resource Requirements Detail	430
rsn_ref	Reason Code Master	430
rstd_det	Product Change Control Routing Slip Template Detail	430
rst_mstr	Product Change Control Routing Slip Template Master	431
rsud_det	Product Change Control Routing Slip Detail	431
rsu_mstr	Product Change Control Routing Slip Master	432
rs_mstr	Resource Master	432
sab_det	Service Contract Billing Detail	433
sac_ctrl	Service Contract Control	434
sadh_hist	Service Contract Detail History	436
sad_det	Service Contract Detail	438
sah_hist	Service Contract History	441
salh_hist	Service/Support Contract Limits History	444
sal_mstr	Service/Support Contract Limits Master	446
sap_det	Service Contract Preventive Maintenance Detail	447
sar_mstr	Service Contract Serial Number Master	448
sa_mstr	Service Contract Master	449
sbc_mstr	Service/Support Billing Cycle Master	453
sbd_det	Sub-Account/Account Validation Detail	453
sbic_ctl	Self-Bill Control	453
sbid_det	Self-Bill Detail	455

sbi_mstr	Self-Bill Master.....	456
sb_mstr	Sub-Account Master	457
sca_mstr	Service Contract Additional Charge Master.....	458
scc_mstr	Customer/Ship-To Shipment Controls Master	458
schd_det	Release Management Schedule Detail	459
sch_mstr	Release Management Schedule Master.....	460
sct_det	Cost Simulation Total Detail	461
scx_ref	Scheduled Order Cross-Reference	462
sc_mstr	Cost Simulation Master.....	463
sdttd_det	Shipping Delivery Time Detail.....	463
sdt_mstr	Shipping Delivery Time Master	464
sd_mstr	Sales Order Discount Master.....	464
seoc_ctrl	Material Order Control	465
seq_mstr	Production Line Schedule Sequence Master.....	466
sfb_det	Service/Support Billing Detail	467
sfh_hist	Service/Support Billing History	469
sgad_det	Shipping Group Address Detail	470
sgcd_det	Shipping Group Carrier Detail.....	471
sgid_det	Shipping Group and Inventory Movement Code Detail	471
sg_mstr	Shipping Group Master.....	471
shc_ctrl	Shipper Control.....	472
shd_det	Shipping Schedule Detail.....	472
shft_det	Shift Detail	473
shm_mstr	Shipping Schedule Master.....	473
shop_cal	Shop Calendar.....	475
shpc_ctrl	Shipment Performance Control	475
shpd_hist	Shipment Performance Detail History.....	475
shp_hist	Shipment Performance History.....	476
shtr_det	Shipment Trailer Detail	477
shv_mstr	Ship Via Master	478
sim_det	Inventory Movement Site Detail	478
six_ref	Shipment Detail/Invoice Number Cross-Reference	479
si_mstr	Site Master.....	480
slrd_det	Site Linking Rules Detail	481
slr_mstr	Site Linking Rules Master	482
sm_mstr	Source Matrix Master.....	482
sob_det	Sales Order Configuration Bill Detail	483
socc_mstr	Sales Order Credit Card Master	484
soc_ctrl	Sales Order Control	484
sodlc_det	Sales Order Detail Line Charges	486
sodr_det	Sales Order Relationship Detail	487
sod_det	Sales Order Detail	488
sop_det	Cost Simulation Operation Detail.....	491
sor_mstr	Sales Order Relationship Master.....	492
sosrd_det	Sales Order Shipment Reason Detail.....	493
sosr_mstr	Sales Order Shipment Reason Master	493
so_mstr	Sales Order Master.....	494

spc_ctrl	Salesperson Control	497
spd_det	Salesperson Commission Detail	498
sph_hist	Salesperson Sales History	499
spt_det	Cost Simulation Item Detail	499
sp_mstr	Salesperson Master	500
src_ctrl	Service Request Control	500
sroc_ctrl	Service/Repair Order Control	501
sro_mstr	Service/Repair Order Master	501
srr_mstr	Service Request Master	503
sr_wkfl	Serial Number Work Table	504
ssd_det	Source of Supply Detail	504
ssm_mstr	Source of Supply Master	505
sttqd_det	Time-Based/Quantity-Based Status Code Detail	505
sttq_mstr	Time-Based/Quantity-Based Status Code Master	506
stx_mstr	Suspended Tax Master	506
sufd_det	Shipper User Field Detail	507
suf_mstr	Shipper User Field Master	507
svc_ctrl	Service/Support Management Control	508
sv_mstr	Service Agreement Terms and Conditions Master	511
swc_det	Cost Simulation Work Center Detail	512
tag_mstr	Physical Inventory Tag Master	513
taxd_det	Tax Detail	514
tax_mstr	Tax Master	515
tblcd_det	Table Change Detail	515
tblc_mstr	Table Change Master	516
tbl_mstr	Service/Support Parent/Child Relationship Master	516
te_mstr	Transaction Export Master	517
tm_mstr	Transportation Master	519
totd_det	Terms of Trade Detail	519
tot_mstr	Terms of Trade Master	520
trcs_det	Transaction Cost Detail	520
trgl_det	Inventory Transaction and General Ledger Cross-Reference	521
trld_det	Trailer Tax Detail	521
trl_mstr	Trailer Master	522
trq_mstr	Transmission Date Reference Master	522
tr_hist	Inventory Transaction History	523
tx2d_det	Tax Detail	525
tx2_mstr	Tax Master	527
txbd_det	Tax Base Detail	528
txc_ctrl	Tax Control	528
txed_det	Tax Environment Detail	529
txe_mstr	Tax Environment Master	530
txhd_det	Tax History Detail	530
txrd_det	Tax Register Detail	532
txr_mstr	Tax Register Master	532
txz_mstr	Tax Zone Master	533
typ_mstr	Fixed Asset Type Master	533

tzod_det	Service/Support Time Zone Detail	534
tzo_mstr	Service/Support Time Zone Master	535
ufd_det	User Function Key Detail	535
umsg_det	User Message Detail	536
um_mstr	Unit of Measure Conversion Master	536
upd_det	Printer/User Detail	538
url_mstr	URL Master	538
usg_det	Application Usage Detail	539
usrc_ctrl	User Control	539
usrl_det	User Licensed Application Detail	540
usrw_wkfl	User Work Table	540
usr_mstr	User Master	541
vdc_ctrl	Supplier Control	541
vdf_mstr	Supplier Fiscal Data Master	542
vd_mstr	Supplier Master	542
vecd_det	Supplier Performance Category Detail	544
vec_mstr	Supplier Performance Category Master	545
vee_mstr	Supplier Performance Event Master	545
vef_ctrl	Supplier Performance Control	546
vepd_det	Supplier Performance Detail	547
vep_mstr	Supplier Performance Master	549
verd_det	Supplier Performance Registration Detail	550
ver_mstr	Supplier Performance Registration Master	551
vesd_det	Supplier Performance Summary Detail	552
ves_mstr	Supplier Performance Summary Master	553
vew_mstr	Supplier Performance Weighting Factor Master	554
vex_mstr	Supplier Performance Cross-Reference Master	555
vod_det	Voucher Detail	556
vo_mstr	Voucher Master	556
vph_hist	Voucher Invoice History	558
vpo_det	Voucher Purchase Order Detail	559
vp_mstr	Supplier Item Master	559
vrc_ctrl	Version Control	560
vtc_ctrl	Value Added Tax Control	560
vt_mstr	Value Added Tax Master	561
wcr_route	Work Center Routing Standards	561
wc_mstr	Work Center Master	562
whl_mstr	Warehouse Location Master	563
wlbd_det	WIP Lot Trace BOM Control Detail	563
wlbn_mstr	WIP Lot Trace BOM Control Master	564
wlc_ctrl	WIP Lot Trace Control	565
wld_det	WIP Lot Inventory Detail	566
wlrd_det	WIP Lot Trace Routing Control Detail	567
wlrm_mstr	WIP Lot Trace Routing Control Master	568
wlt_mstr	WIP Lot Trace Master	569
wl_mstr	WIP Lot Master	570
woc_ctrl	Work Order Control	571

wod_det	Work Order Detail	572
wo_mstr	Work Order Master	574
wr_route	Work Order Routing	577
wtx_mstr	Withholding Tax Master	580

Section 2


Summary of Changes

583

Changed Fields	584
Deleted Fields	587
New Fields	589
Changed Indexes	596
Deleted Indexes	598
New Indexes for Existing Tables	600
Deleted Tables	601
New Tables	602

Index of Table Descriptions.

605



About This Guide

Introduction **2**

How This Book Is Organized **2**

Symbols and Conventions **3**

Other MFG/PRO Documentation **4**

Online Help **5**

QAD Web Site **5**

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming. Cross-references for identifying new, changed, and deleted tables, fields, and indexes are included after the main section.

How This Book Is Organized

♦ See “Symbols and Conventions” for symbols.

Database tables are grouped by module and listed alphabetically, with the following information.

abd_det Asset Book Detail				
Field Name	Field Label	Column Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	->>9.9<%	10

- *Field Name*. The name of the field.
- *Field Label*. The label as it appears on screens.
- *Column Label*. The label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- Reserved for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions of MFG/PRO)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

Index Name	Uni	Field Name	Asc	Abbr
* abd_asset	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
		abd_asset	yes	no
		abd_book	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don't specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book. For this version of *Database Definitions*, new and changed are relative to the previous publication, based on MFG/PRO Version eB.

Symbol	Meaning
*	Primary Index
◇	New table, field, index
△	Changed field/index
!	Shows where a column label wraps to next line

The following conventions are used in this book.

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>__user<number>	User field (ac__user1)
<prefix>__dec<number>	User decimal data field (ac__dec01)
<prefix>__chr<number>	User character field (ac__chr01)
<prefix>__qad<number>	QAD reserved field (ac__qad01)
<prefix>__x<number>	Obsolete field (ac_xctr)

Other MFG/PRO Documentation

- For an overview of new features and software updates, see the *Release Bulletin*.
- For software installation instructions, refer to the appropriate installation guide for your system.
- For conversion information, refer to the *Conversion Guide*.
- For instructions on navigating and using the QAD Desktop interface, see *User Guide: QAD Desktop*.
- For instructions on navigating the MFG/PRO Windows and character environments, refer to *User Guide Volume 1: Introduction*.
- For information on using MFG/PRO, refer to the *User Guides*.
- For additional technical details, refer to *Entity Diagrams*.
- For information on using features that let MFG/PRO work with external applications, see the *External Interface Guides*. Each book in this set describes a separate interface such as the Warehousing application program interface (API) and Q/LinQ, the tool set for building and using data exchange tools.
- To view documents online in PDF format, see the *Documents on CD* and *Supplemental Documents on CD*. The CD-ROM media includes complete instructions for loading the documents on a Windows network server and making them accessible to client computers.

Note MFG/PRO installation guides are not included on a CD. Printed copies are packaged with your software. Electronic copies of the latest versions are available on the QAD Web site.

Online Help

MFG/PRO has an extensive online help system. Help is available for most fields found on a screen. Procedure help is available for most programs that update the database. Most inquiries, reports, and browses do not have procedure help.

For information on using the help system in the different MFG/PRO environments, refer to *User Guide Volume 1: Introduction* and *User Guide: QAD Desktop*.

QAD Web Site

The QAD Web site provides a wide variety of information about the company and its products. You can access the Web site at:

<http://www.qad.com>

For MFG/PRO users with a QAD Web account, product documentation is available for viewing or downloading at:

<http://support.qad.com/documentation/>

You can register for a QAD Web account by accessing the Web site and clicking the Accounts link at the top of the screen. Your customer ID number is required. Access to certain areas is dependent on the type of agreement you have with QAD.

Most user documentation is available in two formats:

- Portable document format (PDF). PDF files can be downloaded from the QAD Web site to your computer. You can view them with the free Adobe Acrobat Reader. A link for downloading this program is also available on the QAD Web site.
- HTML. You can view user documentation through your Web browser. The documents include search tools for easily locating topics of interest.

Features also include an online solution database to help MFG/PRO users answer questions about setting up and using the product. Additionally, the QAD Web site has information about training classes and other services that can help you learn about MFG/PRO.

6 MFG/PRO eB2 Database Definitions

The background of the page features a grayscale, close-up photograph of several interlocking mechanical gears. The gears are positioned diagonally, with one gear in the foreground being sharper than the others in the background, which are blurred. The lighting creates highlights and shadows on the teeth of the gears, emphasizing their mechanical nature.

Section 1

Database Definitions

This section contains an alphabetical listing of database definitions used in MFG/PRO.

abd_det

Asset Book Detail

Field Name	Label	Col-Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	-->9.9<%	10
abd_book	Book		x(8)	
abd_conv	Convention	Conv	x(8)	
abd_cost	Acquisition Cost		-->, >>>, >>>, >>9.99<	10
abd_credit	Tax Credit Percent	Tax Cr %	-->9.9<%	10
abd_cr_amt	Tax Credit Amount		-->, >>>, >>>, >>9.99<	10
abd_curr_cost	Acquisition Cost		-->, >>>, >>>, >>9.99<	10
abd_date	Depreciation Start Date	Start! Date	99/99/9999	
abd_db_pct	Declining Balance Percent	DB %	-->9.9<%	10
abd_dtd	Prior Depreciation--Fiscal	Prior Depreciation! Fiscal	-->, >>>, >>>, >>9.99<	10
abd_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
abd_expense	Expensed Amount		-->, >>>, >>>, >>9.99<	10
abd_exru_seq	Sequence		>>>>>>>9	
abd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
abd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
abd_ex_ratetype	Rate Type		x(8)	
abd_first_mnth	First Month's Depreciation	First Month's Depr	-->, >>>, >>>, >>9.99<	10
abd_last_depr	Last Depreciated	Last Depr	99/99/99	
abd_life_mnth	Months	Mo	99	
abd_life_yr	Years	Yr	99	
abd_method	Depreciation Method	Method	x(8)	
abd_pd_depr	Depreciation per Period	Depr per Period	-->, >>>, >>>, >>9.99<	10
abd_periods	Depreciation Periods to Take	Pds	999	
abd_prior_ast	Prior Depreciation--Asset	Prior Depreciation! Asset	-->, >>>, >>>, >>9.99<	10
	Life	Life		
abd_rem_mnth	Months Remaining	Mo! Lf	-99	
abd_rem_yr	Years Remaining	Yr! Lf	99	
abd_rep_pct	Current Cost Percent	Curr Cst %	-->9.9<%	10
abd_rt_date	Retirement Date	Retire! Date	99/99/9999	
abd_salvage	Salvage Value		-->, >>>, >>>, >>9.99<	10
abd_sched_depr	Scheduled Depreciation--	Scheduled Depr! Annual	-->, >>>, >>>, >>9.99<	10
	Annual			
abd_type	Type	T	x(2)	
abd_udec1	Decimal 1		-->, >>>, >>>, >>9.99<	10
abd_udec2	Decimal 2		-->, >>>, >>>, >>9.99<	10
abd_udec3	Decimal 3		-->, >>>, >>>, >>9.99<	10
abd_udec4	Decimal 4		-->, >>>, >>>, >>>, >>9.99<	10
abd_uint1	Integer 1	Int 1	-999999	
abd_uint2	Integer 2	Int 2	-999999	
abd_uint3	Integer 3	Int 3	-999999	
abd_user1	Ufld1		x(8)	
abd_user2	Ufld2		x(8)	
abd_ytd	YTD Depreciation--Fiscal	YTD Depreciation! Fiscal	-->, >>>, >>>, >>9.99<	10
abd_ytd_total	Annual Allowed Depreciation	Annual Allowed Depr	-->, >>>, >>>, >>9.99<	10
abd__qad01			x(8)	
abd__qad02			x(8)	
abd__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
abd_active	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
* abd_asset	yes	abd_asset	yes	no
		abd_book	yes	no

◇ **abscd_det** Sales Order Detail Container Charges

Field Name	Label	Col-Label	Format	Dec
abscs_abs_id	ID		x(20)	
abscs_abs_shipfrom	Ship From		x(8)	
abscs_charge_type	Charge Type	Charge! Type	x(8)	
abscs_confirmed	Confirmed		yes/no	
abscs_container	Container		x(18)	
abscs_cont_price	Price		->>>>, >>>, >>9.99<<<	10
abscs_fr_class	Freight Class		x(8)	
abscs_inv_nbr	Invoice Number		x(8)	
abscs_inv_post	Posted		yes/no	
abscs_mod_date	Modified Date	Mod Date	99/99/99	
abscs_mod_userid	User ID		x(8)	
abscs_order	Sales Order		x(8)	
abscs_ord_line	SO Line	SO! Line	>>9	
abscs_project	Project		x(8)	
abscs_qty	Quantity		->>, >>>, >>9.9<<<<<<<<<<<	10
abscs_ref	Reference		x(24)	
abscs_shipto	Ship-To/Dock		x(8)	
abscs_ship_wt	Ship Weight		->>, >>>, >>9.9<<<<<<<<<<	6
abscs_ship_wt_um	Ship Weight UM	UM	x(2)	
abscs_shp_date	Ship Date		99/99/99	
abscs_sls_acct	Sales Acct	Account	x(8)	
abscs_sls_cc	Sales Cost Ctr	CC	x(4)	
abscs_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
abscs_taxable	Taxable	Tax	yes/no	
abscs_taxc	Tax Class	TxC	x(3)	
abscs_userc01	User Field Character 1		x(24)	
abscs_userc02	User Field Character 2		x(24)	
abscs__qadc01			x(24)	
abscs__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* absccl_id	yes	absccl_abs_id	yes	no
		absccl_abs_shipfrom	yes	no
◇ absccl_inv_nbr	no	absccl_inv_nbr	yes	no
		absccl_order	yes	no
◇ absccl_ordln	no	absccl_order	yes	no
		absccl_ord_line	yes	no
		absccl_inv_post	yes	no
◇ absccl_shipto	no	absccl_shipto	yes	no
		absccl_shp_date	yes	no
		absccl_container	yes	no

10 absc_det

absc_det Shipment Carrier Detail

Field Name	Label	Col-Label	Format	Dec
absc_abs_id	ID		x(20)	
absc_carrier	Carrier		x(8)	
absc_seq	Seq		>>9	
absc_user1	Ufld1		x(8)	
absc_user2	Ufld2		x(8)	
absc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* absc_abs_id	yes	absc_abs_id	yes	no
		absc_seq	yes	no
absc_carrier	no	absc_carrier	yes	no

◇ absd_det Shipment Line Item Detail

Field Name	Label	Col-Label	Format	Dec
absd_abs_fld_name	Shipper Field Name		x(32)	
absd_abs_id	ID		x(20)	
absd_fld_name	Field Name		X(30)	
absd_fld_prompt	Prompt for Value		yes/no	
absd_fld_seq	Field Sequence	Seq	>>9	
absd_fld_value	Field Value		X(30)	
absd_mod_date	Modified Date	Mod Date	99/99/99	
absd_mod_userid	User ID		x(8)	
absd_shipfrom	Ship From		x(8)	
absd_userc01	User Field Character 1		x(24)	
absd_validate	Validate		x(24)	
absd__qadc01			x(24)	
absd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ absd_abs_fld_name	no	absd_abs_id	yes	no
		absd_shipfrom	yes	no
		absd_abs_fld_name	yes	no
		absd_fld_seq	yes	no
◇* absd_abs_id	yes	absd_abs_id	yes	no
		absd_shipfrom	yes	no
		absd_fld_seq	yes	no

◇ absi_mstr Shipper Information Master

Field Name	Label	Col-Label	Format	Dec
absi_abs_id	Shipper ID	Shipper	x(20)	
absi_carrier_ref2	Carrier Reference 2		x(20)	
absi_contents	Contents		x(60)	
absi_due_date	Due Date	Due	99/99/99	
absi_mod_date	Modified Date	Mod Date	99/99/99	
absi_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
absl_origin	Origin		x(30)	
absl_port_arrive	Port of Arrival		x(30)	
absl_port_depart	Port of Departure		x(30)	
absl_shipfrom	Ship-From		x(8)	
absl_user1	User Field Character 1		x(24)	
absl_user2	User Field Character 2		x(24)	
absl_voyage	Voyage		x(20)	
absl__qadc01			x(24)	
absl__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* absl_abs_id	yes	absl_shipfrom	yes	no
		absl_abs_id	yes	no

◇ **absl_det** Shipment Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
absl_abs_id	ID		x(20)	
absl_abs_shipfrom	Ship From		x(8)	
absl_acct	Trailer Acct	Account	x(8)	
absl_cc	Trailer CC	CC	x(4)	
absl_charge_type	Charge Type	Charge! Type	x(8)	
absl_confirmed	Confirmed		yes/no	
absl_ext_price	Extended Charge		->>>>, >>>, >>9.99<<<	10
absl_inv_nbr	Invoice Number		x(8)	
absl_inv_post	Posted		yes/no	
absl_lc_amt	Charge		->>>>, >>>, >>9.99<<<	10
absl_lc_line	Charge Line	Ln	>>9	
absl_mod_date	Modified Date	Mod Date	99/99/99	
absl_mod_userid	User ID		x(8)	
absl_order	Sales Order		x(8)	
absl_ord_line	SO Line	SO! Line	>>9	
absl_project	Project		x(8)	
absl_ref	Reference		x(24)	
absl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
absl_taxable	Taxable		yes/no	
absl_taxc	Tax Class	TxC	x(3)	
absl_tri_code	Trailer Code	Code	x(2)	
absl_userc01	User Field Character 1		x(24)	
absl_userc02	User Field Character 2		x(24)	
absl__qadc01			x(24)	
absl__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* absl_abs_id	yes	absl_abs_id	yes	no
		absl_abs_shipfrom	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_lc_line	yes	no
◇ absl_order	no	absl_order	yes	no
		absl_ord_line	yes	no
		absl_inv_post	yes	no

12 absr_det

absr_det

Shipment Requirement Detail

Field Name	Label	Col-Label	Format	Dec
absr_cnfrmd	Confirmed		yes/no	
absr_date	Date		99/99/99	
absr_id	Id		x(8)	
absr_interval	Interval		x(1)	
absr_line	Line	Ln	>>9	
absr_nbr	Order	Sls Order	x(8)	
absr_qty	Qty Pegged		>, >>>, >>9.9<<<<	5
absr_reference	Reference		x(24)	
absr_rlse_id	Release ID		x(30)	
absr_shipfrom	Ship-from Id		x(8)	
absr_ship_id	ID		x(8)	
absr_time	Time		99:99	
absr_type	Schedule Type		>9	
absr_user1	Ufld1		x(8)	
absr_user2	Ufld2		x(8)	
absr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* absr_dtl	yes	absr_shipfrom	yes	no
		absr_id	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
absr_nbr	no	absr_cnfrmd	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no

abss_det

Shipment Sequence Detail

Field Name	Label	Col-Label	Format	Dec
abss_abs_id	ID		x(20)	
abss_confirmed	Confirmed		yes/no	
abss_cust_job	Customer Job		x(30)	
abss_cust_ref	Customer Reference		x(30)	
abss_cust_seq	Customer Sequence		x(30)	
abss_date	Schedule Date	Date	99/99/99	
abss_dock	Customer Dock		x(30)	
abss_invoice	Invoice		x(8)	
abss_line	Line		>>9	

Field Name	Label	Col-Label	Format	Dec
abss_line_feed	Line Feed		x(30)	
abss_mod_date	Modified Date	Mod Date	99/99/99	
abss_mod_pgm	Last Program		x(8)	
abss_mod_userid	User ID		x(8)	
abss_order	Order		x(8)	
abss_part	Item Number		x(18)	
abss_qty	Quantity		>>, >>>, >>9.9<<<<<<<<<	10
abss_rlse_id	Release ID		x(30)	
abss_shipfrom	Ship-From		x(8)	
abss_shipto	Ship-To		x(8)	
abss_ship_id	Ship ID		x(20)	
abss_status	Status		x(8)	
abss_time	Schedule Time	Time	99:99	
abss_user1	Ufld1		x(8)	
abss_user2	Ufld2		x(8)	
abss__qadc01			x(8)	
abss__qadc02			x(8)	
abss__qadd01			->, >>>, >>9.9<<<<<<<<	10
abss__qadd02			->, >>>, >>9.9<<<<<<<<	10
abss__qadi01			->, >>>, >>9	
abss__qadi02			->, >>>, >>9	
abss__qadi01			yes/no	
abss__qadi02			yes/no	
abss__qadt01			99/99/99	
abss__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* abss_index1	yes	abss_abs_id	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_ref	yes	no
		abss_dock	yes	no
		abss_line_feed	yes	no
abss_index2	no	abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_ref	yes	no
		abss_part	yes	no
abss_index3	no	abss_ship_id	yes	no
		abss_part	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
abss_index4	no	abss_ship_id	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
abss_index5	no	abss_ship_id	yes	no
		abss_order	yes	no

14 abs_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
abss_index6	no	abss_line	yes	no
		abss_invoice	yes	no
		abss_order	yes	no
		abss_line	yes	no
abss_index7	no	abss_invoice	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no

abs_mstr ASN/BOL/Shipper Master

Field Name	Label	Col-Label	Format	Dec
abs_act_fcst	Act Frt Cost		>>>>,>>>,>>9,99	2
abs_apr_date	Approval Date		99/99/99	
abs_apr_time	Approval Time		>>>>>>>9	
abs_apr_userid	Approved By		x(8)	
abs_arr_date	Arrive Date		99/99/99	
abs_arr_time	Arrive Time		>>>>>>>9	
abs_asn_crt_date	ASN Create Date		99/99/99	
abs_asn_crt_time	ASN Create Time		>>>>>>>9	
abs_canceled	Canceled		Yes/No	
abs_cancel_date	Cancel Date		99/99/99	
◇ abs_charge_type	Charge Type	Charge! Type	x(8)	
abs_cmtindx	Comment Index		>>>>>>>9	
abs_cons_ship	Consolidate		x(8)	
abs_crt_date	Create Date		99/99/99	
abs_crt_time	Create Time		>>>>>>>9	
abs_cum_qty	Cum Ship Qty		>,>>>,>>9,9<<<<<<<<<	10
abs_cust_ref	Customer Ref		x(24)	
abs_dataset	Data Set		x(12)	
◇ abs_desc	Description		x(48)	
abs_dim_um	Dimensions UM		x(2)	
abs_doc_data[5]			x(8)	
abs_eff_date	Effective		99/99/99	
abs_est_fcst	Est Frt Cost		>>>>,>>>,>>9,99	2
abs_export_batch	Batch		>>>>>>>9	
abs_export_date	Export Date		99/99/99	
abs_export_time	Export Time		>>>>>>>9	
abs_fa_lot	Final Assembly ID	ID	x(8)	
abs_format	Document Format	Format	x(8)	
abs_fr_class	Frt Class		x(8)	
abs_fr_curr	Currency		x(3)	
abs_gwt	Gross Weight		>,>>>,>>9,9<<<<<<<<	10
abs_id	Id		x(20)	
abs_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
abs_inv_nbr	Invoice Number		x(8)	
abs_item	Container Item		x(18)	
abs_lang	Language		x(2)	
abs_line	Order Line		x(8)	
abs_loc	Location		x(8)	
abs_lotser	Lot/Serial		x(18)	
abs_master_id	Master Bill ID		x(20)	
◇ abs_master_shipfrom	Master Bill Ship-From	MBOL! ShipFrom	x(8)	
abs_nr_id	Sequence ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
abs_nwt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
abs_order	Order		x(8)	
abs_par_id	Parent ID		x(24)	
abs_preship_id	Pre-Shipper Number		x(20)	
abs_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
abs_price	Price		->>>>,>>>,>>9.99<<<	10
abs_qty	Qty To Ship		>,>>>,>>9.9<<<<<<<<	10
abs_ref	Ref		x(8)	
abs_shipfrom	Ship-from Id		x(8)	
abs_shipto	Ship-to Id		x(8)	
abs_ship_qty	Quantity Shipped		>,>>>,>>9.9<<<<<<<<	10
abs_shp_date	Ship Date		99/99/99	
abs_shp_time	Ship Time		>>>>>>9	
abs_site	Site		x(8)	
abs_status	Status		x(8)	
abs_timezone	Time Zone		x(2)	
abs_trl_cmtindx	Trailer Comments		>>>>>>9	
abs_type	Type		x(1)	
abs_user1	Ufld1		x(8)	
abs_user2	Ufld2		x(8)	
abs_vol	Volume		>,>>>,>>9.9<<<<<<<<	10
abs_vol_um	Volume UM		x(2)	
abs_wt_um	Weight UM		x(2)	
abs__chr01			x(8)	
abs__chr02			x(8)	
abs__chr03			x(8)	
abs__chr04			x(8)	
abs__chr05			x(8)	
abs__chr06			x(8)	
abs__chr07			x(8)	
abs__chr08			x(8)	
abs__chr09			x(8)	
abs__chr10			x(8)	
abs__dec01			>>>,>>>,>>9.99	10
abs__dec02			>>>,>>>,>>9.99	10
abs__dec03			>>>,>>>,>>9.99	10
abs__dec04			>>>,>>>,>>9.99	10
abs__dec05			>>>,>>>,>>9.99	10
abs__dec06			>>>,>>>,>>9.99	10
abs__dec07			>>>,>>>,>>9.99	10
abs__dec08			>>>,>>>,>>9.99	10
abs__dec09			>>>,>>>,>>9.99	10
abs__dec10			>>>,>>>,>>9.99	10
abs__qad01			x(8)	
abs__qad02			x(8)	
abs__qad03			x(8)	
abs__qad04			x(8)	
abs__qad05			x(8)	
abs__qad06			x(8)	
abs__qad07			x(8)	
abs__qad08			x(8)	
abs__qad09			x(8)	
abs__qad10			x(8)	
abs__qadc01			x(8)	
abs__qadd01			>,>>>,>>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
abs_export_batch	no	abs_export_batch	yes	no
abs_format	no	abs_format	yes	no
* abs_id	yes	abs_shipfrom	yes	no
		abs_id	yes	no
◇ abs_inv_nbr	no	abs_inv_nbr	yes	no
		abs_shipfrom	yes	no
		abs_id	yes	no
abs_item	no	abs_item	yes	no
		abs_shipfrom	yes	no
△ abs_master_id	no	abs_master_id	yes	no
		abs_master_shipfrom	yes	no
		abs_shipfrom	yes	no
abs_order	no	abs_order	yes	no
abs_par_id	yes	abs_shipfrom	yes	no
		abs_par_id	yes	no
		abs_id	yes	no
abs_shipto	yes	abs_shipfrom	yes	no
		abs_shipto	yes	no
		abs_id	yes	no

accd_det

Asset Cost Change Detail

Field Name	Label	Col-Label	Format	Dec
accd_amt	Amount		->>, >>>, >>>, >>9.99<	10
accd_asset	Asset		x(12)	
accd_book	Book		x(8)	
accd_curr	Currency	Cur	x(3)	
accd_curr_amt	Currency Amount		->>, >>>, >>>, >>9.99<	10
accd_date	Date		99/99/9999	
accd_desc	Description		x(24)	
accd_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
accd_exru_seq	Sequence		>>>>>>>9	
accd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
accd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
accd_ex_ratetype	Rate Type		x(8)	
accd_life_mnth	Months Asset's Life increased	Mo	99	
accd_life_yr	Years Asset's Life increased	Yr	99	
accd_line	Line	Ln	999	
accd_mod_date	Modified Date	Mod Date	99/99/99	
accd_user1	Ufld1		x(8)	
accd_user2	Ufld2		x(8)	
accd_userid	User ID		x(8)	
accd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* accd_asset	yes	accd_asset	yes	no
		accd_book	yes	no
		accd_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
acd_mod	no	acd_userid	yes	no
		acd_mod_date	yes	no
		acd_asset	yes	no
		acd_book	yes	no

◇ **acdf_mstr** Account Default Master

Field Name	Label	Col-Label	Format	Dec
acdf_acct	Account Number	Account	x(8)	
acdf_cc	Cost Center	CC	x(4)	
acdf_key1			x(8)	
acdf_key2			x(8)	
acdf_key3			x(8)	
acdf_key4			x(8)	
acdf_key5			x(8)	
acdf_key6			x(8)	
acdf_module	Module		x(2)	
acdf_mod_date	Modified Date	Mod Date	99/99/99	
acdf_mod_userid	User ID		x(8)	
acdf_sub	Sub Account	Sub Acct	x(8)	
acdf_type	Account Type		x(24)	
acdf_userc01	User field Character 1		x(24)	
acdf_userc02	User field character 2		x(24)	
acdf_userd01	User field Decimal		->>>>, >>>, >>9.99<<<<<<<<<<	10
acdf_useri01	User field integer		->>>>>>>9	
acdf_userl01	User field logical		yes/no	
acdf_usert01	User field Date		99/99/99	
acdf__qadc01			x(24)	
acdf__qadd01			->>>>, >>>, >>9.99<<<<<<<<<<	10
acdf__qadi01			->>>>>>>9	
acdf__qadi01			yes/no	
acdf__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* acdf_index1	yes	acdf_module	yes	no
		acdf_type	yes	no
		acdf_key1	yes	no
		acdf_key2	yes	no
		acdf_key3	yes	no
		acdf_key4	yes	no
		acdf_key5	yes	no
		acdf_key6	yes	no

acd_det Account Total Detail

Field Name	Label	Col-Label	Format	Dec
acd_acc	Account		x(8)	
acd_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
acd_cc	Cost Ctr	CC	x(4)	
acd_cr_amt	CR Amount		->>, >>>, >>>, >>9.99	10

18 acm_mstr

Field Name	Label	Col-Label	Format	Dec
acd_cr_curr_amt	CR Currency Amount		-->, >>>, >>>, >>9.99	10
acd_curr_amt	Currency Amount		-->, >>>, >>>, >>>, >>9.99	10
acd_dr_amt	DR Amount		-->, >>>, >>>, >>9.99	10
acd_dr_curr_amt	DR Currency Amount		-->, >>>, >>>, >>9.99	10
acd_ecur_amt	Amount in entity currency		-->, >>>, >>>, >>9.99	10
acd_entity	Entity	Enty	x(4)	
acd_per	Period	Per	>>9	
acd_project	Project		x(8)	
acd_sub	Sub-Account	Sub-Acct	x(8)	
acd_user1	Ufld1		x(8)	
acd_user2	Ufld2		x(8)	
acd_year	Year		9999	
acd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
acd_ind2	no	acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_entity	yes	no
		acd_year	yes	no
		acd_per	yes	no
* acd_index	yes	acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no
		acd_entity	yes	no
		acd_year	yes	no
acd_period	no	acd_per	yes	no
		acd_year	yes	no
		acd_per	yes	no
		acd_entity	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no

acm_mstr Co-product/By-product Average Cost Master

Field Name	Label	Col-Label	Format	Dec
acm_method	Method		x(14)	
acm_part	Base Process		x(18)	
acm_prod_line	Product Line		x(4)	
acm_site	Site		x(8)	
acm_user1	Ufld1		x(8)	
acm_user2	Ufld2		x(8)	
acm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* acm_index	no	acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
acm_unique	yes	acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
		acm_method	yes	no

acod_mstr Application Code Master

Field Name	Label	Col-Label	Format	Dec
acod_app_id	Application ID		x(12)	
acod_desc	Description		x(40)	
acod_doc_rev	Document Revision		x(8)	
acod_doc_std	Document Standard		x(8)	
acod_doc_typ	Document Type		x(16)	
acod fldname	Field Name		x(32)	
acod_mod_date	Modified Date	Mod Date	99/99/99	
acod_mod_userid	User ID		x(8)	
acod_src_val	Source Value		x(24)	
acod_targ_val	Target Value		x(24)	
acod_tradptr_id	Trading Partner ID		x(32)	
acod_user1	Ufld1		x(8)	
acod_user2	Ufld2		x(8)	
acod__dec01			->>>, >>>, >>9.99<	10
acod__dec02			->>>, >>>, >>9.99<	10
acod__dte01			99/99/99	
acod__dte02			99/99/99	
acod__int01			->>>, >>>, >>9	
acod__int02			->>>, >>>, >>9	
acod__log01			yes/no	
acod__log02			yes/no	
acod__qadc01			x(8)	
acod__qadc02			x(8)	
acod__qadc03			x(8)	
acod__qadc04			x(8)	
acod__qadd01			->>>, >>>, >>9.99<	10
acod__qadd02			->>>, >>>, >>9.99<	10
acod__qadi01			->>>, >>>, >>9	
acod__qadi02			->>>, >>>, >>9	
acod__qadi01			yes/no	
acod__qadi02			yes/no	
acod__qadt01			99/99/99	
acod__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* SourceValue	yes	acod_app_id	yes	no
		acod_doc_std	yes	no
		acod_doc_typ	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		acod_doc_rev	yes	no
		acod_traptr_id	yes	no
		acod_fldname	yes	no
		acod_src_val	yes	no

act_mstr Alternate Container Master

Field Name	Label	Col-Label	Format	Dec
◇ act_charge_type	Charge Type	Charge! Type	x(8)	
act_cont_part			x(18)	
act_line			>>9	
act_nbr	Alternate Container		x(8)	
◇ act_ord_mult	Std Pack Qty		>>, >>>, >>9	
act_user1	Ufld1		x(8)	
act_user2	Ufld2		x(8)	
act__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* act_order	yes	act_nbr	yes	no
		act_line	yes	no
		act_cont_part	yes	no

acx_mstr Account Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
acx_acc	Account		x(8)	
acx_cc	Cost Center	CC	x(4)	
acx_entity	From Entity	From! Enty	x(4)	
acx_sub	Sub-Account	Sub-Acct	x(8)	
acx_to_acc	To Account	To-Acct	x(8)	
acx_to_cc	To Cost Center	To-CC	x(4)	
acx_to_ent	To Entity	To-Ent	x(8)	
acx_to_sub	To Sub-Account	To-Sub	x(8)	
acx_user1	Ufld1		x(8)	
acx_user2	Ufld2		x(8)	
acx_xcons_cc			yes/no	
acx__qad01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* acx_index	yes	acx_entity	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
		acx_to_ent	yes	no
acx_to_index	no	acx_to_ent	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no

ac_mstr

Account Master

Field Name	Label	Col-Label	Format	Dec
ac_active	Active	Act	yes/no	
ac_code	Account		x(8)	
ac_curr	Currency	Cur	x(3)	
ac_desc	Description		x(24)	
ac_fpos	Format Position	Format	>>>>9	
ac_fx_index	Curr Translation Index	Ind	x(1)	
◊ ac_match_seq	Matching Sequence		x(24)	
ac_modl_only	Sub-Module Entries Only	Sub! Only	yes/no	
ac_stat_acc	Statistical Account	Stat Acc	x(8)	
ac_stat_cc	Statistical Cost Ctr	CC	x(4)	
ac_type	Type	T	x(1)	
ac_user1	Ufld1		x(8)	
ac_user2	Ufld2		x(8)	
ac_xctr	Book Type	Book! Type	x(1)	
ac_xret_acc			x(8)	
ac_xret_cc			x(4)	
ac__chr01			x(8)	
ac__chr02			x(8)	
ac__chr03			x(8)	
ac__chr04			x(8)	
ac__dte01			99/99/99	
ac__dte02			99/99/99	
ac__log01			yes/no	
ac__log02			yes/no	
ac__qad01			99/99/99	
ac__qad02			x(8)	
ac__qad03	Calc Unrealized Gain/Loss		x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
ac_active	yes	ac_active	yes	no
		ac_code	yes	no
* ac_code	yes	ac_code	yes	no
ac_curr	no	ac_curr	yes	no
ac_desc	no	ac_desc	yes	no
		ac_code	yes	no
ac_fpos	no	ac_fpos	yes	no
		ac_code	yes	no
ac_type	no	ac_type	yes	no
		ac_code	yes	no

adc_ctrl

Address Control

Field Name	Label	Col-Label	Format	Dec
adc_format	Format		>9	
adc_index1	Index		>>>>9	
adc_user1	Ufld1		x(8)	
adc_user2	Ufld2		x(8)	
adc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	adc index1	yes	adc index1	yes	no

adx_det

External Address Cross-Reference Detail

Field Name	Label	Col-Label	Format	Dec
adx_ext_appl	External Application		x(12)	
adx_ext_ref1	Ext Reference 1		x(32)	
adx_ext_ref2	Ext Reference 2		x(32)	
adx_mfg_addr	MFG/PRO Address Code	Address	x(8)	
adx_mod_date	Modified Date	Mod Date	99/99/99	
adx_mod_userid	User ID		x(8)	
adx_user1	User Field 1		x(24)	
adx_user2	User Field 2		x(24)	
adx__qadc01			x(8)	
adx__qadd01			->>>, >>>, >>9<<<<<<<<<<	10
adx__qadi01			>>>>>>9	
adx__qadi01			yes/no	
adx__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* adx_det	yes	adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_ext_refs	no	adx_ext_appl	yes	no
		adx_mfg_addr	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_mfg_addr	no	adx_mfg_addr	yes	no
		adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no

ad_mstr

Address Master

Field Name	Label	Col-Label	Format	Dec
ad_addr	Address		x(8)	
ad_asn_data	ASN Default Data		x(8)	
ad_attn	Attention		x(24)	
ad_attn2	Attention		x(24)	
ad_barbl_prt	Barcode Label Print Program		x(10)	
ad_barbl_val	Barcode Validation Program		x(10)	
ad_bk_acct1	Bank Acct 1		x(24)	
ad_bk_acct2	Bank Acct 2		x(24)	
ad_calendar	Calendar		x(8)	
ad_city	City		x(20)	
ad_coc_reg	CoC Number	CoC	x(8)	
ad_conrep	Netting Logic	C/R	x(1)	
ad_country	Country		x(28)	

Field Name	Label	Col-Label	Format	Dec
ad_county	County		x(20)	
ad_ctry	Country Code	Ctry	x(3)	
ad_date	Added		99/99/99	
ad_edi_ctrl[5]	EDI Control		x(50)	
ad_edi_id	Trading Prtnr EDI ID		x(24)	
ad_edi_level	EDI Standard Level		x(8)	
ad_edi_std	EDI Standard		x(8)	
ad_edi_tpid	Trading Prtnr Interface ID		x(24)	
ad_ext	Ext		x(4)	
ad_ext2	Ext		x(4)	
ad_fax	Fax/Telex		x(16)	
ad_fax2	Fax/Telex		x(16)	
ad_format	Format		>9	
ad_gst_id	Tax ID - Federal		x(18)	
◊ ad_intr_division	IntraStat Division		x(3)	
ad_inv_mthd	Invoices Via		x(1)	
ad_lang	Language		x(2)	
◊ ad_last_file	Last Filing		yes/no	
ad_line1	Address		x(28)	
ad_line2	Address		x(28)	
ad_line3	Address		x(28)	
ad_misc1_id	Tax ID - Misc 1		x(18)	
ad_misc2_id	Tax ID - Misc 2		x(18)	
ad_misc3_id	Tax ID - Misc 3		x(18)	
ad_mod_date	Modified Date	Mod Date	99/99/99	
ad_name	Name		x(28)	
◊ ad_name_control	Name Control		x(4)	
ad_phone	Telephone		x(16)	
ad_phone2	Telephone		x(16)	
ad_po_mthd	Purchase Orders Via		x(1)	
ad_pst_id	Tax ID - State		x(18)	
ad_ref	Reference		x(8)	
ad_sch_mthd	Schedules Via		x(1)	
ad_sort	Sort Name		x(28)	
ad_state	State	St	x(4)	
ad_taxable	Taxable		yes/no	
ad_taxc	Tax Class	TxC	x(3)	
ad_tax_in	Tax In		yes/no	
◊ ad_tax_report	Tax Report		yes/no	
ad_tax_type	Tax Type		x(3)	
ad_tax_usage	Tax Usage	TaxUsage	x(8)	
ad_tax_zone	Tax Zone		x(16)	
ad_temp	Temporary	Temp	yes/no	
ad_timezone	Time Zone		x(8)	
ad_tp_loc_code	Trd Partner Location Code		x(24)	
ad_type	List Type	List	x(8)	
ad_user1	Ufld1		x(8)	
ad_user2	Ufld2		x(8)	
ad_userid	User ID		x(8)	
ad_vat_reg	VAT Registration		x(18)	
ad_wk_offset	Week Offset		9	
ad_zip	Post		x(10)	
ad__chr01			x(8)	
ad__chr02			x(8)	
ad__chr03			x(8)	
ad__chr04			x(8)	
ad__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
ad__qad01			x(8)	
ad__qad02			x(8)	
ad__qad03			x(8)	
ad__qad04			x(8)	
ad__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ad_addr	yes	ad_addr	yes	no
ad_edt_tpid	no	ad_edt_tpid	yes	no
ad_gst	yes	ad_gst_id	yes	no
		ad_addr	yes	no
		ad_sort	yes	no
ad_ref	no	ad_ref	yes	no
		ad_addr	yes	no
ad_sort	yes	ad_sort	yes	no
		ad_addr	yes	no
ad_type	yes	ad_type	yes	no
		ad_addr	yes	no
ad_zip	no	ad_zip	yes	no
		ad_addr	yes	no

ald_det

Allocation Account Detail

Field Name	Label	Col-Label	Format	Dec
ald_acc	Account		x(8)	
ald_cc	Cost Ctr	CC	x(4)	
ald_code	Allocation Code	Allocatn	x(8)	
ald_pct	Percentage	Percent	->>9.999	3
ald_project	Project		x(8)	
ald_sub	Sub-Account	Sub-Acct	x(8)	
ald_user1	Ufld1		x(8)	
ald_user2	Ufld2		x(8)	
ald__qad01			99/99/99	
ald__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ald_index	yes	ald_code	yes	no
		ald_acc	yes	no
		ald_sub	yes	no
		ald_cc	yes	no
		ald_project	yes	no

alm_mstr

Automatic Lot Master

Field Name	Label	Col-Label	Format	Dec
alm_date	Date Create	Date	99/99/99	
alm_lead	Leading Characters	Leading Char	x(12)	
alm_len	Sequence Length	Len	>9	
alm_lot_grp	Lot Group	Lot Grp	x(8)	
alm_pgm	Execution File		x(14)	
alm_seq	Sequence Number	Sequence	>>>>>>>>9	2
alm_site	Site		x(8)	
alm_trail	Trailing Characters	Trailing Char	x(12)	
alm_user1	Ufld1		x(8)	
alm_user2	Ufld2		x(8)	
alm_userid	User ID		x(8)	
alm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* alm_lot_grp	yes	alm_lot_grp	yes	no
		alm_site	yes	no

al_mstr

Allocation Account Master

Field Name	Label	Col-Label	Format	Dec
al_code	Allocation Code	Allocatn	x(8)	
al_desc	Description		x(24)	
al_user1	Ufld1		x(8)	
al_user2	Ufld2		x(8)	
al_userid	User ID		x(8)	
al_qad01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* al_code	yes	al_code	yes	no
al_desc	no	al_desc	yes	no
		al_code	yes	no

ani_det

Analysis Code Link Detail

Field Name	Label	Col-Label	Format	Dec
ani_code	Code		x(18)	
ani_desc	Description		x(24)	
ani_link_code	Linked Code	Link-to	x(18)	
ani_type	Type		x(24)	
ani_user1	Ufld1		x(8)	
ani_user2	Ufld2		x(8)	
ani_qadc01			x(8)	
ani_qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ans_type_code	yes	anl_type	yes	no
		anl_link_code	yes	no
		anl_type	yes	no
		anl_code	yes	no
		anl_link_code	yes	no

ans_det Analysis Code Selection Detail

Field Name	Label	Col-Label	Format	Dec
ans_code	Code		x(18)	
ans_field	Condition Field		x(32)	
ans_include	Include		yes/no	
ans_mask	Wildcard		x(28)	
ans_sel_high	To		x(28)	
ans_sel_low	From		x(28)	
ans_type	Type		x(24)	
ans_user1	Ufld1		x(8)	
ans_user2	Ufld2		x(8)	
ans__qadc01			x(8)	
ans__qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ans_type_code	yes	ans_type	yes	no
		ans_code	yes	no
		ans_field	yes	no
		ans_sel_low	yes	no

anx_det

Analysis Code Exploded Detail

Field Name	Label	Col-Label	Format	Dec
anx_active	Active		yes/no	
anx_code	Code		x(18)	
anx_node	Node		x(18)	
anx_type	Type		x(24)	
anx_user1	Ufld1		x(8)	
anx_user2	Ufld2		x(8)	
anx__qadc01			x(8)	
anx__qadd01			->>>>, >>>>, >>>9.9<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
anx_active	yes	anx_type	yes	no
		anx_node	yes	no
		anx_active	yes	no
		anx_code	yes	no
anx_node	yes	anx_type	yes	no
		anx_node	yes	no
		anx_code	yes	no
* anx_type_code	yes	anx_type	yes	no
		anx_code	yes	no
		anx_node	yes	no

an_mstr

Analysis Code Master

Field Name	Label	Col-Label	Format	Dec
an_active	Active		yes/no	
an_cmtindx	Comment Index	Comment	>>>>>>9	
an_code	Code		x(18)	
an_desc	Description		x(24)	
an_mod_date	Modified Date	Mod Date	99/99/99	
an_sec_group	Security Group		x(72)	
an_type	Type		x(24)	
an_user1	Ufld1		x(8)	
an_user2	Ufld2		x(8)	
an_userid	User ID		x(8)	
an__qadc01			x(8)	
an__qadd01			->>>>, >>>>, >>>9.9<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
an_code_type	yes	an_code	yes	no
		an_type	yes	no
* an_type_code	yes	an_type	yes	no
		an_code	yes	no

apc_ctrl

Accounts Payable Control

Field Name	Label	Col-Label	Format	Dec
apc_approv	Use Assigned-To Field		yes/no	
apc_bank	Default Bank	Bank	x(2)	
Δ apc_batch	Next Batch	Batch	>>>>>>9	
Δ apc_ckfrm	Check Form		x(2)	
apc_confirm	Enter Vouchers Confirmed		yes/no	
apc_ers_ps_err	ERS Packing Slip Error	P/S! Err	yes/no	
apc_ers_vo_tp	ERS Voucher Date Option	ERS! VDO	>9	
apc_expvar	Use Expensed Item Var		yes/no	
	Accts			
apc_ext_ref	External Voucher		yes/no	
	References Allowed			
apc_ex_ratetype	Rate Type		x(8)	
apc_ex_tol	Exchange Tolerance		>9.99%	2
apc_gl_avg_cst	Update GL Average Cost	Avg! Cst	yes/no	
apc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
apc_index1	Index		>>>>>9	
apc_jrnl	Next Journal	Journl	999999	
◇ apc_multi_entity_pay	Multi-Entity Payments		yes/no	
apc_pip	Use Payment In Process	PIP	yes/no	
	Acct			
apc_rv_conf	Release Recur VOs		yes/no	
	Confirmed			
apc_ship	Ship-To		x(8)	
apc_sum_lvl	AP Summarization Level	AP! Summ! Lvl	9	
apc_user1	Ufld1		x(8)	
apc_user2	Ufld2		x(8)	
apc_use_drft	Use Draft Management	Use! DM	yes/no	
apc_vchr_all	Voucher All		yes/no	
apc_voucher	Next Voucher	Voucher	>>>>>>9	
apc_vo_pre	Voucher Prefix	Pre	x(3)	
apc__qad01			>>>>>>9	
apc__qad02			99/99/99	
apc__qad03			x(8)	
apc__qad04	External Memo References		yes/no	
	Allowed			
apc__qadc01			x(8)	
apc__qadc02			x(4)	
Δ apc__qadc03			x(24)	
Δ apc__qadc04			x(24)	
Δ apc__qadc05			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* apc_index1	yes	apc_index1	yes	no

apmr_mstr

Advanced Pricing Management Customer Relationship Master

Field Name	Label	Col-Label	Format	Dec
apmr_pricing	Pricing		>9	
apmr_rule	Rule		>9	
apmr_seq	Sequence		>>9	
apmr_type	Type		>>>9	

Field Name	Label	Col-Label	Format	Dec
apmr_user1	Ufld1		x(8)	
apmr_user2	Ufld2		x(8)	
apmr__qadc01			x(8)	
apmr__qadc02			x(8)	
apmr__qadc03			x(8)	
apmr__qadd01			->>>>, >>>, >>9.9	10
apmr__qadd02			->>>>, >>>, >>9.9	10
apmr__qadi01			->, >>>, >>9	
apmr__qadi02			->, >>>, >>9	
apmr__qadi01			yes/no	
apmr__qadi02			yes/no	
apmr__qadt01			99/99/99	
apmr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* apmr_seq	yes	apmr_seq	yes	no
apmr_type	yes	apmr_type	yes	no

apm_ctrl

Advanced Pricing Management Control

Field Name	Label	Col-Label	Format	Dec
apm_div	Default Division		x(8)	
apm_index1	Index		>>>>>9	
apm_line_rel	Line Relationships		yes/no	
apm_manual	Manual P/L Selection		yes/no	
apm_multi_div	Multiple Divisions		yes/no	
apm_plpri	P/L Priorities		yes/no	
apm_plpri_dseq	P/L Display Seq		x(20)	
apm_plpri_sseq	P/L Select Seq		x(20)	
apm_prig1	Pricing Group 1		yes/no	
apm_prig2	Pricing Group 2		yes/no	
apm_user1	Ufld1		x(8)	
apm_user2	Ufld2		x(8)	
apm__qadc01			x(8)	
apm__qadc02			x(8)	
apm__qadc03			x(8)	
apm__qadd01			->>>>, >>>, >>9.9	10
apm__qadd02			->>>>, >>>, >>9.9	10
apm__qadi01			->, >>>, >>9	
apm__qadi02			->, >>>, >>9	
apm__qadi01			yes/no	
apm__qadi02			yes/no	
apm__qadi03			yes/no	
apm__qadt01			99/99/99	
apm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* apm_index1	yes	apm_index1	yes	no

aprm_mstr Application Parameter Master

Field Name	Label	Col-Label	Format	Dec
aprm_app_id	Application ID		x(12)	
aprm_code	Parameter Code		x(8)	
aprm_desc	Parameter Description		x(60)	
aprm_doc_std	Document Standard		X(8)	
aprm_mod_date	Modified Date	Mod Date	99/99/99	
aprm_mod_userid	User ID		x(8)	
aprm_mthd_name	Method Name		x(1)	
aprm_seq	Parameter Sequence Number.		9	
aprm_user1	Ufld1		x(8)	
aprm_user2	Ufld2		x(8)	
aprm_val	Parameter Value		x(12)	
aprm__dec01			->>>, >>>, >>9.99<	10
aprm__dec02			->>>, >>>, >>9.99<	10
aprm__dte01			99/99/99	
aprm__dte02			99/99/99	
aprm__int01			->>>, >>>, >>9	
aprm__int02			->>>, >>>, >>9	
aprm__log01			yes/no	
aprm__log02			yes/no	
aprm__qadc01			x(8)	
aprm__qadc02			x(8)	
aprm__qadc03			x(8)	
aprm__qadc04			x(8)	
aprm__qadd01			->>>, >>>, >>9.99<	10
aprm__qadd02			->>>, >>>, >>9.99<	10
aprm__qadi01			->>>, >>>, >>9	
aprm__qadi02			->>>, >>>, >>9	
aprm__qadi01			yes/no	
aprm__qadi02			yes/no	
aprm__qadt01			99/99/99	
aprm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* AppParamSeq	yes	aprm_app_id	yes	no
		aprm_doc_std	yes	no
		aprm_mthd_name	yes	no
		aprm_seq	yes	no

apr_mstr Application Registry

Field Name	Label	Col-Label	Format	Dec
apr_access_code	Access Code		x(60)	
apr_ack_doc_rev	Document Revision		x(8)	
apr_ack_doc_std	Document Standard		x(8)	
apr_ack_doc_typ	Document Type		x(21)	
apr_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
apr_adapter_env	Adapter Type		x(1)	
apr_adapter_proc	PROGRESS Adapter Program		x(24)	

Field Name	Label	Col-Label	Format	Dec
apr_adapt_cmd	Adapter Start Command		X(65)	
apr_adapt_start	Start when Connecting		yes/no	
apr_app_id	Application ID		x(12)	
apr_app_ver	Version		x(8)	
apr_cim_proc	CIM/API Process		yes/no	
apr_code_pg	Code Page		X(15)	
apr_date_form	Date Format		X(3)	
apr_del_err_det	Delete Error Detail		x(1)	
apr_desc	Description		x(60)	
apr_doc_lng	Document Language		x(3)	
apr_dtd_dir_url	DTD Directory URL		x(65)	
apr_email_notlvl	E-mail Level		x(1)	
apr_email_userid	Default E-mail User ID		x(8)	
apr_eol_delim	End of Line Delimiter for Export		yes/no	
apr_ex_arch_dir	Export File Archive Directory		x(65)	
apr_ex_delim	ASCII Delimiter for Export		>>9	
apr_ex_dest_mthd	Method		x(24)	
apr_ex_dest_proc	In Registered Application		x(24)	
apr_ex_init_conn	Initiate Export Connection		yes/no	
apr_ex_ip_addr	IP Address For Export		x(16)	
apr_ex_map_flg	Map Exports		yes/no	
apr_ex_port_nbr	Port Number For Export		>>>>9	
apr_ex_prc_typ	Process Type		x(8)	
apr_ex_xml	XML Exported		x(1)	
apr_im_arch_dir	Import File Archive Directory		x(65)	
apr_im_delim	ASCII Delimiter for Import		>>9	
apr_im_dest_mthd	Method		x(24)	
apr_im_dest_proc	In MFG/PRO		x(24)	
apr_im_doc_std	Document Standard for Import		X(8)	
apr_im_init_conn	Initiate Import Connection		yes/no	
apr_im_ip_addr	IP Address For Import		x(16)	
apr_im_map_flg	Map Imports		yes/no	
apr_im_port_nbr	Port Number For Import		>>>>9	
apr_im_prc_typ	Process Type		x(8)	
apr_im_xml	XML Imported		x(1)	
apr_mapper_proc	Data Mapper Procedure		x(24)	
apr_map_parm[10]	Mapper Parameter Codes		X(8)	
apr_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
apr_map_spec	Mapping Specification ID		x(24)	
apr_mod_date	Modified Date	Mod Date	99/99/99	
apr_mod_userid	User ID		x(8)	
apr_msg_ack_lvl	Acknowledgment Level		x(8)	
apr_msg_clnt_ord	Message Ordering		x(8)	
apr_msg_persist	Persistence		X(8)	
apr_msg_priority	Priority		x(8)	
apr_msg_routing	Routing		x(8)	
apr_msg_secur	Security		X(8)	
apr_msg_sync	Sync Scope		X(8)	
apr_msg_ttl	Time To Live		x(8)	
apr_name	Name		x(20)	
apr_num_form	Numeric Format		X(8)	
apr_pause_sev	Pause Severity Level		>>9	
apr_proc_flag	Process Imports		yes/no	
apr_publ_flg	Publish Exports		yes/no	

Field Name	Label	Col-Label	Format	Dec
apr_queue_pub	Queue Published Documents		X(1)	
apr_rcv_flg	Receive Imports		yes/no	
apr_send_flg	Send Exports		yes/no	
apr_src_comp	Source Component		x(10)	
apr_src_task	Task		x(10)	
apr_src_userid	Source User ID		x(8)	
apr_user1	Ufld1		x(8)	
apr_user2	Ufld2		x(8)	
apr__dec01			->>>, >>>, >>9.99<	10
apr__dec02			->>>, >>>, >>9.99<	10
apr__dte01			99/99/99	
apr__dte02			99/99/99	
apr__int01			->>>, >>>, >>9	
apr__int02			->>>, >>>, >>9	
apr__log01			yes/no	
apr__log02			yes/no	
apr__qadc01			x(8)	
apr__qadc02			x(8)	
apr__qadc03			x(8)	
apr__qadc04			x(8)	
apr__qadd01			->>>, >>>, >>9.99<	10
apr__qadd02			->>>, >>>, >>9.99<	10
apr__qadi01			->>>, >>>, >>9	
apr__qadi02			->>>, >>>, >>9	
apr__qadi01			yes/no	
apr__qadi02			yes/no	
apr__qadt01			99/99/99	
apr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AppID	yes	apr_app_id	yes	no

ap_mstr

Accounts Payable Master

Field Name	Label	Col-Label	Format	Dec
ap_acct	Account		x(8)	
ap_amt	Amount		->>>, >>>, >>9.99	10
ap_bank	Bank		x(2)	
ap_base_amt	Base Amount		->>>, >>>, >>9.99	10
ap_batch	Batch		x(8)	
ap_cc	Cost Ctr	CC	x(4)	
Δ ap_ckfrm	Check Form	Ck Fm	x(2)	
ap_curr	Currency	Cur	x(3)	
ap_date	Date		99/99/99	
ap_disc_acct	Disc Account	Dsc Acct	x(8)	
ap_disc_cc	Disc Cost Ctr	CC	x(4)	
ap_disc_sub	Disc Sub-Account	Sub-Acct	x(8)	
ap_dy_code	Daybook		x(8)	
ap_effdate	Effective	Eff Date	99/99/99	
ap_entity	Entity	Enty	x(4)	
ap_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10

Field Name	Label	Col-Label	Format	Dec
ap_expt_date	Expect Pay Date	Expect	99/99/99	
ap_exru_seq	Sequence		>>>>>>>9	
ap_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ap_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ap_ex_ratetype	Rate Type		x(8)	
ap_open	Open		yes/no	
Δ ap_ref	Reference		x(10)	
ap_remit	Remit-To Address		x(8)	
ap_rmk	Remark		x(20)	
ap_sort	Voucher Sort	Voucher! Sort	x(8)	
ap_sub	Sub-Account	Sub-Acct	x(8)	
ap_type	Type	T	x(2)	
◇ ap_unapplied_ref	Unapplied Reference		x(10)	
ap_user1	Ufld1		x(8)	
ap_user2	Ufld2		x(8)	
ap_vend	Supplier		x(8)	
ap__qad01			x(8)	
ap__qad02			x(8)	
ap__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ap_batch_ref	yes	ap_batch	yes	no
		ap_ref	yes	no
ap_open	yes	ap_open	yes	no
		ap_vend	yes	no
		ap_ref	yes	no
* ap_type_ref	yes	ap_type	yes	no
		ap_ref	yes	no
◇ ap_unapplied	no	ap_unapplied_ref	yes	no
ap_vend_date	no	ap_vend	yes	no
		ap_date	yes	no

arc_ctrl Accounts Receivable Control

Field Name	Label	Col-Label	Format	Dec
arc_auto_drft	Auto Post Drafts	Auto! Post	yes/no	
arc_auto_late_int	Auto Calculate Late Interest	Auto! Late! Int	yes/no	
Δ arc_batch	Next Batch	Batch	99999999	
arc_coll_mthd	Collection Method	M	x(1)	
arc_drft_acc	Drafts Receivable Account	Drft Rcv	x(8)	
arc_drft_cc	Drafts Receivable Cost Center	CC	x(4)	
arc_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	2
arc_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	2
arc_drft_sub	Drafts Receivable Sub	Sub-Acct	x(8)	
arc_ext_drft_ref	External Draft Ref Allowed	ERA	yes/no	
arc_ex_ratetype	Rate Type		x(8)	
arc_ex_tol	Exchange Tolerance		>9.99%	2
arc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
arc_index1	Index		>>>>>9	
arc_jrnl	Next Journal	Journl	999999	
arc_memo	Next Memo	Memo	99999999	

Field Name	Label	Col-Label	Format	Dec
arc_memo_pre	Memo Prefix	Pre	x(3)	
arc_nxt_drft	Next Draft	Draft	x(8)	
arc_nxt_pmt	Next Payment	Payment	x(8)	
arc_sum_lvl	AR Summarization Level	AR! Summ! Lvl	9	
arc_user1	Ufld1		x(8)	
arc_user2	Ufld2		x(8)	
arc_use_drft	Use Draft Management	Use! Drft	yes/no	
arc__qad01			>>>>>9	
arc__qad02			99/99/99	
arc__qad03			x(8)	
arc__qadc01			x(8)	
arc__qadc02			x(4)	
Δ arc__qadc03			x(24)	
Δ arc__qadc04			x(24)	
Δ arc__qadc05			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* arc_index1	yes	arc_index1	yes	no

ard_det

Accounts Receivable Detail

Field Name	Label	Col-Label	Format	Dec
ard_acct	Account		x(8)	
ard_amt	Amount		->>>>, >>>, >>9.99	10
ard_cc	Cost Ctr	CC	x(4)	
ard_cur_amt	Currency Amount		->>>>, >>>, >>9.99	10
ard_cur_disc	Currency Discount		->>>>, >>>, >>9.99	10
ard_ded_nbr	Deduction Nbr		>>, >>>, >>9	
ard_desc	Description		x(24)	
ard_disc	Discount		->>>>, >>>, >>9.99	10
ard_dy_code	Daybook		x(8)	
ard_dy_num	Entry Number		x(40)	
ard_entity	Entity	Enty	x(4)	
ard_exru_seq	Sequence		>>>>>>>9	
ard_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ard_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ard_ex_ratetype	Rate Type		x(8)	
ard_nbr	Reference		x(18)	
ard_project	Project		x(8)	
ard_ref	Reference		x(8)	
ard_sub	Sub-Account	Sub-Acct	x(8)	
ard_tax	Tax Code		x(1)	
ard_taxc	Tax Class	TxC	x(3)	
ard_tax_at	Tax	T	x(3)	
ard_tax_usage	Tax Usage	TaxUsage	x(8)	
ard_type	Type	T	x(1)	
ard_user1	Ufld1		x(8)	
ard_user2	Ufld2		x(8)	
ard__qad01			99/99/99	
ard__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ard_dy	no	ard_dy_code	yes	no
		ard_dy_num	yes	no
* ard_nbr	yes	ard_nbr	yes	no
		ard_ref	yes	no
		ard_type	yes	no
		ard_tax_at	yes	no
		ard_entity	yes	no
		ard_acct	yes	no
		ard_sub	yes	no
		ard_cc	yes	no
		ard_tax	yes	no
ard_ref	no	ard_ref	yes	no
ard_tax	no	ard_nbr	yes	no
		ard_tax_at	yes	no

◇ **arsd_det** Accounts Receivable Payment Status Detail

Field Name	Label	Col-Label	Format	Dec
arsd_acct	Account		x(8)	
arsd_batch	Batch		x(8)	
arsd_cc	Cost Center	CC	x(4)	
arsd_exru_seq	Sequence		>>>>>>>9	
arsd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
arsd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
arsd_ex_ratetype	Rate Type		x(8)	
arsd_line	Line		>>>>>9	
arsd_mod_date	Modified Date	Mod Date	99/99/99	
arsd_mod_userid	User ID		x(8)	
arsd_nbr	Reference		x(16)	
arsd_sub	Sub Account	Sub-Acct	x(8)	
arsd_user1	User Field Character 1		x(24)	
arsd_user2	User Field Character 2		x(24)	
arsd__qadc01			x(24)	
arsd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* arsd_batch	yes	arsd_batch	yes	no
		arsd_line	yes	no
		arsd_nbr	yes	no
◇ arsd_nbr	no	arsd_nbr	yes	no

art_mstr	Application Return Code Master

Field Name	Label	Col-Label	Format	Dec
art_app_id	Application ID		x(12)	
art_desc	Code Description		x(60)	
art_mfg_msg_code	MFG/PRO Message Number		>>>9	
art_mod_date	Modified Date	Mod Date	99/99/99	
art_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
art_mthd_name	Method Name		X(1)	
art_return_code	Application Return Code		x(8)	
art_sev_lvl	Message Severity Level		x(1)	
art_user1	Ufld1		x(8)	
art_user2	Ufld2		x(8)	
art_dec01			->>>, >>>, >>9.99<	10
art_dec02			->>>, >>>, >>9.99<	10
art_dte01			99/99/99	
art_dte02			99/99/99	
art_int01			->>>, >>>, >>9	
art_int02			->>>, >>>, >>9	
art_log01			yes/no	
art_log02			yes/no	
art_qadc01			x(8)	
art_qadc02			x(8)	
art_qadc03			x(8)	
art_qadc04			x(8)	
art_qadd01			->>>, >>>, >>9.99<	10
art_qadd02			->>>, >>>, >>9.99<	10
art_qadi01			->>>, >>>, >>9	
art_qadi02			->>>, >>>, >>9	
art_qadi01			yes/no	
art_qadi02			yes/no	
art_qadt01			99/99/99	
art_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* AppRetCode	yes	art_app_id	yes	no
		art_mthd_name	yes	no
		art_return_code	yes	no

ar_mstr Accounts Receivable Master

Field Name	Label	Col-Label	Format	Dec
ar_acct	Account		x(8)	
ar_amt	Amount		->>>>, >>>, >>9.99	10
ar_amt_chg	Amount to Pay		->>>>, >>>, >>9.99	10
ar_applied	Applied Amt		->>>>, >>>, >>9.99	10
ar_app_owner	Owner Application		x(12)	
ar_bank	Bank		x(2)	
ar_base_amt	Base Amt		->>>>, >>>, >>9.99	10
ar_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
ar_base_applied	Base Applied Amt		->>>>, >>>, >>9.99	10
ar_base_comm_amt[4]	Base Commission Amt		->>>>, >>>, >>9.99	10
ar_batch	Batch		x(8)	
ar_bill	Bill-To		x(8)	
ar_cc	Cost Ctr	CC	x(4)	
ar_check	Check		x(8)	
ar_cmtindx	Comment Index	Comment	>>>>>>>9	
ar_coll_mthd	Collection Method	M	x(1)	
ar_comm_amt[4]	Commission Amt	Comm Amt	->>>>, >>>, >>9.99	10
ar_comm_pct[4]	Commission	Comm%	>>9.99%	2

Field Name	Label	Col-Label	Format	Dec
ar_contested	Contested	Contest	yes/no	
ar_cr_terms	Cr Terms		x(8)	
ar_curr	Currency	Cur	x(3)	
ar_cust	Sold-To		x(8)	
◇ ar_customer_bank	Customer Bank		x(8)	
◇ ar_customer_initiated	Customer Initiated		yes/no	
ar_date	Date		99/99/99	
ar_dd_curr	Draft Discount Currency	Draft Disc Cur	x(3)	
ar_dd_exru_seq	Sequence		>>>>>>>9	
ar_dd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_dd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_disc_acct	Disc Acct	Dsc Acct	x(8)	
ar_disc_cc	Disc Cost Ctr	CC	x(4)	
ar_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
ar_disc_date	Disc Date		99/99/99	
ar_disc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
ar_draft	Approved	Aprvd	yes/no	
◇ ar_draft_disc_date	Draft Discounting Date		99/99/99	
◇ ar_draft_submit_date	Draft Submission Date		99/99/99	
ar_drft_sel	Sel		yes/no	
ar_due_date	Due Date		99/99/99	
ar_dun_level	Dun Level	Dn! Lv	>9	
ar_dy_code	Daybook		x(8)	
ar_effdate	Effective	Eff Date	99/99/99	
ar_entity	Entity	Enty	x(4)	
ar_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ar_expt_date	Expect Pay Date	Expect	99/99/99	
ar_exru_seq	Sequence		>>>>>>>9	
ar_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_ratetype	Rate Type		x(8)	
ar_fr_terms	Freight Terms	Fr Terms	x(8)	
ar_fsm_type	FSM Type		x(8)	
ar_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ar_ldue_date	Last Due Date		99/99/99	
ar_mrgn_amt	Gr Margin		->>>>, >>>>, >>9.99	10
ar_nbr	Reference		x(18)	
ar_open	Open		yes/no	
ar_paid_date	Paid Date	Paid	99/99/99	
◇ ar_pay_method	Payment Method	PM	x(2)	
ar_po	Remark		x(22)	
ar_prepayment	Prepayment		yes/no	
ar_print	Printed		yes/no	
◇ ar_recon_date	Reconciliation Date		99/99/99	
ar_sales_amt	Sales Amount		->>>>, >>>, >>9.99	10
ar_ship	Ship-To		x(8)	
◇ ar_shipfrom	Ship-From		x(8)	
ar_slspsn[4]	Salesperson	Salespsn	x(8)	
ar_so_nbr	Sales Order	Order	x(8)	
◇ ar_status	Status		x(8)	
ar_sub	Sub-Account	Sub-Acct	x(8)	
ar_tax_date	Tax Date		99/99/99	
ar_tax_env	Tax Environment	Tax Env	x(16)	
ar_type	Type	T	x(1)	
ar_user1	Ufld1		x(8)	
ar_user2	Ufld2		x(8)	
ar_var_acct	Gain/Loss Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
ar_var_cc	Gain/Loss Cost Ctr	CC	x(4)	
ar_var_sub	Gain/Loss Sub-Acct	Sub-Acct	x(8)	
◇ ar_void_date	Void Date		99/99/99	
ar_xcomm_pct[2]	Commission	Comm %	>>9.99%	2
ar_xslspn1	Slspn[1]		x(8)	
ar_xslspn2	Slspn[2]		x(8)	
ar__chr01			x(8)	
ar__chr02			x(8)	
ar__chr03			x(8)	
ar__chr04			x(8)	
ar__chr05			x(8)	
ar__dec01			>>>, >>>, >>9.99	10
ar__dec02			>>>, >>>, >>9.99	10
ar__dte01			99/99/99	
ar__dte02			99/99/99	
ar__log01			yes/no	
ar__qad01			x(8)	
ar__qad02			x(8)	
ar__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ar_batch	no	ar_batch	yes	no
ar_bill	no	ar_bill	yes	no
		ar_date	yes	no
		ar_nbr	yes	no
ar_bill_open	yes	ar_bill	yes	no
		ar_open	yes	no
		ar_due_date	yes	no
		ar_nbr	yes	no
ar_bill_type	no	ar_bill	yes	no
		ar_type	yes	no
		ar_open	yes	no
		ar_draft	yes	no
		ar_nbr	yes	no
ar_check	no	ar_check	yes	no
ar_cust	no	ar_cust	yes	no
		ar_date	yes	no
		ar_nbr	yes	no
ar_date	no	ar_date	yes	no
ar_drft_sel	no	ar_drft_sel	yes	no
		ar_bill	yes	no
		ar_entity	yes	no
		ar_curr	yes	no
ar_effdate	no	ar_effdate	yes	no
* ar_nbr	yes	ar_nbr	yes	no
ar_type	no	ar_type	yes	no
		ar_draft	yes	no

asc_mstr Account/Sub-Account/Cost Center Master

Field Name	Label	Col-Label	Format	Dec
asc_acc	Account		x(8)	
asc_cc	Cost Ctr	CC	x(4)	
asc_desc	Description		x(24)	
asc_fpos			>>>>9	
asc_sub	Sub-Account	Sub-Acct	x(8)	
asc_user1	Ufld1		x(8)	
asc_user2	Ufld2		x(8)	
asc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
asc_cc	yes	asc_cc	yes	no
		asc_acc	yes	no
		asc_sub	yes	no
asc_facs	no	asc_fpos	yes	no
		asc_acc	yes	no
		asc_cc	yes	no
		asc_sub	yes	no
asc_fasc	no	asc_fpos	yes	no
		asc_acc	yes	no
		asc_sub	yes	no
		asc_cc	yes	no
asc_fcas	no	asc_fpos	yes	no
		asc_cc	yes	no
		asc_acc	yes	no
		asc_sub	yes	no
asc_fsac	no	asc_fpos	yes	no
		asc_sub	yes	no
		asc_acc	yes	no
		asc_cc	yes	no
asc_fsca	no	asc_fpos	yes	no
		asc_sub	yes	no
		asc_cc	yes	no
		asc_acc	yes	no
asc_ind1	no	asc_cc	yes	no
		asc_cc	yes	no
		asc_sub	yes	no
* asc_index	yes	asc_acc	yes	no
		asc_sub	yes	no
		asc_cc	yes	no
asc_sub	yes	asc_sub	yes	no
		asc_acc	yes	no
		asc_cc	yes	no

ast_mstr

Asset Master

Field Name	Label	Col-Label	Format	Dec
ast_acct	Asset Account	Asset! Account	x(8)	
ast_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
ast_ac_cc	Cost Center	CC	x(4)	
ast_ac_proj	Project		x(8)	
ast_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_asset	Asset		x(12)	
ast_at_risk	At-Risk Basis		->>, >>>, >>>, >>>9.99<	10
ast_cc	Cost Center	CC	x(4)	
ast_class	Class	Cls	x(3)	
ast_cust	Custodian		x(12)	
ast_date	Depreciation Start Date	Start! Date	99/99/99	
ast_desc	Description		x(24)	
ast_entity	Entity	Enty	x(4)	
ast_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
ast_exp_cc	Cost Center	CC	x(4)	
ast_exp_proj	Project		x(8)	
ast_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_fa_loc	Fixed Asset Location	Loc	x(4)	
ast_ins_co	Insurance Company		x(24)	
ast_ins_date	Insurance Date	Ins Date	99/99/9999	
ast_ins_nbr	Insurance Policy	Ins Policy	x(12)	
ast_ins_value	Insurance Value		->>, >>>, >>>, >>>9.99<	10
ast_inv_nbr	Inventory Number		x(18)	
ast_mod_date	Modified Date	Mod Date	99/99/99	
ast_po_nbr	Purchase Order	Order	x(8)	
ast_prev_method	Previous Method	Previous! Method	x(8)	
ast_proj	Project		x(8)	
ast_pur_date	Purchase Date	Purch Date	99/99/99	
ast_qty	Quantity	Qty	>>>>	
ast_report	Print on Reports	Prt	yes/no	
ast_retire	Retirement Method	RM	x(2)	
ast_rt_date	Retirement Date	Retire! Date	99/99/9999	
ast_rt_price	Retirement Price		->>, >>>, >>>, >>>9.99<	10
ast_rt_reason	Retirement Reason		x(24)	
ast_serial	Serial Number		x(24)	
ast_sp_ac_acct	Special Accumulated Depr Acct	Spec Acc! Depr Acct	x(8)	
ast_sp_ac_cc	Cost Center	CC	x(4)	
ast_sp_ac_proj	Project		x(8)	
ast_sp_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_sp_exp_acct	Special Depreciation Exp Acct	Spec Depr! Exp Acct	x(8)	
ast_sp_exp_cc	Cost Center	CC	x(4)	
ast_sp_exp_proj	Project		x(8)	
ast_sp_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_sub	Sub-Account	Sub-Acct	x(8)	
ast_sus_beg	Suspension Start	Start! Suspend	99/99/99	
ast_sus_end	Suspension End	End! Suspend	99/99/99	
ast_uchar1	Char 1		x(8)	
ast_uchar2	Char 2		x(8)	
ast_uchar3	Char 3		x(8)	
ast_uchar4	Char 4		x(8)	
ast_update1	Date 1		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
ast_update2	Date 2		99/99/9999	
ast_update3	Date 3		99/99/9999	
ast_update4	Date 4		99/99/9999	
ast_udec1	Decimal 1		-->, >>>, >>>, >>9.99<	10
ast_udec2	Decimal 2		-->, >>>, >>>, >>9.99<	10
ast_uint1	Integer 1		-->, >>>, >>>, >>>	
ast_uint2	Integer 2		-->, >>>, >>>, >>>	
ast_uint3	Integer 3	Int 3	-->, >>>, >>>, >>>	
ast_uint4	Integer 4	Int 4	-->, >>>, >>>, >>>	
ast_user1	Ufld1		x(8)	
ast_user2	Ufld2		x(8)	
ast_userid	User ID		x(8)	
ast_vend	Supplier		x(8)	
ast_warranty	Warranty Date	Warranty! Date	99/99/9999	
ast__qad01			yes/no	
ast__qad02			x(8)	
ast__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ast_asset	yes	ast_asset	yes	no
ast_ast_ent	no	ast_asset	yes	no
		ast_entity	yes	no
ast_ent_ast	no	ast_entity	yes	no
		ast_asset	yes	no
ast_inv	no	ast_inv_nbr	yes	no
ast_retire	yes	ast_asset	yes	no
		ast_rt_date	yes	no

◇ atd_mstr Accounting Transaction Description Master

Field Name	Label	Col-Label	Format	Dec
atd_code	Accounting Transaction Code	Code	x(8)	
atd_desc	Description		x(24)	
atd_group	Group		x(2)	
atd_mod_date	Modified Date	Mod Date	99/99/99	
atd_mod_userid	User ID		x(8)	
atd_user1	User Field Character 1		x(24)	
atd_user2	User Field Character 2		x(24)	
atd__qadc01			x(24)	
atd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* atd_code	yes	atd_code	yes	no

atp_det Available-to-Promise Detail

Field Name	Label	Col-Label	Format	Dec
atp_date	Date	Date	99/99/99	
atp_id_num			>>>>>>9	
atp_part	Item Number		x(18)	
atp_qty	Qty		->, >>>, >>9,9<<<<<<<<<	10
atp_site	Site		x(8)	
atp_user1	Ufld1		x(8)	
atp_user2	Ufld2		x(8)	
atp__qad01			x(18)	
atp__qad02			99/99/99	
atp__qad03			x(8)	
atp__qad04			x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
atp_id_num	yes	atp_id_num	yes	no
* atp_part	yes	atp_part	yes	no
		atp_site	yes	no
		atp_date	yes	no
		atp_id_num	yes	no

aud_det Audit Detail

Field Name	Label	Col-Label	Format	Dec
aud_dataset	File		x(16)	
aud_date	Date		99/99/99	
aud_entry	Entry		>>>>>>>>>>9	
aud_field	Field Name		x(32)	
aud_key1	Key Field 1		x(18)	
aud_key2	Key Field 2		x(18)	
aud_key3	Key Field 3		x(18)	
aud_key4	Key Field 4		x(18)	
aud_key5	Key Field 5		x(18)	
aud_key6	Key Field 6		x(18)	
aud_key7	Key Field 7		x(18)	
aud_new_data[15]	Data	New data	x(76)	
aud_old_data[15]	Data	Old data	x(76)	
aud_time	Time		x(8)	
aud_user1	Ufld1		x(8)	
aud_user2	Ufld2		x(8)	
aud_userid	User ID		x(8)	
aud__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
aud_dataset	yes	aud_dataset	yes	no
		aud_key1	yes	no
		aud_key2	yes	no
		aud_key3	yes	no
		aud_key4	yes	no
		aud_key5	yes	no
		aud_key6	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		aud_key7	yes	no
		aud_date	yes	no
		aud_entry	yes	no
* aud_entry	yes	aud_entry	yes	no
aud_user	no	aud_userid	yes	no
		aud_dataset	yes	no
		aud_date	yes	no

ba_mstr

Batch Master

Field Name	Label	Col-Label	Format	Dec
ba_bank	Bank		x(2)	
ba_batch	Batch		x(8)	
ba_beg_bal	Balance		->>>>>, >>>, >>9.99	10
ba_ctrl	Batch Ctrl		->>, >>>, >>>, >>9.99	10
ba_date	Date		99/99/99	
ba_doc_type	Document Type	T	x(2)	
ba_module	Module		x(2)	
ba_status	Status		x(2)	
ba_total	Total		->>, >>>, >>>, >>9.99	10
ba_user1	Ufld1		x(8)	
ba_user2	Ufld2		x(8)	
ba_userid	User ID		x(8)	
ba__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ba_modbatch	yes	ba_module	yes	no
		ba_batch	yes	no

bcd_det

Batch Control Detail

Field Name	Label	Col-Label	Format	Dec
bcd_batch	Batch ID		x(8)	
bcd_date_run	Run Date	Run! Date	99/99/99	
bcd_date_sub	Submit Date	Submit! Date	99/99/99	
bcd_dev	Output		x(8)	
bcd_exec	Program		x(14)	
bcd_mnu_nbr	Menu		x(16)	
bcd_mnu_sel	Selection	Sel	>9	
bcd_parm	Parameter Data	Parameter! Data	x(200)	
bcd_perm	Permanent	Perm	yes/no	
bcd_priority	Priority		>>>, >>9	
bcd_process	Process		yes/no	
bcd_run_stat	Run Status	Run! Status	x(8)	
bcd_time_run	Run Time	Run! Time	x(8)	
bcd_time_sub	Submit Time	Submit! Time	x(8)	

Field Name	Label	Col-Label	Format	Dec
bcd_user1	Ufld1		x(8)	
bcd_user2	Ufld2		x(8)	
bcd_userid	Submitted By	Submitted! By	x(8)	
bcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bcd_id	yes	bcd_batch	yes	no
		bcd_date_sub	yes	no
		bcd_time_sub	yes	no
		bcd_userid	yes	no

bc_mstrBatch Control Master

Field Name	Label	Col-Label	Format	Dec
bc_batch	Batch ID		x(8)	
bc_canrun	Users/Groups		x(60)	
bc_cmtindx	Comment Index	Comment	>>>>>>9	
bc_desc	Description		x(24)	
bc_perm	Permanent		yes/no	
bc_priority	Priority		>>>,>>9	
bc_user1	Ufld1		x(8)	
bc_user2	Ufld2		x(8)	
bc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bc_batch	yes	bc_batch	yes	no

bdld_detBatch Data Load Detail

Field Name	Label	Col-Label	Format	Dec
bdld_data	Data		x(78)	
bdld_id	Group Id		>>>>>>9	
bdld_line	Line Number		>>>9	
bdld_source	Source		x(16)	
bdld_user1	Ufld1		x(8)	
bdld_user2	Ufld2		x(8)	
bdld__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bdld_id	yes	bdld_source	yes	no
		bdld_id	yes	no
		bdld_line	yes	no

bdl_mstr

Batch Data Load Master

Field Name	Label	Col-Label	Format	Dec
bdl_date_ent	Date Entered		99/99/99	
bdl_date_pro	Date Processed		99/99/99	
bdl_exec	Program		x(16)	
bdl_id	Group Id		>>>>>>9	
bdl_pgm_errs	Program Errors		>,>>9	
bdl_pro_errs	Progress Errors		>,>>9	
bdl_source	Source ID		x(16)	
bdl_time_ent	Time Entered		x(8)	
bdl_time_pro	Time Processed		x(8)	
bdl_user1	Ufld1		x(8)	
bdl_user2	Ufld2		x(8)	
bdl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bdl_id	yes	bdl_source	yes	no
		bdl_id	yes	no

◇ **bdp_det**

Bank Driver Payment Detail

Field Name	Label	Col-Label	Format	Dec
bdp_addr	Customer/Supplier		x(8)	
bdp_bank	Bank		x(2)	
bdp_character	Character		x(48)	
bdp_date	Date		99/99/99	
bdp_decimal	Decimal		->>,>>>,>>>,>>9.99<	10
bdp_integer	Integer		->,>>>,>>9	
bdp_logical	Logical		yes/no	
bdp_mod_date	Modified Date	Mod Date	99/99/99	
bdp_mod_userid	User ID		x(8)	
bdp_pay_method	Payment Method	PM	x(2)	
bdp_program	Program		x(12)	
bdp_ref	Reference		x(8)	
bdp_seq	Sequence		999	
bdp_split	Split Payment	Split	yes/no	
bdp_user1	User Field Character 1		x(24)	
bdp_user2	User Field Character 2		x(24)	
bdp_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
bdp_useri01	User Field Integer 1		->>>>>>>9	
bdp_userl01	User Field Logical 1		yes/no	
bdp_usert01	User Field Date 1		99/99/99	
bdp__qadc01			x(24)	
bdp__qadc02			x(24)	
bdp__qadd01			->>>>,>>>,>>9.9<<<<<<<<<<	10
bdp__qadi01			->>>>>>>9	
bdp__qadi01			yes/no	
bdp__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* bdp_pay_seq	yes	bdp_program	yes	no
		bdp_addr	yes	no
		bdp_bank	yes	no
		bdp_pay_method	yes	no
		bdp_ref	yes	no
		bdp_seq	yes	no

bgd_det

Budget Detail

Field Name	Label	Col-Label	Format	Dec
bgd_acc	Account		x(8)	
bgd_amt	Budget Amount		->>, >>>, >>>, >>>, >>9.99	2
bgd_cc	Cost Ctr	CC	x(4)	
bgd_code	Budget Code	Budget	x(8)	
bgd_date	Date		99/99/99	
bgd_ecur_amt	Amount in entity currency		->>, >>>, >>>, >>9.99	2
bgd_entity	Entity	Enty	x(4)	
bgd_ent_dt	Enter Date	Entered	99/99/99	
bgd_en_enrate	Entity exch rate		>>, >>9.99999<<<<<	10
bgd_fpos	Format Position	Format	>>>>>9	
bgd_pct	Percentage		->>>>9.999	3
bgd_per	Period	Pd	>9	
bgd_project	Project		x(8)	
bgd_sub	Sub-Account	Sub-Acct	x(8)	
bgd_user1	Ufld1		x(8)	
bgd_user2	Ufld2		x(8)	
bgd_userid	User ID		x(8)	
bgd_year	Year		9999	
bgd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
bgd_ind1	no	bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
		bgd_index	yes	no
		bgd_entity	yes	no
* bgd_index	yes	bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_project	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
		bgd_period	yes	no
bgd_period	no	bgd_year	yes	no
		bgd_per	yes	no
		bgd_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_project	yes	no

bg_mstr

Budget Master

Field Name	Label	Col-Label	Format	Dec
bg_acc	Account		x(8)	
bg_budg_acc	Base Account	Base! Acct	x(8)	
bg_budg_cc	Base Cost Center	Base! CC	x(4)	
bg_budg_fpos	Base Fmt Pos	Base! Fmt	>>>>9	
bg_budg_sub	Base Sub-Account	Base! Sub-Acct	x(8)	
bg_cc	Cost Ctr	CC	x(4)	
bg_code	Budget Code	Budget	x(8)	
bg_entity	Entity	Enty	x(4)	
bg_fpos	Format Position	Format	>>>>9	
bg_project	Project		x(8)	
bg_sub	Sub-Account	Sub-Acct	x(8)	
bg_user1	Ufld1		x(8)	
bg_user2	Ufld2		x(8)	
bg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
bg_ind1	no	bg_code	yes	no
		bg_fpos	yes	no
		bg_entity	yes	no
* bg_index	yes	bg_code	yes	no
		bg_entity	yes	no
		bg_acc	yes	no
		bg_sub	yes	no
		bg_cc	yes	no
		bg_fpos	yes	no
		bg_project	yes	no

bic_ctrl

Service/Support Contract Billing Control

Field Name	Label	Col-Label	Format	Dec
bic_audit	Audit has been Run		yes/no	
bic_index1	Index		>>>>9	
bic_last_cyc	Last Cycle Billed	Lst Cyc	x(2)	
bic_last_due	Last Due Date Billed	Lst Due	99/99/99	
bic_lst_date	Date Last Billed		99/99/99	
bic_periods	Periods In Billing Year		>>9	
bic_user1	Ufld1		x(8)	
bic_user2	Ufld2		x(8)	
bic__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bic_index1	yes	bic_index1	yes	no

◇ bkad_det

Payment Selection Allocation Detail

Field Name	Label	Col-Label	Format	Dec
bkad_addr	Customer/Supplier		x(8)	
bkad_alloc_id	Allocation Identifier		>>>>>>>9	
bkad_amt_chg	Amount To Pay		->>, >>>, >>>, >>9.99<	10
bkad_bank	Bank		x(2)	
bkad_curr	Currency		x(3)	
bkad_disc_chg	Discount To Take		->>, >>>, >>>, >>9.99<	10
bkad_module	Module		x(2)	
bkad_mod_date	Modified Date	Mod Date	99/99/99	
bkad_mod_userid	User ID		x(8)	
bkad_payment_nbr	Payment Number		>>>, >>9	
bkad_pay_method	Payment Method		x(2)	
bkad_processed	Processed		yes/no	
bkad_ref	Reference		x(8)	
bkad_seq	Sequence		99999999	
bkad_user1	User Field Character 1		x(24)	
bkad_user2	User Field Character 2		x(24)	
bkad_userc03	User Field Character 3		x(24)	
bkad_userc04	User Field Character 4		x(24)	
bkad_userc05	User Field Character 5		x(24)	
bkad_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
bkad_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
bkad_useri01	User Field Integer 1		->>>>>>>9	
bkad_useri02	User Field Integer 2		->>>>>>>9	
bkad_userl01	User Field Logical 1		yes/no	
bkad_userl02	User Field Logical 2		yes/no	
bkad_usert01	User Field Date 1		99/99/99	
bkad_usert02	User Field Date 2		99/99/99	
bkad__qadc01			x(24)	
bkad__qadc02			x(24)	
bkad__qadc03			x(24)	
bkad__qadc04			x(24)	
bkad__qadc05			x(24)	
bkad__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
bkad__qadd02			->>>>, >>>, >>9.9<<<<<<<<<<	10
bkad__qadi01			->>>>>>>9	
bkad__qadi02			->>>>>>>9	
bkad__qadi01			yes/no	
bkad__qadi02			yes/no	
bkad__qadt01			99/99/99	
bkad__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* bkad_alloc	yes	bkad_alloc_id	yes	no
◇ bkad_bank	no	bkad_bank	yes	no
		bkad_pay_method	yes	no
		bkad_module	yes	no
		bkad_seq	yes	no
		bkad_addr	yes	no
		bkad_curr	yes	no
		bkad_payment_nbr	yes	no
		bkad_amt_chg	yes	no
◇ bkad_ref	no	bkad_processed	yes	no
		bkad_module	yes	no
		bkad_ref	yes	no

◇ **bkd_det** Payment Method Detail

Field Name	Label	Col-Label	Format	Dec
bkd_acc_mandatory	Bank Account Mandatory	Mandatory	yes/no	
bkd_auto_payment	Automatic Payment	Auto	yes/no	
bkd_bank	Bank	Bk	x(2)	
bkd_curr_list	Currency List		x(12)	
bkd_draft	Draft		yes/no	
bkd_exceed_balance	Exceed Balance	Exceed	yes/no	
bkd_file	Output To File	File	yes/no	
bkd_from_ck	From Check		>>>,>>>,>>9	
bkd_manual_payment	Manual Payment	Man	yes/no	
bkd_module	Module		x(2)	
bkd_mod_date	Modified Date	Mod Date	99/99/99	
bkd_mod_userid	User ID		x(8)	
bkd_next_ck	Next Check		>>>,>>>,>>9	
bkd_pay_group	Payment Grouping	Pay Group	9	
bkd_pay_method	Payment Method	PM	x(2)	
bkd_pip_acct	PIP Account	PIP Acct	x(8)	
bkd_pip_cc	PIP Cost Center	PIP CC	x(4)	
bkd_pip_sub	PIP Sub Account	PIP Sub	x(8)	
bkd_program	Program		x(12)	
bkd_recon_credit	Reconcile Credit Notes	Recon	yes/no	
bkd_swift	Swift		yes/no	
bkd_to_ck	To Check		>>>,>>>,>>9	
bkd_user1	User Character Field 1		x(24)	
bkd_user2	User Character Field 2		x(24)	
bkd_userd01	User Field Decimal 1		->>>>,>>>,>>9<<<<<<<<	10
bkd_useri01	User Field Integer 1		->>>>>>>9	
bkd_userl01	User Field Logical 1		yes/no	
bkd_usert01	User Field Date 1		99/99/99	
bkd_validation_list	Bank Validation List	Validation	x(12)	
bkd__qadc01			x(24)	
bkd__qadc02			x(24)	
bkd__qadd01			->>>>,>>>,>>9<<<<<<<	10
bkd__qadi01			->>>>>>>9	
bkd__qadi01			yes/no	
bkd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* bkd_bank	yes	bkd_bank	yes	no
		bkd_pay_method	yes	no
		bkd_module	yes	no

◇ **bkfm_mstr** Bank Account Format Master

Field Name	Label	Col-Label	Format	Dec
bkfm_lead_zeros	Leading zeros		yes/no	
bkfm_length	Length		>9	
bkfm_mandatory	Mandatory		yes/no	
bkfm_mod_date	Modified Date	Mod Date	99/99/99	
bkfm_mod_userid	User ID		x(8)	
bkfm_sequence	Sequence	Seq	>9	
bkfm_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
bkfm_user2	User Field Character 2		x(24)	
bkfm_validation	Validation	Val	x(2)	
bkfm__qadc01			x(24)	
bkfm__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* bkfm_val_seq	yes	bkfm_validation	yes	no
		bkfm_sequence	yes	no

◇ bkpd_det Payment Selection Detail

Field Name	Label	Col-Label	Format	Dec
bkpd_addr	Customer/Supplier		x(8)	
bkpd_amt	Amount		->, >>>, >>>, >>9.99<	10
bkpd_bank	Bank		x(2)	
bkpd_bk_acct	Bank Account		x(35)	
bkpd_cs_bank	Customer/Supplier Bank		x(8)	
bkpd_curr	Currency		x(3)	
bkpd_due_date	Due Date		99/99/99	
bkpd_full_bk_acct	Full Bank Account		x(35)	
bkpd_module	Module		x(2)	
bkpd_mod_date	Modified Date	Mod Date	99/99/99	
bkpd_mod_userid	User ID		x(8)	
bkpd_nbr	Payment Reference		x(16)	
bkpd_payment_nbr	Payment Number		>>>, >>9	
bkpd_pay_method	Payment Method		x(2)	
bkpd_processed	Processed		yes/no	
bkpd_ref	Reference		x(8)	
bkpd_resale_amt	Resale Amount		->, >>>, >>>, >>9.99<	10
bkpd_separate	Separate Payment		yes/no	
bkpd_seq	Sequence		99999999	
bkpd_user1	User Field Character 1		x(24)	
bkpd_user2	User Field Character 2		x(24)	
bkpd_userc03	User Field Character 3		x(24)	
bkpd_userc04	User Field Character 4		x(24)	
bkpd_userc05	User Field Character 5		x(24)	
bkpd_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
bkpd_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
bkpd_useri01	User Field Integer 1		->>>>>>>9	
bkpd_useri02	User Field Integer 2		->>>>>>>9	
bkpd_userl01	User Field Logical 1		yes/no	
bkpd_userl02	User Field Logical 2		yes/no	
bkpd_usert01	User Field Date 1		99/99/99	
bkpd_usert02	User Field Date 2		99/99/99	
bkpd__qadc01			x(24)	
bkpd__qadc02			x(24)	
bkpd__qadc03			x(24)	
bkpd__qadc04			x(24)	
bkpd__qadc05			x(24)	
bkpd__qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
bkpd__qadd02			->>>>, >>>, >>9.9<<<<<<<<	10
bkpd__qadi01			->>>>>>>9	
bkpd__qadi02			->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
bkpd__qadl01			yes/no	
bkpd__qadl02			yes/no	
bkpd__qadt01			99/99/99	
bkpd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* bkpd_bank	yes	bkpd_bank	yes	no
		bkpd_pay_method	yes	no
		bkpd_module	yes	no
		bkpd_seq	yes	no
		bkpd_addr	yes	no
		bkpd_curr	yes	no
		bkpd_payment_nbr	yes	no
◇ bkpd_due	no	bkpd_bank	yes	no
		bkpd_pay_method	yes	no
		bkpd_module	yes	no
		bkpd_seq	yes	no
		bkpd_addr	yes	no
		bkpd_due_date	yes	no
		bkpd_curr	yes	no

◇ **bkpm_mstr** Payment Selection Master

Field Name	Label	Col-Label	Format	Dec
bkpm_amt	Amount		->>, >>>, >>>, >>9.99<	10
bkpm_bank	Bank		x(2)	
bkpm_batch	Batch		x(8)	
bkpm_bk_acct	Bank Account		x(35)	
bkpm_ck_date	Check Date		99/99/99	
bkpm_comp_addr	Company Address	Company	x(8)	
bkpm_create_date	Create Date		99/99/99	
bkpm_create_time	Create Time		x(5)	
bkpm_exceed_balance	Exceed Balance	Exceed	yes/no	
bkpm_filename	Filename		x(60)	
bkpm_full_bk_acct	Full Bank Account		x(35)	
bkpm_max_amt	Maximum Amount		->>>>, >>>, >>9.99<	10
bkpm_media_nbr	Media Number		x(10)	
bkpm_module	Module		x(2)	
bkpm_mod_date	Modified Date	Mod Date	99/99/99	
bkpm_mod_userid	User ID		x(8)	
bkpm_pay_method	Payment Method		x(2)	
bkpm_processed	Processed		yes/no	
bkpm_recon_credit	Reconcile Credit		yes/no	
bkpm_seq	Sequence		99999999	
bkpm_user1	User Field Character 1		x(24)	
bkpm_user2	User Field Character 2		x(24)	
bkpm_userc03	User Field Character 3		x(24)	
bkpm_userc04	User Field Character 4		x(24)	
bkpm_userc05	User Field Character 5		x(24)	
bkpm_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
bkpm_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
bkpm_useri01	User Field Integer 1		->>>>>>>9	
bkpm_useri02	User Field Integer 2		->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
bk_dfft_sub	Disc Drafts Sub-Acct	Sub-Acct	x(8)	
bk_desc	Description		x(40)	
bk_dftap_acct	Drafts Payable Acct	Drafts! Pay Acct	x(8)	
bk_dftap_cc		CC	x(4)	
bk_dftap_sub	Drafts Payable Sub	Sub-Acct	x(8)	
bk_dftar_acct	Draft Rec Acct	Draft! Rec Acct	x(8)	
bk_dftar_cc		CC	x(4)	
bk_dftar_sub	Draft Rec Sub-Acct	Sub-Acct	x(8)	
bk_disc_acct	Disc Charges Acct	Disc! Chg Acct	x(8)	
bk_disc_cc		CC	x(4)	
bk_disc_sub	Disc Charges Sub-Acct	Sub-Acct	x(8)	
bk_drft_chg	Draft Charge Amount		->, >>>, >>>, >>9.99	2
bk_drft_chg_pct	Draft Charge Percent		->9.9999%	2
bk_edft_acct	Endorsed Drafts Acct	Endorsed! Dft Acct	x(8)	
bk_edft_cc		CC	x(4)	
bk_edft_sub	Endorsed Drafts Sub	Sub-Acct	x(8)	
bk_entity	Entity	Enty	x(4)	
bk_max_drft	Maximum Draft		->, >>>, >>>, >>9.99	2
bk_min_drft	Minimum Draft		->, >>>, >>>, >>9.99	2
bk_mod_date	Modified Date	Mod Date	99/99/99	
bk_pip_acct	Payment in Process Acct	PIP Acct	x(8)	
bk_pip_cc	Payment in Process Cost Ctr	CC	x(4)	
bk_pip_sub	Payment in Process Sub	Sub-Acct	x(8)	
bk_sub	Cash Sub-Account	Sub-Acct	x(8)	
bk_user1	Ufld1		x(8)	
bk_user2	Ufld2		x(8)	
bk_userid	User ID		x(8)	
◇ bk_validation	Validation	Val	x(2)	
bk__qadc01			x(8)	
bk__qadc02			x(8)	
bk__qadc03			x(4)	
bk__qadc04			x(8)	
bk__qadc05			x(4)	
bk__qadc06			x(8)	
bk__qadc07			x(4)	
bk__qadc08			x(8)	
bk__qadc09			x(4)	
Δ bk__qadc10			x(24)	
Δ bk__qadc11			x(24)	
Δ bk__qadc12			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bk_code	yes	bk_code	yes	no
bk_curr	no	bk_curr	yes	no
		bk_code	yes	no
bk_desc	yes	bk_desc	yes	no
		bk_code	yes	no

Master Bill of Lading Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	bl_master	yes	bl_master_id	yes	no

Product Structure (Bill of Material) Master

Field Name	Label	Col-Label	Format	Dec
bom_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
bom_batch_um	UM		x(2)	
bom_cmtindx	Comment Index	Comment	>>>, >>>, >>9	
bom_desc	Description		x(24)	
bom_formula	Formula		yes/no	
bom_fsm_type	FSM Type		x(8)	
bom_ll_code	Low Level	Low Lvl	->>>>>9	
bom_loc	Home Location		X(8)	
bom_mod_date	Modified Date	Mod Date	99/99/99	
bom_mthd	Backflush Mthd	BM	x(1)	
bom_mthd_qtycompl	Qty Complete Mthd	QtyComp! Mthd	x(8)	
bom_parent	BOM Code		x(18)	
bom_site	Home Site		X(8)	
bom_user1	Ufld1		x(8)	
bom_user2	Ufld2		x(8)	
bom_userid	User ID		x(8)	
bom__chr01			x(8)	
bom__chr02			x(8)	
bom__chr03			x(8)	
bom__chr04			x(8)	
bom__chr05			x(8)	
bom__dec01			>>>, >>>, >>9.99	10
bom__dec02			>>>, >>>, >>9.99	10
bom__dte01			99/99/99	
bom__dte02			99/99/99	
bom__log01			yes/no	
bom__qadc01	QAD Character Field		X(8)	0
bom__qadc02	QAD Character Field		X(8)	0
bom__qadc03	QAD Character field		X(8)	0
bom__qadd01	QAD Decimal Field		->>, >>9.99	10
bom__qadi01	QAD Integer Field		->, >>>, >>9	
bom__qadi02	QAD Integer Field		->, >>>, >>9	
bom__qadl01	QAD Logical Field		yes/no	
bom__qadl02	QAD Logical Field		yes/no	
bom__qadt01	QAD Date Field		99/99/99	
bom__qadt02	QAD Date Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
bom_fsm_type	no	bom_fsm_type	yes	no
		bom_parent	yes	no
* bom_parent	yes	bom_parent	yes	no

btb_det

Enterprise Material Transfer Primary Business Unit Detail

Field Name	Label	Col-Label	Format	Dec
btb_cm_addr	End Customer	End Cust	x(8)	
btb_cm_desc	Description		x(24)	
btb_cm_part	End Customer Item		x(18)	
btb_mod_date	Modified Date	Mod Date	99/99/99	
btb_mod_userid	User ID		x(16)	
btb_pr_so	Primary SO		x(8)	
btb_pr_sod_line	Primary SO Line	Pr SO Ln	>>9	
btb_so	Secondary SO	Sec SO	x(8)	
btb_sod_line	Secondary SO Line	Sec SO Ln	>>9	
Δ btb_so_price	Primary SO Price	Pr SO Price	>>>>,>>>,>>9.99<<<	10
btb_user1	Ufld1		x(8)	
btb_user2	Ufld2		x(8)	
btb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* btb_so	yes	btb_so	yes	no
		btb_sod_line	yes	no

cac_ctrl

Service/Support Call Master Control

Field Name	Label	Col-Label	Format	Dec
cac_ex_ratetype	Rate Type		x(8)	
cac_index1	Index		>>>>>9	
cac_mod_date	Modified Date	Mod Date	99/99/99	
cac_mod_userid	User ID		X(8)	
cac_nbr	Next Call Id		99999999	
cac_quote	Next Quote Id		99999999	
cac_quote_days	Days Until Expire		->,>>>,>>9	
cac_quote_pre	Quote Prefix		x(3)	
cac_quote_que	Default Quote Queue		x(8)	
cac_upd_isb	Calls Update ISB	Update ISB	yes/no	
cac_user1	Ufld1		x(8)	
cac_user2	Ufld2		x(8)	
cac__qadc01	QAD Character Field 1		X(8)	
cac__qadc02	QAD Character Field 2		X(8)	
cac__qadl01	QAD Logical Field 1		yes/no	
cac__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cac_index1	yes	cac_index1	yes	no

cah_hist

Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmmt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_escalate	Escalate	Esc	x(2)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	
cah_part	Part No		x(18)	
cah_phone	Phone		x(16)	
cah_pri	Priority	Pri	>>>9	
cah_problem	Prob/Skill	Prob	x(8)	
cah_que	Queue		x(8)	0
cah_ref	ISB Ref		>>>>>9	
cah_resolve	Resolution		x(8)	
cah_seq	Sequence	Seq	>>>>>9	
cah_serial	Serial		x(18)	
cah_severity	Severity		x(8)	
cah_snt_date			99/99/99	
cah_snt_time			->, >>>, >>9	
cah_status	Status		x(8)	
cah_sv_code	Service Type	Svc Type	x(8)	
cah_time_log	Time Spent		>>9.99	2
cah_time_stmp	Time		99:99	
cah_trv_dist	Travel Distance	Trvl Dst	->, >>>, >>9	
cah_trv_um	Travel UM	UM	x(2)	
cah_type	Type		x(8)	0
cah_user1	Ufld1		x(8)	
cah_user2	Ufld2		x(8)	
cah__chr01			x(8)	
cah__chr02			x(8)	
cah__chr03			x(8)	
cah__chr04			x(8)	
cah__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
cah__chr06			x(8)	
cah__chr07			x(8)	
cah__chr08			x(8)	
cah__chr09			x(8)	
cah__chr10			x(8)	
cah__chr11	User Field #11		x(8)	
cah__dec01			-->, >>9.99	2
cah__dec02			-->, >>9.99	2
cah__dec03			-->, >>9.99	2
cah__dte01			99/99/99	
cah__dte02			99/99/99	
cah__dte03			99/99/99	
cah__dte04			99/99/99	
cah__dte05			99/99/99	
cah__log01			yes/no	
cah__log02			yes/no	
cah__log03			yes/no	
cah__log04			yes/no	
cah__log05			yes/no	
cah__qadc01			x(8)	
cah__qadc02			x(8)	
cah__qadc03			x(8)	
cah__qadd01			-->, >>9.99	10
cah__qadd02			-->, >>9.99	10
cah__qadd03			-->, >>9.99	10
cah__qadi01			->, >>>, >>9	
cah__qadi02			->, >>>, >>9	
cah__qadi03			->, >>>, >>9	
cah__qadi01			yes/no	
cah__qadi02			yes/no	
cah__qadi03			yes/no	
cah__qadt01			99/99/99	
cah__qadt02			99/99/99	
cah__qadt03			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cah_nbr	yes	cah_nbr	yes	no
		cah_opn_date	yes	no
		cah_seq	yes	no
cah_part	no	cah_part	yes	no

cal_det

Calendar Detail

Field Name	Label	Col-Label	Format	Dec
cal_end	End	End	99/99/99	
cal_hours	Daily Hours	Hours	-->, >>9.99	2
cal_mch	Machine		x(8)	
cal_ref	Reference	Ref	x(8)	
cal_shift1	Shift1		-->, >>9.99	2
cal_shift2	Shift2		-->, >>9.99	2
cal_shift3	Shift3		-->, >>9.99	2
cal_shift4	Shift4		-->, >>9.99	2

Field Name	Label	Col-Label	Format	Dec
cal_site	Site		x(8)	
cal_start	Start	Start	99/99/99	
cal_user1	Ufld1		x(8)	
cal_user2	Ufld2		x(8)	
cal_wkctr	Work Center	Work Ctr	x(8)	
cal__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cal_det	yes	cal_site	yes	no
		cal_wkctr	yes	no
		cal_mch	yes	no
		cal_ref	yes	no
		cal_start	yes	no

caq_mstr Service/Support Call Queue Master

Field Name	Label	Col-Label	Format	Dec
caq_3rd_party	Third Party		yes/no	
caq_area	Area		x(8)	
caq_area_pri	Schedule by Area		yes/no	
caq_area_sc	Schedule by Area		yes/no	
caq_create_bom	Create BOM		yes/no	
caq_create_rte	Create Routing		yes/no	
caq_create_wo	Create WO		yes/no	
caq_default_rte	Default Routing		x(8)	
caq_depot	Repair Center		Depot/Field	
caq_desc	Description		x(24)	
caq_field	Field Visits		yes/no	
caq_file_type	Type		x(8)	
caq_node	Site		x(16)	
caq_prob_pri	Schedule by Problem		yes/no	
caq_que	Queue		x(8)	
caq_user1	Ufld1		x(8)	
caq_user2	Ufld2		x(8)	
caq__chr01			x(8)	
caq__chr02			x(8)	
caq__chr03			x(8)	
caq__dec01			->>, >>9.99	2
caq__dec02			->>, >>9.99	2
caq__dte01			99/99/99	
caq__dte02			99/99/99	
caq__log01			yes/no	
caq__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* caq_que	yes	caq_que	yes	no
		caq_file_type	yes	no

cas_mstr Service/Support Call Status Master

Field Name	Label	Col-Label	Format	Dec
cas_desc	Description		x(24)	
cas_field	Field	Fld	yes/no	
cas_file_type			x(3)	
cas_hold	Hold		yes/no	
cas_id	Status ID	Sts Id	>>9	
cas_mod_date	Modified Date	Mod Date	99/99/99	
cas_mod_userid	User ID		X(8)	
cas_nxt_que	Next Queue		x(8)	
cas_nxt_stat	Next Status	Nxt Sts	x(8)	
cas_prog	Program To Invoke	Program	x(12)	
cas_req	Required	Req	yes/no	
cas_review	Review		yes/no	
cas_status	Status		x(8)	
cas_user1	Ufld1		x(8)	
cas_user2	Ufld2		x(8)	
cas_wait	Waiting for Items		yes/no	
cas__chr01			x(8)	
cas__chr02			x(8)	
cas__chr03			x(8)	
cas__dec01			->>, >>9.99	2
cas__dec02			->>, >>9.99	2
cas__dte01			99/99/99	
cas__dte02			99/99/99	
cas__log01			yes/no	
cas__log02			yes/no	
cas__qadc01	QAD Character Field 1		X(8)	
cas__qadc02	QAD Character Field 2		X(8)	
cas__qadl01	QAD Logical Field 1		yes/no	
cas__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cas_id	yes	cas_id	yes	no
		cas_file_type	yes	no
* cas_status	yes	cas_status	yes	no
		cas_file_type	yes	no

ca_mstr Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0

Field Name	Label	Col-Label	Format	Dec
Δ ca_cline	Contract Line		>>>>>>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmmt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	
ca_comp_time	Complete Time		99:99	
ca_contract	Contract		x(8)	
ca_created	Created	Cr	x(1)	0
ca_cr_terms	Terms		x(8)	
ca_curr	Currency	Cur	x(3)	
ca_customer	Customer		X(8)	
ca_date_stmp	Date		99/99/99	
ca_def_ws	Default Worksheet		x(8)	
ca_desc	Description		x(60)	
ca_ecmtindx			>>>>>>>9	
ca_end_date	End Date		99/99/99	
ca_eng_area	Engineer Area	Eng Area	x(8)	
ca_eng_group	Engineer Group		x(8)	
ca_enter_by	Entered by		x(8)	
ca_ent_ex	Exch Rate		>>, >>9.99999<<<	10
ca_est_time	Estimated Length		999:99	
ca_es_nbr	Escalation	Esc	x(8)	
ca_es_seq	Sequence	Seq	>>9	
ca_eu_changed	End User Changed		yes/no	
ca_eu_date	End User Date		99/99/99	
ca_eu_nbr	End User		x(8)	
ca_eu_time	End User Time		99:99	
ca_evt_date	Event Date	Evt Date	99/99/99	
ca_evt_tim	Event Time	Evt Time	>>>>>>>9	
ca_evt_time	Event Time	Evt Time	99:99	
ca_exru_seq	Sequence		>>>>>>>>>9	
ca_ex_rate	Exch Rate		>>>>, >>>>, >>9.9<<<<<<<<<<	10
ca_ex_rate2	Exch Rate 2		>>>>, >>>>, >>9.9<<<<<<<<<<	10
ca_ex_ratetype	Rate Type		x(8)	
ca_fix_rate	Fixed Rate	Fixed	yes/no	
ca_fn_nbr	Field Notification		x(8)	
ca_from_que	From Que	Fr Que	x(8)	
ca_inc_stats	Include in Stats		yes/no	
ca_int_type	Work Code	WK Code	x(8)	
ca_inv_draft			yes/no	
ca_lang	Language		x(2)	
ca_mod_date	Modified Date	Mod Date	99/99/99	
ca_mod_userid	User ID		X(8)	
ca_name	Caller		x(24)	
ca_nbr	Call ID		x(8)	
ca_nxt_act	Next Status	Nxt Sts	x(8)	0
ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>>>9	
ca_nxt_time	Next Status Time	Time	99:99	
ca_opn_date	Call Date	CL Date	99/99/99	
ca_opn_time	Time Opened	Tm Open	x(8)	
ca_part	Item Number		x(18)	
ca_phone	Phone		x(20)	
ca_po_nbr	PO		x(22)	
ca_pri	Priority	Pri	>>>9	

Field Name	Label	Col-Label	Format	Dec
ca_printed	Call Printed		yes/no	
ca_prj_nbr	Project		x(8)	
ca_problem	Prob/Skill	Prob	x(8)	
ca_pr_list	Price List		x(8)	0
ca_qo_cmtindx			>>>>>>>9	
ca_que	Queue		x(8)	
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>>9	
ca_repair_ctr			yes/no	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_res_cmtidx			>>>>>9	
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->, >>>, >>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_start_date	Start Date		99/99/99	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_svc_type			x(1)	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	2
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_time_log	Time Spent		>>9.99	2
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->, >>>, >>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	
ca_type	Type		x(8)	
ca_upd_isb	Update ISB		yes/no	
ca_user1	Ufld1		x(8)	
ca_user2	Ufld2		x(8)	
ca_waiting_parts	Awaiting Items		yes/no	
ca__chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
ca__chr02			x(8)	
ca__chr03			x(8)	
ca__chr04			x(8)	
ca__chr05			x(8)	
ca__chr06			x(8)	
ca__chr07			x(8)	
ca__chr08			x(8)	
ca__chr09			x(8)	
ca__chr10			x(8)	
ca__dec01			-->, >>9.99	2
ca__dec02			-->, >>9.99	2
ca__dec03			-->, >>9.99	2
ca__dte01			99/99/99	
ca__dte02			99/99/99	
ca__dte03			99/99/99	
ca__dte04			99/99/99	
ca__dte05			99/99/99	
ca__log01			yes/no	
ca__log02			yes/no	
ca__log03			yes/no	
ca__log04			yes/no	
ca__log05			yes/no	
ca__qadc03	QAD Character Field 3		X(8)	
ca__qadc04	QAD Character Field 4		x(8)	
ca__qadc05	QAD Character Field 5		x(8)	
ca__qadc06	QAD Character Field 6		x(8)	
ca__qadd01	QAD Decimal Field 1		-->, >>9.99	10
ca__qadd02	QAD Decimal Field 2		-->, >>9.99	10
ca__qadd03	QAD Decimal Field 3		-->, >>9.99	10
ca__qadi01			>>>>>>9	
ca__qadi02	QAD Integer Field 2		->, >>>, >>9	
ca__qadi03	QAD Integer Field 3		->, >>>, >>9	
ca__qadi02	QAD Logical Field 2		yes/no	
ca__qadi03	QAD Logical Field 3		yes/no	
ca__qadi04	QAD Logical Field 4		yes/no	
ca__qadt01	QAD Date Field 1		99/99/99	
ca__qadt02	QAD Date Field 2		99/99/99	
ca__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ca_area	no	ca_category	yes	no
		ca_area	yes	no
		ca_eu_nbr	yes	no
ca_assign	no	ca_assign	yes	no
		ca_category	yes	no
ca_contract	no	ca_contract	yes	no
		ca_opn_date	yes	no
ca_customer	no	ca_category	yes	no
		ca_customer	yes	no
ca_eu_nbr	no	ca_eu_nbr	yes	no
		ca_category	yes	no
		ca_nbr	yes	no
* ca_nbr	yes	ca_category	yes	no
		ca_nbr	yes	no
ca_nbr_only	no	ca_nbr	yes	no
ca_nxt_date	no	ca_category	yes	no

64 cb_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		ca_nxt_date	yes	no
		ca_nxt_tim	yes	no
ca_part	no	ca_part	yes	no
ca_que	no	ca_category	yes	no
		ca_que	yes	no
		ca_pri	yes	no
ca_serial	no	ca_serial	yes	no
		ca_ref	yes	no
ca_sr	no	ca_sr	yes	no

cb_mstr

Cash Book Master

Field Name	Label	Col-Label	Format	Dec
cb_amt	Amount		->, >>>, >>>, >>9.99	10
cb_batch	Batch		x(8)	
cb_curr	Currency	Cur	x(3)	
cb_curr_amt	Currency Amount		->>>>, >>>, >>9.99	10
cb_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
cb_exru_seq	Sequence		>>>>>>>9	
cb_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
cb_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
cb_ex_ratetype	Rate Type		x(8)	
cb_line	Line		>>>>>9	
cb_ref	Reference		x(18)	
◇ cb_subtype	Sub Type		x(1)	
cb_type	Type	T	x(1)	
cb_user1	Ufld1		x(8)	
cb_user2	Ufld2		x(8)	
cb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cb_batch	yes	cb_batch	yes	no
		cb_line	yes	no

ccc_ctrl

Credit Card Control

Field Name	Label	Col-Label	Format	Dec
ccc_cc_appserver_name	CC App Service Name		x(24)	
ccc_cc_auth_exp_days	Expiration Days	Exp Days	>>9	
ccc_cc_auto_capture	Automatic CC Capture	Auto Capt	yes/no	
ccc_cc_hold_status	Hold Action Status	St	x(2)	
ccc_index1	Index		>>>>>9	
ccc_mod_date	Modified Date	Mod Date	99/99/99	
ccc_mod_userid	User ID		x(8)	
ccc_user1	User Field 1		x(24)	
ccc_user2	User Field 2		x(24)	
ccc__qadc01			x(8)	
ccc__qadc02			x(8)	
ccc__qadc03			x(8)	

Field Name	Label	Col-Label	Format	Dec
ccc__qadc04			x(8)	
ccc__qadc05			x(8)	
ccc__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
ccc__qadi01			>>>>>>9	
ccc__qadi01			yes/no	
ccc__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccc_index1	yes	ccc_index1	yes	no

ccd1_det Cost Center/Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
ccd1__acc_beg	Range of Accounts	From! Account	x(8)	
ccd1__acc_end	To	To! Account	x(8)	
ccd1__cc	Cost Ctr	CC	x(4)	
ccd1__line	Line		>>9	
ccd1__user1	Ufld1		x(8)	
ccd1__user2	Ufld2		x(8)	
ccd1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd1_index	yes	ccd1__cc	yes	no
		ccd1__line	yes	no

ccd2_det Cost Center/Sub-Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
ccd2__cc	Cost Ctr	CC	x(4)	
ccd2__line	Line		>>9	
ccd2__sub_beg	Range of Sub-Accounts	From! Sub-Acct	x(8)	
ccd2__sub_end	To	To! Sub-Acct	x(8)	
ccd2__user1	Ufld1		x(8)	
ccd2__user2	Ufld2		x(8)	
ccd2__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd2_index	yes	ccd2__cc	yes	no
		ccd2__line	yes	no

ccd_mstr Service/Support Call Fault Code Master

Field Name	Label	Col-Label	Format	Dec
ccd_cause	Cause		x(8)	
ccd_ca_nbr	Call Number		x(8)	
ccd_cmtindx	Comment Index	Comment	>>>>>>9	
ccd_date	Problem Date		x(8)	
ccd_eng_code	Engineer		x(8)	0
ccd_hours	Hours		>>, >>9.99	2
ccd_itm_line	Item Line	It Ln	>>9	
ccd_line	Line		>>9	
ccd_mod_date	Modified Date	Mod Date	99/99/99	
ccd_mod_userid	User ID		X(8)	
ccd_opn_date			99/99/99	
ccd_part	Component		x(18)	
ccd_problem	Problem		x(8)	0
ccd_resolution	Resolution	Resolved	x(8)	0
ccd_serial	Component Serial		x(18)	
ccd_sys_part	System Item		x(18)	
ccd_sys_ser	System Serial		x(18)	
ccd_type	Type		x(8)	
ccd_user1	Ufld1		x(8)	
ccd_user2	Ufld2		x(8)	
ccd_chr01	User #1		x(8)	
ccd_chr02	User #2		x(8)	
ccd_chr03	User #3		x(8)	
ccd_chr04	User #4		x(8)	
ccd_chr05	User #5		x(8)	
ccd_chr06	User #6		x(8)	
ccd_chr07	User #7		x(8)	
ccd_chr08	User #8		x(8)	
ccd_log01	User Logical Field 1		yes/no	
ccd_qadc01	QAD Character Field 1		X(8)	
ccd_qadc02	QAD Character Field 2		X(8)	
ccd_qadc03	QAD Character Field 3		X(8)	
ccd_qadc04	QAD Character Field 4		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd_ca_nbr	yes	ccd_ca_nbr	yes	no
		ccd_opn_date	yes	no
		ccd_itm_line	yes	no
		ccd_part	yes	no
		ccd_line	yes	no
ccd_part	no	ccd_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
ccd_sys_part	no	ccd_sys_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no

◇ **cclscd_det** Ship-To/Container Price List Detail

Field Name	Label	Col-Label	Format	Dec
cclscd_curr	Currency	Cur	x(3)	
cclscd_expire	Expire		99/99/99	
cclscd_mod_date	Modified Date	Mod Date	99/99/99	
cclscd_mod_userid	User ID		x(8)	
cclscd_part	Container		x(18)	
cclscd_price	Price		->>>>, >>>, >>9.99<<<	10
cclscd_ref	Reference		x(30)	
cclscd_shipto	Ship-To/Dock		x(8)	
cclscd_start	Start		99/99/99	
cclscd_userc01	User Field Character 1		x(24)	
cclscd_userc02	User Field Character 2		x(24)	
cclscd__qadc01			x(24)	
cclscd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cclscd_shipto	yes	cclscd_shipto	yes	no
		cclscd_part	yes	no
		cclscd_curr	yes	no
		cclscd_start	yes	no

◇ **cclsc_mstr** Ship-To/Container Master

Field Name	Label	Col-Label	Format	Dec
cclsc_charge_type	Charge Type	Charge! Type	x(8)	
cclsc_curr	Currency	Cur	x(3)	
cclsc_mod_date	Modified Date	Mod Date	99/99/99	
cclsc_mod_userid	User ID		x(8)	
cclsc_part	Container		x(18)	
cclsc_shipto	Ship-To/Dock		x(8)	
cclsc_userc01	User Field Character 1		x(24)	
cclsc_userc02	User Field Character 2		x(24)	
cclsc__qadc01			x(24)	
cclsc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cclsc_shipto	yes	cclsc_shipto	yes	no
		cclsc_part	yes	no
		cclsc_curr	yes	no

◇ ccls_mstr Container/Line Charge Ship-From/Ship-To Control Master

Field Name	Label	Col-Label	Format	Dec
ccls_cc_asn	Include Container Charges on ASN		yes/no	
ccls_cc_invoice	Include Container Charges on Invoice		yes/no	
ccls_charge_type	Line Charge Calculation Type		x(8)	
ccls_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
ccls_lc_asn	Include Line Charges on ASN		yes/no	
ccls_lc_invoice	Include Line Charges on Invoice		yes/no	
ccls_mod_date	Modified Date	Mod Date	99/99/99	
ccls_mod_userid	User ID		x(8)	
ccls_shipfrom	Ship-From		x(8)	
ccls_shipto	Ship-To/Dock		x(8)	
ccls_userc01	User Field Character 1		x(24)	
ccls_userc02	User Field Character 2		x(24)	
ccls__qadc01			x(24)	
ccls__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ccls_shipfrom	yes	ccls_shipfrom	yes	no
		ccls_shipto	yes	no

◇ **ccl_ctrl** Container/Line Charge Control

Field Name	Label	Col-Label	Format	Dec
ccl_cc_asn	Include Container Charges on ASN		yes/no	
ccl_cc_invoice	Include Container Charges on Invoice		yes/no	
ccl_charge_type	Line Charge Calculation Type		x(8)	
ccl_cont_active	Enable Container Charges		yes/no	
ccl_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
ccl_index1	Index		>>>>9	
ccl_lc_asn	Include Line Charges on ASN		yes/no	
ccl_lc_invoice	Include Line Charges on Invoice		yes/no	
ccl_line_active	Enable Line Charges		yes/no	
ccl_mod_date	Modified Date	Mod Date	99/99/99	
ccl_mod_userid	User ID		x(8)	
ccl_userc01	User Field Character 1		x(24)	
ccl_userc02	User Field Character 2		x(24)	
ccl_qadc01			x(24)	
ccl_qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ccl_index1	yes	ccl_index1	yes	no

cctr_hist Credit Card Transaction History

Field Name	Label	Col-Label	Format	Dec
cctr_action_code	Action Code	Action	x(3)	
cctr_amt	Authorized Amount	Auth Amt	->>>>,>>>,>>9.99<	10
cctr_auth_code	Authorization Code	Auth Code	x(8)	
cctr_auth_expire_date	Expire Date	Expire	99/99/99	
cctr_auth_nbr	Authorization Number		x(20)	
cctr_aux_msg	Auxiliary Message		x(60)	
cctr_avs_code	AVS Code		x(4)	
cctr_cc_nbr	Credit Card Number		x(24)	
cctr_cust_txn	Customer Trans ID		x(20)	
cctr_err_msg	Error Message		x(40)	
cctr_internal_tx	Internal Transaction		yes/no	
cctr_inv_nbr	Invoice Number	Invoice	x(8)	
cctr_merch_txn	Merchant Trans ID		x(20)	
cctr_mod_date	Modified Date	Mod Date	99/99/99	
cctr_mod_userid	User ID		x(8)	
cctr_nbr	Sales Order	Order	x(8)	
cctr_ref_code	Reference Code	Reference	x(12)	
cctr_status	Status Code		x(20)	
cctr_trnbr	Transaction Number	Trans	>>>>>>>9	
cctr_tx_date	Transaction Date	Tran Date	99/99/99	
cctr_tx_time	Transaction Time	Time	x(8)	
cctr_tx_type	Transaction Type		x(8)	
cctr_user1	User Field 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
cctr_user2	User Field 2		x(24)	
cctr__qadc01			x(8)	
cctr__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
cctr__qadi01			>>>>>>9	
cctr__qadi01			yes/no	
cctr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
cctr_auth_nbr	no	cctr_auth_nbr	yes	no
		cctr_tx_date	yes	no
cctr_date_time	no	cctr_tx_date	yes	no
		cctr_tx_time	yes	no
cctr_inv_nbr	no	cctr_inv_nbr	yes	no
cctr_nbr	no	cctr_nbr	yes	no
		cctr_tx_date	yes	no
* cctr_trnbr	yes	cctr_trnbr	yes	no

◇ **cct_mstr** Container Charge Type Master

Field Name	Label	Col-Label	Format	Dec
cct_charge_type	Charge Type		x(8)	
cct_container_type	Applies To		Container/Line	
cct_desc1	Description		x(32)	
cct_desc2	Description		x(32)	
cct_desc3	Description		x(32)	
cct_desc4	Description		x(32)	
cct_mod_date	Modified Date	Mod Date	99/99/99	
cct_mod_userid	User ID		x(8)	
cct_prgm	Run Program		x(12)	
cct_userc01	User Field Character 1		x(24)	
cct_userc02	User Field Character 2		x(24)	
cct__qadc01			x(24)	
cct__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cct_charge_type	yes	cct_charge_type	yes	no

cc_mstr Cost Center Master

Field Name	Label	Col-Label	Format	Dec
cc_active	Active	Act	yes/no	
cc_ctr	Cost Ctr	CC	x(4)	
cc_desc	Description		x(24)	
cc_user1	Ufld1		x(8)	
cc_user2	Ufld2		x(8)	
cc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cc_ctr	yes	cc_ctr	yes	no
		cc_active	yes	no
cc_desc	no	cc_desc	yes	no

cdf_mstr Service/Support Call Default Master

Field Name	Label	Col-Label	Format	Dec
cdf_ca_category	Category		x(8)	
cdf_ca_desc	Call Description		x(50)	
cdf_ca_es_nbr	Escalation	Esc	x(8)	
cdf_ca_int_type	Work Code	WK Code	x(8)	
cdf_ca_nxtsts	Call Next Status		x(8)	
cdf_ca_pri	Call Priority		>>9	
cdf_ca_prob	Call Problem		x(8)	
cdf_ca_que	Call Queue	Queue	x(8)	
cdf_ca_severity	Call Severity		x(8)	
cdf_ca_status	Call Status	Status	x(8)	0
cdf_ca_type	Call Type		x(8)	
cdf_desc	Description		x(24)	
cdf_est_time	Estimated Duration		999:99	
cdf_exec	Program		x(16)	
cdf_group	FSM Group		x(8)	0
cdf_model	Model		x(18)	
cdf_mod_date	Modified Date	Mod Date	99/99/99	
cdf_mod_userid	User ID		X(8)	
cdf_part	Default Item		x(18)	
cdf_status_type	Status Type	St Type	x(8)	
cdf_user1	Ufld1		x(8)	
cdf_user2	Ufld2		x(8)	
cdf__chr01	User Field #1		x(8)	0
cdf__chr02	User Field #2		x(8)	
cdf__chr03	User Field #3		x(8)	
cdf__chr04	User Field #4		x(8)	
cdf__dec01	User Decimal #1		-->>>,>>>,>>9.99<<<<	10
cdf__dec02	User Decimal #2		-->>>,>>>,>>9.99<<<<	10
cdf__dec03	User Decimal #3		-->>>,>>>,>>9.99<<<<	10
cdf__dte01	User Date #1		99/99/99	
cdf__dte02	User Date #2		99/99/99	
cdf__dte03	User Date #3		99/99/99	
cdf__log01	User Logical #1		yes/no	
cdf__log02	User Logical #2		yes/no	
cdf__log03	User Logical #3		yes/no	
cdf__qadc01	Qad Field #1		x(8)	
cdf__qadc02	Qad Field #2		x(8)	
cdf__qadc03	Qad Field #3		x(8)	
cdf__qadc04	Qad Field #4		x(8)	
cdf__qadd01	Qad Date #1		99/99/99	
cdf__qadd02	Qad Date #2		99/99/99	
cdf__qadd03	Qad Date #3		99/99/99	
cdf__qadde01	Qad Decimal #1		-->>>,>>>,>>9.99<<<<	10
cdf__qadde02	Qad Decimal #2		-->>>,>>>,>>9.99<<<<	10

Field Name	Label	Col-Label	Format	Dec
cdf__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
cdf__qadl01	Qad Logical #1		yes/no	
cdf__qadl02	Qad Logical #2		yes/no	
cdf__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cdf_gpmdd	yes	cdf_ca_category	yes	no
		cdf_ca_int_type	yes	no
		cdf_model	yes	no
		cdf_group	yes	no
		cdf_status_type	yes	no

cd_det

Master Comments

Field Name	Label	Col-Label	Format	Dec
cd_cmmtt{15}	Comment Data		x(76)	
cd_lang	Language		x(2)	
cd_ref	Master Reference		x(40)	
cd_seq	Page		>9	
cd_type	Type	T	x(2)	
cd_user1	Ufld1		x(8)	
cd_user2	Ufld2		x(8)	
cd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cd_ref_type	yes	cd_ref	yes	no
		cd_type	yes	no
		cd_lang	yes	no
		cd_seq	yes	no

cfc_ctrl

Cash Flow Control

Field Name	Label	Col-Label	Format	Dec
cfc_cfnbr	Next Nbr	Nbr	99999999	
cfc_ex_round	Round Factor		->9	
cfc_ex_tol	Exchange Tolerance		>9.99%	2
cfc_incl_ap	Include AP		yes/no	
cfc_incl_ar	Include AR		yes/no	
cfc_incl_cf	Include Misc Cash Flow		yes/no	
cfc_incl_fs	Include FS		yes/no	
cfc_incl_po	Include PO		yes/no	
cfc_incl_qad01	Include		yes/no	
cfc_incl_qad02	Include		yes/no	
cfc_incl_so	Include SO		yes/no	
cfc_index1	Index		>>>>>9	
cfc_nbr_pre	Item Prefix	Pre	x(3)	
cfc_user1	Ufld1		x(8)	
cfc_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
cfc_chr01			x(8)	
cfc_chr02			x(8)	
cfc_chr03			x(8)	
cfc_chr04			x(8)	
cfc_chr05			x(8)	
cfc_dec01			>>>, >>>, >>9.99	10
cfc_dec02			>>>, >>>, >>9.99	10
cfc_dte01			99/99/99	
cfc_dte02			99/99/99	
cfc_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cfc_index1	yes	cfc_index1	yes	no

cf_mstr Cash Flow Master

Field Name	Label	Col-Label	Format	Dec
cf_bank	Bank		x(2)	
cf_cmindx	Comment Index	Comment	>>>>>>>9	
cf_cum_amt	Cumulative Amount		->>>>, >>>, >>9.99<<<	2
cf_curr	Currency	Cur	x(3)	
cf_date	Date Entered		99/99/99	
cf_desc1	Description		x(24)	
cf_desc2			x(24)	
cf_due_date	Due Date		99/99/99	
cf_entity	Entity		x(4)	
cf_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
cf_expt_amt	Expected Amount		->>>>, >>>, >>9.99<<<	2
cf_expt_date	Expect Date	Expect	99/99/99	
cf_exru_seq	Sequence		>>>>>>>>9	
cf_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
cf_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
cf_ex_ratetype	Rate Type		x(8)	
cf_lastedit	Last Edit	Last	99/99/99	
cf_ldue_date	Last Due Date	Last Due	99/99/99	
cf_nbr	Cash Number	Cash Nbr	x(8)	
cf_ref	Reference		x(18)	
cf_ref_amt	Reference Amount		->>>>, >>>, >>9.99<<<	2
cf_type	Type	T	Source/Use	
cf_user1	Ufld1		x(8)	
cf_user2	Ufld2		x(8)	
cf_userid	User ID		x(8)	
cf__chr01			x(8)	
cf__chr02			x(8)	
cf__chr03			x(8)	
cf__chr04			x(8)	
cf__chr05			x(8)	
cf__dec01			>>>, >>>, >>9.99	10
cf__dec02			>>>, >>>, >>9.99	10
cf__dte01			99/99/99	
cf__dte02			99/99/99	
cf__log01			yes/no	

74 chg_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* cf_nbr	yes	cf_nbr	yes	no
cf_type_date	no	cf_type	yes	no
		cf_due_date	yes	no
		cf_expt_date	yes	no

chg_mstr Line Changeover Master

Field Name	Label	Col-Label	Format	Dec
chg_from	From Item	From	x(18)	
chg_line	Production Line	line	x(8)	
chg_site	Site		x(8)	
chg_start	Start Time	Start	->>, >>9.99	2
chg_time	Change Over Time	Change	->>, >>9.99	2
chg_to	To Item	To	x(18)	
chg_user1	Ufld1		x(8)	
chg_user2	Ufld2		x(8)	
chg__chr01			x(8)	
chg__chr02			x(8)	
chg__chr03			x(8)	
chg__chr04			x(8)	
chg__chr05			x(8)	
chg__dec01			>>>, >>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
* chg_line	yes	chg_site	yes	no
		chg_line	yes	no
		chg_from	yes	no
		chg_to	yes	no

chm_mstr Service/Support Call History Master

Field Name	Label	Col-Label	Format	Dec
chm_3rd_party	Third Party Service		yes/no	
chm_3rd_party_id	Third Party ID		x(12)	
chm_ack_cmtindx			>>>>>>>>9	
chm_ack_letter	Send Ack Letter		yes/no	
chm_area	Area		x(8)	
chm_assign	Assigned		x(8)	
chm_bill	Bill-To		x(8)	
chm_category	Category		x(8)	
chm_channel	Channel		X(8)	0
Δ chm_cline	Contract Line		>>>>>>>9	
chm_cls_date	Closed Date	Cls Date	99/99/99	
chm_cls_time	Closed Time	Cls Time	99:99	
chm_cmtindx	Index		>>>>>>>9	
chm_code			x(8)	
chm_comp_date	Complete Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
chm_comp_time	Complete Time		99:99	
chm_contract	Contract		x(8)	
chm_created	Created	Cr	x(3)	
chm_cr_terms	Terms		x(8)	
chm_curr	Currency	Cur	x(3)	
chm_customer	Customer		X(8)	
chm_date_stmp	Date		99/99/99	
chm_desc	Description		x(60)	
chm_ecmtindx			>>>>>>9	
chm_enddown_date	End Down		99/99/99	
chm_enddown_time	Time		99:99	
chm_eng_area	Engineer Area		x(8)	
chm_eng_group	Group		x(8)	
chm_enter_by	Entered by		x(8)	
chm_ent_ex	Exchange Rate		>>, >>9.99999<<<	10
chm_est_time	Estimated Length		999:99	
chm_es_nbr	Escalation	Esc	x(8)	
chm_es_seq	Sequence	Seq	>>9	
chm_eu_date	End User Date		99/99/99	
chm_eu_nbr	End User		x(8)	
chm_eu_time	End User Time		99:99	
chm_eu_timezone	End User Time Zone		X(8)	
chm_exru_seq	Sequence		>>>>>>>9	
chm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
chm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
chm_ex_ratetype	Rate Type		x(8)	
chm_fix_rate	Fixed Rate		yes/no	
chm_fn_nbr	Field Notification		x(8)	
chm_from_que	From Que	Fr Que	x(8)	
chm_inc_stats	Include in Stats		yes/no	
chm_int_type	Work Code	WK Code	x(8)	
chm_inv_draft			yes/no	
chm_lang	Language		X(2)	
chm_name	Caller Name	Name	x(24)	
chm_nbr	Call Id		x(8)	
chm_opn_date	Call Date	Opn Date	99/99/99	
chm_opn_time	Time Opened	Tm Open	x(8)	
chm_part	Part No		x(18)	
chm_phone	Phone		x(16)	
chm_po_nbr	PO		x(22)	
chm_printed	Call Printed		yes/no	
chm_problem			x(8)	
chm_pr_list	Price List		x(8)	
chm_qo_cmtindx			>>>>>>>>9	
chm_que	Queue		x(8)	
chm_quote	Quote Required		yes/no	
chm_quote_curr	Currency	Cur	x(3)	
chm_quote_exp	Quote Expires		99/99/99	
chm_quote_nbr	Quote Number	Quote	X(8)	
chm_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>9	
chm_repair_ctr			yes/no	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_res_cmtidx			>>>>>>9	
chm_rev	Rev Level	Rev	x(10)	

Field Name	Label	Col-Label	Format	Dec
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdown_date	Start Down		99/99/99	
chm_stdown_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	
chm_stjob_time	Start Time		99:99	
chm_svc_type			x(1)	
chm_sv_code	Service Type	Svc Type	x(8)	
chm_taxable	Taxable	Tax	yes/no	
chm_taxc	Tax Class	TxC	x(3)	
chm_tax_date	Tax Date		99/99/99	
chm_tax_env	Tax Environment		X(16)	
chm_tax_pct	Tax Percent		->>9.99%	2
chm_tax_usage	Tax Usage		X(8)	
chm_time_log	Time Spent		>>9.99	2
chm_time_stmp	Time		99:99	
chm_to_que	To Queue	Queue	x(8)	
chm_trv_dist	Travel Dist	Trvl Dst	->, >>>, >>9	
chm_trv_time	Travel Time		99:99	
chm_trv_um	Travel UM	UM	x(2)	
chm_type	Type		x(8)	
chm_user1	Ufld1		x(8)	
chm_user2	Ufld2		x(8)	
chm_wo_lot	WO ID		x(8)	
chm_wo_nbr	Work Order		x(18)	
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>, >>>, >>9.99	10
chm__dec02			->>>, >>>, >>9.99	10
chm__dec03			->>>, >>>, >>9.99	10
chm__dte01			99/99/99	
chm__dte02			99/99/99	
chm__dte03			99/99/99	
chm__dte04			99/99/99	
chm__dte05			99/99/99	
chm__log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
chm__log02			yes/no	
chm__log03			yes/no	
chm__log04			yes/no	
chm__log05			yes/no	
chm__qadc03	QAD Character Field 3		X(8)	
chm__qadc04	QAD Character Field 4		x(8)	
chm__qadc05	QAD Character Field 5		x(8)	
chm__qadc06	QAD Character Field 6		x(8)	
chm__qadd01	QAD Date Field 1		99/99/99	
chm__qadd02	QAD Date Field 2		99/99/99	
chm__qadd03	QAD Date Field 3		99/99/99	
chm__qadde01	QAD Decimal Field 1		-->, >>9.99	10
chm__qadde02	QAD Decimal Field 2		-->, >>9.99	10
chm__qadde03	QAD Decimal Field 3		-->, >>9.99	10
chm__qadi01	QAD Integer Field 1		>>>>>>9	
chm__qadi02	QAD Integer Field 2		->, >>>, >>9	
chm__qadi03	QAD Integer Field 3		->, >>>, >>9	
chm__qadi02	QAD Logical Field 2		yes/no	
chm__qadi03	QAD Logical Field 3		yes/no	
chm__qadi04	QAD Logical Field 4		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
chm__assign	no	chm__assign	yes	no
chm__cls_date	no	chm__cls_date	yes	no
		chm__nbr	yes	no
chm__contract	no	chm__contract	yes	no
		chm__opn_date	yes	no
chm__eu_nbr	no	chm__eu_nbr	yes	no
		chm__category	yes	no
		chm__nbr	yes	no
* chm__nbr	yes	chm__category	yes	no
		chm__nbr	yes	no
		chm__opn_date	yes	no
chm__opn_date	no	chm__opn_date	yes	no
		chm__opn_time	yes	no
chm__part	no	chm__part	yes	no
		chm__serial	yes	no
		chm__ref	yes	no
chm__que	no	chm__category	yes	no
		chm__que	yes	no
chm__sr	no	chm__sr	yes	no

◇ **cild_det** Correction Invoice Link Detail

Field Name	Label	Col-Label	Format	Dec
cild__cor_inv	Correction Invoice Number		x(8)	
cild__cor_line	Correction SO Line	Line	>>>9	
cild__cor_so_nbr	Correction Invoice Sales Order		x(8)	
cild__line_type	Line Type		x(1)	
cild__mod_date	Modified Date	Mod Date	99/99/99	
cild__mod_userid	User ID		x(8)	
cild__prev_inv	Corrected Invoice		x(8)	

Field Name	Label	Col-Label	Format	Dec
cild_prev_line	Corrected SO Line	Line	>>>9	
cild_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
cild_user1	User Field Character 1		x(24)	
cild_user2	User Field Character 2		x(24)	
cild__qadc01			x(24)	
cild__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cild_cor_line	yes	cild_cor_inv	yes	no
		cild_cor_so_nbr	yes	no
		cild_cor_line	yes	no
		cild_line_type	yes	no
◇ cild_prev_inv	no	cild_prev_inv	yes	no
		cild_prev_so_nbr	yes	no
		cild_prev_line	yes	no

◇ cil_mstr Correction Invoice Link Master

Field Name	Label	Col-Label	Format	Dec
cil_cor_inv	Correction Invoice Number		x(8)	
cil_cor_rsn	Reason For Correction		x(8)	
cil_cor_so_nbr	Correction Invoice Sales Order		x(8)	
cil_mod_date	Modified Date	Mod Date	99/99/99	
cil_mod_userid	User ID		x(8)	
cil_mstr_inv	Original Invoice		x(8)	
cil_prev_inv	Corrected Invoice		x(8)	
cil_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
cil_user1	User Field Character 1		x(24)	
cil_user2	User Field Character 2		x(24)	
cil__qadc01			x(24)	
cil__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cil_cor_inv	yes	cil_cor_inv	yes	no
		cil_cor_so_nbr	yes	no
◇ cil_cor_nbr	no	cil_cor_so_nbr	yes	no
◇ cil_mstr_inv	no	cil_mstr_inv	yes	no
◇ cil_prev_inv	yes	cil_prev_inv	yes	no
		cil_prev_so_nbr	yes	no

Accounts Payable Check Detail

Index-Name	Uni	Field-Name	Asc	Abbr
ckd_dy	no	ckd_dy_code	yes	no
		ckd_dy_num	yes	no
* ckd_ref	yes	ckd_ref	yes	no
		ckd_voucher	yes	no
		ckd_type	yes	no
		ckd_entity	yes	no
		ckd_acct	yes	no
		ckd_sub	yes	no
		ckd_cc	yes	no
		ckd_project	yes	no
ckd_voucher	no	ckd_voucher	yes	no

[Check Status Detail](#)

Field Name	Label	Col-Label	Format	Dec
cksd_acct	Account		x(8)	
cksd_batch	Batch		x(8)	
cksd_cc	Cost Center	CC	x(4)	
cksd_exru_seq	Sequence		>>>>>>>9	
cksd_ex_rate	Exch Rate		>>>,>>,>>9.<<<<<<<<<	10
cksd_ex_rate2	Exch Rate 2		>>>,>>,>>9.<<<<<<<<<	10
cksd_ex_ratetype	Rate Type		x(8)	
cksd_line	Line		>>>>>9	
Δ cksd_nbr	Check		99999999	

Field Name	Label	Col-Label	Format	Dec
cksd_sub	Sub-Account	Sub-Acct	x(8)	
cksd_user1	Ufld1		x(8)	
cksd_user2	Ufld2		x(8)	
cksd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cksd_batch	yes	cksd_batch	yes	no
		cksd_line	yes	no
		cksd_nbr	yes	no
cksd_nbr	no	cksd_nbr	yes	no

ck_mstr

Accounts Payable Check Master

Field Name	Label	Col-Label	Format	Dec
ck_bank	Bank	BK	x(2)	
ck_clr_date	Clear Date	Clear	99/99/99	
ck_cmtindx	Comment Index	Comment	>>>>>>9	
ck_curr	Currency	Cur	x(3)	
ck_exru_seq	Sequence		>>>>>>>9	
ck_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ck_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ck_ex_ratetype	Rate Type		x(8)	
Δ ck_nbr	Check		999999999	
Δ ck_ref	Reference		x(10)	
ck_status	Status		x(8)	
ck_type	Check Type	T	x(2)	
ck_user1	Ufld1		x(8)	
ck_user2	Ufld2		x(8)	
ck_voiddate	Void Date	Void Dt	99/99/99	
ck_voideff	Void Eff		99/99/99	
ck__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ck_nbr_bank	yes	ck_nbr	yes	no
		ck_bank	yes	no
* ck_ref	yes	ck_ref	yes	no

clc_ctrl

Compliance Control

Field Name	Label	Col-Label	Format	Dec
clc_active	Compliance Active	Cmpl	yes/no	
clc_comp_issue	Modify Component Issue	Cmplss	yes/no	
clc_index1	Index		>>>>>9	
clc_jp_rcpt	Modify Co/By Product Receipts	CT	yes/no	
clc_lotlevel	Lot Control Level	LCL	9	
clc_polot_rcpt	Single Lot Per PO Receipt	Lot/PO	yes/no	

Field Name	Label	Col-Label	Format	Dec
clc_relot_rcpt	Single Lot per REPET Receipt	Lot/REP	yes/no	
clc_user1	Ufld1		x(8)	
clc_user2	Ufld2		x(8)	
clc_wolot_rcpt	Single Lot per WO Receipt	Lot/WO	yes/no	
clc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* clc_index1	yes	clc_index1	yes	no

cls_mstr Class Master

Field Name	Label	Col-Label	Format	Dec
cls_acct	Asset Account	Account	x(8)	
cls_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
cls_class	Class	Cls	x(3)	
cls_desc	Description		x(24)	
cls_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
cls_mod_date	Modified Date	Mod Date	99/99/99	
cls_user1	Ufld1		x(8)	
cls_user2	Ufld2		x(8)	
cls_userid	User ID		x(8)	
cls__qad01			yes/no	
cls__qad02			x(8)	
cls__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cls_class	yes	cls_class	yes	no

cmc_ctrl Customer Control

Field Name	Label	Col-Label	Format	Dec
cmc_index1	Index		>>>>9	
cmc_nbr	Next Customer		99999999	
cmc_user1	Ufld1		x(8)	
cmc_user2	Ufld2		x(8)	
cmc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cmc_index1	yes	cmc_index1	yes	no

cmd_det

Enterprise Material Transfer Change Management Detail

Field Name	Label	Col-Label	Format	Dec
cmd_field	Field		x(24)	
cmd_file	File Name	File	x(32)	
cmd_key_val	Index Key Values	Values	x(32)	
cmd_mod_date	Modified Date	Mod Date	99/99/99	
cmd_mod_userid	User ID		x(16)	
cmd_ref_date	Reference Date		99/99/99	
cmd_ref_time	Reference Time		>>>>>>9	
cmd_trans_nbr	Transaction Number	Trans	>>>>>>>9	
cmd_user1	Ufld1		x(8)	
cmd_user2	Ufld2		x(8)	
cmd_val	Field Value	Value	x(18)	
cmd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cmd_trans_nbr	yes	cmd_trans_nbr	yes	no
		cmd_file	yes	no
		cmd_field	yes	no
		cmd_key_val	yes	no

cmf_mstr

Enterprise Material Transfer Change Management Master

Field Name	Label	Col-Label	Format	Dec
cmf_doc_ref	Doc Ref	Ref	x(12)	
cmf_doc_type	Doc Type	Type	x(3)	
cmf_mod_date	Modified Date	Mod Date	99/99/99	
cmf_mod_userid	User ID		x(16)	
cmf_ref_date	Reference Date		99/99/99	
cmf_ref_time	Reference Time		>>>>>>9	
cmf_so_po	Purchase Order		x(8)	
cmf_status	Status	St	x	
cmf_trans_nbr	Transaction Number	Trans	>>>>>>>9	
cmf_user1	Ufld1		x(8)	
cmf_user2	Ufld2		x(8)	
cmf__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cmf_doc	yes	cmf_doc_type	yes	no
		cmf_doc_ref	yes	no
		cmf_status	yes	no
* cmf_trans_nbr	yes	cmf_trans_nbr	yes	no

cmh_hist Customer Sales History

Field Name	Label	Col-Label	Format	Dec
cmh_cust	Customer		x(8)	
cmh_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
cmh_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
cmh_type	Ship Type	T	x(1)	
cmh_user1	Ufld1		x(8)	
cmh_user2	Ufld2		x(8)	
cmh_year	Year		9999	
cmh__chr01			x(8)	
cmh__chr02			x(8)	
cmh__chr03			x(8)	
cmh__chr04			x(8)	
cmh__chr05			x(8)	
cmh__chr06			x(8)	
cmh__chr07			x(8)	
cmh__chr08			x(8)	
cmh__chr09			x(8)	
cmh__chr10			x(8)	
cmh__dec01			>>>,>>>,>>9.99	10
cmh__dec02			>>>,>>>,>>9.99	10
cmh__dte01			99/99/99	
cmh__dte02			99/99/99	
cmh__log01			yes/no	
cmh__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cmh_custyear	yes	cmh_cust	yes	no
		cmh_year	yes	no
* cmh_yearcust	yes	cmh_year	yes	no
		cmh_cust	yes	no

cmt_det Transaction Comments

Field Name	Label	Col-Label	Format	Dec
cmt_cmmt[15]	Comment Data		x(76)	
cmt_expire	Expire		99/99/99	
cmt_indx	Index		>>>>>>9	
cmt_lang	Language		x(2)	
cmt_print	Print Control		x(24)	
cmt_ref	Reference		x(40)	
cmt_seq	Page		>9	
cmt_start	Start		99/99/99	
cmt_type	Type	T	x(2)	
cmt_user1	Ufld1		x(8)	
cmt_user2	Ufld2		x(8)	
cmt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cmt_ref	yes	cmt_indx	yes	no
		cmt_seq	yes	no

cm_mstr

Customer Master

Field Name	Label	Col-Label	Format	Dec
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->>, >>9	
cm_balance	Balance		->>, >>>, >>>, >>9.99	10
◇ cm_bank	Bank	Bk	x(2)	
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>, >>>, >>>, >>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_db	DB Number		x(12)	
cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->9.99%	2
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	2
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	2
cm_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	2
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Frt List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_high_cr	High Credit		->>, >>>, >>>, >>9	2
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>, >>>, >>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->>, >>>, >>>, >>9.99	2
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK	Partial	yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
◇ cm_pay_method	Payment Method	PM	x(2)	
cm_po_reqd	PO Required	PO Reqd	yes/no	
cm_promo	Promotion Group		x(10)	
cm_pr_list	Disc Tbl		x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_pst	PST Taxable		yes/no	
cm_pst_id	PST ID		x(18)	
cm_region	Region		x(4)	

Field Name	Label	Col-Label	Format	Dec
cm_resale	Resale		x(20)	
cm_rmks	Remarks		x(40)	
cm_sale_date	Last Sale		99/99/99	
cm_scurr	Second Cur	2nd Cur	x(3)	
cm_serv_terms	Service Terms		X(8)	
cm_ship	Ship-To		x(8)	
cm_shipvia	Ship Via		x(20)	
cm_ship_lt	Customer Shipping LT	Cust Ship LT	>>9	
◊ cm_sic	SIC		x(4)	
cm_site	Site		x(8)	
cm_slspns[4]	Salesperson	Salespsn	x(8)	
cm_sort	Sort Name		x(28)	
cm_stmt	Statement	Stmt	yes/no	
cm_stmt_cyc	Stmt Cycle	Cycle	x(4)	
◊ cm_submit_prop	Allow Submission Proposed		yes/no	
	Drft			
cm_svc_list	Service Price List		x(8)	
cm_taxable	Taxable	Tax	yes/no	
cm_taxc	Tax Class	TxC	x(3)	
cm_tax_in	Tax In		yes/no	
cm_type	Type		x(4)	
cm_user1	Ufld1		x(8)	
cm_user2	Ufld2		x(8)	
cm_userid	User ID		x(8)	
cm_xslspns	Slspns[1]		x(8)	
cm_xslspns2	Slspns[2]		x(8)	
cm__chr01			x(8)	
cm__chr02			x(8)	
cm__chr03			x(8)	
cm__chr04			x(8)	
cm__chr05			x(8)	
cm__chr06			x(8)	
cm__chr07			x(8)	
cm__chr08			x(8)	
cm__chr09			x(8)	
cm__chr10			x(8)	
cm_dec01			>>>, >>>, >>9.99	10
cm_dec02			>>>, >>>, >>9.99	10
cm_dte01			99/99/99	
cm_dte02			99/99/99	
cm_log01			yes/no	
cm_qad04[3]			->9.99<%	2
cm_qad06			yes/no	
cm_qadc01			x(8)	
cm_qadc02			x(8)	
cm_qadc03			x(8)	
cm_qadc04			x(8)	
cm_qadc05			x(8)	
cm_qadc06			x(8)	
cm_qadc07			x(8)	
cm_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
cm_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
cm_qadi01			->, >>>, >>9	
cm_qadi02			->, >>>, >>9	
cm_qadi03			>>>>>>9	
cm_qadi04			>>>>>>9	
cm_qadl01			yes/no	

Field Name	Label	Col-Label	Format	Dec
cm__qadl02			yes/no	
cm__qadl03			yes/no	
cm__qadl04			yes/no	
cm__qadt01			99/99/99	
cm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cm_addr	yes	cm_addr	yes	no
cm_sort	no	cm_sort	yes	no

◇ **cncix_mstr** Consigned Shipment Inventory Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
cncix_aged_date	Aged Date	Aged	99/99/99	
cncix_asn_shipper	Shipper		x(20)	
cncix_auth	Authorization		x(24)	
cncix_curr	Currency	Cur	x(3)	
cncix_current_loc	Location		x(8)	
cncix_cust	Sold-To		x(8)	
cncix_custpart	Customer Item		x(30)	
cncix_cust_dock	Customer Dock		x(30)	
cncix_cust_job	Customer Job		x(30)	
cncix_cust_ref	Customer Reference		x(30)	
cncix_cust_seq	Customer Sequence		x(30)	
cncix_intransit	In-Transit		yes/no	
cncix_int_consignment	Internal Consignment		yes/no	
cncix_line_feed	Line Feed		x(30)	
cncix_lotser	Lot/Serial		x(18)	
cncix_modelyr	Model Year		x(4)	
cncix_mod_date	Modified Date	Mod Date	99/99/99	
cncix_mod_userid	User ID		x(8)	
cncix_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
cncix_part	Item		x(18)	
cncix_pkey	Primary Key		>>>>>>>>	
cncix_po	Customer PO		x(22)	
cncix_price	Price		->, >>>, >>9.99<<<	10
cncix_qty_ship	Ship Qty		->, >>>, >>9.9<<<<<<<<<	10
cncix_qty_stock	Qty In-Stock	Qty! In-Stock	->, >>>, >>9.9<<<<<<<<<	10
cncix_ref	Reference	Ref	x(8)	
cncix_selfbill	Self-Bill		yes/no	
cncix_shipto	Ship-To		x(8)	
cncix_ship_date	Ship Date		99/99/99	
cncix_ship_trnbr	Trans Nbr		>>>>>>>>	
cncix_ship_value	Ship Value		->>>>, >>>, >>9.99<	10
cncix_site	Site		x(8)	
cncix_sod_line	Line		>>>>9	
cncix_so_nbr	Sales Order	Order	x(8)	
cncix_stock_um	Stock UM	UM	x(2)	
cncix_user1	User Field Character 1		x(24)	
cncix_user2	User Field Character 2		x(24)	
cncix__qadc01			x(24)	
cncix__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ cncix_loc_part	no	cncix_site	yes	no
		cncix_current_loc	yes	no
		cncix_part	yes	no
		cncix_ship_date	yes	no
		cncix_lotser	yes	no
◇ cncix_order_line	no	cncix_ref	yes	no
		cncix_so_nbr	yes	no
		cncix_sod_line	yes	no
		cncix_aged_date	yes	no
		cncix_pkey	yes	no
◇* cncix_primary_key	yes	cncix_pkey	yes	no
◇ cncix_shipper	no	cncix_asn_shipper	yes	no
◇ cncix_site_cust	no	cncix_site	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_part	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
		cncix_site	yes	no
		cncix_part	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
◇ cncix_site_part	no	cncix_so_nbr	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
		cncix_auth	yes	no

◇ **cncs_mstr** Customer Consignment Ship-To/Item Master

Field Name	Label	Col-Label	Format	Dec
cncs_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
cncs_consign_flag	Consignment Orders	Consignment	yes/no	
cncs_consign_loc	Consignment Location	Consignment! Location	x(8)	
cncs_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
cncs_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
cncs_mod_date	Modified Date	Mod Date	99/99/99	
cncs_mod_userid	User ID		x(8)	
cncs_part	Item Number		x(18)	
cncs_shipto	Ship-To		x(8)	
cncs_user1	User Field Character 1		x(24)	
cncs_user2	User Field Character 2		x(24)	
cncs__qadc01			x(24)	
cncs__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cncs_shipto_part	yes	cncs_shipto	yes	no
		cncs_part	yes	no

◇ **cncud_det** Customer Consignment Shipment Usage Detail

Field Name	Label	Col-Label	Format	Dec
cncud_aged_date	Aged Date	Aged	99/99/99	
cncud_asn_shipper	Shipper		x(20)	
cncud_cncix_pkey	Primary Key2		>>>>>>>>	
cncud_cncu_pkey	Primary Key1		>>>>>>>>	
cncud_curr	Currency	Cur	x(3)	
cncud_current_loc	Location		x(8)	
cncud_cust_dock	Customer Dock		x(30)	
cncud_int_consignment	Internal Consignment		yes/no	
cncud_line_feed	Line Feed		x(30)	
cncud_mod_date	Modified Date	Mod Date	99/99/99	
cncud_mod_userid	User ID		x(8)	
cncud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
cncud_price	Price		>>, >>>, >>9.99<<<	10
cncud_qty_ship	Ship Qty		->>, >>>, >>9.9<<<<<<<<<	10
cncud_selfbill	Self-Bill		yes/no	
cncud_ship_date	Ship Date		99/99/99	
cncud_ship_trnbr	Trans Nbr		>>>>>>>>	
cncud_ship_value	Ship Value		->>>>, >>>, >>9.99<	10
cncud_stock_um	Stock UM	UM	x(2)	
cncud_usage_qty	Usage Qty		->>, >>>, >>9.9<<<<<<<<<	10
cncud_usage_um	UM		x(2)	
cncud_usage_um_conv	Usage UM Conv		>>>>9.9999<<<<	10
cncud_user1	User Field Character 1		x(24)	
cncud_user2	User Field Character 2		x(24)	
cncud__qadc01			x(24)	
cncud__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ cncud_cncu_pkey	no	cncud_cncu_pkey	yes	no
		cncud_cust_dock	yes	no
		cncud_line_feed	yes	no
◇* cncud_primary_key	yes	cncud_cncu_pkey	yes	no
		cncud_cncix_pkey	yes	no
◇ cncud_reverse_key	no	cncud_cncix_pkey	yes	no
		cncud_cncu_pkey	yes	no

◇ **cncu_mstr** Customer Consignment Shipment Usage Master

Field Name	Label	Col-Label	Format	Dec
cncu_auth	Authorization		x(24)	
cncu_batch	Batch		>>>>>>>>	
cncu_cum_qty	Cum Usage Qty	Cum Usage	->>, >>>, >>9.9<<<<<<<<<	10
cncu_cust	Sold-To		x(8)	
cncu_custpart	Customer Item		x(30)	
cncu_cust_job	Customer Job		x(30)	
cncu_cust_ref	Customer Reference		x(30)	
cncu_cust_seq	Customer Sequence		x(30)	
cncu_cust_usage_date	Customer Usage Date	Customer! Usage Date	99/99/99	
cncu_cust_usage_ref	Customer Usage Ref	Customer! Usage Ref	x(20)	
cncu_eff_date	Effective Date	Effective	99/99/99	
cncu_invoice	Invoice		x(8)	

Field Name	Label	Col-Label	Format	Dec
cncu_lotser	Lot/Serial		x(18)	
cncu_manual_qty	Manual Qty		->,>,>,>>9.9<<<<<<<<<	10
cncu_modelyr	Model Year		x(4)	
cncu_mod_date	Modified Date	Mod Date	99/99/99	
cncu_mod_userid	User ID		x(8)	
cncu_origin	Origin		x(8)	
cncu_part	Item		x(18)	
cncu_pkey	Primary Key		>>>>>>>>	
cncu_po	Customer PO		x(22)	
cncu_ref	Reference	Ref	x(8)	
cncu_selfbill_auth	SelfBill Auth	Self-Bill Authorization	x(24)	
cncu_shipto	Ship-To		x(8)	
cncu_site	Ship-From		x(8)	
cncu_sod_line	Line		>>>9	
cncu_so_nbr	Sales Order	Order	x(8)	
cncu_trans_date	Transaction Date	Transaction	99/99/99	
cncu_trnbr	Trans Nbr		>>>>>>>>	
cncu_usage_qty	Usage Qty		->,>,>,>>9.9<<<<<<<<<	10
cncu_usage_so_um_conv	Usage SO UM Conv		>>>>9.9999<<<<	10
cncu_usage_um	Usage UM		x(2)	
cncu_usage_um_conv	Usage UM Conv		>>>>9.9999<<<<	10
cncu_user1	User Field Character 1		x(24)	
cncu_user2	User Field Character 2		x(24)	
cncu__qadc01			x(24)	
cncu__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	cncu_batch	no	cncu_batch	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_lotser	yes	no
			cncu_ref	yes	no
			cncu_auth	yes	no
◇	cncu_invoice	no	cncu_invoice	yes	no
◇	cncu_order	no	cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
◇	cncu_origin	no	cncu_origin	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_trans_date	yes	no
◇*	cncu_primary_key	yes	cncu_pkey	yes	no
◇	cncu_shipfrom	no	cncu_site	yes	no
			cncu_shipto	yes	no
			cncu_cust_usage_ref	yes	no
			cncu_cust_usage_date	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_lotser	yes	no
			cncu_ref	yes	no
			cncu_auth	yes	no
◇	cncu_trnbr	no	cncu_trnbr	yes	no

◇ cnc_ctrl

Field Name	Label	Col-Label	Format	Dec
cnc_active	Using Consignment Inventory		yes/no	
cnc_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
cnc_consigh_flag	Consignment Orders	Consignment	yes/no	
cnc_consigh_loc	Consignment Location	Consignment! Location	x(8)	
cnc_index1	Index		>>>>9	
cnc_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
cnc_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
cnc_mod_date	Modified Date	Mod Date	99/99/99	
cnc_mod_userid	User ID		x(8)	
cnc_user1	User Field Character 1		x(24)	
cnc_user2	User Field Character 2		x(24)	
cnc__qadc01			x(24)	
cnc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cnc_index1	yes	cnc_index1	yes	no

◇ **cnsix_mstr**

Field Name	Label	Col-Label	Format	Dec
cnsix_aged_date	Aged Date	Aged	99/99/99	
cnsix_asn_shipper	Shipper		x(20)	
cnsix_int_consignment	Internal Consignment		yes/no	
cnsix_lotser	Lot/Serial		x(18)	
cnsix_mod_date	Modified Date	Mod Date	99/99/99	
cnsix_mod_userid	User ID		x(8)	
cnsix_orig_aged_date	Original Aged Date	Original Aged	99/99/99	
cnsix_part	Item Number		x(18)	
cnsix_pkey	Primary Key		>>>>>>>>	
cnsix_pod_line	Line		>>9	
cnsix_po_nbr	Purchase Order	Order	x(8)	
cnsix_qty_consIGNED	Qty Consigned	Qty! Consigned	->,>>>,>>9.9<<<<<<<<<<	10
cnsix_receipt_trnbr	Trans Nbr		>>>>>>>>	
cnsix_receiver	Receiver		x(8)	
cnsix_ref	Reference	Ref	x(8)	
cnsix_site	Site		x(8)	
cnsix_user1	User Field Character 1		x(24)	
cnsix_user2	User Field Character 2		x(24)	
cnsix__qadc01			x(24)	
cnsix_qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ cnsix_item_order	no	cnsix_part	yes	no
		cnsix_site	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
◇ cnsix_order_line	no	cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_aged_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cnsix_primary_key	yes	cnsix_pkey	yes	no
◇ cnsix_receiver_ln	no	cnsix_receiver	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_lotser	yes	no
		cnsix_ref	yes	no
◇ cnsix_shipper	no	cnsix_asn_shipper	yes	no

◇ **cnss_mstr** Supplier Consignment Supplier/Item Master

Field Name	Label	Col-Label	Format	Dec
cnss_consign_flag	Consignment Orders	Consignment	yes/no	
cnss_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
cnss_mod_date	Modified Date	Mod Date	99/99/99	
cnss_mod_userid	User ID		x(8)	
cnss_part	Item Number		x(18)	
cnss_supplier	Supplier		x(8)	
cnss_user1	User Field Character 1		x(24)	
cnss_user2	User Field Character 2		x(24)	
cnss__qadc01			x(24)	
cnss__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cnss_supplier_part	yes	cnss_supplier	yes	no
		cnss_part	yes	no

◇ **cnsud_det** Supplier Consignment Receipt Usage Detail

Field Name	Label	Col-Label	Format	Dec
cnsud_aged_date	Aged Date	Aged	99/99/99	
cnsud_asn_shipper	Shipper		x(20)	
cnsud_cnsix_pkey	Primary Key2		>>>>>>>>	
cnsud_cnsu_pkey	Primary Key1		>>>>>>>>	
cnsud_int_consignment	Internal Consignment		yes/no	
cnsud_mod_date	Modified Date	Mod Date	99/99/99	
cnsud_mod_userid	User ID		x(8)	
cnsud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
cnsud_qty_used	Usage Qty		->>>>>>>>9.9<<<<<<<<<<	10
cnsud_receipt_trnbr	Receipt Trans Nbr	Receipt! Trans Nbr	>>>>>>>>	
cnsud_receiver	Receiver		x(8)	
cnsud_user1	User Field Character 1		x(24)	
cnsud_user2	User Field Character 2		x(24)	
cnsud__qadc01			x(24)	
cnsud__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ cnsud_cnsu_pkey	no	cnsud_cnsu_pkey	yes	no
		cnsud_receiver	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cnsud_primary_key	yes	cnsud_cnsu_pkey	yes	no
		cnsud_cnsix_pkey	yes	no
◇ cnsud_reverse_key	no	cnsud_cnsix_pkey	yes	no
		cnsud_cnsu_pkey	yes	no

◇ **cnsu_mstr** Supplier Consignment Receipt Usage Master

Field Name	Label	Col-Label	Format	Dec
cnsu_batch	Batch		>>>>>>>>	
cnsu_cum_qty	Cum Usage Qty	Cum Usage	->>, >>>, >>9.9<<<<<<<<<	10
cnsu_edl_batch	EDI Batch ID		x(24)	
cnsu_eff_date	Effective Date	Effective	99/99/99	
cnsu_export_flag	Exported		yes/no	
cnsu_lotser	Lot/Serial		x(18)	
cnsu_mod_date	Modified Date	Mod Date	99/99/99	
cnsu_mod_userid	User ID		x(8)	
cnsu_part	Item Number		x(18)	
cnsu_pkey	Primary Key		>>>>>>>>	
cnsu_pod_line	Line		>>>9	
cnsu_po_nbr	Purchase Order	Order	x(8)	
cnsu_print_flag	Printed		yes/no	
cnsu_qty_used	Usage Qty		->>, >>>, >>9.9<<<<<<<<	10
cnsu_ref	Reference	Ref	x(8)	
cnsu_site	Site		x(8)	
cnsu_trans_date	Transaction Date	Transaction	99/99/99	
cnsu_trnbr	Trans Nbr		>>>>>>>>	
cnsu_user1	User Field Character 1		x(24)	
cnsu_user2	User Field Character 2		x(24)	
cnsu__qadc01			x(24)	
cnsu__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ cnsu_batch	no	cnsu_batch	yes	no
		cnsu_trnbr	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
		cnsu_lotser	yes	no
		cnsu_ref	yes	no
◇ cnsu_edl_batch	no	cnsu_edl_batch	yes	no
◇ cnsu_order	no	cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
◇ cnsu_part_site	no	cnsu_part	yes	no
		cnsu_site	yes	no
◇* cnsu_primary_key	yes	cnsu_pkey	yes	no
◇ cnsu_trnbr	no	cnsu_trnbr	yes	no

cns_ctrl

Supplier Consignment Control

Field Name	Label	Col-Label	Format	Dec
cns_active	Using Consignment Inventory		yes/no	
cns_consign_flag	Consignment Orders	Consignment	yes/no	
cns_index1	Index		>>>>>9	
cns_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
cns_mod_date	Modified Date	Mod Date	99/99/99	
cns_mod_userid	User ID		x(8)	
cns_picking_logic	Consigned Picking Logic	Consigned! Picking	x(8)	
cns_transfer_ownership	Transfer Ownership	Ownership	x(8)	
cns_user1	User Field Character 1		x(24)	
cns_user2	User Field Character 2		x(24)	
cns__qadc01			x(24)	
cns_qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cns index1	yes	cns index1	yes	no

code mstr

Generalized Code Master

Field Name	Label	Col-Label	Format	Dec
code_cmnt	Comments		x(40)	
code_desc	Description		x(24)	
code_fldname	Field Name		x(32)	
code_user1	Ufid1		x(8)	
code_user2	Ufid2		x(8)	
code_value	Value		x(8)	
code_qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	code_fidval	yes	code_fidname	yes	no
			code_value	yes	no

comd_det

Commodity Code Detail

Field Name	Label	Col-Label	Format	Dec
comd_comm_code	Commodity Code		x(20)	
comd_part	Item Number		x(18)	
comd_user1	Ufid1		x(8)	
comd_user2	Ufid2		x(8)	
comd_user3			x(8)	
comd_user4			x(8)	
comd__qadc01	QAD Field		X(8)	0
comd__qadc02	QAD Field		X(8)	0
comd__qadc03	QAD Field		X(8)	0
comd__qadc04	QAD Field		X(8)	0
comd__qadd01			-->>, >>>,>>9.g<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
comd__qadd02			->>>>>>>>>9.9<<<<<<<<<<	10
comd__qadi01			>>>>>>9	
comd__qadi02			>>>>>>9	
comd__qadi01			yes/no	
comd__qadi02			yes/no	
comd__qadt01			99/99/99	
comd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* comd_comm_code	yes	comd_comm_code	yes	no
		comd_part	yes	no
comd_part	yes	comd_part	yes	no

com_mstr Commodity Code Master

Field Name	Label	Col-Label	Format	Dec
com_comm_code	Commodity Code	Com Code	x(20)	
com_desc	Description		x(24)	
com_suppl	Supplementary Units Required	S	yes/no	
com_uom	Supplementary UOM	UOM	x(2)	
com_user1	Ufld1		x(8)	
com_user2	Ufld2		x(8)	
com__log01			yes/no	
com__qad01			x(8)	
com__qad02			x(8)	
com__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* com_comm_code	yes	com_comm_code	yes	no

cost_cal Cost Set Calendar

Field Name	Label	Col-Label	Format	Dec
cost_cmtindx	Comment		>>>>>>>>9	
cost_memo	Memo		x(24)	
cost_set	Cost Set		x(8)	
cost_site	Site		x(8)	
cost_start	Start Date	Start	99/99/99	
cost_user1	Ufld1		x(8)	
cost_user2	Ufld2		x(8)	
cost__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cost_date	yes	cost_cal	yes	no
		cost_site	yes	no
		cost_set	yes	no
		cost_start	yes	no
		cost_site	yes	no
cost_site	yes	cost_site	yes	no
		cost_start	yes	no

co_ctrl

General Ledger (Company) Control

Field Name	Label	Col-Label	Format	Dec
co_allow_mod	Allow Changes to Module Transactions	Allow! Mod	yes/no	
co_audglt	GL Transaction Audit Trail		yes/no	
◇ co_bfb_acct	Brought Forward Balance Acct	BFB Acct	x(8)	
◇ co_bfb_cc	Brought Forward Balance CC	BFB CC	x(4)	
◇ co_bfb_desc	Brought Forward Balance Desc		x(20)	
◇ co_bfb_sub	Brought Forward Balance Sub	BFB Sub	x(8)	
◇ co_close_bs	Close Balance Sheet		yes/no	
co_cont_page	Continuous Page Numbers for Post Audit	Cont! Page	yes/no	
co_daily_seq	Daily/Continuous Reference Sequence		Daily/Continuous	
co_enty_bal	Balanced Entities	Bal Enty	yes/no	
co_ex_ratetype	Rate Type		x(8)	
co_fx_acct	Translation Adj Acct (IS)	Trans (IS)	x(8)	
co_index1	Index		>>>>>9	
co_page_num	Last Page Number for Post Audit	Page	>>>>9	
co_pl	Profit/Loss Account (BS)	P/L Acct	x(8)	
co_ret	Retained Earnings Account	Ret Earn	x(8)	
◇ co_sup_reop	Suppress Reopen Closed Periods		yes/no	
co_trns_acct	Translation Adj Acct (BS)	Trans (BS)	x(8)	
co_user1	Ufld1		x(8)	
co_user2	Ufld2		x(8)	
co_use_cc	Use Cost Centers	Use! CC	yes/no	
co_use_sub	Use Sub-Accounts	Sub! Acct	yes/no	
co_var_acct	Unrealized Exch Gain/Loss Acct	Un Gn/Ls	x(8)	
◇ co_yec_acct	Year End Closing Balance Acct	YEC Acct	x(8)	
◇ co_yec_cc	Year End Closing Balance CC	YEC CC	x(4)	
◇ co_yec_desc	Year End Closing Balance Desc		x(20)	
◇ co_yec_sub	Year End Closing Balance Sub	YEC Sub	x(8)	
co__qad01	Primary Statement Version	Primary! Stmt Ver	x(8)	
co__qadl01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* co_index1	yes	co_index1	yes	no

cpcd_det Customer Period Calendar Detail

Field Name	Label	Col-Label	Format	Dec
cpcd_cust	Customer		x(8)	
cpcd_end	Expire		99/99/99	
cpcd_per	Period		>>9	
cpcd_start	Start		99/99/99	
cpcd_type	Period Type	Type	x(1)	
cpcd_user1	Ufld1		x(8)	
cpcd_user2	Ufld2		x(8)	
cpcd_year	Year		9999	
cpcd__chr01			x(8)	
cpcd__chr02			x(8)	
cpcd__chr03			x(8)	
cpcd__chr04			x(8)	
cpcd__dec01			->>, >>9.99	2
cpcd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cpcd_per	yes	cpcd_cust	yes	no
		cpcd_year	yes	no
		cpcd_type	yes	no
		cpcd_per	yes	no

cpc_mstr Customer Period Calendar Master

Field Name	Label	Col-Label	Format	Dec
cpc_cust	Customer		x(8)	
cpc_desc	Description	Desc	x(24)	
cpc_mod_date	Modified Date	Mod Date	99/99/99	
cpc_type	Period Type	Type	x(1)	
cpc_user1	Ufld1		x(8)	
cpc_user2	Ufld2		x(8)	
cpc_userid	User ID		x(8)	
cpc_year	Year		9999	
cpc__chr01			x(8)	
cpc__chr02			x(8)	
cpc__chr03			x(8)	
cpc__chr04			x(8)	
cpc__dec01			->>, >>9.99	2
cpc__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cpc_cust	yes	cpc_cust	yes	no
		cpc_year	yes	no
		cpc_type	yes	no

cph_hist

Customer/Item Sales History

Field Name	Label	Col-Label	Format	Dec
cph_cost[12]	Cost		->>>>,>>>,>>9	10
cph_cust	Customer		x(8)	
cph_part	Item Number		x(18)	
cph_pl	Product Line		x(4)	
cph_qty[12]	Quantity		->,>>>,>>9	10
cph_sales[12]	Sales		->>>>,>>>,>>9	10
cph_ship	Ship-To		x(8)	
cph_site	Site		x(8)	
cph_smonth	Start Month		>9	
cph_tot_cost	YTD Cost		->>,>>>,>>>,>>9	10
cph_tot_qty	YTD Quantity		->>>,>>>,>>9	10
cph_tot_sale	YTD Sales		->>,>>>,>>>,>>9	10
cph_type	Ship Type	T	x(1)	
cph_user1	Ufld1		x(8)	
cph_user2	Ufld2		x(8)	
cph_year	Year		9999	
cph__chr01			x(8)	
cph__chr02			x(8)	
cph__chr03			x(8)	
cph__chr04			x(8)	
cph__chr05			x(8)	
cph__dec01[12]			>>>>,>>>,>>9.99	10
cph__dec02[12]			>>>>,>>>,>>9.99	10
cph__dte01			99/99/99	
cph__dte02			99/99/99	
cph__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cph_cust	yes	cph_cust	yes	no
		cph_ship	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
		cph_site	yes	no
* cph_part	no	cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no

cp_mstr Customer Item Master

Field Name	Label	Col-Label	Format	Dec
cp_comment	Comment		x(40)	
cp_cust	Customer		x(8)	
cp_cust_eco	Customer Item ECO Nbr		x(8)	
cp_cust_part	Customer Item		x(30)	
cp_cust_partd	Display Customer Item		x(30)	
cp_mod_date	Modified Date	Mod Date	99/99/99	
cp_part	Item Number		x(18)	
cp_pkg_code	Pkg Code		x(18)	
cp_user1	Ufld1		x(8)	
cp_user2	Ufld2		x(8)	
cp_userid	User ID		x(8)	
cp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cp_cust	yes	cp_cust	yes	no
		cp_cust_part	yes	no
◊ cp_cust_part	no	cp_cust_part	yes	no
		cp_part	yes	no
cp_part_cust	no	cp_part	yes	no
		cp_cust	yes	no

crc_ctrl Carrier Control

Field Name	Label	Col-Label	Format	Dec
crc_index1			>>>>9	
crc_nbr	Next Carrier		99999999	
crc_user1	Ufld1		x(8)	
crc_user2	Ufld2		x(8)	
crc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* crc_index1	yes	crc_index1	yes	no

cref_mstr Service/Support Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
cref_cset	Cost Set		x(8)	
cref_item1	Item 1		x(18)	
cref_item2	Item 2		x(18)	
cref_item3	Item 3		x(18)	
cref_item4	Item 4		x(18)	
cref_qad_date1	Qad Date 1		99/99/99	
cref_qad_date2	Qad Date 2		99/99/99	
cref_qad_dec01	Qad Decimal 1		->>, >>9.99	2
cref_qad_dec02	Qad Decimal 2		->>, >>9.99	2
cref_qad_log01	Qad Field 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
cref_qad_log02	Qad Logical 2		yes/no	
cref_ref_type	Reference Type		x(8)	
cref_user1	Ufld1		x(8)	
cref_user2	Ufld2		x(8)	
cref__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cref_item12	yes	cref_ref_type	yes	no
		cref_item1	yes	no
		cref_item2	yes	no

cr_mstr Code Range Master

Field Name	Label	Col-Label	Format	Dec
cr_code	Code Number	Code No	x(8)	
cr_code_beg	Beginning Number	Beg No	x(8)	
cr_code_end	Ending Number	End No	x(8)	
cr_mod_date	Modified Date	Mod Date	99/99/99	
cr_mod_userid	User ID		x(8)	
cr_type	Type		x(8)	
cr_user1	Ufld1		x(8)	
cr_user2	Ufld2		x(8)	
cr__qadc01			x(8)	
cr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cr_code	yes	cr_code	yes	no
		cr_type	yes	no
		cr_code_beg	yes	no
		cr_code_end	yes	no
cr_type	no	cr_type	yes	no
		cr_code_beg	yes	no
		cr_code_end	yes	no
		cr_code	yes	no

csa_mstr Controlled Substance Authority Master

Field Name	Label	Col-Label	Format	Dec
csa_auth	Authority	Auth	x(8)	
csa_cmtindx	Comment Index	Comments	>>>>>>9	
csa_group	Group		x(8)	
csa_name	Name		x(28)	
csa_type	Type		x(8)	
csa_user1	Ufld1		x(8)	
csa_user2	Ufld2		x(8)	
csa__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* csa_auth	yes	csa_auth	yes	no
csa_group	no	csa_group	yes	no
csa_name	no	csa_name	yes	no

csbd_det

Customer/Supplier Bank Detail

Field Name	Label	Col-Label	Format	Dec
csbd_addr	Address		x(8)	
csbd_bank	Bank		x(8)	
csbd_beg_date	Beginning Date	Begin! Date	99/99/99	
Δ csbd_bk_acct	Bank Account		x(35)	
csbd_branch	Branch		x(8)	
csbd_edl	EDI		x(8)	
csbd_end_date	Ending Date	End! Date	99/99/99	
csbd_mod_date	Modified Date	Mod Date	99/99/99	
csbd_type	Account Type	Acct! Type	x(3)	
csbd_user1	Ufld1		x(8)	
csbd_user2	Ufld2		x(8)	
csbd_userid	UserID		x(8)	
◇ csbd_validation	Validation	Val	x(2)	
csbd__chr01			x(8)	
csbd__chr02			x(8)	
csbd__chr03			x(8)	
csbd__chr04			x(8)	
csbd__chr05			x(8)	
csbd__dec01			->>>, >>>, >>9.99	10
csbd__dec02			->>>, >>>, >>9.99	10
csbd__dte01			99/99/99	
csbd__dte02			99/99/99	
csbd__log01			yes/no	
csbd__log02			yes/no	
csbd__qad01			x(8)	
csbd__qad02			x(8)	
csbd__qad03			->>>, >>>, >>9.99	10
csbd__qad04			->>>, >>>, >>9.99	10
csbd__qad05			99/99/99	
csbd__qad06			99/99/99	
csbd__qad07			yes/no	
csbd__qad08			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
csbd_bk_addr	no	csbd_bank	yes	no
		csbd_addr	yes	no
* csbd_ind1	yes	csbd_addr	yes	no
		csbd_bank	yes	no
		csbd_type	yes	no

csc_mstr

Controlled Substance Customer Master

Field Name	Label	Col-Label	Format	Dec
csc_addr	Address Code	Address	x(8)	
csc_auth	Authority	Auth	x(8)	
csc_cmtindx	Comment Index	Comments	>>>>>>9	
csc_ctrl	Control Number		x(20)	
csc_etry_code	Country	Ctry	x(3)	
csc_end	End Date	End	99/99/99	
csc_start	Start Date	Start	99/99/99	
csc_user1	Ufld1		x(8)	
csc_user2	Ufld2		x(8)	
csc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csc_addr_auth	no	csc_addr	yes	no
		csc_auth	yes	no
csc_ctrl_addr	no	csc_ctrl	yes	no
		csc_addr	yes	no
* csc_etry_auth	yes	csc_etry_code	yes	no
		csc_auth	yes	no
		csc_addr	yes	no

csid_det

Controlled Substance Item Detail

Field Name	Label	Col-Label	Format	Dec
csid_addr1	Address Code	Address	x(8)	
csid_addr2	Address Code	Address	x(8)	
csid_addr3	Address Code	Address	x(8)	
csid_auth	Authority	Auth	x(8)	
csid_class	Class		x(8)	
csid_ctrl	Control Number		x(20)	
csid_etry_code	Country	Ctry	x(3)	
csid_end	End Date	End	99/99/99	
csid_intrastat	Intrastat Item		yes/no	
csid_orig_etry	Originating Country	Ctry	x(3)	
csid_orig_pct	Originating Percent	Pct	>>9.99	2
csid_part	Item Number		x(18)	
csid_pref	Preference Criteria		x(8)	
csid_start	Start Date	Start	99/99/99	
csid_status	Status		x(8)	
csid_user1	Ufld1		x(8)	
csid_user2	Ufld2		x(8)	
csid__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csid_ctrl_part	no	csid_ctrl	yes	no
		csid_part	yes	no
* csid_etry_auth	yes	csid_etry_code	yes	no
		csid_auth	yes	no
		csid_ctrl	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
csid_part_auth	yes	csid_part	yes	no
		csid_part	yes	no
		csid_ctry_code	yes	no
		csid_auth	yes	no

csil_mstr Controlled Substance Individual License Master

Field Name	Label	Col-Label	Format	Dec
csil_addr1	Licensee Address	Licensee	x(8)	
csil_addr2	Producer Address	Producer	x(8)	
csil_addr3	Intermediate Consignee Addr	Int Con	x(8)	
csil_addr4	Final Consignee Address	Fin Con	x(8)	
csil_auth	Authority	Auth	x(8)	
csil_cmtindx	Comment Index	Comments	>>>>>>9	
csil_ctry_code	Country	Ctry	x(3)	
csil_end	End Date	End	99/99/99	
csil_licen	License Number		x(30)	
csil_start	Start Date	Start	99/99/99	
csil_user1	Ufld1		x(8)	
csil_user2	Ufld2		x(8)	
csil__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csil_addr4_licen	no	csil_addr4	yes	no
		csil_licen	yes	no
* csil_ctry_auth	yes	csil_ctry_code	yes	no
		csil_auth	yes	no
		csil_licen	yes	no
csil_licen	no	csil_licen	yes	no

csim_mstr Controlled Substance Item Master

Field Name	Label	Col-Label	Format	Dec
csim_auth	Authority	Auth	x(8)	
csim_cmtindx	Comment Index	Comments	>>>>>>9	
csim_ctrl	Control Number		x(20)	
csim_ctry_code	Country	Ctry	x(3)	
csim_desc	Description		x(28)	
csim_um	Unit of Measure	UM	x(2)	
csim_user1	Ufld1		x(8)	
csim_user2	Ufld2		x(8)	
csim__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csim_auth_ctrl	no	csim_auth	yes	no
		csim_ctrl	yes	no
* csim_ctry_auth	yes	csim_ctry_code	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no
csim_desc	no	csim_auth	yes	no
		csim_desc	yes	no

csls_det

Controlled Substance Individual License Detail

Field Name	Label	Col-Label	Format	Dec
csls_auth	Authority	Auth	x(8)	
csls_cmtindx	Comment Index	Comments	>>>>>>9	
csls_etry_code	Country	Ctry	x(3)	
csls_curr	Currency	Cur	x(3)	
csls_licen	License Number		x(30)	
csls_max_amt	Max Amount		>>>, >>>, >>9.99<<<	2
csls_max_qty	Max Quantity		>>>, >>>, >>9	
csls_part	Item Number		x(18)	
csls_tot_amt	Total Amount		>>>, >>>, >>9.99<<<	2
csls_tot_qty	Total Quantity		>>>, >>>, >>9	
csls_user1	Ufld1		x(8)	
csls_user2	Ufld2		x(8)	
csls__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* csls_etry_auth	yes	csls_etry_code	yes	no
		csls_auth	yes	no
		csls_licen	yes	no
		csls_part	yes	no
csls_licen_part	no	csls_licen	yes	no
		csls_part	yes	no
csls_part_licen	no	csls_part	yes	no
		csls_licen	yes	no

cslm_mstr

Controlled Substance General License Master

Field Name	Label	Col-Label	Format	Dec
cslm_auth	Authority	Auth	x(8)	
cslm_cmtindx	Comment Index	Comments	>>>>>>9	
cslm_ctrl	Control Num / ECCN		x(20)	
cslm_etry_code	Country	Ctry	x(3)	
cslm_curr	Currency	Cur	x(3)	
cslm_end	End Date	End	99/99/99	
cslm_group	Country Groups		x(60)	
cslm_licen	License Number		x(30)	
cslm_max_amt	Max Amount		>>>, >>>, >>9.99<<<	2
cslm_max_qty	Max Quantity		>>>, >>>, >>9	
cslm_start	Start Date	Start	99/99/99	
cslm_tot_amt	Total Amount		>>>, >>>, >>9.99<<<	2
cslm_tot_qty	Total Quantity		>>>, >>>, >>9	
cslm_user1	Ufld1		x(8)	
cslm_user2	Ufld2		x(8)	
cslm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cslm_ctrl_licen	no	cslm_ctrl	yes	no
		cslm_licen	yes	no
* cslm_etry_auth	yes	cslm_etry_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
cslm_grp	no	cslm_auth	yes	no
		cslm_licen	yes	no
		cslm_ctrl	yes	no
		cslm_group	yes	no

cssi_det

Site Cost Detail

Field Name	Label	Col-Label	Format	Dec
cssi_active	Active	Act	yes/no	
cssi_cur	Currency	Cur	x(3)	
cssi_mod_date	Modified Date	Mod Date	99/99/99	
cssi_set	Cost Set		x(8)	
cssi_site	Site		x(8)	
cssi_user1	Ufld1		x(8)	
cssi_user2	Ufld2		x(8)	
cssi_userid	User ID		x(8)	
cssi_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cssi_set_site	yes	cssi_set	yes	no
		cssi_site	yes	no
		cssi_active	yes	no
* cssi_site_set	yes	cssi_site	yes	no
		cssi_set	yes	no
		cssi_active	yes	no

css_mstr

Controlled Substance Site Master

Field Name	Label	Col-Label	Format	Dec
css_auth	Authority	Auth	x(8)	
css_cmtindx	Comment Index	Comments	>>>>>>>9	
css_ctrl	Control Number		x(20)	
css_ctype_code	Country	Ctry	x(3)	
css_end	End Date	End	99/99/99	
css_site	Site		x(8)	
css_start	Start Date	Start	99/99/99	
css_user1	Ufld1		x(8)	
css_user2	Ufld2		x(8)	
css_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
css_ctrl_site	no	css_ctrl	yes	no
		css_site	yes	no
* css_ctype_auth	yes	css_ctype_code	yes	no
		css_auth	yes	no
		css_site	yes	no
css_site_auth	no	css_site	yes	no
		css_auth	yes	no

cst_mstr Fixed Asset Custodian Master

Field Name	Label	Col-Label	Format	Dec
cst_cust	Custodian		x(12)	
cst_desc	Description		x(30)	
cst_user1	Ufld1		x(8)	
cst_user2	Ufld2		x(8)	
cst__qad01			x(8)	
cst__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cst_cust	yes	cst_cust	yes	no
cst_desc	no	cst_desc	yes	no
		cst_cust	yes	no

cs_mstr Cost Set Master

Field Name	Label	Col-Label	Format	Dec
cs_desc	Description		x(24)	
cs_method	Costing Method	Mthd	x(4)	
cs_set	Cost Set		x(8)	
cs_type	Cost Set Type	Type	x(4)	
cs_user1	Ufld1		x(8)	
cs_user2	Ufld2		x(8)	
cs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cs_set	yes	cs_set	yes	no
cs_type	yes	cs_type	yes	no
		cs_set	yes	no

ctd_det Credit Terms Detail

Field Name	Label	Col-Label	Format	Dec
ctd_code	Terms Code	Terms	x(8)	
ctd_date_cd	Dating Code	Dating	x(8)	
ctd_pct_due	% Due		->>9.99	2
ctd_seq	Sequence	Seq	>>9	
ctd_user1	Ufld1		x(8)	
ctd_user2	Ufld2		x(8)	
ctd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ctd_cdseq	yes	ctd_code	yes	no
		ctd_seq	yes	no

ctry_mstr Country Master

Field Name	Label	Col-Label	Format	Dec
ctry_cmtindx	Comment Index	Comment	>>>>>>9	
ctry_code1	Alternate Code	Alt.! Code	x(2)	
ctry_country	Name		x(28)	
ctry_ctry_code	Country Code	Ctry	x(3)	
ctry_dea_flag	DEA Country	DEA	yes/no	
ctry_ec_flag	EC Country	EC	yes/no	
ctry_gatt_flag	GATT Country	GATT	yes/no	
ctry_group	Country Group	Group	x(8)	
◇ ctry_ie_code	IntraStat Country Code		x(3)	
ctry_nafta_flag	NAFTA Country	NAFTA	yes/no	
ctry_type	Country Type	Type	x(8)	
ctry_user1	Ufld1		x(8)	
ctry_user2	Ufld2		x(8)	
◇ ctry_vat_reg_prefix	VAT Registration Prefix		x(2)	
ctry__chr01			x(8)	
ctry__log01			yes/no	
ctry__qad01			x(8)	
ctry__qad02			x(8)	
ctry__qad03			x(8)	
ctry__qad04			yes/no	
ctry__qad05			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ctry_code1	no	ctry_code1	yes	no
ctry_country	yes	ctry_country	yes	no
* ctry_ctry_code	yes	ctry_ctry_code	yes	no
ctry_ec_flag	no	ctry_ec_flag	yes	no

ct_mstr Credit Terms Master

Field Name	Label	Col-Label	Format	Dec
ct_base_date	Base Date		99/99/99	
ct_base_days	Base Days		->>9	
ct_code	Terms Code	Terms	x(8)	
ct_dating	Multiple Due Dates		yes/no	
ct_desc	Description		x(24)	
ct_disc_date	Disc Date		99/99/99	
ct_disc_days	Disc Days	Disc! Days	->>9	2
ct_disc_pct	Disc %		->>>9.99%	2
ct_due_date	Due Date		99/99/99	
ct_due_days	Due Days	Due! Days	->>9	2
ct_due_inv	Due Date From	Start! Due	>9	
ct_from_inv	Disc Date From	Start! Disc	>9	
ct_grace_days	Grace Days		->>9	
ct_late_int	Daily Overdue Int Pct	Daily! Overdue! Int Pct	->>>9.99	2
ct_min_days	Minimum Due Days		>>9	
ct_mod_date	Modified Date	Mod Date	99/99/99	
◇ ct_mtd_disc	30 days		yes/no	
◇ ct_mtd_due	30 days		yes/no	
ct_terms_int	Terms Interest Pct	Trms Int%	->>>9.99	2

Field Name	Label	Col-Label	Format	Dec
ct_user1	Ufld1		x(8)	
ct_user2	Ufld2		x(8)	
ct_userid	User ID		x(8)	
ct_xdue_inv	Due Date From Invoice/EOM Start! Due		Invoice/EOM	
ct_xfrom_inv	Disc Date From Invoice/ Start! Disc		Invoice/EOM	
	EOM			
ct__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ct_code	yes	ct_code	yes	no
ct_desc	yes	ct_desc	yes	no
		ct_code	yes	no

cu_mstr Currency Master

Field Name	Label	Col-Label	Format	Dec
cu_active	Active		yes/no	
cu_curr	Currency	Cur	x(3)	
cu_desc	Description		x(24)	
cu_ex_rnd_acct	Exchange Rounding Account	Exch Rnd	x(8)	
cu_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
cu_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
◇ cu_iso_curr	ISO Currency		x(3)	
cu_mod_date	Modified Date	Mod Date	99/99/99	
cu_mod_userid	User ID		x(8)	
cu_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
cu_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
cu_rgain_sub	Realized Exchange Gain Sub	Sub-Acct	x(8)	
cu_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
cu_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
cu_rloss_sub	Realized Exchange Loss Sub	Sub-Acct	x(8)	
cu_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
cu_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
cu_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
cu_ugain_sub	Unrealized Exchange Gain Sub	Sub-Acct	x(8)	
cu_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
cu_uloss_cc	Unrealized Exchange Loss CC	CC	x(4)	
cu_uloss_sub	Unrealized Exchange Loss Sub	Sub-Acct	x(8)	
cu_user1	Ufld1		x(8)	
cu_user2	Ufld2		x(8)	
cu__qadc01			x(8)	

Field Name	Label	Col-Label	Format	Dec
cu__qadd01			>>, >>9.99999<<<<<	10
cu__qadl01			yes/no	
cu__qadt01			99/99/99	
cu__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cu_curr	yes	cu_curr	yes	no

dbk_mstr Depreciation Book Master

Field Name	Label	Col-Label	Format	Dec
dbk_bank	Bank	Bk	x(2)	
dbk_beg_dt	Depreciation Year Starts	Year! Starts	99/99/99	
dbk_book	Book		x(8)	
dbk_curr	Currency	Cur	x(3)	
dbk_curr_pd	Current Depreciation Period	Cur! Pd	999	
dbk_desc	Description		x(24)	
dbk_entity	Entity	Enty	x(4)	
dbk_mod_date	Modified Date	Mod Date	99/99/99	
dbk_pd_taken	Depr Periods Taken YTD	YTD! Pds	999	
dbk_pd_yr	Depreciation Periods per Year	Pds! Year	999	
dbk_post	Post to General Ledger	Post	yes/no	
dbk_rep_cost	Use Current Costs	Curr! Cost	yes/no	
dbk_user1	Ufld1		x(8)	
dbk_user2	Ufld2		x(8)	
dbk_userid	User ID		x(8)	
dbk_ytd	Depreciate Using YTD Amounts	YTD	yes/no	
dbk__qad01			yes/no	
dbk__qad02			x(8)	
dbk__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dbk_bk_ent	yes	dbk_book	yes	no
		dbk_entity	yes	no
dbk_post	no	dbk_entity	yes	no
		dbk_post	yes	no

dbb_mstr Database Revision Control Master

Field Name	Label	Col-Label	Format	Dec
dbb_date	Date		99/99/99	
dbb_major	Major Revision Number	Major	>>9.9	2
dbb_minor	Minor Revision Number	Minor	x(8)	
dbb_status	Conversion Status	Status	x(8)	
dbb_time	Time		>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
dbb_user1	Ufld1		x(8)	
dbb_user2	Ufld2		x(8)	
dbb_userid	User ID		x(8)	
dbb_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dbb_rev	yes	dbb_major	no	no
		dbb_minor	no	no

dc_mstr

Database Connection Master

Field Name	Label	Col-Label	Format	Dec
dc_active	Active	Act	yes/no	
dc_cmtindx	Comment Index	Comment	>>>>>>9	
dc_desc	Description		x(24)	
dc_dir	Database Directory		x(50)	
dc_host	Host		x(24)	
dc_name	Database Name	DB name	x(8)	
dc_network	Network		x(8)	
dc_parmfile	Parameter File	ParmFile	x(8)	
dc_phy_name	Physical Database Name	Phys DB Name	x(12)	
dc_server	Server		x(24)	
dc_type	Type		x(8)	
dc_user1	Ufld1		x(8)	
dc_user2	Ufld2		x(8)	
dc_use_app	Use AppServer		yes/no	
dc__chr01			x(8)	
dc__chr02			x(8)	
dc__qadc01			x(8)	
dc__qadc02			x(8)	
dc__qadl01			yes/no	
dc__qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* dc_name	yes	dc_name	yes	no

◇ **decl_mstr**

Declarant Master

Field Name	Label	Col-Label	Format	Dec
decl_addr	Declarant		x(8)	
decl_affiliation	Affiliation		x(1)	
decl_agent	Agent		x(8)	
decl_branch	Branch ID		x(3)	
decl_etry_code	Country Code		x(3)	
decl_curr	Currency		x(3)	
decl_ex_ratetype	Rate Type		x(8)	
decl_mod_date	Modified Date	Mod Date	99/99/99	
decl_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
decl_net_wt_min	Intrastat Net Weight Minimum		>>>, >>>, >>9.99	2
decl_program	Program		x(12)	
decl_region	Declaration Region		x(3)	
decl_user1	User Field Character 1		x(24)	
decl_user2	User Field Character 2		x(24)	
decl__qadc01			x(24)	
decl__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* decl_addr	yes	decl_addr	yes	no

◇ **defr_det** Service Contract Deferred/Accrued Revenue Detail

Field Name	Label	Col-Label	Format	Dec
defr_accr_amt	Accrued Amount		->>>>, >>>, >>9.99<	10
defr_acct	Deferred Revenue	Deferred	x(8)	
defr_bill_to	Bill To		x(8)	
defr_cc	Deferred Revenue CC		x(4)	
defr_curr	Currency	Cur	x(3)	
defr_cust	Customer		x(8)	
defr_eff_date	Effective Date	Eff Date	99/99/99	
defr_entity	Entity	Enty	x(4)	
defr_eu_nbr	End User		x(8)	
defr_exru_seq	Sequence		>>>>>>>9	
defr_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
defr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
defr_ex_ratetype	Rate Type		x(8)	
defr_for	Supported Item	Item	x(18)	
defr_inv_amt	Invoiced Amount		->>>>, >>>, >>9.99<	10
defr_inv_nbr	Invoice		x(8)	
defr_line	Contract Line	Con Line	>>>>>>>9	
defr_mod_date	Modified Date	Mod Date	99/99/99	
defr_mod_userid	User ID		x(8)	
defr_nbr	Contract		x(8)	
defr_period_curr_amt	Period Cur Amount		->>>>, >>>, >>9.99<	10
defr_period_remain	Period Rem		->>>9.9<<<	10
defr_per_period_amt	Per Period Amount		->>>>, >>>, >>9.99<	10
defr_prefix	Pf		x(1)	
defr_project	Project		x(8)	
defr_rec_amt	Recognized Amount		->>>>, >>>, >>9.99<	10
defr_rev_amt	Revenue Amount		->>>>, >>>, >>9.99<	10
defr_sls_acct	Sales Acct		x(8)	
defr_sls_cc	Sales CC		x(4)	
defr_sls_sub	Sales Sub-Acct		x(8)	
defr_sub	Deferred Revenue Sub-Acct		x(8)	
defr_user1	User Field Character 1		x(24)	
defr_user2	User Field Character 2		x(24)	
defr_userd01	User Field Decimal 1		->>>>, >>>, >>9.99<<<<<<<<	10
defr_useri01	User Field Integer 1		->>>>>>>9	
defr_userl01	User Field Logical 1		yes/no	
defr_usert01	User Field Date 1		99/99/99	
defr__qadc01			x(24)	

Field Name	Label	Col-Label	Format	Dec
defr__qadc02			x(24)	
defr__qadd01			->>>>, >>>, >>9,9<<<<<<<<<<	10
defr__qadi01			->>>>>>>9	
defr__qadl01			yes/no	
defr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* defr_nbrln	yes	defr_nbr	yes	no
		defr_prefix	yes	no
		defr_line	yes	no
		defr_inv_nbr	yes	no

◇ **delt_mstr** Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
delt_city	To City	City	x(20)	
delt_ctry	To Country Code	Country	x(3)	
delt_method	Delivery Method	Method	x(8)	
delt_mod_date	Modified Date	Mod Date	99/99/99	
delt_mod_userid	User ID		x(8)	
delt_site	From Site	Site	x(8)	
delt_state	To State	State	x(4)	
delt_transit	Transit Days	Transit	>>9	
delt_userc01	User Field 1		x(24)	
delt_userc02	User Field 2		x(24)	
delt_userd01	User Field Decimal 1		->>>,>>>,>>9.9<<<<<<<<<	10
delt_useri01	User Field Integer 1		->>>>>>9	
delt_userl01	User Field Logical		yes/no	
delt_usert01	User Field Date 1		99/99/99	
delt_use_category	Use Category	Use	x(2)	
delt__qadc01			x(24)	
delt__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
delt__qadi01			->>>>>>>9	
delt__qadi01			yes/no	
delt__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ delt_site	yes	delt_site	yes	no
		delt_ctr	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_use_category	yes	no
		delt_method	yes	no
◇* delt_use_category	yes	delt_use_category	yes	no
		delt_site	yes	no
		delt_ctr	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_method	yes	no

Daybook Journal Report Master



Index-Name	Uni	Field-Name	Asc	Abbr
◇* djr_code	yes	djr_code	yes	no
◇ djr_desc	yes	djr_desc	yes	no

dmw_wkfl Draft Management Work Table

Field Name	Label	Col-Label	Format	Dec
dmw_amt	Amount		-->, >>>, >>>, >>9.99	2
dmw_appl	Applied Amt		-->, >>>, >>>, >>9.99	2
dmw_bank	Bank		x(8)	
dmw_bill	Bill-To		x(8)	
dmw_curr	Currency	Cur	x(3)	
dmw_date	Date		99/99/99	
dmw_disc	Discount		-->, >>>, >>>, >>9.99	2
dmw_due_date	Due Date		99/99/99	
dmw_entity	Entity	Enty	x(4)	
dmw_nbr	Reference		x(8)	
dmw_sel	Sel		x(1)	
dmw_type	Type	T	x(1)	
dmw_user1	Ufld1		x(8)	
dmw_user2	Ufld2		x(8)	
dmw__char01			x(8)	
dmw__char02			x(8)	
dmw__char03			x(8)	
dmw__char04			x(8)	
dmw__char05			x(8)	
dmw__dte01			99/99/99	
dmw__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
dmw_bill	no	dmw_bill	yes	no
		dmw_entity	yes	no
		dmw_curr	yes	no
* dmw_nbr	yes	dmw_nbr	yes	no
		dmw_bill	yes	no
		dmw_sel	yes	no

dpc_mstr Depreciation Convention Master

Field Name	Label	Col-Label	Format	Dec
dpc_acq_pct[4]	Percent		-->9.9<%	2
dpc_beg_date	Beginning Date	Beg Date	99/99/99	
dpc_conv	Convention		x(8)	
dpc_desc	Description		x(24)	
dpc_end_date	Ending Date	End Date	99/99/99	
dpc_rt_pct[4]	Percent		-->9.9<%	2

Field Name	Label	Col-Label	Format	Dec
dpc_user1	Ufld1		x(8)	
dpc_user2	Ufld2		x(8)	
dpc__qad01			x(8)	
dpc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpc_conv	yes	dpc_conv	yes	no

dprd_det Depreciation Detail

Field Name	Label	Col-Label	Format	Dec
dprd_acct	Account		x(8)	
dprd_amt	Amount		->>, >>>, >>>, >>9.99<	10
dprd_asset	Asset		x(12)	
dprd_book	Book		x(8)	
dprd_cc	Cost Center	CC	x(4)	
dprd_cost_pct	Current Cost Percent	Cur Cost! Percent	->>9.9<%	10
dprd_curr_amt	Currency Amount		->>, >>>, >>>, >>9.99<	10
dprd_desc	Description		x(24)	
dprd_effdate	Effective	Eff Date	99/99/99	
dprd_entity	Entity	Enty	x(4)	
dprd_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
dprd_exru_seq	Sequence		>>>>>>>9	
dprd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
dprd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
dprd_ex_ratetype	Rate Type		x(8)	
dprd_gl_line	Line		>>>9	
dprd_line	Line	Ln	999	
dprd_method	Method		x(8)	
dprd_pd	Period	Pd	999	
dprd_pd_closed	Period Closed	Pd! Clsd	yes/no	
dprd_pd_date	Period End		99/99/99	
dprd_post	Posted		yes/no	
dprd_proj	Project		x(8)	
dprd_ref	GL Reference		x(14)	
dprd_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
dprd_sub	Sub-Account	Sub-Acct	x(8)	
dprd_type	Type	T	x(1)	
dprd_user1	Ufld1		x(8)	
dprd_user2	Ufld2		x(8)	
dprd__qad01			x(8)	
dprd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
dprd_ent_pdate	no	dprd_entity	yes	no
		dprd_pd_date	yes	no
* dprd_index1	yes	dprd_entity	yes	no
		dprd_book	yes	no
		dprd_asset	yes	no
		dprd_pd_date	yes	no
		dprd_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
dprd_pdate_line	no	dprd_rflag	yes	no
		dprd_pd_date	yes	no
		dprd_line	yes	no
		dprd_pd_closed	yes	no
		dprd_entity	yes	no
dprd_post	no	dprd_book	yes	no
		dprd_asset	yes	no
		dprd_asset	yes	no
		dprd_post	yes	no
		dprd_effdate	yes	no
dprd_type	no	dprd_book	yes	no
		dprd_type	yes	no
		dprd_asset	yes	no
		dprd_pd_date	yes	no

dprt_det Depreciation Method Detail

Field Name	Label	Col-Label	Format	Dec
dprt_amt	Amount		->>, >>>, >>>, >>9.99<	10
dprt_method	Method		x(8)	
dprt_mnth	Month	Mh	99	
dprt_percent	Percent		>>>9.9<<<%	10
dprt_user1	Ufld1		x(8)	
dprt_user2	Ufld2		x(8)	
dprt_year	Year	Yr	99	
dprt__qad01			yes/no	
dprt__qad02			x(8)	
dprt__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dprt_index1	yes	dprt_method	yes	no
		dprt_year	yes	no
		dprt_mnth	yes	no

dpr_mstr Depreciation Method Master

Field Name	Label	Col-Label	Format	Dec
dpr_basis	Basis		x(24)	
dpr_beg_date	Beginning Date	Begin	99/99/99	
dpr_desc	Description		x(24)	
dpr_end_date	Ending Date	End	99/99/99	
dpr_eq[15]	Equation		x(76)	
dpr_method	Method		x(8)	
dpr_mod_date	Modified Date	Mod Date	99/99/99	
dpr_opt_method	Optimization Method	Optimize! Method	x(8)	
dpr_switch	Optimize Depreciation	Opt! Depr	yes/no	
dpr_table	Table	Tbl	yes/no	
dpr_user1	Ufld1		x(8)	
dpr_user2	Ufld2		x(8)	
dpr_userid	User ID		x(8)	
dpr__qad01			yes/no	
dpr__qad02			x(8)	
dpr__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpr_method	yes	dpr_method	yes	no
dpr_table	no	dpr_method	yes	no
		dpr_table	yes	no

dpt_mstr Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_cop_sub	Cost of Production Sub	Sub-Acct	x(8)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->,>>>,>>9	
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	
dpt_chr01			x(8)	
dpt_chr02			x(8)	
dpt_chr03			x(8)	
dpt_chr04			x(8)	
dpt_chr05			x(8)	
dpt_dec01			>>>, >>>, >>9.99	10
dpt_dec02			>>>, >>>, >>9.99	10
dpt_dte01			99/99/99	
dpt_dte02			99/99/99	
dpt_log01			yes/no	
dpt_qadc01			x(8)	
dpt_qadc02			x(4)	
dpt_qadc03			x(8)	
dpt_qadc04			x(4)	
dpt_qadc05			x(8)	
dpt_qadc06			x(4)	
dpt_qadc07			x(8)	
dpt_qadc08			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpt_dept	yes	dpt_dept	yes	no
dpt_desc	yes	dpt_desc	yes	no
		dpt_dept	yes	no

drp_ctrl

Distribution Requirements Planning Control

Field Name	Label	Col-Label	Format	Dec
drp_auto_nbr	Auto Δ/O Numbers	Auto Δ/O	yes/no	
drp_auto_req	Auto Requisitions		yes/no	
drp_dcmmts	Distribution Order Comments	Δ/O Cmmts	yes/no	
drp_index1	Index		>>>>>9	
drp_mrp	DRP/MRP Combined	DRP/MRP	yes/no	
drp_nbr	Next Δ/O Nbr	Next Δ/O	>>>>>>9	
drp_nbr_pre	Δ/O Prefix	Pre	x(3)	
drp_rcmmts	Requisition Comments	Req Cmmts	yes/no	
drp_req_nbr	Next Req Nbr	Next Req	>>>>>>9	
drp_req_pre	Req Prefix	Pre	x(3)	
drp_user1	Ufld1		x(8)	
drp_user2	Ufld2		x(8)	
drp_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* drp_ctrl	yes	drp_index1	yes	no

dsd_det

Distributed Site Requisition Detail

Field Name	Label	Col-Label	Format	Dec
dsd_cmtindx	Comment Index	Comment	>>>>>>9	
dsd_due_date	Due Date		99/99/99	
dsd_git_acct	Goods in Transit Acct	GIT Acct	x(8)	
dsd_git_cc	Cost Center	CC	x(4)	
dsd_git_site	In Transit Site	GIT Site	x(8)	
dsd_git_sub	Goods in Tran Sub-Acct	Sub-Acct	x(8)	
dsd_loc	Location		x(8)	
dsd_nbr	Order Number	Order	x(8)	
dsd_part	Item Number		x(18)	
dsd_per_date	Performance Date	Perform	99/99/99	
dsd_pod_line	Line	Ln	>>9	
dsd_po_nbr	Purchase Order	P/O Nbr	x(8)	
dsd_project	Project		x(8)	
dsd_qty_chg	Qty To Receive	Receipt Qty	->, >>>, >>9.9<<<<<<<<	10
dsd_qty_conf	Qty Confirmed		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<	10
dsd_req_nbr	Requisition	Req Nbr	x(8)	
dsd_residual	In Transit Value		->>>, >>>, >>9.99<<<	10
dsd_rev	Rev		x(4)	
dsd_rmks	Remarks		x(40)	
dsd_shipdate	Ship Date	Ship	99/99/99	
dsd_shipsite	Shipping Site	Source	x(8)	
dsd_site	Site		x(8)	
dsd_status	Status	St	x(1)	
dsd_transit	In Transit		->, >>>, >>9.9<<<<<<<<	10
dsd_trans_id	Transportation Code	Transport	x(8)	
dsd_updated	Updated		yes/no	
dsd_user1	Ufld1		x(8)	
dsd_user2	Ufld2		x(8)	
dsd__chr01			x(8)	
dsd__chr02			x(8)	
dsd__chr03			x(8)	
dsd__chr04			x(8)	
dsd__chr05			x(8)	
dsd__dec01			>>>, >>>, >>9.99	10
dsd__dec02			>>>, >>>, >>9.99	10
dsd__dte01			99/99/99	
dsd__dte02			99/99/99	
dsd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
dsd_nbr	no	dsd_nbr	yes	no
		dsd_shipsite	yes	no
dsd_req_nbr	yes	dsd_req_nbr	yes	no
		dsd_site	yes	no
		dsd_shipsite	yes	no
* dsd_site	yes	dsd_site	yes	no
		dsd_req_nbr	yes	no
		dsd_shipsite	yes	no
dsr_part_due	no	dsd_part	yes	no
		dsd_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
dsr_part_rel	no	dsd_due_date	yes	no
		dsd_part	yes	no
		dsd_shipsite	yes	no
		dsd_shipdate	yes	no

dsr_mstr Distributed Site Requisition Master

Field Name	Label	Col-Label	Format	Dec
◇ dsr_app_owner	Owner Application		x(12)	
dsr_cmtindx	Comment Index	Comment	>>>>>>9	
dsr_due_date	Due Date		99/99/99	
dsr_loc	Location		x(8)	
dsr_ord_date	Order Date	Ord Date	99/99/99	
dsr_part	Item Number		x(18)	
dsr_project	Project		x(8)	
dsr_qty_req	Quantity		->,>>>,>>9.9<<<<<<<<	10
dsr_req_nbr	Requisition	Req Nbr	x(8)	
dsr_rev	Rev		x(4)	
dsr_rmks	Remarks		x(40)	
dsr_site	Site		x(8)	
dsr_so_job	Sales/Job	SO/Job	x(8)	
dsr_status	Status	St	x(1)	
dsr_user1	Ufld1		x(8)	
dsr_user2	Ufld2		x(8)	
dsr__chr01			x(8)	
dsr__chr02			x(8)	
dsr__chr03			x(8)	
dsr__chr04			x(8)	
dsr__chr05			x(8)	
dsr__dec01			>>>,>>>,>>9.99	10
dsr__dec02			>>>,>>>,>>9.99	10
dsr__dte01			99/99/99	
dsr__dte02			99/99/99	
dsr__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* dsr_mstr	yes	dsr_site	yes	no
dsr_part	no	dsr_req_nbr	yes	no
		dsr_part	yes	no
		dsr_site	yes	no
		dsr_due_date	yes	no
dsr_req_nbr	yes	dsr_req_nbr	yes	no
		dsr_site	yes	no

dss_mstr

Distributed Site Order Master

Field Name	Label	Col-Label	Format	Dec
◇ dss_app_owner	Owner Application		x(12)	
dss_bol	BOL		x(18)	
dss_cartons	Cartons		>, >>>, >>9	
dss_cmtindx	Comment Index	Comment	>>>>>>>9	
dss_created	Date Created	Ord Date	99/99/99	
dss_due_date	Due Date		99/99/99	
dss_fob	FOB Point		x(20)	
dss_fr_list	Freight List	Fr List	x(8)	
◇ dss_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	2
Δ dss_fr_terms	Freight Terms	Fr Terms	x(8)	
dss_lang	Language		x(2)	
dss_nbr	Order Number	Order	x(8)	
dss_po_nbr	Purchase Order	PO	x(22)	
dss_rec_site	Ship-To		x(8)	
dss_rmks	Remarks		x(40)	
dss_shipdate	Ship Date		99/99/99	
dss_shipsite	Site		x(8)	
dss_shipvia	Ship Via		x(20)	
dss_so_nbr	Sales Order	S/O	x(8)	
Δ dss_status	Order Status	Status	x(8)	
dss_user1	Ufld1		x(8)	
dss_user2	Ufld2		x(8)	
◇ dss_weight	Weight		->>>, >>>, >>9.9999	4
◇ dss_weight_um	Weight UM	UM	x(2)	
dss__chr01			x(8)	
dss__chr02			x(8)	
dss__chr03			x(8)	
dss__chr04			x(8)	
dss__chr05			x(8)	
dss__chr06			x(8)	
dss__chr07			x(8)	
dss__chr08			x(8)	
dss__chr09			x(8)	
dss__chr10			x(8)	
dss__dec01	PST		>>>, >>>, >>9.99	10
dss__dec02			>>>, >>>, >>9.99	10
dss__dte01			99/99/99	
dss__dte02			99/99/99	
dss__log01			yes/no	
dss__qad01			-z, zzz, zzz, zz9.99	2
dss__qad02			-z, zzz, zzz, zz9.99	2
dss__qad03			-z, zzz, zzz, zz9.99	2
dss__qad04			>	
dss__qad05[2]			>>9.9<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
* dss_nbr	yes	dss_nbr	yes	no
		dss_shipsite	yes	no
dss_rec_site	no	dss_rec_site	yes	no
		dss_shipsite	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
dss_shipsite	no	dss_nbr	yes	no
		dss_shipsite	yes	no
		dss_rec_site	yes	no
		dss_nbr	yes	no

ds_det

Distributed Site Order Detail

Field Name	Label	Col-Label	Format	Dec
ds_cmtindx	Comment Index	Comment	>>>>>>9	
ds_due_date	Due Date		99/99/99	
◇ ds_fr_chg	Unit Freight Charge		->>>>, >>>, >>9.99	10
◇ ds_fr_class	Freight Class		x(8)	
◇ ds_fr_list	Freight List	Frt List	x(8)	
◇ ds_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
◇ ds_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<	6
◇ ds_fr_wt_um	UM		x(2)	
ds_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
ds_git_cc	Cost Center	CC	x(4)	
ds_git_site	In Transit Site	GIT Site	x(8)	
ds_git_sub	Goods In Tran Sub-Acct	Sub-Acct	x(8)	
◇ ds_line	Line	Ln	>>>>>>>9	
ds_loc	Location		x(8)	
ds_nbr	Order Number	Order	x(8)	
◇ ds_order_category	Category		x(8)	
ds_part	Item Number		x(18)	
ds_per_date	Performance Date	Perform	99/99/99	
ds_project	Project		x(8)	
ds_qty_all	Qty Allocated	Allocated	->, >>>, >>9.9<<<<<<<<	10
ds_qty_chg	Qty To Issue	Issue Qty	->, >>>, >>9.9<<<<<<<<	10
ds_qty_conf	Qty Confirmed	Qty Conf	->, >>>, >>9.9<<<	10
ds_qty_ord	Qty Ordered		->, >>>, >>9.9<<<	10
ds_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
ds_qty_ship	Qty Shipped		->, >>>, >>9.9<<<	10
ds_req_nbr	Requisition Number	Req Nbr	x(8)	
ds_residual	In Transit Value		->>>, >>>, >>9.99	10
ds_rev	Rev		x(4)	
ds_rmks	Remarks		x(40)	
ds_shipdate	Ship Date	Ship	99/99/99	
ds_shipsite	Shipping Site	Source	x(8)	
ds_site	Site		x(8)	
ds_sod_line	Line	Ln	>>9	
ds_so_nbr	Sales Order	S/O Nbr	x(8)	
ds_status	Status	St	x(1)	
ds_trans_id	Transport ID	Transport	x(8)	
ds_user1	Ufld1		x(8)	
ds_user2	Ufld2		x(8)	
ds__chr01			x(8)	
ds__chr02			x(8)	
ds__chr03			x(8)	
ds__chr04			x(8)	
ds__chr05			x(8)	
ds__dec01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
ds__dec02			>>>, >>>, >>9.99	10
ds__dte01			99/99/99	
ds__dte02			99/99/99	
ds__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ds_det	yes	ds_shipsite	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
◇ ds_fr_list	no	ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_fr_list	yes	no
Δ ds_nbr	no	ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_line	yes	no
ds_part	no	ds_part	yes	no
		ds_shipsite	yes	no
		ds_shipdate	yes	no
* ds_req_nbr	yes	ds_req_nbr	yes	no
		ds_site	yes	no
		ds_shipsite	yes	no

dyd_mstr

General Ledger Default Daybook Master

Field Name	Label	Col-Label	Format	Dec
dyd_doc_type	Doc Type		x(8)	
dyd_dy_code	Daybook		x(8)	
dyd_entity_fr	From Entity		x(4)	
dyd_entity_to	To Entity		x(4)	
dyd_tr_type	Trans Type	Trans	x(2)	
dyd_user1	Ufld1		x(8)	
dyd_user2	Ufld2		x(8)	
dyd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dyd_type	yes	dyd_tr_type	yes	no
		dyd_doc_type	yes	no
		dyd_entity_fr	yes	no
		dyd_entity_to	yes	no

dy_mstr

General Ledger Daybook Master

Field Name	Label	Col-Label	Format	Dec
dy_desc	Desc		x(24)	
dy_dy_code	Daybook		x(8)	
dy_last_entcen	Central Last Entry	Central Entry	x(40)	
dy_last_entdet	Daybook Last Entry	Daybook Entry	x(40)	
dy_next_pgcen	Central Next Page	Central Page	>>>>>>>>	

Field Name	Label	Col-Label	Format	Dec
dy_next_pgdet	Daybook Next Page	Daybook Page	>>>>>>9	
dy_type	Daybook Type		x(2)	
dy_user1	Ufld1		x(8)	
dy_user2	Ufld2		x(8)	
dy__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dy_code	yes	dy_dy_code	yes	no

ea_mstr Earnings Master

Field Name	Label	Col-Label	Format	Dec
ea_acc	Default Account	Account	x(8)	
ea_cc	Default Cost Ctr	CC	x(4)	
ea_desc	Description		x(24)	
ea_earn	Earnings Code	Earn	x(4)	
ea_fed_yn	Piece Rate		yes/no	
ea_mod_date	Modified Date	Mod Date	99/99/99	
ea_piece	Piece Rate	Pc	yes/no	
ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	4
ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
ea_sub	Default Sub-Account	Sub-Acct	x(8)	
ea_type	Earnings Type	Type	x(1)	
ea_user1	Ufld1		x(8)	
ea_user2	Ufld2		x(8)	
ea_userid	User ID		x(8)	
ea__qad01			yes/no	
ea__qad02			yes/no	
ea__qad03			yes/no	
ea__qad04			yes/no	
ea__qad05			yes/no	
ea__qad06			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ea_desc	yes	ea_desc	yes	no
		ea_earn	yes	no
* ea_earn	yes	ea_earn	yes	no

eca_mstr Engineering Change Approval Master

Field Name	Label	Col-Label	Format	Dec
eca_code	Approval Code	Approval	x(8)	
eca_group	Group		x(8)	
eca_mod_date	Modified Date	Mod Date	99/99/99	
eca_reroute	Re-Approval	Re	>9	
eca_seq	Sequence	Seq	>>9	
eca_user1	Ufld1		x(8)	
eca_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
eca_userid	User ID		x(8)	
eca__qad01	First Rec		yes/no	
eca__qad02			99/99/99	
eca__qad03	ReRoute Permission	ReRoute	x(8)	
eca__qad04			x(8)	
eca__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* eca_code_group	yes	eca_code	yes	no
		eca_group	yes	no

ecd1_det Engineering Change Product Structure Detail

Field Name	Label	Col-Label	Format	Dec
ecd1_batch	Batch Size		>>>>>>>>9.9<<<<<<<<<	10
ecd1_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ecd1_batch_um	UM		x(2)	
ecd1_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd1_comp	Component Item		x(18)	
ecd1_deactivate	Deactivate		yes/no	
ecd1_default	Default Option	Default	yes/no	
ecd1_fcst_pct	Forecast	Fcst	>>9.99%	2
ecd1_group	Option Group	Group	x(8)	0
ecd1_item_no	Number		->>>>>>>	
ecd1_lt_off	LT Offset	LTO	->>	
ecd1_mandatory	Mandatory		yes/no	
ecd1_mod_date	Modified Date	Mod Date	99/99/99	
ecd1_nbr	ECN Number	ECN	x(8)	
ecd1_op	Op		>>>>>>	
ecd1_par	Parent Item		x(18)	
ecd1_process	Process		x(8)	
ecd1_psprocess	Process		x(8)	0
ecd1_ps_code	Structure Type	T	x(1)	0
ecd1_qty_per	Qty Per		->>>>>>>>9.9<<<<<<<<<	9
ecd1_qty_per_b	Qty Per		->>>>>>>>9.9<<<<<<<<<	9
ecd1_qty_type	Qty Type	T	x(1)	
ecd1_recindx	Cross Reference	Xref	>>>>>>>9	
ecd1_ref	Reference		x(12)	
ecd1_rmks	Remarks		x(24)	
ecd1_scrp_pct	Scrap		>>9.99%	2
ecd1_start	Start Date	Start	99/99/99	
ecd1_user1	Ufld1		x(8)	
ecd1_user2	Ufld2		x(8)	
ecd1_userid	User ID		x(8)	
ecd1__qad01	Deactivate	D	yes/no	
ecd1__qad02	Start		99/99/99	
ecd1__qad03	Structure Type	T	x(8)	
ecd1__qad04	Mandatory		x(8)	
ecd1__qad05	Default Option	Default	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd1_comp_par	no	ecd1_nbr	yes	no
		ecd1_comp	yes	no
		ecd1_par	yes	no
* ecd1_par_comp	yes	ecd1_nbr	yes	no
		ecd1_par	yes	no
		ecd1_comp	yes	no
		ecd1_ref	yes	no

ecd2_det Engineering Change Routing Detail

Field Name	Label	Col-Label	Format	Dec
ecd2_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ecd2_cmtindx	Comment Index	Comment	>>>>>>9	
ecd2_desc	Description		x(24)	
ecd2_mch	Machine		x(8)	
ecd2_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
ecd2_men_mch	Run Crew		->, >>9.99	2
ecd2_mod_date	Modified Date	Mod Date	99/99/99	
ecd2_nbr	ECN Number	ECN	x(8)	
ecd2_op	Operation	Op	>>>>9	
ecd2_process	Process		x(8)	
ecd2_recindx	Cross Reference	Xref	>>>>>>>9	
ecd2_routing	Routing Code		x(18)	
ecd2_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<	9
ecd2_run_per_b	Run Time/Batch Qty	R/B	>>>, >>>, >>9.9<<<<<<<	9
ecd2_setup	Setup Time	Setup	>, >>9.9<<	3
ecd2_setup_men	Setup Crew		->, >>9.99	2
ecd2_std_op	Standard Operation	Std Op	x(8)	
ecd2_subcntrt	Subcontract	Sub	yes/no	
ecd2_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ecd2_tool	Tool Code	Tool	x(8)	
ecd2_user1	Ufld1		x(8)	
ecd2_user2	Ufld2		x(8)	
ecd2_userid	User ID		x(8)	
ecd2_vend	Supplier		x(8)	
ecd2_wkctr	Work Center	Work Ctr	x(8)	
ecd2_yield_pct	Yield%		>>9.99%	2
ecd2__qad01			yes/no	
ecd2__qad02			99/99/99	
ecd2__qad03			x(8)	
ecd2__qad04			x(8)	
ecd2__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd2_ro_op	yes	ecd2_nbr	yes	no
		ecd2_routing	yes	no
		ecd2_op	yes	no

ecd3_det Engineering Change Text File Detail

Field Name	Label	Col-Label	Format	Dec
ecd3_cmtindx	Comment Index	Comment	>>>>>>9	
ecd3_mod_date	Modified Date	Mod Date	99/99/99	
ecd3_nbr	ECN Number	ECN	x(8)	
ecd3_order	Order		->>>>>>	
ecd3_process	Process		x(8)	
ecd3_user1	Ufld1		x(8)	
ecd3_user2	Ufld2		x(8)	
ecd3_userid	User ID		x(8)	
ecd3__qad01			yes/no	
ecd3__qad02			99/99/99	
ecd3__qad03	Reference		x(40)	
ecd3__qad04			x(8)	
ecd3__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd3_cmt	yes	ecd3_nbr	yes	no
		ecd3_cmtindx	yes	no

ecd4_det Product Change Control Test Results Detail

Field Name	Label	Col-Label	Format	Dec
ecd4_attach	Attachments		X(70)	
ecd4_attribute	Attribute		X(8)	
ecd4_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd4_doc_nbr	Documnet Number		>>>>>>>9	
ecd4_doc_rev	Revision	Rev	>>>9.<<<	3
ecd4_maximum	Maximum Value		X(8)	
ecd4_minimum	Minimum Value		X(8)	0
ecd4_nbr	Document		x(8)	0
ecd4_op	Operation	Op	>>>>9	
ecd4_part	Item Number		x(18)	0
ecd4_property	Property Name		x(24)	0
ecd4_propertyum	Unit of Measure	UOM	x(12)	0
ecd4_routing	Routing		x(18)	0
ecd4_sequence	Test Sequence		x(8)	0
ecd4_specid	Internal QSpec Number		>>>>>>>9	
ecd4_spec_det	Specification		x(26)	0
ecd4_target	Target Value		X(8)	
ecd4_testmthd	Test Method		X(8)	0
ecd4_user1	Ufld1		x(8)	0
ecd4_user2	Ufld2		x(8)	0
ecd4__qadc01			x(8)	
ecd4__qadi01			>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd4_nbr_specid	no	ecd4_nbr	yes	no
		ecd4_specid	yes	no
		ecd4_sequence	yes	no
* ecd4_part_seq	yes	ecd4_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ecd4_routing	yes	no
		ecd4_op	yes	no
		ecd4_nbr	yes	no
		ecd4_sequence	yes	no

ecd5_det Product Change Control Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
ecd5_apprdate	Approved Date	Approved	99/99/99	
ecd5_appr_id	Approved By	Appr ID	x(8)	0
ecd5_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ecd5_bom_code	BOM/Formula		x(18)	0
ecd5_burden	Burden Cost		>>>>, >>>, >>9.99<<<	10
ecd5_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd5_end	End Effective	End Eff	99/99/99	
ecd5_labor	Labor Cost		>>>>, >>>, >>9.99<<<	10
ecd5_material	Material Cost		>>>>, >>>, >>9.99<<<	10
ecd5_mod_date	Modified Date	Mod Date	99/99/99	
ecd5_overhead	Overhead		>>>>, >>>, >>9.99<<<	10
ecd5_part	Item Number		x(18)	0
ecd5_qspec_id	QSpecid		>>>>>>>>9	
ecd5_qspec_nbr	QSpec Number		X(40)	
ecd5_routing	Routing Code		x(18)	0
ecd5_site	Site		x(8)	0
ecd5_start	Start Effective	Start Eff	99/99/99	
ecd5_subcontract	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ecd5_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
ecd5_user1	Ufld1		x(8)	0
ecd5_user2	Ufld2		x(8)	0
ecd5_userid	User ID		x(8)	0
ecd5_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd5_bom_code	no	ecd5_bom_code	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
* ecd5_part	yes	ecd5_part	yes	no
		ecd5_site	yes	no
		ecd5_routing	yes	no
		ecd5_bom_code	yes	no
		ecd5_start	yes	no
ecd5_routing	no	ecd5_routing	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no

ecd9_det

Engineering Change Approval Detail

Field Name	Label	Col-Label	Format	Dec
ecd9_approved	Approved		yes/no	
ecd9_appr_date	Approved Date	Date! Approved	99/99/99	
ecd9_cmtindx	Comment Index	Comment	>>>>>>9	
ecd9_group	Group		x(8)	
ecd9_mod_date	Modified Date	Mod Date	99/99/99	
ecd9_nbr	ECN Number	ECN	x(8)	
ecd9_seq	Sequence	Seq	>>9	
ecd9_status	Status		x(8)	
ecd9_user1	Ufld1		x(8)	
ecd9_user2	Ufld2		x(8)	
ecd9_userid	User ID		x(8)	
ecd9__qad01	First Rec		yes/no	
ecd9__qad02			99/99/99	
ecd9__qad03	ReRoute Level	Re Lvl	x(8)	
ecd9__qad04	ReRoute		x(8)	
ecd9__qad05	Approver ID	Approver	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd9_group	yes	ecd9_nbr	yes	no
		ecd9_group	yes	no

ecd_det

Engineering Change Item Detail

Field Name	Label	Col-Label	Format	Dec
ecd_cmtindx	Comment Index	Comment	>>>>>>9	
ecd_draw	Drawing		x(18)	
ecd_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
ecd_drwg_size	Drwg Size	DS	x(2)	
ecd_dsgn_grp	Design Group	Dsgn Grp	x(8)	
ecd_end	End		99/99/99	
ecd_group	Group		x(8)	
ecd_inv_dspn	Disposition		x(12)	
ecd_mod_date	Modified Date	Mod Date	99/99/99	
ecd_nbr	ECO Number	ECO	x(8)	
ecd_new	New		yes/no	
ecd_new_rev	New Rev	New	x(4)	
ecd_old_rev	Old Rev	Old	x(4)	
ecd_part	Item Number		x(18)	
ecd_part_type	Item Type	Type	x(8)	
ecd_process	Process		x(8)	
ecd_prodlne	Prod Line	Line	x(4)	
ecd_start	Start		99/99/99	
ecd_status	Status	St	x(8)	
ecd_user1	Ufld1		x(8)	
ecd_user2	Ufld2		x(8)	
ecd_userid	User ID		x(8)	
ecd__qad01	Parent	Par	yes/no	

Field Name	Label	Col-Label	Format	Dec
ecd__qad02			99/99/99	
ecd__qad03			x(8)	
ecd__qad04			x(8)	
ecd__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd_det	yes	ecd_nbr	yes	no
		ecd_part	yes	no
		ecd_new	yes	no
ecd_part_rev	no	ecd_part	yes	no
		ecd_new_rev	yes	no

ecl_list

Engineering Change Master Lists

Field Name	Label	Col-Label	Format	Dec
ecl_copies	Copies	Cp	>>9	
ecl_desc	Description		x(24)	
ecl_dev	Output		x(8)	
ecl_group	Group		x(8)	
ecl_id	User Id		x(8)	
ecl_mod_date	Modified Date	Mod Date	99/99/99	
ecl_type	Type	T	x(2)	
ecl_user1	Ufld1		x(8)	
ecl_user2	Ufld2		x(8)	
ecl_userid	User ID		x(8)	
ecl__qad01	First Rec		yes/no	
ecl__qad02	End Date		99/99/99	
ecl__qad03			x(8)	
ecl__qad04			x(8)	
ecl__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecl_id_type	yes	ecl_id	yes	no
		ecl_group	yes	no
		ecl_type	yes	no
* ecl_type_id	yes	ecl_type	yes	no
		ecl_group	yes	no
		ecl_id	yes	no

ecm_mstr

Engineering Change Master

Field Name	Label	Col-Label	Format	Dec
ecm_approval	Approval Code	Approval	x(8)	
ecm_appr_date	Approved Date	AppDate	99/99/99	
ecm_assign	Design Group	Dsgn Grp	x(8)	
ecm_batched	Batched	Batch	yes/no	
ecm_close_date	Closed		99/99/99	
ecm_cmmnt[5]	Reason		x(60)	

Field Name	Label	Col-Label	Format	Dec
ecm_cmfindx	Comment Index	Comment	>>>>>>9	
ecm_date	Date		99/99/99	
ecm_distr	Distribution	Dstrbn	x(8)	
ecm_doc_type	Document Type	Doc Type	X(8)	
ecm_ecr_dspn	Disposition	ECR Dspn	x(8)	
ecm_eff_date	Effective	Eff Date	99/99/99	
ecm_end_date	Implemented	Impl Date	99/99/99	
ecm_exp_cost	Expected Cost		->>>, >>>, >>9.99	2
ecm_init	ECN Created By	By	x(8)	
ecm_man_date	Mandatory	Man Date	99/99/99	
ecm_mod_date	Modified Date	Mod Date	99/99/99	
ecm_name	Originated By		x(28)	
ecm_nbr	Number		x(8)	
ecm_nbr_fr	From ECN		x(8)	
ecm_nbr_to	To ECN		x(8)	
ecm_open_date	Entered		99/99/99	
ecm_rel_date	Released		99/99/99	
ecm_replan	Replan		yes/no	
ecm_reprocess	Re-Process		yes/no	
ecm_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
ecm_secure_item	Security Profile - Item	Item Pfl	X(8)	0
ecm_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
ecm_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
ecm_secure_text	Security Profile - Test	Text Pfl	X(8)	
ecm_selected_eff	Selected Effective	Effective	99/99/99	
ecm_seqrev_off	Rev Level Off	Off	yes/no	
ecm_status	Status		x(8)	
ecm_sub_date	Submitted	Sub Date	99/99/99	
ecm_title	Title		x(32)	
ecm_type	Type		x(8)	
ecm_user1	Ufld1		x(8)	
ecm_user2	Ufld2		x(8)	
ecm_userid	User ID		x(8)	
ecm__qad01			->>>, >>9.99	2
ecm__qad02			x(18)	
ecm__qad03	ECR/ECN		ECR/ECN	
ecm__qad04	Appr Date		99/99/99	
ecm__qad05	effect		->>, >>9.99	2
ecm__qad06	batched		x(8)	
ecm__qad07	reprocess		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecm_approval	yes	ecm_approval	yes	no
		ecm_rel_date	yes	no
		ecm_nbr	yes	no
ecm_eff_date	no	ecm_nbr	yes	no
		ecm_eff_date	yes	no
* ecm_mstr	yes	ecm_nbr	yes	no
ecm_nbrdoc	yes	ecm_nbr	yes	no
		ecm_doc_type	yes	no

ect_mstr Engineering Change Type Master

Field Name	Label	Col-Label	Format	Dec
ect_approval	Approval Code	Approval	x(8)	
ect_dc_warn	Warning Type		>9	
ect_desc	Description		x(24)	
ect_distr	Distribution	Dstrbn	x(8)	
ect_doc_type	Document Type	Doc Type	X(8)	
ect_dsgn_grp	Design Group	Dsgn Grp	x(8)	
ect_mod_date	Modified Date	Mod Date	99/99/99	
ect_prefix	Prefix	Pre	x(3)	
ect_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
ect_secure_item	Security Profile - Item	Item Pfl	X(8)	0
ect_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
ect_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
ect_secure_text	Security Profile - Test	Text Pfl	X(8)	
ect_seqrev_off	Rev Level Off	Off	yes/no	
ect_type	Type		x(8)	
ect_user1	Ufld1		x(8)	
ect_user2	Ufld2		x(8)	
ect_userid	User ID		x(8)	
ect__qad01	ECR/ECN		yes/no	
ect__qad02			99/99/99	
ect__qad03			x(8)	
ect__qad04			x(8)	
ect__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ect_type	yes	ect_type	yes	no
		ect_dsgn_grp	yes	no

◇ **ecx_ref** External Order Cross-Reference

Field Name	Label	Col-Label	Format	Dec
ecx_ext_line	External Line Reference		x(32)	
ecx_ext_ref	External Reference		x(32)	
ecx_line	Line Number		x(8)	
ecx_line_site	Line Site		x(8)	
ecx_mod_date	Modified Date	Mod Date	99/99/99	
ecx_mod_userid	User Id		x(8)	
ecx_nbr	Order Number		x(8)	
ecx_order_type	Order Type		x(8)	
ecx_site	Site		x(8)	
ecx_user1	User Field Character 1		x(24)	
ecx_user2	User Field Character 2		x(24)	
ecx__qadc01			x(24)	
ecx__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ecx_ext_ref	no	ecx_order_type	yes	no
		ecx_ext_ref	yes	no
		ecx_ext_line	yes	no
◇* ecx_nbr	yes	ecx_order_type	yes	no
		ecx_nbr	yes	no
		ecx_line	yes	no
		ecx_site	yes	no
		ecx_line_site	yes	no

ega_mstr

Service/Support Engineer Availability Master

Field Name	Label	Col-Label	Format	Dec
ega_avail_hours[7]	Available	Avl	>9.9	2
ega_calls[7]	Number of Calls	Calls	>>9	
ega_eng_code	Engineer Code	Eng Code	x(8)	
ega_esh_schedule	Schedule		x(8)	
ega_hours[7]	Hours		>9.9	2
ega_user1	Ufld1		x(8)	
ega_user2	Ufld2		x(8)	
ega_week	Week		99/99/99	
ega__dec01	User Decimal Field 1		->>, >>9.99	4
ega__int01	User Integer Field 1		->, >>>, >>9	
ega__log01	User Logical Field 1		yes/no	
ega__qade01	QAD Decimal Field 1		->>, >>9.99	4
ega__qadi01	QAD Integer Field 1		->, >>>, >>9	
ega__qadi01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ega_eng_code	yes	ega_eng_code	yes	no
		ega_week	yes	no
		ega_esh_schedule	yes	no

egc_ctrl

Service/Support Engineer Schedule Control

Field Name	Label	Col-Label	Format	Dec
egc_area_limit	Limit by Service Area		yes/no	
egc_area_points	Area Points		>9	
egc_avail_limit	Limit by Availability		X	
egc_avail_points	Available Points		>9	
egc_by_calls	Display by Calls		yes/no	
egc_call_list	On call List		x(8)	
egc_eng_lhr	Lunch Duration		99:99	
egc_hours_display	Standard Hours Display		yes/no	
egc_index			>>9	
egc_mod_date	Modified Date	Mod Date	99/99/99	
egc_mod_userid	User ID		X(8)	
egc_nbr	Next Engineer Number		->, >>>, >>9	
egc_override_opt	Override Scheduling Options		yes/no	

Field Name	Label	Col-Label	Format	Dec
egc_prim_points	Primary Eng Points		>9	
egc_prob_limit	Limit by Problem/Skill		yes/no	
egc_prob_points	Problem Points		>9	
egc_tz_eng_hours	Range of Hours to Consider		X(2)	
egc_tz_limit	Limit by Time Zone		yes/no	
egc_tz_points	Time Zone Points		>9	
egc_user1	Ufld1		x(8)	
egc_user2	Ufld2		x(8)	
egc__chr01	Character Field 1		X(8)	
egc__chr02	Character Field 2		X(8)	
egc__int01	Integer Field 1		-,>,>>>,>>9	
egc__int02	Integer Field 2		-,>,>>>,>>9	
egc__log01	Logical Field 1		yes/no	
egc__log02	Logical Field 2		yes/no	
egc__qadc03	QAD Character Field 3		X(8)	
egc__qadc04	QAD Character Field 4		X(8)	
egc__qadc05[4]	QAD Field		99:99	0
egc__qadc06[4]	QAD Character Field		x(8)	0
egc__qadc07	QAD Character Field 7		x(8)	
egc__qadd01	QAD Decimal Field 1		->,>>9.99	10
egc__qadd02	QAD Decimal Field 2		->,>>9.99	10
egc__qadd03	QAD Decimal Field 3		->,>>9.99	10
egc__qadi01	Next Engineer Number		>>>>>>>9	
egc__qadi04	QAD Integer Field 4		-,>,>>>,>>9	
egc__qadi05	QAD Integer Field 5		-,>,>>>,>>9	
egc__qadi05	QAD Logical Field 5		yes/no	
egc__qadi06	QAD Logical Field 6		yes/no	
egc__qadi07	QAD Logical Field 7		yes/no	
egc__qadt01	QAD Date Field 1		99/99/99	
egc__qadt02	QAD Date Field 2		99/99/99	
egc__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egc_index	yes	egc_index	yes	no

egd_det

Service/Support Engineer Schedule Detail

Field Name	Label	Col-Label	Format	Dec
egd_days[8]	Days		yes/no	
egd_end_eff	End Date		99/99/99	
egd_end_time[8]	End Time		99:99	
egd_eng_code	Engineer		x(8)	
egd_esh_schedule	Schedule		x(8)	
egd_holidays	Holidays		yes/no	
egd_mod_date	Modified Date	Mod Date	99/99/99	
egd_mod_userid	User ID		X(8)	
egd_oncall	On Call Schedule	Call	yes/no	
egd_sched_type	Schedule Type		x(8)	
egd_start_eff	Start Date		99/99/99	
egd_start_time[8]	Start time		99:99	
egd_status	Status		x(8)	
egd_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
egd_user2	Ufld2		x(8)	
egd_chr01	User Character Field 1		X(8)	
egd_dec01	User Decimal Field 1		->>, >>9.99	4
egd_dte01	User Date Field 1		99/99/99	
egd_log01	User Logical Field 1		yes/no	
egd_log02	User Logical Field 2		yes/no	
egd_qadc01	QAD Character Field 1		X(8)	
egd_qadc02	QAD Character Field 2		X(8)	
egd_qade01	QAD Decimal Field 1		->>, >>9.99	4
egd_qadl01	QAD Logical Field 1		yes/no	
egd_qadl02	QAD Logical Field 2		yes/no	
egd_qadt01	QAD Date Field 1		99/99/99	
egd_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egd_eng_code	yes	egd_eng_code	yes	no
		egd_start_eff	yes	no
egd_eng_sched	no	egd_eng_code	yes	no
		egd_esh_schedule	yes	no
		egd_start_eff	yes	no

egs_det

Service/Support Engineer Problem/Skills Detail

Field Name	Label	Col-Label	Format	Dec
egs_area	End User Area		x(12)	
egs_cert	Certification Date	Cert	99/99/99	
egs_eng_code	Engineer Code		x(8)	
egs_level	Level		x(4)	
egs_mod_date	Modified Date	Mod Date	99/99/99	
egs_mod_userid	User ID		X(8)	
egs_skill	Skill Code		x(8)	
egs_type	Type		x(8)	
egs_user1	Ufld1		x(8)	
egs_user2	Ufld2		x(8)	
egs__chr01			x(8)	
egs__chr02			x(8)	
egs__chr03			x(8)	
egs__dec01			->>>, >>>, >>9.99	10
egs__dec02			->>>, >>>, >>9.99	10
egs__dte01			99/99/99	
egs__dte02			99/99/99	
egs__log01			yes/no	
egs__log02			yes/no	
egs__qadc01	QAD Character Field 1		X(8)	
egs__qadc02	QAD Character Field 2		X(8)	
egs__qade01	QAD Decimal Field 1		->>, >>9.99	2
egs__qadi01	QAD Integer Field 1		->, >>>, >>9	
egs__qadi01	QAD Logical Field 1		yes/no	
egs__qadi02	QAD Logical Field 2		yes/no	
egs__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egs_eng_code	yes	egs_eng_code	yes	no
		egs_type	yes	no
		egs_skill	yes	no
egs_skill	yes	egs_skill	yes	no
		egs_type	yes	no
		egs_area	yes	no
		egs_eng_code	yes	no

egt_mstr

Service/Support Engineer Tracking Master

Field Name	Label	Col-Label	Format	Dec
egt_ca_nbr	Call ID		x(8)	
egt_close	Call Closed	Cls	yes/no	
egt_create_date	Creation Date		99/99/99	
egt_current	Engineer Status		x(8)	
egt_end_time	End Time	End	99:99	
egt_eng_code	Engineer		x(8)	
egt_esh_schedule			x(8)	
egt_hours	Hours		>>>, >>9.9<	2
egt_itm_itm_line	Sub Line		>>9	
egt_itm_line	Line		>>9	
egt_itm_prefix	Detail Type		X(3)	

Field Name	Label	Col-Label	Format	Dec
egt_itm_type	Type		X(8)	
egt_multi	Multiple Schedule		yes/no	
egt_priority	Priority	Pri	>>>9	
egt_reschedule	Reschedulable	Res	yes/no	
egt_sched_date	Scheduled Date	St Date	99/99/99	
egt_start_time	Start Time	Start	99:99	
egt_trnbr	Tran		>>>>>>>9	
egt_user1	Ufld1		x(8)	
egt_user2	Ufld2		x(8)	
egt_chr01	User Field #1		x(8)	
egt_chr02	User Field #2		x(8)	
egt_chr03	User Field #3		x(8)	
egt_chr04	User Field #4		x(8)	
egt_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
egt_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
egt_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
egt_dte01	User Date #1		99/99/99	
egt_dte02	User Date #2		99/99/99	
egt_dte03	User Date #3		99/99/99	
egt_log01	User Logical #1		yes/no	
egt_log02	User Logical #2		yes/no	
egt_log03	User Logical #3		yes/no	
egt_qadc01	Qad Field #1		x(8)	
egt_qadc02	Qad Field #2		x(8)	
egt_qadc03	Qad Field #3		x(8)	
egt_qadc04	Qad Field #4		x(8)	
egt_qadd01	Qad Date #1		99/99/99	
egt_qadd02	Qad Date #2		99/99/99	
egt_qadd03	Qad Date #3		99/99/99	
egt_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
egt_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
egt_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
egt_qadl01	Qad Logical #1		yes/no	
egt_qadl02	Qad Logical #2		yes/no	
egt_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
egt_ca_line	no	egt_ca_nbr	yes	no
		egt_itm_prefix	yes	no
		egt_itm_type	yes	no
		egt_itm_itm_line	yes	no
		egt_itm_line	yes	no
egt_ca_nbr	no	egt_ca_nbr	yes	no
		egt_eng_code	yes	no
		egt_trnbr	yes	no
egt_eng_ca	no	egt_eng_code	yes	no
		egt_ca_nbr	yes	no
		egt_trnbr	yes	no
egt_eng_code	no	egt_eng_code	yes	no
		egt_sched_date	yes	no
		egt_start_time	yes	no
* egt_trnbr	yes	egt_trnbr	yes	no

egw_wkfl

Service/Support Engineer Selection Work Table

Field Name	Label	Col-Label	Format	Dec
egw_area	Area		x(8)	
egw_available	Available		yes/no	
egw_avail_hours[7]	Available	Avl	x(3)	
egw_calls[7]	Call		x(3)	
egw_ega_recid			>>>>>>>9	
egw_end_time	End Time	End	99:99	
egw_eng_code	Engineer Code	Engineer	x(8)	
egw_hours[7]	Day Of Week		>>9	2
egw_name	Name		x(24)	
egw_overtime	Overtime	O/T	yes/no	
egw_points	Points	Pts	>>>9	
egw_prob	Prb		yes/no	
egw_schedule	Schedule	Sched	X(8)	
egw_st_time	Start Time	Start	99:99	
egw_tag	Select		*/	
egw_user1	Ufld1		x(8)	
egw_user2	Ufld2		x(8)	
egw_userid	User ID		x(8)	
egw_week	Week of		99/99/99	
egw__qadc02	QAD Field		X(8)	0
egw__qadc03	QAD Field		x(8)	
egw__qadi01	QAD Field		->,>>>,>>9	
egw__qadi02	QAD Field		->,>>>,>>9	
egw__qadi01	QAD Field		yes/no	
egw__qadi02	QAD Field		yes/no	
egw__qadt01	QAD Field		99/99/99	
egw__qadt02	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
egw_area	no	egw_userid	yes	no
		egw_area	yes	no
		egw_points	no	no
* egw_eng_code	yes	egw_userid	yes	no
		egw_eng_code	yes	no
egw_points	no	egw_userid	yes	no
		egw_points	no	no
		egw_eng_code	yes	no

elg_hist

Export Document Log

Field Name	Label	Col-Label	Format	Dec
elg_access_code	Access Code		x(60)	
elg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
elg_ack_rcvd	Autoacknowledgment Received		yes/no	
elg_ack_stat	Autoacknowledgment Status		X(1)	
elg_app_id	Application ID		x(12)	
elg_app_ver	Application Version		x(8)	
elg_archive_id	Archive ID		x(12)	

Field Name	Label	Col-Label	Format	Dec
elg_code_pg	Code Page		X(15)	
elg_ctrl_tot_1	Control Total 1		>>>>>9	
elg_ctrl_tot_2	Control Total 2		->>>>>>>9.99<<<	10
elg_ctrl_tot_3	Control Total 3		->>>>>>>9.99<<<	10
elg_date_ack	Date Acknowledged		99/99/9999	
elg_date_form	Date Format		X(3)	
elg_date_map	Date Mapped		99/99/9999	
elg_date_publ	Date Published		99/99/9999	
elg_date_sent	Date Sent		99/99/9999	
elg_dest_mthd	Destination Method		x(24)	
elg_dest_proc	Destination Procedure		x(24)	
elg_doc_id	Document ID		>>>>>>9	
elg_doc_lng	Document Language		x(3)	
elg_doc_rev	Document Revision		x(8)	
elg_doc_std	Document Standard		x(8)	
elg_doc_sufx	Document Suffix		>>	
elg_doc_typ	Document Type		x(21)	
elg_email_notlvl	E-mail Notification Level		x(1)	
elg_email_userid	E-mail Recipient User ID		x(8)	
elg_err_stat	Error Status		X(1)	
elg_ext_doc_key	External Document Key		x(40)	
elg_grp_id	Group ID		>>>>>>>9	
elg_grp_seq	Sequence		>, >>>, >>9	
elg_mapper_proc	Data Mapper Procedure		x(24)	
elg_map_doc_now	Map Document Now		yes/no	
elg_map_log_file	Mapper Error Log File		x(60)	
elg_map_spec	Map Specification		x(12)	
elg_mfgpro_key	MFG/PRO Key		X(18)	
elg_mfgpro_site	MFG/PRO Site		X(8)	
elg_mod_date	Modified Date	Mod Date	99/99/99	
elg_mod_userid	User ID		x(8)	
elg_num_form	Numeric Format		X(8)	
elg_orig_doc_id	Original Document ID		>>>>>>9	
elg_prcg_stage	Processing Stage		x(1)	
elg_process_typ	Process Type		x(8)	
elg_resend	Resend Document		yes/no	
elg_sess_id	Session ID		>>>>>>>9	
elg_src_app_id	Source Application ID		x(12)	
elg_src_app_ver	Source Application Version		x(8)	
elg_src_comp	Source Component		x(10)	
elg_src_doc_rev	Source Document Revision		x(8)	
elg_src_doc_std	Source Document Standard		x(8)	
elg_src_doc_typ	Source Document Type		x(21)	
elg_src_proc	Source Procedure		x(24)	
elg_src_task	Source Task		x(10)	
elg_src_userid	Source User ID		x(8)	
elg_time_ack	Time Acknowledged		x(8)	
elg_time_map	Time Mapped		x(8)	
elg_time_publ	Time Published		x(8)	
elg_time_sent	Time Sent		x(8)	
elg_tradptr_id	Trading Partner ID		x(32)	
elg_unit_wrk_typ	Unit of Work Type		x(1)	
elg_user1	Ufld1		x(8)	
elg_user2	Ufld2		x(8)	
elg_use_ex_queue	Use Export Queue		yes/no	
elg_dec01			->>>>>>>9.99<	10
elg_dec02			->>>>>>>9.99<	10

Field Name	Label	Col-Label	Format	Dec
elg__dte01			99/99/99	
elg__dte02			99/99/99	
elg__int01			-->>>, >>>, >>9	
elg__int02			-->>>, >>>, >>9	
elg__log01			yes/no	
elg__log02			yes/no	
elg__qadc01			x(8)	
elg__qadc02			x(8)	
elg__qadc03			x(8)	
elg__qadc04			x(8)	
elg__qadd01			-->>>, >>>, >>9.99<	10
elg__qadd02			-->>>, >>>, >>9.99<	10
elg__qadi01			-->>>, >>>, >>9	
elg__qadi02			-->>>, >>>, >>9	
elg__qadi01			yes/no	
elg__qadi02			yes/no	
elg__qadt01			99/99/99	
elg__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ApplD	no	elg_app_id	yes	no
		elg_prcg_stage	yes	no
◇* DocIDSufx	yes	elg_doc_id	yes	no
		elg_doc_sufx	yes	no
◇ ExtDockKey	no	elg_ext_doc_key	yes	no
◇ GroupID	no	elg_grp_id	yes	no
◇ MfgProKey	no	elg_mfgpro_key	yes	no
◇ Site	no	elg_mfgpro_site	yes	no

emap_det Mapped Export Document Detail

Field Name	Label	Col-Label	Format	Dec
emap_data	Mapped Export Document Data		x(255)	
emap_doc_id	Document ID		>>>>>>>9	
emap_doc_line	Document Line Number		>>9	
emap_doc_sufx	Document Suffix		>>	
emap_line_cont	Line Continued		yes/no	
emap_mod_date	Modified Date	Mod Date	99/99/99	
emap_mod_userid	User ID		x(8)	
emap_user1	Ufld1		x(8)	
emap_user2	Ufld2		x(8)	
emap__dec01			-->>>, >>>, >>9.99<	10
emap__dec02			-->>>, >>>, >>9.99<	10
emap__dte01			99/99/99	
emap__dte02			99/99/99	
emap__int01			-->>>, >>>, >>9	
emap__int02			-->>>, >>>, >>9	
emap__log01			yes/no	
emap__log02			yes/no	
emap__qadc01			x(8)	
emap__qadc02			x(8)	

Field Name	Label	Col-Label	Format	Dec
emap__qadc03			x(8)	
emap__qadc04			x(8)	
emap__qadd01			->>>, >>>, >>9.99<	10
emap__qadd02			->>>, >>>, >>9.99<	10
emap__qadi01			->>>, >>>, >>9	
emap__qadi02			->>>, >>>, >>9	
emap__qadi01			yes/no	
emap__qadi02			yes/no	
emap__qadt01			99/99/99	
emap__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* MappedExport	yes	emap_doc_id	yes	no
		emap_doc_sufx	yes	no
		emap_doc_line	yes	no

emc_ctrl

Employee Control

Field Name	Label	Col-Label	Format	Dec
emc_index1	Index		>>>>>9	
emc_nbr	Next Employee		99999999	
emc_user1	Ufld1		x(8)	
emc_user2	Ufld2		x(8)	
emc__qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* emc_index1	yes	emc_index1	yes	no

emg_msg

Export Document Message

Field Name	Label	Col-Label	Format	Dec
emg_app_id	Application ID		x(12)	
emg_doc_id	Document ID		>>>>>>>9	
emg_doc_sufx	Document Suffix		>>	
emg_email_sent	Email Message Sent		yes/no	
emg_mod_date	Modified Date	Mod Date	99/99/99	
emg_mod_userid	User ID		x(8)	
emg_prpg_stage	Processing Stage		x(1)	
emg_return_code	Return Code		x(8)	
emg_return_txt	Message Text		x(160)	
emg_sev_lvl	Severity Level		x(1)	
emg_user1	Ufld1		x(8)	
emg_user2	Ufld2		x(8)	
emg__dec01			->>>, >>>, >>9.99<	10
emg__dec02			->>>, >>>, >>9.99<	10
emg__dte01			99/99/99	
emg__dte02			99/99/99	
emg__int01			->>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
emg__int02			->>>, >>>, >>9	
emg__log01			yes/no	
emg__log02			yes/no	
emg__qadc01			x(8)	
emg__qadc02			x(8)	
emg__qadc03			x(8)	
emg__qadc04			x(8)	
emg__qadd01			->>>, >>>, >>9.99<	10
emg__qadd02			->>>, >>>, >>9.99<	10
emg__qadi01			->>>, >>>, >>9	
emg__qadi02			->>>, >>>, >>9	
emg__qadi01			yes/no	
emg__qadi02			yes/no	
emg__qadt01			99/99/99	
emg__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ExpReturnCode	yes	emg_doc_id	yes	no
		emg_doc_sufx	yes	no
		emg_prpg_stage	yes	no
		emg_return_code	yes	no

emp_mstr Employee Master

Field Name	Label	Col-Label	Format	Dec
emp_addr	Employee		x(8)	
emp_ad_acc1	Acct 1		x(20)	
emp_ad_acc2	Acct 2		x(20)	
emp_ad_amt1	Deposit Amount	Amount	>>>, >>9.99	2
emp_ad_amt2	Deposit Amount	Amount	>>>, >>9.99	2
emp_ad_bank	Auto Deposit Bank 1	Auto Bk1	x(8)	
emp_ad_bank2	Auto Deposit Bank 2	Auto Bk2	x(8)	
emp_ad_pct1	Percentage	Pct	>>9.99	2
emp_ad_pct2	Percentage	Pct	>>9.99	2
emp_ad_type1	Account 1 Type	Type1	x(1)	
emp_ad_type2	Account 2 Type	Type2	x(1)	
emp_bank	Bank	Bk	x(2)	
emp_birthday	Birth Date	Birth Dt	99/99/9999	
emp_bs_phone	Business Phone	Bus Phone	x(16)	
emp_city	City		x(20)	
Δ emp_country	Country		x(28)	
◇ emp_ctry	Country Code	Ctry	x(3)	
emp_dept	Department	Dept	x(8)	
emp_emp_date	Date Employed	Dt Empld	99/99/99	
emp_exempt	Personal Exemptions	Ex	>9	
emp_ext	Ext		x(4)	
emp_fname	First Name		x(16)	
emp_freq	Pay Frequency	Fr	x(2)	
emp_last_dt	Date of Last Pay Rate Change	Last Chg	99/99/99	
emp_last_pay	Prior Pay Rate	Prior Pay	->>>, >>9.99	2
emp_line1	Address 1		x(28)	

Field Name	Label	Col-Label	Format	Dec
emp_line2	Address 2		x(28)	
emp_line3	Address 3		x(28)	
emp_lname	Last Name		x(16)	
emp_marital	Marital Status	MS	x(2)	
emp_mod_date	Modified Date	Mod Date	99/99/99	
emp_pay_rate	Rate of Pay	Pay Rate	->>>, >>9.99<<	4
emp_pay_type	Pay Type	T	x(2)	
emp_phone	Home Phone		x(16)	
emp_project	Default Project	Project	x(8)	
emp_shift	Employee Shift	Sh	x(2)	
emp_sick_hrs	Accrued Sick Leave	Sick Leave	->, >>9.999	3
emp_ssn	SSN		x(18)	
emp_state	State		x(4)	
emp_status	Employment Status	St	x(2)	
emp_title	Job Title		x(24)	
emp_transit1	Transit Number 1	Transit 1	x(10)	
emp_transit2	Transit Number 2	Transit 2	x(10)	
emp_trm_date	Date Terminated	Term Dt	99/99/99	
emp_units	Normal Hrs/Units	Hrs/Uts	->>, >>9.99	2
emp_user1	Ufld1		x(8)	
emp_user2	Ufld2		x(8)	
emp_user3	User3		x(8)	
emp_user4	User4		->>>, >>9.99	2
emp_user5	User5		->>>, >>9.99	2
emp_user6	User6		99/99/99	
emp_userid	User ID		x(8)	
emp_vac_hrs	Accrued Vacation	Vacation	->, >>9.999	3
emp_wc_class	Worker Comp Class	W/C	x(2)	
emp_wk_loc	Default Work Location	Wk Loc	x(4)	
emp_zip	Post		x(10)	
emp__chr01			x(8)	
emp__chr02			x(8)	
emp__chr03			x(8)	
emp__chr04			x(8)	
emp__chr05			x(8)	
emp__dec01			>>>, >>>, >>9.99	10
emp__dec02			>>>, >>>, >>9.99	10
emp__dte01			99/99/99	
emp__dte02			99/99/99	
emp__dte03			99/99/99	
emp__dte04			99/99/99	
emp__dte05			99/99/99	
emp__log01			yes/no	
emp__log02			yes/no	
emp__qad01			x(8)	
emp__qad02			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
* emp_addr	yes	emp_addr	yes	no
emp_bank	no	emp_bank	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_dept	no	emp_dept	yes	no
emp_frq_mar	no	emp_freq	yes	no
		emp_marital	yes	no
emp_name	no	emp_lname	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
emp_ssn	no	emp_fname	yes	no
emp_wc_ind	no	emp_ssn	yes	no
		emp_wc_class	yes	no
		emp_wk_loc	yes	no

emsg_mstr Service/Support Engineer Message Master

Field Name	Label	Col-Label	Format	Dec
emsg_action	Action		x(8)	
emsg_act_date	Action Date		99/99/99	
emsg_act_time	Action Time		99:99	
emsg_cmtindx	Comment		>>>>>>9	
emsg_complete	Completed		yes/no	
emsg_date	Date		99/99/99	
emsg_desc	Description		x(60)	
emsg_eng_code	Engineer		x(8)	
emsg_entered	Entered By		x(8)	
emsg_file_date1	Date 1		99/99/99	
emsg_file_date2	Date 2		99/99/99	
emsg_file_name	File		x(16)	
emsg_file_nbr1	Number 1		x(8)	
emsg_file_nbr2	Number 2		x(8)	
emsg_file_nbr3	Number 3		x(18)	
emsg_file_nbr4	Number 4		x(18)	
emsg_file_trnbr	file Transaction	File Trn	>>>>>>>9	
emsg_msg_type	Message Type		x(8)	
emsg_name_date1	Date Field 1		x(16)	
emsg_name_date2	Date Field 2		x(16)	
emsg_name_nbr1	Field 1		x(16)	
emsg_name_nbr2	Field 2		x(16)	
emsg_name_nbr3	Field 3		x(16)	
emsg_name_nbr4	Field 4		x(16)	
emsg_read	Read		yes/no	
emsg_time	Time		99:99	
emsg_trnbr	Transaction		>>>>>>>>9	
emsg_user1	Ufld1		x(8)	
emsg_user2	Ufld2		x(8)	
emsg_userid	User ID		x(8)	
emsg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
emsg_eng_code	no	emsg_eng_code	yes	no
		emsg_date	yes	no
		emsg_time	yes	no
* emsg_trnbr	yes	emsg_trnbr	no	no

em_mstr E-mail Master

Field Name	Label	Col-Label	Format	Dec
em_attach_parm	Attachments		x(8)	
em_attach_seq	Sequence		>	
em_cc_parm	cc		x(8)	
em_cc_seq	Sequence		>	
em_desc	Description		x(24)	
em_end	End Effective	End	99/99/99	
em_msg_parm	Message		x(8)	
em_msg_seq	Sequence		>	
em_opsys	Operating System		x(8)	
em_other_parm	Other		x(8)	
em_other_seq	Sequence		>	
em_program	Path and Program Name		x(70)	
em_pswd_parm	Password		x(8)	
em_pswd_seq	Sequence		>	
em_recip_parm	Recipient		x(8)	
em_recip_seq	Sequence		>	
em_sender_parm	Sender		x(8)	
em_sender_seq	Sequence		>	
em_start	Start Effective	Start	99/99/99	
em_subject_parm	Subject		x(8)	
em_subject_seq	Sequence		>	
em_system_id	E-mail System	E-mail System	x(8)	
em__chr01			x(8)	
em__chr02			x(8)	
em__chr03			x(8)	
em__chr04			x(8)	
em__qadc01	QAD Field		X(8)	0
em__qadc02	QAD Field		X(8)	0
em__qadc03	QAD Field		X(8)	0
em__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* em_system_id	yes	em_system_id	yes	no
		em_opsys	yes	no
		em_start	yes	no

eng_mstr Service/Support Engineer Master

Field Name	Label	Col-Label	Format	Dec
eng_3rd_party	Third Party Engineer		yes/no	
eng_addr	Engineer		x(8)	
eng_address	Engineer Address		X(8)	0
eng_area	Service Area	Area	x(18)	
eng_avail_ot	Available for Overtime		yes/no	
eng_call_load	Calls per Day	Calls	>>9	
eng_code	Engineer Code	Eng Code	x(8)	
eng_cplt_dt	Completion Date	Comp Date	99/99/99	
eng_cplt_tm	Completion Time	Comp Time	>>>>>>>>>>9	
eng_esh_schedule	Schedule		x(8)	
eng_field	Field Engineer		yes/no	

Field Name	Label	Col-Label	Format	Dec
eng_group	Group		x(8)	
eng_labor	Labor Part		x(8)	
eng_loc	Location		x(8)	0
eng_location	Current Location	Loc	x(8)	0
eng_loc_rtn	Return Location		x(8)	
eng_mod_date	Modified Date	Mod Date	99/99/99	
eng_mod_userid	User ID		X(8)	
eng_pager	Pager		x(20)	
eng_site	Site		x(8)	0
eng_site_rtn	Return Site		x(8)	
eng_skills	Skills		x(8)	
eng_sort	Name		X(24)	
eng_status	Status		x(8)	
eng_sub	Subcontractor		yes/no	
eng_user1	Ufld1		x(8)	
eng_user2	Ufld2		x(8)	
eng__chr01			x(8)	
eng__chr02			x(8)	
eng__chr03			x(8)	
eng__chr04			x(8)	
eng__chr05			x(8)	
eng__chr06			x(8)	
eng__chr07			x(8)	
eng__chr08			x(8)	
eng__chr09			x(8)	
eng__chr10			x(8)	
eng__dec01			->>>, >>>, >>9.99	10
eng__dec02			->>>, >>>, >>9.99	10
eng__dec03			->>>, >>>, >>9.99	10
eng__dte01			99/99/99	
eng__dte02			99/99/99	
eng__dte03			99/99/99	
eng__dte04			99/99/99	
eng__log01			yes/no	
eng__log02			yes/no	
eng__log03			yes/no	
eng__log04			yes/no	
eng__log05			yes/no	
eng__qadc01	Engineer Address		X(8)	0
eng__qadc02	QAD Character Field 2		X(8)	
eng__qadd01	QAD Date Field 1		99/99/99	
eng__qadd02	QAD Date Field 2		99/99/99	
eng__qadde01	QAD Decimal Field 1		->>, >>9.99	2
eng__qadi01	QAD Integer Field 1		->, >>>, >>9	
eng__qadi02	QAD Integer Field 2		->, >>>, >>9	
eng__qadl01	QAD Logical Field 1		yes/no	
eng__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* eng_addr	yes	eng_addr	yes	no
eng_area	no	eng_area	yes	no
		eng_code	yes	no
eng_code	yes	eng_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
eng_schedule	no	eng_esh_schedule	yes	no
		eng_area	yes	no
		eng_code	yes	no
eng_sort	no	eng_sort	yes	no

en_mstr Entity Master

Field Name	Label	Col-Label	Format	Dec
◇ en_addr	Company Address		x(8)	
en_adj_bs	Post Translation Adj to (B/I)	Post Adj	Bal Sheet/Inc Stmt	
en_curr	Currency	Cur	x(3)	
en_entity	Entity	Ent	x(4)	
en_name	Description		x(24)	
◇ en_next_prot	Next Protocol Number	Next Prot	999999999	
en_page_num	Posting Audit Trail Page Nbr	Page	>>>>9	
en_primary	Primary Entity	Pri	yes/no	
◇ en_src_desc_lang	Source Description	Lang	x(2)	
	Language			
en_user1	Ufld1		x(8)	
en_user2	Ufld2		x(8)	
en__qad01			yes/no	
en__qad02			>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* en_entity	yes	en_entity	yes	no

eraw_det Raw Export Document Detail

Field Name	Label	Col-Label	Format	Dec
eraw_data	Raw Export Document Data		x(255)	
eraw_doc_id	Document ID		>>>>>>9	
eraw_doc_line	Document Line Number		>>9	
eraw_line_cont	Line Continued		yes/no	
eraw_mod_date	Modified Date	Mod Date	99/99/99	
eraw_mod_userid	User ID		x(8)	
eraw_user1	Ufld1		x(8)	
eraw_user2	Ufld2		x(8)	
eraw__dec01			->>>, >>>, >>9.99<	10
eraw__dec02			->>>, >>>, >>9.99<	10
eraw__dte01			99/99/99	
eraw__dte02			99/99/99	
eraw__int01			->>>, >>>, >>9	
eraw__int02			->>>, >>>, >>9	
eraw__log01			yes/no	
eraw__log02			yes/no	
eraw__qadc01			x(8)	
eraw__qadc02			x(8)	
eraw__qadc03			x(8)	
eraw__qadc04			x(8)	

Field Name	Label	Col-Label	Format	Dec
eraw__qadd01			->>>, >>>, >>9.99<	10
eraw__qadd02			->>>, >>>, >>9.99<	10
eraw__qadi01			->>>, >>>, >>9	
eraw__qadi02			->>>, >>>, >>9	
eraw__qadi01			yes/no	
eraw__qadi02			yes/no	
eraw__qadt01			99/99/99	
eraw__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* RawExport	yes	eraw_doc_id	yes	no
		eraw_doc_line	yes	no

ers_mstr Evaluated Receipts Settlement Master

Field Name	Label	Col-Label	Format	Dec
ers_mod_date	Modified Date	Mod Date	99/99/99	
ers_mod_userid	User ID		x(8)	
ers_opt	ERS Option	ERS! OPT	>9	
ers_part	Item Number		x(18)	
ers_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
ers_site	Site		x(8)	
ers_user1	Ufld1		x(8)	
ers_user2	Ufld2		x(8)	
ers_vend	Supplier		x(8)	
ers__qadc01			x(8)	
ers__qadc02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ers_part	no	ers_part	yes	no
		ers_vend	yes	no
ers_si	no	ers_site	yes	no
		ers_vend	yes	no
		ers_part	yes	no
* ers_vd_si_pt	yes	ers_vend	yes	no
		ers_site	yes	no
		ers_part	yes	no

esc_ctrl Service/Support Escalation Control

Field Name	Label	Col-Label	Format	Dec
esc_es_prefix	Escalation Prefix		x(3)	
esc_index	Index		>>9	
esc_mod_date	Modified Date	Mod Date	99/99/99	
esc_mod_userid	User ID		X(8)	
esc_nbr	Escalation Number		>>>>>9	
esc_rrc_nbr	Repair Step Number		>>>>>>9	
esc_rrc_pre	Repair Step Prefix		X(3)	

Field Name	Label	Col-Label	Format	Dec
esc_user1	Ufld1		x(8)	
esc_user2	Ufld2		x(8)	
esc__chr01	User Character Field 1		X(8)	
esc__chr02	User Character Field 2		X(8)	
esc__dte01	User Date Field 1		99/99/99	
esc__int01	User Integer Field 1		->, >>>, >>9	
esc__log01	User Logical Field 1		yes/no	
esc__qadc01	QAD Character Field 1		X(8)	
esc__qadc02	QAD Character Field 2		X(8)	
esc__qadi01	QAD Integer Field 1		->, >>>, >>9	
esc__qadi01	QAD Logical Field 1		yes/no	
esc__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* esc_index	yes	esc_index	yes	no

esh_mstr Service/Support Engineer Schedule Master

Field Name	Label	Col-Label	Format	Dec
esh_days[8]	Days		yes/no	
esh_end_eff	End Effective		99/99/99	
esh_end_time[8]	End Time		99:99	
esh_holidays	Holidays		yes/no	
esh_mod_date	Modified Date	Mod Date	99/99/99	
esh_mod_userid	User ID		X(8)	
esh_oncall	On Call Schedule	Call	yes/no	
esh_reg_code	Region Code		x(8)	
esh_schedule	Schedule		x(8)	
esh_sched_type	Schedule Type		x(8)	
esh_shift_code	Shift		x(8)	
esh_start_eff	Start Effective		99/99/99	
esh_start_time[8]	Start time		99:99	
esh_status	Status		x(8)	
esh_user1	Ufld1		x(8)	
esh_user2	Ufld2		x(8)	
esh__chr01	User Character Field 1		X(8)	
esh__chr02	User Character Field 2		X(8)	
esh__dte01	User Date Field 1		99/99/99	
esh__dte02	User Date Field 2		99/99/99	
esh__log01	User Logical Field 1		yes/no	
esh__log02	User Logical Field 2		yes/no	
esh__qadc01	QAD Character Field 1		X(8)	
esh__qadc02	QAD Character Field 2		X(8)	
esh__qadi01	QAD Integer Field 1		->, >>>, >>9	
esh__qadi02	QAD Integer Field 2		X(8)	
esh__qadi01	QAD Logical Field 1		yes/no	
esh__qadi02	QAD Logical Field 2		yes/no	
esh__qadt01	QAD Date Field 1		99/99/99	
esh__qadt02	QAD Date Field 2		99/99/99	

0

Index-Name	Uni	Field-Name	Asc	Abbr
* esh_schedule	yes	esh_schedule	yes	no
		esh_start_eff	yes	no

esp_mstr Export Document Specification Master

Field Name	Label	Col-Label	Format	Dec
esp_access_code	Access Code		x(60)	
esp_ack_doc_rev	Document Revision		x(8)	
esp_ack_doc_std	Document Standard		x(8)	
esp_ack_doc_typ	Document Type		x(21)	
esp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
esp_app_id	Application ID		x(12)	
esp_app_ver	Application Version		x(8)	
esp_code_pg	Code Page		X(15)	
esp_date_form	Date Format		X(3)	
esp_delim	ASCII Document Element Delimiter		>>9	
esp_del_err_det	Delete Error Detail		x(1)	
esp_desc	Description		x(60)	
esp_dest_mthd	Destination Method		x(24)	
esp_dest_proc	Destination Procedure		x(24)	
esp_doc_lng	Document Language		x(3)	
esp_doc_rev	Document Revision		x(8)	
esp_doc_std	Document Standard		x(8)	
esp_doc_typ	Document Type		x(21)	
esp_dtd_name	DTD Filename		x(40)	
esp_email_notlvl	E-mail Level		x(1)	
esp_email_userid	Default E-mail User ID		x(8)	
esp_eol_delim	End of Line Delimiter for Export		yes/no	
esp_ex_map_flg	Export Mapping Enabled		yes/no	
esp_mapper_proc	Data Mapper Procedure		x(24)	
esp_map_parm[10]	Mapper Parameter Codes		x(8)	
esp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
esp_map_spec	Mapping Specification ID		x(24)	
esp_mod_date	Modified Date	Mod Date	99/99/99	
esp_mod_userid	User ID		x(8)	
esp_msg_ack_lvl	Acknowledgment Level		x(8)	
esp_msg_clnt_ord	Message Ordering		x(8)	
esp_msg_persist	Persistence		X(8)	
esp_msg_priority	Priority		x(8)	
esp_msg_routing	Routing		x(8)	
esp_msg_secur	Security		X(8)	
esp_msg_sync	Sync Scope		X(8)	
esp_msg_ttl	Time To Live		x(8)	
esp_num_form	Numeric Format		X(8)	
esp_pause_sev	Pause Severity Level		9	
esp_process_typ	Process Type		x(8)	
esp_publ_flg	Publishing Enabled		yes/no	
esp_queue_pub	Queue Published Documents		X(1)	
esp_send_flg	Sending Enabled		yes/no	

Field Name	Label	Col-Label	Format	Dec
esp_src_app_id	Source Application ID		x(12)	
esp_src_app_ver	Source Application Version		x(8)	
esp_src_comp	Source Component		x(10)	
esp_src_doc_rev	Source Document Revision		x(8)	
esp_src_doc_std	Source Document Standard		x(8)	
esp_src_doc_typ	Source Document Type		x(21)	
esp_src_proc	Source Procedure		x(24)	
esp_src_task	Task		x(10)	
esp_src_userid	Source User ID		x(8)	
esp_tradptr_id	Trading Partner ID		x(32)	
esp_user1	Ufld1		x(8)	
esp_user2	Ufld2		x(8)	
esp_use_ex_queue	Use Export Queue		yes/no	
esp_xml	XML Exported		x(1)	
esp__dec01			->>>, >>>, >>9.99<	10
esp__dec02			->>>, >>>, >>9.99<	10
esp__dte01			99/99/99	
esp__dte02			99/99/99	
esp__int01			->>>, >>>, >>9	
esp__int02			->>>, >>>, >>9	
esp__log01			yes/no	
esp__log02			yes/no	
esp__qadc01			x(8)	
esp__qadc02			x(8)	
esp__qadc03			x(8)	
esp__qadc04			x(8)	
esp__qadd01			->>>, >>>, >>9.99<	10
esp__qadd02			->>>, >>>, >>9.99<	10
esp__qadi01			->>>, >>>, >>9	
esp__qadi02			->>>, >>>, >>9	
esp__qadi01			yes/no	
esp__qadi02			yes/no	
esp__qadt01			99/99/99	
esp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ExportSpec	yes	esp_app_id	yes	no
		esp_doc_std	yes	no
		esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no

ess_mstr Service/Support Engineer Status Master

Field Name	Label	Col-Label	Format	Dec
ess_available	Available	Avl	yes/no	
ess_desc	Description		x(24)	
ess_mod_date	Modified Date	Mod Date	99/99/99	
ess_mod_userid	User ID		X(8)	
ess_status	Status		x(8)	
ess_user1	Ufld1		x(8)	
ess_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
ess__chr01	User Character Field 1		X(8)	
ess__log01	User Logical Field 1		yes/no	
ess__qadc01	QAD Character Field 1		X(8)	
ess__qadl01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ess_status	yes	ess_status	yes	no
ess_statusav	no	ess_status	yes	no
		ess_available	yes	no

es_mstr Service/Support Escalation and Repair Master

Field Name	Label	Col-Label	Format	Dec
es_act_date	Actual Date	Act Date	99/99/99	
es_ca_category	Category		x(8)	
es_ca_int_type	Work Code	Wk Code	x(8)	
es_ca_pri	Call Priority		>>9	
es_ca_problem	Call Problem	Problem	x(8)	
es_ca_severity	Call Severity	Severity	x(8)	
es_ca_status	Status		x(8)	
es_ca_type	Call Type	Type	x(8)	
es_cmtindx	Comment Index	Comment	>>>>>>9	
es_days_in	Days Allowed In Status	Days	>>>>>9	
es_desc	Description		x(24)	
es_docs_printed	All Documents Printed		yes/no	
es_doc_desc[7]	Description		x(24)	
es_doc_exec[7]	Program		x(8)	
es_doc_paged[7]	Paged		yes/no	
es_doc_printed[7]	Document Printed	Prt	yes/no	
es_doc_printer[7]	Printer		x(8)	
es_doc_printit[7]	Print	Prt	yes/no	
es_due_date	Due Date		99/99/99	
es_escalate	Escalate	Esc	yes/no	
es_esc_program	Escalation Program	Esc Program	x(12)	
es_es_nbr	Escalation		x(8)	
es_group	Group		x(8)	
es_initial_date	Initial Date	Initial	99/99/99	
es_itm_line	Line	Ln	>>9	
es_message	Messages	Msg	yes/no	
es_message_list	Distribution List		x(24)	
es_nbr	Number		x(8)	
es_next_que	Queue		x(8)	
es_next_status	Status		x(8)	0
es_page	Page		yes/no	
es_prefix			x(4)	
es_print	Print	Prt	yes/no	
es_pri_bump	Bump Priority	Pri	>>9	
es_program	Program		x(12)	
es_repair_step	Repair Step	Step	x(2)	
es_seq	Sequence	Seq	>>9	
es_time_in	Time Allowed in Status		99:99	
es_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
es_user2	Ufld2		x(8)	
es_chr01	User Field #1		x(8)	
es_chr02	User Field #2		x(8)	
es_chr03	User Field #3		x(8)	
es_chr04	User Field #4		x(8)	
es_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
es_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
es_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
es_dte01	User Date #1		99/99/99	
es_dte02	User Date #2		99/99/99	
es_dte03	User Date #3		99/99/99	
es_log01	User Logical #1		yes/no	
es_log02	User Logical #2		yes/no	
es_log03	User Logical #3		yes/no	
es_qadc01	Qad Field #1		x(8)	
es_qadc02	Qad Field #2		x(8)	
es_qadc03	Qad Field #3		x(8)	
es_qadc04	Qad Field #4		x(8)	
es_qadd01	Qad Date #1		99/99/99	
es_qadd02	Qad Date #2		99/99/99	
es_qadd03	Qad Date #3		99/99/99	
es_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
es_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
es_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
es_qadl01	Qad Logical #1		yes/no	
es_qadl02	Qad Logical #2		yes/no	
es_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* es_nbr	yes	es_nbr	yes	no
		es_prefix	yes	no
		es_itm_line	yes	no
		es_ca_status	yes	no
		es_ca_int_type	yes	no
		es_ca_type	yes	no
		es_ca_severity	yes	no
		es_ca_problem	yes	no
		es_seq	yes	no

et_ctrl

EMU Control

Field Name	Label	Col-Label	Format	Dec
et_base_curr	Old Base Currency		x(3)	
et_conv_acct	Conversion Rounding Acct		x(8)	
et_conv_cc	Conversion Rounding CC		x(4)	
et_conv_sub	Conversion Rounding Sub-Acct	Sub-Acct	x(8)	
et_gl_eff_dt	GL Effective Date		99/99/99	
et_index1	Index		>>>>>9	
et_print_dc	Print SO/Invc In Dual Cur		yes/no	
et_rate_active	Euro Cur Exch Rates Active		yes/no	
et_show_diff	Show Conversion Rounding Diff		yes/no	

Field Name	Label	Col-Label	Format	Dec
et_start_conv	Start Conversion		yes/no	
et_user1	Ufld1		x(8)	
et_user2	Ufld2		x(8)	
et__qadc01			x(8)	
et__qadc02			x(8)	
et__qadc03			x(8)	
et__qadc05	QAD Character Field 5		x(8)	
et__qadd01			->>>, >>>, >>9.99	10
et__qadd02			->>>, >>>, >>9.99	10
et__qadd03			->>>, >>>, >>9.99	10
et__qadi01			>>>>>>9	
et__qadi02			>>>>>>9	
et__qadi03			>>>>>>9	
et__qadi01			yes/no	
et__qadi02			yes/no	
et__qadi03			yes/no	
et__qadi04	QAD Logical Field 4		yes/no	
et__qadi05	QAD Logical Field 5		yes/no	
et__qadt01			99/99/99	
et__qadt02			99/99/99	
et__qadt03			99/99/99	
et__qadt04	QAD Date Field 4		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* et_index1	yes	et_index1	yes	no

euc_ctrl Service/Support End User Control

Field Name	Label	Col-Label	Format	Dec
euc_create_isb	Create ISB		yes/no	
euc_index1	Index		>>>>>9	
euc_mod_date	Modified Date	Mod Date	99/99/99	
euc_mod_userid	User ID		X(8)	
euc_nbr	Next Enduser		99999999	
euc_user1	Ufld1		x(8)	
euc_user2	Ufld2		x(8)	
euc__chr01	User Character Field 1		X(8)	
euc__dte01	User Date Field 1		99/99/99	
euc__int01	User Integer Field 1		->, >>>, >>9	
euc__log01	User Logical Field 1		yes/no	
euc__qadc01	QAD Character Field 1		X(8)	
euc__qadi01	QAD Integer Field 1		->, >>>, >>9	
euc__qadi01	Create ISB		yes/no	
euc__qadi02	QAD Logical Field		yes/no	
euc__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* euc_index1	yes	euc_index1	yes	no

eud_det

Service/Support End User Detail

Field Name	Label	Col-Label	Format	Dec
eud_addr	End User		x(8)	
eud_fax	Fax		x(20)	
eud_ls_type	List Type		x(8)	
eud_mail_addr	Mail Address		x(24)	
eud_mod_date	Modified Date	Mod Date	99/99/99	
eud_mod_userid	User ID		X(8)	
eud_nametype			x(1)	
eud_phone	Phone		x(20)	
eud_sort	Name		x(35)	
eud_title	Title		x(20)	
eud_trnbr	Transaction Number		>>>>9	
eud_type	Contact Type		x(16)	
eud_updt	Last Update		99/99/99	
eud_user1	Ufld1		x(8)	
eud_user2	Ufld2		x(8)	
eud__chr01	User Character Field 1		X(8)	
eud__chr02	User Character Field 2		X(8)	
eud__chr03	User Character Field 3		X(8)	
eud__dte01	User Date Field 1		99/99/99	
eud__int01	User Integer Field 1		->, >>>, >>9	
eud__log01	User Logical Field 1		yes/no	
eud__qadc01	QAD Character Field 1		X(8)	
eud__qadc02	QAD Character Field 2		X(8)	
eud__qadc03	QAD Character Field 3		X(8)	
eud__qadi01	QAD Integer Field 1		->, >>>, >>9	
eud__qadi01	QAD Logical Field 1		yes/no	
eud__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
eud_addr	no	eud_addr	yes	no
		eud_ls_type	yes	no
		eud_sort	yes	no
eud_nametype	no	eud_addr	yes	no
		eud_nametype	yes	no
		eud_trnbr	yes	no
eud_phone	no	eud_phone	yes	no
eud_sort	no	eud_sort	yes	no
* eud_trnbr	yes	eud_trnbr	yes	no

eu_mstr

Service/Support End User Master

Field Name	Label	Col-Label	Format	Dec
eu_addr	End User		x(8)	
eu_application	Application		x(40)	
eu_autorenew	Auto Renew Contracts		yes/no	
eu_channel	Channel	Chan	x(4)	
eu_cmtindx	Comment Idx		>>>>>9	
eu_cm_nbr	Customer No	Cus No	x(8)	
eu_create_isb	Create ISB		yes/no	
eu_disc_pct	Disc %		->>9.99%	

Field Name	Label	Col-Label	Format	Dec
eu_ed_time	End Time	Ed Tm	99:99	
eu_eng_code	Engineer Code	Eng Cd	x(8)	
eu_eng_group	Engineer Group		x(8)	
eu_eng_sec	Secondary Eng		x(8)	0
eu_es_nbr	Escalation	Esc	x(8)	
eu_lang	Language		x(2)	
eu_login	Login		x(12)	
eu_modem	Modem Phone	Modem	x(20)	
eu_mod_date	Modified Date	Mod Date	99/99/99	
eu_mod_userid	User ID		X(8)	
eu_msg	Message		x(60)	
eu_msg_end	End Date		99/99/99	
eu_name	Name		x(35)	
eu_node	Node		x(8)	
eu_node_type	Node Type		x(8)	
eu_office	Office		x(8)	
eu_phone	Phone		x(20)	
eu_po_accum	Accumulated PO Total		>>>>,>>>,>>9.99<<<	10
eu_po_limit	PO Limit		>>>>,>>>,>>9.99<<<	10
eu_po_nbr	Purchase Order	PO	x(22)	
eu_po_reqd	PO Required		yes/no	
eu_pri	Call Priority	Pri	>>>9	
eu_rebuild_isb	Rebuild Isb		yes/no	
eu_receipt_days	Days to Receive		>>9	
eu_renew_days	Days to Renew		>>9	
eu_reseller	Reseller		yes/no	
eu_review	Review Date		99/99/99	
eu_rsb	Responsible		x(24)	
eu_sep_invoice	Separate Invoice		yes/no	
eu_ship_days	Days to Ship		>>9	
eu_sic_code	SIC Code		x(8)	
eu_sort	Name		x(35)	
eu_status	Status		x(4)	
eu_st_time	Start Time	St Tm	99:99	
eu_svc_area	Service Area	Svc Area	x(18)	
eu_time_zone	Hours from GMT		>>9	
eu_trv_dist	Travel Dist	Trvl Dst	>>9	
eu_trv_time	Travel Time		999:99	0
eu_trv_um	Travel UM	TU	x(2)	
eu_type	Type		x(8)	
eu_un_billed	Un Billed		>>>>,>>>,>>9.99<<<	10
eu_updates	Updates		x(8)	
eu_user1	Ufld1		x(8)	
eu_user2	Ufld2		x(8)	
eu_zip	Post		x(10)	
eu_chr01			x(8)	
eu_chr02			x(8)	
eu_chr03			x(8)	
eu_chr04			x(8)	
eu_chr05			x(8)	
eu_chr06			x(8)	
eu_chr07			x(8)	
eu_chr08			x(8)	
eu_chr09			x(8)	
eu_chr10			x(8)	
eu_dec01			->>>,>>>,>>9.99	10
eu_dec02			->>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
eu__dec03			->>>, >>>, >>9.99	10
eu__dte01			99/99/99	
eu__dte02			99/99/99	
eu__dte03			99/99/99	
eu__dte04			99/99/99	
eu__log01			yes/no	
eu__log02			yes/no	
eu__log03			yes/no	
eu__log04			yes/no	
eu__log05			yes/no	
eu__qadc01	QAD Character Field 1		X(8)	
eu__qadc02	QAD Character Field 2		X(8)	
eu__qadc03	QAD Character Field 3		X(8)	
eu__qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
eu__qadi01	QAD Integer Field 1		->, >>>, >>9	
eu__qadi02	QAD Integer Field 2		->, >>>, >>9	
eu__qadi01	QAD Logical Field 1		yes/no	
eu__qadi02	QAD Logical Field 2		yes/no	
eu__qadi03	QAD Logical Field 3		yes/no	
eu__qadt01	QAD Date Field 1		99/99/99	
eu__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* eu__addr	yes	eu__addr	yes	no
eu__cmeu_nbr	yes	eu__cm_nbr	yes	no
		eu__addr	yes	no
eu__sort_addr	yes	eu__sort	yes	no
		eu__addr	yes	no
eu__zip	no	eu__zip	yes	no
		eu__addr	yes	no

excd_det Consolidated Exchange Rate Detail

Field Name	Label	Col-Label	Format	Dec
excd__acc	Account		x(8)	
excd__curr	Currency	Curr	x(3)	
excd__curr2	Currency 2	Cur 2	x(3)	
excd__en_rate	Rate Entered		>>, >>9.99999<<<<<	9
excd__exru_seq	Sequence		>>>>>>>9	
excd__ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
excd__ex_ratetype	Rate Type		x(8)	
excd__per	Period	Pd	>9	
excd__rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
excd__user1	Ufld1		x(8)	
excd__user2	Ufld2		x(8)	
excd__xac_type	Not Used		x(1)	
excd__xcc	Not Used		x(4)	
excd__year	Fiscal Year	Year	9999	
excd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* excd_index	yes	excd_curr	yes	no
		excd_curr2	yes	no
		excd_acc	yes	no
		excd_year	yes	no
		excd_per	yes	no

exc_mstr Consolidation Currency Exchange Master

Field Name	Label	Col-Label	Format	Dec
exc_acc	Account		x(8)	
exc_curr	Currency	Cur	x(3)	
exc_curr2	Currency 2	Cur 2	x(3)	
exc_user1	Ufld1		x(8)	
exc_user2	Ufld2		x(8)	
exc_xac_type	Not Used		x(1)	
exc_xall_cc	Not Used		yes/no	
exc_xcc	Not Used		x(4)	
exc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* exc_index	yes	exc_curr	yes	no
		exc_curr2	yes	no
		exc_acc	yes	no

exru_usage

Field Name	Label	Col-Label	Format	Dec
exru_curr1	Cur 1		x(3)	
exru_curr2	Cur 2		x(3)	
exru_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
exru_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
exru_seq	Sequence		>>>>>>>9	
exru_step	Step		>>9	
exru__qadc01			x(8)	
exru__qadd01			->>, >>>, >>9.99	10
exru__qadl01			yes/no	
exru__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	exru_seq	yes	exru_seq	yes	no
			exru_step	yes	no

exr_rate

Field Name	Label	Col-Label	Format	Dec
exr_curr1	Cur 1		x(3)	
exr_curr2	Cur 2		x(3)	
exr_end_date	End		99/99/99	
exr_mod_date	Modified Date	Mod Date	99/99/99	
exr_mod_userid	User ID		x(8)	
exr_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
exr_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
exr_ratetype	Rate Type		x(8)	
exr_start_date	Start		99/99/99	
exr_user1	Ufld1		x(8)	
exr_user2	Ufld2		x(8)	
exr__qadc01			x(8)	
exr__qadd01			->>>>,>>>,>>9.99	10
exr__qadl01			yes/no	
exr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
exr_curr2	no	exr_curr2	yes	no
* exr_curr3	yes	exr_curr1	yes	no
		exr_curr2	yes	no
		exr_ratetype	yes	no
		exr_start_date	no	no
exr_ratetype	no	exr_ratetype	yes	no

faadj_mstr Fixed Asset Adjustment Master

Field Name	Label	Col-Label	Format	Dec
faadj_amt	Adjustment Amount	Adj Amt	->>>>, >>>, >>9.99<	10
faadj_fabk_id	Book		x(4)	
faadj_famt_id	Method		x(8)	
faadj_fa_id	Asset		x(12)	
faadj_life	Life		->>9.99<	10
faadj_migrate	Migrated		yes/no	
faadj_mod_date	Modified Date	Mod Date	99/99/9999	
faadj_mod_userid	User ID		x(8)	
faadj_resrv	Reserve		->, >>>, >>9	
faadj_type	Adj Type		x(2)	
faadj_user1	Ufld1		x(8)	
faadj_user2	Ufld2		x(8)	
faadj_yrper	Year/Period	Yr-Per	x(6)	
faadj__chr01			x(8)	
faadj__dec01			->>>>, >>>, >>9.99<	10
faadj__dte01			99/99/9999	
faadj__int01			->, >>>, >>9	
faadj__log01			yes/no	
faadj__qadc01			x(20)	
faadj__qadd01			->>>>, >>>, >>9.99<	10
faadj__qadi01			->, >>>, >>9	
faadj__qadi01			yes/no	
faadj__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* faadj_fa_id	yes	faadj_fa_id	yes	no
		faadj_fabk_id	yes	no
		faadj_resrv	yes	no

faba_det Fixed Asset Account Detail

Field Name	Label	Col-Label	Format	Dec
faba_acct	Account		x(8)	
faba_acctype	Account Type	Type	x(2)	
faba_cc	Cost Center	CC	x(4)	
faba_fa_id	Asset		x(12)	
faba_glseq	Account Sequence	Seq	->>>, >>>, >>9	
faba_mod_date	Modified Date	Mod Date	99/99/9999	
faba_mod_userid	User ID		x(8)	
faba_proj	Project		X(8)	
faba_sub	Sub-Account	Sub-Acct	x(8)	
faba_user1	Ufld1		x(8)	
faba_user2	Ufld2		x(8)	
faba__chr01			x(8)	
faba__dec01			->>>>, >>>, >>9.99<	10
faba__dte01			99/99/9999	
faba__int01			->, >>>, >>9	
faba__log01			yes/no	
faba__qadc01			x(20)	

Field Name	Label	Col-Label	Format	Dec
faba__qadd01			->>>>, >>>, >>9.99<	10
faba__qadi01			->, >>>, >>9	
faba__qadi01			yes/no	
faba__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
faba_acctype	no	faba_acctype	yes	no
* faba_fa_id	yes	faba_fa_id	yes	no
		faba_acctype	yes	no
		faba_glseq	yes	no

fabchd_det Fixed Asset Batch Detail

Field Name	Label	Col-Label	Format	Dec
fabchd_desc	Asset Description		X(50)	
fabchd_fabch_id	Batch		x(12)	
fabchd_facsl_id	Class		x(8)	
fabchd_faloc_id	Location		x(8)	
fabchd_fa_id	Asset		x(12)	
fabchd_insamt	Insurance Value		->>>>, >>>, >>9.99<	10
fabchd_ins_co	Insurance Company		x(24)	
fabchd_ins_date	Insurance Date		99/99/9999	
fabchd_ins_nbr	Insurance Number		x(12)	
fabchd_mod_date	Modified Date	Mod Date	99/99/9999	
fabchd_mod_user	User ID		x(8)	
fabchd_puramt	Cost		->>>>, >>>, >>9.99<	10
fabchd_qty	Components		>>>9	
fabchd_salvamt	Salvage		->>>>, >>>, >>9.99<	10
fabchd_startdt	Service Date	Serv Date	99/99/9999	
fabchd_um	Unit of Measure	UM	x(2)	
fabchd_uplife	Total Units		>, >>>, >>>, >>9	
fabchd_upper	Units/Period		>, >>>, >>>, >>9	
fabchd_user1	Ufld1		x(8)	
fabchd_user2	Ufld2		x(8)	
fabchd__chr01			x(8)	
fabchd__dec01			->>>>, >>>, >>9.99<	10
fabchd__dte01			99/99/9999	
fabchd__int01			->, >>>, >>9	
fabchd__log01			yes/no	
fabchd__qadc01			x(20)	
fabchd__qadd01			->>>>, >>>, >>9.99<	10
fabchd__qadi01			->, >>>, >>9	
fabchd__qadi01			yes/no	
fabchd__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fabchd_fa_id	yes	fabchd_fabch_id	yes	no
		fabchd_fa_id	yes	no

fabch_mstr Fixed Asset Batch Master

Field Name	Label	Col-Label	Format	Dec
fabch_createdt	Creation Date		99/99/9999	
fabch_ctrl	Batch Control		->>>, >>>, >>9.99<	2
fabch_id	Batch		x(12)	
fabch_mod_date	Modified Date	Mod Date	99/99/9999	
fabch_mod_userid	User ID		x(8)	
fabch_user1	Ufld1		x(8)	
fabch_user2	Ufld2		x(8)	
fabch__chr01			x(8)	
fabch__dec01			->>>>, >>>, >>9.99<	10
fabch__dte01			99/99/9999	
fabch__int01			->, >>>, >>9	
fabch__log01			yes/no	
fabch__qadc01			x(20)	
fabch__qadd01			->>>>, >>>, >>9.99<	10
fabch__qadi01			->, >>>, >>9	
fabch__qadi01			yes/no	
fabch__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fabch_id	yes	fabch_id	yes	no

fabd_det Fixed Asset Book Depreciation Detail

Field Name	Label	Col-Label	Format	Dec
fabd_accamt	Accumulated Depreciation		->>>>, >>>, >>9.99<	10
fabd_accup	Units Consumed		>, >>>, >>>, >>9	
fabd_adj_vrper	Adj Year/Period	Adj! Yr-Per	x(6)	
fabd_entity	Entity	Enty	x(4)	
fabd_fabk_id	Book		x(4)	
fabd_facfs_id	Class		x(8)	
fabd_faloc_id	Location		x(8)	
fabd_fa_id	Asset		x(12)	
fabd_glseq	GL Sequence		->>>, >>>, >>9	
fabd_migrate	Migrated		yes/no	
fabd_mod_date	Modified Date	Mod Date	99/99/9999	
fabd_mod_userid	User ID		x(8)	
fabd_peramt	Period Depreciation		->>>>, >>>, >>9.99<	10
fabd_post	Posted To GL	Posted	yes/no	
fabd_resrv	Reserve		->, >>>, >>9	
fabd_resrv_type	Res Type		x(2)	
fabd_retired	Retired		yes/no	
fabd_rt_period	Retire Period		yes/no	
fabd_seq	Sort	Sort	>>>>>>9	
fabd_suspend	Suspend		yes/no	
fabd_transfer	Transferred		yes/no	
fabd_trn_entity	Entity	Enty	x(4)	
fabd_trn_glseq	GL Sequence		->>>, >>>, >>9	
fabd_trn_loc	Transfer Location		x(8)	
fabd_upper	Actual		>, >>>, >>>, >>9	
fabd_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
fabd_user2	Ufld2		x(8)	
fabd_yrper	Year/Period	Yr-Per	x(6)	
fabd__chr01			x(8)	
fabd__dec01			->>>>, >>>, >>9.99<	10
fabd__dte01			99/99/9999	
fabd__int01			->, >>>, >>9	
fabd__log01			yes/no	
fabd__qadc01			x(20)	
fabd__qadc02			x(20)	
fabd__qadd01			->>>>, >>>, >>9.99<	10
fabd__qadd02			->>>>, >>>, >>9.99<	10
fabd__qadi01			->, >>>, >>9	
fabd__qadi02			->, >>>, >>9	
fabd__qadi01			yes/no	
fabd__qadi02			yes/no	
Δ fabd__qadi03			yes/no	
Δ fabd__qadi04			yes/no	
fabd__qadt01			99/99/9999	
fabd__qadt02			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
fabd_entity	no	fabd_entity	yes	no
fabd_fa_id	no	fabd_fa_id	yes	no
		fabd_fabk_id	yes	no
		fabd_yrper	yes	no
		fabd_resrv	yes	no
		fabd_seq	yes	no
fabd_glseq	no	fabd_glseq	yes	no
fabd_post	no	fabd_post	yes	no
fabd_resrv	no	fabd_resrv	yes	no
fabd_rt_period	no	fabd_rt_period	yes	no
* fabd_seq	yes	fabd_seq	yes	no
fabd_suspend	no	fabd_suspend	yes	no
fabd_trn_entity	no	fabd_trn_entity	yes	no
fabd_yrper	no	fabd_fabk_id	yes	no
		fabd_post	yes	no
		fabd_yrper	yes	no

fabk_mstr Fixed Asset Book Master

Field Name	Label	Col-Label	Format	Dec
fabk_calendar	Calendar		x(8)	
fabk_desc	Description		x(35)	
fabk_id	Book		x(4)	
fabk_mod_date	Modified Date	Mod Date	99/99/9999	
fabk_mod_userid	User ID		x(8)	
fabk_post	Post		yes/no	
fabk_seq	Sort		>>9	
fabk_user1	Ufld1		x(8)	
fabk_user2	Ufld2		x(8)	
fabk__chr01			x(8)	
fabk__dec01			->>>>, >>>, >>9.99<	10

Field Name	Label	Col-Label	Format	Dec
fabk__dte01			99/99/9999	
fabk__int01			->,>>>,>>9	
fabk__log01			yes/no	
fabk__qadc01			x(20)	
fabk__qadc02			x(20)	
fabk__qadd01			->>>>,>>>,>>9.99<	10
fabk__qadi01			->,>>>,>>9	
fabk__qadi01			yes/no	
fabk__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fabk_id	yes	fabk_id	yes	no
fabk_seq	no	fabk_seq	yes	no

fab_det

Fixed Asset Book Detail

Field Name	Label	Col-Label	Format	Dec
fab_amt	Cost		->>>>,>>>,>>9.99<	10
fab_cst_adjper	Adjust Year/Period	Adj Yr/Per	x(6)	
fab_date	Service Date	Serv Date	99/99/9999	
fab_fabk_id	Book		x(4)	
fab_fabk_seq	Sequence	Seq	>>9	
fab_famtr_id	Meter		x(12)	
fab_famt_id	Method		x(8)	
fab_fa_id	Asset		x(12)	
fab_life	Life		->>9.99<	10
fab_mod_date	Modified Date	Mod Date	99/99/9999	
fab_mod_userid	User ID		x(8)	
fab_ovramt	Override Accumulated Dep		->>>>,>>>,>>9.99<	10
fab_ovrdt	Override Depreciation Date		99/99/9999	
fab_resrv	Reserve		->,>>>,>>9	
fab_salvamt	Salvage		->>>>,>>>,>>9.99<	10
fab_um	Unit of Measure	UM	x(2)	
fab_upcost	Unit Cost		->,>>>,>>9.99<<<<	10
fab_uplife	Total Units		>,>>>,>>>,>>9	
fab_upper	Period Units		>,>>>,>>>,>>9	
fab_user1	Ufld1		x(8)	
fab_user2	Ufld2		x(8)	
fab__chr01			x(8)	
fab__dec01			->>>>,>>>,>>9.99<	10
fab__dec02			->>>>,>>>,>>9.99<	10
fab__dte01			99/99/9999	
fab__int01			->,>>>,>>9	
fab__int02			->,>>>,>>9	
fab__log01			yes/no	
fab__qadc01			x(20)	
fab__qadc02			x(20)	
fab__qadc03			x(20)	
fab__qadd01			->>>>,>>>,>>9.99<	10
fab__qadd02			->>>>,>>>,>>9.99<	10
fab__qadi01			->,>>>,>>9	
fab__qadi02			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
fab__qadl01			yes/no	
fab__qadl02			yes/no	
fab__qadt01			99/99/9999	
fab__qadt02			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fab_fa_id	yes	fab_fa_id	yes	no
		fab_fabk_seq	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
fab_meter	no	fab_famtr_id	yes	no
fab_resrv	no	fab_fa_id	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no

facd_det Fixed Asset Class Account Detail

Field Name	Label	Col-Label	Format	Dec
facd_acct	Account		x(8)	
facd_acctype	Account Type	Type	x(8)	
facd_fabk_id	Book		x(4)	
facd_facls_id	Class		x(8)	
facd_mod_date	Modified Date	Mod Date	99/99/9999	
facd_mod_userid	User ID		x(8)	
facd_user1	Ufld1		x(8)	
facd_user2	Ufld2		x(8)	
facd__chr01			x(8)	
facd__dec01			->>>>,>>>,>>9.99<	10
facd__dte01			99/99/9999	
facd__int01			->,>>>,>>9	
facd__log01			yes/no	
facd__qadc01			x(20)	
facd__qadd01			->>>>,>>>,>>9.99<	10
facd__qadi01			->,>>>,>>9	
facd__qadl01			yes/no	
facd__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* facd_fac_id	yes	facd_facls_id	yes	no
		facd_acctype	yes	no

facld_det Fixed Asset Calendar Detail

Field Name	Label	Col-Label	Format	Dec
facld_end	Period End		99/99/9999	
facld_facld_id	Calendar		x(8)	
facld_mod_date	Modified Date	Mod Date	99/99/9999	
facld_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
facld_per	Period	Per	>9	
facld_start	Period Start		99/99/9999	
facld_user1	Ufld1		x(8)	
facld_user2	Ufld2		x(8)	
facld_year	Year		9999	
facld__chr01			x(8)	
facld__dec01			->>>>,>>>,>>9.99<	10
facld__dte01			99/99/9999	
facld__int01			->,>>>,>>9	
facld__log01			yes/no	
facld__qadc01			x(20)	
facld__qadd01			->>>>,>>>,>>9.99<	10
facld__qadi01			->,>>>,>>9	
facld__qadi01			yes/no	
facld__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* facld_facld_id	yes	facld_facld_id	yes	no
		facld_year	yes	no
		facld_per	yes	no

facs_mstr Fixed Asset Class Master

Field Name	Label	Col-Label	Format	Dec
facs_dep	Depreciate Assets	Dep	yes/no	
facs_desc	Description		x(40)	
facs_id	Class		x(8)	
facs_mod_date	Modified Date	Mod Date	99/99/9999	
facs_mod_userid	User ID		x(8)	
facs_user1	Ufld1		x(8)	
facs_user2	Ufld2		x(8)	
facs__chr01			x(8)	
facs__dec01			->>>>,>>>,>>9.99<	10
facs__dte01			99/99/9999	
facs__int01			->,>>>,>>9	
facs__log01			yes/no	
facs__qadc01			x(20)	
facs__qadc02			x(20)	
facs__qadd01			->>>>,>>>,>>9.99<	10
facs__qadi01			->,>>>,>>9	
facs__qadi01			yes/no	
facs__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* facs_id	yes	facs_id	yes	no

fact_cal

Fixed Asset Calendar Master

Field Name	Label	Col-Label	Format	Dec
fact_id	Calendar		x(8)	
fact_mod_date	Modified Date	Mod Date	99/99/9999	
fact_mod_userid	User ID		x(8)	
fact_user1	Ufld1		x(8)	
fact_user2	Ufld2		x(8)	
fact_year	Year		9999	
fact__chr01			x(8)	
fact__dec01			->>>>,>>>,>>9.99<	10
fact__dte01			99/99/9999	
fact__int01			->,>>>,>>9	
fact__log01			yes/no	
fact__qadc01			x(20)	
fact__qadd01			->>>>,>>>,>>9.99<	10
fact__qadi01			->,>>>,>>9	
fact__qadt01			yes/no	
fact__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fact_id	yes	fact_id	yes	no
		fact_year	yes	no

fact_ctrl

Fixed Asset Control

Field Name	Label	Col-Label	Format	Dec
fact_auto	Auto Generate Asset	Auto	yes/no	
fact_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
fact_index1	Index		>>>>9	
fact_mod_date	Modified Date	Mod Date	99/99/9999	
fact_mod_userid	User ID		x(8)	
fact_seq_id	NRM Sequence		x(8)	
fact_user1	Ufld1		x(8)	
fact_user2	Ufld2		x(8)	
fact__chr01			x(8)	
fact__dec01			->>>>,>>>,>>9.99<	10
fact__dte01			99/99/9999	
fact__int01			->,>>>,>>9	
fact__log01			yes/no	
fact__qadc01			x(20)	
fact__qadc02			x(20)	
Δ fact__qadc03			x(24)	
Δ fact__qadc04			x(24)	
Δ fact__qadc05			x(24)	
fact__qadd01			->>>>,>>>,>>9.99<	10
fact__qadi01			->,>>>,>>9	
fact__qadt01			yes/no	
fact__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fact_index1	yes	fact_index1	yes	no

fac_ctrl

Final Assembly Control

Field Name	Label	Col-Label	Format	Dec
fac_index1	Index		>>>>9	
fac_so_rec	Receive F/A in SO	SO Rec	yes/no	
fac_unit_qty	Unit F/A Orders	Unit F/A	yes/no	
fac_user1	Ufld1		x(8)	
fac_user2	Ufld2		x(8)	
fac_wo_rec	Receive F/A in WO	WO Rec	yes/no	
fac__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fac_ctrl	yes	fac_index1	yes	no

fadf_mstr

Fixed Asset Book Default Master

Field Name	Label	Col-Label	Format	Dec
fadf_fabk_id	Book		x(4)	
fadf_facfs_id	Class		x(8)	
fadf_famt_elife	Life		->>9.99<	10
fadf_famt_id	Method		x(8)	
fadf_mod_date	Modified Date	Mod Date	99/99/9999	
fadf_mod_userid	User ID		x(8)	
fadf_user1	Ufld1		x(8)	
fadf_user2	Ufld2		x(8)	
fadf__chr01			x(8)	
fadf__dec01			->>>, >>>, >>9.99	10
fadf__dte01			99/99/9999	
fadf__int01			->, >>>, >>9	
fadf__log01			yes/no	
fadf__qadc01			x(20)	
fadf__qadd01			->>>, >>>, >>9.99	10
fadf__qadi01			->, >>>, >>9	
fadf__qadi01			yes/no	
fadf__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fadf_fac_id	yes	fadf_facfs_id	yes	no
		fadf_fabk_id	yes	no

fad_det

Fixed Asset Component Detail

Field Name	Label	Col-Label	Format	Dec
fad_desc	Description		x(20)	
fad_fa_id	Asset		x(12)	
fad_mod_date	Modified Date	Mod Date	99/99/9999	
fad_mod_userid	User ID		x(8)	
fad_puramt	Cost		->>>>, >>>, >>9.99<	10
fad_serial	Serial Number		x(20)	

Field Name	Label	Col-Label	Format	Dec
fad_tag	Tag		x(16)	
fad_user1	Ufld1		x(8)	
fad_user2	Ufld2		x(8)	
fad__chr01			x(8)	
fad__dec01			->>>>, >>>, >>9.99<	10
fad__dte01			99/99/9999	
fad__int01			->, >>>, >>9	
fad__log01			yes/no	
fad__qadc01			x(20)	
fad__qadd01			->>>>, >>>, >>9.99<	10
fad__qadi01			->, >>>, >>9	
fad__qadi01			yes/no	
fad__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
fad_fa_id	no	fad_fa_id	yes	no
		fad_tag	yes	no
* fad_tag	yes	fad_tag	yes	no

faloc_mstr Fixed Asset Location Master

Field Name	Label	Col-Label	Format	Dec
faloc_cc	Cost Center	CC	x(4)	
faloc_desc	Description		x(32)	
faloc_entity	Entity	Enty	x(4)	
faloc_id	Location		x(8)	
faloc_mod_date	Modified Date	Mod Date	99/99/9999	
faloc_mod_userid	User ID		x(8)	
faloc_sub	Sub-Account	Sub-Acct	X(8)	
faloc_user1	Ufld1		x(8)	
faloc_user2	Ufld2		x(8)	
faloc__chr01			x(8)	
faloc__dec01			->>>>, >>>, >>9.99<	10
faloc__dte01			99/99/9999	
faloc__int01			->, >>>, >>9	
faloc__log01			yes/no	
faloc__qadc01			x(20)	
faloc__qadc02			x(20)	
faloc__qadd01			->>>>, >>>, >>9.99<	10
faloc__qadi01			->, >>>, >>9	
faloc__qadi01			yes/no	
faloc__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* faloc_id	yes	faloc_id	yes	no

fal_mstr

Fixed Asset Location Code Master

Field Name	Label	Col-Label	Format	Dec
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Account	Depr Exp! Sub-Acct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Acct	x(8)	
fal_user1	Ufld1		x(8)	
fal_user2	Ufld2		x(8)	
fal_userid	User ID		x(8)	
fal__qad01			yes/no	
fal__qad02			x(8)	
fal__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fal_desc	no	fal_desc	yes	no
		fal_fa_loc	yes	no
* fal_fa_loc	yes	fal_fa_loc	yes	no
fal_ind1	no	fal_loc	yes	no
		fal_bldg	yes	no
		fal_dept	yes	no
		fal_fa_loc	yes	no

famtd_det

Fixed Asset Custom Table Detail

Field Name	Label	Col-Label	Format	Dec
famtd_famt_id	Method		x(8)	
famtd_int01			->, >>>, >>9	
famtd_mod_date	Modified Date	Mod Date	99/99/9999	
famtd_mod_userid	User ID		x(8)	
famtd_percent	Percent		->>9.9<	10
famtd_period	Period		>>9	
famtd_user1	Ufld1		x(8)	
famtd_user2	Ufld2		x(8)	
famtd_year	Year		9999	
famtd__chr01			x(8)	
famtd__dec01			->>>>, >>>, >>9.99<	10
famtd__dte01			99/99/9999	
famtd__log01			yes/no	
famtd__qadc01			x(20)	
famtd__qadd01			->>>>, >>>, >>9.99<	10
famtd__qadi01			->, >>>, >>9	
famtd__qadl01			yes/no	
famtd__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* famtd_famt_id	yes	famtd_famt_id	yes	no
		famtd_year	yes	no
		famtd_period	yes	no

famtrd_det Fixed Asset Meter Detail

Field Name	Label	Col-Label	Format	Dec
famtrd_accum	Accumulated Units		->>>, >>>, >>9	
famtrd_action	Action		x(8)	
famtrd_date	Date		99/99/9999	
famtrd_famtr_id	Meter		x(12)	
famtrd_mod_date	Modified Date	Mod Date	99/99/9999	
famtrd_mod_userid	User ID		x(8)	
famtrd_reading	Reading		->>>, >>>, >>9	
famtrd_seq	Sequence	Seq	->>>, >>>, >>9	
famtrd_usage	Usage		->>>, >>>, >>9	
famtrd_user1	Ufld1		x(8)	
famtrd_user2	Ufld2		x(8)	
famtrd_chr01			x(8)	
famtrd__dec01			->>>>, >>>, >>9.99<	10
famtrd__dte01			99/99/9999	
famtrd__int01			->, >>>, >>9	
famtrd__log01			yes/no	
famtrd__qadc01			x(20)	
famtrd__qadd01			->>>>, >>>, >>9.99<	10
famtrd__qadi01			->, >>>, >>9	
famtrd__qadi01			yes/no	
famtrd__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* famtrd_famtr_id	yes	famtrd_famtr_id	yes	no
		famtrd_seq	no	no

famtr_mstr Fixed Asset Meter Master

Field Name	Label	Col-Label	Format	Dec
famtr_desc	Description		x(30)	
famtr_id	Meter		x(12)	
famtr_init	Initial Setting		->>>, >>>, >>9	
famtr_initdt	Date		99/99/9999	
famtr_mod_date	Modified Date	Mod Date	99/99/9999	
famtr_mod_userid	User ID		x(8)	
famtr_rollover	Rollover		>>>, >>>, >>9	
famtr_user1	Ufld1		x(8)	
famtr_user2	Ufld2		x(8)	
famtr__chr01			x(8)	
famtr__dec01			->>>>, >>>, >>9.99<	10

Field Name	Label	Col-Label	Format	Dec
famtr__dte01			99/99/9999	
famtr__int01			->,>>>,>>9	
famtr__log01			yes/no	
famtr__qadc01			x(20)	
famtr__qadd01			->>>>,>>>,>>9.99<	10
famtr__qadi01			->,>>>,>>9	
famtr__qadi01			yes/no	
famtr__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* famtr_id	yes	famtr_id	yes	no

famt_mstr Fixed Asset Method Master

Field Name	Label	Col-Label	Format	Dec
famt_active	Active		yes/no	
famt_actualldays	Actual Days		yes/no	
famt_conv	Convention	Conv	x(2)	
famt_desc	Description		x(55)	
famt_elife	Expected Life		->>9.99<	10
famt_id	Method		x(8)	
famt_mod_date	Modified Date	Mod Date	99/99/9999	
famt_mod_userid	User ID		x(8)	
famt_perc	Factor		->>9.9<%	10
famt_salv	Use Salvage		yes/no	
famt_switchsl	Switch to SL		yes/no	
famt_type	Depreciation Type	Type	x(2)	
famt_user1	Ufld1		x(8)	
famt_user2	Ufld2		x(8)	
famt__chr01			x(8)	
famt__dec01			->>>>,>>>,>>9.99<	10
famt__dte01			99/99/9999	
famt__int01			->,>>>,>>9	
famt__log01			yes/no	
famt__qadc01			x(20)	
famt__qadc02			x(20)	
famt__qadd01			->>>>,>>>,>>9.99<	10
famt__qadi01			->,>>>,>>9	
famt__qadi01			yes/no	
famt__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* famt_id	yes	famt_id	yes	no

fas_ctrl

Fixed Asset System Control

Field Name	Label	Col-Label	Format	Dec
fas_detail	Post		detail/summary	
fas_gain_acct	Gain Account	Gain Acc	x(8)	
fas_gain_cc	Cost Center	CC	x(4)	
fas_gain_sub	Sub-Account	Sub-Acct	x(8)	
fas_index1	Index		>>>>9	
fas_loss_acct	Loss Account	Loss Acc	x(8)	
fas_loss_cc	Cost Center	CC	x(4)	
fas_loss_sub	Sub-Account	Sub-Acct	x(8)	
fas_minimum	Asset Minimum Cost		->>, >>>, >>>, >>>9.99<	10
fas_mod_date	Modified Date	Mod Date	99/99/99	
fas_next_asset	Next Asset Number	Nxt Asst Nbr	999999999999	
fas_short_end	Short Tax Year Ending Date	Short Tax! Year End	99/99/99	
fas_short_year	Short Tax Year	Short! Year	yes/no	
fas_user1	Ufld1		x(8)	
fas_user2	Ufld2		x(8)	
fas_userid	User ID		x(8)	
fas__qad01			yes/no	
fas__qad02			x(8)	
fas__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fas_index1	yes	fas_index1	yes	no

fauop_det

Fixed Assets UOP Forecast Detail

Field Name	Label	Col-Label	Format	Dec
fauop_accup	Accumulated		>, >>>, >>>, >>9	
fauop_fabk_id	Book		x(4)	
fauop_fa_id	Asset		x(12)	
fauop_mod_date	Modified Date	Mod Date	99/99/9999	
fauop_mod_userid	User ID		x(8)	
fauop_upper	Estimated		>, >>>, >>>, >>9	
fauop_user1	Ufld1		x(8)	
fauop_user2	Ufld2		x(8)	
fauop_yrper	Year/Period	Yr-Per	x(6)	
fauop_chr01			x(8)	
fauop__dec01			->>>>, >>>, >>>9.99<	10
fauop__dte01			99/99/9999	
fauop__int01			->, >>>, >>9	
fauop__log01			yes/no	
fauop__qadc01			x(20)	
fauop__qadd01			->>>>, >>>, >>>9.99<	10
fauop__qadi01			->, >>>, >>9	
fauop__qadi01			yes/no	
fauop__qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* fauop_fa_id	yes	fauop_fa_id	yes	no
		fauop_fabk_id	yes	no
		fauop_yrper	yes	no

fa_mstr Fixed Asset Master

Field Name	Label	Col-Label	Format	Dec
fa_auth_number	Auth Number		x(8)	
fa_cmtindx	Comment Index	Comment	>>>>>>9	
fa_code	Sort Code		x(10)	
fa_custodian	Custodian		x(8)	
fa_dep	Depreciate Asset	Dep	yes/no	
fa_desc1	Description		x(50)	
fa_dispamt	Sold For		->>>>, >>>, >>9.99<	10
fa_disp_dt	Disposition Date	Disp Date	99/99/9999	
fa_disp_rsn	Disposition Reason		x(8)	
fa_entity	Entity	Enty	x(4)	
fa_fabch_id	Batch		x(12)	
fa_facls_id	Class		x(8)	
fa_faloc_id	Location		x(8)	
fa_id	Asset		x(12)	
fa_insamt	Insurance Value		->>>>, >>>, >>9.99<	10
fa_ins_co	Insurance Company		x(24)	
fa_ins_date	Insurance Date		99/99/9999	
fa_ins_nbr	Insurance Number		x(12)	
fa_migrate	Migrated		yes/no	
fa_mod_date	Modified Date	Mod Date	99/99/9999	
fa_mod_userid	User ID		x(8)	
fa_parent	Parent		x(12)	
fa_po	PO Number		x(8)	
fa_post	Posted		yes/no	
fa_puramt	Cost		->>>>, >>>, >>9.99<	10
fa_qty	Components		>>>9	
fa_receiver	Receiver		x(8)	
fa_replamt	Replacement		->>>>, >>>, >>9.99<	10
fa_salvamt	Salvage		->>>>, >>>, >>9.99<	10
fa_split_date	Split Date		99/99/9999	
fa_split_from	Split From		x(12)	
fa_startdt	Service Date	Serv Date	99/99/9999	
fa_user1	Ufld1		x(8)	
fa_user2	Ufld2		x(8)	
fa_vendsrc	Supplier		x(8)	
fa_wardt	Warranty Date	Warr Date	99/99/9999	
fa__chr01			x(8)	
fa__chr02			x(8)	
fa__chr03			x(8)	
fa__chr04			x(8)	
fa__dec01			->>>, >>>, >>9.99	10
fa__dec02			->>>>, >>>, >>9.99<	10
fa__dec03			->>>>, >>>, >>9.99<	10
fa__dec04			->>>>, >>>, >>9.99<	10
fa__dte01			99/99/9999	
fa__dte02			99/99/9999	
fa__dte03			99/99/9999	
fa__dte04			99/99/9999	
fa__int01			->, >>>, >>9	
fa__int02			->, >>>, >>9	
fa__int03			->, >>>, >>9	
fa__int04			->, >>>, >>9	
fa__log01			yes/no	
fa__log02			yes/no	
fa__log03			yes/no	

Field Name	Label	Col-Label	Format	Dec
fa_log04			yes/no	
fa_qadc01			x(20)	
fa_qadc02			x(8)	
fa_qadd01			->>>, >>>, >>9.99	10
fa_qadi01			->, >>>, >>9	
fa_qadi01			yes/no	
fa_qadt01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
fa_code	no	fa_code	yes	no
fa_desc1	no	fa_desc1	yes	no
fa_fabch_id	no	fa_fabch_id	yes	no
fa_fac_id	no	fa_facsl_id	yes	no
fa_faloc_id	no	fa_faloc_id	yes	no
* fa_id	yes	fa_id	yes	no
fa_post	no	fa_post	yes	no

fcc_mstr Service/Support Charge Code Product Line Master

Field Name	Label	Col-Label	Format	Dec
fcc_ca_int_type	Work Code	Wk Code	x(8)	
fcc_fcg_code	Charge Code	Charge	x(8)	
fcc_fsc_code	Service Category	Svc Cat	x(8)	
fcc_mod_date	Modified Date	Mod Date	99/99/99	
fcc_mod_userid	User ID		X(8)	
fcc_prod_line	Product Line	Line	x(4)	
fcc_pt_prod_line	Item Product Line	Itm Line	x(4)	0
fcc_pt_svc_group	Service Group	Group	x(8)	
fcc_sv_code	Service Type	Ser Type	x(8)	
fcc_type			x(4)	0
fcc_user1	Ufld1		X(8)	
fcc_user2	Ufld2		X(8)	
fcc_chr01	User Field #1		x(8)	
fcc_chr02	User Field #2		x(8)	
fcc_chr03	User Field #3		x(8)	
fcc_chr04	User Field #4		x(8)	
fcc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fcc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fcc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fcc_dte01	User Date #1		99/99/99	
fcc_dte02	User Date #2		99/99/99	
fcc_dte03	User Date #3		99/99/99	
fcc_log01	User Logical #1		yes/no	
fcc_log02	User Logical #2		yes/no	
fcc_log03	User Logical #3		yes/no	
fcc_qadc01	Qad Field #1		x(8)	
fcc_qadc02	Qad Field #2		x(8)	
fcc_qadc03	Qad Field #3		x(8)	
fcc_qadc04	Qad Field #4		x(8)	
fcc_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fcc_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fcc_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10

Field Name	Label	Col-Label	Format	Dec
fcc__qadl01	Qad Logical #1		yes/no	
fcc__qadl02	Qad Logical #2		yes/no	
fcc__qadl03	Qad Logical #3		yes/no	
fcc__qadt01	Qad Date #1		99/99/99	
fcc__qadt02	Qad Date #2		99/99/99	
fcc__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcc_fcg_code	no	fcc_type	yes	no
		fcc_ca_int_type	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
	yes	fcc_pt_svc_group	yes	no
		fcc_type	yes	no
		fcc_fcg_code	yes	no
		fcc_ca_int_type	yes	no
		fcc_fsc_code	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no

fcd_mstr Service/Support Default Charge Code Master

Field Name	Label	Col-Label	Format	Dec
fcd_ca_int_type	Work Code		x(8)	
fcd_eu_type	End User Type	EU Type	x(8)	
fcd_fcg_billable	Billable		x(8)	
fcd_fcg_contract	Contract		x(8)	0
fcd_fcg_covered	Covered		x(8)	
fcd_fcg_fixed	Fixed Billable		x(8)	
fcd_fcg_warranty	Warranty		x(8)	0
fcd_fsc_code	Service Category	Svc Cat	x(8)	
fcd_mod_date	Modified Date	Mod Date	99/99/99	
fcd_mod_userid	User ID		X(8)	
fcd_sv_code	Service Type		x(8)	
fcd_user1	Ufld1		X(8)	
fcd_user2	Ufld2		X(8)	
fcd_chr01	User Character Field 1		X(8)	
fcd_chr02	User Character Field 2		X(8)	
fcd_dec01	User Decimal Field 1		->, >>9.99	10
fcd_dte01	User Date Field 1		99/99/99	
fcd_int01	User Integer Field 1		->, >>>, >>9	
fcd_log01	User Logical Field 1		yes/no	
fcd_qadc01	QAD Character Field 1		X(8)	
fcd_qadc02	QAD Character Field 2		X(8)	
fcd_qadd01	QAD Decimal Field 1		->, >>9.99	10
fcd_qadi01	QAD Integer Field 1		->, >>>, >>9	
fcd_qadl01	QAD Logical Field 1		yes/no	
fcd_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcd_sv_code	yes	fcd_sv_code	yes	no
		fcd_ca_int_type	yes	no
		fcd_fsc_code	yes	no
		fcd_eu_type	yes	no

fcg_mstr

Service/Support Charge Code Master

Field Name	Label	Col-Label	Format	Dec
fcg_billable	Billable	Bill	yes/no	
fcg_code	Charge Code		x(8)	
fcg_contract	Contract	Ctr	yes/no	
fcg_covered	Covered	Cvd	yes/no	
fcg_desc	Description		x(24)	
fcg_fix_billable	Fixed Price Billable	Fix	yes/no	
fcg_fix_index			yes/no	
fcg_giveaway	Giveaway	Giv	yes/no	
fcg_index			->, >>>, >>9	
fcg_mod_date	Modified Date	Mod Date	99/99/99	
fcg_mod_userid	User ID		X(8)	
fcg_project	Project Mandatory	Prj	yes/no	
fcg_user1	Ufld1		X(8)	
fcg_user2	Ufld2		X(8)	
fcg_warranty	Warranty	War	yes/no	
fcg__chr01	User Character Field #1		x(8)	0
fcg__chr02	User Character Field #2		x(8)	0
fcg__chr03	User Character Field #3		x(8)	0
fcg__chr04	User Character Field #4		x(8)	0
fcg__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fcg__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fcg__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fcg__dte01	User Date #1		99/99/99	
fcg__dte02	User Date #2		99/99/99	
fcg__dte03	User Date #3		99/99/99	
fcg__log01	User Logical #1		yes/no	
fcg__log02	User Logical #2		yes/no	
fcg__log03	User Logical #3		yes/no	
fcg__qadc01	Qad Field #1		x(8)	
fcg__qadc02	Qad Field #2		x(8)	
fcg__qadc03	Qad Field #3		x(8)	
fcg__qadc04	Qad Field #4		x(8)	
fcg__qadd01	Qad Date #1		99/99/99	
fcg__qadd02	Qad Date #2		99/99/99	
fcg__qadd03	Qad Date #3		99/99/99	
fcg__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fcg__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fcg__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fcg__qadl01	Qad Logical #1		yes/no	
fcg__qadl02	Qad Logical #2		yes/no	
fcg__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fct_billindex	yes	fctg_code	yes	no
		fctg_fix_index	yes	no
* fctg_code	yes	fctg_code	yes	no

fcs_sum Forecast Summary

Field Name	Label	Col-Label	Format	Dec
fcs_abnormal[52]	Abnormal Demand	Abnormal	->,>>>,>>9	4
fcs_fcst_qty[52]	Qty Forecast	Forecast	->,>>>,>>9	4
fcs_part	Item Number		x(18)	
fcs_pr_fcst[52]	Production Forecast	Prod Fcst	->,>>>,>>9	4
fcs_site	Site		x(8)	
fcs_sold_qty[52]	Qty Sold		->,>>>,>>9	4
fcs_user1	Ufld1		x(8)	
fcs_user2	Ufld2		x(8)	
fcs_year	Year		>>>>	
fcs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcs_partyear	yes	fcs_part	yes	no
		fcs_site	yes	no
		fcs_year	yes	no
fcs_yearpart	yes	fcs_year	yes	no
		fcs_part	yes	no
		fcs_site	yes	no

fct_mstr Service/Support Call Type Master

Field Name	Label	Col-Label	Format	Dec
fct_desc	Description		X(24)	
fct_mod_date	Modified Date	Mod Date	99/99/99	
fct_mod_userid	User ID		X(8)	
fct_sched_type	Scheduling Type	Sched Type	>9	
fct_type	Call Type		X(8)	
fct_user1	Ufld1		X(8)	
fct_user2	Ufld2		X(8)	
fct_chr01	Character Field 1		X(8)	
fct_chr02	Character Field 2		X(8)	
fct_int01	Integer Field 1		->,>>>,>>9	
fct_int02	Integer Field 2		->,>>>,>>9	
fct_log01	Logical Field 1		yes/no	
fct_log02	Logical Field 2		yes/no	
fct__qadc01	QAD Character Field 1		X(8)	
fct__qadc02	QAD Character Field 2		X(8)	0
fct__qadi01	QAD Integer Field 1		->,>>>,>>9	
fct__qadi02	QAD Integer Field 2		->,>>>,>>9	
fct__qadi01	QAD Logical Field 1		yes/no	
fct__qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fct_type	yes	fct_type	yes	no

fc_det

Seasonal Build Detail

Field Name	Label	Col-Label	Format	Dec
fc_end	End Date	End	99/99/99	
fc_part	Item Number		x(18)	
fc_qty	Seasonal Inventory	Seasonal Inv	->, >>>, >>9.9<<<<<<<<	10
fc_ref	Reference		x(8)	
fc_site	Site		x(8)	
fc_start	Date	Date	99/99/99	
fc_user1	Ufld1		x(8)	
fc_user2	Ufld2		x(8)	
fc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_part	yes	fc_part	yes	no
		fc_site	yes	no
		fc_start	yes	no
fc_ref_part	no	fc_ref	yes	no
		fc_part	yes	no
fc_site	yes	fc_site	yes	no
		fc_part	yes	no
		fc_start	yes	no

ff_mstr

Simulated Forecast Master

Field Name	Label	Col-Label	Format	Dec
ff_adj_fc[24]	Adjusted F/C	Adj F/C	->>>>>>9	2
ff_cust	Customer		x(8)	
ff_date	Date		99/99/99	
ff_his_yr[5]	Hist Years		9999	
ff_id	Forecasting ID	F/C ID	x(8)	
ff_method	F/C Method		>9	
ff_orig_fc[24]	Original F/C	Orig F/C	->>>>>>9	2
ff_part	Item Number		x(18)	
ff_site	Site		x(8)	
ff_time	Time		->>, >>>, >>9	
ff_user	User ID		x(8)	
ff_user1	Ufld1		x(8)	
ff_user2	Ufld2		x(8)	
ff_year	F/C Year	Year	9999	
ff__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_id	yes	ff_id	yes	no
		ff_user	yes	no
		ff_year	yes	no
		ff_method	yes	no
		ff_part	yes	no
		ff_site	yes	no
		ff_cust	yes	no

fh_mstr

Family Hierarchy Master

Field Name	Label	Col-Label	Format	Dec
fh_comp	Item		x(18)	
fh_fcst_pct	Forecast Percent	Fcst Pct	>>9.99%	2
fh_mod_date	Modified Date	Mod Date	99/99/99	
fh_mod_userid	User ID		x(8)	
fh_parent	Family Item		x(18)	
fh_rlup_pct[52]	Rollup Percent	Rlup Pct	>>9.99%	2
fh_rmks	Remarks		x(24)	
fh_site	Site		x(8)	
fh_user1	Ufld1		x(8)	
fh_user2	Ufld2		x(8)	
fh_year	Effective Year	Year	>>>>	
fh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fh_comp	no	fh_comp	yes	no
		fh_parent	yes	no
fh_compsite	no	fh_comp	yes	no
		fh_site	yes	no
* fh_parsite	yes	fh_parent	yes	no
		fh_comp	yes	no
		fh_site	yes	no
		fh_year	yes	no
fh_sitecomp	no	fh_site	yes	no
		fh_comp	yes	no
fh_sitepar	yes	fh_site	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
		fh_year	yes	no

fis_mstr

Invoice Sort Master

Field Name	Label	Col-Label	Format	Dec
fis_column	Type		>>9	
fis_desc	Description		x(24)	
fis_detail	Invoice Detail	Det	yes/no	
fis_include_fix	Include Fixed Price	Fix	yes/no	
fis_label	Label		x(14)	

Field Name	Label	Col-Label	Format	Dec
fis_mod_date	Modified Date	Mod Date	99/99/99	
fis_mod_userid	User ID		X(8)	
fis_order	Display Order	Order	>>>9	
fis_row_type	Row Type		x(8)	
fis_sort	Invoice Sort		x(18)	
fis_total	Include in Total		yes/no	
fis_user1	Ufld1		X(8)	
fis_user2	Ufld2		X(8)	
fis__chr01	User Character Field 1		X(8)	
fis__chr02	User Character Field 2		X(8)	
fis__dec01	User Decimal Field 1		->>, >>9.99	10
fis__dte01	User Date Field 1		99/99/99	
fis__int01	User Integer Field 1		->, >>>, >>9	
fis__log01	User Logical Field 1		yes/no	
fis__qadc01	QAD Character Field 1		X(8)	
fis__qadc02	QAD Character Field 2		X(8)	
fis__qade01	QAD Decimal Field 1		->>, >>9.99	10
fis__qadi01	QAD Integer Field 1		->, >>>, >>9	
fis__qadi01	QAD Logical Field 1		yes/no	
fis__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fis_order	no	fis_row_type	yes	no
		fis_order	yes	no
* fis_sort_type	yes	fis_sort	yes	no
		fis_row_type	yes	no

fkt_mstr

Service/Support Kit Master

Field Name	Label	Col-Label	Format	Dec
fkt_bom_code	BOM Code		x(18)	0
fkt_complete	Complete		yes/no	
fkt_curr_loc	Current Location	Curr Loc	x(8)	
fkt_curr_site	Current Site		x(8)	
fkt_eff_date	Effective		99/99/99	
fkt_eng_code	Engineer		x(8)	
fkt_in_use	In Use		yes/no	
fkt_loc	Home Location		x(8)	
fkt_mod_date	Modified Date	Mod Date	99/99/99	
fkt_mod_userid	User ID		X(8)	
fkt_order	Available to Order		yes/no	
fkt_part	Kit		x(18)	0
fkt_rev	Rev		x(4)	
fkt_serial	Serial		x(8)	
fkt_site	Home Site		x(8)	
fkt_type	Type		x(8)	
fkt_user1	Ufld1		X(8)	
fkt_user2	Ufld2		X(8)	
fkt__chr01	User Character Field #1		x(8)	0
fkt__chr02	User Character Field #2		x(8)	0
fkt__chr03	User Character Field #3		x(8)	0
fkt__chr04	User Character Field #4		x(8)	0

Field Name	Label	Col-Label	Format	Dec
fkt__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fkt__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fkt__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fkt__dte01	User Date #1		99/99/99	
fkt__dte02	User Date #2		99/99/99	
fkt__dte03	User Date #3		99/99/99	
fkt__log01	User Logical #1		yes/no	
fkt__log02	User Logical #2		yes/no	
fkt__log03	User Logical #3		yes/no	
fkt__qadc01	Qad Field #1		x(8)	
fkt__qadc02	Qad Field #2		x(8)	
fkt__qadc03	Qad Field #3		x(8)	
fkt__qadc04	Qad Field #4		x(8)	
fkt__qadd01	Qad Date #1		99/99/99	
fkt__qadd02	Qad Date #2		99/99/99	
fkt__qadd03	Qad Date #3		99/99/99	
fkt__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fkt__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fkt__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fkt__qadl01	Qad Logical #1		yes/no	
fkt__qadl02	Qad Logical #2		yes/no	
fkt__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fkt_bom_code	no	fkt_bom_code	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
fkt_part	no	fkt_part	yes	no
		fkt_serial	yes	no
* fkt_serial	yes	fkt_serial	yes	no
fkt_site	no	fkt_site	yes	no
		fkt_loc	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no

◇ **flcrh_hist** Flow Line Capacity Rate History

Field Name	Label	Col-Label	Format	Dec
flcrh_entry_mode	Default Entry Mode	Entry! Mode	single/multi	
flcrh_mod_date	Modified Date	Mod Date	99/99/99	
flcrh_mod_userid	User ID		x(8)	
flcrh_production_line	Production Line	Line	x(8)	
flcrh_rate_code	Rate Code	Rate	x(8)	
flcrh_schedule_code	Schedule code	Schedule	x(8)	
flcrh_site	Site		x(8)	
flcrh_start_date	Start Date	Start	99/99/99	
flcrh_user1	User Field Character 1		x(24)	
flcrh_user2	User field character 2		x(24)	
flcrh_userc03	User Field Character 3		x(24)	
flcrh_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
flcrh_useri01	User Field Integer 1		->>>>>>9	
flcrh_userl01	User Field Logical 1		yes/no	
flcrh_usert01	User Field Date 1		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ficrh__qadc01			x(24)	
ficrh__qadc02			x(24)	
ficrh__qadc03			x(24)	
ficrh__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
ficrh__qadi01			->>>>>>>9	
ficrh__qadl01			yes/no	
ficrh__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* flcrh_site	yes	flcrh_site	yes	no
		flcrh_production_line	yes	no
		flcrh_schedule_code	yes	no
		flcrh_start_date	yes	no

◇ **flcr_mstr** Flow Line Capacity Rate Master

Field Name	Label	Col-Label	Format	Dec
flcr_mod_date	Modified Date	Mod Date	99/99/99	
flcr_mod_userid	User ID		x(8)	
flcr_production_line	Production Line	Line	x(8)	
flcr_rate	Hourly Rate	Rate	>>>,>>>,>>9.9<<<<<<<<<<	10
flcr_rate_code	Rate Code	Code	x(8)	
flcr_schedule_code	Schedule code	Schedule	x(8)	
flcr_site	Site		x(8)	
flcr_type_code	Type		x(1)	
flcr_type_value	Value		x(18)	
flcr_user1	User Field Character 1		x(24)	
flcr_user2	User field character 2		x(24)	
flcr_userc03	User Field Character 3		x(24)	
flcr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
flcr_useri01	User Field Integer 1		->>>>>>>9	
flcr_userl01	User Field Logical 1		yes/no	
flcr_usert01	User Field Date 1		99/99/99	
flcr__qadc01			x(24)	
flcr__qadc02			x(24)	
flcr__qadc03			x(24)	
flcr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<<	10
flcr__qadi01			->>>>>>>9	
flcr__qadi01			yes/no	
flcr_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* flcr_rate_code	yes	flcr_site	yes	no
		flcr_production_line	yes	no
		flcr_schedule_code	yes	no
		flcr_type_code	yes	no
		flcr_type_value	yes	no
		flcr_rate_code	yes	no

fldf_mstr

Field Default Master

Field Name	Label	Col-Label	Format	Dec
fldf_call_pg	Procedure		x(10)	
fldf_desc	Description		x(30)	
fldf_field	Field Name		x(32)	
fldf_user1	Ufld1		x(8)	
fldf_user2	Ufld2		x(8)	
fldf_userid	User ID		x(8)	
fldf_value	Default Value		x(24)	
fldf_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldf_field	yes	fldf_field	yes	no
		fldf_call_pg	yes	no
		fldf_userid	yes	no

◇ **fiff_mstr**

Flow Flex Fence Master

Field Name	Label	Col-Label	Format	Dec
fiff_mod_date	Modified Date	Mod Date	99/99/99	
fiff_mod_userid	User ID		x(8)	
fiff_pct	Flex Fence Pct	Flex Pct	>>9.9<<%	3
fiff_period_number	Period Nbr	Period	>9	
fiff_production_line	Production Line	Line	x(8)	
fiff_schedule_code	Schedule Code	Schedule	x(8)	
fiff_site	Site		x(8)	
fiff_user1	User Field Character 1		x(24)	
fiff_user2	User field character 2		x(24)	
fiff_userc03	User Field Character 3		x(24)	
fiff_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
fiff_useri01	User Field Integer 1		->>>>>>>9	
fiff_userl01	User Field Logical 1		yes/no	
fiff_usert01	User Field Date 1		99/99/99	
fiff_qadc01			x(24)	
fiff_qadc02			x(24)	
fiff_qadc03			x(24)	
fiff_qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
fiff_qadi01			->>>>>>>9	
fiff_qadi01			yes/no	
fiff_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* fiff_site_prod_line	yes	fiff_site	yes	no
		fiff_production_line	yes	no
		fiff_schedule_code	yes	no
		fiff_period_number	yes	no

flh_mstr

Field Help Program Master

Field Name	Label	Col-Label	Format	Dec
flh_call_pgm	Calling Procedure	Calling! Procedure	x(10)	
flh_desc	Description		x(24)	
flh_down	Lines In Window	Lines! In! Window	>9	
flh_exec	Procedure To Execute	Procedure	x(12)	
flh_field	Field		x(32)	
◇ flh_mod_date	Modified Date	Mod Date	99/99/99	
◇ flh_mod_userid	User ID		x(8)	
flh_user1	Ufid1		x(8)	
flh_user2	Ufid2		x(8)	
flh_x	X Coordinate	X	>9	
flh_y	Window Starts At Row	Y	>9	
flh_qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	flh_field	yes	flh_field	yes	no
			flh_call_pgm	yes	no

flpw_mstr

Field Security Master

Field Name	Label	Col-Label	Format	Dec
flpw_cmmt	Comments		x(24)	
flpw_field	Field		x(32)	
flpw_user1	Ufid1		x(8)	
flpw_user2	Ufid2		x(8)	
flpw_userid	User ID		x(8)	
flpw_qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	flpw_fld_usr	yes	flpw_field	yes	no
			flpw_userid	yes	no

flp_plan

Family Line Plan

Field Name	Label	Col-Label	Format	Dec
flp_line	Production Line		x(8)	
flp_part	Item Number	Item	x(18)	
flp_prod_act[52]	Production Actual	Prod Act	->>, >>>, >>9.9<<<<<<<<	10
flp_prod_fcst[52]	Production Forecast	Prod Fcst	->>, >>>, >>9.9<<<<<<<<	10
flp_site	Site		x(8)	
flp_user1	Ufld1		x(8)	
flp_user2	Ufld2		x(8)	
flp_year	Year		>>>>	
flp__dec01			->>>, >>>, >>9.99<	10
flp__dec02			->>>, >>>, >>9.99<	10
flp__dec03[52]			->>>, >>>, >>9.99<	10
flp __dec04[52]			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* flp_plan	yes	flp_part	yes	no
		flp_site	yes	no
		flp_line	yes	no
		flp_year	yes	no

◇ **flscd_det** Flow Schedule Code Detail

Field Name	Label	Col-Label	Format	Dec
flscd_max_rate	Maximum Rate	Max! Rate	>>>,>>>,>>9.9<<<<<<<<<<	10
flscd_mod_date	Modified Date	Mod Date	99/99/99	
flscd_mod_userid	User ID		x(8)	
flscd_production_line	Production Line	Line	x(8)	
flscd_schedule_code	Schedule code	Schedule	x(8)	
flscd_site	Site		x(8)	
flscd_target_rate	Target Rate	Target! Rate	>>>,>>>,>>9.9<<<<<<<<<<	10
flscd_user1	User Field Character 1		x(24)	
flscd_user2	User field character 2		x(24)	
flscd_userc03	User Field Character 3		x(24)	
flscd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
flscd_useri01	User Field Integer 1		->>>>>>>9	
flscd_userl01	User Field Logical 1		yes/no	
flscd_usert01	User Field Date 1		99/99/99	
flscd__qadc01			x(24)	
flscd__qadc02			x(24)	
flscd__qadc03			x(24)	
flscd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<<	10
flscd__qadi01			->>>>>>>9	
flscd__qadi01			yes/no	
flscd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* flscd_schedule_code	yes	flscd_schedule_code	yes	no
		flscd_site	yes	no
		flscd_production_line	yes	no
◇ flscd_site	no	flscd_site	yes	no
		flscd_production_line	yes	no
		flscd_schedule_code	yes	no

◇ **flsc_mstr** Flow Schedule Code Master

Field Name	Label	Col-Label	Format	Dec
flsc_daily_time_usage	Check Daily Time Usage	Daily! Time! Usage	yes/no	
flsc_desc	Description		x(24)	
flsc_entry_mode	Entry Mode	Entry! Mode	single/multi	
flsc_flex_fences	Check Flex Fences	Flex! Fences	yes/no	
flsc_mod_date	Modified Date	Mod Date	99/99/99	
flsc_mod_userid	User ID		x(8)	
flsc_period_code	Period Code	Period	x(8)	
flsc_physical_usage	Check Physical Usage	Phys! Usg	yes/no	

Field Name	Label	Col-Label	Format	Dec
fisc_rate_expression	Rate Expression	Rate! Expression	x(1)	
fisc_schedule_code	Schedule code	Schedule	x(8)	
fisc_sch_measurement	Schedule Measurement	Measure	x(1)	
fisc_sch_um	Schedule UM	UM	x(2)	
fisc_start_date	Start Date	Start	99/99/99	
fisc_time_usage	Check Time Usage	Time! Usage	yes/no	
fisc_user1	User Field Character 1		x(24)	
fisc_user2	User field character 2		x(24)	
fisc_userc03	User Field Character 3		x(24)	
fisc_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
fisc_useri01	User Field Integer 1		->>>>>>>g	
fisc_userl01	User Field Logical 1		yes/no	
fisc_usert01	User Field Date 1		99/99/99	
fisc__qadc01			x(24)	
fisc__qadc02			x(24)	
fisc__qadc03			x(24)	
fisc__qadc04			x(24)	
fisc__qadc05			x(24)	
fisc__qadc06			x(24)	
fisc__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
fisc__qadd02			->>>>, >>>, >>9.9<<<<<<<<<	10
fisc__qadi01			->>>>>>>g	
fisc__qadi02			->>>>>>>g	
fisc__qadi01			yes/no	
fisc__qadi02			yes/no	
fisc__qadt01			99/99/99	
fisc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond^*$ flsc_schedule_code	yes	flsc_schedule_code	yes	no

◇ **flsd_det**

Flow Schedule Detail

Field Name	Label	Col-Label	Format	Dec
fisd_closed	Closed		yes/no	
fisd_cmtindx	Comment Index	Comment	>>>>>>9	
fisd_due_date	Due Date	Due	99/99/99	
fisd_due_time	Time		>>>>9	
fisd_flow_wo_lot	Flow ID		x(8)	
fisd_flow_wo_nbr	Flow Work Order		x(18)	
fisd_mod_date	Modified Date	Mod Date	99/99/99	
fisd_mod_userid	User ID		x(8)	
fisd_note	Note		x(24)	
fisd_part	Item Number		x(18)	
fisd_posted_to_rep	Repetitive	Posted! Rep	yes/no	
fisd_production_line	Production Line	Line	x(8)	
fisd_qty_comp	Qty Completed	Qty! Complete	->,>>>,>>9.9<<<<<<<<<	10
fisd_qty_ord	Qty Ordered	Qty! Ord	->,>>>,>>9.9<<<<<<<<<	10
fisd_seq	Seq Nbr	Seq	>>>>>>>9	
fisd_site	Site		x(8)	
fisd_sod_line	Line	Ln	>>>9	
fisd_so_nbr	Sales Order	SO	x(8)	
fisd_user1	User Field Character 1		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* flsd_site_line_seq	yes	flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_seq	yes	no
◇ flsd_site_line_time	no	flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_due_time	yes	no
◇ flsd_wo_nbr	no	flsd_flow_wo_nbr	yes	no
		flsd_flow_wo_lot	yes	no

Format Position Master



Field Name	Label	Col-Label	Format	Dec
fm_underln	Double-Underline Total	Dbl! Ln	yes/no	
fm_user1	Ufld1		x(8)	
fm_user2	Ufld2		x(8)	
fm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fm_desc	no	fm_desc	yes	no
* fm_fpos	yes	fm_fpos	yes	no
		fm_type	yes	no
		fm_sums_into	yes	no
fm_sums_into	no	fm_sums_into	yes	no

fnd_det

Service/Support Field Notification Detail

Field Name	Label	Col-Label	Format	Dec
fnd_ca_nbr	Call		x(8)	
fnd_comp_date	Date Completed		99/99/99	
fnd_ecm_nbr	ECO number		x(8)	
fnd_mod_date	Modified Date	Mod Date	99/99/99	
fnd_mod_userid	User ID		X(8)	
fnd_nbr	FN		x(8)	
fnd_user1	Ufld1		X(8)	
fnd_user2	Ufld2		X(8)	
fnd__chr01	User Character Field #1		x(8)	0
fnd__chr02	User Character Field #2		x(8)	0
fnd__chr03	User Character Field #3		x(8)	0
fnd__chr04	User Character Field #4		x(8)	0
fnd__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fnd__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fnd__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fnd__dte01	User Date #1		99/99/99	
fnd__dte02	User Date #2		99/99/99	
fnd__dte03	User Date #3		99/99/99	
fnd__log01	User Logical #1		yes/no	
fnd__log02	User Logical #2		yes/no	
fnd__log03	User Logical #3		yes/no	
fnd__qadc01	Qad Field #1		x(8)	
fnd__qadc02	Qad Field #2		x(8)	
fnd__qadc03	Qad Field #3		x(8)	
fnd__qadc04	Qad Field #4		x(8)	
fnd__qade01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
fnd__qade02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
fnd__qade03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
fnd__qadl01	Qad Logical #1		yes/no	
fnd__qadl02	Qad Logical #2		yes/no	
fnd__qadl03	Qad Logical #3		yes/no	
fnd__qadt01	Qad Date #1		99/99/99	
fnd__qadt02	Qad Date #2		99/99/99	
fnd__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fnh_ca_nbr	no	fnh_ca_nbr	yes	no
		fnh_nbr	yes	no
fnh_comp	no	fnh_nbr	yes	no
		fnh_comp_date	yes	no
fnh_eco	no	fnh_ecm_nbr	yes	no
		fnh_nbr	yes	no
* fnh_nbr	yes	fnh_nbr	yes	no
		fnh_ca_nbr	yes	no

fnh_hist

Service/Support Field Notification History

Field Name	Label	Col-Label	Format	Dec
fnh_account_eng	Account Engineer		yes/no	
fnh_ca_desc	Call Description		x(68)	
fnh_ca_int_type	Work Code		x(8)	
fnh_ca_opn_date	Call Open Date	Call Date	99/99/99	
fnh_ca_pri	Priority		>>9	
fnh_ca_problem	Problem		x(8)	
fnh_ca_que	Queue		x(8)	
fnh_ca_severity	Severity		x(8)	
fnh_ca_status	Status		x(8)	
fnh_ca_type	Call Type		x(8)	
fnh_cmtindx	Comment Index		>>>>>>9	
fnh_combine	Combine with PM		yes/no	
fnh_complete	Completed		yes/no	
fnh_comp_date	Date Completed		99/99/99	
fnh_copy_cmmts	Copy Comments to Call		yes/no	
fnh_copy_eco_cmt	Copy ECO Comments		yes/no	
fnh_desc	Description		x(24)	
fnh_document	Reference Document Number	Doc Nbr	X(24)	0
fnh_eff_date	Effective Date		99/99/99	
fnh_ent_date	Date Entered		99/99/99	
fnh_ent_userid	Entered By		X(8)	
fnh_esc_nbr	Escalation		x(8)	
fnh_from_ca_nbr	From Call		X(8)	
fnh_from_eu_nbr	From End User		x(8)	
fnh_from_part	From Item		x(18)	
fnh_from_serial	From Serial		x(18)	
fnh_fr_ship_date	From Ship Date		99/99/99	
fnh_generated	Calls Generated		yes/no	
fnh_model	Model		X(8)	
fnh_mod_date	Modified Date	Mod Date	99/99/99	
fnh_mod_userid	User ID		X(8)	
fnh_nbr	Notification		x(8)	
fnh_sequence	Sequence Number		->,>>>,>>9	
fnh_top_level	Top Level Only		yes/no	
fnh_to_ca_nbr	To Call		X(8)	
fnh_to_eu_nbr	To End User		x(8)	
fnh_to_part	To Item		x(18)	
fnh_to_serial	To Serial		x(18)	
fnh_to_ship_date	To Ship date		99/99/99	
fnh_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
fnh_user2	Ufld2		X(8)	
fnh_chr01	User Character Field #1		x(8)	0
fnh_chr02	User Character Field #2		x(8)	0
fnh_chr03	User Character Field #3		x(8)	0
fnh_chr04	User Character Field #4		x(8)	0
fnh_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fnh_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fnh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fnh_dte01	User Date #1		99/99/99	
fnh_dte02	User Date #2		99/99/99	
fnh_dte03	User Date #3		99/99/99	
fnh_log01	User Logical #1		yes/no	
fnh_log02	User Logical #2		yes/no	
fnh_log03	User Logical #3		yes/no	
fnh_qadc01	Qad Field #1		x(8)	
fnh_qadc02	Qad Field #2		x(8)	
fnh_qadc03	Qad Field #3		x(8)	
fnh_qadc04	Qad Field #4		x(8)	
fnh_qade01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fnh_qade02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fnh_qade03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fnh_qadl01	QAD Logical #1		yes/no	
fnh_qadl03	Qad Logical #3		yes/no	
fnh_qadl04	Qad Logical #4		yes/no	
fnh_qadt01	QAD Date #1		99/99/99	
fnh_qadt02	Qad Date #2		99/99/99	
fnh_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fnh_document	no	fnh_document	yes	no
		fnh_nbr	yes	no
fnh_effnbr	no	fnh_eff_date	yes	no
		fnh_nbr	yes	no
* fnh_nbr	yes	fnh_nbr	yes	no
		fnh_eff_date	yes	no
		fnh_sequence	yes	no
fnh_parteff	no	fnh_from_part	yes	no
		fnh_eff_date	yes	no

fn_mstr

Service/Support Field Notification Master

Field Name	Label	Col-Label	Format	Dec
fn_account_eng	Account Engineer		yes/no	
fn_ca_desc	Call Description		x(68)	
fn_ca_int_type	Work Code		x(8)	
fn_ca_opn_date	Call Open Date	Call Date	99/99/99	
fn_ca_pri	Priority		>>9	
fn_ca_problem	Problem		x(8)	
fn_ca_que	Queue		x(8)	
fn_ca_severity	Severity		x(8)	
fn_ca_status	Status		x(8)	
fn_ca_type	Call Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
fn_cmtindx	Comment Index		>>>>>9	
fn_combine	Combine with PM		yes/no	
fn_comb_date	Combine Date		99/99/99	
fn_complete	Completed		yes/no	
fn_comp_date	Date Completed		99/99/99	
fn_copy_cmmts	Copy Comments to Call		yes/no	
fn_copy_eco_cmt	Copy ECO Comments		yes/no	
fn_desc	Description		x(24)	
fn_document	Reference Document	Reference	X(24)	
fn_eff_date	Effective Date		99/99/99	
fn_ent_date	Date Entered		99/99/99	
fn_ent_userid	Entered By		X(8)	
fn_es_nbr	Escalation		x(8)	
fn_from_eu_nbr	From End User		x(8)	
fn_from_part	From Item		x(18)	
fn_from_serial	From Serial		x(18)	
fn_fr_ship_date	From Ship Date		99/99/99	
fn_generated	Calls Generated		yes/no	
fn_model	Model		x(18)	
fn_mod_date	Modified Date	Mod Date	99/99/99	
fn_mod_userid	User ID		X(8)	
fn_nbr	Notification		x(8)	
fn_top_level	Top Level Only		yes/no	
fn_to_eu_nbr	To End User		x(8)	
fn_to_part	To Item		x(18)	
fn_to_serial	To Serial		x(18)	
fn_to_ship_date	To Ship date		99/99/99	
fn_user1	Ufld1		X(8)	
fn_user2	Ufld2		X(8)	
fn__chr01	User Character Field 1		X(8)	
fn__chr02	User Character Field 2		X(8)	
fn__chr03	User Character Field 3		X(8)	
fn__chr04	User Character Field 4		X(8)	
fn__dec01	User Decimal Field 1		-->>>, >>>, >>9.99	10
fn__dec02	User Decimal Field 2		-->>>, >>>, >>9.99	10
fn__dec03	User Decimal Field 3		-->>>, >>>, >>9.99	10
fn__dte01	User Date Field 1		99/99/99	
fn__dte02	User Date Field 2		99/99/99	
fn__dte03	User Date Field 3		99/99/99	
fn__log01	User Logical Field 1		yes/no	
fn__log02	User Logical Field 2		yes/no	
fn__log03	User Logical Field 3		yes/no	
fn__qadc01	QAD Character Field 1		X(8)	
fn__qadc02	QAD Character Field 2		X(8)	
fn__qadc03	QAD Character Field 3		X(8)	
fn__qadc04	QAD Character Field 4		X(8)	
fn__qade01	QAD Decimal Field 1		-->>>, >>>, >>9.99	10
fn__qade02	QAD Decimal Field 2		-->>>, >>>, >>9.99	10
fn__qade03	QAD Decimal Field 3		-->>>, >>>, >>9.99	10
fn__qadl01	QAD Logical Field 1		yes/no	
fn__qadl03	QAD Logical Field 3		yes/no	
fn__qadl04	QAD Logical Field 4		yes/no	
fn__qadt01	QAD Date Field 1		99/99/99	
fn__qadt02	QAD Date Field 2		99/99/99	
fn__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fn_document	no	fn_document	yes	no
		fn_nbr	yes	no
fn_effnbr	no	fn_eff_date	yes	no
		fn_nbr	yes	no
* fn_nbr	yes	fn_nbr	yes	no
fn_parteff	no	fn_from_part	yes	no
		fn_eff_date	yes	no

Family Production Backlog and Cost Plan

Index-Name	Uni	Field-Name	Asc	Abbr
* fp1_siteyear	yes	fp1_site	yes	no
		fp1_part	yes	no
		fp1_year	yes	no
fp1_yearsite	yes	fp1_year	yes	no
		fp1_part	yes	no
		fp1_site	yes	no

Family Production Inventory and Order Plan

Field Name	Label	Col-Label	Format	Dec
fp2_beg_inv	Begining Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<	10
fp2_inv_act[52]	Inventory Actual	Inv Act	->, >>>, >>9.9<<<<<<<<<	10
fp2_inv_fcst[52]	Inventory Forecast	Inv Fcst	->, >>>, >>9.9<<<<<<<<<	10
fp2_mod_date	Modified Date	Mod Date	99/99/99	
fp2_mod_userid	User ID		x(8)	
fp2_ord_act[52]	Orders Actual	Orders Act	->, >>>, >>9.9<<<<<<<<<	10
fp2_ord_fcst[52]	Orders Forecast	Orders Fcst	->, >>>, >>9.9<<<<<<<<<	10
fp2_part	Item Number	Item	x(18)	
fp2_site	Site		x(8)	
fp2_target	Coverage	Cov	>>9.9	2
fp2_user1		Ufld1	x(8)	
fp2_user2		Ufld2	x(8)	
fp2_year	Year		>>>>	
fp2_chr01			x(8)	
fp2_chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
fp2__chr03			x(8)	
fp2__chr04			x(8)	
fp2__chr05			x(8)	
fp2__dec01			->>>, >>>, >>9.99<	10
fp2__dec02			->>>, >>>, >>9.99<	10
fp2__log01			yes/no	
fp2__log02			yes/no	
fp2__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fp2_sitelyear	yes	fp2_site	yes	no
			fp2_part	yes	no
			fp2_year	yes	no
	fp2_yearsite	yes	fp2_year	yes	no
			fp2_part	yes	no
			fp2_site	yes	no

fp3_plan

Family Production and Shipment Plan

Field Name	Label	Col-Label	Format	Dec
fp3_apprv_list	Approval List		x(8)	
fp3_beg_inv	Begining Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<	10
fp3_mod_date	Modified Date	Mod Date	99/99/99	
fp3_mod_userid	User ID		x(8)	
fp3_part	Item Number	Item	x(18)	
fp3_prod_act[52]	Production Actual	Prod Act	->, >>>, >>9.9<<<<<<<<	10
fp3_prod_fcst[52]	Production Forecast	Prod Fcst	->, >>>, >>9.9<<<<<<<<	10
fp3_ship_act[52]	Ship Actual	Ship Act	->, >>>, >>9.9<<<<<<<<	10
fp3_ship_fcst[52]	Ship Forecast	Ship Fcst	->, >>>, >>9.9<<<<<<<<	10
fp3_site	Site		x(8)	
fp3_target	Coverage	Cov	>>9.9	2
fp3_user1	Ufld1		x(8)	
fp3_user2	Ufld2		x(8)	
fp3_wo_list	Work Order List		x(8)	
fp3_year	Year		>>>>	
fp3__chr01			x(8)	
fp3__chr02			x(8)	
fp3__chr03			x(8)	
fp3__chr04			x(8)	
fp3__chr05			x(8)	
fp3__dec01			->>>, >>>, >>9.99<	10
fp3__dec02			->>>, >>>, >>9.99<	10
fp3__log01			yes/no	
fp3__log02			yes/no	
fp3__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fp3_sityear	yes	fp3_site	yes	no
			fp3_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
fp3_yearsite	yes	fp3_year	yes	no
		fp3_year	yes	no
		fp3_part	yes	no
		fp3_site	yes	no

fpci_mstr

Service/Support Price Indexing Master

Field Name	Label	Col-Label	Format	Dec
fpci_index	Index		x(8)	
fpci_mod_date	Modified Date	Mod Date	99/99/99	
fpci_reval_link	Revaluation Link	Link	->>>,>>9.99<<<<	10
fpci_user1	Ufld1		X(8)	
fpci_user2	Ufld2		X(8)	
fpci_userid	User ID		x(8)	
fpci_values[12]	Value		->>>,>>9.99<<<<	10
fpci_year	Year		>>>9	
fpci_chr01	User Character Field #1		x(8)	0
fpci_chr02	User Character Field #2		x(8)	0
fpci_chr03	User Character Field #3		x(8)	0
fpci_chr04	User Character Field #4		x(8)	0
fpci_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fpci_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fpci_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fpci_dte01	User Date #1		99/99/99	
fpci_dte02	User Date #2		99/99/99	
fpci_dte03	User Date #3		99/99/99	
fpci_log01	User Logical #1		yes/no	
fpci_log02	User Logical #2		yes/no	
fpci_log03	User Logical #3		yes/no	
fpci_qadc01	Qad Field #1		x(8)	
fpci_qadc02	Qad Field #2		x(8)	
fpci_qadc03	Qad Field #3		x(8)	
fpci_qadc04	Qad Field #4		x(8)	
fpci_qadd01	Qad Date #1		99/99/99	
fpci_qadd02	Qad Date #2		99/99/99	
fpci_qadd03	Qad Date #3		99/99/99	
fpci_qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
fpci_qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
fpci_qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
fpci_qadl01	Qad Logical #1		yes/no	
fpci_qadl02	Qad Logical #2		yes/no	
fpci_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpci_index	yes	fpci_index	yes	no
		fpci_year	yes	no

fpc_mstr Service/Support Pricing Master

Field Name	Label	Col-Label	Format	Dec
fpc_amt[15]	Price		->>>, >>>, >>9.99<<<	10
fpc_amt_type	Amount Type	T	x(1)	
fpc_ca_int_type	Work Code	Work CD	x(8)	
fpc_curr	Currency	Curr	x(4)	0
fpc_expire	Expiration	Expire	99/99/99	
fpc_fsc_code	Service Category	Svc Cat	x(8)	
fpc_list	Price List	List	x(8)	
fpc_list_type	Type		x(3)	
fpc_max_price[15]	Maximum Price		->>>, >>>, >>9.99<<<	2
fpc_min_price	Minimum Price		->>>, >>>, >>9.99<<<	10
fpc_min_qty[15]	Min Qty		>>>>>>9	2
fpc_mod_date	Modified Date	Mod Date	99/99/99	
fpc_part	Item		x(18)	
fpc_prod_line	Product Line	Line	x(4)	
fpc_start	Start		99/99/99	
fpc_svc_group	Service Group	Svc Grp	x(8)	
fpc_sv_code	Service Type	Svc Type	x(8)	0
fpc_tax_in	Tax In		yes/no	
fpc_um	UM		x(2)	
fpc_user1	Ufld1		X(8)	
fpc_user2	Ufld2		X(8)	
fpc_userid	User ID		x(8)	
fpc__chr01	User Character Field #1		x(8)	0
fpc__chr02	User Character Field #2		x(8)	0
fpc__chr03	User Character Field #3		x(8)	0
fpc__chr04	User Character Field #4		x(8)	0
fpc__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fpc__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fpc__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fpc__dte01	User Date #1		99/99/99	
fpc__dte02	User Date #2		99/99/99	
fpc__dte03	User Date #3		99/99/99	
fpc__log01	User Logical #1		yes/no	
fpc__log02	User Logical #2		yes/no	
fpc__log03	User Logical #3		yes/no	
fpc__qadc01	Qad Field #1		x(8)	
fpc__qadc02	Qad Field #2		x(8)	
fpc__qadc03	Qad Field #3		x(8)	
fpc__qadc04	Qad Field #4		x(8)	
fpc__qadd01	Qad Date #1		99/99/99	
fpc__qadd02	Qad Date #2		99/99/99	
fpc__qadd03	Qad Date #3		99/99/99	
fpc__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fpc__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fpc__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fpc__qadl01	Qad Logical #1		yes/no	
fpc__qadl02	Qad Logical #2		yes/no	
fpc__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpc_list	yes	fpc_list	yes	no
		fpc_list_type	yes	no
		fpc_curr	yes	no
		fpc_ca_int_type	yes	no
		fpc_svc_group	yes	no
		fpc_prod_line	yes	no
		fpc_fsc_code	yes	no
		fpc_part	yes	no
		fpc_um	yes	no
		fpc_start	yes	no

fpd_cost Family Item Cost Detail

Field Name	Label	Col-Label	Format	Dec
fpd_cost1	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost2	Cost		>>>, >>>, >>9.99<<<	10
fpd_cost3	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost4	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost5	Cost		>>>>, >>>, >>9.99<<<	10
fpd_part	Family Item	Family	x(18)	
fpd_price	Price		>>>>, >>>, >>9.99<<<	10
fpd_rate1	Production Rate	Rate	>>>>, >>>, >>9.99<<<	10
fpd_rate2	Production Rate		>>>>, >>>, >>9.99<<<	2
fpd_rate3	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_rate4	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_rate5	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_sim	Cost Set		x(8)	
fpd_site	Site		x(8)	
fpd_user1	Ufld1		x(8)	
fpd_user2	Ufld2		x(8)	
fpd__chr01			x(8)	
fpd__chr02			x(8)	
fpd__chr03			x(8)	
fpd__chr04			x(8)	
fpd__chr05			x(8)	
fpd__dec01			->>>, >>>, >>9.99<<<	2
fpd__dec02			->>>, >>>, >>9.99	2
fpd__dec03			->>>, >>>, >>9.99	2
fpd__dec04			->>>, >>>, >>9.99	2
fpd__dec05			->>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* fpd_cost	yes	fpd_sim	yes	no
		fpd_site	yes	no
		fpd_part	yes	no

fpst_mstr

Return Status Master

Field Name	Label	Col-Label	Format	Dec
fpst_desc	Description		x(24)	
fpst_exchange	Exchange		yes/no	
fpst_good	Good		yes/no	
fpst_mod_date	Modified Date	Mod Date	99/99/99	
fpst_mod_userid	User ID		X(8)	
fpst_pending	Pending		yes/no	
fpst_return	Return Items		yes/no	
fpst_scrap	Scrap		yes/no	
fpst_status	Status		x(8)	0
fpst_user1	Ufld1		X(8)	
fpst_user2	Ufld2		X(8)	
fpst__chr01	User Character Field 1		X(8)	
fpst__chr02	User Character Field 2		X(8)	
fpst__dec01	User Decimal Field 1		->>, >>9.99	10
fpst__dte01	User Date Field 1		99/99/99	
fpst__log01	User Logical Field 1		yes/no	
fpst__log02	User Logical Field 2		yes/no	
fpst__qadc01	QAD Character Field 1		X(8)	
fpst__qadc02	QAD Character Field 2		X(8)	
fpst__qade01	QAD Decimal Field 1		->>, >>9.99	10
fpst__qadl01	QAD Logical Field 1		yes/no	
fpst__qadl02	QAD Logical Field 2		yes/no	
fpst__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpst_status	yes	fpst_status	yes	no

frcd_det

Freight Charge Detail

Field Name	Label	Col-Label	Format	Dec
frcd_class	Freight Class	Class	x(8)	
frcd_curr	Currency	Cur	x(3)	
frcd_end	End		99/99/99	
frcd_fr_list	Freight List	Frt List	x(8)	
frcd_max_wt	Maximum Weight	Max Weight	->>, >>>, >>>	2
frcd_min_wt	> Minimum Weight	>Min Weight	->>, >>>, >>>	2
frcd_min_wtc	Freight Charge	Freight! Charge	->>, >>>, >>9.9<<<	10
frcd_site	Site		x(8)	
frcd_start	Start		99/99/99	
frcd_tot_wtc	Freight Charge Per Fr List	Charge Per! Fr List UM	->>, >>>, >>9.99	2
frcd_user1	Ufld1		x(8)	
frcd_user2	Ufld2		x(8)	
frcd_xtr_wtc	Freight Charge Per UM Over	Fr Chg Per! Unit Over Min	->>, >>>, >>9.99	2
frcd_zone	Zone		x(10)	
frcd__chr01			x(8)	
frcd__chr02			x(8)	
frcd__chr03			x(8)	
frcd__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
frcd__chr05			x(8)	
frcd__chr06			x(8)	
frcd__chr07			x(8)	
frcd__chr08			x(8)	
frcd__dec01			>>>, >>>, >>9.99	10
frcd__dec02			>>>, >>>, >>9.99	10
frcd__dte01			99/99/99	
frcd__dte02			99/99/99	
frcd__log01			yes/no	
frcd__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* frcd_fr_list	yes	frcd_fr_list	yes	no
		frcd_site	yes	no
		frcd_curr	yes	no
		frcd_zone	yes	no
		frcd_class	yes	no
		frcd_max_wt	yes	no
		frcd_start	yes	no

frd_det Freight Rate Detail

Field Name	Label	Col-Label	Format	Dec
frd_code	Rate Code	Code	x(8)	
frd_rate	Rate		>, >>>, >>9.99<<<	10
frd_user1	Ufld1		x(8)	
frd_user2	Ufld2		x(8)	
frd_weight	Weight		>, >>>, >>9.9<<<<<<<<	10
frd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* frd_rate	yes	frd_code	yes	no
		frd_weight	yes	no

frm_mstr Freight Rate Master

Field Name	Label	Col-Label	Format	Dec
frm_code	Rate Code	Code	x(8)	
frm_curr	Currency	Curr	x(3)	
frm_desc	Description		x(24)	
frm_rate_qty	Rate Qty		>, >>>, >>9.9<<<<<<<<	10
frm_um	UM		x(2)	
frm_user1	Ufld1		x(8)	
frm_user2	Ufld2		x(8)	
frm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* frm_code	yes	frm_code	yes	no

frzd_det

Freight Zone Detail

Field Name	Label	Col-Label	Format	Dec
frzd_end	End		99/99/99	
frzd_fr_list	Freight List	Frt List	x(8)	
frzd_post_en	Post End		x(10)	
frzd_post_st	Post Start		x(10)	
frzd_site	Site		x(8)	
frzd_start	Start		99/99/99	
frzd_user1	Ufld1		x(8)	
frzd_user2	Ufld2		x(8)	
frzd_zone	Zone		x(10)	
frzd__chr01			x(8)	
frzd__chr02			x(8)	
frzd__chr03			x(8)	
frzd__chr04			x(8)	
frzd__chr05			x(8)	
frzd__chr06			x(8)	
frzd__chr07			x(8)	
frzd__chr08			x(8)	
frzd_dec01			>>>, >>>, >>9.99	10
frzd_dec02			>>>, >>>, >>9.99	10
frzd_dte01			99/99/99	
frzd_dte02			99/99/99	
frzd_log01			yes/no	
frzd_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* frzd_fr_list	yes	frzd_fr_list	yes	no
		frzd_site	yes	no
		frzd_zone	yes	no
		frzd_post_st	yes	no
		frzd_start	yes	no

fr_mstr

Freight List Master

Field Name	Label	Col-Label	Format	Dec
fr_curr	Currency	Curr	x(3)	
fr_desc	Description		x(24)	
fr_list	Freight List	Frt List	x(8)	
fr_mode	Freight Mode		x(8)	
fr_site	Site		x(8)	
fr_trl_cd	Trailer Code	Trl	x(2)	
fr_type	Type		UNIT/BULK	
fr_um	UM		x(2)	
fr_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
fr_user2	Ufld2		x(8)	
fr__chr01			x(8)	
fr__chr02			x(8)	
fr__chr03			x(8)	
fr__chr04			x(8)	
fr__chr05			x(8)	
fr__chr06			x(8)	
fr__chr07			x(8)	
fr__chr08			x(8)	
fr__dec01			>>>,>>>,>>9.99	10
fr__dec02			>>>,>>>,>>9.99	10
fr__dte01			99/99/99	
fr__dte02			99/99/99	
fr__log01			yes/no	
fr__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fr_list	yes	fr_list	yes	no
		fr_site	yes	no
		fr_curr	yes	no

fsc_mstr Service Category Master

Field Name	Label	Col-Label	Format	Dec
fsc_bdn_pct	Labor Burden Percent	Lbr Bdn %	>>9.99%	2
fsc_bdn_rate	Labor Burden Rate	Lbr Bdn Rate	>>>,>>9.99	2
fsc_code	Service Category	Svc Cat	x(8)	
fsc_con_parts	Consumable Items	Con	yes/no	
fsc_customer	Customer Chargeable		yes/no	
fsc_cus_non_prod	Customer Non-Productive	Cus NP	yes/no	
fsc_desc	Description		x(24)	
fsc_exg_parts	Exchanged Items	Exg	yes/no	
fsc_expense	Expense	Exp	yes/no	
fsc_fis_column	Column	Col	>>9	
fsc_fis_sort	Invoice Sort		x(18)	
fsc_labor	Labor	Lab	yes/no	
fsc_lbr_rate	Standard Labor Rate	Std Lbr Rate	>>>,>>9.99	2
fsc_non_prod	Non-Productive	Non P	yes/no	
fsc_other	Other	Oth	yes/no	
fsc_parts	Items	Itm	yes/no	
fsc_sick	Sick		yes/no	
fsc_taxable	Taxable		yes/no	
fsc_taxc	Tax Class		x(8)	0
fsc_training	Training	Trn	yes/no	
fsc_travel_exp	Travel Expenses	TE	yes/no	
fsc_travel_labor	Travel Labor	TL	yes/no	
fsc_user1	Ufld1		X(8)	
fsc_user2	Ufld2		X(8)	
fsc_vacation	Vacation	Vac	yes/no	
fsc_chr01	User Character Field #1		x(8)	0
fsc_chr02	User Character Field #2		x(8)	0
fsc_chr03	User Character Field #3		x(8)	0

Field Name	Label	Col-Label	Format	Dec
fsc_chr04	User Character Field #4		x(8)	0
fsc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fsc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fsc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fsc_dte01	User Date #1		99/99/99	
fsc_dte02	User Date #2		99/99/99	
fsc_dte03	User Date #3		99/99/99	
fsc_log01	User Logical #1		yes/no	
fsc_log02	User Logical #2		yes/no	
fsc_log03	User Logical #3		yes/no	
fsc_qadc01	QAD Character Field		x(8)	0
fsc_qadc02	Qad Field #2		x(8)	
fsc_qadc03	Qad Field #3		x(8)	
fsc_qadc04	Qad Field #4		x(8)	
fsc_qadd01	Qad Date #1		99/99/99	
fsc_qadd02	Qad Date #2		99/99/99	
fsc_qadd03	Qad Date #3		99/99/99	
fsc_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fsc_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fsc_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fsc_qadl01	QAD Logical Field		yes/no	
fsc_qadl02	Qad Logical #2		yes/no	
fsc_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsc_code	yes	fsc_code	yes	no

fsd_det

Service/Support Call Activity Detail

Field Name	Label	Col-Label	Format	Dec
fsd_file			x(8)	
fsd_file_line			>>9	
fsd_inv_ref	Ref	Reference	X(8)	
fsd_isb_ref	Installed Base Reference	ISB Ref	>>>>>>>9	
fsd_line	Line		>>>9	
fsd_loc	Location		x(8)	
fsd_lotser	Lot/Serial		x(18)	
fsd_nbr			x(8)	
fsd_part	Item		x(18)	
fsd_qty_post			->, >>>, >>9.9<<<<<<<<<	10
fsd_qty_tran	Quantity		->, >>>, >>9.9<<<<<<<<<	10
fsd_ref	Ref	Reference	x(8)	
fsd_ret_loc	Return Location		x(8)	
fsd_ret_site	Return Site		x(8)	
fsd_rev	Rev		x(4)	
fsd_site	Site		x(8)	
fsd_status	Status		x(8)	
fsd_user1	Ufld1		x(8)	
fsd_user2	Ufld2		x(8)	
fsd_chr01	User Character Field 1		X(8)	
fsd_chr02	User Character Field 2		X(8)	
fsd_dec01	User Decimal Field 1		->>>, >>>, >>9.9<<<	10

Field Name	Label	Col-Label	Format	Dec
fsd__int01	User Integer Field 1		->,>>>,>>9	
fsd__log01	User Logical Field 1		yes/no	
fsd__qadc01	QAD Character Field 1		X(8)	
fsd__qadc02	QAD Character Field 2		X(8)	
fsd__qadc03	QAD Character Field		X(8)	0
fsd__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.9<<<	10
fsd__qadd02	QAD Decimal Field		->>,>>9.99	10
fsd__qadi01	QAD Integer Field 1		->,>>>,>>9	
fsd__qadi02	QAD Integer Field		->,>>>,>>9	
fsd__qadi01	QAD Logical Field 1		yes/no	
fsd__qadi02	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsd_nbr	yes	fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_line	yes	no
fsd_part	no	fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_site	yes	no
		fsd_loc	yes	no
		fsd_lotser	yes	no
		fsd_ref	yes	no

fsh_mstr Service/Support Holiday Master

Field Name	Label	Col-Label	Format	Dec
fsh_code	Code		x(8)	
fsh_code_field	Field		x(32)	
fsh_covered	Covered		yes/no	
fsh_date	Holiday		99/99/99	
fsh_desc	Description		x(24)	
fsh_user1	Ufld1		x(8)	
fsh_user2	Ufld2		x(8)	
fsh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsh_codefield	yes	fsh_code	yes	no
		fsh_code_field	yes	no
		fsh_date	yes	no

Family Simulation Inventory and Order Plan

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp2_pln	yes	fsp2_plan_id	yes	no
		fsp2_site	yes	no
		fsp2_part	yes	no
		fsp2_year	yes	no

Family Simulation Production and Shipment Plan

Field Name	Label	Col-Label	Format	Dec
fsp3_beg_inv	Beginning Inventory	Begin Inv	->>, >,>, >>9.9<<<<<<<<<	10
fsp3_mod_date	Modified Date	Mod Date	99/99/99	
fsp3_mod_userid	User ID		x(8)	
fsp3_part	Item Number	Item	x(18)	
fsp3_percent	Percent		->>9.9<%	2
fsp3_plan_id	Plan ID		x(8)	
fsp3_prod_act[52]	Production Actual	Prod Act	->, >>, >>9.9<<<<<<<<	10
fsp3_prod_fcst[52]	Production Forecast	Prod Fcst	->, >>, >>9.9<<<<<<<<	10
fsp3_prod_rate	Production Rate	Prod Rate	>>>, >>, >>9.9<<<	10
fsp3_ship_act[52]	Ship Actual	Ship Act	->, >>, >>9.9<<<<<<<<	10
fsp3_ship_fcst[52]	Ship Forecast	Ship Fcst	->, >>, >>9.9<<<<<<<<	10
fsp3_sim_rate	Simulation Rate	Sim Rate	>>>, >>, >>9.9<<<	10
fsp3_site	Site		x(8)	
fsp3_src_pct	Percent		->>9.9<%	2
fsp3_target	Coverage	Cov	>>9.9	2
fsp3_user1	Ufld1		x(8)	
fsp3_user2	Ufld2		x(8)	
fsp3_year	Year		>>>>	
fsp3_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
*	yes	fsp3_plan_id	yes	no
		fsp3_site	yes	no
		fsp3_part	yes	no
		fsp3_year	yes	no

fsu_mstr Service/Support User Preference Master

Field Name	Label	Col-Label	Format	Dec
fsu_ca_time_wnd	Call Time Window		yes/no	
fsu_ca_wo_wnd	Call WO Window		yes/no	
fsu_dflt_pri	Call Priority	Call! Priority	>>>9	
fsu_dflt_que	Call Queue	Call! Queue	x(8)	
fsu_esc_dflt	Escalation Default	Esc Dflt	x(8)	
fsu_que_prog	Queue Manager		>>9	
fsu_quote_que	Quote Queue	Quote! Queue	x(8)	
fsu_timezone	Time Zone		x(8)	
fsu_user1	Ufld1		x(8)	
fsu_user2	Ufld2		x(8)	
fsu_userid	User ID		x(8)	
fsu__qadc02			x(8)	
fsu__qadc03			x(8)	
fsu__qadc04			x(8)	
fsu__qadc05			x(8)	
fsu__qadc06			x(8)	
fsu__qadi01			>>>>>>9	
fsu__qadi02			>>>>>>9	
fsu__qadi03			>>>>>>9	
fsu__qadi04			>>>>>>9	
fsu__qadi05			>>>>>>9	
fsu__qadi01			yes/no	
fsu__qadi02			yes/no	
fsu__qadi03			yes/no	
fsu__qadi04			yes/no	
fsu__qadi05			yes/no	
fsu__qadi01			99/99/99	
fsu__qadi02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsu_userid	yes	fsu_userid	yes	no

ftch_hist Service/Support Trace History

Field Name	Label	Col-Label	Format	Dec
ftch_desc	Description		x(24)	
ftch_eff_date	Effective Date		99/99/99	
ftch_eng_code	Engineer		x(8)	
ftch_ent_date	Create Date		99/99/99	
ftch_model			x(8)	

Field Name	Label	Col-Label	Format	Dec
ftch_mod_date	Modified Date	Mod Date	99/99/99	
ftch_mod_userid	User ID		X(8)	
ftch_nbr	Order		x(8)	
ftch_part	Item		x(18)	
ftch_prior_value	Prior Value		x(18)	
ftch_serial	Serial		x(18)	
ftch_swapped	Model		yes/no	
ftch_trans	Transaction Type	TR Type	x(8)	
ftch_trnbr	Tran Number		>>>>>>>>>>>>>9	
ftch_user1	Ufld1		x(8)	
ftch_user2	Ufld2		x(8)	
ftch_chr01	User Field #1		x(8)	
ftch_dte01	User Date #1		99/99/99	
ftch_log01	User Logical #1		yes/no	
ftch_qadc02	Qad Field #2		x(8)	
ftch_qadd01	Qad Decimal #1		->>, >>>9.99	10
ftch_qadl01	Qad Logical #1		yes/no	
ftch_qadt01	Qad Date #1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ftch_engeff	no	ftch_eng_code	yes	no
		ftch_eff_date	yes	no
ftch_parteff	no	ftch_part	yes	no
		ftch_eff_date	yes	no
ftch_serialeff	no	ftch_serial	yes	no
		ftch_eff_date	yes	no
* ftch_trnbr	yes	ftch_trnbr	yes	no

ft_mstr Freight Terms Master

Field Name	Label	Col-Label	Format	Dec
◇ ft_accrual_level	Accrual Level	Accrual! Level	x(2)	
ft_desc	Description		x(24)	
◇ ft_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
ft_terms	Freight Terms	Fr Terms	x(8)	
ft_type	Type		x(8)	
ft_user1	Ufld1		x(8)	
ft_user2	Ufld2		x(8)	
ft_chr01			x(8)	
ft_chr02			x(8)	
ft_chr03			x(8)	
ft_chr04			x(8)	
ft_chr05			x(8)	
ft_chr06			x(8)	
ft_chr07			x(8)	
ft_chr08			x(8)	
ft_dec01			>>>, >>>, >>>9.99	10
ft_dec02			>>>, >>>, >>>9.99	10
ft_dte01			99/99/99	
ft_dte02			99/99/99	
ft_log01			yes/no	
ft_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ft_terms	yes	ft_terms	yes	no

fwk_mstr Service/Support Work Code Master

Field Name	Label	Col-Label	Format	Dec
fwk_ca_int_type	Work Code		x(8)	
fwk_desc	Description		x(24)	
fwk_egs_type	Skill Type	Skill	x(8)	
fwk_fcg_code	Charge Code	Charge	x(8)	
fwk_fixed_labor	Fix Labor Only	FL	yes/no	
fwk_fixed_price	Fixed Price	Fixed	yes/no	
fwk_mod_date	Modified Date	Mod Date	X(8)	
fwk_mod_userid	User ID		X(8)	
fwk_repair_ctr	Repair Center	RC	yes/no	
fwk_user1	Ufld1		X(8)	
fwk_user2	Ufld2		X(8)	
fwk__chr01	User Character Field #1		x(8)	
fwk__chr02	User Character Field #2		x(8)	
fwk__chr03	User Character Field #3		x(8)	
fwk__chr04	User Character Field #4		x(8)	
fwk__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fwk__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fwk__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fwk__dte01	User Date #1		99/99/99	
fwk__dte02	User Date #2		99/99/99	
fwk__dte03	User Date #3		99/99/99	
fwk__log01	User Logical #1		yes/no	
fwk__log02	User Logical #2		yes/no	
fwk__log03	User Logical #3		yes/no	
fwk__qadc01	Qad Field #1		x(8)	
fwk__qadc02	Qad Field #2		x(8)	
fwk__qadc03	Qad Field #3		x(8)	
fwk__qadc04	Qad Field #4		x(8)	
fwk__qadd01	Qad Date #1		99/99/99	
fwk__qadd02	Qad Date #2		99/99/99	
fwk__qadd03	Qad Date #3		99/99/99	
fwk__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fwk__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fwk__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fwk__qadl01	Qad Logical #1		yes/no	
fwk__qadl02	Qad Logical #2		yes/no	
fwk__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fwk_ca_int_type	yes	fwk_ca_int_type	yes	no

◇ **giap_mstr** Application Definition Master

Field Name	Label	Col-Label	Format	Dec
giap_app_code	App Code		X(8)	
giap_app_desc	Application Description		X(24)	
giap_mod_date	Modified Date	Mod Date	99/99/99	
giap_mod_userid	User ID		X(8)	
giap_ref_key	Ref Key		>>>>>>>9	
giap_user1	User Field Character 1		x(24)	
giap_user2	User Field Character 2		x(24)	
giap__qadc01			x(24)	
giap__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* giap_app_code	yes	giap_app_code	yes	no
◇ giap_ref_key	yes	giap_ref_key	yes	no

◇ **gimd_mstr** Model Definition Master

Field Name	Label	Col-Label	Format	Dec
gimd_app_code	App Code		x(8)	
gimd_model_desc	Description		x(24)	
gimd_model_name	Model Name		x(8)	
gimd_mod_date	Modified Date	Mod Date	99/99/99	
gimd_mod_userid	User ID		x(8)	
gimd_ref_key	Ref Key		>>>>>>>9	
gimd_user1	User Field Character 1		x(24)	
gimd_user2	User Field Character 2		x(24)	
gimd__qadc01			x(24)	
gimd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* gimd_model	yes	gimd_app_code	yes	no
		gimd_model_name	yes	no
◇ gimd_ref_key	yes	gimd_ref_key	yes	no

◇ gip_det Table Attribute Detail

Field Name	Label	Col-Label	Format	Dec
gip_app_code	App Code		x(8)	
gip_attribute	Attribute		x(32)	
gip_char	Character Value		x(24)	
gip_date	Date Value		99/99/99	
gip_decimal	Decimal Value		->>>>, >>>, >>9,9<<<<<<<<<<	10
gip_integer	Integer Value		->, >>>, >>9	
gip_logical	Logical Value		yes/no	
gip_mod_date	Modified Date	Mod Date	99/99/99	
gip_mod_userid	User ID		x(8)	
gip_ref_key	Ref Key		>>>>>>>>9	
gip_table_name	Table Name		x(24)	
gip_user1	User Field Character 1		x(24)	
gip_user2	User Field Character 2		x(24)	
gip__qadc01			x(24)	
gip__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ gip_app_table	no	gip_app_code	yes	no
		gip_table_name	yes	no
		gip_attribute	yes	no
		gip_ref_key	yes	no
◇* gip_ref_attribute	yes	gip_ref_key	yes	no
		gip_attribute	yes	no

◇ gisi_mstr Site/Item Model Definition Master

Field Name	Label	Col-Label	Format	Dec
gisi_app_code	App Code		x(8)	
gisi_model_name	Model Name		x(8)	
gisi_mod_date	Modified Date	Mod Date	99/99/99	
gisi_mod_userid	User ID		x(8)	
gisi_part	Item Number		x(18)	
gisi_ref_key	Ref Key		>>>>>>>>9	
gisi_site	Site		x(8)	
gisi_user1	User Field Character 1		x(24)	
gisi_user2	User Field Character 2		x(24)	
gisi__qadc01			x(24)	
gisi__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* gisi_model	yes	gisi_app_code	yes	no
		gisi_model_name	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
◇ gisi_ref_key	yes	gisi_ref_key	yes	no
◇ gisi_site_part	no	gisi_app_code	yes	no
		gisi_site	yes	no
		gisi_part	yes	no

glcd_det

General Ledger Calendar Detail

Field Name	Label	Col-Label	Format	Dec
glcd_closed	Modules Closed	Modules! Closed	yes/no	
glcd_entity	Entity	Enty	x(4)	
glcd_gl_clsd	G/L Closed	G/L! Closed	yes/no	
glcd_per	Period	Per	>>9	
glcd_user1	Ufld1		x(8)	
glcd_user2	Ufld2		x(8)	
glcd_year	Year		9999	
glcd_yr_clsd	Year Closed	Year! Closed	yes/no	
glcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* glcd_index	yes	glcd_year	yes	no
		glcd_per	yes	no
		glcd_entity	yes	no

glc_cal

General Ledger Calendar

Field Name	Label	Col-Label	Format	Dec
glc_end	Period End	Per End	99/99/99	
glc_per	Period	Per	>>9	
glc_start	Period Start	Per Beg	99/99/99	
glc_user1	Ufld1		x(8)	
glc_user2	Ufld2		x(8)	
glc_year	Year		9999	
glc_yr_end	Year-End/Regular	Year! End	YearEnd/Regular	
glc__qad01			yes/no	
glc__qad02			x(4)	
glc__qad03			yes/no	
glc__qad04			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* glc_index	yes	glc_year	yes	no
		glc_per	yes	no
glc_start	no	glc_start	yes	no

◇ **glptr_hist**

General Ledger Protocol History

Field Name	Label	Col-Label	Format	Dec
glptr_eff_date	Effective Date		99/99/99	
glptr_entity	Entity	Enty	x(4)	
glptr_mod_date	Modified Date	Mod Date	99/99/99	
glptr_mod_userid	User ID		x(8)	
glptr_prot_nbr	Protocol Number	Prot Nbr	999999999	
glptr_prt_date	Print Date		99/99/99	
glptr_ref	GL Reference		x(14)	

Field Name	Label	Col-Label	Format	Dec
glptr_user1	User Field Character 1		x(24)	
glptr_user2	User Field Character 2		x(24)	
glptr__qadc01			x(24)	
glptr__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ glptr_date	no	glptr_entity	yes	no
		glptr_eff_date	yes	no
		glptr_ref	yes	no
◇ glptr_prot	no	glptr_entity	yes	no
		glptr_prot_nbr	yes	no
◇* glptr_ref	yes	glptr_entity	yes	no
		glptr_ref	yes	no

glrd_det General Ledger Report Detail

Field Name	Label	Col-Label	Format	Dec
glrd_acct	Account		x(8)	
glrd_acct1	To Account	To Acct	x(8)	
glrd_cc	Cost Ctr	CC	x(4)	
glrd_cc1	To Cost Ctr	To CC	x(4)	
glrd_code	Custom Code	Custom	x(8)	
glrd_desc	Description		x(24)	
glrd_dr_cr	Debit(dr)/Credit(cr)	Dr/Cr	dr/cr	
glrd_entity	Entity	Ent	x(4)	
glrd_fpos	Format Position	Fmt Pos	>>>>>9	
glrd_header	Suppress Header	Sup! Hdr	yes/no	
glrd_line	Line		>>>9	
glrd_page	Page Break After Total	Pg! Brk	yes/no	
glrd_skip	Skip Line After Total	Skp! Ln	yes/no	
glrd_sub	Sub-Account	Sub-Acct	x(8)	
glrd_sub1	To Sub-Account	To Sub	x(8)	
glrd_sums	Sums Into	Sums! Into	>>>>>9	
glrd_total	Suppress Total	Sup! Tot	yes/no	
glrd_underln	Double-Underline Total	Dbl! Ln	yes/no	
glrd_user1	Ufld1		x(8)	
glrd_user2	Ufld2		x(8)	
glrd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* glrd_code	yes	glrd_code	yes	no
		glrd_fpos	yes	no
		glrd_line	yes	no
glrd_ind1	no	glrd_code	yes	no
		glrd_sums	yes	no
		glrd_fpos	yes	no

General Ledger Report Master

	Index-Name	Uni	Field-Name	Asc	Abbr
*	glr_code	yes	glr_code	yes	no

General Ledger Description Source Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ glsd_exec	no	glsd_exec	yes	no
◇* glsd_lang	yes	glsd_nbr	yes	no
		glsd_select	yes	no
		glsd_lang	yes	no

General Ledger Transaction Matching Detail

Field Name	Label	Col-Label	Format	Dec
gltrmd_acct	Account		x(8)	
gltrmd_cons_amt	Amount Still To Match		->>>>,>>>,>>9.99<	10
gltrmd_cons_trans	Consumption Transaction		yes/no	
gltrmd_entity	Entity		x(4)	
gltrmd_line	Line		>>>9	
gltrmd_match_nbr	Matching Number		>>>>>>>9	
gltrmd_mod_date	Modified Date	Mod Date	99/99/99	
gltrmd_mod_userid	User ID		x(8)	
gltrmd_ref	GL Reference		x(14)	
gltrmd_rflag	Reversing/Retroactive		yes/no	
gltrmd_user1	User Field Character 1		x(24)	
gltrmd_user2	User Field Character 2		x(24)	
gltrmd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
gltrmd_useri01	User Field Integer 1		->>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
gltmpd_usrfl01	User Field Logical 1		yes/no	
gltmpd_usert01	User Field Date 1		99/99/99	
gltmpd__qadc01			x(24)	
gltmpd__qadc02			x(24)	
gltmpd__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
gltmpd__qadi01			->>>>>>>9	
gltmpd__qadi01			yes/no	
qltmpd_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* gltmd_match_nbr	yes	gltmd_entity	yes	no
		gltmd_acct	yes	no
		gltmd_match_nbr	yes	no
		gltmd_ref	yes	no
		gltmd_rflag	yes	no
		gltmd_line	yes	no
◇ gltmd_ref	yes	gltmd_ref	yes	no
		gltmd_rflag	yes	no
		gltmd_line	yes	no

◇ **gltm_mstr** General Ledger Transaction Matching Master

Field Name	Label	Col-Label	Format	Dec
gltm_acct	Account		x(8)	
gltm_eff_dt	Effective		99/99/99	
gltm_entity	Entity		x(4)	
gltm_line	Line		>>>9	
gltm_match_nbr	Matching Number		>>>>>>9	
gltm_mod_date	Modified Date	Mod Date	99/99/99	
gltm_mod_userid	User ID		x(8)	
gltm_ref	GL Reference		x(14)	
gltm_rflag	Reversing/Retroactive		yes/no	
gltm_user1	User Field Character 1		x(24)	
gltm_user2	User Field Character 2		x(24)	
gltm_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
gltm_useri01	User Field Integer 1		->>>>>>>9	
gltm_userl01	User Field Logical 1		yes/no	
gltm_usert01	User Field Date 1		99/99/99	
gltm__qadc01			x(24)	
gltm__qadc02			x(24)	
gltm__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
gltm__qadi01			->>>>>>>9	
gltm__qadi01			yes/no	
gltm__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
⋄* gltm_match_nbr	yes	gltm_entity	yes	no
		gltm_acct	yes	no
		gltm_match_nbr	yes	no

gltr_hist

General Ledger Transaction History

Field Name	Label	Col-Label	Format	Dec
gltr_acc	Account		x(8)	
gltr_addr	Address		x(8)	
gltr_amt	Amount		>>, >>>, >>>, >>9.99cr	10
gltr_batch	Batch		x(8)	
gltr_correction	Correction	Corr	yes/no	
gltr_ctr	Cost Ctr	CC	x(4)	
gltr_curr	Currency	Cur	x(3)	
gltr_curramt	Currency Amount		->>, >>>, >>>, >>9.99	10
gltr_desc	Description		x(24)	
gltr_doc	Document		x(16)	
gltr_doc_typ	Document Type	T	x(2)	
gltr_dy_code	Daybook		x(8)	
gltr_dy_num	Entry Number		x(40)	
gltr_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>, >>>, >>>, >>9.99	10
gltr_eff_dt	Effective	Eff Date	99/99/99	
gltr_entity	Entity	Enty	x(4)	
gltr_ent_dt	Entered		99/99/99	
gltr_en_exrate	Entity Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_en_exrate2	Entity Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_en_exru_seq	Sequence		>>>>>>>9	
gltr_error	Error Message		x(16)	
gltr_export	Exported	Exp	yes/no	
gltr_exru_seq	Sequence		>>>>>>>9	
gltr_ex_rate	Exchange Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_ex_ratetype	Rate Type		x(8)	
gltr_fx_ind	FX Conversion Index	FX	x(1)	
gltr_line	Line		>>>9	
gltr_project	Project		x(8)	
gltr_ref	GL Reference		x(14)	
gltr_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
gltr_src_desc	Source GL Description		x(32)	
gltr_sub	Sub-Account	Sub-Acct	x(8)	
gltr_tr_type	Transaction Type	T	x(2)	
gltr_unb	Unbalanced	Unb	yes/no	
gltr_user	User ID		x(8)	
gltr_user1	Ufld1		x(8)	
gltr_user2	Ufld2		x(8)	
gltr_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
gltr_acc_ctr	no	gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_entity	yes	no
		gltr_project	yes	no
gltr_addr	no	gltr_eff_dt	yes	no
		gltr_addr	yes	no
		gltr_eff_dt	yes	no
gltr_batch	no	gltr_batch	yes	no
gltr_cc	no	gltr_ctr	yes	no
gltr_ctr	no	gltr_entity	yes	no
		gltr_ctr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		gltr_acc	yes	no
		gltr_eff_dt	yes	no
gltr_doctype	no	gltr_doc_typ	yes	no
		gltr_eff_dt	yes	no
		gltr_doc	yes	no
gltr_dy_code	no	gltr_dy_code	yes	no
		gltr_dy_num	yes	no
gltr_eff_dt	no	gltr_eff_dt	yes	no
gltr_ent_dt	no	gltr_entity	yes	no
		gltr_ent_dt	yes	no
		gltr_ref	yes	no
		gltr_line	yes	no
gltr_export	no	gltr_entity	yes	no
		gltr_export	yes	no
gltr_ind1	no	gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_project	yes	no
		gltr_eff_dt	yes	no
gltr_ind2	no	gltr_entity	yes	no
		gltr_ref	yes	no
		gltr_line	yes	no
gltr_project	no	gltr_project	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_entity	yes	no
		gltr_eff_dt	yes	no
* gltr_ref	yes	gltr_ref	yes	no
		gltr_rflag	yes	no
		gltr_line	yes	no
gltr_sub	no	gltr_sub	yes	no
		gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_ctr	yes	no
		gltr_eff_dt	yes	no

gltw_wkfl General Ledger Work Table

Field Name	Label	Col-Label	Format	Dec
gltw_acct	Account		x(8)	
gltw_addr	Address		x(8)	
gltw_amt	Amount		->, >>>, >>>, >>9.99<<<<<<<<	10
gltw_batch	Batch		x(8)	
gltw_cc	Cost Ctr	CC	x(4)	
gltw_correction	Correction	Corr	yes/no	
gltw_curr	Currency	Cur	x(3)	
gltw_curramt	Currency Amount		->, >>>, >>>, >>9.99<<<<<<<<	10
gltw_date	Date		99/99/99	
gltw_desc	Description		x(24)	
gltw_doc	Document		x(16)	
gltw_doc_typ	Document Type	T	x(2)	
gltw_dy_code	Daybook		x(8)	

Field Name	Label	Col-Label	Format	Dec
gltw_dy_num	Entry Num		x(40)	
gltw_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->, >>>, >>>, >>9.99	2
gltw_effdate	Effective	Eff Date	99/99/99	
gltw_entity	Entity		x(8)	
gltw_exru_seq	Sequence		>>>>>>>9	
gltw_ex_rate	Exchange Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
gltw_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
gltw_ex_ratetype	Rate Type		x(8)	
gltw_fx_ind	FX Conversion Index	FX	x(1)	
gltw_line	Line		>>>9	
gltw_project	Project		x(8)	
gltw_ref	Reference		x(18)	
gltw_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
gltw_sub	Sub-Account	Sub-Acct	x(8)	
gltw_tr_type	Transaction Type	t	x(2)	
gltw_user1	Ufld1		x(8)	
gltw_user2	Ufld2		x(8)	
gltw_userid	User ID		x(8)	
gltw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gltw_ref	yes	gltw_ref	yes	no
		gltw_line	yes	no
		gltw_rflag	yes	no
gltw_userid	no	gltw_userid	yes	no
		gltw_acct	yes	no
		gltw_cc	yes	no
		gltw_project	yes	no
		gltw_effdate	yes	no

glt_det

General Ledger Unposted Transaction Detail

Field Name	Label	Col-Label	Format	Dec
glt_acct	Account		x(8)	
glt_addr	Address		x(8)	
glt_amt	Amount		->, >>>, >>>, >>9.99	10
glt_batch	Batch		x(8)	
glt_cc	Cost Ctr	CC	x(4)	
glt_correction	Correction	Corr	yes/no	
glt_curr	Currency	Cur	x(3)	
glt_curr_amt	Currency Amount		->, >>>, >>>, >>9.99	10
glt_date	Entered		99/99/99	
glt_desc	Description		x(24)	
glt_doc	Document		x(16)	
glt_doc_type	Document Type	T	x(2)	
glt_dy_code	Daybook		x(8)	
glt_dy_num	Entry Number		x(40)	
glt_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->, >>>, >>>, >>9.99	10
glt_effdate	Effective	Eff Date	99/99/99	
glt_entity	Entity	Enty	x(4)	
glt_entr_exrate	Entered Exchange Rate	Entered Ex Rate	>>, >>9.99999<<<<<	10
glt_en_exrate	Entity Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
glt_en_exrate2	Entity Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
glt_en_exru_seq	Sequence		>>>>>>>>9	
glt_error	Error Message		x(16)	
glt_exru_seq	Sequence		>>>>>>>>9	
glt_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
glt_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
glt_ex_ratetype	Rate Type		x(8)	
glt_fx_ind	FX Conversion Index	FX	x(1)	
glt_line	Line		>>>9	
glt_per	Period	Per	>>9	
glt_project	Project		x(8)	
glt_ref	GL Reference		x(14)	
glt_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
◇ glt_src_desc	Source GL Description		x(32)	
glt_sub	Sub-Account	Sub-Acct	x(8)	
glt_tr_type	Transaction Type	T	x(2)	
glt_unb	Unbalanced	Unb	yes/no	
glt_user1	Ufld1		x(8)	
glt_user2	Ufld2		x(8)	
glt_userid	User ID		x(8)	
glt_year	Year		9999	
glt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
glt_acc	no	glt_acct	yes	no
glt_batch	no	glt_batch	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_dy_code	no	glt_dy_code	yes	no
		glt_dy_num	yes	no
glt_index	no	glt_entity	yes	no
		glt_acct	yes	no
		glt_sub	yes	no
		glt_cc	yes	no
		glt_effdate	yes	no
		glt_project	yes	no
		glt_ref	yes	no
* glt_ref	yes	glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_tr_type	no	glt_tr_type	yes	no
		glt_ref	yes	no
		glt_line	yes	no
glt_unb	no	glt_unb	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no

gl_ctrl

System/Account Control

Field Name	Label	Col-Label	Format	Dec
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apds_sub	AP Discount Sub	Sub-Acct	x(8)	
gl_apvr_x_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvr_x_cc	Expensed Items Rate Var	CC	x(4)	
gl_apvr_x_sub	Exp Item Rate Var Sub	Sub-Acct	x(8)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvr_sub	AP Rate Variance Sub	Sub-Acct	x(8)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvux_sub	Exp Item Usage Sub	Sub-Acct	x(8)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_apvu_sub	AP Usage Variance Sub	Sub-Acct	x(8)	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ap_sub	Payables Sub-Acct	Sub-Acct	x(8)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_ar_sub	Receivables Sub-Acct	Sub-Acct	x(8)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
gl_bk_val	Bank Acct Validation		x(2)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cmtl_sub	COGS Material Sub-Acct	Sub-Acct	x(8)	
gl_cog_acct	Cost of Goods	COGS	x(8)	
gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
gl_cog_sub	Cost of Goods Sub_Acct	Sub-Acct	x(8)	
gl_cop_acct	Cost Of Production	COP	x(8)	
gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
gl_cop_sub	Cost Of Production Sub	Sub-Acct	x(8)	
gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
gl_covh_cc	COGS Overhead CC	CC	x(4)	
gl_covh_sub	COGS Overhead Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_crterms_acct	Credit Terms Interest Account		x(8)	
gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
gl_crterms_sub	Credit Terms Int Sub	Sub-Acct	x(8)	
gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
gl_csub_cc	COGS Subcontract CC	CC	x(4)	
gl_csub_sub	COGS Subcontract Sub-Acct	Sub-Acct	x(8)	
gl_cs_acct	Sales Cash	Cash	x(8)	
gl_cs_cc	Cash Cost Ctr	CC	X(4)	
gl_cs_sub	Sales Cash Sub-Acct	Sub-Acct	x(8)	
gl_disc_acct	Sales Discount	Disc	x(8)	
gl_disc_cc	Disc Cost Ctr	CC	x(4)	
gl_disc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
gl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
gl_entity	Entity	Enty	x(4)	
gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
gl_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
gl_ex_round	Round Factor		->9	
gl_fin_acct	Sales Finance	Finance	x(8)	
gl_fin_cc	Finance Cost Ctr	CC	x(4)	
gl_fin_sub	Sales Finance Sub	Sub-Acct	x(8)	
gl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
gl_flr_cc	Floor Stock CC	CC	x(4)	
gl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
gl_frtacc_acct	Sales Freight Accrued Account	Frt Accr	x(8)	
gl_frtacc_cc	Cost Center	CC	x(4)	
gl_frtacc_sub	Sales Frt Accrued Sub	Sub-Acct	x(8)	
gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
gl_frtapp_cc	Cost Center	CC	x(4)	
gl_frtapp_sub	Sales Frt Applied Sub	Sub-Acct	x(8)	
◇ gl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
◇ gl_fsaccr_cc	Accrued Revenue CC		x(4)	
◇ gl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
gl_fsbdn_acct	Service Burden		X(8)	
gl_fsbdn_cc	Service Burden CC	CC	X(4)	
gl_fsbdn_sub	Service Burden Sub	Sub-Acct	x(8)	
gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	
gl_fscm_inv_sub	Customer Inv Sub	Sub-Acct	x(8)	
◇ gl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
◇ gl_fsdef_cc	Deferred Revenue CC		x(4)	
◇ gl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexd_sub	Expense Due Emp Sub	Sub-Acct	x(8)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fsexp_sub	Service Expense Sub	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fslbr_sub	Service Labor Sub	Sub-Acct	x(8)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_fsrc_inv_sub	Repair Center Inv Sub	Sub-Acct	x(8)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_late_sub	Cr Terms Late Inte Sub	Sub-Acct	x(8)	
gl_lbr_acct	Labor		x(8)	
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
gl_lvrr_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
gl_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvar_sub	Material Usage Var Sub	Sub-Acct	x(8)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_mvrr_sub	Material Rate Var Sub	Sub-Acct	x(8)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ot_sub	Overtime Sub-Acct	Sub-Acct	x(8)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ovh_sub	Overhead Appl Sub-Acct	Sub-Acct	x(8)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_ppv_sub	PO Price Variance Sub	Sub-Acct	x(8)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	
gl_pur_sub	Purchases Sub	Sub-Acct	x(8)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcptx_sub	Exp Item Receipts Sub	Sub-Acct	x(8)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
gl_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
gl_rgain_sub	Realized Exch Gain Sub	Sub-Acct	x(8)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
gl_rloss_sub	Realized Exch Loss Sub	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_rmar_acct	Service Returns	Returns	X(8)	
gl_rmar_cc	Service Returns CC	CC	X(4)	
gl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_rtns_sub	Sales Returns Sub	Sub-Acct	x(8)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_sls_sub	Sales Sub-Account	Sub-Acct	x(8)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
gl_symbol	Symbol		x(1)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	
gl_tax_type	Tax Type		x(3)	
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_term_sub	Sales Terms Sub	Sub-Acct	x(8)	
gl_timezone	Server Time Zone		x(8)	
gl_txapr_acct	AP Retained Tax Acct	Ret Tax	x(8)	
gl_txapr_cc	AP Retained Tax CC	CC	x(4)	
gl_txapr_sub	AP Retained Tax Sub-Account	Sub-Acct	x(8)	
gl_tzap_acct	AP Tax Account	AP Tax	x(8)	
gl_tzap_cc	AP Tax Cost Center	CC	x(4)	
gl_tzap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
gl_txara_acct	AR Absorbed Tax Acct	Abs Tax	x(8)	
gl_txara_cc	AR Absorbed Tax CC	CC	x(4)	
gl_txara_sub	AR Absorbed Tax Sub-Account	Sub-Acct	x(8)	
gl_txar_acct	AR Sales Tax Account	AR Tax	x(8)	
gl_txar_cc	AR Sales Tax CC	CC	x(4)	
gl_txar_sub	AR Sales Tax Sub-Account	Sub-Acct	x(8)	
gl_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
gl_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
gl_ugain_sub	Unrealized Exchange Gain Sub	Sub-Acct	x(8)	
gl_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_ulos_cc	Unrealized Exchange Loss CC	CC	x(4)	
gl_ulos_sub	Unrealized Exchange Loss Sub	Sub-Acct	x(8)	
gl_user1	Ufld1		x(8)	
gl_user2	Ufld2		x(8)	
gl_user_acct	Exempt Sales Acct		x(8)	
gl_user_cc	Exempt Sales Cost Ctr	CC	x(4)	
gl_user_sub	Exempt Sales Sub-Acct	Sub-Acct	x(8)	
gl_vat	Value Added Tax		yes/no	
gl_verify	Verify GL Accounts	Verify GL	yes/no	
gl_wip_acct	Work in Process	WIP	x(8)	
gl_wip_cc	Work in Process Cost Ctr	CC	x(4)	
gl_wip_sub	Work in Process Sub	Sub-Acct	x(8)	
gl_wvar_acct	Method Variance	Mthd Var	x(8)	
gl_wvar_cc	Method Variance CC	CC	x(4)	
gl_wvar_sub	Method Variance Sub	Sub-Acct	x(8)	
gl_xfer_acct	Transfer Variance	Transfer	x(8)	
gl_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
gl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
gl_xvar_acct	Mix Var	Mix	x(8)	
gl_xvar_cc	Mix Var CC	CC	x(4)	
gl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
gl__qad01			>>>>>9	
gl__qadc01			x(8)	
gl__qadc02			x(4)	
gl__qadc03			x(8)	
gl__qadc04			x(4)	
gl__qadc05			x(8)	
gl__qadc06			x(4)	
gl__qadc07			x(8)	
gl__qadc08			x(4)	
gl__qadl01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* gl_index1	yes	gl_index1	yes	no
gl_verify	no	gl_verify	yes	no

grac_det GL Report Writer Account Balances

Field Name	Label	Col-Label	Format	Dec
grac_acc	Account		x(8)	
grac_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
grac_beg_bal	Beginning Balance		->, >>>, >>>, >>>, >>9.99	10
grac_beg_cbal	Beginning Bal - Foreign Curr	Beg Bal - Foreign Curr	->, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_bal	Beginning CR Balance		->, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_cbal	Beginning CR Currency Bal	Beg CR Bal - Foreign Curr	->, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_bal	Beginning DR Balance		->, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_cbal	Beginning DR Currency Bal	Beg DR Bal - Foreign Curr	->, >>>, >>>, >>>, >>9.99	10
grac_cc	Cost Ctr	CC	x(4)	
grac_cr_amt	CR Activity		->, >>>, >>>, >>9.99<	10
grac_cr_curr_amt	CR Currency Activity		->, >>>, >>>, >>9.99<	10
grac_curr_amt	Activity - Foreign Currency	Activity - Foreign Curr	->, >>>, >>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
grac_dr_amt	DR Activity		-->, >>>, >>>, >>9.99<	10
grac_dr_curr_amt	DR Currency Activity		-->, >>>, >>>, >>9.99<	10
grac_entity	Entity	Enty	x(4)	
grac_per	Period	Per	>>9	
grac_per_bal	Period Balance		-->, >>>, >>>, >>>, >>9.99	10
grac_per_cbal	Period Balance - Foreign Curr	Per Bal - Foreign Curr	-->, >>>, >>>, >>>, >>9.99	10
grac_project	Project		x(8)	
grac_sub	Sub-Account	Sub-Acct	x(8)	
grac_user1	Ufld1		x(8)	
grac_user2	Ufld2		x(8)	
grac_year	Year		9999	
grac_ytd_bal	Year to Date Balance	YTD Balance	-->, >>>, >>>, >>>, >>9.99	10
grac_ytd_cbal	Year to Date Bal - Foreign Curr	YTD Bal - Foreign Curr	-->, >>>, >>>, >>>, >>9.99	10
grac_ytd_cr_amt	YTD CR Activity		-->, >>>, >>>, >>9.99<	10
grac_ytd_cr_curr_amt	YTD CR Currency Activity		-->, >>>, >>>, >>9.99<	10
grac_ytd_dr_amt	YTD DR Activity		-->, >>>, >>>, >>9.99<	10
grac_ytd_dr_curr_amt	YTD DR Currency Activity		-->, >>>, >>>, >>9.99<	10
grac_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypace	no	grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
grac_ypaes	no	grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_entity	yes	no
		grac_sub	yes	no
* grac_ypascej	yes	grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
grac_ypceja	no	grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
grac_ypcja	no	grac_entity	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_year	yes	no
		grac_per	yes	no
grac_ypejas	no	grac_cc	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypjasc	no	grac_year	yes	no
		grac_per	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
grac_ypscej	no	grac_cc	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
grac_ypsej	no	grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
grac_ypsje	no	grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
grac_ypsje	no	grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
grac_ypsje	no	grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no

grad_det

GL Report Writer Analysis Code Detail

Field Name	Label	Col-Label	Format	Dec
grad_an_code	Analysis Code		x(8)	
grad_gl_code	G/L Code		x(8)	
grad_gl_type	G/L Type		x(1)	
grad_user1	Ufld1		x(8)	
grad_user2	Ufld2		x(8)	
grad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grad_an_code	no	grad_an_code	yes	no
		grad_gl_type	yes	no
		grad_gl_code	yes	no

gral_det

GL Report Writer Analysis Code Link-File Detail

Field Name	Label	Col-Label	Format	Dec
grad_an_code	Analysis Code	Code	x(8)	
gral_link_code	Linked Analysis Code	Link Code	x(8)	
gral_seq	Sequence	Seq	>>9.9<	2
gral_user1	Ufld1		x(8)	
gral_user2	Ufld2		x(8)	
gral__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gras_an_code	yes	gral_an_code	yes	no
		gral_link_code	yes	no
		gral_seq	yes	no
gral_link_code	no	gral_link_code	yes	no
gral_seq	yes	gral_an_code	yes	no
		gral_seq	yes	no

gras_det GL Report Writer Selection Detail

Field Name	Label	Col-Label	Format	Dec
gras_an_code	Analysis Code	Code	x(8)	
gras_gl_type	G/L Type		x(1)	
gras_include	Include	Incl	yes/no	
gras_sel_high	To G/L Code	To Code	x(8)	
gras_sel_low	From G/L Code	From Code	x(8)	
gras_user1	Ufld1		x(8)	
gras_user2	Ufld2		x(8)	
gras__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gras_an_code	yes	gras_an_code	yes	no
		gras_gl_type	yes	no
		gras_include	yes	no
		gras_sel_low	yes	no
		gras_sel_high	yes	no

gra_mstr GL Report Writer Analysis Code Master

Field Name	Label	Col-Label	Format	Dec
gra_add_date	Date Created		99/99/99	
gra_add_id	Originator		x(8)	
gra_an_code	Analysis Code	Code	x(8)	
gra_cmtindx	Comment Index		>>>>>>>9	
gra_desc	Description		x(24)	
gra_gl_type	G/L Type		x(1)	
gra_group	Security Groups		x(72)	
gra_link	Link To		CODE/ITEM	
gra_mod_date	Modified Date	Mod Date	99/99/99	
gra_mod_id	Modified By		x(8)	
gra_status	Status		Live/Test	
gra_user1	Ufld1		x(8)	
gra_user2	Ufld2		x(8)	
gra__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gra_an_code	yes	gra_an_code	yes	no
gra_desc	yes	gra_gl_type	yes	no
		gra_desc	yes	no
		gra_an_code	yes	no
gra_type	yes	gra_gl_type	yes	no
		gra_an_code	yes	no

GL Report Writer Budgeted Account Balance Detail

Field Name	Label	Col-Label	Format	Dec
grbg_acc	Account		x(8)	
grbg_amt	Budget Amount		-->, >>>, >>>, >>>, >>>9.99	2
grbg_beg_bal	Beginning Balance		-->, >>>, >>>, >>>, >>>9.99	2
grbg_cc	Cost Ctr	CC	x(4)	
grbg_code	Budget Code	Budget	x(8)	
grbg_entity	Entity	Enty	x(4)	
grbg_per	Period	Pd	>9	
grbg_per_bal	Period Budgeted Balance		-->, >>>, >>>, >>>, >>>9.99<<<<<<<<	2
grbg_project	Project		x(8)	
grbg_sub	Sub-Account	Sub-Acct	x(8)	
grbg_user1	Ufld1		x(8)	
grbg_user2	Ufld2		x(8)	
grbg_year	Year		9999	
grbg_ytd_bal	Year to Date Budget		-->, >>>, >>>, >>>, >>>9.99<<<<<<<<	10
grbg_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypace	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
grbg_bypaes	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_entity	yes	no
		grbg_sub	yes	no
* grbg_bypascej	yes	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
grbg_bypceja	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypcja	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no
grbg_bypejas	no	grbg_project	yes	no
		grbg_acc	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
grbg_bypjasc	no	grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
grbg_bypscej	no	grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
grbg_bypsej	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_entity	yes	no
grbg_bypsjc	no	grbg_project	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no

grcd_det GL Report Writer Column Group Detail

Field Name	Label	Col-Label	Format	Dec
grcd_activity	Activity Type		x(1)	
grcd_bg_code	Budget Code		x(8)	
grcd_bg_rol	Roll Budgets Into Actuals		yes/no	
grcd_calc[5]	Formula		x(50)	
grcd_col	Column		9999	
grcd_col_group	Column Group		x(8)	
grcd_col_type	Column Type		x(1)	
grcd_currency	Currency		Foreign/Base	

Field Name	Label	Col-Label	Format	Dec
grcd_desc	Description		x(24)	
grcd_format	Format		x(20)	
grcd_label[3]	Column Label		x(20)	
grcd_override	Allow Override		yes/no	
grcd_percent	Percentage		yes/no	
grcd_per_from	Period		x(4)	
grcd_per_to	To		x(4)	
grcd_print	Print		yes/no	
grcd_project	Project		x(8)	
grcd_quarter	Quarter		x(2)	
grcd_round	Rounding		x(3)	
grcd_rvpol	Reverse Polish Calculation		x(76)	
grcd_symbol	Currency Symbol	Sym	x(3)	
grcd_user1	Ufld1		x(8)	
grcd_user2	Ufld2		x(8)	
grcd_width	Column Width		>9	
grcd_year	Year		x(4)	
grcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grcd_col_group	yes	grcd_col_group	yes	no
		grcd_col	yes	no
grcd_col_type	yes	grcd_col_group	yes	no
		grcd_col_type	yes	no
		grcd_col	yes	no

grc_mstr

GL Report Writer Column Group Master

Field Name	Label	Col-Label	Format	Dec
grc_add_date	Date Created		99/99/99	
grc_add_id	Originator		x(8)	
grc_cmtindx	Comment Index		>>>>>>9	
grc_col_group	Column Group		x(8)	
grc_desc	Description		x(24)	
grc_group	Security Groups		x(72)	
grc_mod_date	Modified Date	Mod Date	99/99/99	
grc_mod_id	Modified By		x(8)	
grc_status	Status		Live/Test	
grc_user1	Ufld1		x(8)	
grc_user2	Ufld2		x(8)	
grc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grc_col_group	yes	grc_col_group	yes	no

grdf_mtx

GL Report Writer Definition Matrix

Field Name	Label	Col-Label	Format	Dec
grdf_col	Cell Column		999	
grdf_format	Cell Format		x(20)	
grdf_formula	Formula		x(76)	
grdf_print	Print		yes/no	
grdf_reverse	Reverse Sign		yes/no	
grdf_round	Rounding		x(3)	
grdf_row	Cell Row		>>>9	
grdf_run_id	Report Run ID		>>>>>>9	
grdf_user1	Ufld1		x(8)	
grdf_user2	Ufld2		x(8)	
grdf__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grdf_col	yes	grdf_run_id	yes	no
		grdf_col	yes	no
		grdf_row	yes	no
* grdf_row	yes	grdf_run_id	yes	no
		grdf_row	yes	no
		grdf_col	yes	no

grhd_det

GL Report Writer Group Row/Column Sequence Detail

Field Name	Label	Col-Label	Format	Dec
grhd_code	Code		x(8)	
grhd_explode	Explode		yes/no	
grhd_group	Group		x(8)	
grhd_link	Link		CODE/ITEM	
grhd_link_type	Link Type	T	x(1)	
grhd_priority	Priority		Z	
grhd_seq	Sequence	Seq	9999	
grhd_sub_indent	Sub Total Indent	SB Ind	zz	
grhd_type	Group Type	T	x(1)	
grhd_user1	Ufld1		x(8)	
grhd_user2	Ufld2		x(8)	
grhd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grhd_code	no	grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
* grhd_group	yes	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
grhd_link	yes	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grib_link_type	no	grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_code	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
grib_priority	no	grhd_link_type	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_priority	yes	no
grib_type_link	no	grhd_explode	yes	no
		grhd_link	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no

grib_det

GL Report Writer Break Group Detail

Field Name	Label	Col-Label	Format	Dec
grib_an_code	Analysis Code		x(8)	
grib_basepage	Base Page	B Pg	>>>>9	
grib_desc	Description		x(24)	
grib_level	Level		9999999	
grib_link_code	Link Code		x(8)	
grib_link_type	G/L Type		x(1)	
grib_pages	Group Pages	G Pgs	>>>>9	
grib_run_id	Report Run ID		>>>>>>9	
grib_select	Sel		yes/no	
grib_user1	Ufld1		x(8)	
grib_user2	Ufld2		x(8)	
grib__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grib_an_code	no	grib_run_id	yes	no
		grib_link_type	yes	no
		grib_an_code	yes	no
		grib_link_code	yes	no
grib_level	no	grib_run_id	no	no
		grib_level	no	no
		grib_an_code	no	no
grib_link	no	grib_run_id	yes	no
		grib_link_type	yes	no
		grib_link_code	yes	no
		grib_an_code	yes	no

gric_det

GL Report Writer Image Column Detail

Field Name	Label	Col-Label	Format	Dec
gric_activity	Activity		x(1)	
gric_bg_code	Budget Code		x(8)	
gric_col	Column		>>>9	
gric_col_type	Column Type		x(1)	
gric_currency	Currency	Curr	Foreign/Base	
gric_label[3]	Column Label		x(20)	
gric_per_from	Period		>>9	
gric_per_to	To		>>9	
gric_print	Print Cell		yes/no	
gric_quarter	Quarter		9	
gric_run_id	Report Run ID		>>>>>>9	
gric_select	Sel		yes/no	
gric_symbol	Currency Symbol	Sym	x(3)	
gric_user1	Ufld1		x(8)	
gric_user2	Ufld2		x(8)	
gric_width	Column Width		>9	
gric_year	Year		9999	
gric__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gric_col	yes	gric_run_id	yes	no
		gric_col	yes	no

grid_det

GL Report Writer Report Image Detail

Field Name	Label	Col-Label	Format	Dec
grid_allzero	AZ		yes/no	
grid_apply_sym	Apply Curr Symbol	Sym	yes/no	
grid_expl_line	Exploded Line	E Ln	-999	
grid_indent	Indent		zz	
grid_label	Row Label		x(36)	
grid_line	Exploded Line Number		9999999	
grid_page	Page Break After Total		yes/no	
grid_post_und	Post-Underline Character		x(1)	
grid_pre_und	Pre-Underline Character		x(1)	
grid_print	Print Cell		yes/no	
grid_row	Row		9999	
grid_row_type	Row Type		x(1)	
grid_run_id	Report Run ID		>>>>>>9	
grid_select	Sel		yes/no	
grid_skips	Lines To Skip		zz	
grid_stl	Sub-Total Level		-999	
grid_text[5]	Text		x(48)	
grid_user1	Ufld1		x(8)	
grid_user2	Ufld2		x(8)	
grid_zero_suppress	Zero Suppress	Z	x(1)	
grid__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	grid_row	yes	grid_run_id	yes	no
			grid_row	yes	no
			grid_line	yes	no
			grid_stl	yes	no

GL Report Writer Report Image Matrix

Field Name	Label	Col-Label	Format	Dec
grig_amt	Cell Amount - Data		->>, >>>, >>>, >>>, >>>9.99<<<<<<<<<	10
grig_amt_txt	Cell Amount - Text		x(20)	
grig_brk_gp	Break Group Element		x(8)	
grig_col	Cell Column		999	
grig_line	Exploded Line Number		9999999	
grig_print	Print Cell		yes/no	
grig_row	Cell Row		9999	
grig_run_id	Report Run ID		>>>>>>9	
grig_stl	Sub-Total Level		999	
grig_type	Type		x(1)	
grig_user1	Ufld1		x(8)	
grig_user2	Ufld2		x(8)	
grig__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grig_col	no	grig_run_id	yes	no
		grig_col	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
* grig_row	yes	grig_run_id	yes	no
		grig_brk_gp	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
		grig_col	yes	no

GL Report Writer Analysis Code and Item Type Work Table

Field Name	Label	Col-Label	Format	Dec
grit_an_code	Analysis Code		x(8)	
grit_desc	Description		x(28)	
grit_gl_code	G/L Code		x(8)	
grit_gl_type	GL Type	T	x(1)	
grit_marker	Select	Sel	x(1)	
grit_runid	runid		x(18)	
grit_user1	Ufld1		x(8)	
grit_user2	Ufld2		x(8)	
grit_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gri_gl_code	yes	grit_desc	yes	no
		grit_gl_code	yes	no
		grit_runid	yes	no
		grit_runid	yes	no
		grit_gl_code	yes	no

gri_mstr

GL Report Writer Report Image Master

Field Name	Label	Col-Label	Format	Dec
gri_cont_pg	Continuous Pages	CP	yes/no	
gri_date	Run Date		99/99/99	
gri_defprt	Default Printer	Def Prt	x(8)	
gri_desc	Description		x(24)	
gri_filtered	Filtered		yes/no	
gri_format	Format		x(20)	
gri_lab_bc	Row Labels Before Column		>>9	
gri_lab_width	Row Labels Width	RW	99	
gri_mrg_bot	Bottom Margin	BM	>9	
gri_mrg_left	Left Marging	LM	>9	
gri_mrg_right	Right Margin	RM	>9	
gri_mrg_top	Top Margin	TM	>9	
gri_ovr_code[5]	Override Code	Ovr Code	x(8)	
gri_ovr_type[5]	Override Type	T	x(1)	
gri_paginated	Paginated		yes/no	
gri_per	Period	Per	>>9	
gri_prt_wrk	Print Working Papers		yes/no	
gri_report	Report		x(8)	
gri_round	Rounding		x(3)	
gri_run_id	Report Run ID	Run ID	>>>>>9	
gri_status	Status		Live/Test	
gri_text_ix[3]	String Index	Strng lx	>>>>>>9	
gri_time	Run Time		x(8)	
gri_user1	Ufld1		x(8)	
gri_user2	Ufld2		x(8)	
gri_userid	User ID		x(8)	
gri_year	Year		9999	
gri_zero_suppress	Zero Supression	ZS	x(1)	
gri__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gri_report	yes	gri_report	yes	no
		gri_run_id	yes	no
		gri_run_id	yes	no

grqd_det

GL Report Writer Fiscal Quarter Calendar

Field Name	Label	Col-Label	Format	Dec
grqd_per_end	Period End	Per! End	>>9	
grqd_per_start	Period Start	Per! Strt	>>9	
grqd_quarter	Quarter	Qtr	9	
grqd_user1	Ufld1		x(8)	
grqd_user2	Ufld2		x(8)	
grqd_year	Year		9999	
grqd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grqd_period	yes	grqd_year	yes	no
		grqd_per_start	yes	no
		grqd_per_end	yes	no
* grqd_quarter	yes	grqd_year	yes	no
		grqd_quarter	yes	no

grrd_det

GL Report Writer Row Group Detail

Field Name	Label	Col-Label	Format	Dec
grrd_apply_sym	Apply Curr Symbol	Sym	yes/no	
grrd_calc[5]	Formula		x(50)	
grrd_format	Format		x(20)	
grrd_indent	Indent		zz	
grrd_label	Label		x(36)	
grrd_override	Allow Override		yes/no	
grrd_page	Page Break After Total		yes/no	
grrd_percent	Percentage		yes/no	
grrd_post_und	Post-Underline Character		x(1)	
grrd_precedence	Precedence		Row/Column	
grrd_pre_und	Pre-Underline Character		x(1)	
grrd_print	Print		yes/no	
grrd_reverse	Reverse Sign		yes/no	
grrd_round	Rounding		x(3)	
grrd_row	Row		9999	
grrd_row_group	Row Group		x(8)	
grrd_row_type	Row Type		x(1)	
grrd_rvpol	Reverse Polish Calculation		x(76)	
grrd_show	Show Codes		yes/no	
grrd_skips	Lines To Skip		>9	
grrd_start_col	Start Column		>>>9	
grrd_text[5]	Text		x(48)	
grrd_user1	Ufld1		x(8)	
grrd_user2	Ufld2		x(8)	
grrd_zero_suppress	Zero Suppression	ZS	x(1)	
grrd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grrd_row_group	yes	grrd_row_group	yes	no
		grrd_row	yes	no
grrd_row_type	yes	grrd_row_group	yes	no
		grrd_row_type	yes	no
		grrd_row	yes	no

grr_mstr

GL Report Writer Row Group Master

Field Name	Label	Col-Label	Format	Dec
grr_add_date	Date Created		99/99/99	
grr_add_id	Originator		x(8)	
grr_brk_ac	Using Analysis Code		x(8)	
grr_brk_gl	Control Report By		x(1)	
grr_cmtindx	Comment Index		>>>>>>9	
grr_cont_pg	Continuous Page Numbers		yes/no	
grr_desc	Description		x(24)	
grr_group	Security Groups		x(72)	
grr_mod_date	Modified Date	Mod Date	99/99/99	
grr_mod_id	Modified By		x(8)	
grr_row_group	Row Group		x(8)	
grr_status	Status		Live/Test	
grr_user1	Ufld1		x(8)	
grr_user2	Ufld2		x(8)	
grr_width	Row Width		>9	
grr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grr_brk_ac	no	grr_brk_ac	yes	no
		grr_brk_gl	yes	no
		grr_row_group	yes	no
* grr_row_group	yes	grr_row_group	yes	no

grtx_det

GL Report Writer Text String Detail

Field Name	Label	Col-Label	Format	Dec
grtx_fmt_txt	Formatted Text		x(76)	
grtx_indx	Index		>>>>>>>9	
grtx_seq	Line		>>>9	
grtx_text	Text		x(76)	
grtx_user1	Ufld1		x(8)	
grtx_user2	Ufld2		x(8)	
grtx__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grtx_index	yes	grtx_indx	yes	no
		grtx_seq	yes	no

grv_det

GL Report Writer Account Balance Detail

Field Name	Label	Col-Label	Format	Dec
grv_acc	Account		x(8)	
grv_cc	Cost Ctr	CC	x(4)	
grv_entity	Entity	Enty	x(4)	
grv_project	Project		x(8)	
grv_sub	Sub-Account	Sub-Acct	x(8)	
grv_user1	Ufld1		x(8)	
grv_user2	Ufld2		x(8)	
grv__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grv_ace	no	grv_acc	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
grv_aes	no	grv_acc	yes	no
		grv_entity	yes	no
		grv_sub	yes	no
* grv_ascej	yes	grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_ceja	no	grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_cja	no	grv_cc	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_ejas	no	grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
grv_jasc	no	grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
grv_scej	no	grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sej	no	grv_sub	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sjc	no	grv_sub	yes	no
		grv_project	yes	no
		grv_cc	yes	no

grx1_wkfl GL Report Writer Analysis Code Explosion Work Table

Field Name	Label	Col-Label	Format	Dec
grx1_an_code	Analysis Code		x(8)	
grx1_link_code	Link Code		x(8)	
grx1_link_type	G/L Type		x(1)	
grx1_run_id	Report Run ID		>>>>>>9	
grx1_user1	Ufld1		x(8)	
grx1_user2	Ufld2		x(8)	
grx1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grx1_an_code	no	grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_an_code	yes	no
		grx1_link_code	yes	no
grx1_link	no	grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_link_code	yes	no
		grx1_an_code	yes	no

grx2_wkfl GL Report Writer Row/Column Explosion (Separate) Work Table

Field Name	Label	Col-Label	Format	Dec
grx2_acct	Account		x(8)	
grx2_actual	Actual/Budget		yes/no	
grx2_bg_code	Budget Code		x(8)	
grx2_cc	Cost Center	CC	x(8)	
grx2_entity	Entity		x(8)	
grx2_level	Level		999	
grx2_nbr	Row or Column Number		9999	
grx2_project	Project		x(8)	
grx2_run_id	Report Run ID		>>>>>>9	
grx2_sub	Sub-Account	Sub-Acct	x(8)	
grx2_type	Type - Row or Column		Row/Col	
grx2_user1	Ufld1		x(8)	
grx2_user2	Ufld2		x(8)	
grx2__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grx2_level	no	grx2_run_id	yes	no
		grx2_type	yes	no
		grx2_nbr	yes	no
		grx2_level	yes	no

grx3_wkfl

GL Report Writer Row/Column Explosion (Hierarchical) Work Table

Field Name	Label	Col-Label	Format	Dec
grx3_col	Column		999	
grx3_element1	Element 1		x(8)	
grx3_element2	Element 2		x(8)	
grx3_element3	Element 3		x(8)	
grx3_element4	Element 4		x(8)	
grx3_element5	Element 5		x(8)	
grx3_explode	Explode To Level		99	
grx3_line	Exploded Line Number		999999	
grx3_priority	Element Priority		99999	
grx3_row	Row		9999	
grx3_run_id	Report Run ID		>>>>>>9	
grx3_user1	Ufld1		x(8)	
grx3_user2	Ufld2		x(8)	
grx3__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grx3_element	no	grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
grx3_line	no	grx3_element5	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_line	yes	no
* grx3_row	no	grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no

grx_mstr

GL Report Writer Report Content Master

Field Name	Label	Col-Label	Format	Dec
grx_add_date	Date Created		99/99/99	
grx_add_id	Originator		x(8)	
grx_cmtindx	Comment Index		>>>>>>>9	
grx_col_group	Column Group		x(8)	
grx_cont_pg	Continuous Page Numbers	C-Pg	yes/no	
grx_ctl_ac	Using Analysis Code	A-Code	x(8)	
grx_ctl_gl	Control Report By	C	x(1)	
grx_defprt	Printer Template		x(8)	
grx_desc	Description		x(24)	
grx_format	Format		x(20)	
grx_lab_bc	Row Labels Before Column		>>>9	

Field Name	Label	Col-Label	Format	Dec
grx_mod_date	Modified Date	Mod Date	99/99/99	
grx_mod_id	Modified By		x(8)	
grx_mrg_bot	Bottom Margin	BM	>9	
grx_mrg_left	Left Margin	LM	>9	
grx_mrg_right	Right Margin	RM	>9	
grx_mrg_top	Top Margin	TM	>9	
grx_mt_group	Maintenance Security Groups		x(72)	
grx_report	Report		x(8)	
grx_round	Rounding	RM	x(3)	
grx_row_group	Row Group		x(8)	
grx_rp_group	Report Security Groups		x(72)	
grx_status	Status		Live/Test	
grx_text_ix[3]	String Index	Strng lx	>>>>>>9	
grx_user1	Ufld1		x(8)	
grx_user2	Ufld2		Ufld2	
grx_zero_suppress	Zero Suppression	ZS	x(1)	
grx__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grx_col_group	no	grx_col_group	yes	no
grx_ctl_ac	no	grx_ctl_ac	yes	no
		grx_ctl_gl	yes	no
		grx_report	yes	no
* grx_report	yes	grx_report	yes	no
grx_row_group	no	grx_row_group	yes	no

gr_ctrl

GL Report Writer Control

Field Name	Label	Col-Label	Format	Dec
gr_ac_cmmts	Analysis Code Comments		yes/no	
gr_cg_cmmts	Column Group Comments		yes/no	
gr_col_width	Column Width		>9	
gr_cyis	Current Year Income Offset		x(8)	
gr_cyre	Current Year Retained Earnings		x(8)	
gr_format	Format		x(20)	
gr_index1	Index		>>>>>9	
gr_per	Current Period	Per	>>9	
gr_precedence	Precedence		Row/Column	
gr_qtr_lbl[4]	Quarter		x(10)	
gr_rg_cmmts	Row Group Comments		yes/no	
gr_rg_width	Row Width		z9	
gr_round	Rounding		x(3)	
gr_rp_cmmts	Report Comments		yes/no	
gr_run_id	Next Report Run ID		>>>>>>9	
gr_txt_ix	Text Index	Txt lx	>>>>>>>9	
gr_user1	Ufld1		x(8)	
gr_user2	Ufld2		x(8)	
gr_year	Current Year		>>>9	
gr__qadc01			x(8)	

hd_mstr

Holiday Master

Field Name	Label	Col-Label	Format	Dec
hd_date	Date	Date	99/99/99	
hd_desc	Holiday		x(24)	
hd_site	Site		x(8)	
hd_user1	Ufld1		x(8)	
hd_user2	Ufld2		x(8)	
hd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* hd_mstr	yes	hd_site	yes	no
		hd_date	yes	no

hlp_mstr

Help Master

Field Name	Label	Col-Label	Format	Dec
hlp_context_nbr	Context Number	Context	>>>>>>>>9	
hlp_context_str	Context String		x(32)	0
hlp_file	Help File		X(12)	0
hlp_user1	Ufld1		x(8)	
hlp_user2	Ufld2		x(8)	
hlp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* hlp_primary	no	hlp_context_str	yes	no

ibh_hist

Sales Order Configuration Bill History

Field Name	Label	Col-Label	Format	Dec
ibh_bo_chg	Qty B/O		->,>>>>,>>9.9<<<<<<<<<	10
ibh_cfg_type	Configuration	Config	x(1)	
ibh_cmtindx	Comment Index	Comment	>>>>>>>>9	
ibh_feature	Feature		x(12)	
ibh_inv_nbr	Invoice		x(8)	
ibh_iss_date	Issue Date	Iss Date	99/99/99	
ibh_line	Line		>>9	
ibh_loc	Location		x(8)	
ibh_nbr	Sales Order	Order	x(8)	
ibh_parent	Parent Item		x(18)	
ibh_part	Item Number		x(18)	
ibh_price	Price		>>>>,>>>>,>>9.99<<<	10
ibh_qty_all	Qty Allocated		->,>>>>,>>9.9<<<<<<<<	10
ibh_qty_chg	Qty to Issue		->,>>>>,>>9.9<<<<<<<<	10
ibh_qty_iss	Qty Issued		->,>>>>,>>9.9<<<<<<<<	10
ibh_qty_pick	Qty Picked		->,>>>>,>>9.9<<<<<<<<	10
ibh_qty_req	Qty Required		->,>>>>,>>9.9<<<<<<<<	10
ibh_serial	Lot/Serial		x(18)	
ibh_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
ibh_tot_std	Std Cost		->>>, >>9.999	3
ibh_user1	Ufld1		x(8)	
ibh_user2	Ufld2		x(8)	
ibh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ibd_inv_nbr	yes	ibh_inv_nbr	yes	no
		ibh_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
		ibh_part	yes	no
ibh_part	yes	ibh_part	yes	no
		ibh_inv_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no

ib_det Service/Support Installed Configuration Detail

Field Name	Label	Col-Label	Format	Dec
ib_comp	Component	Comp Item	x(18)	
ib_comp_ref	Comp Ref	Ref	>>>>>>>9	
ib_comp_ser	Component Serial	Comp Serial	x(18)	
ib_config			x(1)	
ib_contract	Contract		x(8)	
ib_cover			x(1)	
ib_desc	Description		x(24)	
ib_eu_nbr	End User		x(8)	
ib_int_level			>>9	
ib_level	Level		x(8)	
ib_sys_part	System Item		x(18)	
ib_sys_ref	System Ref		>>>>>>>9	
ib_sys_seq	Sequence		>>>>>>9	
ib_sys_serial	System Serial		x(18)	
ib_tag			*/	
ib_user1	Ufld1		x(8)	
ib_user2	Ufld2		x(8)	
ib__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ib_compser	yes	ib_comp	yes	no
		ib_comp_ser	yes	no
		ib_comp_ref	yes	no
ib_eutag	no	ib_eu_nbr	yes	no
		ib_tag	yes	no
		ib_sys_seq	yes	no
ib_eu_comp	yes	ib_eu_nbr	yes	no
		ib_comp	yes	no
		ib_comp_ref	yes	no
ib_serial	no	ib_comp_ser	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* ib_sys_seq	yes	ib_eu_nbr	yes	no
		ib_config	yes	no
		ib_sys_part	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_sys_seq	yes	no
		ib_comp	yes	no

icc_ctrl

Inventory Control

Field Name	Label	Col-Label	Format	Dec
icc_ascend	Ascending or Descending		Ascending/Descending	
icc_cogs	Sum LL Costs Into Matl Cost COGS		yes/no	
icc_cur_ap	Current Cost from AP		yes/no	
icc_cur_cost	Current Cost (AVG/LAST/ NONE)		x(4)	
icc_cur_set	Default Current Cost Set	Cur Set	x(8)	
icc_gl_set	Default GL Cost Set	GL Set	x(8)	
icc_gl_sum	Summarized Journal		yes/no	
icc_gl_tran	Create GL Transactions		yes/no	
icc_index1	Index		>>>>g	
icc_iss_days	Issue Days		->,>>>,>>g	
icc_jrnl	Next Journal		9999999	
icc_mirror	Mirror Accounting	Mirror	yes/no	
icc_pk_ord	Picking Order		>	
icc_site	Default Site	Site	x(8)	
icc_tol_a	Class A		->>>,>>9.99	10
icc_tol_a%	Class A		->9.99%	2
icc_tol_b	Class B		->>>,>>9.99	10
icc_tol_b%	Class B		->9.99%	2
icc_tol_c	Class C		->>>,>>9.99	10
icc_tol_c%	Class C		->9.99%	2
icc_tol_flag	Tolerance Method		Qoh/Usage	
icc_tol_o	All Others		->>>,>>9.99	10
icc_tol_o%	All Others		->9.99%	2
icc_user1	Ufld1		x(8)	
icc_user2	Ufld2		x(8)	
icc_xclr_acct	Transfer Clearing Acct		x(8)	
icc_xclr_cc	Intercompany Cost Center	CC	x(4)	
icc_xclr_sub	Tsfr Clearing Sub-Acct	Sub-Acct	x(8)	
icc_qad01			>>>>>g	
icc_qad02			9	
icc_qad03			9	
Δ icc_qadc01			x(24)	
Δ icc_qadc02			x(24)	
Δ icc_qadc03			x(24)	
icc_qadi04			>>>>>>g	

Index-Name	Uni	Field-Name	Asc	Abbr
* icc_index1	yes	icc_index1	yes	no

◇ **idhlc_hist** Invoice History Line Charge Detail

Field Name	Label	Col-Label	Format	Dec
idhlc_acct	Sales Acct	Account	x(8)	
idhlc_cc	Cost Ctr	CC	x(4)	
idhlc_charge_category	Category		x(8)	
idhlc_charge_type	Charge Type	Charge! Type	x(8)	
idhlc_desc	Description		x(24)	
idhlc_desc1	Description		x(24)	
idhlc_desc2	Description		x(24)	
idhlc_fr_class	Freight Class		x(8)	
idhlc_fr_wt	Unit Ship Weight		-->, >>>, >>9.9<<<<<<<<<	6
idhlc_fr_wt_um	UM		x(2)	
idhlc_inv_nbr	Invoice		x(8)	
idhlc_line	SO Line	SO! Line	>>9	
idhlc_mod_date	Modified Date	Mod Date	99/99/99	
idhlc_mod_userid	User ID		X(8)	
idhlc_nbr	Sales Order	Order	x(8)	
idhlc_part	Item Number		x(18)	
idhlc_price	Price		-->>>, >>>, >>9.99<<<	10
idhlc_prodlne	Product Line	Line	x(4)	
idhlc_project	Project		x(8)	
idhlc_qty_inv	Qty Invoiced		-->, >>>, >>9.9<<<<<<<<<	10
idhlc_sub	Sales Sub-Acct	Sub-Acct	x(8)	
idhlc_sub_line	Charge Line	Charge! Ln	>>>>9	
idhlc_taxable	Taxable	Tax	yes/no	
idhlc_taxc	Tax Class	TxC	x(3)	
idhlc_tax_env	Tax Environment	Tax Env	x(16)	
idhlc_tax_usage	Tax Usage	TaxUsage	x(8)	
idhlc_trl	Trailer	Trl	x(4)	
idhlc_um	UM		x(2)	
idhlc_userc01	User Field Character 1		x(24)	
idhlc_userc02	User Field Character 2		x(24)	
idhlc__qadc01			x(24)	
idhlc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* idhlc_invl	yes	idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_sub_line	yes	no
◇ idhlc_part	no	idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_part	yes	no
		idhlc_charge_category	yes	no
		idhlc_price	yes	no
◇ idhlc_trl	no	idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_charge_category	yes	no
		idhlc trl	yes	no

idhr_hist

Invoice History Relationship Detail

Field Name	Label	Col-Label	Format	Dec
idhr_div	Division		x(8)	
idhr_group	Group		x(8)	
idhr_inv_nbr	Invoice		x(8)	
idhr_line	Line		>>9	
idhr_nbr	Sales Order		x(8)	
idhr_pricing	Pricing		>9	
idhr_seq	Sequence		>>9	
idhr_type	Type		>>>9	
idhr_user1	Ufld1		x(8)	
idhr_user2	Ufld2		x(8)	
idhr__qadc01			x(8)	
idhr__qadc02			x(8)	
idhr__qadc03			x(8)	
idhr__qadd01			->>>>,>>>,>>9.9	10
idhr__qadd02			->>>>,>>>,>>9.9	10
idhr__qadi01			->,>>>,>>9	
idhr__qadi02			->,>>>,>>9	
idhr__qadi01			yes/no	
idhr__qadi02			yes/no	
idhr__qadt01			99/99/99	
idhr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* idhr_invl_nseq	yes	idhr_inv_nbr	yes	no
		idhr_nbr	yes	no
		idhr_line	yes	no
		idhr_seq	yes	no
idhr_type	no	idhr_type	yes	no

idh_hist

Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>,>>>,>>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bonus	Bonus Stock Line		yes/no	
idh_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<	10
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>>9	
idh_comment[5]	Comments		x(40)	

Field Name	Label	Col-Label	Format	Dec
idh_comm_pct[4]	Commission	Comm%	>>9.99%	2
Δ idh_conrep	Netting Logic	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
idh_cum_date[4]	Cum Start		99/99/99	
idh_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<	10
idh_curr_rlse_id[3]	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
◇ idh_custref	Customer Ref		x(30)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	2
idh_div	Division		x(8)	
idh_dock	Dock		X(8)	
idh_drp_ref	DRP Ref		X(8)	
idh_dsc_acct	Disc Acct	?	x(8)	
idh_dsc_cc	Disc CC	CC	x(4)	
idh_dsc_project	Disc Project		x(8)	
idh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
idh_due_date	Due Date	Due	99/99/99	
idh_enduser	End User		x(8)	
idh_end_eff[4]	End Effective		99/99/99	
idh_expire	Expires		99/99/99	
idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
idh_fab_days	Fab Auth Days		>, >>9	
idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
idh_fixed_price	Fixed Price		>>>>, >>>, >>9.99<<<	10
idh_fix_pr	Fixed Price		yes/no	
idh_for	For		x(18)	
idh_for_serial	Parent Item Serial		X(18)	
idh_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	2
idh_fr_class	Freight Class		x(8)	
idh_fr_list	Freight List	Frt List	x(8)	
idh_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
idh_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<<	6
idh_fr_wt_um	UM		x(2)	
idh_fsm_type	FSM Type		x(8)	
idh_fst_list	FST on List		yes/no	
idh_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
idh_inv_nbr	Invoice		x(8)	
idh_isb_loc	Installed Base Location		x(22)	
idh_isb_ref	ISB Ref		>>>>>>>9	
idh_line	Line	Ln	>>9	
idh_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
idh_ln_ref	Line Ref		X(8)	
idh_loc	Location		x(8)	
idh_lot	ID		x(8)	
◇ idh_modelyr	Model Year		x(4)	
idh_mod_date	Modified Date	Mod Date	99/99/99	
idh_mod_userid	User ID		X(8)	
idh_nbr	Sales Order	Order	x(8)	
idh_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
idh_out_po	Display PO Number		X(30)	
idh_override_lmt	Override Limits	Lmt	yes/no	
idh_owner	Ownership		x(8)	
idh_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
idh_partial	Partial OK	Partial	yes/no	
idh_pastdue	Past Due Logic		X(1)	
idh_per_date	Perform Date	Perform	99/99/99	
idh_pickdate	Pick Date		99/99/99	
idh_pkg_code	Pkg Code		x(18)	
idh_pl_priority	P/L Priority		>9	
idh_price	Price		>>>>,>>>,>>9.99<<<	10
idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
idh_prig1	Pricing Group 1		x(8)	
idh_prig2	Pricing Group 2		x(8)	
idh_prodlne	Product Line	Line	x(4)	
idh_project	Project		x(8)	
◇ idh_promise_date	Promise Date	Promise	99/99/99	
idh_pr_list	Price List		X(8)	
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_chg	Qty To Ship		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_cons	Qty Consumed		-,>,>>>,>>9.9<<<	10
idh_qty_exch	Qty Exchanged		-,>,>>>,>>9.9<<<	10
idh_qty_inv	Qty Invoiced		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_item	Item Quantity	Item Qty	>>,>>9.9<<<<	3
idh_qty_ord	Qty Ordered		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_pend	Qty Pending		-,>,>>>,>>9.9<<<	10
idh_qty_per	Duration		->>>9.9<<<	3
idh_qty_pick	Qty Picked		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_qote	Qty Quoted		-,>,>>>,>>9.9<<<<<<<<	10
idh_qty_ret	Qty Returned		-,>,>>>,>>9.9<<<	10
idh_qty_ship	Qty Shipped		-,>,>>>,>>9.9<<<<<<<<	10
idh_raw_days	Raw Auth Days		>,>>9	
idh_rbkt_days	Req Schedule Days		>>9	
idh_rbkt_mths	Req Schedule Months		>>9	
idh_rbkt_weeks	Req Schedule Weeks		>>9	
idh_ref	Ref		>>>>>>>9	
idh_req_date	Required Date	Required	99/99/99	
idh_retro_price	Retro Invoice Price		>>>>,>>>,>>9.99<<<	10
idh_rlse_nbr	Next Release ID		99999999	
idh_rma_type	RMA Type		x(1)	
Δ idh_sad_line	Contract Line		>>>>>>>9	
idh_sa_nbr	Service Contract	Contract	x(8)	
idh_sched	Scheduled		yes/no	
idh_sched_chgd	Schedule Changed		yes/no	
idh_sch_data	Schedule Data		x(8)	
idh_sch_mrp	Sched MRP Req		yes/no	
idh_serial	Lot/Serial		x(18)	
idh_ship	Ship-To		x(8)	
idh_site	Site		x(8)	
idh_slspsn[4]	Salesperson	Salespsn	x(8)	
idh_sob_rev	Revised Date	Revised	99/99/99	
idh_sob_std	Standard Bill	Std BOM	yes/no	
idh_start_eff[4]	Start Effective		99/99/99	
idh_status	Status		x(8)	
idh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
idh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
idh_sv_code	Warranty Type		X(8)	
idh_taxable	Taxable	Tax	yes/no	
idh_taxc	Tax Class	TxC	x(3)	
idh_tax_env	Tax Environment	Tax Env	x(16)	

Field Name	Label	Col-Label	Format	Dec
idh_tax_in	Tax In		yes/no	
idh_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	2
idh_tax_usage	Tax Usage	TaxUsage	x(8)	
idh_to_loc	Location		X(8)	
idh_to_ref	Kit Ref		X(8)	
idh_to_site	Site		X(8)	
idh_translt_hrs	Transport Hours		>>9.99	2
idh_trans_lt	Transport Leadtime		>>9.99	2
idh_type	Ship Type	T	x(1)	
idh_um	UM		x(2)	
idh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
idh_upd_isb	Update Installed Base		yes/no	
idh_user1	Ufld1		x(8)	
idh_user2	Ufld2		x(8)	
idh_warr_start	Warranty Start Date		99/99/99	
idh_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
idh_xslspsn[3]	Salesperson	Salespsn	x(8)	
idh__chr01			x(8)	
idh__chr02			x(8)	
idh__chr03			x(8)	
idh__chr04			x(8)	
idh__chr05			x(8)	
idh__chr06			x(8)	
idh__chr07			x(8)	
idh__chr08			x(8)	
idh__chr09			x(8)	
idh__chr10			x(8)	
idh__dec01			>>>, >>>, >>9.99	10
idh__dec02			>>>, >>>, >>9.99	10
idh__dec03			>>>, >>>, >>9.99	10
idh__dec04			>>>, >>>, >>9.99	10
idh__dec05			>>>, >>>, >>9.99	10
idh__dte01			99/99/99	
idh__dte02			99/99/99	
idh__dte03			99/99/99	
idh__log01			yes/no	
idh__qad01			>	
idh__qad02			yes/no	
idh__qadc01	QAD Field		X(8)	0
idh__qadc02	QAD Field		X(8)	0
idh__qadc03	QAD field		X(8)	0
idh__qadc04	QAD field		X(8)	0
idh__qadc05	QAD field		X(8)	0
idh__qadc06	QAD field		X(8)	0
idh__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
idh__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
idh__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
idh__qadd04	QAD Field		->>>>, >>>, >>9.99<<<	10
idh__qadd05	QAD Field		->>>>, >>>, >>9.99<<<	10
idh__qadi01	QAD Field		->, >>>, >>9	
idh__qadi02	QAD Field		->, >>>, >>9	
idh__qadi03	QAD Field		->, >>>, >>9	
idh__qadi04	QAD Field		->, >>>, >>9	
idh__qadi01	QAD Field		yes/no	
idh__qadi02	QAD Field		yes/no	
idh__qadi03	QAD Field		yes/no	
idh__qadi04	QAD Field		yes/no	

Field Name	Label	Col-Label	Format	Dec
idh__qadt05	QAD Field		yes/no	
idh__qadt01	QAD Field		99/99/99	
idh__qadt02	QAD Field		99/99/99	
idh__qadt03	QAD Field		99/99/99	
idh__qadt04	QAD Field		99/99/99	
idh__qadt05	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ idh_fsm_type	no	idh_fsm_type	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
* idh_invln	yes	idh_inv_nbr	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
idh_part	no	idh_part	yes	no
		idh_inv_nbr	yes	no
		idh_line	yes	no

iec_ctrl Import/Export Control

Field Name	Label	Col-Label	Format	Dec
◇ iec_act_ex_type_list	Active ExtraStat Type List		x(30)	
◇ iec_act_in_type_list	Active IntraStat Type List		x(30)	
iec_agent	Agent		x(8)	
iec_agent_id	Branch ID		x(3)	
iec_authority	Authority	Auth	x(8)	
iec_com_code	Commodity Code		x(20)	
◇ iec_container	Container		yes/no	
◇ iec_corr_flow_arr	Correction Flow Of Arrival		x(2)	
◇ iec_corr_flow_disp	Correction Flow Of Dispatch		x(2)	
iec_declarant	Declarant		x(8)	
iec_declarant_id	Branch ID		x(3)	
iec_declaration_id	Declaration ID		>>>>>>>	
iec_flow_arr	Flow Indicator - Arrivals		x(2)	
iec_flow_disp	Flow Indicator - Dispatches		x(2)	
iec_impexp	Imp/Exp Default		yes/no	
iec_incl_memo	Include Memo Items		yes/no	
iec_index1	Index		>>>>g	
iec_int_com_code	Intangible Items Commodity Code		x(20)	
iec_mode_transp	Mode of Transport		x(1)	
iec_mod_date	Modified Date	Mod Date	99/99/99	
iec_nat_trans	Nature of Transaction		x(2)	
iec_net_wt_min	Intrastat Net Weight Minimum		>>>, >>>, >>>9.99	2
iec_net_wt_um	Intrastat Net Weight UM		x(2)	
iec_port_arrdisp	Port of Arr/Disp		x(8)	
iec_port_transh	Port of Transshipment		x(8)	
◇ iec_preference	Preference		999	
iec_ref_logic	Reference Date Logic		x(1)	
iec_region	Region of Origin/Dest		x(3)	
iec_stat_proc	Statistical Procedure		x(8)	
iec_terms_deliv	Terms of Delivery		x(4)	

Field Name	Label	Col-Label	Format	Dec
iec_user1	Ufld1		x(8)	
iec_user2	Ufld2		x(8)	
iec_userid	User ID		x(8)	
◊ iec_use_extrastat	Use ExtraStat		yes/no	
iec_use_instat	Use Intrastat		yes/no	
iec__chr01			x(8)	
iec__chr02			x(8)	
iec__chr03			x(8)	
iec__chr04			x(8)	
iec__dec01			->>>,>>>,>>9.99<	10
iec__log01			yes/no	
iec__log02			yes/no	
iec__qadc01			x(8)	
iec__qadc02			x(8)	
iec__qadc03			x(8)	
iec__qadc04			x(8)	
iec__qadd01			->>>,>>>,>>9.99<	10
iec__qadi01			>>>>>>>>	
iec__qadi01			yes/no	
iec__qadi02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* iec_index1	yes	iec_index1	yes	no

ied_det

Import/Export Detail

Field Name	Label	Col-Label	Format	Dec
◇ ied_affiliation	Affiliation		x(1)	
ied_com_code	Commodity Code	Com Code	x(20)	
◇ ied_container	Container		yes/no	
◇ ied_csa	CSA code		9	
ied_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ied_etry_origin	Country of Origin	CO	x(3)	
◇ ied_decl_region	Declaration Region		x(3)	
ied_intrastat	Intrastat Item	Intrastat	yes/no	
◇ ied_item_spec	Item Specification		x(2)	
ied_line	Order Line	Line	>>9	
ied_mode_transp	Mode of Transport	T	x(1)	
ied_mod_date	Modified Date	Mod Date	99/99/99	
ied_nat_trans	Nature of Transaction	NT	x(2)	
ied_nbr	Order Number	Order	x(8)	
ied_port_arrrdisp	Port of Arr/Disp	PAD	x(8)	
ied_port_transh	Port of Transshipment	PT	x(8)	
◇ ied_preference	Preference		999	
ied_region	Region of Origin/Dest	ROD	x(3)	
◇ ied_req_nbr	Requisition Number		x(8)	
◇ ied_shipvia	Ship Via		x(20)	
ied_stat_proc	Statistical Procedure	SP	x(8)	
ied_terms_deliv	Terms of Delivery	TD	x(4)	
◇ ied_trnbr	Trans		>>>>>>>	
ied_type	Order Type	Type	x(2)	
ied_user1	Ufld1		x(8)	
ied_user2	Ufld2		x(8)	
ied_userid	User ID		x(8)	
ied_chr01			x(8)	
ied_chr02			x(8)	
ied_chr03			x(8)	
ied_chr04			x(8)	
ied_chr05			x(8)	
ied_dec01			->>>, >>>, >>9.99<	10
ied_dec02			->>>, >>>, >>9.99<	10
ied_dec03			->>>, >>>, >>9.99<	10
ied_dec04			->>>, >>>, >>9.99<	10
ied_dec05			->>>, >>>, >>9.99<	10
ied_dte01			99/99/99	
ied_dte02			99/99/99	
ied_dte03			99/99/99	
ied_dte04			99/99/99	
ied_dte05			99/99/99	
ied_log01			yes/no	
ied_log02			yes/no	
ied_log03			yes/no	
ied_log04			yes/no	
ied_log05			yes/no	
ied_log06			yes/no	
ied_qadc01			x(8)	
ied_qadc02			x(8)	
ied_qadc03			x(8)	
ied_qadc04			x(8)	
ied_qadc05			x(8)	
ied_qadd01			->>>, >>>, >>9.99<	10
ied_qadd02			->>>, >>>, >>9.99<	10

Field Name	Label	Col-Label	Format	Dec
ied__qadd03			->>>, >>>, >>9.99<	10
ied__qadd04			->>>, >>>, >>9.99<	10
ied__qadd05			->>>, >>>, >>9.99<	10
ied__qadl01			yes/no	
ied__qadl02			yes/no	
ied__qadl03			yes/no	
ied__qadl04			yes/no	
ied__qadl05			yes/no	
ied__qadt01			99/99/99	
ied__qadt02			99/99/99	
ied__qadt03			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ied_nbr	yes	ied_type	yes	no
		ied_nbr	yes	no
		ied_line	yes	no

ieh_hist Import/Export History

Field Name	Label	Col-Label	Format	Dec
ieh_addr	Address		x(8)	
◇ ieh_affiliation	Affiliation		x(1)	
ieh_agent	Agent		x(8)	
ieh_agent_id	Agent Branch ID		x(3)	
ieh_authority	Authority	Auth	x(8)	
ieh_com_code	Commodity Code	Com Code	x(20)	
◇ ieh_container	Container		yes/no	
◇ ieh_correction	Correction		yes/no	
◇ ieh_csa	CSA Code		9	
ieh_ctr_y_desdisp	Country of Dest/Disp	CDD	x(3)	
ieh_ctr_y_origin	Country of Origin	CO	x(3)	
ieh_declarant	Declarant		x(8)	
ieh_declarant_id	Declarant Branch ID		x(3)	
ieh_declaration_id	Declaration ID		>>>>>>>>	
ieh_decl_cur	Declaration Currency	Cur	x(3)	
ieh_decl_date	Submit Date		99/99/99	
ieh_decl_inv_amt	Reported Invoice Value		->>>, >>>, >>9.99<	10
ieh_decl_period	Period		x(2)	
◇ ieh_decl_region	Declaration Region		x(3)	
ieh_decl_statval	Reported Statistical Value		->>>, >>>, >>9.99<	2
ieh_decl_year	Year		x(4)	
ieh_effdate	Effective	Eff Date	99/99/99	
ieh_flow	Flow Indicator	Flow	x(2)	
ieh_inv_amt_cur	Invoice Value Foreign		->>>, >>>, >>9.99<	10
ieh_inv_amt_gl	Invoice Value		->>>, >>>, >>9.99<	10
ieh_inv_cur	Invoice Currency	Inv! Cur	x(3)	
ieh_inv_date	Invoice Date	Inv! Date	99/99/99	
◇ ieh_item_spec	Item Specification		x(2)	
ieh_line	Order Line	Line	>>9	
ieh_mode_transp	Mode of Transport	T	x(1)	
ieh_mod_date	Modified Date	Mod Date	99/99/99	
ieh_nat_trans	Nature of Transaction	NT	x(2)	

Field Name	Label	Col-Label	Format	Dec
ieh_nbr	Order Number	Order	x(8)	
ieh_net_wt	Net Weight		->>>, >>>, >>9.99<	10
ieh_net_wt_um	UM		x(2)	
◇ ieh_orig_doc	Original Document		x(8)	
◇ ieh_orig_month	Original Month		99	
◇ ieh_orig_year	Original Year		9999	
ieh_part	Item Number		x(18)	
ieh_port_arrrdisp	Port of Arr/Disp	PAD	x(8)	
ieh_port_transh	Port of Transshipment	PT	x(8)	
◇ ieh_preference	Preference		999	
ieh_program	Program		x(12)	
ieh_pst_id	Tax ID - State		x(18)	
ieh_qty	Quantity		->>>, >>>, >>9.99<	10
ieh_qty_um	UM		x(2)	
ieh_ref	Reference		x(8)	
ieh_ref_date	Reference Date	Ref! Date	99/99/99	
ieh_region	Region of Origin/Dest	ROD	x(3)	
ieh_reported	Reported		yes/no	
◇ ieh_req_nbr	Requisition Number		x(8)	
◇ ieh_shipvia	Ship Via		x(20)	
ieh_site	Site		x(8)	
ieh_stat_proc	Statistical Procedure	SP	x(8)	
ieh_stat_val	Statistical Value - Base		->>>, >>>, >>9.99<	2
ieh_suppl_um	UM		x(2)	
ieh_suppl_units	Suppl Units		->>>, >>>, >>9.99<	10
ieh_terms_deliv	Terms of Delivery	TD	x(4)	
ieh_trans_id	Trans id		>>>>>>>	
◇ ieh_tmbr	Trans		>>>>>>>	
ieh_type	Order Type	Type	x(2)	
ieh_user1	Ufld1		x(8)	
ieh_user2	Ufld2		x(8)	
ieh_userid	User ID		x(8)	
ieh_voucher	Voucher		x(8)	
ieh_chr01			x(8)	
ieh_chr02			x(8)	
ieh_chr03			x(8)	
ieh_chr04			x(8)	
ieh_chr05			x(8)	
ieh_dec01			->>>, >>>, >>9.99<	10
ieh_dec02			->>>, >>>, >>9.99<	10
ieh_dec03			->>>, >>>, >>9.99<	10
ieh_dec04			->>>, >>>, >>9.99<	10
ieh_dec05			->>>, >>>, >>9.99<	10
ieh_dte01			99/99/99	
ieh_dte02			99/99/99	
ieh_dte03			99/99/99	
ieh_dte04			99/99/99	
ieh_dte05			99/99/99	
ieh_qadc04			x(8)	
ieh_qadc05			x(8)	
ieh_qadc06			x(8)	
ieh_qadc07			x(8)	
ieh_qadc08			x(8)	
ieh_qadc09			x(8)	
ieh_qadc10			x(8)	
ieh_qadd01			->>>, >>>, >>9.99<	10
ieh_qadd02			->>>, >>>, >>9.99<	10

Field Name	Label	Col-Label	Format	Dec
ieh__qadd03			->>>, >>>, >>9.99<	10
ieh__qadd04			->>>, >>>, >>9.99<	10
ieh__qadd05			->>>, >>>, >>9.99<	10
ieh__qadd06			->>>, >>>, >>9.99<	10
ieh__qadi01			>>>>>>>>	
ieh__qadi01			yes/no	
ieh__qadi02			yes/no	
ieh__qadt01			99/99/99	
ieh__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_declaration_id	no	ieh_authority	yes	no
		ieh_declaration_id	yes	no
ieh_nbr	yes	ieh_authority	yes	no
		ieh_type	yes	no
		ieh_nbr	yes	no
		ieh_line	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no
ieh_ref	yes	ieh_authority	yes	no
		ieh_type	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no
ieh_reported	no	ieh_authority	yes	no
		ieh_reported	yes	no
* ieh_trans	yes	ieh_trans_id	yes	no
ieh_voucher	yes	ieh_authority	yes	no
		ieh_voucher	yes	no
		ieh_trans_id	yes	no

ie_mstr

Import/Export Master

Field Name	Label	Col-Label	Format	Dec
◇ ie_affiliation	Affiliation		x(1)	
◇ ie_correction	Correction		yes/no	
ie_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ie_incl_memo	Include Memo Items		yes/no	
ie_mode_transp	Mode of Transport	T	x(1)	
ie_mod_date	Modified Date	Mod Date	99/99/99	
ie_nat_trans	Nature of Transaction	NT	x(2)	
ie_nbr	Order		x(8)	
◇ ie_orig_doc	Original Document		x(8)	
◇ ie_orig_month	Original Month		99	
◇ ie_orig_year	Original Year		9999	
ie_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ie_port_transh	Port of Transshipment	PT	x(8)	
ie_region	Region Of Origin/Dest	ROD	x(3)	
ie_stat_proc	Statistical Procedure	SP	x(8)	
ie_terms_deliv	Terms of Delivery	TD	x(4)	
ie_type	Order Type	Type	x(2)	
ie_user1	Ufld1		x(8)	
ie_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
ie_userid	User ID		x(8)	
ie__chr01			x(8)	
ie__chr02			x(8)	
ie__chr03			x(8)	
ie__chr04			x(8)	
ie__chr05			x(8)	
ie__log01			yes/no	
ie__log02			yes/no	
ie__qadc01			x(8)	
ie__qadc02			x(8)	
ie__qadc03			x(8)	
ie__qadc04			x(8)	
ie__qadc05			x(8)	
ie__qadl01			yes/no	
ie__qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ie_nbr	yes	ie_type	yes	no
		ie_nbr	yes	no

ifs_mstr

Interface Session Master

Field Name	Label	Col-Label	Format	Dec
ifs_app_id	Application ID		x(12)	
ifs_doc_err_cnt	Document Error Count		>>>>>>9	
ifs_doc_tot_cnt	Total Document Count		>>>>>>9	
ifs_filename	Filename		x(65)	
ifs_grp_id	Group ID		>>>>>>9	
ifs_lst_doc_proc	Last Document Processed		>>>>>>9	
ifs_mod_date	Modified Date	Mod Date	99/99/99	
ifs_sess_hndl	Session Handle		x(16)	
ifs_sess_id	Session ID		>>>>>>9	
ifs_sess_stat	Session Status		x(1)	
ifs_sess_typ	Session Type		x(1)	
ifs_start_date	Start Date		99/99/9999	
ifs_start_time	Start Time		x(8)	
ifs_start_userid	Starting User		x(8)	
ifs_unit_wrk_typ	Unit of Work Type		x(1)	
ifs_user1	Ufld1		x(8)	
ifs_user2	Ufld2		x(8)	
ifs_userid	User ID		x(8)	
ifs__dec01			->>>, >>>, >>9.99<	10
ifs__dec02			->>>, >>>, >>9.99<	10
ifs__dte01			99/99/99	
ifs__dte02			99/99/99	
ifs__int01			->>>, >>>, >>9	
ifs__int02			->>>, >>>, >>9	
ifs__log01			yes/no	
ifs__log02			yes/no	
ifs__qadc01			x(8)	
ifs__qadc02			x(8)	
ifs__qadc03			x(8)	

Field Name	Label	Col-Label	Format	Dec
ifs__qadc04			x(8)	
ifs__qadd01			->>>,>>>,>>9.99<	10
ifs__qadd02			->>>,>>>,>>9.99<	10
ifs__qadi01			->>>,>>>,>>9	
ifs__qadi02			->>>,>>>,>>9	
ifs__qadi03			>>>>>>>9	
ifs__qadi04			>>>>>>>9	
ifs__qadi01			yes/no	
ifs__qadi02			yes/no	
ifs__qadt01			99/99/99	
ifs__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* SessionID	yes	ifs_sess_id	yes	no
		ifs_app_id	yes	no

ihcc_hist

Invoice History Credit Card Master

Field Name	Label	Col-Label	Format	Dec
ihcc_auth_amt	Authorization Amount	Auth Amt	->>>>,>>>,>>9.99<	10
ihcc_auth_date	Authorization Date	Auth Date	99/99/99	
ihcc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
ihcc_auth_nbr	Authorization Number		x(20)	
ihcc_billing_addr1	Address		x(28)	
ihcc_billing_addr2	Address		x(28)	
ihcc_billing_addr3	Address		x(28)	
ihcc_billing_city	City		x(20)	
ihcc_billing_country	Country		x(28)	
ihcc_billing_ctry	Country Code	Ctry	x(3)	
ihcc_billing_name	Name		x(28)	
ihcc_billing_state	State		x(4)	
ihcc_billing_zip	Post		x(10)	
ihcc_card_type	Card Type		x(8)	
ihcc_cc_expire_date	Expire Date	Expire	99/99/99	
ihcc_cc_nbr	Credit Card Number		x(24)	
ihcc_cc_nbr_tail	End Digits	Ending	x(4)	
ihcc_inv_nbr	Invoice Number	Invoice	x(8)	
ihcc_mod_date	Modified Date	Mod Date	99/99/99	
ihcc_mod_userid	User ID		x(8)	
ihcc_nbr	Sales Order	Order	x(8)	
ihcc_user1	User Field 1		x(24)	
ihcc_user2	User Field 2		x(24)	
ihcc__qadc01			x(8)	
ihcc__qadd01			->>>,>>>,>>9.9<<<<<<<<<<	10
ihcc__qadi01			>>>>>>9	
ihcc__qadi01			yes/no	
ihcc__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ihcc_inv_nbr	yes	ihcc_inv_nbr	yes	no
		ihcc_cc_nbr	yes	no
ihcc_nbr	no	ihcc_nbr	yes	no
		ihcc_cc_nbr	yes	no

ihr_hist

Invoice History Relationship Master

Field Name	Label	Col-Label	Format	Dec
ihr_div	Division		x(8)	
ihr_group	Group		x(8)	
ihr_inv_nbr	Invoice		x(8)	
ihr_nbr	Sales Order		x(8)	
ihr_pricing	Pricing		>9	
ihr_seq	Sequence		>>9	
ihr_type	Type		>>>9	
ihr_user1	Ufld1		x(8)	
ihr_user2	Ufld2		x(8)	
ihr_qadc01			x(8)	
ihr_qadc02			x(8)	
ihr_qadc03			x(8)	
ihr_qadd01			->>>>, >>>, >>9.9	10
ihr_qadd02			->>>>, >>>, >>9.9	10
ihr_qadi01			->, >>>, >>9	
ihr_qadi02			->, >>>, >>9	
ihr_qadi01			yes/no	
ihr_qadi02			yes/no	
ihr_qadt01			99/99/99	
ihr_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ihr_inv_seq	yes	ihr_inv_nbr	yes	no
		ihr_nbr	yes	no
		ihr_seq	yes	no
ihr_type	no	ihr_type	yes	no

ih_hist

Invoice History Master

Field Name	Label	Col-Label	Format	Dec
ih_ar_acct	AR Account	AR	x(8)	
ih_ar_cc	Cost Ctr	CC	x(4)	
ih_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
ih_bank	Bank		x(2)	
ih_bill	Bill-To		x(8)	
ih_bol	BOL		x(18)	
ih_cartons	Cartons		->, >>>, >>9	
ih_ca_nbr	Call		X(8)	
ih_channel	Channel		x(8)	
ih_cmtindx	Comment Index	Comment	>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
ih_cncd_date	Cancel Date		99/99/99	
ih_comm_pct[4]	Commission	Comm%	>>9.99%	2
ih_conf_date	Confirmed Date	Confirmed	99/99/99	
ih_conrep	Netting Logic		X(1)	
ih_credit	Credit	Cr	yes/no	
ih_crprlist	Credit Price List		X(8)	
ih_cr_card	Credit Card	Card	x(2)	
ih_cr_init	Cr Initials	Initials	x(2)	
ih_cr_terms	Credit Terms	Terms	x(8)	
ih_curr	Currency	Cur	x(3)	
ih_cust	Customer		x(8)	
◇ ih_custref_val	Customer Ref Is Customer Item		yes/no	
ih_cust_po	End Customer PO	End Cust PO	x(22)	
ih_disc_pct	Disc %		->9.99%	2
ih_div	Division		x(8)	
ih_due_date	Due Date	Due	99/99/99	
ih_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ih_export_batch	Batch		>>>>>>>9	
ih_export_date	Export Date		99/99/99	
ih_export_time	Export Time		>>>>>>>9	
ih_exru_seq	Sequence		>>>>>>>9	
ih_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_ratetype	Rate Type		x(8)	
ih_fcg_code	Charge Code		X(8)	
ih_fix_pr	Fixed Price		yes/no	
ih_fix_rate	Fixed Rate	Fixed	yes/no	
ih_fob	FOB Point		x(20)	
ih_fr_list	Freight List	Frt List	x(8)	
ih_fr_min_wt	Frt Min Wt		->>>, >>>, >>9	2
ih_fr_terms	Freight Terms	Fr Terms	x(8)	
ih_fsm_type	FSM Type		x(8)	
ih_fst_id	FST ID		x(18)	
ih_invoiced	Invoiced		yes/no	
ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ih_inv_date	Invoice Date	Inv Date	99/99/99	
ih_inv_mthd	Invoices Via		x(1)	
ih_inv_nbr	Invoice		x(8)	
ih_lang	Language		x(2)	
ih_mod_date	Modified Date	Mod Date	99/99/99	
ih_nbr	Sales Order	Order	x(8)	
ih_ord_date	Order Date	Ord Date	99/99/99	
ih_partial	Partial OK	Partial	yes/no	
ih_po	Purchase Order		x(22)	
ih_prepaid	Prepaid Amount		-z, zzz, zzz, zz9.99	10
ih_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
ih_priced_dt	Last Price Dt	Last Pri	99/99/99	
ih_pricing_dt	Pricing Date	Price Dt	99/99/99	
ih_primary	Primary SO	Pr SO	yes/no	
ih_print_bl	Print Bill of Lading	Print BOL	yes/no	
ih_print_pl	Print Pack List	Print Pack	yes/no	
ih_print_so	Print Sales Order	Print SO	yes/no	
ih_project	Project		x(8)	
ih_pr_list	Price List	List	x(8)	
ih_pr_list2	List Price List	List	x(8)	
ih_pst	PST		yes/no	

Field Name	Label	Col-Label	Format	Dec
ih_pst_id	PST ID		x(18)	
ih_pst_pct	PST Pct		->9.99<%	3
ih_quote	Quote		x(8)	
ih_req_date	Required Date	Required	99/99/99	
ih_rev	Revision	Rev	>>9	
ih_rmks	Remarks		x(40)	
ih_rstk_pct	Restocking Charge	Restock	->>9.99%	2
ih_sa_nbr	Contract		x(8)	
ih_sched	Scheduled		yes/no	
ih_sch_mthd	Schedules Via		X(1)	
ih_secondary	Secondary EMT Order	Sec EMT	yes/no	
ih_ship	Ship-To		x(8)	
ih_shipvia	Ship Via		x(20)	
ih_ship_date	Ship Date		99/99/99	
ih_ship_eng	Ship-To Engineer		yes/no	
ih_ship_po	Ship To PO		x(22)	
ih_site	Site		x(8)	
ih_size	Size		->,>>>,>>9.9<=====	10
ih_size_um	Size UM	UM	x(2)	
ih_slspsn[4]	Salesperson	Salespsn	x(8)	
ih_source	Order Source	Source	x(8)	
ih_stat	Action Status	St	x(2)	
ih_taxable	Taxable	Tax	yes/no	
ih_taxc	Tax Class	TxC	x(3)	
ih_tax_date	Tax Date		99/99/99	
ih_tax_env	Tax Environment	Tax Env	x(16)	
ih_tax_pct[3]	Tax		->9.99<%	3
ih_tax_usage	Tax Usage	TaxUsage	x(8)	
ih_to_inv	Ready to Invoice	Invoice	yes/no	
ih_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
ih_trl1_cd	Trailer 1	Trl1	x(2)	
ih_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
ih_trl2_cd	Trailer 2	Trl2	x(2)	
ih_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
ih_trl3_cd	Trailer 3	Trl3	x(2)	
ih_type	Type		x(8)	
ih_user1	Ufld1		x(8)	
ih_user2	Ufld2		x(8)	
ih_userid	User ID		x(8)	
ih_weight	Weight		->>>,>>>,>>9.9999	4
ih_weight_um	Weight UM	UM	x(2)	
ih_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
ih_xslspsn[2]	Salesperson	Salespsn	x(8)	
ih__chr01			x(8)	
ih__chr02			x(8)	
ih__chr03			x(8)	
ih__chr04			x(8)	
ih__chr05			x(8)	
ih__chr06			x(8)	
ih__chr07			x(8)	
ih__chr08			x(8)	
ih__chr09			x(8)	
ih__chr10			x(8)	
ih__dec01			>>>,>>>,>>9.99	10
ih__dec02			>>>,>>>,>>9.99	10
ih__dte01			99/99/99	
ih__dte02			99/99/99	

Field Name	Label	Col-Label	Format	Dec
ih__log01			yes/no	
ih__qad01			-z,zzz,zzz,zz9.99	2
ih__qad02			-z,zzz,zzz,zz9.99	2
ih__qad03			-z,zzz,zzz,zz9.99	2
ih__qad04			>	
ih__qad05[2]			>>9.9<<	2
ih__qadc01	QAD Field		X(8)	0
ih__qadc02	QAD Field		X(8)	0
ih__qadc03	QAD Field		X(8)	0
ih__qadc04	QAD Field		X(8)	0
ih__qadc05	QAD Field		X(8)	0
ih__qadd01	QAD Field		->>>>,>>>,>>9.99	10
ih__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
ih__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
ih__qadi01	QAD Field		->,>>>,>>9	
ih__qadi02	QAD Field		->,>>>,>>9	
ih__qadi03	QAD Field		->,>>>,>>9	
ih__qadi01	QAD Field		yes/no	
ih__qadi02	QAD Field		yes/no	
ih__qadi03	QAD Field		yes/no	
ih__qadt01	QAD Field		99/99/99	
ih__qadt02	QAD Field		99/99/99	
ih__qadt03	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ih_cust	no	ih_cust	yes	no
		ih_inv_date	yes	no
ih_export_batch	no	ih_export_batch	yes	no
ih_inv_date	no	ih_inv_date	yes	no
		ih_inv_nbr	yes	no
* ih_inv_nbr	yes	ih_inv_nbr	yes	no
		ih_nbr	yes	no
ih_nbr	no	ih_nbr	yes	no
		ih_inv_date	yes	no
ih_po	no	ih_po	yes	no
		ih_cust	yes	no

ild_det Item Location Detail

Field Name	Label	Col-Label	Format	Dec
ild_loc	Location		x(8)	
ild_mod_date	Modified Date	Mod Date	99/99/99	
ild_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
ild_part	Item Number		x(18)	
ild_rop	Reorder Point	ROP	>>>,>>>,>>9	0
ild_sfty_stk	Safety Stock	Safety Stk	>>>,>>>,>>9	0
ild_site	Site		x(8)	
ild_source_loc	Source Location	Source Loc	x(8)	
ild_user1	Ufld1		x(8)	
ild_user2	Ufld2		x(8)	
ild_userid	User ID		x(8)	
ild__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ilg_part	yes	ild_part	yes	no
		ild_site	yes	no
		ild_loc	yes	no

ilg_hist Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_access_code	Access Code		x(60)	
ilg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>, >>>, >>9	
ilg_ctrl_tot_2	Control Total 2		->>>, >>>, >>9.99<<<	10
ilg_ctrl_tot_3	Control Total 3		->>>, >>>, >>9.99<<<	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	
ilg_date_proc	Date Processed		99/99/9999	
ilg_date_rcvd	Date Received		99/99/9999	
ilg_dest_app_id	Destination Application ID		x(12)	
ilg_dest_app_ver	Destination Application Version		x(8)	
ilg_dest_doc_rev	Destination Document Revision		x(8)	
ilg_dest_doc_std	Destination Document Standard		x(8)	
ilg_dest_doc_typ	Destination Document Type		x(21)	
ilg_dest_mthd	Destination Method		x(24)	
ilg_dest_proc	Destination Procedure		x(24)	
ilg_doc_id	Document ID		>>>>>>>9	
ilg_doc_lng	Document Language		x(3)	
ilg_doc_rev	Document Revision		x(8)	
ilg_doc_std	Document Standard		x(8)	
ilg_doc_sufx	Document Suffix		>>	
ilg_doc_typ	Document Type		x(21)	
ilg_email_notlvl	E-mail Notification Level		x(1)	
ilg_email_userid	E-mail Recipient User ID		x(8)	
ilg_err_stat	Error Status		x(1)	
ilg_ext_doc_key	External Document Key		x(40)	
ilg_grp_id	Group ID		>>>>>>>9	
ilg_grp_seq	Sequence		>, >>>, >>9	
ilg_mapper_proc	Data Mapper Procedure		x(24)	
ilg_map_doc_now	Map Document Now		yes/no	
ilg_map_log_file	Mapper Error Log File		x(60)	
ilg_map_spec	Map Specification		x(12)	
ilg_mfgpro_key	MFG/PRO Key		X(18)	
ilg_mfgpro_site	MFG/PRO Site		X(8)	

Field Name	Label	Col-Label	Format	Dec
ilg_mod_date	Modified Date	Mod Date	99/99/99	
ilg_mod_userid	User ID		x(8)	
ilg_num_form	Numeric Format		X(8)	
ilg_orig_doc_id	Original Document ID		>>>>>>9	
ilg_prcg_stage	Processing Stage		x(1)	
ilg_process_typ	Process Type		x(8)	
ilg_sess_id	Session ID		>>>>>>9	
ilg_src_comp	Source Component		x(10)	
ilg_src_proc	Source Procedure		x(24)	
ilg_src_task	Source Task		x(10)	
ilg_src_userid	Source User ID		x(16)	
ilg_timezone	Creation Timezone		X(5)	
ilg_time_ack	Time Acknowledged		x(8)	
ilg_time_create	Time Created		X(8)	
ilg_time_map	Time Mapped		x(8)	
ilg_time_proc	Time Processed		x(8)	
ilg_time_rcvd	Time Received		x(8)	
ilg_tradptr_id	Trading Partner ID		x(32)	
ilg_unit_wrk_typ	Unit of Work Type		x(1)	
ilg_user1	Ufld1		x(8)	
ilg_user2	Ufld2		x(8)	
ilg_use_im_queue	Use Import Queue		yes/no	
ilg__dec01			->>>, >>>, >>9.99<	10
ilg__dec02			->>>, >>>, >>9.99<	10
ilg__dte01			99/99/99	
ilg__dte02			99/99/99	
ilg__int01			->>>, >>>, >>9	
ilg__int02			->>>, >>>, >>9	
ilg__log01			yes/no	
ilg__log02			yes/no	
ilg__qadc01			x(8)	
ilg__qadc02			x(8)	
ilg__qadc03			x(8)	
ilg__qadc04			x(8)	
ilg__qadd01			->>>, >>>, >>9.99<	10
ilg__qadd02			->>>, >>>, >>9.99<	10
ilg__qadi01			->>>, >>>, >>9	
ilg__qadi02			->>>, >>>, >>9	
ilg__qadi01			yes/no	
ilg__qadi02			yes/no	
ilg__qadt01			99/99/99	
ilg__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ApplD	no	ilg_app_id	yes	no
		ilg_prcg_stage	yes	no
◇* DocIDSufx	yes	ilg_doc_id	yes	no
		ilg_doc_sufx	yes	no
◇ ExtDockKey	no	ilg_ext_doc_key	yes	no
◇ GroupID	no	ilg_grp_id	yes	no
◇ MfgProKey	no	ilg_mfgpro_key	yes	no
◇ Site	no	ilg_mfgpro_site	yes	no

imap_det

Import Document Map Detail

Field Name	Label	Col-Label	Format	Dec
imap_data	Mapped Import Document Data		x(255)	
imap_doc_id	Document ID		>>>>>>9	
imap_doc_line	Document Line Number		>>9	
imap_doc_sufx	Document Suffix		>>	
imap_line_cont	Line Continued		yes/no	
imap_mod_date	Modified Date	Mod Date	99/99/99	
imap_mod_userid	User ID		x(8)	
imap_user1	Ufld1		x(8)	
imap_user2	Ufld2		x(8)	
imap__dec01			->>>, >>>, >>9.99<	10
imap__dec02			->>>, >>>, >>9.99<	10
imap__dte01			99/99/99	
imap__dte02			99/99/99	
imap__int01			->>>, >>>, >>9	
imap__int02			->>>, >>>, >>9	
imap__log01			yes/no	
imap__log02			yes/no	
imap__qadc01			x(8)	
imap__qadc02			x(8)	
imap__qadc03			x(8)	
imap__qadc04			x(8)	
imap__qadd01			->>>, >>>, >>9.99<	10
imap__qadd02			->>>, >>>, >>9.99<	10
imap__qadi01			->>>, >>>, >>9	
imap__qadi02			->>>, >>>, >>9	
imap__qadi01			yes/no	
imap__qadi02			yes/no	
imap__qadt01			99/99/99	
imap__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* MappedImport	yes	imap_doc_id	yes	no
		imap_doc_sufx	yes	no
		imap_doc_line	yes	no

img_msg

Import Document Message

Field Name	Label	Col-Label	Format	Dec
img_app_id	Application ID		x(12)	
img_doc_id	Document ID		>>>>>>>9	
img_doc_sufx	Document Suffix		>>	
img_email_sent	Email Message Sent		yes/no	
img_mod_date	Modified Date	Mod Date	99/99/99	
img_mod_userid	User ID		x(8)	
img_prcg_stage	Processing Stage		x(1)	
img_return_code	Return Code		x(8)	
img_return_txt	Message Text		x(160)	
img_sev_lvl	Severity Level		x(1)	
img_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
img_user2	Ufld2		x(8)	
img__dec01			->>>, >>>, >>9.99<	10
img__dec02			->>>, >>>, >>9.99<	10
img__dte01			99/99/99	
img__dte02			99/99/99	
img__int01			->>>, >>>, >>9	
img__int02			->>>, >>>, >>9	
img__log01			yes/no	
img__log02			yes/no	
img__qadc01			x(8)	
img__qadc02			x(8)	
img__qadc03			x(8)	
img__qadc04			x(8)	
img__qadd01			->>>, >>>, >>9.99<	10
img__qadd02			->>>, >>>, >>9.99<	10
img__qadi01			->>>, >>>, >>9	
img__qadi02			->>>, >>>, >>9	
img__qadi01			yes/no	
img__qadi02			yes/no	
img__qadt01			99/99/99	
img__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ImpReturnCode	yes	img_doc_id	yes	no
		img_doc_sufx	yes	no
		img_prog_stage	yes	no
		img_return_code	yes	no

im_mstr

Inventory Movement Code Master

Field Name	Label	Col-Label	Format	Dec
im_desc	Description		x(30)	
im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
im_tr_type	Transaction Type	Tr Type	x(8)	
◇ im_unplanned_acct	Unplanned Account	Account	x(8)	
◇ im_unplanned_cc	Unplanned Cost Center	CC	x(4)	
◇ im_unplanned_sub	Unplanned Sub Account	Sub Acct	x(8)	
im_user1	Ufld1		x(8)	
im_user2	Ufld2		x(8)	
im__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* im_inv_mov	yes	im_inv_mov	yes	no

ind_det Independent Demand Detail

Field Name	Label	Col-Label	Format	Dec
ind_bo_chg	Qty B/O		->>>, >>>, >>9.9<<<<<<<<<	10
ind_cmtindx	Comment Index	Comment	>>>>>>>9	
ind_loc	Location		x(8)	
ind_mod_date	Modified Date	Mod Date	99/99/99	
ind_nbr	Order		x(8)	
ind_part	Item Number		x(18)	
ind_project	Project		x(8)	
ind_qty_all	Qty Allocated		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_chg	Qty to Issue		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_iss	Qty Issued		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_pick	Qty Picked		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_req	Qty Required		->>>, >>>, >>9.9<<<<<<<<	10
ind_remarks	Remarks		x(40)	
ind_request	Requested By	Req By	x(8)	
ind_req_date	Date Req		99/99/99	
ind_serial	Lot/Serial		x(18)	
ind_site	Site		x(8)	
ind_type	Type	T	x(1)	
ind_um	UM		x(2)	
ind_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
ind_user1	Ufld1		x(8)	
ind_user2	Ufld2		x(8)	
ind_userid	User ID		x(8)	
ind__chr01			x(8)	
ind__chr02			x(8)	
ind__chr03			x(8)	
ind__chr04			x(8)	
ind__chr05			x(8)	
ind__dec01			>>>, >>>, >>9.99	10
ind__dec02			>>>, >>>, >>9.99	10
ind__dte01			99/99/99	
ind__dte02			99/99/99	
ind__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ind_det	yes	ind_site	yes	no
		ind_nbr	yes	no
		ind_part	yes	no
ind_nbr	yes	ind_nbr	yes	no
		ind_site	yes	no
		ind_part	yes	no
ind_part	yes	ind_part	yes	no
		ind_site	yes	no
		ind_nbr	yes	no

insd_det Invoice Schedule Detail

Field Name	Label	Col-Label	Format	Dec
insd_list_pr	List Price		->>>>, >>>, >>>9.99<<<	10
insd_mod_date	Modified Date	Mod Date	99/99/99	
insd_mod_userid	User ID		x(8)	
insd_pjs_line	Project Line		>>>>>>>9	
insd_price	Net Price		->>>>, >>>, >>>9.99<<<	10
insd_prj_nbr	Project		x(8)	
insd_qty_inv	Qty Invoiced		->>, >>>, >>9.9<<<<<<<<<<	10
insd_sched_date	Schedule Date		99/99/99	
insd_sched_nbr	Schedule		x(8)	
insd_sub_nbr	Subproject		>>>9	
insd_user1	Ufld1		x(8)	
insd_user2	Ufld2		x(8)	
insd__qadc01			x(24)	
insd__qadd01			->>>>, >>>, >>>9.99<<<	10
insd__qadi01			>>>>>>>9	
insd__qadi01			yes/no	
insd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* insd_line	yes	insd_prj_nbr	yes	no
		insd_sub_nbr	yes	no
		insd_sched_nbr	yes	no
		insd_pjs_line	yes	no
insd_nbrln	no	insd_prj_nbr	yes	no
		insd_pjs_line	yes	no

ins_mstr Invoice Schedule Master

Field Name	Label	Col-Label	Format	Dec
ins_ar_acct	AR Account		x(8)	
ins_ar_cc	AR Cost Center		x(4)	
ins_ar_sub	AR Sub-Account		x(8)	
ins_bill_to	Bill-To		x(8)	
ins_cmtindx	Comment Index		>>>>>>>9	
ins_cr_terms	Credit Terms		x(8)	
ins_curr	Currency	Cur	x(3)	
ins_fixed	Fixed		yes/no	
ins_hold	Hold Invoice		yes/no	
ins_hold_rmks	Hold Remarks		x(40)	
ins_inv_amt	Invoice Amount		->>>>, >>>, >>>9.99<<<	10
ins_inv_nbr	Invoice		x(8)	
ins_inv_pct	Invoice Percent		->>9.9<%	2
ins_inv_type	Invoice Type		x(4)	
ins_mod_date	Modified Date	Mod Date	99/99/99	
ins_mod_userid	User ID		x(8)	
ins_ord_date	Creation Date		99/99/99	
ins_orig_date	Original Date		99/99/99	
ins_prepayment	Prepayment		yes/no	
ins_prj_nbr	Project		x(8)	
ins_released	Release		yes/no	

Field Name	Label	Col-Label	Format	Dec
ins_rel_date	Release Date		99/99/99	
ins_rmks	Remarks		x(40)	
ins_sched_date	Schedule Date		99/99/99	
ins_sched_nbr	Schedule		x(8)	
ins_so_nbr	Pending Invoice		x(8)	
ins_sub_nbr	Subproject		>>>9	
ins_user1	Ufld1		x(8)	
ins_user2	Ufld2		x(8)	
ins_userid	Entered By		x(8)	
ins_qadc01			x(24)	
ins_qadd01			->>>>, >>>, >>9.99<<<<	10
ins_qadi01			>>>>>>9	
ins_qadi01			yes/no	
ins_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ins_schedule	yes	ins_prj_nbr	yes	no
		ins_sub_nbr	yes	no
		ins_sched_nbr	yes	no
ins_so	no	ins_so_nbr	yes	no

in_mstr Inventory Master

Field Name	Label	Col-Label	Format	Dec
in_abc	ABC Class	ABC	x(1)	
in_assay	Assay %		>>9.99%	2
in_avg_date	Last Average	Last Avg	99/99/99	
in_avg_int	Avg Int	Avg! Int	>>9	
in_avg_iss	Average Issues	Avg Iss	->, >>>, >>9.9<<<<<<<<	10
in_avg_sls	Average Sales	Avg Sales	->, >>>, >>9.9<<<<<<<<	10
in_cnt_date	Last Count	Last Cnt	99/99/99	
in_cur_set	Current Cost Set	Cur Set	x(8)	
◇ in_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->, >>>, >>9.9<<<<<<<<	10
in_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
◇ in_gl_cost_site	GL Cost Source Site		X(8)	
in_gl_set	GL Cost Set	GL Set	x(8)	
in_grade	Grade		x(2)	
in_iss_chg	Qty Issue Change		->, >>>, >>9.9<<<<<<<<	10
in_iss_date	Last Issue	Last Iss	99/99/99	
in_level	Level		->>>>>9	
in_loc	Location		x(8)	
in_loc_type	Location Type	Loc Type	x(8)	
in_mrp	MRP Required	MRP Req	yes/no	
in_part	Item Number		x(18)	
in_proj_use	Projected Use	Proj Usage	->, >>>, >>9	
in_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
in_qty_avail	Avail Status Qty	Avail Status! Qty On Hand	->, >>>, >>9.9<<<<<<<<	10
in_qty_chg	Qty Change		->, >>>, >>9.9<<<<<<<<	10
in_qty_nonet	QOH Non-nettable		->, >>>, >>9.9<<<<<<<<	10
in_qty_oh	Qty On Hand		->, >>>, >>9.9<<<<<<<<	10
in_qty_ord	Qty On Order		->, >>>, >>9.9<<<<<<<<	10
in_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
in_rctpo_active	Active	Act	yes/no	
in_rctpo_status	PO Rcpt Status	Status	x(8)	
in_rctwo_active	Active	Act	yes/no	
in_rctwo_status	WO Rcpt Status	Status	x(8)	
in_rec_date	Last Receipt	Last Rct	99/99/99	
in_rollup	Rollup Reqd		yes/no	
in_rollup_id	Rollup ID		x(8)	
in_rop	Reorder Point	ROP	>>>,>>9	0
in_sfty_stk	Safety Stk	Safety! Stock	>>>,>>9	0
in_site	Site		x(8)	
in_sls_chg	Qty Sales Change		->>,>>>,>>9.9<<<<<<<<	10
◇ in_supp_consigh_qty	Supplier Consignment Qty	Supplier! Consignment	->>,>>>,>>9.9<<<<<<<<	10
in_user1	Ufld1		x(8)	
in_user2	Ufld2		x(8)	
in_wh	Warehoused Item	WH	yes/no	
in__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ in_gl_cost_site	no	in_gl_cost_site	yes	no
		in_part	yes	no
in_level	no	in_level	yes	no
		in_mrp	yes	no
		in_part	yes	no
		in_site	yes	no
* in_part	yes	in_part	yes	no
		in_site	yes	no
in_site	yes	in_site	yes	no
		in_part	yes	no

ipd_det

Item Specification Detail

Field Name	Label	Col-Label	Format	Dec
ipd_attribute	Attribute		X(8)	0
ipd_cmtindx	Comment Index	Comment	>>>>>>>>9	
ipd_end	End Effective	End Eff	99/99/99	
ipd_include	Include		yes/no	
ipd_label	Characteristic		x(24)	
ipd_nbr	Document		x(8)	
ipd_op	Operation	Op	>>>>9	
ipd_part	Item Number		x(18)	
ipd_routing	Routing/Procedure		x(18)	
ipd_start	Start Effective	Start Eff	99/99/99	
ipd_test	Number		x(8)	
ipd_testmthd	Test Method		X(8)	0
ipd_tol	Specification		x(26)	
ipd_tol_type	Measure		x(12)	
ipd_user1	Ufld1		x(8)	
ipd_user2	Ufld2		x(8)	
ipd__chr01			x(8)	
ipd__chr02			x(8)	
ipd__chr03			x(8)	

Field Name	Label	Col-Label	Format	Dec
ipd_chr04			x(8)	
ipd_chr05			x(8)	
ipd_dec01			>>>, >>>, >>9.99	2
ipd_dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
ipd_itemtype	yes	ipd_part	yes	no
		ipd_routing	yes	no
		ipd_op	yes	no
		ipd_test	yes	no
		ipd_start	yes	no
* ipd_nbr	no	ipd_nbr	yes	no

iph_hist

Pricing History

Field Name	Label	Col-Label	Format	Dec
iph_accr_acct	Accrual Acct		x(8)	
iph_accr_cc	Accrual CC	CC	x(8)	
iph_accr_proj	Accrual Proj		x(8)	
iph_accr_sub	Accrual Sub	Sub-Acct	x(8)	
iph_amt	Amount		->>>>, >>>, >>9.99<<<	10
iph_amt_type	Amt Type		x(8)	
iph_bonus_line	Triggering Line Number		>>9	
iph_break_cat	Break Cat		x(18)	
iph_comb_type	Comb Type		x(24)	
iph_config_disc	Config Disc	Config	yes/no	
iph_cr_terms	Credit Terms	Terms	x(8)	
iph_disc_acct	Disc Acct		x(8)	
iph_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
iph_disc_cc	Cost Ctr	CC	x(4)	
iph_disc_proj	Project		x(8)	
iph_disc_seq	Disc Sequence		>>, >>9.<<<<<<	5
iph_disc_sub	Sub Acct	Sub-Acct	x(8)	
iph_feature	Feature		x(12)	
iph_fr_list	Freight List	Frt List	x(8)	
iph_fr_terms	Freight Terms		x(8)	
iph_inv_nbr	Invoice		x(8)	
iph_line	Line		>>9	
iph_list	Price List	List	x(8)	
iph_list_id	List Id		x(8)	
iph_min_net	Min Net Ord		->>>>, >>>, >>9.99<	2
iph_mod_date	Modified Date	Mod Date	99/99/99	
iph_nbr	Order		x(8)	
iph_option	Item Number		x(18)	
iph_parent	Parent Item		x(18)	
iph_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
iph_pig_code	Price List Group		x(8)	
iph_print	Print		yes/no	
iph_promo1	Promotion Code		x(8)	
iph_promo2	Promotion Type		x(8)	
iph_promo3	APM Code 3		x(8)	
iph_promo4	APM Code 4		x(8)	

Field Name	Label	Col-Label	Format	Dec
iph_qty	Qty		->>, >>>, >>9.9<<<<<<<<<	10
iph_qty_type	Qty Type		x(24)	
iph_source	Source		x(8)	
iph_time	Time		>>, >>>, >>9	
iph_um	UM		x(2)	
iph_user1	Ufld1		x(8)	
iph_user2	Ufld2		x(8)	
iph_userid	User ID		x(8)	
iph__chr01			x(8)	
iph__chr02			x(8)	
iph__chr03			x(8)	
iph__chr04			x(8)	
iph__chr05			x(8)	
iph__chr06			x(8)	
iph__chr07			x(8)	
iph__chr08			x(8)	
iph__chr09			x(8)	
iph__chr10			x(8)	
iph__dec01			>>>, >>>, >>9.99	10
iph__dec02			>>>, >>>, >>9.99	10
iph__dte01			99/99/99	
iph__dte02			99/99/99	
iph__log01			yes/no	
iph__qadc01			x(8)	
iph__qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
iph_comp	no	iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
iph_list	no	iph_list	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
iph_list_id	no	iph_list_id	yes	no
* iph_nbr	yes	iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_config_disc	yes	no
		iph_source	yes	no
		iph_list_id	yes	no
		iph_amt_type	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no

ip_mstr

Master Specification Test Results

Field Name	Label	Col-Label	Format	Dec
ip_nbr	Document		x(8)	
ip_op	Operation	Op	>>>>9	
ip_part	Item Number		x(18)	
ip_routing	Routing/Procedure		x(18)	
ip_user1	Ufld1		x(8)	
ip_user2	Ufld2		x(8)	
ip__chr01			x(8)	
ip__chr02			x(8)	
ip__chr03			x(8)	
ip__chr04			x(8)	
ip__chr05			x(8)	
ip__dec01			>>>, >>>, >>9.99	2
ip__dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* ip_itemtest	yes	ip_part	yes	no
		ip_routing	yes	no
		ip_op	yes	no
ip_test	no	ip_nbr	yes	no

iraw_det

Raw Import Document Detail

Field Name	Label	Col-Label	Format	Dec
iraw_data	Raw Import Document Data		x(255)	
iraw_doc_id	Document ID		>>>>>>9	
iraw_doc_line	Document Line Number		>>9	
iraw_line_cont	Line Continued		yes/no	
iraw_mod_date	Modified Date	Mod Date	99/99/99	
iraw_mod_userid	User ID		x(8)	
iraw_user1	Ufld1		x(8)	
iraw_user2	Ufld2		x(8)	
iraw__dec01			->>>, >>>, >>9.99<	10
iraw__dec02			->>>, >>>, >>9.99<	10
iraw__dte01			99/99/99	
iraw__dte02			99/99/99	
iraw__int01			->>>, >>>, >>9	
iraw__int02			->>>, >>>, >>9	
iraw__log01			yes/no	
iraw__log02			yes/no	
iraw__qadc01			x(8)	
iraw__qadc02			x(8)	
iraw__qadc03			x(8)	
iraw__qadc04			x(8)	
iraw__qadd01			->>>, >>>, >>9.99<	10
iraw__qadd02			->>>, >>>, >>9.99<	10
iraw__qadi01			->>>, >>>, >>9	
iraw__qadi02			->>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
iraw__qadl01			yes/no	
iraw__qadl02			yes/no	
iraw__qadt01			99/99/99	
iraw__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* Rawlimport	yes	iraw_doc_id	yes	no
		iraw_doc_line	yes	no

iro_det Item Routing Cost Detail

Field Name	Label	Col-Label	Format	Dec
iro_bdn_ll	Burden LL		->>>, >>>, >>9.99<<<	10
iro_bdn_tl	Burden		->>>, >>>, >>9.99<<<	10
iro_cost_set	Cost Set		x(8)	
iro_cost_tot	Cost Total		->>>, >>>, >>9.99<<<	10
iro_date	Updated		99/99/99	
iro_lbr_ll	Labor LL		->>>, >>>, >>9.99<<<	10
iro_lbr_tl	Labor		->>>, >>>, >>9.99<<<	10
iro_mtl_ll	Material LL		->>>, >>>, >>9.99<<<	10
iro_mtl_tl	Material		->>>, >>>, >>9.99<<<	10
iro_nrv	Net Realized Value	NR! Value	>>>>, >>>, >>9.99<<<	10
iro_op	Operation	Op	>>>>9	
iro_ovh_ll	Overhead LL		->>>, >>>, >>9.99<<<	10
iro_ovh_tl	Overhead		->>>, >>>, >>9.99<<<	10
iro_part	Item Number		x(18)	
iro_routing	Routing Code		x(18)	
iro_site	Site		x(8)	
iro_sub_ll	Subcontract LL		->>>, >>>, >>9.99<<<	10
iro_sub_tl	Subcontract		->>>, >>>, >>9.99<<<	10
iro_user1	Ufld1		x(8)	
iro_user2	Ufld2		x(8)	
iro_value01	Value 01		->>>, >>>, >>9.99<<<	10
iro_value02	Value 02		->>>, >>>, >>9.99<<<	10
iro_value03	Value 03		->>>, >>>, >>9.99<<<	10
iro_value04	Value 04		->>>, >>>, >>9.99<<<	10
iro_value05	Value 05		->>>, >>>, >>9.99<<<	10
iro__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* iro_det	yes	iro_part	yes	no
		iro_site	yes	no
		iro_cost_set	yes	no
		iro_routing	yes	no
		iro_op	yes	no

isb_mstr Service/Support Installed Base Item Master

Field Name	Label	Col-Label	Format	Dec
isb_article	Article Number		x(18)	
isb_calibration	Calibration		->,>>>,>>9.9<<<<<<<<	10
isb_calib_date	Calibration Date		99/99/99	
isb_cmtindx	Comment Index	Comment	>>>>>>>9	
isb_comp	Component	Comp	yes/no	
isb_customer_id	Customer Id		x(18)	
isb_desc1	Description		x(24)	
isb_desc2	Description		x(24)	
isb_eco	ECO		x(8)	
isb_eng_code	Engineer		x(8)	
isb_eud_trnbr	End User ID		>>>>>>>>>9	
isb_eu_nbr	End User		x(8)	
isb_ic_ref	Inventory Ref		x(18)	
isb_ins_date	Install Date	Install	99/99/99	
isb_inv_nbr	Invoice		x(8)	
isb_last_pm	Last PM date	Last PM	99/99/99	
isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
isb_location	Location		x(24)	
isb_lst_upd	Last Updated		99/99/99	
isb_meter_date	Meter Reading Date		99/99/99	
isb_meter_interval	Meter Reading Interval	Interval	>>>>,>>>,>>9.99<<<	10
isb_meter_rdg	Latest Meter Reading	Meter	>>>>,>>>,>>9.99<<<	10
isb_meter_um	Meter Reading Units		X(2)	
isb_model	Model		x(18)	
isb_mod_date	Modified Date	Mod Date	99/99/99	
isb_mod_userid	User ID		X(8)	
isb_next_pm	Next PM Date	Next PM	99/99/99	
isb_origin	Country of Origin		x(12)	
isb_orig_ins	Original Install		99/99/99	
isb_owner	Ownership		x(8)	
isb_parent	Parent		yes/no	
isb_part	Item Number	Item	x(18)	
isb_plant_maint	Internal Plant Maint		yes/no	
isb_pm_days	PM days		>>>>>9	
isb_pm_um	UM		x(2)	
isb_price_sold	Price Sold		>>>>,>>>,>>9.99<<<	10
isb_qty	Qty		>,>>>,>>>,>>9.9<<	10
isb_rebuild	Rebuild ISB		yes/no	
isb_ref	Ref		>>>>>>>9	
isb_rev	Rev Level	Rev	x(10)	
isb_seq	Seq		>>>>>>>9	
isb_serial	Serial		x(18)	
isb_ship_date	Ship Date		99/99/99	
isb_sold_to	Sold to		x(8)	
isb_so_line	Sales Order Line	SO Line	>>>>9	
isb_so_nbr	Sales Order	Order	x(8)	
isb_status	Status		x(8)	
isb_sys_type	Item Type		x(2)	
isb_tarrif	Tariff		x(8)	
isb_updates	Updates		x(8)	
isb_user1	Ufld1		x(8)	
isb_user2	Ufld2		x(8)	
isb_warr_cd	Warranty Code	Warr Cd	x(8)	
isb_warr_dur	Warranty Duration	War Dur	>>>>>9	
isb_warr_exp	Warranty Expiration	Warr Exp	99/99/99	

Field Name	Label	Col-Label	Format	Dec
isb_warr_override	Warranty Override		yes/no	
isb_chr01			x(8)	
isb_chr02			x(8)	
isb_chr03			x(8)	
isb_chr04			x(8)	
isb_chr05			x(8)	
isb_chr06			x(8)	
isb_chr07			x(8)	
isb_chr08			x(8)	
isb_chr09			x(8)	
isb_chr10			x(8)	
isb_dec01			-->>>, >>>, >>9.99	10
isb_dec02			-->>>, >>>, >>9.99	10
isb_dec03			-->>>, >>>, >>9.99	10
isb_dte01			99/99/99	
isb_dte02			99/99/99	
isb_dte03			99/99/99	
isb_dte04			99/99/99	
isb_log01			yes/no	
isb_log02			yes/no	
isb_log03			yes/no	
isb_log04			yes/no	
isb_log05			yes/no	
isb_qadc01	QAD Character Field 1		X(8)	
isb_qadc02	QAD Character Field 2		X(8)	
isb_qadc03	QAD Character Field 3		X(8)	
isb_qadc04	QAD Character Field 4		x(8)	0
isb_qade01	QAD Decimal Field 1		-->>>, >>>, >>9.99	10
isb_qade02	QAD Decimal Field 2		-->>>, >>>, >>9.99	10
isb_qade03	QAD Decimal Field 3		-->>>, >>>, >>9.99	10
isb_qadi01	QAD Integer Field 1		->, >>>, >>9	
isb_qadi02	QAD Integer Field 2		->, >>>, >>9	
isb_qadi03	QAD Field		>>>>>9	
isb_qadi04	QAD Integer Field 4		>>>>9	
isb_qadi01	QAD Logical Field 1		yes/no	
isb_qadi02	QAD Logical Field 2		yes/no	
isb_qadi03	QAD Logical Field 3		yes/no	
isb_qadt01	QAD Date Field 1		99/99/99	
isb_qadt02	QAD Date Field 2		99/99/99	
isb_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* isb_eupartsr	yes	isb_eu_nbr	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_eu_ser	no	isb_eu_nbr	yes	no
		isb_serial	yes	no
		isb_part	yes	no
isb_model	no	isb_eu_nbr	yes	no
		isb_model	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_part_ser	yes	isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
isb_serial	no	isb_serial	yes	no
		isb_ref	yes	no
isb_ser_part	no	isb_serial	yes	no
		isb_part	yes	no
		isb_ref	yes	no
isb_sys_bld	no	isb_eu_nbr	yes	no
		isb_rebuild	yes	no
		isb_sys_type	yes	no

isd_det Inventory Status Detail

Field Name	Label	Col-Label	Format	Dec
isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
isd_status	Status		x(8)	
isd_tr_type	Restricted Trans		x(8)	
isd_type	Type		x(8)	
isd_user1	Ufld1		x(8)	
isd_user2	Ufld2		x(8)	
isd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* isd_status	yes	isd_status	yes	no
		isd_tr_type	yes	no
		isd_type	yes	no

isp_mstr Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
isp_app_id	Application ID		x(12)	
isp_app_ver	Application Version		x(8)	
isp_cim_proc	CIM/API Process		yes/no	
isp_code_pg	Code Page		X(15)	
isp_date_form	Date Format		X(3)	
isp_delim	ASCII Document Element Delimiter		>>9	
isp_del_err_det	Delete Error Detail		x(1)	
isp_desc	Description		x(60)	
isp_dest_app_id	Destination Application ID		x(12)	
isp_dest_app_ver	Destination Application Version		x(8)	
isp_dest_doc_rev	Destination Document Revision		x(8)	
isp_dest_doc_std	Destination Document Standard		x(8)	
isp_dest_doc_typ	Destination Document Type		x(21)	

Field Name	Label	Col-Label	Format	Dec
isp_dest_mthd	Destination Method		x(24)	
isp_dest_proc	MFG/PRO Destination Procedure		x(24)	
isp_doc_lng	Document Language		x(3)	
isp_doc_rev	Document Revision		x(8)	
isp_doc_std	Document Standard		x(8)	
isp_doc_typ	Document Type		x(21)	
isp_email_notlvl	E-mail Level		x(1)	
isp_email_userid	Default E-mail User ID		x(8)	
isp_im_map_flg	Import Mapping Enabled		yes/no	
isp_mapper_proc	Data Mapper Procedure		x(24)	
isp_map_parm[10]	Mapper Parameter Codes		x(8)	
isp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
isp_map_spec	Mapping Specification ID		x(24)	
isp_mod_date	Modified Date	Mod Date	99/99/99	
isp_mod_userid	User ID		x(8)	
isp_num_form	Numeric Format		X(8)	
isp_pause_sev	Pause Severity Level		9	
isp_process_typ	Process Type		x(8)	
isp_proc_flg	Import Processing Enabled		yes/no	
isp_rcv_flg	Receiving Enabled		yes/no	
isp_src_comp	Source Component		x(10)	
isp_src_proc	Source Procedure		x(24)	
isp_src_task	Source Task		x(10)	
isp_src_userid	Source User ID		x(8)	
isp_tradptr_id	Trading Partner ID		x(32)	
isp_user1	Ufld1		x(8)	
isp_user2	Ufld2		x(8)	
isp_use_im_queue	Use Import Queue		yes/no	
isp_xml	XML Imported		x(1)	
isp__dec01			-->>>, >>>, >>>9.99<	10
isp__dec02			-->>>, >>>, >>>9.99<	10
isp__dte01			99/99/99	
isp__dte02			99/99/99	
isp__int01			-->>>, >>>, >>9	
isp__int02			-->>>, >>>, >>9	
isp__log01			yes/no	
isp__log02			yes/no	
isp__qadc01			x(8)	
isp__qadc02			x(8)	
isp__qadc03			x(8)	
isp__qadc04			x(8)	
isp__qadd01			-->>>, >>>, >>>9.99<	10
isp__qadd02			-->>>, >>>, >>>9.99<	10
isp__qadi01			-->>>, >>>, >>9	
isp__qadi02			-->>>, >>>, >>9	
isp__qadi01			yes/no	
isp__qadi02			yes/no	
isp__qadt01			99/99/99	
isp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ImportSpec	yes	isp_app_id	yes	no
		isp_doc_std	yes	no
		isp_doc_typ	yes	no
		isp_doc_rev	yes	no
		isp_tradptr_id	yes	no

iss_mstr

Service/Support Installed Base Structure

Field Name	Label	Col-Label	Format	Dec
iss_comp	Component Item	Comp Item	x(18)	
iss_comp_ref	Ref		>>>>>>9	
iss_comp_ser	Component Serial	Comp Serial	x(18)	
iss_eu_nbr	End User No	End User	x(8)	
iss_par	Parent Item	Parent	x(18)	
iss_par_ref	Ref		>>>>>>9	
iss_par_ser	Parent Serial	Par Serial	x(18)	
iss_user1	Ufld1		x(8)	
iss_user2	Ufld2		x(8)	
iss_chr01			x(8)	
iss_chr02			x(8)	
iss_chr03			x(8)	
iss_dec01			->>>, >>>, >>9.99	10
iss_dec02			->>>, >>>, >>9.99	10
iss_dte01			99/99/99	
iss_dte02			99/99/99	
iss_log01			yes/no	
iss_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
iss_comp	no	iss_comp	yes	no
iss_compref	yes	iss_eu_nbr	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
iss_par	no	iss_par	yes	no
* iss_par_comp	yes	iss_eu_nbr	yes	no
		iss_par	yes	no
		iss_par_ser	yes	no
		iss_par_ref	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no

◇ isvc_mstr Statistical Value Calculation Master

Field Name	Label	Col-Label	Format	Dec
isvc_ctry_dest	Country Of Destination		x(3)	
isvc_ctry_orig	Country Of Origin		x(3)	
isvc_flow	Flow Indicator		x(2)	
isvc_min_value	Minimum Value		->>>>, >>>, >>9.99<	10
isvc_mode_transp	Mode Of Transport		x(1)	
isvc_mod_date	Modified Date	Mod Date	99/99/99	
isvc_mod_userid	User ID		x(8)	
isvc_percentage	Percentage		->>9.9<%	2
isvc_per_unit	Added Value Per Unit		->>>>, >>>, >>9.99<	10
isvc_per_weight	Added Value Per Weight		->>>>, >>>, >>9.99<	10
isvc_shipvia	Ship Via		x(20)	
isvc_terms_delivery	Terms Of Delivery		x(4)	
isvc_um	UM		x(2)	
isvc_user1	User Field Character 1		x(24)	
isvc_user2	User Field Character 2		x(24)	
isvc__qadc01			x(24)	
isvc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* isvc_delivery	yes	isvc_terms_delivery	yes	no
		isvc_mode_transp	yes	no
		isvc_shipvia	yes	no
		isvc_flow	yes	no
		isvc_ctry_orig	yes	no
		isvc_ctry_dest	yes	no

is_mstr Inventory Status Master

Field Name	Label	Col-Label	Format	Dec
is_avail	Available	Avail	yes/no	
is_cmtindx	Comment Index	Comment	>>>>>>>9	
is_desc	Description		x(24)	
is_frozen	Frozen		yes/no	
is_mod_date	Modified Date	Mod Date	99/99/99	
is_nettable	Nettable	Net	yes/no	
is_overissue	Overissue	Ovrls	yes/no	
is_status	Status Code	Status	x(8)	
is_user1	Ufld1		x(8)	
is_user2	Ufld2		x(8)	
is_userid	User ID		x(8)	
is__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
is_avail	yes	is_status	yes	no
		is_avail	yes	no
* is_status	yes	is_status	yes	no
		is_nettable	yes	no
is_status_unique	yes	is_status	yes	no

itmh_hist Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh_acct	Sales Acct	Sales	x(8)	
itmh_bill_detail	Bill Detail	Det	yes/no	
itmh_bom_code	BOM code		x(18)	
itmh_bom_gen			yes/no	
itmh_ca_int_type	Work Code		x(8)	
itmh_cc	Cost Ctr	CC	x(4)	
itmh_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itmh_comp_date	Date Complete		99/99/99	
itmh_desc	Description		x(24)	
itmh_dsc_acct	Disc Acct		x(8)	
itmh_dsc_cc	Disc CC	CC	x(4)	
itmh_dsc_project	Disc Project		x(8)	
itmh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh_due_date	Due Date		99/99/99	
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date	Mod Date	99/99/99	
itmh_mod_userid	User ID		X(8)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_project	Project		x(8)	
itmh_pr_list	Price List		X(8)	
itmh_pst	PST Taxable		yes/no	
itmh_qty_call	Qty		>,>>>9	10
itmh_qty_chg	To Receive		->,>>>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->,>>>,>>9.9<<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->,>>>,>>9.9<<<<<<<<<	10
itmh_qty_rec	Qty Received		->,>>9	2
itmh_qty_ship	Shipped		->,>>>9	2
itmh_recorded	Has Been thru CAR		yes/no	
itmh_rec_date	Received Date		99/99/99	
itmh_ref	Ref		>>>>>9	
itmh_rev	Revision		x(8)	
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	

Field Name	Label	Col-Label	Format	Dec
Δ itmh_sad_line	Contract Line		>>>>>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	
itmh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itmh_svc_type			x(1)	
itmh_sv_code	Contract Type		x(8)	
itmh_tag	Tag		X(1)	
itmh_taxable	Taxable	Tax	yes/no	
itmh_taxc			x(3)	
itmh_tax_env	Tax Environment		X(16)	
itmh_tax_in	Tax In		yes/no	
itmh_tax_usage			x(8)	
itmh_type	Type		x(8)	
itmh_uninvoiced	Uninvoiced		yes/no	
itmh_unprocessed			yes/no	
itmh_upd_isb	Update ISB	ISB	yes/no	
itmh_user1	Ufld1		x(8)	
itmh_user2	Ufld2		x(8)	
itmh_warr_sv	Warranty Svc Type		x(8)	
itmh__chr01	User Field #1		x(8)	
itmh__chr02	User Field #2		x(8)	
itmh__chr03	User Field #3		x(8)	
itmh__chr04	User Field #4		x(8)	
itmh__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__dte01	User Date #1		99/99/99	
itmh__dte02	User Date #2		99/99/99	
itmh__dte03	User Date #3		99/99/99	
itmh__log01	User Logical #1		yes/no	
itmh__log02	User Logical #2		yes/no	
itmh__log03	User Logical #3		yes/no	
itmh__qadc01	Qad Field #1		x(8)	
itmh__qadc02	Qad Field #2		x(8)	
itmh__qadc03	Qad Field #3		x(8)	
itmh__qadc04	Qad Field #4		x(8)	0
itmh__qadc05			x(8)	
itmh__qadc06			x(8)	
itmh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__qadl01	QAD Logical Field		yes/no	
itmh__qadl02	Qad Logical #2		yes/no	
itmh__qadl03	Qad Logical #3		yes/no	
itmh__qadt01	Qad Date #1		99/99/99	
itmh__qadt02	Qad Date #2		99/99/99	
itmh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* itmh_nbr	yes	itmh_nbr	yes	no
		itmh_prefix	yes	no
		itmh_type	yes	no
		itmh_itm_line	yes	no
		itmh_line	yes	no
itmh_part	no	itmh_part	yes	no
		itmh_prefix	yes	no
		itmh_serial	yes	no
itmh_sa_nbr	no	itmh_sa_nbr	yes	no
		itmh_sad_line	yes	no
		itmh_nbr	yes	no
		itmh_line	yes	no
itmh_serial	no	itmh_serial	yes	no
		itmh_prefix	yes	no
		itmh_opn_date	yes	no

itm_det

Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm_acct	Sales Acct	Sales	x(8)	
itm_bill_detail	Bill Detail	Det	yes/no	
itm_bom_code	BOM Code		x(18)	
itm_bom_gen			yes/no	
itm_ca_int_type	Work Code	WK Code	x(8)	
itm_cc	Cost Ctr	CC	x(4)	
itm_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
itm_dsc_acct	Disc Acct		x(8)	
itm_dsc_cc	Disc CC	CC	x(4)	
itm_dsc_project	Disc Project		x(8)	
itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Modified Date	Mod Date	99/99/99	
itm_mod_userid	User ID		X(8)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	
itm_part	Item		x(18)	

Field Name	Label	Col-Label	Format	Dec
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0
itm_project	Project		x(8)	
itm_pr_list	Price List		X(8)	
itm_pst	PST Taxable		yes/no	
itm_qty_call	Quantity	Call Qty	->>, >>9	10
itm_qty_chg	To Receive	To Recv	->>, >>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	->>, >>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	->>, >>9	10
itm_qty_rec	Qty Received	Recv	->>, >>9	2
itm_qty_ship	Shipped		->, >>>9	2
itm_recorded			yes/no	
itm_rec_date	Received Date		99/99/99	
itm_ref	Ref		>>>>>>9	
itm_rev	Revision		x(8)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
Δ itm_sad_line	Contract Line		>>>>>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_status	Status		x(8)	
itm_stdown_date	Start Down		99/99/99	
itm_stdown_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itm_svc_type			x(1)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_tag			x(1)	
itm_taxable	Taxable	Tax	yes/no	
itm_taxc	Tax Class	TxC	x(3)	
itm_tax_env	Tax Environment	Tax Env	X(16)	
itm_tax_in	Tax In		yes/no	
itm_tax_usage	Tax Usage		x(8)	0
itm_type	Type		x(8)	0
itm_uninvoiced	Uninvoiced		yes/no	
itm_unprocessed			yes/no	
itm_upd_isb	Update Installed Base		yes/no	
itm_user1	Ufld1		x(8)	
itm_user2	Ufld2		x(8)	
itm_warr_sv	Warranty Svc Type		x(8)	
itm__chr01	User Field #1		x(8)	
itm__chr02	User Field #2		x(8)	
itm__chr03	User Field #3		x(8)	
itm__chr04	User Field #4		x(8)	
itm__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itm__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itm__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itm__dte01	User Date #1		99/99/99	
itm__dte02	User Date #2		99/99/99	

Field Name	Label	Col-Label	Format	Dec
itm__dte03	User Date #3		99/99/99	
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	
itm__log03	User Logical #3		yes/no	
itm__qadc01	Qad Field #1		x(8)	
itm__qadc02	Qad Field #2		x(8)	
itm__qadc03	Qad Field #3		x(8)	
itm__qadc04	Qad Field #4		x(8)	
itm__qadc05			x(8)	
itm__qadc06			x(8)	
itm__qadd01	Qad Date #1		99/99/99	
itm__qadd02	Qad Date #2		99/99/99	
itm__qadd03	Qad Date #3		99/99/99	
itm__qadde01	Qad Decimal #1		-->>>,>>>,>>9.99<<<<	10
itm__qadde02	Qad Decimal #2		-->>>,>>>,>>9.99<<<<	10
itm__qadde03	Qad Decimal #3		-->>>,>>>,>>9.99<<<<	10
itm__qadl01	QAD Logical Field		yes/no	
itm__qadl02	Qad Logical #2		yes/no	
itm__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
itm_eng_code	no	itm_eng_code	yes	no
		itm_nxt_date	yes	no
		itm_nxt_time	yes	no
itm_eu_nbr	no	itm_type	yes	no
		itm_eu_nbr	yes	no
		itm_serial	yes	no
* itm_nbr	yes	itm_nbr	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_itm_line	yes	no
itm_part	no	itm_line	yes	no
		itm_part	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
itm_sa_nbr	no	itm_nbr	yes	no
		itm_sa_nbr	yes	no
		itm_sad_line	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
itm_serial	no	itm_line	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_serial	yes	no
		itm_nbr	yes	no
		itm_line	yes	no

Item Site Load Detail

Field Name	Label	Col-Label	Format	Dec
itsd_date	Effective		99/99/99	
itsd_loaded	Loaded		yes/no	
itsd_part	Item Number		x(18)	
itsd_qty	Quantity		->>>, >>>, >>9.9<<<<<<<<<<	10
itsd_ref	Reference		x(18)	
itsd_site	Site		x(8)	
itsd_type	Data Type	Type	x(1)	
itsd_user1	Ufld1		x(8)	
itsd_user2	Ufld2		x(8)	
itsd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* itsd_det	yes	itsd_part	yes	no
		itsd_site	yes	no
		itsd_date	yes	no
		itsd_type	yes	no

Item Site Load Master

Field Name	Label	Col-Label	Format	Dec
its_date	Created Date		99/99/99	
its_part	Item Number		x(18)	
its_qty_oh	Quantity On Hand	QOH	->, >>>, >>9.9<<<<<<<<<	10
its_site	Site		x(8)	
its_target	Weeks Cover		>>>>	
its_user1	Ufld1		x(8)	
its_user2	Ufld2		x(8)	
its__dec01			->, >>>, >>>9.99<<<<	10
its__dec02			->, >>>, >>9.99<<<	2
its__dec03			->, >>>, >>9.99<<<	2

	Index-Name	Uni	Field-Name	Asc	Abbr
*	its_mstr	yes	its_part	yes	no
			its_site	yes	no

Invoice Schedule Control

Field Name	Label	Col-Label	Format	Dec
ivs_ar_acct	AR Account		x(8)	
ivs_ar_cc	AR Cost Center		x(4)	
ivs_ar_sub	AR Sub-Account		x(8)	
ivs_cmmts	Schedule Comments		yes/no	
ivs_index1	Index		>>>>9	
ivs_inv_type	Invoice Type		x(4)	
ivs_mod_date	Modified Date	Mod Date	99/99/99	
ivs_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
ivs_prep_acct	Prepayment Account		x(8)	
ivs_prep_cc	Prepayment Cost Center		x(4)	
ivs_prep_sub	Prepayment Sub-Account		x(8)	
ivs_ptax_acct	Prepayment Tax Account		x(8)	
ivs_ptax_cc	Prepayment Tax Cost Center		x(4)	
ivs_ptax_sub	Prepayment Tax Sub-Account		x(8)	
ivs_so_nbr	Next Pending Invoice		>>>>>>9	
ivs_so_pre	Pending Invoice Prefix		x(3)	
ivs_user1	Ufld1		x(8)	
ivs_user2	Ufld2		x(8)	
ivs_qadc01			x(24)	
ivs_qadd01			->>>>, >>>, >>9.99<<<	10
ivs_qadi01			>>>>>>>9	
ivs_qadi01			yes/no	
ivs_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ivs_index1	yes	ivs_index1	yes	no

kbc_ctrl

Kanban Control

Field Name	Label	Col-Label	Format	Dec
◇ kbc_controlled_entry	Controlled Entry	Controlled! Entry	x(1)	
◇ kbc_display_pause	Display Pause	Pause	>>9	
◇ kbc_eff_date_entry	Enable Eff Date	Enable! Eff! Date	yes/no	
◇ kbc_id_barcode	Print ID Barcode	ID Barcode	yes/no	
kbc_index1	Index		>>>>>>9	
◇ kbc_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
◇ kbc_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>9	
◇ kbc_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
◇ kbc_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>9	
kbc_mod_date	Modified Date	Mod Date	99/99/99	
kbc_mod_userid	User ID		x(8)	
kbc_pattern	Current Demand Pattern	Curr Demand! Pattern	x(8)	
◇ kbc_print_quantity	Print Quantity		yes/no	
kbc_user1	Ufld1		x(8)	
kbc_user2	Ufld2		x(8)	
◇ kbc_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
◇ kbc_useri01	User Field Integer 1		->>>>>>>9	
◇ kbc_userl01	User Field Logical 1		yes/no	
◇ kbc_usert01	User Field Date 1		99/99/99	
kbc__qadc01			x(8)	
◇ kbc__qadc02			x(24)	
◇ kbc__qadc03			x(24)	
◇ kbc__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
◇ kbc__qadi01			->>>>>>>9	
◇ kbc__qadi01			yes/no	
◇ kbc__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* kbc_index1	yes	kbc_index1	yes	no

kbmd_mstr Kanban Maximum Demand Master

Field Name	Label	Col-Label	Format	Dec
Δ kbmd_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
Δ kbmd_cons_source	Consuming Destination	Consuming! Destination	x(8)	
kbmd_demand	Maximum Demand		>>>,>>>,>>9	
kbmd_line	Production Line	Production! Line	x(8)	
kbmd_mod_date	Modified Date	Mod Date	99/99/99	
kbmd_mod_userid	User ID		x(8)	
kbmd_part	Item Number		x(18)	
kbmd_pattern	Demand Pattern	Demand! Pattern	x(8)	
kbmd_period	Planning Period	Planning! Period	x(8)	
Δ kbmd_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
Δ kbmd_supp_source	Supplying Source	Supplying! Source	x(8)	
kbmd_user1	Ufld1		x(8)	
kbmd_user2	Ufld2		x(8)	
kbmd__chr01			x(8)	
kbmd__dec01			->>>,>>>,>>9.99<<<<	10
kbmd__dte01			99/99/99	
kbmd__int01			->>>,>>>,>>9	
kbmd__log01			yes/no	
kbmd__qadc01			x(8)	
kbmd__qadd01			->>>,>>>,>>9.99<<<<	10
kbmd__qadi01			->>>,>>>,>>9	
kbmd__qadi01			yes/no	
kbmd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* kbmd_cons_source	yes	kbmd_cons_source	yes	no
		kbmd_pattern	yes	no
		kbmd_part	yes	no
		kbmd_cons_ref	yes	no
		kbmd_supp_source	yes	no
		kbmd_supp_ref	yes	no
		kbmd_line	yes	no
◇ kbmd_cons_source2	no	kbmd_cons_source	yes	no
		kbmd_pattern	yes	no
		kbmd_period	yes	no
		kbmd_part	yes	no
Δ kbmd_part	yes	kbmd_part	yes	no
		kbmd_supp_source	yes	no
		kbmd_supp_ref	yes	no
		kbmd_cons_source	yes	no
		kbmd_cons_ref	yes	no
		kbmd_line	yes	no
		kbmd_pattern	yes	no

kbpp_mstr Kanban Planning Period Master

Field Name	Label	Col-Label	Format	Dec
◇ kbpp_calendar_days	Calendar Days	Cal! Days	>>9	
kbpp_desc	Description		x(24)	
kbpp_hours	Hours per Period	Hours per! Period	>>, >>9.99	10
kbpp_mod_date	Modified Date	Mod Date	99/99/99	
kbpp_mod_userid	User ID		x(8)	
kbpp_period	Planning Period	Planning! Period	x(8)	
kbpp_user1	Ufld1		x(8)	
kbpp_user2	Ufld2		x(8)	
◇ kbpp_work_days	Work Days	Work! Days	>>9	
kbpp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* kbpp_period	yes	kbpp_period	yes	no

◇ **kbtrd_det** Kanban Transaction History Detail

Field Name	Label	Col-Label	Format	Dec
kbtrd_kbtr_trans_nbr	Kanban Transaction Number	Kanban! Transaction	>>>>>>>9	
kbtrd_mod_date	Modified Date	Modified	99/99/99	
kbtrd_mod_userid	User ID		x(8)	
kbtrd_tr_trnbr	Inventory Transaction Number	Inventory! Transaction	>>>>>>>9	
kbtrd_user1	User Field Character 1		x(24)	
kbtrd_user2	User Field Character 2		x(24)	
kbtrd_useri01	User Field Integer 1		->>>>>>>9	
kbtrd__qadc01			x(24)	
kbtrd__qadc02			x(24)	
kbtrd__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* kbtrd_kbtr_trans	yes	kbtrd_kbtr_trans_nbr	yes	no
		kbtrd_tr_trnbr	yes	no
◇ kbtrd_tr_trnbr	no	kbtrd_tr_trnbr	yes	no
		kbtrd_kbtr_trans_nbr	yes	no

◇ **kbtr_hist** Kanban Transaction History

Field Name	Label	Col-Label	Format	Dec
kbtr_backflush	Backflush		yes/no	
kbtr_batch_size	Batch Size		>>, >>>, >>9.9<<<<<<<<<	10
kbtr_calc_date	Calculation Date	Calc Date	99/99/99	
kbtr_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
kbtr_cards	Number of Cards	Number! of Cards	>>>, >>>, >>9	
kbtr_card_nbr	Card Number		>>>, >>>, >>9	
kbtr_card_type	Card Type		x(1)	
kbtr_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
kbtr_cons_source	Consuming Destination	Consuming! Destination	x(8)	

Field Name	Label	Col-Label	Format	Dec
kbtr_cont_size	Container Capacity	Container! Capacity	>>, >>, >>9.9<<<<<<<<<	10
kbtr_cont_type	Container Type	Container! Type	x(8)	
kbtr_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>, >>, >>9.9<<<<<<<<<	10
kbtr_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
kbtr_eff_date	Effective Date		99/99/99	
kbtr_id	Kanban ID		>>>>>>>9	
kbtr_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
kbtr_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>, >>9.9<<<<<<<<<	10
kbtr_loop	One/Two Card		One/Two	
kbtr_lot_size	Kanban Lot Size		>>, >>, >>9.9<<<<<<<<<	10
kbtr_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>9	
kbtr_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
kbtr_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>9	
kbtr_mode	Mode		x(8)	
kbtr_mod_date	Modified Date	Mod Date	99/99/99	
kbtr_mod_userid	User ID		x(8)	
kbtr_part	Item Number		x(18)	
kbtr_pattern	Demand Pattern	Demand! Pattern	x(8)	
kbtr_po_nbr	Purchase Order	PO	x(8)	
kbtr_print_date	Print Date		99/99/99	
kbtr_print_time	Print Time		>>>>9	
kbtr_production_line	Production Line	Line	x(8)	
kbtr_rep_time	Replenishment Time	Repl! Time	>>>9.9<	2
kbtr_safety_stock	Safety Stock		>>, >>, >>9.9<<<<<<<<<	10
kbtr_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
kbtr_supp_source	Supplying Source	Supplying! Source	x(8)	
kbtr_trans_date	Transaction Date	Trans! Date	99/99/99	
kbtr_trans_nbr	Transaction Number	Trans! Nbr	>>>>>>>9	
kbtr_trans_qty	Transaction Quantity	Transaction! Quantity	->, >>, >>9.9<<<<<<<<<	10
kbtr_trans_time	Transaction Time	Trans! Time	>>>>9	
kbtr_trans_type	Transaction Type	Trans! Type	x(1)	
kbtr_type	Kanban Type	Kanban! Type	x(8)	
kbtr_user1	User Field Character 1		x(24)	
kbtr_user2	User Field Character 2		x(24)	
kbtr_userd01	User Field Decimal 1		->>>, >>, >>9.9<<<<<<<<<	10
kbtr_useri01	User Field Integer 1		->>>>>>>9	
kbtr_userl01	User Field Logical 1		yes/no	
kbtr_usert01	User Field Date 1		99/99/99	
kbtr_var_factor	Variability Factor	Variability! Factor	->>9.99<<	10
kbtr_vend	Supplier		x(8)	
kbtr__qadc01			x(24)	
kbtr__qadc02			x(24)	
kbtr__qadc03			x(24)	
kbtr__qadd01			->>>, >>, >>9.9<<<<<<<<<	10
kbtr__qadi01			->>>>>>>9	
kbtr__qadl01			yes/no	
kbtr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ kbtr_card_nbr	no	kbtr_part	yes	no
		kbtr_supp_source	yes	no
		kbtr_supp_ref	yes	no
		kbtr_cons_source	yes	no
		kbtr_cons_ref	yes	no
		kbtr_card_nbr	yes	no
		kbtr_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ kbtr_cons_source	no	kbtr_trans_nbr	yes	no
		kbtr_cons_source	yes	no
		kbtr_cons_ref	yes	no
		kbtr_part	yes	no
◇ kbtr_id_date	no	kbtr_id	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
		kbtr_trans_nbr	yes	no
◇ kbtr_part_supp	no	kbtr_part	yes	no
		kbtr_supp_source	yes	no
		kbtr_supp_ref	yes	no
		kbtr_cons_source	yes	no
		kbtr_cons_ref	yes	no
		kbtr_id	yes	no
◇ kbtr_supp_source	no	kbtr_supp_source	yes	no
		kbtr_supp_ref	yes	no
		kbtr_part	yes	no
◇* kbtr_trans_nbr	yes	kbtr_trans_nbr	yes	no
◇ kbtr_trans_type	no	kbtr_trans_type	yes	no
		kbtr_part	yes	no
		kbtr_supp_source	yes	no
		kbtr_supp_ref	yes	no
		kbtr_cons_source	yes	no
		kbtr_cons_ref	yes	no

knbd_det Kanban Card Detail

Field Name	Label	Col-Label	Format	Dec
◇ knbd_active	Active		yes/no	
knbd_calc_date	Calculate Date	Calc Date	99/99/99	
knbd_cards	Number of Cards	Number! of Cards	>>>, >>>, >>9	
knbd_card_nbr	Card Number		>>>, >>>, >>9	
◇ knbd_card_type	Card Type	Card! Type	x(1)	
△ knbd_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
△ knbd_cons_source	Consuming Destination	Consuming! Destination	x(8)	
◇ knbd_cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<	10
knbd_demand_hr	Max Demand per Hour	Max Demand! per Hour	>, >>>, >>9.9<<<	10
△ knbd_id	Kanban ID		>>>>>>>9	
◇ knbd_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>>, >>9.9<<<<<<<<<	10
knbd_loop	One/Two Card		One/Two	
◇ knbd_lot_size	Kanban Lot Size		>>, >>>, >>9.9<<<<<<<<<	10
◇ knbd_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>9	
knbd_mod_date	Modified Date	Mod Date	99/99/99	
knbd_mod_userid	User ID		x(8)	
knbd_part	Item Number		x(18)	
knbd_pattern	Demand Pattern	Demand! Pattern	x(8)	
knbd_print_date	Print Date		99/99/99	
◇ knbd_print_time	Print Time		>>>>9	
◇ knbd_production_line	Production Line	Line	x(8)	
knbd_rep_time	Replenishment Time	Repl! Time	>>>9.99<	2
◇ knbd_safety_stock	Safety Stock		>>, >>>, >>9.9<<<<<<<<<	10
△ knbd_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
△ knbd_supp_source	Supplying Source	Supplying! Source	x(8)	
◇ knbd_trans_type	Transaction Type	Trans! Type	x(1)	

Field Name	Label	Col-Label	Format	Dec
knbd_user1	Ufld1		x(8)	
knbd_user2	Ufld2		x(8)	
knbd_var_factor	Variability Factor	Variability! Factor	-->9.99<<	10
knbd_chr01			x(8)	
knbd_dec01			-->>, >>>, >>9.99<<<<	10
knbd_dte01			99/99/99	
knbd_int01			-->>, >>>, >>9	
knbd_log01			yes/no	
knbd_qadc01			x(8)	
knbd_qadd01			-->>, >>>, >>9.99<<<<	10
knbd_qadi02			-->>, >>>, >>9	
Δ knbd_qadi03			-->>, >>>, >>9	
Δ knbd_qadi04			-->>, >>>, >>9	
Δ knbd_qadi05			-->>, >>>, >>9	
knbd_qadi01			yes/no	
Δ knbd_qadi02			yes/no	
knbd_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ knbd_cons_source	no	knbd_cons_source	yes	no
		knbd_pattern	yes	no
		knbd_part	yes	no
◇* knbd_id	yes	knbd_id	yes	no
Δ knbd_part	no	knbd_part	yes	no
		knbd_supp_source	yes	no
		knbd_supp_ref	yes	no
		knbd_cons_source	yes	no
		knbd_cons_ref	yes	no

◇ **knbl_det** Kanban Loop Detail

Field Name	Label	Col-Label	Format	Dec
knbl_backflush	Backflush		yes/no	
knbl_batch_size	Batch Size		>>, >>>, >>9.9<<<<<<<<<	10
knbl_blanket_po	Release Blanket PO		yes/no	
knbl_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
knbl_cards	Number of Cards	Cards	>>>, >>>, >>9	
knbl_card_type	Card Type	Card! Type	x(1)	
knbl_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
knbl_cons_source	Consuming Destination	Consuming! Destination	x(8)	
knbl_cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<	10
knbl_cont_type	Container Type	Container	x(8)	
knbl_destination_email	Destination Email		x(40)	
knbl_destination_fax	Destination Fax		x(16)	
knbl_destination_fax2	Destination Fax 2	Destination! Fax 2	x(16)	
knbl_dispatch_list	Dispatch List	Dispatch! List	yes/no	
knbl_email_disp_list	Email Dispatch List	Email! Disp	yes/no	
knbl_fax_dispatch_list	Fax Dispatch List	Fax! Disp	yes/no	
knbl_id_barcode	Print ID Barcode	ID! Barcode	yes/no	
knbl_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
knbl_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
knbl_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>>, >>9.9<<<<<<<<<	10
knbl_lot_size	Kanban Lot Size		>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
knbl_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>9	
knbl_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
knbl_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>9	
knbl_mod_date	Modified Date	Mod Date	99/99/99	
knbl_mod_userid	User ID		x(8)	
knbl_part	Item Number		x(18)	
knbl_print_quantity	Print Quantity	Print! Qty	yes/no	
knbl_safety_stock	Safety Stock		>>, >>>, >>9.9<<<<<<<<<	10
knbl_source_email	Source Email		x(40)	
knbl_source_fax	Source Fax		x(16)	
knbl_source_fax2	Source Fax 2		x(16)	
knbl_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
knbl_supp_source	Supplying Source	Supplying! Source	x(8)	
knbl_type	Kanban Type	Kanban! Type	x(8)	
knbl_user1	User Field Character 1		x(24)	
knbl_user2	User Field Character 2		x(24)	
knbl_userc03	User Field Character 3		x(24)	
knbl_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
knbl_useri01	User Field Integer 1		->>>>>>>9	
knbl_userl01	User Field Logical 1		yes/no	
knbl_usert01	User Field Date 1		99/99/99	
knbl_var_factor	Variability Factor	Var Factor	->>9.99<<	10
knbl__qadc01			x(24)	
knbl__qadc02			x(24)	
knbl__qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
knbl__qadi01			->>>>>>>9	
knbl__qadi01			yes/no	
knbl__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knbl_part	yes	knbl_part	yes	no
		knbl_supp_source	yes	no
		knbl_supp_ref	yes	no
		knbl_cons_source	yes	no
		knbl_cons_ref	yes	no
		knbl_card_type	yes	no

knb_mstr Kanban Master

Field Name	Label	Col-Label	Format	Dec
Δ knb_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
Δ knb_cons_source	Consuming Destination	Consuming! Destination	x(8)	
knb_demand_hr	Max Demand per Hour	Max Demand! per Hour	>, >>>, >>9.9<<<	10
knb_loop	One/Two Card		One/Two	
knb_mod_date	Modified Date	Mod Date	99/99/99	
knb_mod_userid	User ID		x(8)	
knb_part	Item Number		x(18)	
knb_pattern	Demand Pattern	Demand! Pattern	x(8)	
◇ knb_po_nbr	PO Number	PO	x(8)	
◇ knb_production_line	Production Line	Line	x(8)	
Δ knb_rep_time	Replenishment Time	Replen! Time	>>>9.9<	2
Δ knb_supp_ref	Supplying Reference	Supplying! Reference	x(8)	

Field Name	Label	Col-Label	Format	Dec
Δ knb_supp_source	Supplying Source	Supplying! Source	x(8)	
◇ knb_trans_type	Transaction Type	Trans! Type	x(1)	
knb_user1	Ufld1		x(8)	
knb_user2	Ufld2		x(8)	
knb_vend	Supplier		x(8)	
knb__chr01			x(8)	
knb__dec01			->>>, >>>, >>9.99<<<<	10
knb__dte01			99/99/99	
knb__int01			->>>, >>>, >>9	
knb__log01			yes/no	
knb__qadc01			x(8)	
Δ knb__qadc02			x(8)	
Δ knb__qadc03			x(8)	
knb__qadd01			->>>, >>>, >>9.99<<<<	10
Δ knb__qadd02			->>9.99<<	10
knb__qadi01			->>>, >>>, >>9	
Δ knb__qadi02			>>>, >>>, >>9	
Δ knb__qadi03			>>>, >>>, >>9	
Δ knb__qadi04			>>>, >>>, >>9	
Δ knb__qadi05			>>>, >>>, >>9	
Δ knb__qadi06			>>>, >>>, >>9	
knb__qadi01			yes/no	
Δ knb__qadi02			yes/no	
knb__qadi01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ knb_cons_source	no	knb_cons_source	yes	no
		knb_pattern	yes	no
		knb_part	yes	no
Δ* knb_part	yes	knb_part	yes	no
		knb_supp_source	yes	no
		knb_supp_ref	yes	no
		knb_cons_source	yes	no
		knb_cons_ref	yes	no

◇ lacd_det Logistics Accounting Charge Detail

Field Name	Label	Col-Label	Format	Dec
lacd_accrual_level	Accrual Level	Accrual! Level	x(2)	
lacd_element	Cost Element		x(8)	
lacd_internal_ref	Internal Reference		x(20)	
lacd_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
lacd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lacd_log_supplier	Supplier		x(8)	
lacd_mod_date	Modified Date	Mod Date	99/99/99	
lacd_mod_userid	User ID		x(8)	
lacd_shipfrom	Ship-From		x(8)	
lacd_user1	User Field Character 1		x(24)	
lacd_user2	User Field Character 2		x(24)	
lacd__qadc01			x(24)	
lacd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* lacd_internal_ref	yes	lacd_internal_ref	yes	no
		lacd_shipfrom	yes	no
		lacd_lc_charge	yes	no
		lacd_internal_ref_type	yes	no

◇ **lac_ctrl** Logistics Accounting Control

Field Name	Label	Col-Label	Format	Dec
lac_blank_suppliers	Match Blank Suppliers		yes/no	
lac_doship_nrm_id	Distribution Order Shipment Sequence ID		x(8)	
lac_index1	Index		>>>>9	
lac_mod_date	Modified Date	Mod Date	99/99/99	
lac_mod_userid	User ID		x(8)	
lac_soship_nrm_id	Sales Order Shipment Sequence ID		x(8)	
lac_user1	User Field Character 1		x(24)	
lac_user2	User Field Character 2		x(24)	
lac_use_logistics	Use Logistics Accounting		yes/no	
lac__qadc01			x(24)	
lac__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* lac_index1	yes	lac_index1	yes	no

lad_det Location Allocation Detail

Field Name	Label	Col-Label	Format	Dec
lad_dataset	Data Set		x(12)	
lad_line	Line/ID		x(8)	
lad_loc	Location		x(8)	
lad_lot	Lot/Serial		x(18)	
lad_nbr	Order	Order Number	x(18)	
lad_ord_site	Order Site	Ord Site	x(8)	
lad_part	Item Number		x(18)	
lad_qty_all	Qty Allocated	Qty Alloc	->>>, >>9.9<<<<<<	10
lad_qty_chg	Qty to Iss		->>>, >>9.9<<<<<<	10
lad_qty_pick	Qty Picked		->>>, >>9.9<<<<<<	10
lad_ref	Ref	Reference	x(8)	
lad_site	Site		x(8)	
lad_user1	Ufld1		x(8)	
lad_user2	Ufld2		x(8)	
lad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lad_det	yes	lad_dataset	yes	no
		lad_nbr	yes	no
		lad_line	yes	no
		lad_part	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
lad_site	no	lad_site	yes	no
		lad_loc	yes	no
		lad_part	yes	no
		lad_lot	yes	no
		lad_ref	yes	no

lbic_ctrl

Label Control

Field Name	Label	Col-Label	Format	Dec
lbic_index1	Index		>>>>>9	
lbic_mod_date	Modified date	Mod Date	99/99/99	
lbic_mod_userid	User ID		x(8)	
lbic_trans_frame	Translate Frames		yes/no	
lbic_user1	Ufld1		x(8)	
lbic_user2	Ufld2		x(8)	
lbic__qadc01			x(8)	
lbic__qadc02			x(8)	
lbic__qadl01			yes/no	
lbic__qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* lbic_index1	yes	lbic_index1	yes	no

◇ **lc_mstr**

Logistics Accounting Charge Code Master

Field Name	Label	Col-Label	Format	Dec
lc_apportion_method	Apportion Method		x(2)	
lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no	
lc_desc	Description		x(24)	
lc_element	Cost Element		x(8)	
lc_mod_date	Modified Date	Mod Date	99/99/99	
lc_mod_userid	User ID		x(8)	
lc_supplier	Supplier		x(8)	
lc_taxable	Taxable		yes/no	
lc_taxc	Tax Class	TxC	x(3)	
lc_user1	User Field Character 1		x(24)	
lc_user2	User Field Character 2		x(24)	
lc__qadc01			x(24)	
lc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* lc_charge	yes	lc_charge	yes	no
◇ lc_element	no	lc_element	yes	no
		lc_charge	yes	no

Id_det

Location Detail

Field Name	Label	Col-Label	Format	Dec
ld_assay	Assay %		>>9.99%	2
ld_cmtindx	Comment Index	Comment	>>>>>>9	
ld_cnt_date	Last Count	Last Cnt	99/99/99	
ld_cost			>>>>, >>>, >>9.99<<<	10
◇ ld_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->>, >>>, >>9.9<<<<<<<<<	10
ld_date	Date Created	Created	99/99/99	
ld_date_frz	Freeze Date	Frz Date	99/99/99	
ld_expire	Expire Date	Expire	99/99/99	
ld_grade	Grade		x(2)	
ld_loc	Location		x(8)	
ld_lot	Lot/Serial		x(18)	
ld_part	Item Number		x(18)	
ld_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
ld_qty_frz	Freeze Qty		->, >>>, >>9.9<<<<<<<<	10
ld_qty_oh	Qty On Hand		->, >>>, >>9.9<<<<<<<<	10
ld_ref	Ref	Reference	x(8)	
ld_rev	Rev		x(4)	
ld_site	Site		x(8)	
ld_status	Inventory Status	Status	x(8)	
◇ ld_supp_consign_qty	Supplier Consignment Qty	Supplier! Consignment	->>, >>>, >>9.9<<<<<<<<	10
ld_user1	Ufld1		x(8)	
ld_user2	Ufld2		x(8)	
ld_vd_lot	Not Used		x(18)	
ld_work			->>>, >>>, >>9.9<<<<<<<<	10
ld__chr01			x(8)	
ld__chr02			x(8)	
ld__chr03			x(8)	
ld__chr04			x(8)	
ld__chr05			x(8)	
ld__dec01			>>>, >>>, >>9.99	10
ld__dec02			>>>, >>>, >>9.99	10
ld__dte01			99/99/99	
ld__dte02			99/99/99	
ld__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ld_loc_p_lot	yes	ld_site	yes	no
		ld_loc	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_loc	yes	ld_part	yes	no
		ld_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ld_part_lot	yes	ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_serial	no	ld_site	yes	no
		ld_loc	yes	no
		ld_ref	yes	no
		ld_part	yes	no
ld_status	yes	ld_site	yes	no
		ld_status	yes	no
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no

lgsi_det

Logistics Site Detail

Field Name	Label	Col-Label	Format	Dec
lgsi_app_id	Application ID	Mod Date	x(12)	
lgsi_mod_date	Modified Date		99/99/99	
lgsi_mod_userid	User ID		x(8)	
lgsi_site	Site		x(8)	
lgsi_user1	Ufld1		x(8)	
lgsi_user2	Ufld2		x(8)	
lgsi__dec01			->>>, >>>, >>9.99<	10
lgsi__dec02			->>>, >>>, >>9.99<	10
lgsi__dte01			99/99/99	
lgsi__dte02			99/99/99	
lgsi__int01			->>>, >>>, >>9	
lgsi__int02			->>>, >>>, >>9	
lgsi__log01			yes/no	
lgsi__log02			yes/no	
lgsi__qadc01			x(8)	
lgsi__qadc02			x(8)	
lgsi__qadc03			x(8)	
lgsi__qadc04			x(8)	
lgsi__qadd01			->>>, >>>, >>9.99<	10
lgsi__qadd02			->>>, >>>, >>9.99<	10
lgsi__qadi01			->>>, >>>, >>9	
lgsi__qadi02			->>>, >>>, >>9	
lgsi__qadi01			yes/no	
lgsi__qadi02			yes/no	
lgsi__qadt01			99/99/99	
lgsi__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplDSite	yes	lgsi_app_id	yes	no
		lgsi_site	yes	no

lgs_mstr

Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs_act	Logistics Active		yes/no	
lgs_app_id	Application ID		x(12)	
lgs_ar_bal_exp	A/R Balance Exports		yes/no	
lgs_ar_imp	A/R Item Exports		yes/no	
lgs_cm_mnt	Customers		yes/no	
lgs_invc_exp	Invoice Data Exports		yes/no	
lgs_invc_imp	Import Invoices		yes/no	
lgs_inv_exp	Inventory Balance Exports		yes/no	
lgs_lad_exp	Inventory Allocation Exports		yes/no	
lgs_lad_mnt	Detailed Allocations		yes/no	
lgs_mod_date	Modified Date	Mod Date	99/99/99	
lgs_mod_userid	User ID		x(8)	
lgs_pick_exp	Picklist Exports		yes/no	
lgs_price_imp	Import Prices		yes/no	
lgs_pt_cst_exp	Item Cost Exports		yes/no	
lgs_pt_mnt	Items		yes/no	
lgs_pymt_exp	Payment Exports		yes/no	
lgs_ship_exp	Sales Order Shipment Exports		yes/no	
lgs_so_imp	Sales Order Imports		yes/no	
lgs_so_mnt	Sales Orders		yes/no	
lgs_taxc	Tax Class		x(3)	
lgs_tax_env	Tax Environment		x(16)	
lgs_tax_imp	Import Taxes		yes/no	
lgs_user1	Ufld1		x(8)	
lgs_user2	Ufld2		x(8)	
lgs_dec01			->>>, >>>, >>9.99<	10
lgs_dec02			->>>, >>>, >>9.99<	10
lgs_dte01			99/99/99	
lgs_dte02			99/99/99	
lgs_int01			->>>, >>>, >>9	
lgs_int02			->>>, >>>, >>9	
lgs_log01			yes/no	
lgs_log02			yes/no	
lgs_qadc01			x(8)	
lgs_qadc02			x(8)	
lgs_qadc03			x(8)	
lgs_qadc04			x(8)	
lgs_qadd01			->>>, >>>, >>9.99<	10
lgs_qadd02			->>>, >>>, >>9.99<	10
lgs_qadi01			->>>, >>>, >>9	
lgs_qadi02			->>>, >>>, >>9	
lgs_qadi01			yes/no	
lgs_qadi02			yes/no	
lgs_qadt01			99/99/99	
lgs_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplicationID	yes	lgs_app_id	yes	no

Ina_det

Production Line Allocation Detail

Field Name	Label	Col-Label	Format	Dec
Ina_allocation	Allocation%	Alloc%	>>9.99%	2
Ina_line	Line		x(8)	
Ina_part	Item Number		x(18)	
Ina_site	Site		x(8)	
Ina_user1	Ufld1		x(8)	
Ina_user2	Ufld2		x(8)	
Ina__chr01			x(8)	
Ina__chr02			x(8)	
Ina__dec01			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__dec02			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__dte01			99/99/99	
Ina__dte02			99/99/99	
Ina__log01			yes/no	
Ina__log02			yes/no	
Ina__qadc01			x(8)	
Ina__qadc02			x(8)	
Ina__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__qadi01			->, >>>, >>9	
Ina__qadi02			->, >>>, >>9	
Ina__qadi01			yes/no	
Ina__qadi02			yes/no	
Ina__qadt01			99/99/99	
Ina__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* Ina_siteline	yes	Ina_site	yes	no
		Ina_line	yes	no
		Ina_part	yes	no
Ina_sitepart	no	Ina_site	yes	no
		Ina_part	yes	no
		Ina_line	yes	no

Production Line Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* Ind_line	yes	Ind_line	yes	no
		Ind_site	yes	no
		Ind_part	yes	no
		Ind_start	yes	no
Ind_linepart	no	Ind_line	yes	no
		Ind_part	yes	no

Flow Production Line Preference Detail

Field Name	Label	Col-Label	Format	Dec
Inf_mod_date	Modified Date	Mod Date	99/99/99	
Inf_mod_userid	User ID		x(8)	
Inf_part	Item Number		x(18)	
Inf_preference	Preference		>>>>>>>g	
Inf_production_line	Production Line	Line	x(8)	
Inf_site	Site		x(8)	
Inf_user1	User Field Character 1		x(24)	
Inf_user2	User field character 2		x(24)	
Inf_userc03	User Field Character 3		x(24)	
Inf_userd01	User Field Decimal 1		->>>>, >>>, >>g.<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
lnf_useri01	User Field Integer 1		->>>>>>>9	
lnf_userl01	User Field Logical 1		yes/no	
lnf_usert01	User Field Date 1		99/99/99	
lnf__qadc01			x(24)	
lnf__qadc02			x(24)	
lnf__qadc03			x(24)	
lnf__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<<	10
lnf__qadi01			->>>>>>>9	
lnf__qadl01			yes/no	
lnf__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ lnf_site_part_pref	no	lnf_site	yes	no
		lnf_part	yes	no
		lnf_preference	yes	no
		lnf_production_line	yes	no
◇* lnf_site_prod_line	yes	lnf_site	yes	no
		lnf_production_line	yes	no
		lnf_part	yes	no

lngd_det Language Detail

Field Name	Label	Col-Label	Format	Dec
lngd_dataset	Data Set		x(12)	
lngd_desc	Description		x(76)	
lngd_field	Field		x(32)	
lngd_key1	Key Value #1	Key #1	x(8)	
lngd_key2	Key Value #2	Key #2	x(8)	
lngd_key3	Key Value #3	Key #3	x(8)	
lngd_key4	Key Value #4	Key #4	x(8)	
lngd_lang	Language	Lang	x(2)	
lngd_mnemonic	Mnemonic		x(8)	
lngd_translate2	Translation 2		x(24)	
lngd_translation	Label		x(24)	
lngd_user1	Ufld1		x(8)	
lngd_user2	Ufld2		x(8)	
lngd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lngd_det	yes	lngd_dataset	yes	no
		lngd_key1	yes	no
		lngd_key2	yes	no
		lngd_key3	yes	no
		lngd_key4	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
lngd_mnemonic	no	lngd_desc	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
		lngd_mnemonic	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
lngd_trans	no	lngd_dataset	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
		lngd_translation	yes	no

Ing_mstr Language Master

Field Name	Label	Col-Label	Format	Dec
Ing_desc	Description		x(24)	
Ing_dir	Directory		x(32)	
Ing_lang	Language ID	Lang	x(2)	
Ing_nbr	Language Number		>>9	
Ing_user1	Ufld1		x(8)	
Ing_user2	Ufld2		x(8)	
Ing__qad01			x(8)	
Ing__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* Ing_lang	yes	Ing_lang	yes	no
Ing_nbr	yes	Ing_nbr	yes	no

In_mstr Line Master

Field Name	Label	Col-Label	Format	Dec
In_desc	Description		x(24)	
◇ In_freeze_period	Freeze Period		>>>>>>>9	
◇ In_kanban_receipts	Post Kanban Receipts	Post! Kanban! Receipts	yes/no	
In_line	Line		x(8)	
△ In_rate	Units/Hour		>>>, >>>, >>9.99	2
In_rate_base	Line Sequenced		yes/no	
◇ In_rate_code	Rate code	Rate! Code	x(8)	
◇ In_schedule_code	Schedule Code	Sched! Code	x(8)	
In_shift1	Shift1		>>>9.99	2
In_shift2	Shift2		>>>9.99	2
In_shift3	Shift3		>>>9.99	2
In_shift4	Shift4		>>>9.99	2
In_site	Site		x(8)	
In_user1	Ufld1		x(50)	
In_user2	Ufld2		x(50)	
In__chr01			x(8)	
In__chr03			x(8)	
In__chr04			x(8)	
In__chr05			x(8)	
In__dec01			>>>, >>>, >>9.99	2
In__dec02			>>>, >>>, >>9.99	2
In__dec03			>>>, >>>, >>9.99	2
In__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	In_linesite	yes	In_line	yes	no
			In_site	yes	no
◇	In_siteline	no	In_site	yes	no
			In_line	yes	no

◇ **locc det** Reserved Locations Detail

Field Name	Label	Col-Label	Format	Dec
locc_addr	Address		x(8)	
locc_loc	Reserved Location	Reserved! Location	x(8)	
locc_mod_date	Modified Date	Mod Date	99/99/99	
locc_mod_userid	User ID		x(8)	
locc_primary_loc	Primary Location	Primary! Location	yes/no	
locc_site	Site		x(8)	
locc_userc01	User Field 1		x(24)	
locc_userc02	User Field 2		x(24)	
locc_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
locc_useri01	User Field Integer 1		->>>>>>9	
locc_userl01	User Field Logical 1		yes/no	
locc_usert01	User Field Date 1		99/99/99	
locc__qadc01			x(24)	
locc__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
locc__qadi01			->>>>>>9	
locc__qadi01			yes/no	
locc__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ locc_addr_site	yes	locc_addr	yes	no
		locc_site	yes	no
		locc_loc	yes	no
◇ locc_primary	no	locc_addr	yes	no
		locc_site	yes	no
		locc_primary_loc	yes	no
◇* locc_site_loc	yes	locc_site	yes	no
		locc_loc	yes	no
		locc_addr	yes	no

loc_mstr Location Master

Field Name	Label	Col-Label	Format	Dec
loc_cap	Capacity		>>>>,>>>,>>9.9<<<<<<<<<	10
loc_cap_um	Capacity UM		x(2)	
loc_date	Date Created	Created	99/99/99	
loc_desc	Description		x(24)	
loc_loc	Location		x(8)	
loc_perm	Permanent	Perm	yes/no	
◇ loc_phys_addr	Physical Address	Physical	x(8)	
loc_project	Project		x(8)	
loc_single	Single Item	Single! Item	yes/no	

Field Name	Label	Col-Label	Format	Dec
loc_site	Site		x(8)	
loc_status	Inventory Status	Status	x(8)	
loc_type	Type		x(8)	
loc_user1	Ufld1		x(8)	
loc_user2	Ufld2		x(8)	
◇ loc_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
loc__qad01			yes/no	
loc__qadc01			x(8)	
loc__qadc02			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
* loc_loc	yes	loc_site	yes	no
		loc_loc	yes	no

lotw_wkfl Lot Number Work Table

Field Name	Label	Col-Label	Format	Dec
lotw_lotser	Lot/Serial		x(18)	
lotw_mfguser			x(8)	
lotw_part	Item Number		x(18)	
lotw_user1	Ufld1		x(8)	
lotw_user2	Ufld2		x(8)	
lotw_userid	User ID		x(8)	
lotw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lotw_ser_part	yes	lotw_lotser	yes	no
		lotw_part	yes	no
lotw_user_lot	yes	lotw_mfguser	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no

lot_mstr Lot Master

Field Name	Label	Col-Label	Format	Dec
lot_cmtindx	Comment Index		>>>>>>9	
lot_create	Created		99/99/99	
lot_line	Line/ID		x(8)	
lot_nbr	Order Number		x(18)	
lot_part	Item Number		x(18)	
lot_pot_conv	Lot UM Conversion	Lot UM Conv	>>>>9.9999<<<<	2
lot_pot_um	Lot UM	UM	x(2)	
lot_serial	Lot/Serial		x(18)	
lot_trans	Expired Inv Trans	Trans	x(8)	
lot_user1	Ufld1		x(8)	
lot_user2	Ufld2		x(8)	
lot_userid	User ID		x(8)	
lot__chr01	Chrfid 1		x(8)	

Field Name	Label	Col-Label	Format	Dec
lot__chr02	Chrflid 2		x(8)	
lot__chr03	Chrflid 3		x(8)	
lot__chr04	Chrflid 4		x(8)	
lot__chr05	Chrflid 5		x(8)	
lot__chr06	Chrflid 6		x(8)	
lot__dec01	Decfld 1		->>>, >>>, >>9.99	2
lot__dec02	Decfld 2		->>>, >>>, >>9.99	2
lot__dec03	Decfld 3		->>>, >>>, >>9.99	2
lot__dec04	Decfld 4		->>>, >>>, >>9.99	2
lot__dec05	Decfld 5		->>>, >>>, >>9.99	2
lot__dec06	Decfld 6		->>>, >>>, >>9.99	2
lot__dte01	Dtefld 1		99/99/99	
lot__dte02	Dtefld 2		99/99/99	
lot__dte03	Dtefld 3		99/99/99	
lot__dte04	Dtefld 4		99/99/99	
lot__dte05	Dtefld 5		99/99/99	
lot__dte06	Dtefld 6		99/99/99	

ls_mstr Address List Detail

Field Name	Label	Col-Label	Format	Dec
ls_addr	Address		x(8)	
ls_app_owner	Owner Application		x(12)	
ls_type	List Type	List	x(8)	
ls_user1	Ufld1		x(8)	
ls_user2	Ufld2		x(8)	
ls__dec01			->>>, >>>, >>9.99<	10
ls__dec02			->>>, >>>, >>9.99<	10
ls__dte01			99/99/9999	
ls__dte02			99/99/9999	
ls__int01			->>>, >>>, >>9	
ls__int02			->>>, >>>, >>9	
ls__log01			yes/no	
ls__log02			yes/no	
ls__qadc01			x(8)	
ls__qadc02			x(8)	
ls__qadc03			x(8)	
ls__qadc04			x(8)	
ls__qadd01			->>>, >>>, >>9.99<	10
ls__qadd02			->>>, >>>, >>9.99<	10
ls__qadi01			->>>, >>>, >>9	
ls__qadi02			->>>, >>>, >>9	
ls__qadi01			yes/no	
ls__qadi02			yes/no	
ls__qadt01			99/99/9999	
ls__qadt02			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* ls_addrtype	yes	ls_addr	yes	no
		ls_type	yes	no
ls_type	yes	ls_type	yes	no
		ls_addr	yes	no

maxt_det Maximum Table Detail

Field Name	Label	Col-Label	Format	Dec
maxt_amt	Amount		->>, >>>, >>>, >>>9.99<	10
maxt_beg_date	Beginning Date	Beg Date	99/99/99	
maxt_book	Book		x(8)	
maxt_class	Class	Cls	x(3)	
maxt_end_date	Ending Date	End Date	99/99/99	
maxt_entity	Entity	Enty	x(4)	
maxt_field	Field to Apply Maximum To		x(32)	
maxt_user1	Ufld1		x(8)	
maxt_user2	Ufld2		x(8)	
maxt__qad01			yes/no	
maxt__qad02			x(8)	
maxt__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* maxt_index	yes	maxt_field	yes	no
		maxt_book	yes	no
		maxt_entity	yes	no
		maxt_class	yes	no
		maxt_beg_date	yes	no
		maxt_end_date	yes	no

max_mstr Maximums Master

Field Name	Label	Col-Label	Format	Dec
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>, >>>, >>>, >>>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>, >>>, >>>, >>>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum by	Reduce Maximum by	->>, >>>, >>>, >>>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>, >>>, >>>, >>>9.99<	10
max_user1	Ufld1		x(8)	
max_user2	Ufld2		x(8)	
max_userid	User ID		x(8)	
max_yr_cost	Total Asset Cost		->>, >>>, >>>, >>>9.99<	10
max_yr_max	Maximum		->>, >>>, >>>, >>>9.99<	10
max__qad01			x(4)	
max__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* max_ind1	yes	max_field	yes	no
		max_book	yes	no
		max__qad01	yes	no
		max_class	yes	no

ma_mstr Mirror Account Master

Field Name	Label	Col-Label	Format	Dec
ma_acct1	Account 1		x(8)	
ma_acct2	Account 2		x(8)	
ma_all_cc	All Cost Centers	All CC	yes/no	
ma_all_sub	All Sub-Accounts	All Sub-Acct	yes/no	
ma_cc1	Cost Ctr	CC	x(4)	
ma_cc2	Cost Ctr 2	CC 2	x(4)	
ma_entity	Entity		x(4)	
ma_mr_acct1	Mirror Account 1	Mir Acct1	x(8)	
ma_mr_acct2	Mirror Account 2	Mir Acct 2	x(8)	
ma_mr_cc1	Cost Ctr	CC	x(4)	
ma_mr_cc2	Mirror CC 2	Mir CC 2	x(4)	
ma_mr_sub1	Mirror Sub-Account 1	Sub-Acct	x(8)	
ma_mr_sub2	Mirror Sub-Account 2	Sub-Acct	x(8)	
ma_sub1	Sub-Account 1	Sub-Acct	x(8)	
ma_sub2	Sub-Account 2	Sub-Acct	x(8)	
ma_tr_type	Trans Type	T	x(2)	
ma_user1	Ufld1		x(8)	
ma_user2	Ufld2		x(8)	
ma__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ma_all_sub_cc	yes	ma_entity	yes	no
		ma_tr_type	yes	no
		ma_acct1	yes	no
		ma_acct2	yes	no
		ma_sub1	yes	no
		ma_sub2	yes	no
		ma_cc1	yes	no
		ma_cc2	yes	no
		ma_all_sub	yes	no
		ma_all_cc	yes	no

mfc_ctrl Control Work Table

Field Name	Label	Col-Label	Format	Dec
mfc_char	Character		x(24)	
mfc_date	Date		99/99/99	
mfc_decimal	Decimal		->>>,>>>,>>9.999999999	9
mfc_desc	Description		x(24)	
mfc_field	Field Name		x(32)	

Field Name	Label	Col-Label	Format	Dec
mfc_integer	Integer		>>>>>>>9	
mfc_label	Label		x(24)	
mfc_logical	Logical		yes/no	
mfc_module	Module		x(4)	
mfc_seq	Sequence	Seq	>>9	
mfc_type	Type	T	x(2)	
mfc_user1	Ufld1		x(8)	
mfc_user2	Ufld2		x(8)	
mfc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfc_field	yes	mfc_field	yes	no
mfc_mod_seq	yes	mfc_module	yes	no
		mfc_seq	yes	no

mnd_det Menu Detail

Field Name	Label	Col-Label	Format	Dec
mnd_canrun	Access codes		x(60)	
mnd_exec	Execution File	Exec File	x(14)	
mnd_fkey	F Key	Key	>>9	
mnd_help	Help File		x(12)	
mnd_label	Selection Label		x(32)	
mnd_name	Name		x(8)	
mnd_nbr	Menu		x(16)	
mnd_select	Selection	Sel	>9	
mnd_user1	Ufld1		x(8)	
mnd_user2	Ufld2		x(8)	
mnd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
mnd_exec	no	mnd_exec	yes	no
mnd_name	no	mnd_name	yes	no
* mnd_nbr	yes	mnd_nbr	yes	no
		mnd_select	yes	no

mnp_det Service/Support Custom Program Detail

Field Name	Label	Col-Label	Format	Dec
mnp_exec	Program to Execute		x(12)	
mnp_menu	Menu		x(12)	
mnp_program	Program		x(12)	
mnp_prog_type	Program Type		x(8)	
mnp_repeat_group	Repeat Group		x(8)	
mnp_select	Selection		>>9	
mnp_sequence	Sequence	Seq	>>>9	

Field Name	Label	Col-Label	Format	Dec
mnt_user1	Ufld1		x(8)	
mnt_user2	Ufld2		x(8)	
mnt_userid	User ID		x(8)	
mnt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mnt_program	yes	mnt_program	yes	no
		mnt_userid	yes	no
		mnt_sequence	yes	no
		mnt_prog_type	yes	no

mnt_det Menu Title Detail

Field Name	Label	Col-Label	Format	Dec
mnt_label	Selection Label		x(32)	
mnt_lang	Language		x(2)	
mnt_nbr	Menu		x(16)	
mnt_select	Selection		>9	
mnt_user1	Ufld1		x(8)	
mnt_user2	Ufld2		x(8)	
mnt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mnt_nsl	yes	mnt_nbr	yes	no
		mnt_select	yes	no
		mnt_lang	yes	no

mpd_det Master Specification Detail

Field Name	Label	Col-Label	Format	Dec
mpd_cmtindx	Comment Index	Comment	>>>>>>9	
mpd_label	Characteristic		x(24)	
mpd_nbr	Document		x(8)	
mpd_tol	Specification		x(26)	
mpd_tol_type	Measure		x(12)	
mpd_type	Number		x(8)	
mpd_user1	Ufld1		x(8)	
mpd_user2	Ufld2		x(8)	
mpd__chr01			x(8)	
mpd__chr02			x(8)	
mpd__chr03			x(8)	
mpd__chr04			x(8)	
mpd__chr05			x(8)	
mpd__dec01			>>>,>>>,>>9.99	2
mpd__dec02			>>>,>>>,>>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* mpd_nbr	yes	mpd_nbr	yes	no
		mpd_type	yes	no

mph_hist

Master Specification Test History

Field Name	Label	Col-Label	Format	Dec
mph_attribute	Attribute		X(8)	0
mph_cmtindx	Comment Index	Comment	>>>>>>9	
mph_date	Test Date		99/99/99	
mph_lot	ID/Batch		x(8)	
mph_mch	Machine		x(8)	
mph_op	Operation	Op	>>>>9	
mph_op_trnbr	Trans		>>>>9	
mph_part	Item Number		x(18)	
mph_pass	Pass		yes/no	
mph_procedure	Document		x(8)	
mph_routing	Routing/Procedure		x(18)	
mph_result	Results	Actual Results	x(25)	
mph_test	Characteristic		x(24)	
mph_testmthd	Test Method		X(8)	0
mph_user1	Ufld1		x(8)	
mph_user2	Ufld2		x(8)	
mph_wr_nbr	Order Number		x(18)	
mph__chr01			x(8)	
mph__chr02			x(8)	
mph__chr03			x(8)	
mph__chr04			x(8)	
mph__chr05			x(8)	
mph__dec01			>>>,>>>,>>9.99	2
mph__dec02			>>>,>>>,>>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* mph_lot	yes	mph_lot	yes	no
		mph_part	yes	no
		mph_routing	yes	no
		mph_op	yes	no
		mph_test	yes	no

mpp_det

Service/Support Custom Program Parameter Detail

Field Name	Label	Col-Label	Format	Dec
mpp_desc	Description		x(24)	
mpp_field_type	Field Type		x(16)	
mpp_line	Line		>>9	
mpp_mod_date	Modified Date	Mod Date	99/99/99	
mpp_mod_userid	User ID		X(8)	0
mpp_parm	Field Name		x(18)	
mpp_program			x(18)	
mpp_sequence			>>>9	
mpp_user1	Ufld1		X(8)	
mpp_user2	Ufld2		X(8)	
mpp_chr01	User character Field 1		X(8)	
mpp_log01	User Logical Field 1		yes/no	
mpp_qadc01	QAD Character field 1		X(8)	
mpp_qade01	QAD Decimal Field 1		->>, >>9.99	2
mpp_qadl01	QAD Logical Field 1		yes/no	
mpp_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* mpp_program	yes	mpp_program	yes	no
		mpp_sequence	yes	no
		mpp_line	yes	no

mps_mstr

Master Production Schedule

Field Name	Label	Col-Label	Format	Dec
mps_bom_code	BOM/Formula		x(18)	
mps_due_date	Due Date		99/99/99	
mps_line	Production Line	Line	x(8)	
mps_part	Item Number		x(18)	
mps_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<<	10
mps_qty_req	Qty Scheduled		->, >>>, >>9.9<<<<<<<<<	10
mps_record			>>>>>>9	
mps_rel_date	Release	Rel Date	99/99/99	
mps_routing	Routing Code		x(18)	
mps_site	Site		x(8)	
mps_user1	Ufld1		x(8)	
mps_user2	Ufld2		x(8)	
mps_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mps_part	yes	mps_part	yes	no
		mps_site	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
mps_record	yes	mps_record	yes	no
mps_site	yes	mps_site	yes	no
		mps_part	yes	no
		mps_line	yes	no
		mps_due_date	yes	no

mp_mstr Master Specification

Field Name	Label	Col-Label	Format	Dec
mp_desc	Description		x(24)	
mp_expire	Expire Date		99/99/99	
mp_nbr	Document		x(8)	
mp_user1	Ufld1		x(8)	
mp_user2	Ufld2		x(8)	
mp__chr01			x(8)	
mp__chr02			x(8)	
mp__chr03			x(8)	
mp__chr04			x(8)	
mp__chr05			x(8)	
mp__dec01			>>>, >>>, >>9.99	2
mp__dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* mp_nbr	yes	mp_nbr	yes	no

mrpc_ctrl Material Requirements Planning Control

Field Name	Label	Col-Label	Format	Dec
mrpc_drp	MRP/DRP Combined	MRP/DRP	yes/no	
mrpc_horizon	MRP Horizon		-> >>>, >>9	
mrpc_index1	Index		>>>>>9	
mrpc_op_yield	Enable Op Based Yield		yes/no	
mrpc_reldays	Order Release Horizon	Rel Horizon	>>9	
mrpc_sum_def	Summary Default	D	>	
mrpc_user1	Ufld1		x(8)	
mrpc_user2	Ufld2		x(8)	
mrpc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mrpc_index1	yes	mrpc_index1	yes	no

◇ **mrpp_det** Material Requirements Planning Pegging Detail

Field Name	Label	Col-Label	Format	Dec
mrpp_demand_due_date	Demand Due Date		99/99/99	
mrpp_demand_mrp_keyid	Demand ID		>>>>>>>9	
mrpp_mod_date	Modified Date	Mod Date	99/99/99	
mrpp_mod_userid	User ID		x(8)	
mrpp_qty_pegged	Qty Pegged		->>>>, >>>, >>9.9<<<<<<<<<<	10
mrpp_supply_due_date	Supply Due Date		99/99/99	
mrpp_supply_mrp_keyid	Supply ID		>>>>>>>9	
mrpp_user1	User Field Character 1		x(24)	
mrpp_user2	User Field Character 2		x(24)	
mrpp__qadc01			x(24)	
mrpp__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ mrpp_demand	no	mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_due_date	yes	no
◇* mrpp_det	yes	mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_mrp_keyid	yes	no
◇ mrpp_supply	no	mrpp_supply_mrp_keyid	yes	no
		mrpp_demand_due_date	yes	no

mrp_det Material Requirements Planning Detail

Field Name	Label	Col-Label	Format	Dec
mrp_dataset	Data Set		x(12)	
mrp_detail	Detail		x(24)	
mrp_due_date	Due Date		99/99/99	
◇ mrp_keyid	Key ID		>>>>>>>9	
mrp_line	Line/ID		x(8)	
mrp_line2	Reference	Ref	x(8)	
mrp_nbr	Order	Order Number	x(18)	
mrp_ord_site	Order Site	Ord Site	x(8)	
mrp_part	Item Number		x(18)	
mrp_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
mrp_rel_date	Release Date		99/99/99	
mrp_site	Site		x(8)	
mrp_type	Order Type		x(8)	
mrp_user1	Ufld1		x(8)	
mrp_user2	Ufld2		x(8)	
mrp__qad01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* mrp_det	yes	mrp_dataset	yes	no
		mrp_part	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
◇ mrp_keyid	no	mrp_keyid	yes	no
mrp_nbr	yes	mrp_dataset	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
		mrp_part	yes	no
mrp_partdate	no	mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	no	no
mrp_sitetype	no	mrp_site	yes	no
		mrp_part	yes	no
		mrp_type	yes	no
		mrp_due_date	yes	no
		mrp_qty	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
mrp_site_due	no	mrp_site	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	yes	no

msg_mstr Message Master

Field Name	Label	Col-Label	Format	Dec
msg_desc	Message		x(64)	
msg_explanation[11]	Explanation		x(76)	
msg_lang	Language		x(2)	
msg_nbr	Message Number	Msg	>>>9	
msg_type	Type		x(8)	
msg_user1	Ufld1		x(8)	
msg_user2	Ufld2		x(8)	
msg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* msg_ln	yes	msg_lang	yes	no
		msg_nbr	yes	no

mu_mstr Monetary Union Master

Field Name	Label	Col-Label	Format	Dec
mu_end_date	End		99/99/99	
mu_member_curr	Member Currency	Member	x(3)	
mu_mod_date	Modified Date	Mod Date	99/99/99	
mu_mod_userid	User ID		x(8)	
mu_start_date	Start		99/99/99	
mu_union_curr	Union Currency	Union	x(3)	
mu_user1	Ufld1		x(8)	
mu_user2	Ufld2		x(8)	
mu__qadc01			x(8)	
mu__qadd01			->>>>, >>>, >>>9.99	10
mu__qadl01			yes/no	
mu__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* mu_member_curr	yes	mu_member_curr	yes	no
		mu_start_date	no	no

Net Commerce Control

Field Name	Label	Col-Label	Format	Dec
ncc_ar_acct	AR Acct		x(8)	
ncc_ar_cc	AR Cost Ctr	CC	x(4)	
ncc_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
ncc_channel	Channel		x(8)	
ncc_class	Class		x(8)	
ncc_confirmed	Confirmed		x(8)	
ncc_county	County		x(20)	
ncc_cr_init	CR Initials	Initials	x(3)	
ncc_cr_limit	Credit Limit	Cr Limit	>>>, >>>, >>>, >>9	0
ncc_cr_rating	Credit Rating	Cr Rate	x(8)	
ncc_cr_terms	Terms		x(8)	
ncc_disc_pct	Disc %		->>9.9<%	2
ncc_disp_weight	Display Weights		yes/no	
ncc_fix_pr	Fixed Price		yes/no	
ncc_fr_list	Freight List	Frt List	x(8)	
ncc_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
ncc_fr_terms	Freight Terms	Fr Terms	x(8)	
ncc_index1	Index		>>>>>9	
ncc_lang	Language		x(2)	
ncc_ln_fmt	Ln Format S/M		single/multi	
ncc_ln_pricing	Line Pricing		yes/no	
ncc_mod_date	Modified Date	Mod Date	99/99/99	
ncc_mod_userid	User ID		x(8)	
ncc_nc_app_id	NC App ID		x(12)	
ncc_partial	Partial OK	Partial	yes/no	
ncc_po_reqd	PO Required	PO Req'd	yes/no	
ncc_pr_list	Manual		x(8)	
ncc_region	Region		x(4)	
ncc_rmks	Remarks		x(40)	
ncc_shipvia	Ship Via		x(20)	
ncc_show_inv	Show Inventory		yes/no	
ncc_site	Site		x(8)	
ncc_slspsn[4]	Salesperson	Salespsn	x(8)	
ncc_stat	Action Status	St	x(2)	
ncc_taxable	Taxable	Tax	yes/no	
ncc_taxc	Tax Class	TxC	x(3)	
ncc_tax_in	Tax In		yes/no	
ncc_tax_usage	Tax Usage		x(8)	
ncc_tx_in_city	In City		yes/no	
ncc_type	Type		x(4)	
ncc_user1	User Field 1		x(24)	
ncc_user2	User Field 2		x(24)	
ncc__qadc01			x(8)	
ncc__qadd01			->>>, >>>, >>9.<=====<	10
ncc__qadi01			>>>>>>9	
ncc__qadi01			yes/no	
ncc__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ncc index1	yes	ncc index1	yes	no

nrh_hist

Number Range History

Field Name	Label	Col-Label	Format	Dec
nrh_action	Action		x(8)	
nrh_date	Date		99/99/99	
nrh_desc	Description		x(40)	
nrh_inc	Incrementing Value		x(40)	
nrh_line	Line		>, >>, >>9	
nrh_non_inc	Non Incrementing Value		x(40)	
nrh_number	Sequence Value		x(40)	
nrh_seqid	Sequence ID	Id	x(8)	
nrh_time	Time		x(8)	
nrh_user1	Ufld1		x(8)	
nrh_user2	Ufld2		x(8)	
nrh_userid	User ID		x(8)	
nrh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* nrh_index	yes	nrh_seqid	yes	no
		nrh_number	yes	no
		nrh_action	yes	no
		nrh_line	yes	no

nr_mstr

Number Range Master

Field Name	Label	Col-Label	Format	Dec
nr_allow_discard	Allow Discarding		yes/no	
nr_allow_void	Allow Voiding		yes/no	
nr_archived	Archived		yes/no	
nr_curr_effdate	Value Effective Date		99/99/99	
nr_dataset	Target Dataset	Dataset	x(16)	
nr_desc	Description		x(40)	
nr_effdate	Effective Date		99/99/99	
nr_exp_date	Expiration Date		99/99/99	
nr_internal	Internal		yes/no	
nr_next_set	Next Value Set		yes/no	
nr_segcount	Segment Count	Segs	>9	
nr_seg_format	Format		x(40)	
nr_seg_ini	Initial Value		x(40)	
nr_seg_max	Maximum Value		x(40)	
nr_seg_min	Minimum Value		x(40)	
nr_seg_nbr	Segment Number	Seg	x(40)	
nr_seg_rank	Segment rank		x(40)	
nr_seg_reset	Reset Value		x(40)	
nr_seg_type	Type		x(8)	
nr_seg_value	Next Value		x(40)	
nr_seqid	Sequence Id	Id	x(8)	
nr_user1	Ufld1		x(8)	
nr_user2	Ufld2		x(8)	
nr_valuemask	Valuemask		x(40)	
nr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* nr_seqid	yes	nr_seqid	yes	no

oa_det

Action Message Detail

Field Name	Label	Col-Label	Format	Dec
oa_code	Action Code	Code	999999	
oa_detail	Action Message Detail		x(24)	
oa_fr_date	From Date	From	99/99/99	
oa_line	Line/ID		x(8)	
oa_nbr	Order	Order Number	x(18)	
oa_part	Item Number		x(18)	
oa_qty	Action Qty	Quantity	->, >>>, >>9.9<<<<<<<<	10
oa_review	Reviewed By	By	x(2)	
oa_site	Site		x(8)	
oa_to_date	To Date	Date	99/99/99	
oa_user1	Ufld1		x(8)	
oa_user2	Ufld2		x(8)	
oa__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oa_part	yes	oa_part	yes	no
		oa_site	yes	no
		oa_code	yes	no
		oa_nbr	yes	no
		oa_line	yes	no
		oa_to_date	yes	no
oa_site	no	oa_site	yes	no
		oa_part	yes	no

ocm_mstr

Service/Support On Call Master

Field Name	Label	Col-Label	Format	Dec
ocm_area	Area		x(8)	
ocm_end_eff	End Effective	End	99/99/99	
ocm_eng_code	Engineer Code	Eng Code	x(8)	
ocm_mod_date	Modified Date	Mod Date	99/99/99	
ocm_mod_userid	User ID		X(8)	
ocm_page	Page		Call/Page	
ocm_schedule	On Call Schedule	Schedule	X(8)	
ocm_start_eff	Start Effective	Start	99/99/99	
ocm_user1	Ufld1		x(8)	
ocm_user2	Ufld2		x(8)	
ocm__chr01	User Character Field 1		X(8)	
ocm__dte01	User Date Field 1		99/99/99	
ocm__log01	User Logical Field 1		yes/no	
ocm__qadc01	QAD Character Field 1		X(8)	
ocm__qadl01	QAD Logical Field 1		yes/no	
ocm__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ocm_area	yes	ocm_area	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_code	no	ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_schedule	no	ocm_eng_code	yes	no
		ocm_schedule	yes	no
		ocm_start_eff	yes	no

opc_ctrl

Shop Floor Operation History Control

Field Name	Label	Col-Label	Format	Dec
opc_close_gl	Create GL		yes/no	
opc_index1	Index		>>>>9	
opc_move	Move Next Operation		yes/no	
opc_payroll	Interface Payroll		yes/no	
opc_std_hrs	Standard Hours		>>9.99	2
opc_std_per	Standard Period		x(1)	
opc_time_ind	Time Indicator		x(1)	
opc_user1	Ufld1		x(8)	
opc_user2	Ufld2		x(8)	
opc__qad01			>>>>>9	
opc__qadi02			>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* opc_index1	yes	opc_index1	yes	no

opgl_det

Shop Floor Operation General Ledger Detail

Field Name	Label	Col-Label	Format	Dec
opgl_cr_acct	Cr Acct		x(8)	
opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
opgl_cr_line	Line		>>>9	
opgl_cr_proj	Cr Project	Project	x(8)	
opgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
opgl_dr_acct	Dr Acct		x(8)	
opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
opgl_dr_line	Line		>>>9	
opgl_dr_proj	Dr Project	Project	x(8)	
opgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
opgl_dy_code	Daybook		x(8)	
opgl_dy_num	Entry Number		x(40)	
opgl_gl_amt	Amount		->>>>>, >>9.99	2
opgl_gl_ref	GL Reference		x(14)	
opgl_sequence	Sequence		-> >>>, >>9	
opgl_trnbr	OP Transaction	Trans	>>>>>9	

Field Name	Label	Col-Label	Format	Dec
opgl_type	Type		x(8)	
opgl_user1	Ufld1		x(8)	
opgl_user2	Ufld2		x(8)	
opgl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
opgl_dr_cr	no	opgl_dr_acct	yes	no
		opgl_dr_sub	yes	no
		opgl_dr_cc	yes	no
		opgl_cr_acct	yes	no
		opgl_cr_sub	yes	no
		opgl_cr_cc	yes	no
opgl_dy	no	opgl_dy_code	yes	no
		opgl_dy_num	yes	no
		opgl_sequence	yes	no
* opgl_nbr_ref	yes	opgl_trnbr	yes	no
		opgl_gl_ref	yes	no
		opgl_sequence	yes	no
		opgl_ref_nbr	yes	no
opgl_ref_nbr	no	opgl_gl_ref	yes	no
		opgl_trnbr	yes	no
opgl_type_nbr_ref	no	opgl_type	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
opm_batch	Batch Size		>,>>>,>>9	
opm_bom_code	BOM Code		X(18)	
opm_cmtindx	Comment Index	Comment	>>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>,>>9.999	3
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>,>>>,>>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	3
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>,>>9.9<<	3
opm_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	9
opm_setup	Setup Time	Setup	>,>>9.9<<	3
opm_std_op	Standard Operation	Std Op	x(8)	
opm_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	2

Field Name	Label	Col-Label	Format	Dec
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>, >>>, >>9.99	10
opm__dec02			>>>, >>>, >>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__qade01	QAD Decimal Field 1		->, >>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
opm_desc	yes	opm_desc	yes	no
		opm_std_op	yes	no
* opm_std_op	yes	opm_std_op	yes	no

ops_ctrl

Operations Plan Control

Field Name	Label	Col-Label	Format	Dec
ops_cover	Maximum Weeks Coverage	Max Wks	>9.99	2
ops_index1	Index		>>>>9	
ops_move	Move Holiday Production		yes/no	
ops_plan	Use Operations Plan	Ops Plan	yes/no	
ops_round	Use Rounding		yes/no	
ops_user1	Ufld1		x(8)	
ops_user2	Ufld2		x(8)	
ops__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ops_index1	yes	ops_index1	yes	no

op_hist

Operation Transaction History

Field Name	Label	Col-Label	Format	Dec
op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>> >>9.999	3
op_act_run	Act Run Time	Act Run	->, >>9.9<<	9
op_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	3
op_act_units	Actual Units/Cycle	Act U/C	>>>>9	0
op_bdn_cost	Burden Cost	Burden	->>>> >>9.99	10
op_bdn_std	Burden Cost Std	Std Burden	->>>>, >>9.99	10
op_ca_int_type	Work Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
op_ca_opn_date			99/99/99	
op_cmtindx	Comment Index		>>>>>>9	
op_comment	Comment		x(40)	
op_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
op_curr	Currency	Cur	x(3)	
op_date	Effective Date	Date	99/99/99	
op_dept	Department		x(8)	
op_earn	Earning Code		x(4)	
op_emp	Employee		x(8)	
op_eng_area	Service Area	Area	x(18)	
op_eng_code	Engineer Code	Eng Code	x(8)	
op_exru_seq	Sequence		>>>>>>>9	
op_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
op_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
op_ex_ratetype	Rate Type		x(8)	
op_fcg_code	Charge Code		x(8)	
op_flbr_cstd	Curr Cost		->>>>, >>9.99	10
op_flbr_std			->>>>, >>9.99	10
op_flvrte_accr			->>>>, >>9.99	10
op_flvrte_post			->>>>, >>9.99	10
op_from_op	From Operation		>>>>99	
op_fsc_code	Service Category		x(8)	
op_fsm_type	FSM Type		x(8)	
op_itm_line			>>>>9	
op_lbr_cost	Labor Cost	Labor	->>>>, >>9.99	10
op_lbr_ovhd	Labor Overhead	Labor Ovhd	->, >>9.999	10
op_lbr_std	Labor Cost Std	Std Labor	->>>>, >>9.99	10
op_line	Production Line	Line	x(8)	
op_mch	Machine		x(8)	
op_milestone	Milestone Operation	Milestone	yes/no	
op_part	Item Number		x(18)	
op_pay_calc	Payroll Calculated		yes/no	
op_po_nbr	Purchase Order	PO	x(8)	
op_price	Price		>>>>, >>>, >>9.99<<<	10
op_program	Program		x(12)	
op_project	Project		x(8)	
op_pro_pct	Prorate Pct		->>9.99%	2
op_qty_adjust	Qty Adjusted		->, >>>, >>9.9<<<<<<<<	10
op_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
op_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
op_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<	10
op_qty_scrap	Qty Scrapped		->, >>>, >>9.9<<<<<<<<	10
op_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_rsn_scrap	Scrap Reason		x(8)	
Δ op_sad_line	Contract Line	Ln	>>>>>>>9	
op_sa_nbr	Service Contract		x(8)	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>, >>9.999	3
op_std_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<	9
op_std_setup	Std Setup Time	Std Setup	>, >>9.9<<	3
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0

Index-Name	Uni	Field-Name	Asc	Abbr
op_rsn	no	op_date	yes	no
		op_rsn	yes	no
		op_site	yes	no
		op_date	yes	no
op_rsn_rjct	no	op_rsn_rjct	yes	no
		op_site	yes	no
		op_date	yes	no
		op_rsn_rwrk	yes	no
op_rsn_rwrk	no	op_site	yes	no
		op_date	yes	no
		op_rsn_rwrk	yes	no
		op_site	yes	no
* op_trnbr	yes	op_trnbr	yes	no
op_type	no	op_site	yes	no
		op_type	yes	no
		op_date	yes	no
		op_site	yes	no
op_wkctr	no	op_wkctr	yes	no
		op_mch	yes	no
		op_date	yes	no
		op_wo_nbr	yes	no
op_wo_nbr	no	op_wo_nbr	yes	no
		op_wo_lot	yes	no
		op_date	yes	no

pac_mstr Purchase Approval Code Master

Field Name	Label	Col-Label	Format	Dec
pac_amt[4]	Minimum Amount		->>>>, >>>, >>9.99	2
pac_apr_by[4]	Approver		x(8)	
pac_code	Approval Code	Apv Code	x(8)	
pac_desc	Description		x(24)	
pac_mod_date	Modified Date	Mod Date	99/99/99	
pac_pl	Product Line	Line	x(4)	
pac_pur_acct	Purchases Acct	Pur Acct	x(8)	
pac_pur_cc	Purchases CC	CC	x(4)	
pac_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pac_req_by	Requested By	Req By	x(8)	
pac_site	Site		x(8)	
pac_user1	User1		x(8)	
pac_user2	User2		x(8)	
pac_userid	User ID		x(8)	
pac__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pac_code	yes	pac_code	yes	no
pac_index1	no	pac_site	yes	no
		pac_pl	yes	no
		pac_pur_acct	yes	no
		pac_pur_sub	yes	no
		pac_pur_cc	yes	no
		pac_req_by	yes	no

pal_dett

Pallet Detail

Field Name	Label	Col-Label	Format	Dec
pal_desc	Description		x(24)	
pal_height	Height		>>,>>9.99	2
pal_hght_um	UM		x(2)	
pal_nbr_lay	Number of Layers		>,>>>,>>9	
pal_pallet	Pallet Type	Type	x(8)	
pal_part	Item Number	Item	x(18)	
pal_um	UM		x(2)	
pal_unit_lay	Units per Layer		>,>>>,>>9	
pal_user1	Ufld1		x(8)	
pal_user2	Ufld2		x(8)	
pal_weight	Weight		>>,>>9.99	2
pal_wght_um	UM		x(2)	
pal__chr01			x(8)	
pal__chr02			x(8)	
pal__chr03			x(8)	
pal__chr04			x(8)	
pal__chr05			x(8)	
pal__dec01			->>>,>>>,>>9.99<	10
pal__dec02			->>>,>>>,>>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pal_pallet	yes	pal_pallet	yes	no
		pal_part	yes	no

pal_mstr

Pallet Master

Field Name	Label	Col-Label	Format	Dec
pal_desc	Description		x(24)	
pal_height	Height		>>,>>9.99	2
pal_hght_um	UM		x(2)	
pal_nbr_lay	Number of Layers		>,>>>,>>9	
pal_pallet	Pallet Type	Type	x(8)	
pal_um	UM		x(2)	
pal_unit_lay	Units per Layer		>,>>>,>>9	
pal_user1	Ufld1		x(8)	
pal_user2	Ufld2		x(8)	
pal_weight	Weight		>>,>>9.99	2
pal_wght_um	UM		x(2)	
pal__chr01			x(8)	
pal__chr02			x(8)	
pal__chr03			x(8)	
pal__chr04			x(8)	
pal__chr05			x(8)	
pal__dec01			->>>,>>>,>>9.99<	10
pal__dec02			->>>,>>>,>>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pal_pallet	yes	pal_pallet	yes	no

pcc_ctrl Product Change Control

Field Name	Label	Col-Label	Format	Dec
pcc_auto_nbr	Auto Number	Auto	yes/no	
pcc_cmmt_type	Comment Type		X(2)	
pcc_comm_lang	Common Language		X(2)	
pcc_db_seq	Common DB Sequence		>>>9	
pcc_ecooff_date	ECO Off Date		99/99/99	
pcc_formula_ok	Formula OK		yes/no	
pcc_index1	Index		>>>>>>>9	
pcc_initial_date	Initialization Date		99/99/99	
pcc_max_wkfl	Max Workfile		>>>9	
pcc_next_pco[12]	Next Change Number		>>>>>>>9	
pcc_pco_pre[12]	Prefix		X(3)	
pcc_process_ok	Process OK		yes/no	
pcc_qspec_ok	PSM OK		yes/no	
pcc_quality_ok	Quality OK		yes/no	
pcc_routing_ok	Routings OK		yes/no	
pcc_security_on	Security On		yes/no	
pcc_struct_ok	Structures OK		yes/no	
pcc_user1	Ufld1		x(8)	
pcc_user2	Ufld2		x(8)	
pcc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcc_index	yes	pcc_index1	yes	no

pcd_det Purchase Order Line Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
pcd_amt	Amount		->>>,>>>,>>9.99<<<	10
pcd_curr	Currency	Cur	x(3)	
pcd_element	Cost Element	Element	x(8)	
pcd_line	Line	Ln	>>9	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1	Ufld1		x(8)	
pcd_user2	Ufld2		x(8)	
pcd__qad01			99/99/99	
pcd__qad02			x(8)	
pcd__qad03			yes/no	
pcd__qad04			->>>,>>>,>>9.99<<<<	10
pcd__qad05			->>>,>>>,>>9.99<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pcd_ele	yes	pcd_nbr	yes	no
		pcd_line	yes	no
		pcd_element	yes	no

pcl_d_det

Product Change Control Group Detail

Field Name	Label	Col-Label	Format	Dec
pcl_d_copies	Copies	Cp	>>9	
pcl_d_dev	Output		x(8)	
pcl_d_expire	Expire Date		99/99/99	
pcl_d_group	Group		x(8)	
pcl_d_id	User Id		x(8)	
pcl_d_mod_date	Modified Date	Mod Date	99/99/99	
pcl_d_user1	Ufld1		x(8)	
pcl_d_user2	Ufld2		x(8)	
pcl_d_userid	User ID		x(8)	
pcl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcl_d_groupid	yes	pcl_d_group	yes	no
		pcl_d_id	yes	no

pcl_mstr

Product Change Control Group Master

Field Name	Label	Col-Label	Format	Dec
pcl_bsn_unit	Business Unit		>>>>>>>9	
pcl_desc	Description		x(24)	
pcl_group	Group		x(8)	
pcl_index			>>>>>9	
pcl_mod_date	Modified Date	Mod Date	99/99/99	
pcl_type	Type	T	x(2)	
pcl_user1	Ufld1		x(8)	
pcl_user2	Ufld2		x(8)	
pcl_userid	User ID		x(8)	
pcl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcl_group	yes	pcl_group	yes	no
		pcl_type	yes	no

pct_mstr Product Change Control Type Master

Field Name	Label	Col-Label	Format	Dec
pct_approval	Approval Code	Approval	x(8)	
pct_dc_warn	Warning Type		>9	
pct_desc	Description		x(24)	
pct_distr	Distribution	Dstrbn	x(8)	
pct_doc_type	Document Type	Doc Type	X(8)	
pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pct_mod_date	Modified Date	Mod Date	99/99/99	
pct_prefix	Prefix	Pre	x(3)	
pct_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
pct_seqrev_off	Rev Level Off	Off	yes/no	
pct_type	Type		x(8)	
pct_user1	Ufld1		x(8)	
pct_user2	Ufld2		x(8)	
pct_userid	User ID		x(8)	
pct__qad01	ECR/ECN		yes/no	
pct__qad02			99/99/99	
pct__qad03			x(8)	
pct__qad04			x(8)	
pct__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pct_type	yes	pct_type	yes	no
		pct_dsgn_grp	yes	no

pc_mstr Price List Master

Field Name	Label	Col-Label	Format	Dec
pc_amt[15]	Amount		-->>>, >>>, >>9.99<<<	10
pc_amt_type	Amount Type	T	x(1)	
pc_curr	Currency	Cur	x(3)	
pc_expire	Expire		99/99/99	
pc_list	Price List	List	x(8)	
pc_max_price[10]	Maximum Price		-->>>, >>>, >>9.99<<<	2
pc_min_price	Minimum Price		-->>>, >>>, >>9.99<<<	10
pc_min_qty[15]	Min Qty		>>>>>>9	2
pc_mod_date	Modified Date	Mod Date	99/99/99	
pc_part	Item Number		x(18)	
pc_prod_line	Product Line	Line	x(4)	
pc_start	Start		99/99/99	
pc_tax_in	Tax In		yes/no	
pc_um	UM		x(2)	
pc_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
pc_user2	Ufld2		x(8)	
pc_userid	User ID		x(8)	
pc__qad01			>>9.99%	2
pc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pc_list	yes	pc_list	yes	no
		pc_curr	yes	no
		pc_prod_line	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_start	yes	no
pc_part	no	pc_part	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no
pc_prod_line	no	pc_prod_line	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no

pfc_det Production Forecast Detail

Field Name	Label	Col-Label	Format	Dec
pfc_date	Date	Date	99/99/99	
pfc_id_num			>>>>>9	
pfc_part	Item Number		x(18)	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		->,>>>,>>9.<<<<<<<<<	10
pfc_site	Site		x(8)	
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	
pfc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
pfc_id_num	no	pfc_id_num	yes	no
* pfc_part	yes	pfc_part	yes	no
		pfc_site	yes	no
		pfc_peg_part	yes	no
		pfc_date	yes	no
pfc_peg_part	no	pfc_peg_part	yes	no
		pfc_site	yes	no

pfd_det

Service/Support Item-Site Detail

Field Name	Label	Col-Label	Format	Dec
pfd_bench_lead	Repair Lead Time	Rp Tm	>>>9	
pfd_cover	Subs Covered		yes/no	
pfd_cus_install	Customer Installable		yes/no	
pfd_field_lead	Field Repair Time		>,>>9.99<<	10
pfd_fru	FRU		yes/no	
pfd_inst_call	Install		yes/no	
pfd_ins_bom	Installation BOM		X(18)	
pfd_ins_route	Installation Routing		X(18)	
pfd_isb	Installed Base	Inst Base	yes/no	
pfd_life_cycle	Life Cycle		x(8)	
pfd_mfg_mtb	MFG MTBF		->>,>>9.99	2
pfd_mfg_mttr	MFG MTTR		->>,>>9.99	2
pfd_mod_date	Modified Date	Mod Date	99/99/99	
pfd_mod_userid	User ID		X(8)	
pfd_mtb	MTBF		>>,>>9.99	2
pfd_mttr	MTTR		>>,>>9.99	2
pfd_obs_date	Obsolete Date		99/99/99	
pfd_origin	Country of Origin		x(12)	
pfd_part	Item		x(18)	
pfd_pm_mrp	Need PM MRP		yes/no	
pfd_pvm_bom	PM BOM		x(18)	
pfd_pvm_days	Days Between PM	PM Days	>>>>9	
pfd_pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd_pvm_limit	PM Limit		>>>>,>>>,>>9.99<<	2
pfd_pvm_replace	Always Replace on PM		yes/no	
pfd_pvm_route	PM Routing		x(18)	
pfd_pvm_saftey	Saftey Limit		>>>>,>>>,>99.99<<<	2
pfd_pvm_um	UM		x(8)	0
pfd_repairable	Repairable		yes/no	
pfd_rp_bom	Repair BOM		x(18)	
pfd_rp_route	Repair Routing		x(18)	
pfd_rp_site	Repair Site		x(8)	
pfd_rp_vendor	Repair Supplier	Supplier	x(8)	
pfd_site	Site		x(8)	
pfd_sttr	STTR		->>,>>9.99	2
pfd_svc_group	Service Group	Svc Grp	x(8)	
pfd_tariff	Tariff		x(8)	0
pfd_trace_active	Trace Active		yes/no	
pfd_unit_isb	Isb Unit Quantity		yes/no	
pfd_user1	Ufld1		x(8)	
pfd_user2	Ufld2		x(8)	
pfd_ven_warr	Supplier Warranty	Supl Warr	yes/no	
pfd_warr_cd	Warranty Code	Warr Cd	x(8)	
pfd_chr01	Character Field 1		X(8)	
pfd_chr02	Character Field 2		X(8)	
pfd__dte01	Date Field 1		99/99/99	
pfd__dte02	Date Field 2		99/99/99	
pfd__int01	Integer Field 1		->,>>>,>>9	
pfd__int02	Integer Field 2		->,>>>,>>9	
pfd__log01	Logical Field 1		yes/no	
pfd__log02	Logical Field 2		yes/no	
pfd__qadc01	QAD Character Field 1		X(8)	
pfd__qadc02	QAD Character Field 2		X(8)	
pfd__qadd01	QAD Date Field 1		99/99/99	

Field Name	Label	Col-Label	Format	Dec
pfd__qadi01	QAD Integer Field 1		->,>>>,>>9	
pfd__qadi02	QAD Integer Field 2		->,>>>,>>9	
pfd__qadi01	QAD Logical Field 1		yes/no	
pfd__qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pfd_pm_mrp	no	pfd_pm_mrp	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
* pfd_ptsite	yes	pfd_part	yes	no
		pfd_site	yes	no
pfd_sitept	no	pfd_site	yes	no
		pfd_part	yes	no

pgc_ctrl Service/Support Paging Control

Field Name	Label	Col-Label	Format	Dec
pgc_addr	Pager Company		x(8)	
pgc_append_ca	Append Call		yes/no	
pgc_index	Index		>>9	
pgc_paged_status	Paged Status		x(8)	
pgc_phone	Pager Number		x(20)	
pgc_port1	Program		x(32)	
pgc_port2	Parameter		x(32)	
pgc_port3	Port #3		x(32)	
pgc_port4	Port #4		x(32)	
pgc_post_control	After Phone Number		x(18)	
pgc_pre_control	Before Phone Number		x(18)	
pgc_program	Program		x(16)	
pgc_user1	Ufld1		x(8)	
pgc_user2	Ufld2		x(8)	
pgc_wait_status	Waiting for Page Status		x(8)	
pgc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pgc_index	yes	pgc_index	yes	no

pgh_hist Service/Support Paging History

Field Name	Label	Col-Label	Format	Dec
pgh_ca_nbr	Call Number		x(8)	
pgh_date	Date		99/99/99	
pgh_eng_code	Engineer		x(8)	
pgh_phone	Phone		x(20)	
pgh_status	Status		x(8)	
pgh_time_init	Time		99:99	
pgh_time_paged	Time Paged		99:99	
pgh_trnbr	Transaction		>>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
pgh_user1	Ufld1		x(8)	
pgh_user2	Ufld2		x(8)	
pgh__chr01	User Character Field 1		X(8)	
pgh__chr02	User Character Field 2		X(8)	
pgh__dte01	User Date Field 1		99/99/99	
pgh__log01	User Logical Field 1		yes/no	
pgh__qadc01	QAD Character Field 1		X(8)	
pgh__qadc02	QAD Character Field 2		X(8)	
pgh__qadl01	QAD Logical Field 1		yes/no	
pgh__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pgh_ca_nbr	no	pgh_ca_nbr	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_eng_code	no	pgh_eng_code	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_status	no	pgh_status	yes	no
* pgh_trnbr	yes	pgh_trnbr	no	no

pgm_det Program Detail

Field Name	Label	Col-Label	Format	Dec
pgm_cmmnt[20]	Program Data		x(76)	
pgm_desc	Description		x(24)	
pgm_eq	Equation Name	Eq Name	x(8)	
pgm_mod_date	Modified Date	Mod Date	99/99/99	
pgm_ref	Program Reference		x(40)	
pgm_seq	Page		>9	
pgm_type	Type	T	x(2)	
pgm_user1	Ufld1		x(8)	
pgm_user2	Ufld2		x(8)	
pgm_userid	User ID		x(8)	
pgm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pgm_ref_eq	yes	pgm_ref	yes	no
		pgm_eq	yes	no
		pgm_type	yes	no
		pgm_seq	yes	no
pgm_type_eq	no	pgm_type	yes	no
		pgm_eq	yes	no

pic_ctrl

Pricing Control

Field Name	Label	Col-Label	Format	Dec
pic_cust_regen	Customers		yes/no	
pic_disc_comb	Discount Combination Type		x(24)	
pic_fs_date	FSM Default Pricing Date		x(24)	
pic_fs_fact	Display FSM Discounts as		yes/no	
pic_fs_linpri	Price Contracts by Line		yes/no	
pic_fs_rfact	FSM Factor Rounding		>>9	
pic_index1	Index		>>>>>9	
pic_item_regen	Items		yes/no	
pic_list_id	Next Price List ID		>>>>>>9	
pic_po_date	PO Default Price Date		x(24)	
pic_po_fact	Display PO Discounts as		yes/no	
pic_po_linpri	Price PO by Line		yes/no	
pic_po_rfact	PO Factor Rounding		>>9	
pic_promo_pre	Promotions Prefix		x(3)	
pic_qo_date	QO Default Price Date		x(24)	
pic_qo_fact	Display QO Discounts as		yes/no	
pic_qo_linpri	Price QO by Line		yes/no	
pic_qo_rfact	QO Factor Rounding		>>9	
pic_so_date	SO Default Pricing Date		x(24)	
pic_so_fact	Display SO Discounts as		yes/no	
pic_so_linpri	Price SO by Line		yes/no	
pic_so_rfact	SO Factor Rounding		>>9	
pic_user1	Ufld1		x(8)	
pic_user2	Ufld2		x(8)	
pic__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pic_index1	yes	pic_index1	yes	no

pid_det

Price List Detail

Field Name	Label	Col-Label	Format	Dec
pid_amt	Amount		->>>, >>>, >>9.9<<<	10
pid_cr_terms	Credit Terms	Terms	x(8)	
pid_fr_list	Freight List	Frt List	x(8)	
pid_fr_terms	Freight Terms		x(8)	
pid_list_id	List Id		x(8)	
pid_qty	Min Qty		->>, >>>, >>9.9<<<<<<<<	10
pid_user1	Ufld1		x(8)	
pid_user2	Ufld2		x(8)	
pid__qadc01			x(8)	
pid__qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pid_list_id	yes	pid_list_id	yes	no
		pid_qty	yes	no

pigc_det Price List Group Customer Detail

Field Name	Label	Col-Label	Format	Dec
pigc_amt_type	Amount Type		x(24)	
pigc_code	Price List Group		x(8)	
pigc_curr	Currency	Cur	X(3)	
pigc_div	Division		x(8)	
pigc_expire	Expire		99/99/99	
pigc_include	Include		yes/no	
pigc_mem_ref	Member Reference		x(8)	
pigc_mem_type	Member Type		>>>9	
pigc_srch_type	Search Type		>>9	
pigc_start	Start		99/99/99	
pigc_user1	Ufld1		x(8)	
pigc_user2	Ufld2		x(8)	
pigc__qadc01			x(8)	
pigc__qadc02			x(8)	
pigc__qadc03			x(8)	
pigc__qadd01			->>>>, >>>, >>>9.9	10
pigc__qadd02			->>>>, >>>, >>>9.9	10
pigc__qadi01			->, >>>, >>9	
pigc__qadi02			->, >>>, >>9	
pigc__qadi01			yes/no	
pigc__qadi02			yes/no	
pigc__qadt01			99/99/99	
pigc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
*	yes	pigc_code	yes	no
		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no
		pigc_amt_type	yes	no
pigc_member	no	pigc_div	yes	no
		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no
		pigc_srch_type	yes	no
		pigc_curr	yes	no
		pigc_start	yes	no

pigp_det Price List Group Item Detail

Field Name	Label	Col-Label	Format	Dec
pigp_amt_type	Amount Type		X(24)	
pigp_code	Price List Group		x(8)	
pigp_curr	Currency	Cur	X(3)	
pigp_div	Division		X(8)	
pigp_expire	Expire		99/99/9999	
pigp_include	Include		yes/no	
pigp_list_id	List ID		x(8)	
pigp_prod_ref	Item Reference		X(18)	
pigp_prod_type	Item Type		9	
pigp_srch_type	Search Type		>>9	
pigp_start	Start		99/99/99	

Field Name	Label	Col-Label	Format	Dec
pigp_user1	Ufld1		x(8)	
pigp_user2	Ufld2		x(8)	
pigp__qadc01			x(8)	
pigp__qadc02			x(8)	
pigp__qadc03			x(8)	
pigp__qadd01			->>>>, >>>, >>9.9	10
pigp__qadd02			->>>>, >>>, >>9.9	10
pigp__qadi01			->, >>>, >>9	
pigp__qadi02			->, >>>, >>9	
pigp__qadi01			yes/no	
pigp__qadi02			yes/no	
pigp__qadt01			99/99/99	
pigp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pigp_code	yes	pigp_code	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_amt_type	yes	no
pigp_product	no	pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

pig_mstr

Price List Group Master

Field Name	Label	Col-Label	Format	Dec
pig_all_custs	All Customers		yes/no	
pig_all_items	All Items		yes/no	
pig_amt_type	Amount Type		x(24)	
pig_code	Price List Group		x(8)	
pig_curr	Currency	Cur	x(3)	
pig_desc	Description		x(24)	
pig_div	Division		x(8)	
pig_expire	Expire		99/99/99	
pig_list	Price List		x(8)	
pig_list_id	List ID		x(8)	
pig_priority	Priority		>9	
pig_ref_code	Reference		x(16)	
pig_ref_type	Reference Type		99	
pig_srch_type	Search Type		>>9	
pig_start	Start		99/99/99	
pig_user1	Ufld1		x(8)	
pig_user2	Ufld2		x(8)	
pig_val_type	Value Type		x(24)	
pig__qadc01			x(8)	
pig__qadc02			x(8)	
pig__qadc03			x(8)	
pig__qadd01			->>>>, >>>, >>9.9	10
pig__qadd02			->>>>, >>>, >>9.9	10

Field Name	Label	Col-Label	Format	Dec
pig__qadi01			->,>>>,>>9	
pig__qadi02			->,>>>,>>9	
pig__qadi01			yes/no	
pig__qadi02			yes/no	
pig__qadt01			99/99/99	
pig__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pig_all_custs	no	pig_div	yes	no
		pig_all_custs	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
pig_all_items	no	pig_div	yes	no
		pig_all_items	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
* pig_code	yes	pig_code	yes	no
		pig_amt_type	yes	no
pig_div_code	yes	pig_div	yes	no
		pig_code	yes	no
		pig_amt_type	yes	no
pig_ref	no	pig_ref_type	yes	no
		pig_ref_code	yes	no

pih_hist Pricing History

Field Name	Label	Col-Label	Format	Dec
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC	CC	x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pih_amt	Amount		->>>>,>>>,>>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_config_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>,>>>,>>9.99<<<	10
pih_disc_cc	Cost Ctr	CC	x(4)	
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>,>>9.<<<<<	5
pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
pih_doc_type	Doc Type		>>9	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frft List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	

Field Name	Label	Col-Label	Format	Dec
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>, >>>, >>9.99<	2
pih_mod_date	Modified Date	Mod Date	99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	
pih_promo4	APM Code 4		x(8)	
pih_qty	Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_qty_type	Qty Type		x(24)	
pih_source	Source		x(8)	
pih_time	Time		>>, >>>, >>9	
pih_um	UM		x(2)	
pih_user1	Ufld1		x(8)	
pih_user2	Ufld2		x(8)	
pih_userid	User ID		x(8)	
pih_chr01			x(8)	
pih_chr02			x(8)	
pih_chr03			x(8)	
pih_chr04			x(8)	
pih_chr05			x(8)	
pih_chr06			x(8)	
pih_chr07			x(8)	
pih_chr08			x(8)	
pih_chr09			x(8)	
pih_chr10			x(8)	
pih_dec01			>>>, >>>, >>9.99	10
pih_dec02			>>>, >>>, >>9.99	10
pih_dte01			99/99/99	
pih_dte02			99/99/99	
pih_log01			yes/no	
pih_qadc01			x(8)	
pih_qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pih_comp	no	pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no
pih_list	no	pih_list	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
pih_list_id	no	pih_list_id	yes	no
* pih_nbr	yes	pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_config_disc	yes	no
		pih_source	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pih_list_id	yes	no
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

pi_mstr

Price List Master

Field Name	Label	Col-Label	Format	Dec
pi_accr_acct	Accrual Acct		x(8)	
pi_accr_cc	Accrual CC	CC	x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	
pi_cmtindx	Comments		>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_config_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr	CC	x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>, >>9,9<<<<<	5
pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>>, >>>, >>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>, >>>, >>9.99<<<	10
pi_max_qty	Max Qty		->>, >>>, >>9.9<<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>, >>>, >>9.99<	2
pi_min_price	Min Price		>>>>, >>>, >>9.99<<<	10
pi_mod_date	Modified Date	Mod Date	99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	
pi_promo1	Promotion Code		x(8)	
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
pi_user2	Ufld2		x(8)	
pi_userid	User ID		x(8)	
pi__chr01			x(8)	
pi__chr02			x(8)	
pi__chr03			x(8)	
pi__chr04			x(8)	
pi__chr05			x(8)	
pi__chr06			x(8)	
pi__chr07			x(8)	
pi__chr08			x(8)	
pi__chr09			x(8)	
pi__chr10			x(8)	
pi__dec01			>>>, >>>, >>9.99	10
pi__dec02			>>>, >>>, >>9.99	10
pi__dte01			99/99/99	
pi__dte02			99/99/99	
pi__log01			yes/no	
pi__qadc01			x(8)	
pi__qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pi_cs_code	no	pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
		pi_list	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_curr	yes	no
* pi_list	yes	pi_um	yes	no
		pi_start	yes	no
		pi_list_id	yes	no
		pi_list_id	yes	no
pi_part_code	no	pi_part_type	yes	no
		pi_part_code	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no

pjc_ctrl

Project Realization Control

Field Name	Label	Col-Label	Format	Dec
pjc_auto_mo	Auto Generate MO		yes/no	
pjc_bg_above	Budget Overrun Limit		->>9.9<%	2
pjc_bg_below	Budget Warning Limit		->>9.9<%	2
pjc_close_status	Closed Status		x(8)	
pjc_comp_status	Complete Status		x(8)	
pjc_dflt_que	Queue		x(8)	
pjc_global_inv	Global Invoicing		yes/no	
pjc_hcmmts	Project Header Comments		yes/no	
pjc_hold_level	Credit Hold Option		>>9	
pjc_hold_status	Hold Status		x(8)	
pjc_index1	Index		>>>>>9	
pjc_lcmmts	Project Line Comments		yes/no	
pjc_mod_date	Modified Date	Mod Date	99/99/99	
pjc_mod_userid	User ID		x(8)	
pjc_open_status	Open Status		x(8)	
pjc_paocmmts	PAO Comments		yes/no	
pjc_pao_cancel	Cancel Status		x(8)	
pjc_pao_close	Closed Status		x(8)	
pjc_pao_complete	Complete Status		x(8)	
pjc_pao_hold	Hold Status		x(8)	
pjc_pao_nbr	Next PAO		>>>>>>9	
pjc_pao_open	Open Status		x(8)	
pjc_pao_pre	PAO Prefix		x(3)	
pjc_par_detail	PAR Detail		yes/no	
pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
pjc_par_return	PAR Return Status		x(8)	
pjc_par_scrap	PAR Scrap Status		x(8)	
pjc_pjs_hist	Generate Transaction History		yes/no	
pjc_pj_type	GL Project Type		x(2)	
pjc_prj_nbr	Next Project		>>>>>>9	
pjc_prj_pre	Project Prefix		x(3)	
pjc_prj_site	Project Site		x(8)	
pjc_pr_rollup	Auto Price Rollup		yes/no	
pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
pjc_pt_prod	Use Item Product Line		yes/no	
pjc_schedule_pao	Schedule		yes/no	
pjc_scmmts	Subproject Comments		yes/no	
pjc_so_nbr	Next Project SO		>>>>>>9	
pjc_so_pre	Project SO Prefix		x(3)	
pjc_sub_det	Subproject Details		yes/no	
pjc_user1	Ufld1		x(8)	
pjc_user2	Ufld2		x(8)	
pjc_use_budgets	Use Budgets		yes/no	
pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
pjc__log01			yes/no	
pjc__log02			yes/no	
pjc__qadc01			x(24)	
pjc__qadc02			x(24)	
pjc__qadd01			->>>>, >>>, >>9.99<<<	10
pjc__qadi01			>>>>>>>9	
pjc__qadi01			yes/no	
pjc__qadi02			yes/no	
pjc__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pjc_index1	yes	pjc_index1	yes	no

pjd_det

Project Realization Subproject Detail

Field Name	Label	Col-Label	Format	Dec
pjd_budget_type	Budget Type		>>9	
pjd_ca_int_type	Work Code		x(8)	
pjd_cmtindx	Comment Index		>>>>>>9	
pjd_comm_pct[4]	Commission		>>9.9<%	2
pjd_cr_terms	Credit Terms		x(8)	
pjd_desc	Description		x(24)	
pjd_disc_pct	Discount		->>9.9<%	2
pjd_end_date	End Date		99/99/99	
pjd_end_orig	Original End		99/99/99	
pjd_eng_nbr	Engineer		x(8)	
pjd_eu_nbr	End User		x(8)	
pjd_global_inv	Global Invoicing		yes/no	
pjd_inv_det	Details on Invoice		yes/no	
pjd_inv_det_pr	Prices of Details		yes/no	
pjd_inv_lvl	Invoice Level		yes/no	
pjd_list_pr	Total List Price		->>>>, >>>, >>9.99<<<	10
pjd_loc	Location		x(8)	
pjd_mod_date	Modified Date	Mod Date	99/99/99	
pjd_mod_userid	User ID		x(8)	
pjd_nbr	Project		x(8)	
pjd_pjt_code	Project Type		x(8)	
pjd_prepaid	Prepaid		->>>>, >>>, >>9.99<<<	10
pjd_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
pjd_prod_line	Product Line		x(4)	
pjd_pr_list	Price List		x(8)	
pjd_site	Site		x(8)	
pjd_slspsn[4]	Slsperson		x(8)	
pjd_status	Status		x(8)	
pjd_st_date	Start Date		99/99/99	
pjd_st_orig	Original Start		99/99/99	
pjd_sub_nbr	Subproject	Subproj	>>>9	
pjd_total_price	Total Net Price		->>>>, >>>, >>9.99<<<	10
pjd_user1	Ufld1		x(8)	
pjd_user2	Ufld2		x(8)	
pjd_variation	Variation		yes/no	
pjd_qadc01			x(24)	
pjd_qadc02			x(24)	
pjd_qadd01			->>>>, >>>, >>9.99<<<	10
pjd_qadi01			>>>>>>9	
pjd_qadi01			yes/no	
pjd_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pjd_pjt_code	no	pjd_pjt_code	yes	no
* pjd_sub_nbr	yes	pjd_nbr	yes	no
		pjd_sub_nbr	yes	no

pjsh_hist Project Realization Transaction History

Field Name	Label	Col-Label	Format	Dec
pjsh_amt_inv	Invoiced Amount		-->>>>, >>>, >>9.99<<<	10
pjsh_amt_inv_chg	Invoiced Amt Change		-->>>>, >>>, >>9.99<	10
pjsh_cost_actual	Actual Cost		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_act_chg	Actual Cost Change		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_iss	Issued Cost		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_iss_chg	Issued Cost Change		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_planned	Planned Cost		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_pln_chg	Planned Cost Change		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_wip	WIP Cost		-->>>>, >>>, >>9.99<<<	10
pjsh_cost_wip_chg	WIP Cost Change		-->>>>, >>>, >>9.99<<<	10
pjsh_mod_date	Modified Date	Mod Date	99/99/99	
pjsh_mod_userid	User ID		x(8)	
pjsh_nbr	Project		x(8)	
pjsh_old_status	Prev Line Status		x(8)	
pjsh_pjs_line	Project Line		>>>>>>>9	
pjsh_povar_amt	PO Variance Amt		-->>>>, >>>, >>9.99<<<	10
pjsh_povar_chg	PO Variance Change		-->>>>, >>>, >>9.99<<<	10
pjsh_qty_actual	Qty Actual		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_act_chg	Qty Actual Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_bg_chg	Qty Budgeted Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_budget	Qty Budgeted		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_inv	Qty Invoiced		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_inv_chg	Qty Invoiced Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_iss	Qty Issued		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_iss_chg	Qty Issued Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_oh	Project QOH		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_oh_chg	Project QOH Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_planned	Qty Planned		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_pln_chg	Qty Planned Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_sel_chg	Qty to Invoice Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_sel_inv	Qty to Invoice		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_wip	Qty WIP		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_qty_wip_chg	Qty WIP Change		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_rel_nbr	Related Project		x(8)	
pjsh_status	Project Line Status		x(8)	
pjsh_trnbr	Transaction		>>>>>>>9	
pjsh_tr_cost	Transaction Cost		-->>>>, >>>, >>9.99<<<	10
pjsh_tr_date	Transaction Date		99/99/99	
pjsh_tr_ind	Transaction Indicator		x(8)	
pjsh_tr_qty	Transaction Qty		-->, >>>, >>9.9<<<<<<<<<<	10
pjsh_tr_time	Transaction Time		>>>>>>>9	
pjsh_tr_type	Transaction Type		x(8)	
pjsh_user1	Ufld1		x(8)	
pjsh_user2	Ufld2		x(8)	
pjsh_userid	User ID		x(8)	
pjsh__qadc01			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
pjsh_prj_nbr	no	pjsh_nbr	yes	no
		pjsh_pjs_line	yes	no
		pjsh_tr_date	yes	no
		pjsh_tr_time	yes	no
* pjsh trnbr	yes	pish trnbr	yes	no

Project Structure Cross-Reference Detail



Index-Name	Uni	Field-Name	Asc	Abbr
* pjsx_nbrln	yes	pjsx_nbr	yes	no
		pjsx_line	yes	no
pjsx_pjs	no	pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_nbr	yes	no
pjsx_sonbr	no	pjsx_so_nbr	yes	no
		pjsx_sod_line	yes	no
pjsx_type	no	pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_type	yes	no
pjsx_ws	no	pjsx_def_ws	yes	no

pjs_mstr

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
pjs_amt_inv	Amount Invoiced	Amt Inv	->>>>,>>>,>>9.99<<<	10
pjs_budget_type	Budget Type		>9	
pjs_ca_int_type	Work Code		x(8)	
pjs_cmtindx	Comment Index		>>>>>>9	
pjs_completed	Completed		yes/no	
pjs_cost	Unit Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_actual	Actual Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_iss	Issued Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_wip	WIP Cost		->>>>,>>>,>>9.99<<<	10
pjs_desc	Description		x(24)	
pjs_detail_on_inv	Detail on Invoice		yes/no	
pjs_disc_pct	Discount		->>9.9<%	2
pjs_frozen	Frozen		yes/no	
pjs_fsc_code	Category		x(8)	
pjs_inv_group	Invoice Group		x(8)	
pjs_inv_lvl	Invoice Level		yes/no	
pjs_line	Project Line		>>>>>>9	
pjs_line_disp	Project Line ID		x(12)	
pjs_line_par	Parent Line		>>>>>>9	
pjs_line_seq	Project Line Seq		>>>9	
pjs_line_sort	Project Line Sort		x(24)	
pjs_link_ok	Link to PAO		yes/no	
pjs_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
pjs_mod_date	Modified Date	Mod Date	99/99/99	
pjs_mod_userid	User ID		x(8)	
pjs_nbr	Project		x(8)	
pjs_part	Item Number		x(18)	
pjs_povar_amt	PO Variance Amount		->>>>,>>>,>>9.99<<<	10
pjs_price	Net Price		->>>>,>>>,>>9.99<<<	10
pjs_price_on_inv	Price on Invoice		yes/no	
pjs_prod_line	Product Line		x(4)	
pjs_qty_actual	Qty Actual		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_budget	Qty Budgeted		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_oh	Project QOH		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_planned	Qty Planned		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_sel_inv	Qty to Invoice		->>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
pjs_qty_wip	Qty WIP		->>, >>>, >>9.9<<<<<<<<<	10
pjs_status	Status		x(8)	
pjs_subassy	Subassembly		yes/no	
pjs_sub_nbr	Subproject		>>>9	
pjs_um	UM		x(2)	
pjs_um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs_user1	Ufld1		x(8)	
pjs_user2	Ufld2		x(8)	
pjs_variation	Variation		yes/no	
pjs_chr01			x(8)	
pjs_dec01			->>>>, >>>, >>9.99<<<	10
pjs_dec02			->>>>, >>>, >>9.99<<<	10
pjs_dte01			99/99/99	
pjs_dte02			99/99/99	
pjs_log01			yes/no	
pjs_log02			yes/no	
pjs_qadc01			x(24)	
pjs_qadc02			x(24)	
pjs_qadc03			x(24)	
pjs_qadd01			->>>>, >>>, >>9.99<<<	10
pjs_qadd02			->>>>, >>>, >>9.99<<<	10
pjs_qadi01			>>>>>>>9	
pjs_qadi02			>>>>>>>9	
pjs_qadi01			yes/no	
pjs_qadi02			yes/no	
pjs_qadt01			99/99/99	
pjs_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pjs_line	yes	pjs_nbr	yes	no
		pjs_line	yes	no
pjs_status	no	pjs_nbr	yes	no
		pjs_status	yes	no
		pjs_link_ok	yes	no
pjs_structure	no	pjs_nbr	yes	no
		pjs_sub_nbr	yes	no
		pjs_line_par	yes	no
		pjs_line_seq	yes	no
pjs_tree	no	pjs_nbr	yes	no
		pjs_line_sort	yes	no

pjt_mstr

Project Realization Project Type Master

Field Name	Label	Col-Label	Format	Dec
pjt_ca_int_type	Work Code		x(8)	
pjt_cmtindx	Comment Index		>>>>>>>9	
pjt_code	Project Type		x(8)	
pjt_desc	Description		x(24)	
pjt_mod_date	Modified Date	Mod Date	99/99/99	
pjt_mod_userid	User ID		x(8)	
pjt_priority	Priority		>>>9	
pjt_prod_line	Product Line		x(4)	

Field Name	Label	Col-Label	Format	Dec
pjt_pr_list	Price List		x(8)	
pjt_taxable	Taxable		yes/no	
pjt_taxc	Tax Class		x(3)	
pjt_user1	Ufld1		x(8)	
pjt_user2	Ufld2		x(8)	
pjt__qadc01			x(24)	
pjt__qadd01			->>>>, >>>, >>9.99<<<	10
pjt__qadi01			>>>>>>9	
pjt__qadi01			yes/no	
pjt__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pjt_code	yes	pjt_code	yes	no

pj_mstrProject Master

Field Name	Label	Col-Label	Format	Dec
pj_active	Active	Act	yes/no	
pj_beg_dt	Begin Date	Beg Date	99/99/99	
pj_cmtindx	Comment Index	Cmmt Indx	>>>>>>9	
pj_comp	Actual Completion Date	Comp Dt	99/99/99	
pj_desc	Description		x(24)	
pj_findate	Original Completion Date	Org C Dt	99/99/99	
pj_project	Project		x(8)	
pj_revdate	Date Revised	Date Rev	99/99/99	
pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
pj_stat	Status Code	S	x(1)	
pj_type	Project Type	T	x(2)	
pj_user1	Ufld1		x(8)	
pj_user2	Ufld2		x(8)	
pj__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
pj_active	yes	pj_project	yes	no
		pj_active	yes	no
pj_desc	no	pj_desc	yes	no
		pj_project	yes	no
* pj_project	yes	pj_project	yes	no

pk_detPick List Work Table

Field Name	Label	Col-Label	Format	Dec
pk_end	End		99/99/99	
pk_loc	Location		x(8)	
pk_lot	ID		x(8)	
pk_part	Item Number		x(18)	
pk_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
pk_reference	Reference	Ref	x(8)	

Field Name	Label	Col-Label	Format	Dec
pk_start	Start		99/99/99	
pk_user			x(8)	
pk_user1	Ufld1		x(8)	
pk_user2	Ufld2		x(8)	
pk__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pk_det	yes	pk_user	yes	no
		pk_part	yes	no
		pk_reference	yes	no
		pk_start	yes	no
		pk_end	yes	no

pld_det Product Line Detail

Field Name	Label	Col-Label	Format	Dec
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodlne	Product Line	Line	x(4)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	
pld__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pld_det	yes	pld_prodlne	yes	no
		pld_site	yes	no
		pld_loc	yes	no
pld_site	yes	pld_site	yes	no
		pld_loc	yes	no
		pld_prodlne	yes	no

◇ **plid_det** Purchase Ledger Invoice Detail

Field Name	Label	Col-Label	Format	Dec
plid_inv_cost	Invoice Cost		-->>>>, >>>, >>9.99<<<	10
plid_inv_qty	Invoice Quantity		-->, >>>, >>>, >>9.99<<<<<<<<<<	10
plid_line	Line		>>>>>>>9	
plid_mod_date	Modified Date	Mod Date	99/99/99	
plid_mod_userid	User ID		x(8)	
plid_order	Order		x(8)	
plid_order_line	Order Line	Ln	>>9	
plid_order_type	Order Type	Order! Type	x(2)	
plid_pli_keyid	Invoice Key ID	Invoice! Key ID	>>>>>>>>	
plid_pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>	
plid_taxable	Taxable	Tax	yes/no	
plid_taxc	Tax Class	Tax! Class	x(3)	
plid_tax_env	Tax Environment	Tax Env	x(16)	
plid_tax_in	Tax In	Tax! In	yes/no	
plid_tax_usage	Tax Usage	Tax! Usage	x(8)	
plid_user1	User Field Character 1		x(24)	
plid_user2	User Field Character 2		x(24)	
plid__qadc01			x(24)	
plid__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ plid_order	no	plid_order	yes	no
		plid_order_line	yes	no
◇* plid_pli_keyid	yes	plid_pli_keyid	yes	no
		plid_line	yes	no
◇ plid_pli_keyid_order	no	plid_pli_keyid	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
◇ plid_pvo_id	no	plid_pvo_id	yes	no

◇ **pli_mstr** Purchase Ledger Invoice Master

Field Name	Label	Col-Label	Format	Dec
pli_curr	Currency	Cur	x(3)	
pli_exru_seq	Sequence		>>>>>>>9	
pli_ex_rate	Exch Rate		-->>>, >>>, >>9.9<<<<<<<<<	10
pli_ex_rate2	Exch Rate 2		-->>>, >>>, >>9.9<<<<<<<<<	10
pli_ex_ratetype	Rate Type		x(8)	
pli_internal_ref	Internal Reference		x(20)	
pli_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pli_invoice	Invoice Number		x(20)	
pli_invoice_amt	Invoice Amount		-->, >>>, >>>, >>9.99<	10
pli_invoice_date	Invoice Date	Inv Date	99/99/99	
pli_keyid	Key ID		>>>>>>>>	
pli_mod_date	Modified Date	Mod Date	99/99/99	
pli_mod_userid	User ID		x(8)	
pli_supplier	Supplier		x(8)	
pli_taxable	Taxable	Tax	yes/no	
pli_taxc	Tax Class	TxC	x(3)	
pli_tax_date	Tax Date		99/99/99	
pli_tax_env	Tax Environment	Tax Env	x(16)	

Field Name	Label	Col-Label	Format	Dec
pli_tax_in	Tax In	Tax! In	yes/no	
pli_tax_usage	Tax Usage	TaxUsage	x(8)	
pli_user1	User Field Character 1		x(24)	
pli_user2	User Field Character 2		x(24)	
pli_vo_ref	Voucher		x(8)	
pli__qadc01			x(24)	
pli__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ pli_internal_ref	no	pli_internal_ref	yes	no
		pli_supplier	yes	no
		pli_invoice	yes	no
◇ pli_invoice	no	pli_supplier	yes	no
		pli_invoice	yes	no
◇* pli_keyid	yes	pli_keyid	yes	no
◇ pli_vo_ref	no	pli_vo_ref	yes	no

plsd_det

Product Line Sales Detail

Field Name	Label	Col-Label	Format	Dec
plsd_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
plsd_cbdn_cc	COGS Burden CC	CC	x(4)	
plsd_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
plsd_channel	Channel		x(8)	
plsd_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
plsd_clbr_cc	COGS Labor CC	CC	x(4)	
plsd_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
plsd_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
plsd_cmtl_cc	COGS Material CC	CC	x(4)	
plsd_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
plsd_cmtype	Customer Type	Type	x(4)	
plsd_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
plsd_covh_cc	COGS Overhead CC	CC	x(4)	
plsd_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
plsd_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
plsd_csub_cc	COGS Subcontract CC	CC	x(4)	
plsd_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
plsd_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
plsd_dsc_cc	Sales Disc Ctr	CC	x(4)	
plsd_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
◇ plsd_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
◇ plsd_fsaccr_cc	Accrued Revenue CC		x(4)	
◇ plsd_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
◇ plsd_fsdef_acct	Deferred Revenue	Deferred	x(8)	
◇ plsd_fsdef_cc	Deferred Revenue CC		x(4)	
◇ plsd_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
plsd_mod_date	Modified Date	Mod Date	99/99/99	
plsd_proline	Product Line	Line	x(4)	
plsd_site	Site		x(8)	
plsd_sls_acct	Sales Acct	Sales	x(8)	
plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
plsd_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
plsd_user1	Ufld1		x(8)	
plsd_user2	Ufld2		x(8)	
plsd_userid	User ID		x(8)	
plsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* plsd_prodlne	yes	plsd_prodlne	yes	no
		plsd_site	yes	no
		plsd_cmtype	yes	no
		plsd_channel	yes	no

plt_det Product Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
plt_mod_date	Modified Date	Mod Date	99/99/99	
plt_prod_line	Product Line	Line	x(4)	
plt_taxable	Taxable		yes/no	
plt_taxc	Tax Class	TxC	x(3)	
plt_tax_type	Tax Type		x(3)	
plt_user1	User1		x(8)	
plt_user2	User2		x(8)	
plt_userid	User ID		x(8)	
plt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* plt_prod_line	yes	plt_prod_line	yes	no
		plt_tax_type	yes	no

pl_mstr Product Line Master

Field Name	Label	Col-Label	Format	Dec
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	
pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
pl_desc	Description		x(24)	
pl_division			x(8)	
pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
pl_esls_acct	Exempt Sales Acct		x(8)	
pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
pl_fiscal_class	Fiscal Class		x(18)	
pl_flr_acct	Floor Stock Account	Fir Acct	x(8)	
pl_flr_cc	Floor Stock CC	CC	x(4)	
pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
◇ pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
◇ pl_fsaccr_cc	Accrued Revenue CC		x(4)	
◇ pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
◇ pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
◇ pl_fsdef_cc	Deferred Revenue CC		x(4)	
◇ pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
pl_fsexd_acct	Expense Due Employee		x(8)	
pl_fsexd_cc	Expenses Due CC	CC	x(4)	
pl_fsexd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	
pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
pl_fsexp_cc	Service Expenses CC	CC	x(4)	
pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
pl_fslbr_cc	Service Labor CC	CC	x(4)	
pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
pl_fsrc_inv_acct	Repair Center Inv		x(8)	
pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
pl_fsrc_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
pl_group			x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	

Field Name	Label	Col-Label	Format	Dec
pl_mvar_cc	Material Usage Variance	CC CC	x(4)	
pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance	CC	x(4)	
pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance	CC	x(4)	
	CC			
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance	CC	x(4)	
	CC			
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	
◇ pl_xfer_acct	Transfer Variance Account	Account	x(8)	
◇ pl_xfer_cc	Transfer Variance CC	CC	x(4)	
◇ pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
pl__chr01			x(8)	
pl__chr02			x(8)	
pl__chr03			x(8)	
pl__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
pl__chr05			x(8)	
pl__dec01			>>>, >>>, >>9.99	10
pl__dec02			>>>, >>>, >>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadc06			x(8)	
pl__qadc07			x(4)	
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>, >>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pl__desc	yes	pl__desc	yes	no
		pl__prod_line	yes	no
* pl__prod_line	yes	pl__prod_line	yes	no

poc_ctrl Purchase Order Control

Field Name	Label	Col-Label	Format	Dec
poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
poc_apv_req	Approved Reqs Needed for POs		yes/no	
poc_bill	Bill-To		x(8)	
poc_crtacc_acct	PO Interest Accrued Acct		X(8)	
poc_crtacc_cc	PO Interest Accrued CC	CC	X(4)	
poc_crtacc_sub	PO Int Accrued Sub-Acct	Sub-Acct	x(8)	
poc_crtapp_acct	PO Interest Applied Acct		X(8)	
poc_crtapp_cc	PO Interest Applied CC	CC	X(4)	
poc_crtapp_sub	PO Int Applied Sub-Acct	Sub-Acct	x(8)	
poc_ers_opt	ERS Option	ERS! Opt	x(1)	
poc_ers_proc	ERS Processing		yes/no	
poc_ex_ratetype	Rate Type		x(8)	
poc_fst_id	Company FST ID		x(18)	
poc_hcmmts	PO Header Comments		yes/no	
poc_index1	Index		>>>>9	
poc_insp_loc	Inspection Location	Inspect	x(8)	
poc_lcmmts	PO Line Comments		yes/no	
poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	

Field Name	Label	Col-Label	Format	Dec
poc_ln_stat	Cancel Backorders	Cancel	x(1)	
◊ poc_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
poc_next_batch	Next Fiscal Batch		>>>>>>>9	
poc_pc_line	Price by PO Line Due Date		yes/no	
poc_pl_req	Price List Required		yes/no	
poc_po_hist	Keep Booking History	Book! Hst	yes/no	
poc_po_nbr	Next Purchase Order	Next PO	99999999	
poc_po_pre	PO Prefix	Pre	x(3)	
poc_pst_id	PST ID		x(18)	
poc_pt_req	Price Table Required		yes/no	
poc_rcv_all	Receive All		yes/no	
poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
poc_rcv_pre	Receiver Prefix	Pre	x(3)	
poc_rcv_type	Receiver Type	T	9	0
poc_req_nbr	Next Req		>>>>>>>9	
poc_req_pre	Requisition Prefix	Pre	x(3)	
poc_ship	Ship-To		x(8)	
poc_sort_by	Sort PO By		Site/Line	
poc_tol_cst	Tolerance Cost	Tolerance \$	>>>>, >>>, >>9.99<<<	10
poc_tol_pct	Tolerance Percent	Tol %	>>>>.99	2
poc_user1	Ufld1		x(8)	
poc_user2	Ufld2		x(8)	
poc__qad01			99999	
poc__qadc01	QAD Field		X(8)	0
poc__qadc02	QAD Field		X(8)	0
poc__qadc03	QAD Field		X(8)	0
poc__qadc04			x(8)	
poc__qadc05			x(4)	
poc__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	2
poc__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	2
poc__qadi01	QAD Field		->, >>>, >>9	
poc__qadi02	QAD Field		->, >>>, >>9	
poc__qadi01	QAD Field		yes/no	
poc__qadi02	QAD Field		yes/no	
poc__qadi03	QAD Field		yes/no	
poc__qadi04	QAD Field		yes/no	
poc__qadi05	QAD Field		yes/no	
poc__qadi06	QAD Field		yes/no	
poc__qadt01	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* poc_index1	yes	poc_index1	yes	no

pod_det Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
pod_acct	Pur Acct		x(8)	
pod_approve	Approved By	Approved	x(8)	
pod_apr_code	Approval Code	Apr Code	x(8)	
pod_assay	Assay %		>>9.99%	2
pod_blanket	Blanket		x(8)	
pod_blnkt_ln	Blanket Line	Bl Ln	>>9	

Field Name	Label	Col-Label	Format	Dec
pod_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
pod_cc	Cost Ctr	CC	x(4)	
pod_cmtindx	Comment Index	Comment	>>>>>>9	
◇ pod_consignment	Consignment		yes/no	
pod_contract	Contract		x(8)	
pod_contr_id	Contract ID		x(30)	
pod_cost_chg	Receipt Cost		->>>,>>>,>>9.99<<<	10
pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
pod_cst_up	Update Current Cost		yes/no	
pod_cum_date[4]	Cum Start		99/99/99	
pod_cum_qty[4]	Cum Received		->>>>,>>>,>>9.9<<<<<<<<	10
pod_curr_rlse_id[3]	Active Rlse ID		x(30)	
pod_desc	Description		x(40)	
pod_disc_pct	Disc%		->9.99%	2
pod_dock	Dock		x(8)	
pod_drp_ref	DRP Ref		x(8)	
pod_due_date	Due Date	Due	99/99/99	
pod_end_eff[4]	End Effective		99/99/99	
pod_ers_opt	ERS Option	ERS! Opt	>9	
pod_expire	Expire Date	Expire	99/99/99	
pod_fab_days	Fab Auth Days		>,>>9	
pod_fab_weeks	Fab Auth Weeks		>,>>9	
pod_firm_days	Firm Days		>,>>9	
pod_firm_weeks	Firm Weeks		>,>>9	
pod_fix_pr	Fixed Price		yes/no	
pod_fr_list	Freight List	Frt List	x(8)	
pod_fsm_type	FSM Type		x(8)	
pod_grade	Grade		x(2)	
pod_insp_rq	Inspect Req	Insp	yes/no	
pod_line	Line	Ln	>>9	
pod_loc	Location		x(8)	
pod_lot_next	Next Lot/Serial		x(18)	
pod_lot_rcpt	Single Lot		yes/no	
◇ pod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
pod_mrp_pct	Supply Percent		>>9.99%	2
◇ pod_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
pod_nbr	Purchase Order	Order	x(8)	
pod_need	Need Date	Need	99/99/99	
pod_op	Operation	Op	>>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pjs_line	Project Line		>>>>>>>9	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pst	PST		yes/no	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>, >>>, >>9.99<<<	10
pod_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<<	10
pod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rtn	Qty Returned		->, >>>, >>9.9<<<<<<<<	10
pod_raw_days	Raw Auth Days		>, >>9	
pod_raw_weeks	Raw Auth Weeks		>, >>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->, >>>, >>9.9<<<<<<<<	10
pod_request	Requested By	Req By	x(8)	
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_rev	Revision	Rev	x(4)	
pod_rlse_nbr	Next Release ID		999999999	
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sched	Scheduled		yes/no	
pod_sched_chgd	Scheduled		yes/no	
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sftytl_days	Safety Days		>>9.99	2
pod_sftytl_hrs	Safety Hours		>>9.99	2
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>, >>>, >>9.99<<<	10
pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	2
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_translt_days	Transport Days		>>9.99	2
pod_translt_hrs	Transport Hours		>>9.99	2
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufld1		x(8)	
pod_user2	Ufld2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wip_lotser	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod__chr01			x(8)	
pod__chr02			x(8)	
pod__chr03			x(8)	
pod__chr04			x(8)	
pod__chr05			x(8)	
pod__chr06			x(8)	
pod__chr07			x(8)	
pod__chr08			x(8)	
pod__chr09			x(8)	
pod__chr10			x(8)	
pod__dec01			>>>, >>>, >>9.99	10
pod__dec02			>>>, >>>, >>9.99	10
pod__dte01			99/99/99	
pod__dte02			99/99/99	
pod__log01			yes/no	
pod__qad01			99/99/99	
pod__qad02			->>>>>>>>g	
pod__qad03			99:99:99	
pod__qad04[5]			x(40)	
pod__qad05			yes/no	
pod__qad06			x(1)	
pod__qad07			x(2)	
pod__qad08			99/99/99	
pod__qad09			->>>, >>>, >>9	
pod__qad10			x(8)	
pod__qad11			x(8)	
pod__qad12			yes/no	
pod__qad13			yes/no	
pod__qad14			99/99/99	
pod__qad15			yes/no	
pod__qad16			x(8)	
pod__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
pod__qadd02	QAD Field		->>>>, >>>, >>9.99	10
pod__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pod_fsm_type	no	pod_fsm_type	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
* pod_nbrln	yes	pod_nbr	yes	no
		pod_line	yes	no
pod_part	yes	pod_part	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_partdue	no	pod_part	yes	no
		pod_due_date	yes	no
pod_project	no	pod_project	yes	no
		pod_pjs_line	yes	no

◇ **pould_det** Point of Use Location Detail

Field Name	Label	Col-Label	Format	Dec
pould_loc	Location		x(8)	
pould_mod_date	Modified Date	Mod Date	99/99/99	
pould_mod_userid	User ID		x(8)	
pould_poul_ref_key	Ref ID		>>>>>>>9	
pould_preference	Preference		>>>>>>>9	
pould_user1	User Field Character 1		x(24)	
pould_user2	User Field Character 2		x(24)	
pould__qadc01			x(24)	
pould__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ pould_preference	no	pould_poul_ref_key	yes	no
		pould_preference	yes	no
		pould_loc	yes	no
◇* pould_ref_loc	yes	pould_poul_ref_key	yes	no
		pould_loc	yes	no

◇ **poul_mstr** Point of Use Location Master

Field Name	Label	Col-Label	Format	Dec
poul_cmtindx	Comment Index	Comment	>>>>>>>9	
poul_mch	Machine		x(8)	
poul_mod_date	Modified Date	Mod Date	99/99/99	
poul_mod_userid	User ID		x(8)	
poul_pou_code	Point of Use Code		x(18)	
poul_ref_key	Ref ID		>>>>>>>9	
poul_site	Site		x(8)	
poul_user1	User Field Character 1		x(24)	
poul_user2	User Field Character 2		x(24)	
poul_wkctr	Work Center	Work Ctr	x(8)	
poul__qadc01			x(24)	
poul__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* poul_mstr	yes	poul_pou_code	yes	no
		poul_site	yes	no
		poul_wkctr	yes	no
		poul_mch	yes	no
◇ poul_ref_key	no	poul_ref_key	yes	no

◇ **pou_mstr** Point of Use Code Master

Field Name	Label	Col-Label	Format	Dec
pou_cmtindx	Comment Index	Comment	>>>>>>>9	
pou_code	Point of Use Code		x(18)	
pou_desc	Description		x(24)	
pou_mod_date	Modified Date	Mod Date	99/99/99	
pou_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
pou_user1	User Field Character 1		x(24)	
pou_user2	User Field Character 2		x(24)	
pou__qadc01			x(24)	
pou__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* pou_code	yes	pou_code	yes	no

po_mstr Purchase Order Master

Field Name	Label	Col-Label	Format	Dec
◇ po_app_owner	Owner Application		x(12)	
po_ap_acct	AP Acct		x(8)	
po_ap_cc	Cost Ctr	CC	x(4)	
po_ap_sub	AP Sub-Acct	Sub-Acct	x(8)	
po_bank	Bank		x(2)	
po_bill	Bill-To		x(8)	
po_blanket	Blanket Order	Blanket	x(8)	
po_buyer	Buyer		x(8)	
po_cls_date	Close Date	Closed	99/99/99	
po_cmtindx	Comment Index	Comment	>>>>>>9	
po_confirm	Confirming	Confirm	yes/no	
◇ po_consignment	Consignment		yes/no	
po_contact	Contact		x(24)	
po_contract	Contract		x(18)	
po_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
po_cr_terms	Credit Terms	Terms	x(8)	
po_curr	Currency	Cur	x(3)	
po_cycl	Cycle Code	Cycl	x(2)	
po_del_to	Deliver To	Delv To	x(4)	
po_disc_pct	Disc %		->9.99%	2
po_due_date	Due Date		99/99/99	
po_duty_type	Duty Type	Dty	x(1)	
po_eff_strt	Blanket Start	Blanket St	99/99/99	
po_eff_to	Blanket End		99/99/99	
po_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
po_ers_opt	ERS Option	ERS! Opt	x(2)	
po_est_value	Est Value	Est Val	->>, >>>, >>9.99	10
po_exru_seq	Sequence		>>>>>>>9	
po_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
po_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
po_ex_ratetype	Rate Type		x(8)	
po_fix_pr	Fixed Price		yes/no	
po_fix_rate	Fixed Rate	Fixed	yes/no	
po_fob	FOB		x(20)	
po_frt	Freight		-z, zzz, zzz, zz9.99	10
po_fsm_type	FSM Type		x(8)	
po_fst_id	FST ID		x(18)	
po_inv_mthd	Invoices Via		x(1)	
po_is_btb	EMT PO		yes/no	
po_lang	Language		x(2)	
◇ po_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	

Field Name	Label	Col-Label	Format	Dec
po_nbr	Purchase Order	Order	x(8)	
po_ord_date	Order Date	Date	99/99/99	
po_partial	Partial OK	Partial	yes/no	
po_prepaid	Amount Prepaid	Prepaid	->,>>>,>>>,>>9.99	10
po_priced_dt	Last Price Dt	Last Pri	99/99/99	
po_pricing_dt	Pricing Date	Price Dt	99/99/99	
po_print	Print PO	Print	yes/no	
po_project	Project		x(8)	
po_pr_list	Disc Tbl		x(8)	
po_pr_list2	Price Tbl	Pr Tbl	x(8)	
po_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_release	Release	Rel	yes/no	
po_rel_nbr	Rel		>>9	
po_req_id	Req By		x(8)	
po_rev	Revision	Rev	>>9	10
po_rmks	Remarks		x(40)	
po_sched	Scheduled		yes/no	
po_sch_mthd	Schedules Via		x(1)	
po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
po_ship	Ship-To		x(8)	
po_shipvia	Ship Via		x(20)	
po_site	Site		x(8)	
po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
po_so_nbr	Primary SO	Pr SO	x(8)	
po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
po_stat	Status	St	x(2)	
po_taxable	Taxable	Tax	yes/no	
po_taxc	Tax Class	TxC	x(3)	
po_tax_date	Tax Date		99/99/99	
po_tax_env	Tax Environment	Tax Env	x(16)	
po_tax_pct[3]	Tax		->9.99<%	3
po_tax_usage	Tax Usage	TaxUsage	x(8)	
◇ po_tot_terms_code	Terms of Trade		x(8)	
◇ po_translt_days	Transport Days		>>9.99	2
po_type	Type	Tp	x(1)	
po_user1	Ufld1		x(8)	
po_user2	Ufld2		x(8)	
po_user_id	Entered By	Ent By	x(8)	
po_vend	Supplier		x(8)	
po_xmit	Transm		X	
po__chr01			x(8)	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	
po__chr09			x(8)	
po__chr10			x(8)	
po__dec01			>>>,>>>,>>9.99	10
po__dec02			>>>,>>>,>>9.99	10
po__dte01			99/99/99	
po__dte02			99/99/99	

Field Name	Label	Col-Label	Format	Dec
po__log01			yes/no	
po__qad01			99/99/99	
po__qad02			>>9	
po__qad03			99:99:99	
po__qad04			yes/no	
po__qad05			->>9.99%	2
po__qad06			yes/no	
po__qad07			x(8)	
po__qad08			x(4)	
po__qad09			->>, >>>, >>9.99	2
po__qadc01	QAD Field		X(8)	0
po__qadc02	QAD Field		X(8)	0
po__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadi01	QAD Field		->, >>>, >>9	
po__qadi02	QAD Field		->, >>>, >>9	

Index-Name	Uni	Field-Name	Asc	Abbr
po_buyer	no	po_buyer	yes	no
		po_vend	yes	no
		po_nbr	yes	no
po_fsm_type	no	po_fsm_type	yes	no
		po_nbr	yes	no
* po_nbr	yes	po_nbr	yes	no
po_type	yes	po_type	yes	no
		po_nbr	yes	no
po_vend	no	po_vend	yes	no
		po_nbr	yes	no

pp_plan

Product Line Plan

Field Name	Label	Col-Label	Format	Dec
pp_bklg_act[12]	Bklog Actual	Bklog Act	->>, >>9.9	2
pp_bklg_fcst	Bklog Plan		->>, >>9.9	2
pp_cost_act[12]	Cost Actual	Cost Act	->>, >>9.9	2
pp_cost_fcst[12]	Cost Plan		->>, >>9.9	2
pp_inv_act[12]	Inv Actual	Inv Act	->>, >>9.9	2
pp_inv_fcst	Inv Plan		->>, >>9.9	2
pp_ord_act[12]	Order Actual	Order Act	->>, >>9.9	2
pp_ord_fcst[12]	Order Plan		->>, >>9.9	2
pp_prod_act[12]	Prod Actual	Prod Act	->>, >>9.9	2
pp_prod_fcst[12]	Prod Plan		->>, >>9.9	2
pp_prod_line	Prod Line		x(4)	
pp_ship_act[12]	Ship Actual	Ship Act	->>, >>9.9	2
pp_ship_fcst[12]	Ship Plan		->>, >>9.9	2
pp_site	Site		x(8)	
pp_user1	Ufld1		x(8)	
pp_user2	Ufld2		x(8)	
pp_year	Year		>>>>	
pp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pp_plan	yes	pp_site	yes	no
		pp_prod_line	yes	no
		pp_year	yes	no

pq_mstr

Product Line Requirements Master

Field Name	Label	Col-Label	Format	Dec
pq_end	End Date	End	99/99/99	
pq_lead	LT(Months)	LT	>>9	
pq_lt_off	Offset		->>9	
pq_prod_line	Product Line	Line	x(4)	
pq_qty_per	Quantity Per	Qty Per	->>>>, >>9.9<<<<<<<<	9
pq_ref	Reference		x(8)	
pq_rsc	Resource		x(8)	
pq_site	Site		x(8)	
pq_start	Start Date	Start	99/99/99	
pq_user1	Ufld1		x(8)	
pq_user2	Ufld2		x(8)	
pq__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pq_mstr	yes	pq_prod_line	yes	no
		pq_site	yes	no
		pq_rsc	yes	no
		pq_ref	yes	no
		pq_start	yes	no
pq_rsc	no	pq_rsc	yes	no
		pq_site	yes	no

prd_det

Printer Detail

Field Name	Label	Col-Label	Format	Dec
prd_blank	Blank Lines/Page	BLPP	>>9	
prd_desc	Description		x(24)	
prd_dest_type	Destination Type		>9	
prd_dev	Output To		x(8)	
prd_end_bc	Bar Code End Ctrl		x(100)	
prd_init	Initialize Ctrl		x(100)	
prd_init_pro	Initialize Command		x(50)	
prd_length	Lines / Page	LPP	>>>9	
prd_mapterm	Map To		x(8)	
prd_max_page	Max Pages		>>>>9	
prd_neg_line	Neg Line Feed Ctrl		x(100)	
prd_page	Page Control		x(60)	
prd_path	Device Pathname		x(40)	
prd_reset	Reset Ctrl		x(100)	
prd_rset_pro	Reset Command		x(50)	
prd_scroll_only	Scroll Output	Scroll	yes/no	

Field Name	Label	Col-Label	Format	Dec
prd_spooler	Spooler	Spool	yes/no	
prd_st_132	132-Column Start Ctrl		x(100)	
prd_st_80	80-Column Start Ctrl		x(100)	
prd_st_bc	Bar Code Start Ctrl		x(100)	
prd_type	Printer Type	Type	x(8)	
prd_user1	Ufld1		x(8)	
prd_user2	Ufld2		x(8)	
prd__qad01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* prd_dev	yes	prd_dev	yes	no

prh_hist Purchase Order Receipt History

Field Name	Label	Col-Label	Format	Dec
prh_approve	Approved By	Approved	x(8)	
prh_bank	Bank		x(2)	
prh_bdn_std	Std Bdn Cost	Std Burden	->>>, >>>, >>9.99<<<	10
prh_bo_qty	Back Order Qty		->, >>>, >>9.9<<<<<<<<<	10
prh_buyer	Buyer		x(8)	
prh_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
prh_cst_up	Update Current Cost		yes/no	
prh_cum_rcvd	Cum Received		->, >>>, >>9.9<<<<<<<<<	10
prh_cum_req	Cum Qty Required		->, >>>, >>9.9<<<<<<<<<	10
prh_curr	Currency	Cur	x(3)	
prh_curr_amt	Currency Amt		->>>, >>>, >>9.99<<<	10
prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
prh_element	Cost Element	Element	x(8)	
prh_exru_seq	Sequence		>>>>>>>9	
prh_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_ratetype	Rate Type		x(8)	
prh_fix_pr	Fixed Price		yes/no	
prh_fix_rate	Fixed Rate	Fixed	yes/no	
prh_fsm_type	FSM Type		x(8)	
prh_lbr_std	Std Lbr Cost	Std Labor	->>>, >>>, >>9.99<<<	10
prh_line	PO Line	Ln	>>9	
prh_lot	Work Order ID	WO ID	x(8)	
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>, >>>, >>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Ovhead		>>>>, >>>, >>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
Δ prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->, >>>, >>>, >>9.99<<<	10
prh_pur_std	PO Std Cost		->>>, >>>, >>9.99<<<	10
prh_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
Δ prh_shipto	Ship-to		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>, >>>, >>9.99<<<	10
prh_taxc	Tax Class	TxC	x(3)	
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinvoice	Not Used		x(12)	
prh_xinv_cst	Not Used		->, >>>, >>>, >>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	
prh__chr10			x(8)	
prh__dec01			>>>, >>>, >>9.99	10
prh__dec02			>>>, >>>, >>9.99	10
prh__dec03			>>>, >>>, >>9.99	10
prh__dec04			>>>, >>>, >>9.99	10
prh__dec05			>>>, >>>, >>9.99	10
prh__dte01			99/99/99	
prh__dte02			99/99/99	
prh__dte03			99/99/99	
prh__dte04			99/99/99	
prh__dte05			99/99/99	
prh__log01			yes/no	
prh__log02			yes/no	
prh__qad02			x(8)	
prh__qad03			->, >>>, >>9.9<<<<<<<<	10
prh__qad04			>>>>>>>>	
◇ prh__qadc01			x(24)	
Δ prh__qadc02			x(24)	
Δ prh__qadc03			x(24)	
Δ prh__qadc04			x(24)	

Field Name	Label	Col-Label	Format	Dec
Δ prh__qadc05			x(24)	
Δ prh__qadc06			x(24)	
Δ prh__qadd01			->,>>>,>>9.<<<<<<<<	10
Δ prh__qadi01			->>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
prh_buyer	no	prh_buyer	yes	no
		prh_vend	yes	no
		prh_part	yes	no
* prh_nbr	yes	prh_nbr	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
		prh_element	yes	no
prh_part	no	prh_part	yes	no
		prh_rcp_date	yes	no
prh_ps_nbr	no	prh_vend	yes	no
		prh_ps_nbr	yes	no
		prh_part	yes	no
prh_rcp_date	no	prh_rcp_date	yes	no
prh_receiver	yes	prh_receiver	yes	no
		prh_line	yes	no
prh_vend	no	prh_vend	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no

prj_mstr

Project Realization Project Master

Field Name	Label	Col-Label	Format	Dec
prj_action_stat	Action Status		x(2)	
prj_ar_acct	AR Account		x(8)	
prj_ar_cc	AR Cost Center		x(4)	
prj_ar_sub	AR Sub-Account		x(8)	
prj_bg_above	Budget Overrun Limit		->>9.9<%	2
prj_bg_below	Budget Warning Limit		->>9.9<%	2
prj_bill_to	Bill-To		x(8)	
prj_channel	Channel		x(8)	
prj_close_date	Close Date		99/99/99	
prj_cmtindx	Comment Index		>>>>>>9	
prj_comm_pct[4]	Commission		>>9.9<%	2
prj_cr_card	Credit Card		x(2)	
prj_cr_init	Cr Initials		x(3)	
prj_cr_terms	Credit Terms		x(8)	
prj_curr	Currency	Cur	x(3)	
prj_cust	Sold-To		x(8)	
prj_desc	Desc		x(24)	
prj_end_date	End Date		99/99/99	
prj_eng_nbr	Engineer		x(8)	
prj_eu_nbr	End User		x(8)	
prj_exru_seq	Sequence		>>>>>>>9	
prj_ex_rate	Exch Rate		>>>>,>>>,>>9.<<<<<<<<	10
prj_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.<<<<<<<<	10
prj_ex_ratetype	Rate Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
prj_fix_rate	Fixed Rate		yes/no	
prj_global_inv	Global Invoicing		yes/no	
prj_inv_det	Details on Invoice		yes/no	
prj_inv_det_pr	Price Details on Invoice		yes/no	
prj_inv_lvl	Invoice Level		yes/no	
prj_lang	Language		x(2)	
prj_loc	Location		x(8)	
prj_mod_date	Modified Date	Mod Date	99/99/99	
prj_mod_userid	User ID		x(8)	
prj_mref	Master Project		x(8)	
prj_nbr	Project		x(8)	
prj_ord_date	Order Date		99/99/99	
prj_pjt_code	Project Type		x(8)	
prj_po	Purchase Order		x(22)	
prj_prepaid	Prepaid		->>>>, >>>, >>9.99<<<	10
prj_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
prj_pricing_dt	Pricing Date	Price Dt	99/99/99	
prj_pr_list	Price List		x(8)	
prj_pr_rollup	Auto Price Rollup		yes/no	
prj_rmks	Remarks		x(40)	
prj_shipvia	Ship Via		x(20)	
prj_ship_date	Ship Date		99/99/99	
prj_ship_to	Ship-To		x(8)	
prj_site	Site		x(8)	
prj_slspsn[4]	Slsperson		x(8)	
prj_status	Status		x(8)	
prj_st_date	Start Date		99/99/99	
prj_taxable	Taxable		yes/no	
prj_taxc	Tax Environment Tax Class		x(3)	
prj_tax_date	Tax Date		99/99/99	
prj_tax_env	Tax Environment		x(16)	
prj_tax_in	Tax In		yes/no	
prj_tax_usage	Tax Usage		x(8)	
prj_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
prj_trl1_cd	Trailer 1		x(2)	
prj_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
prj_trl2_cd	Trailer 2		x(2)	
prj_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
prj_trl3_cd	Trailer 3		x(2)	
prj_type_taxc	Tax Rate Tax Class		x(3)	
prj_user1	Ufld1		x(8)	
prj_user2	Ufld2		x(8)	
prj_userid	Entered By		x(8)	
prj_use_budgets	Use Budgets		yes/no	
prj__dec01			->>>>, >>>, >>9.99<<<	10
prj__dte01			99/99/99	
prj__log01			yes/no	
prj__qadc01			x(24)	
prj__qadc02			x(24)	
prj__qadd01			->>>>, >>>, >>9.99<<<	10
prj__qadd02			->>>>, >>>, >>9.99<<<	10
prj__qadi01			>>>>>>9	
prj__qadi02			>>>>>>9	
prj__qadi01			yes/no	
prj__qadi02			yes/no	
prj__qadt01			99/99/99	
prj__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* prj_nbr	yes	prj_nbr	yes	no
prj_pjt_code	no	prj_pjt_code	yes	no
prj_po	no	prj_po	yes	no
		prj_cust	yes	no

pr_mstr

Printer Master

Field Name	Label	Col-Label	Format	Dec
pr_blank	Blank Lines/Page	BLPP	>>9	
pr_desc	Description		x(24)	
pr_end_bc	Bar Code End		x(100)	
pr_init	Initialize		x(100)	
pr_length	Lines / page	LPP	>>>9	
pr_neg_line	Neg Line Feed		x(100)	
pr_page	Page Control		x(60)	
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	
pr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pr_type	yes	pr_type	yes	no

◇ **pshc_ctrl**

Purchase Shipper Control

Field Name	Label	Col-Label	Format	Dec
pshc_index1	Index		>>>>9	
pshc_master_nr_id	Master Bill Sequence ID		x(8)	
pshc_mod_date	Modified Date	Mod Date	99/99/99	
pshc_mod_userid	User ID		x(8)	
pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
pshc_user1	User Field Character 1		x(24)	
pshc_user2	User Field Character 2		x(24)	
pshc__qadc01			x(24)	
pshc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* pshc_index1	yes	pshc_index1	yes	no

ps_mstr

Product Structure Master

Field Name	Label	Col-Label	Format	Dec
ps_assay	Assay		>>9.99%	2
ps_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ps_cmtindx	Comment Index	Comment	>>>>>>9	
ps_comm_code	Commodity Code	Commodity	x(8)	
ps_comp	Component Item		x(18)	
ps_comp_um	UM		x(2)	
ps_cop_qty	Quantity	Qty	->, >>>, >>9.9<<<<<<<<	9
ps_critical	Critical		yes/no	
ps_cst_pct	Cost Allocation	Cost! Alloc	>>9.99%	2
ps_default	Default Option	Default	yes/no	
ps_end	End Effective	End Eff	99/99/99	
ps_end_ecn	End ECN		x(8)	
ps_exclusive	Exclusive		yes/no	
ps_fcst_pct	Forecast	Fcst	>>9.99%	2
ps_group	Option Group	Group	x(8)	
ps_item_no	Sequence Number	Seq Nbr	->>>>>>	
ps_joint_type	Co/By Type	CT	x(1)	
ps_lt_off	LT Offset	LTO	->>	
ps_mandatory	Mandatory		yes/no	
ps_mod_date	Modified Date	Mod Date	99/99/99	
ps_non_bal	Non-Balanced	Non-Bal	yes/no	
ps_op	Op		>>>>>	
ps_par	Parent Item		x(18)	
ps_process	Process		x(8)	
ps_prod_pct	Process	Process! Percent	>>9.99%	2
ps_ps_code	Structure Type	T	x(1)	
ps_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	9
ps_qty_diag	Qty Diagnose		->, >>>, >>9.9<<<<<<<<	9
ps_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	9
ps_qty_per	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ps_qty_per_b	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ps_qty_type	Qty Type	T	x(1)	
ps_ref	Reference		x(12)	
ps_rmks	Remarks		x(24)	
ps_scrp_pct	Scrap		>>9.99%	2
ps_start	Start Effective	Start Eff	99/99/99	
ps_start_ecn	Start ECN		x(8)	
ps_um_conv	UM Conv		>>>>9.9999<<<<	10
ps_user1	Ufld1		x(8)	
ps_user2	Ufld2		x(8)	
ps_userid	User ID		x(8)	
ps__chr01	User Character Field 1		X(8)	
ps__chr02	User Character Field 2		X(8)	
ps__dec01	User Decimal Field 1		->>>, >>>, >>9.99<<	10
ps__dec02	User Decimal Field 2		->>>, >>>, >>9.99<<	10
ps__dte01	User Date Field 1		99/99/99	
ps__dte02	User Date Field 2		99/99/99	
ps__log01	User Logical Field 1		yes/no	
ps__log02	User Logical Field 2		yes/no	
ps__qad01			yes/no	
ps__qadc01	QAD Character Field 1		X(8)	
ps__qadc02	QAD Character Field 2		X(8)	
ps__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ps__qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ps__qadl01	QAD Logical Field 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
ps__qadl02	QAD Logical Field 2		yes/no	
ps__qadt01	QAD Date Field 1		99/99/99	
ps__qadt02	QAD Date Field 2		99/99/99	
ps__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ps_comp	no	ps_comp	yes	no
		ps_par	yes	no
ps_par	no	ps_par	yes	no
		ps_item_no	yes	no
		ps_comp	yes	no
* ps_parcomp	yes	ps_par	yes	no
		ps_comp	yes	no
		ps_ref	yes	no
		ps_start	yes	no
ps_parref	yes	ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

pta_det Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
pta_assoc_item	Associated Item		x(18)	
pta_assoc_qty	Associated Qty		->, >>>, >>9.9<<	10
pta_assoc_type	Association Type		x(24)	
pta_assoc_um	Associated UM	UM	x(2)	
pta_cmtindx	Comment Index	Comment	>>>>>>9	
pta_curr	Currency	Cur	x(3)	
pta_expire	Expire		99/99/99	
pta_extrec	External Entry	Ext	yes/no	
pta_item	Item		x(18)	
pta_max_qty	Max Quantity		->, >>>, >>9.9<<<<<<<<	10
pta_min_ord	Min Ord Qty		->, >>>, >>9.9<<<<<<<<	10
pta_net_price	Net Price		>>>>, >>>, >>9.99	10
pta_pri_type	Price Type		x(24)	
pta_qty_mult	Qty Multiple		->, >>>, >>9.9<<<<<<<<	10
pta_start	Start		99/99/99	
pta_um	UM		x(2)	
pta_user1	Ufld1		x(8)	
pta_user2	Ufld2		x(8)	
pta__chr01			x(8)	
pta__chr02			x(8)	
pta__chr03			x(8)	
pta__chr04			x(8)	
pta__chr05			x(8)	
pta__chr06			x(8)	
pta__chr07			x(8)	
pta__chr08			x(8)	
pta__chr09			x(8)	
pta__chr10			x(8)	
pta__dec01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
pta__dec02			>>>, >>>, >>9.99	10
pta__dte01			99/99/99	
pta__dte02			99/99/99	
pta__log01			yes/no	
pta__qadc01			x(8)	
pta__qadc02			x(8)	
pta__qadd01			->>>, >>>, >>9.9<<<	10
pta__qadd02			->>>, >>>, >>9.9<<<	10
pta__qadl01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* pta_item	no	pta__assoc_item	yes	no
		pta__assoc_type	yes	no
		pta__item	yes	no
		pta__start	yes	no
	yes	pta__item	yes	no
		pta__assoc_type	yes	no
		pta__um	yes	no
		pta__assoc_item	yes	no
		pta__curr	yes	no
		pta__start	yes	no

◇ ptc_det Container Item Detail

Field Name	Label	Col-Label	Format	Dec
ptc_charge	Apply Charges		yes/no	
ptc_charge_type	Charge Type	Charge! Type	x(8)	
ptc_container_desc	Description		x(24)	
ptc_container_ref	Reference		x(16)	
ptc_container_type	Container Type		x(16)	
ptc_mod_date	Modified Date	Mod Date	99/99/99	
ptc_mod_userid	User ID		x(8)	
ptc_part	Container		x(18)	
ptc_userc01	User Field Character 1		x(24)	
ptc_userc02	User Field Character 2		x(24)	
ptc__qadc01			x(24)	
ptc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ptc_part	yes	ptc_part	yes	no

pth_hist Products Sales History

Field Name	Label	Col-Label	Format	Dec
pth_for	For		x(18)	
pth_part	Item Number		x(18)	
pth_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
pth_tot_qty	YTD Qty		->>>, >>>, >>9	10
pth_tot_sale	YTD Sales		->, >>>, >>>, >>9	10

Field Name	Label	Col-Label	Format	Dec
pth_type	Ship Type	T	x(1)	
pth_user1	Ufld1		x(8)	
pth_user2	Ufld2		x(8)	
pth_year	Year		9999	
pth__chr01			x(8)	
pth__chr02			x(8)	
pth__chr03			x(8)	
pth__chr04			x(8)	
pth__chr05			x(8)	
pth__dec01			>>>, >>>, >>9.99	10
pth__dec02			>>>, >>>, >>9.99	10
pth__dte01			99/99/99	
pth__dte02			99/99/99	
pth__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pth_partyear	yes	pth_part	yes	no
		pth_year	yes	no
* pth_yearpart	yes	pth_year	yes	no
		pth_part	yes	no

ptls_det

Item Lot/Serial Detail

Field Name	Label	Col-Label	Format	Dec
ptls_assay	Assay %		>>9.99%	2
ptls_cmtindx	Comment Index		>>>>>>9	
ptls_expire	Expire Date	Expire	99/99/99	
ptls_grade	Grade		x(2)	
ptls_lotser	Lot/Serial		x(18)	
ptls_part	Item Number		x(18)	
ptls_ref	Ref	Reference	x(8)	
ptls_status	Inventory Status	Status	x(8)	
ptls_user1	Ufld1		x(8)	
ptls_user2	Ufld2		x(8)	
ptls__chr01			x(8)	
ptls__chr02			x(8)	
ptls__chr03			x(8)	
ptls__chr04			x(8)	
ptls__chr05			x(8)	
ptls__dec01			->>, >>9.99	10
ptls__dec02			->>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ptls_partlotr	yes	ptls_part	yes	no
		ptls_lotser	yes	no
		ptls_ref	yes	no

ptp_det

Item Planning Detail

Field Name	Label	Col-Label	Format	Dec
ptp_added	Added		99/99/99	
ptp_assay	Assay %		>>9.99%	2
◇ ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
◇ ptp_atp_family	Family ATP	Fam ATP	yes/no	
ptp_batch	Batch Qty	Batch! Qty	>>, >>>, >>9.9<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	
ptp_btb_type	EMT Type		xx	
ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
ptp_cfg_type	Configuration	Config	x(1)	
ptp_cum_lead	Cum LT	Cum! LT	>>9	
ptp_draw	Drawing		x(18)	
ptp_drp_pct	DRP		>>9.9<%	2
ptp_eco_pend	ECO Pending	ECO	yes/no	
ptp_grade	Grade		x(2)	
ptp_ins_lead	Ins LT	Ins! LT	>>9	
ptp_ins_rqd	Inspect	Ins! Req	yes/no	
ptp_iss_pol	Issue Policy	Iss	yes/no	
ptp_joint_type	Co/By Type	CT	x(1)	
ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	2
ptp_mod_date	Modified Date	Mod Date	99/99/99	
ptp_ms	Master Sched	MS	yes/no	
ptp_network	Network Code		x(18)	
ptp_op_yield	Op Based Yield		yes/no	
ptp_ord_max	Max Ord		>>, >>>, >>9	0
ptp_ord_min	Min Ord		>>, >>>, >>9	0
ptp_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
ptp_ord_per	Order Period	Ord! Per	>>9	
ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
ptp_ord_qty	Order Qty		>>, >>>, >>9	1
ptp_part	Item Number		x(18)	
ptp_phantom	Phantom		yes/no	
ptp_pick_logic	Pick Logic	Pick	-9	
ptp_plan_ord	Plan Orders	Pln	yes/no	
ptp_pm_code	Pur/Mfg	P/M	x(1)	
ptp_pou_code	Point of Use Code		x(18)	
ptp_po_site	PO Site		x(8)	
ptp_pur_lead	Pur LT	Pur! LT	>>9	
ptp_pur_pct	Purchased	Pur	>>9.9<%	2
ptp_rev	Rev		x(4)	
ptp_rollup	Rollup Reqd		yes/no	
ptp_rollup_id	Rollup ID		x(8)	
ptp_rop	Reorder Point	ROP	>>>, >>9	0
ptp_routing	Routing Code		x(18)	
ptp_run	Run Time	Run	>>>, >>9.999<<<<<<	9
ptp_run_ll	Run LL		>>>, >>9.999<<<<<<	9
ptp_run_seq1	Run Seq 1		x(8)	
ptp_run_seq2	2	Run Seq 2	x(8)	
ptp_setup	Setup Time	Setup	>>>, >>9.999<<<<<<	9
ptp_setup_ll	Setup LL		>>>, >>9.999<<<<<<	9
ptp_sfty_stk	Safety Stk	Safety! Stock	>>, >>>, >>9	0
ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
ptp_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
ptp_timefnce	Time Fence		->>>9	
ptp_trantype	Transport Type	Tran Type	x(8)	
ptp_user1	Ufld1		x(8)	
ptp_user2	Ufld2		x(8)	
ptp_userid	User ID		x(8)	
ptp_vend	Supplier		x(8)	
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	1
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	1
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	1
ptp_yld_pct	Yield%		>>9.99%	3
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	
ptp__chr09			x(8)	
ptp__chr10			x(8)	
ptp_dec01			>>>, >>>, >>9.99	10
ptp_dec02			>>>, >>>, >>9.99	10
ptp_dte01			99/99/99	
ptp_dte02			99/99/99	
ptp_log01			yes/no	
ptp_log02			yes/no	
ptp_qad01			99/99/99	
ptp_qad02			>>>, >>9.9	0
ptp_qad03			>>9	
ptp_qad04			>>9	
ptp_qad05			>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
ptp_bom_code	no	ptp_bom_code	yes	no
		ptp_part	yes	no
ptp_network	no	ptp_network	yes	no
		ptp_site	yes	no
		ptp_part	yes	no
* ptp_part	yes	ptp_part	yes	no
		ptp_site	yes	no
ptp_routing	yes	ptp_routing	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_site	yes	ptp_site	yes	no
		ptp_part	yes	no

ptqa_det

Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
ptqa_cmtindx	Comment Index		>>>>>>9	
ptqa_conf_pct	Confidence %	Conf %	>>9.9<%	2
ptqa_element	Analysis Element	Element	x(8)	
ptqa_interval	Confidence Interval	Conf Interval	>>>>, >>>, >>9.9<<<<<<<<<	10
ptqa_part	Item Number		x(18)	
ptqa_qty	Quantity		>>>>, >>>, >>9.9<<<<<<<<	10
ptqa_um	UM		x(4)	
ptqa_user1	Ufld1		x(8)	
ptqa_user2	Ufld2		x(8)	
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	
ptqa__dec01			->>, >>9.99	10
ptqa__dec02			->>, >>9.99	10
ptqa__log01			yes/no	
ptqa__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ptqa_element	yes	ptqa_element	yes	no
		ptqa_part	yes	no
* ptqa_part	yes	ptqa_part	yes	no
		ptqa_element	yes	no

ptr_det

Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
ptr_apprdate	Approved Date	Approved	99/99/99	
ptr_appr_id	Approved By	Appr ID	x(8)	
ptr_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ptr_bom_code	BOM/Formula		x(18)	
ptr_burden	Burden Cost		>>>>, >>>, >>9.99<<<	10
ptr_cmtindx	Comment Index	Comment	>>>>>>9	
ptr_end	End Effective	End Eff	99/99/99	
ptr_labor	Labor Cost		>>>>, >>>, >>9.99<<<	10
ptr_material	Material Cost		>>>>, >>>, >>9.99<<<	10
ptr_mod_date	Modified Date	Mod Date	99/99/99	
ptr_overhead	Overhead		>>>>, >>>, >>9.99<<<	10
ptr_part	Item Number		x(18)	
ptr_routing	Routing Code		x(18)	
ptr_site	Site		x(8)	
ptr_start	Start Effective	Start Eff	99/99/99	
ptr_subcontract	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ptr_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
ptr_user1	Ufld1		x(8)	
ptr_user2	Ufld2		x(8)	
ptr_userid	User ID		x(8)	
ptr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptr_part	yes	ptr_bom_code	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_routing	yes	no
		ptr_bom_code	yes	no
ptr_routing	no	ptr_start	yes	no
		ptr_routing	yes	no
		ptr_part	yes	no
		ptr_site	yes	no

pts_det

Item Substitute Detail

Field Name	Label	Col-Label	Format	Dec
pts_cmtindx	Comment Index	Index	>>>>>>9	
pts_mod_date	Modified Date	Mod Date	99/99/99	
pts_par	Parent Item		x(18)	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	->>>, >>9.9<<<<<<<	10
pts_rmks	Remarks		x(12)	
pts_sub_part	Substitute Item		x(18)	
pts_user1	Ufld1		x(8)	
pts_user2	Ufld2		x(8)	
pts_userid	User ID		x(8)	
pts__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptt_det	yes	pts_part	yes	no
		pts_par	yes	no
		pts_sub_part	yes	no
pts_par	yes	pts_par	yes	no
		pts_part	yes	no
		pts_sub_part	yes	no
pts_sub_part	yes	pts_sub_part	yes	no
		pts_par	yes	no
		pts_part	yes	no

ptt_det Item Tax Detail

Field Name	Label	Col-Label	Format	Dec
ptt_mod_date	Modified Date	Mod Date	99/99/99	
ptt_part	Part		x(18)	
ptt_taxable	Taxable		yes/no	
ptt_taxc	Tax Class	TxC	x(3)	
ptt_tax_type	Tax Type		x(3)	
ptt_user1	Ufld1		x(8)	
ptt_user2	Ufld2		x(8)	
ptt_userid	User ID		x(8)	
ptt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptt_part	yes	ptt_part	yes	no
		ptt_tax_type	yes	no

ptv_det Item Statistical Value Detail

Field Name	Label	Col-Label	Format	Dec
ptv_ctry_exp	Export Country	ExC	x(3)	
ptv_ctry_imp	Import Country	ImC	x(3)	
ptv_part	Item Number		x(18)	
ptv_stat_value	Statistical Value	Stat Value	>>>>,>>>,>>9.99	2
ptv_user1	Ufld1		x(8)	
ptv_user2	Ufld2		x(8)	
ptv__chr01			x(8)	
ptv__dec01			->>>,>>>,>>9.99	2
ptv__log01			yes/no	
ptv__qad01			x(8)	
ptv__qad02			x(8)	
ptv__qad03			->>>,>>>,>>9.99	2
ptv__qad04			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptv_part	yes	ptv_part	yes	no
		ptv_ctry_exp	yes	no
		ptv_ctry_imp	yes	no

pt_mstr Item Master

Field Name	Label	Col-Label	Format	Dec
pt_abc	ABC Class	ABC	x(1)	
pt_abc_amt	ABC Value		->,>>>,>>9.9<<<<<<<<	10
pt_abc_qty	ABC Quantity		->,>>>,>>9.9<<<<<<<<	10
pt_added	Added		99/99/99	
pt_app_owner	Owner Application		x(12)	
pt_article	Article Number		x(18)	
pt_assay	Assay %		>>9.99%	2
◇ pt_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
◇ pt_atp_family	Family ATP	Fam ATP	yes/no	
pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
pt_avg_int	Avg Int	Avg! Int	>>9	
pt_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
pt_bom_code	BOM/Formula		x(18)	
pt_break_cat	Price Break Cat		x(18)	
pt_btb_type	EMT Type		xx	
pt_buyer	Buyer/Planner	Buy! Pln	x(8)	
pt_cfg_type	Configuration	Config	x(1)	
pt_comm_code	Commodity Code	Comm Code	x(8)	
pt_cover	Coverage	CV	x(1)	
pt_critical	Key Item		yes/no	
pt_cum_lead	Cum LT	Cum! LT	>>9	
pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pt_dea	DEA Controlled	DEA	yes/no	
pt_desc1	Description		x(24)	
pt_desc2	Description		x(24)	
pt_dim_um	Dimensns UM		x(2)	
pt_draw	Drawing		x(18)	
pt_drp_pct	DRP		>>9.9<%	2
pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
pt_drwg_size	Drwg Size	DS	x(2)	
pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
pt_fiscal_class	Fiscal Class		x(18)	
pt_formula	Formula		yes/no	
pt_fru	FRU		yes/no	
pt_fr_class	Freight Class		x(8)	
pt_fsc_code	Service Category	Svc Cat	x(8)	
pt_group	Group		x(8)	
pt_hazard	Hazard		x(8)	
pt_height	Height		>>,>>9.99	2
pt_insp_lead	Ins LT	Ins! LT	>>9	
pt_insp_rqd	Inspect	Ins! Req	yes/no	
pt_inst_call	Install		yes/no	
pt_ins_bom	Installation BOM	Ins BOM	X(18)	
pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	

Field Name	Label	Col-Label	Format	Dec
pt_ins_route	Installation Routing	Ins Route	X(18)	
pt_isb	Installed Base	Inst Base	yes/no	
pt_iss_pol	Issue Policy	Iss	yes/no	
pt_joint_type	Co/By Type	CT	x(1)	
pt_last_eco	Last ECO		99/99/99	
pt_length	Length		>>,>>9.99	2
pt_ll_code	Low Level	Low Lvl	->>>>>9	
pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
pt_loc	Location		x(8)	
pt_loc_type	Location Type	Loc Type	x(8)	
pt_lot_grp	Lot Group		x(8)	
pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pt_meter_interval	Meter Interval		>>>>,>>>,>>9.99<<<	10
pt_meter_um	Meter UM		X(2)	
pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
pt_mfg_mtb	MFG MTBF		->>,>>9.99	2
pt_mfg_mttr	MFG MTTR		->>,>>9.99	2
pt_mfg_pct	Manufactured	Mfg	>>9.9<%	2
pt_model	Model		x(18)	0
pt_mod_date	Modified Date	Mod Date	99/99/99	
pt_mrp	MRP Required	MRP Req	yes/no	
pt_ms	Master Sched	MS	yes/no	
pt_mtb	MTBF		>>,>>9.99	2
pt_mttr	MTTR		>>,>>9.99	2
pt_network	Network Code		x(18)	
pt_net_wt	Net Weight		->>,>>9.99<<<<	6
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_obs_date	Obsolete Date		99/99/99	
pt_op_yield	Op Based Yield		yes/no	
pt_ord_max	Max Ord		>>,>>>,>>9	0
pt_ord_min	Min Ord		>>,>>>,>>9	0
pt_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>,>>>,>>9	1
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_pou_code	Point of Use Code		x(18)	
pt_po_site	PO Site		x(8)	
pt_price	Price		>>>>,>>>,>>9.99<<<	10
pt_prod_line	Prod Line	Line	x(4)	
pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	2
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_rctpo_active	Active	Act	yes/no	

Field Name	Label	Col-Label	Format	Dec
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	
pt_repairable	Repairable		yes/no	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Req'd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>,>>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>,>>9.999<<<<<<	9
pt_run_ll	Run LL		>>>,>>9.999<<<<<<	9
pt_run_seq1	Run Seq 1		x(8)	
pt_run_seq2	2	Run Seq 2	x(8)	
pt_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	9
pt_setup_ll	Setup LL		>>>,>>9.999<<<<<<	9
pt_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelflife	Shelf Life		->,>>>,>>>	
pt_ship_wt	Ship Weight		->>,>>9.99<<<<	6
pt_ship_wt_um	Ship Weight UM	UM	x(2)	
pt_site	Site		x(8)	
pt_size	Size		->>,>>9.99	2
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>,>>9.9<<<	4
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_str	STTR		->>,>>9.99	2
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_vend	Supplier		x(8)	
pt_ven_warr	Supplier Warranty	Supp Warr	yes/no	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_width	Width		>>,>>9.99	2
pt_wks_avg	Average Weeks of Coverage Avg! Cover		>>9.9	1
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	1

Field Name	Label	Col-Label	Format	Dec
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	1
pt_xbdn_ll	Cur Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_tl	Cur Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdll	Std Mtl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_tl	Cur Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>, >>>, >>9.99<<<	10
pt_xtot_std	Std Total		>>>>, >>>, >>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	3
pt__chr01			x(8)	
pt__chr02			x(8)	
pt__chr03			x(8)	
pt__chr04			x(8)	
pt__chr05			x(8)	
pt__chr06			x(8)	
pt__chr07			x(8)	
pt__chr08			x(8)	
pt__chr09			x(8)	
pt__chr10			x(8)	
pt__dec01			>>>, >>>, >>9.99	10
pt__dec02			>>>, >>>, >>9.99	10
pt__dte01			99/99/99	
pt__dte02			99/99/99	
pt__log01			yes/no	
pt__log02			yes/no	
pt__qad01			->, >>>, >>9.9<<<<<<<<<	10
pt__qad02			->, >>>, >>9.9<<<<<<<<<	10
pt__qad03			->>>, >>9.999	3
pt__qad04			->>>, >>9.999	3
pt__qad05			99/99/99	
pt__qad06			99/99/99	
pt__qad07			99/99/99	
pt__qad08			99/99/99	
pt__qad09			->, >>>, >>9.9<<<<<<<<<	10
pt__qad10			->, >>>, >>9.9<<<<<<<<<	10
pt__qad11			->, >>>, >>9.9<<<<<<<<<	10
pt__qad12			>>>>>9.9999<<<<	10
pt__qad13	Incorp Rev	Inc! Rev	x(4)	
pt__qad14			99/99/99	
pt__qad15			yes/no	
pt__qad16			>>>, >>9.9	0

Field Name	Label	Col-Label	Format	Dec
pt__qad17			yes/no	
pt__qad18			>>>>, >>>, >>9.99<<<	10
pt__qad19			>>>>, >>>, >>9.99<<<	10
pt__qad20			>>>>, >>>, >>9.99<<<	10
pt__qad21			>>>>, >>>, >>9.99<<<	10
pt__qad22			yes/no	
pt__qad23			>>9	
pt__qad24			>>9	
pt__qad25			>>9	
pt__qad26			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pt_bom_code	no	pt_bom_code	yes	no
		pt_part	yes	no
pt_desc	yes	pt_desc1	yes	no
		pt_desc2	yes	no
		pt_part	yes	no
pt_group	yes	pt_group	yes	no
		pt_part	yes	no
pt_ll_mrp_pt	yes	pt_ll_code	yes	no
		pt_mrp	yes	no
		pt_part	yes	no
pt_model	no	pt_model	yes	no
pt_network	no	pt_network	yes	no
		pt_part	yes	no
* pt_part	yes	pt_part	yes	no
pt_part_type	yes	pt_part_type	yes	no
		pt_part	yes	no
pt_pm_mrp	no	pt_pm_mrp	yes	no
		pt_part	yes	no
pt_prod_part	yes	pt_prod_line	yes	no
		pt_part	yes	no
pt_pvm_bom	no	pt_pvm_bom	yes	no
		pt_part	yes	no
pt_routing	yes	pt_routing	yes	no
		pt_part	yes	no

◇ **pvod_det** Pending Voucher Detail

Field Name	Label	Col-Label	Format	Dec
pvod_accrual_acct	Accrual Account	Accrual! Account	x(8)	
pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
pvod_accrued_amt	Accrued Amount		->>>>, >>>, >>9.99<	10
pvod_channel	Channel		x(8)	
pvod_cost_update	Update Current Cost		yes/no	
pvod_id	Pending Voucher ID	Pend Vchr	>>>>>>>>	
pvod_id_line	Line	Ln	>>>>>>>9	
pvod_internal_ref	Internal Reference		x(20)	
pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pvod_mod_date	Modified Date	Mod Date	99/99/99	
pvod_mod_userid	User ID		x(8)	
pvod_order	Order		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* pvod_id	yes	pvod_id	yes	no
		pvod_id line	yes	no

◇ **pvo_mstr** Pending Voucher Master

Field Name	Label	Col-Label	Format	Dec
pvo_accrual_acct	Accrual Account	Accrual! Account	x(8)	
pvo_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
pvo_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
pvo_accrued_amt	Accrued Amount		->>>>, >>>,>>9.99<	10
pvo_approver	Approved By	Approved	x(8)	
pvo_buyer	Buyer		x(8)	
pvo_consignment	Consignment		yes/no	
pvo_cost_update	Update Current Cost		yes/no	
pvo_curr	Currency	Cur	x(3)	
pvo_eff_date	GL Effective Date	Effective	99/99/99	
pvo_ers_opt	ERS Option	ERS! Opt	>9	
pvo_ers_price_lst_opt	ERS Price List Option	ERS! PLO	>9	
pvo_ers_status	ERS Status	ERS! St	>9	
pvo_exru_seq	Sequence		>>>>>>>9	
pvo_external_ref	External Reference	External! Ref	x(20)	
pvo_ex_rate	Exch Rate		>>>>, >>>,>>9.9<<<<<<<<<	10
pvo_ex_rate2	Exch Rate 2		>>>>, >>>,>>9.9<<<<<<<<<	10
pvo_ex_ratetype	Rate Type		x(8)	
pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>	
pvo_internal_ref	Internal Reference	Internal! Ref	x(20)	
pvo_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pvo_last_voucher	Voucher		x(8)	
pvo_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
pvo_line	Line	Ln	>>9	
pvo_mod_date	Modified Date	Mod Date	99/99/99	
pvo_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
pvo_order	Order		x(8)	
pvo_order_type	Order Type	Order! Type	x(2)	
pvo_part	Item Number	Item	x(18)	
pvo_project	Project		x(8)	
pvo_shipfrom	Ship-From		x(8)	
pvo_shipto	Ship-To		x(8)	
pvo_supplier	Supplier		x(8)	
pvo_taxable	Taxable		yes/no	
pvo_taxc	Tax Class	TxC	x(3)	
pvo_tax_env	Tax Environment	Tax Env	x(16)	
pvo_tax_in	Tax In		yes/no	
pvo_tax_usage	Tax Usage	TaxUsage	x(8)	
pvo_trans_date	Transaction Date	Transaction	99/99/99	
pvo_trans_qty	Transaction Qty	Trans Qty	->, >>>, >>9.9<<<<<<<<<	10
pvo_user1	User Field Character 1		x(24)	
pvo_user2	User Field Character 2		x(24)	
pvo_vouchered_amt	Vouchered Amt		->>>>, >>>, >>9.99<	10
pvo_vouchered_qty	Vouchered Qty		->, >>>, >>9.9<<<<<<<<<	10
pvo__qadc01			x(24)	
pvo__qadc02			x(24)	
pvo__qadc03			x(24)	
pvo__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ pvo_ers	no	pvo_ers_status	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
◇* pvo_id	yes	pvo_id	yes	no
◇ pvo_internal_ref	no	pvo_internal_ref	yes	no
◇ pvo_logistics_charge	no	pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
		pvo_external_ref	yes	no
◇ pvo_order	no	pvo_order	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
◇ pvo_supplier	no	pvo_supplier	yes	no
		pvo_last_voucher	yes	no
		pvo_lc_charge	yes	no
◇ pvo_trans_date	no	pvo_trans_date	yes	no

qad_wkfl QAD Work Table

Field Name	Label	Col-Label	Format	Dec
qad_charfld[15]			x(8)	
qad_charfld1[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->, >>>, >>9.99	10
qad_intfld[15]			->, >>>, >>9	
qad_key1			x(8)	
qad_key2			x(8)	

Field Name	Label	Col-Label	Format	Dec
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	
qad_key6			x(8)	
qad_logfld[15]			yes/no	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	
qad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qad_index1	yes	qad_key1	yes	no
		qad_key2	yes	no
qad_index2	no	qad_key3	yes	no
		qad_key4	yes	no
qad_index3	no	qad_key5	yes	no
		qad_key6	yes	no

qcc_ctrl

Quality Order Control

Field Name	Label	Col-Label	Format	Dec
qcc_auto_nbr	Auto Order Numbers		yes/no	
qcc_index1	Index		>>>>>9	
qcc_inspect	Inspection Location		x(8)	
qcc_lot	Next Batch		>>>>>>>9	
qcc_nbr	Next Order Number		>>>>>>>9	
qcc_rcmnts	Procedure Comments		yes/no	
qcc_site	Inspection Site		x(8)	
qcc_user1	Ufld1		x(8)	
qcc_user2	Ufld2		x(8)	
qcc_wcmmts	Quality Order Comments		yes/no	
qcc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcc_index1	yes	qcc_index1	yes	no

qcd_det

Quality Control Order Detail

Field Name	Label	Col-Label	Format	Dec
qcd_cmtdindx	Comment Index	Comment	>>>>>>>9	
qcd_iss_date	Issue Date	Iss Date	99/99/99	
qcd_lot	Batch		x(8)	
qcd_nbr	Quality Order		x(18)	
qcd_op	Operation	Op	>>>>>>	
qcd_part	Item Number		x(18)	
qcd_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<<	10
qcd_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<<	10
qcd_user1	Ufld1		x(8)	
qcd_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
qcd__chr01			x(8)	
qcd__chr02			x(8)	
qcd__chr03			x(8)	
qcd__chr04			x(8)	
qcd__chr05			x(8)	
qcd__dec01			>>>, >>>, >>9.99	10
qcd__dec02			>>>, >>>, >>9.99	10
qcd__dte01			99/99/99	
qcd__dte02			99/99/99	
qcd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcd_det	yes	qcd_lot	yes	no
		qcd_part	yes	no
		qcd_op	yes	no
qcd_nbrpart	no	qcd_nbr	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
qcd_part	no	qcd_part	yes	no

qcs_mstr Quality Sampling Pattern Master

Field Name	Label	Col-Label	Format	Dec
qcs_days	Days to Expire	Expire	>>>9	
qcs_lot_int	Lot Interval	Interval	>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	
qcs__chr01			x(8)	
qcs__chr02			x(8)	
qcs__chr03			x(8)	
qcs__chr04			x(8)	
qcs__chr05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcs_part	yes	qcs_part	yes	no

qc_mstr Quality Control Order Master

Field Name	Label	Col-Label	Format	Dec
qc_autoissue	Auto Issue		yes/no	
qc_cmtindx	Comment Index	Comment	>>>>>>9	
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->, >>>, >>9	2
qc_loc	Location		x(8)	

Field Name	Label	Col-Label	Format	Dec
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->, >>>, >>9.9<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->, >>>, >>9.9<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->, >>>, >>9.9<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	
qc__chr01			x(8)	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>, >>>, >>9.99	10
qc__dec02			>>>, >>>, >>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
qc_due_part	no	qc_due_date	yes	no
		qc_part	yes	no
		qc_site	yes	no
qc_lot	yes	qc_lot	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no
qc_part	no	qc_part	yes	no
		qc_site	yes	no
		qc_due_date	yes	no
qc_type_nbr	yes	qc_type	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no

qob_det Sales Quotation Configuration Bill Detail

Field Name	Label	Col-Label	Format	Dec
qob_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
qob_cfg_type	Configuration	Config	x(1)	
qob_cmtindx	Comment Index	Comment	>>>>>>>9	
qob_feature	Feature		x(12)	
qob_iss_date	Issue Date	Iss Date	99/99/99	
qob_line	Line		>>9	

Field Name	Label	Col-Label	Format	Dec
qob_loc	Location		x(8)	
qob_nbr	Quote		x(8)	
qob_parent	Parent Item		x(18)	
qob_part	Item Number		x(18)	
qob_price	Price		>>>>, >>>, >>9.99<<<	10
qob_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<<	10
qob_qty_chg	Qty to Issue		->, >>>, >>9.9<<<<<<<<<	10
qob_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<<	10
qob_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<<	10
qob_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<<	10
qob_serial	Lot/Serial		x(18)	
qob_site	Site		x(8)	
qob_tot_std	List Price		->>>, >>9.999	3
qob_user1	Ufld1		x(8)	
qob_user2	Ufld2		x(8)	
qob__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qob_det	yes	qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no
		qob_part	yes	no
qob_part	yes	qob_part	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no

qoc_ctrl

Sales Quotation Control

Field Name	Label	Col-Label	Format	Dec
qoc_company	Company Address		x(8)	
qoc_days	Days Until Expire		>>>>>9	
qoc_ex_ratetype	Rate Type		x(8)	
qoc_fob	F.O.B.		x(20)	
qoc_fr_by_site	Calculate Freight by Site		yes/no	
qoc_hcmmts	Quote Header Comments		yes/no	
qoc_index1	Index		>>>>>9	
qoc_lcmmts	Quote Line Comments		yes/no	
qoc_ln_fmt	Ln Format S/M		single/multi	
qoc_pc_line	Price by QO Line Due Date		yes/no	
qoc_pl_req	Price List Required		yes/no	
qoc_print	Are Quotes Printed		yes/no	
qoc_pt_req	Price Table Required		yes/no	
qoc_qo	Next Quote		>>>>>>9	
qoc_qo_pre	Quote Prefix	Pre	x(3)	
qoc_user1	Ufld1		x(8)	
qoc_user2	Ufld2		x(8)	
qoc__qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* qoc_index1	yes	qoc_index1	yes	no

qodr_det

Sales Quotation Relationship Detail

Field Name	Label	Col-Label	Format	Dec
qodr_div	Division		X(8)	
qodr_group	Group		X(8)	
qodr_line	Line		>>9	
qodr_nbr	Quote		X(8)	
qodr_pricing	Pricing		>9	
qodr_seq	Sequence		>>9	
qodr_type	Type		>>>9	
qodr_user1	Ufld1		x(8)	
qodr_user2	Ufld2		x(8)	
qodr__qadc01			x(8)	
qodr__qadc02			x(8)	
qodr__qadc03			x(8)	
qodr__qadd01			->>>>, >>>, >>9.9	10
qodr__qadd02			->>>>, >>>, >>9.9	10
qodr__qadi01			->, >>>, >>9	
qodr__qadi02			->, >>>, >>9	
qodr__qadi01			yes/no	
qodr__qadi02			yes/no	
qodr__qadt01			99/99/99	
qodr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* qodr_nbrln_seq	yes	qodr_nbr	yes	no
		qodr_line	yes	no
		qodr_seq	yes	no
qodr_type	no	qodr_type	yes	no

qod_det

Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
qod_abnormal	Abnormal Demand	Abnormal	yes/no	
qod_acct	Sales Acct	Sales	x(8)	
qod_bonus	Bonus Stock Line		yes/no	
qod_cc	Cost Ctr	CC	x(4)	
qod_cfg_type	Configuration	Config	x(1)	
qod_cmtindx	Comment Index	Comment	>>>>>>>9	
qod_comm_pct[2]	Commission	Comm%	>>9.99%	2
qod_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
qod_custpart	Customer Item		x(30)	
qod_desc	Description		x(24)	
qod_disc_pct	Disc %		->>9.99%	2
qod_div	Division		x(8)	
qod_dsc_acct	Disc Acct		x(8)	
qod_dsc_cc	Disc CC	CC	x(4)	
qod_dsc_project	Disc Project		x(8)	
qod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
qod_due_date	Due Date	Due	99/99/99	
qod_fa_nbr	Final Assy	FAS	x(8)	
qod_fix_pr	Fixed Price		yes/no	
qod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
qod_fr_class	Freight Class		x(8)	
qod_fr_list	Freight List	Frt List	x(8)	
qod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
qod_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<	6
qod_fr_wt_um	UM		x(2)	
qod_fst_list	FST on List		yes/no	
qod_fst_rate	FST Rate	Rate	->>9%	2
qod_fst_tax	FST Tax		->, >>>, >>9.99	10
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
◇ qod_manual_fr_list	Manual Fr List		yes/no	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>, >>>, >>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodlne	Product Line	Line	x(4)	
qod_project	Project		x(8)	
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->, >>>, >>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->, >>>, >>9.9<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	2
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	
qod__chr01	Price List	List	x(8)	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	

Field Name	Label	Col-Label	Format	Dec
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>, >>>, >>9.99	10
qod__dec02			>>>, >>>, >>9.99	10
qod__dte01			99/99/99	
qod__dte02			99/99/99	
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ qod_fr_list	no	qod_nbr	yes	no
		qod_fr_list	yes	no
* qod_nbrln	yes	qod_nbr	yes	no
		qod_line	yes	no
qod_part	yes	qod_part	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

Field Name	Label	Col-Label	Format	Dec
qor_div	Division		X(8)	
qor_group	Group		X(8)	
qor_nbr	Quote		X(8)	
qor_pricing	Pricing		>9	
qor_seq	Sequence		>>9	
qor_type	Type		>>>9	
qor_user1	Ufld1		x(8)	
qor_user2	Ufld2		x(8)	
qor__qadc01			x(8)	
qor__qadc02			x(8)	
qor__qadc03			x(8)	
qor__qadd01			->>>>, >>>, >>9.9	10
qor__qadd02			->>>>, >>>, >>9.9	10
qor__qadi01			->, >>>, >>9	
qor__qadi02			->, >>>, >>9	
qor__qadi01			yes/no	
qor__qadi02			yes/no	
qor__qadt01			99/99/99	
qor__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* qor_nbr_seq	yes	qor_nbr	yes	no
		qor_seq	yes	no
qor_type	no	qor_type	yes	no

qo_mstr Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
◇ qo_app_owner	Owner Application		x(12)	
qo_ar_acct	AR Account	AR	x(8)	
qo_ar_cc	Cost Ctr	CC	x(4)	
qo_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
qo_bank	Bank		x(2)	
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	
qo_cartons	Cartons		->, >>>, >>9	
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	2
qo_confirm	Confirm Date	Confirm	99/99/99	
qo_cr_card	Credit Card	Card	x(2)	
qo_cr_init	Cr Initials	Initials	x(3)	
qo_cr_terms	Credit Terms	Terms	x(8)	
qo_curr	Currency	Curr	x(3)	
qo_cust	Sold-To		x(8)	
qo_cycle	Cycle Code	Cy	x(2)	
qo_disc_pct	Disc %		->9.99%	2
qo_div	Division		x(8)	
qo_due_date	Due Date	Due	99/99/99	
qo_ent_ex	Exch Rate		>>, >>9.9999<<<<<	10
qo_exp_date	Expires		99/99/99	
qo_exru_seq	Sequence		>>>>>>>9	
qo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_ratetype	Rate Type		x(8)	
qo_fix_rate	Fixed Rate	Fixed	yes/no	
qo_flw_date	Follow-up		99/99/99	
qo_fob	FOB Point		x(20)	
qo_fr_list	Freight List	Fr List	x(8)	
qo_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	2
qo_fr_terms	Freight Terms	Fr Terms	x(8)	
qo_fst_id	FST ID		x(18)	
qo_inv_mthd	Invoicing Method		x(1)	
qo_lang	Language	Lang	x(2)	
◇ qo_manual_fr_terms	Manual Fr Terms		yes/no	
qo_nbr	Quote		x(8)	
qo_ord_date	Quote Date	Quote	99/99/99	
qo_partial	Partial OK	Partial	yes/no	
qo_po	Purchase Order		x(20)	
qo_prepaid	Prepaid Amount		-z, zzz, zzz, zz9.99	10
qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
qo_print_pl	Print Pack List	Print Pack	yes/no	
qo_print_qo	Print Quote	Print QT	yes/no	
qo_project	Project		x(8)	
qo_pr_list	Manual	Disc Tbl	x(8)	
qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
qo_pst	PST		yes/no	
qo_pst_id	PST ID		x(18)	
qo_pst_pct	PST Pct		->9.99<%	3
qo_recur	Recurring	Rec	yes/no	
qo_release	Release	Rel	yes/no	

Field Name	Label	Col-Label	Format	Dec
qo_rel_cnt	Release Count	Cnt	>>9	
qo_rel_date	Release Date	Release	99/99/99	
qo_req_date	Required Date	Required	99/99/99	
qo_rev	Revision	Rev	>>9	
qo_rmks	Remarks		x(40)	
qo_ship	Ship-To		x(8)	
qo_shipvia	Ship Via		x(20)	
qo_ship_date	Ship Date		99/99/99	
qo_site	Site		x(8)	
qo_size	Size		->,>>>,>>9<.>>><<<<<<<<<	10
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_source	Order Source	Source	x(8)	
qo_so_nbr	Last Sales Order	Lst Ord	x(8)	
qo_stat	Action Status	St	x(2)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	3
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>,>>>,>>9.9999	4
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>,>>>,>>9.99	10
qo__dec02			>>>,>>>,>>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	2
qo__qad02			-z,zzz,zzz,zz9.99	2
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	2
qo__qad04			>	
qo__qad05[2]			>>9.<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
qo_cust	no	qo_cust	yes	no
* qo_nbr	yes	qo_nbr	yes	no
qo_print_qo	no	qo_print_qo	yes	no
qo_release	no	qo_release	yes	no
		qo_nbr	yes	no

qps_det

Quality Test Bill Detail

Field Name	Label	Col-Label	Format	Dec
qps_op	Operation	Op	>>>>>	
qps_part	Item Number	Item	x(18)	
qps_qty	Usage Quantity		->, >>>, >>9.9<<<<<<<<	9
qps_routing	Procedure		x(18)	
qps_user1	Ufld1		x(8)	
qps_user2	Ufld2		x(8)	
qps__chr01			x(8)	
qps__chr03			x(8)	
qps__chr04			x(8)	
qps__chr05			x(8)	
qps__dec01			>>>, >>>, >>9.99	10
qps__dec02			>>>, >>>, >>9.99	10
qps__dec03			>>>, >>>, >>9.99	10
qps__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qps_det	yes	qps_routing	yes	no
		qps_op	yes	no
		qps_part	yes	no

qqc_ctrl

Q/LinQ Control

Field Name	Label	Col-Label	Format	Dec
qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
qqc_act	Active		yes/no	
qqc_code_pg	Code Page		X(15)	
qqc_date_form	Date Format		X(3)	
qqc_email_flg	E-mail Enabled		yes/no	
qqc_email_notlvl	E-mail Notification Level		x(1)	
qqc_email_userid	E-mail Recipient User ID		x(8)	
qqc_ex_arch_dir	Export File Archive Directory		x(65)	
qqc_ex_map_flg	Export Mapping Enabled		yes/no	
qqc_im_arch_dir	Import File Archive Directory		x(65)	
qqc_im_map_flg	Import Mapping Enabled		yes/no	
qqc_index1	Index		>>>>>9	
qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
qqc_mod_date	Modified Date	Mod Date	99/99/99	
qqc_mod_userid	User ID		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	

Field Name	Label	Col-Label	Format	Dec
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	
qqc_proc_flg	Import Processing Enabled		yes/no	
qqc_publ_flg	Publishing Enabled		yes/no	
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(24)	
qqc_start_proc	Session Startup Procedure		x(24)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1	Ufld1		x(8)	
qqc_user2	Ufld2		x(8)	
qqc__dec01			->>>, >>>, >>9.99<	10
qqc__dec02			->>>, >>>, >>9.99<	10
qqc__dte01			99/99/99	
qqc__dte02			99/99/99	
qqc__int01			->>>, >>>, >>9	
qqc__int02			->>>, >>>, >>9	
qqc__log01			yes/no	
qqc__log02			yes/no	
qqc__qadc01			x(8)	
qqc__qadc02			x(8)	
qqc__qadc03			x(8)	
qqc__qadc04			x(8)	
qqc__qadd01			->>>, >>>, >>9.99<	10
qqc__qadd02			->>>, >>>, >>9.99<	10
qqc__qadi01			->>>, >>>, >>9	
qqc__qadi02			->>>, >>>, >>9	
qqc__qadi01			yes/no	
qqc__qadi02			yes/no	
qqc__qadt01			99/99/99	
qqc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* Index1	yes	qqc_index1	yes	no

qro_det

Quality Inspection Routing Detail

Field Name	Label	Col-Label	Format	Dec
qro_cmtindx	Comment Index	Comment	>>>>>>9	
qro_desc	Description		x(24)	
qro_mch	Machine		x(8)	
qro_mch_op	Machines per Op	Mach/Op	->, >>>, >>9	
qro_op	Operation	Op	>>>>9	
qro_queue	Operation Time	Op Time	>, >>9.9<<	3
qro_routing	Procedure		x(18)	
qro_tool	Tool Code	Tool	x(8)	
qro_user1	Ufld1		x(8)	
qro_user2	Ufld2		x(8)	
qro_wkctr	Work Center	Work Ctr	x(8)	
qro__chr01			x(8)	
qro__chr02			x(8)	
qro__chr03			x(8)	
qro__chr04			x(8)	
qro__chr05			x(8)	
qro__dec01			>>>, >>>, >>9.99	10
qro__dec02			>>>, >>>, >>9.99	10
qro__dte01			99/99/99	
qro__dte02			99/99/99	
qro__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qro_routing	yes	qro_routing	yes	no
		qro_op	yes	no
qro_wkctr	no	qro_wkctr	yes	no
		qro_mch	yes	no

qr_test

Quality Order Test Steps

Field Name	Label	Col-Label	Format	Dec
qr_act_op	Actual Operation Time	Act Op	->, >>9.9<<	3
qr_cmtindx	Comment Index	Comment	>>>>>>9	
qr_desc	Description		x(24)	
qr_due	Due Date	Due	99/99/99	
qr_lot	Batch		x(8)	
qr_mch	Machine		x(8)	
qr_nbr	Quality Order		x(18)	
qr_op	Operation	Op	>>>>9	
qr_op_time	Operation Time	Op Time	->, >>9.9<<	3
qr_part	Item Number		x(18)	
qr_qty_accpt	Qty Accepted		->, >>>, >>9.9<<<<<<<<	10
qr_qty_ord	Qty Pending		->, >>>, >>9.9<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->, >>>, >>9.9<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	

Field Name	Label	Col-Label	Format	Dec
qr__chr01			x(8)	
qr__chr02			x(8)	
qr__chr03			x(8)	
qr__chr04			x(8)	
qr__chr05			x(8)	
qr__dec01			>>>,>>>,>>9.99	10
qr__dec02			>>>,>>>,>>9.99	10
qr__dte01			99/99/99	
qr__dte02			99/99/99	
qr__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
qr_lot	yes	qr_lot	yes	no
		qr_op	yes	no
qr_nbrp	yes	qr_nbr	yes	no
		qr_lot	yes	no
		qr_op	yes	no
qr_part	no	qr_part	yes	no
		qr_op	yes	no

◇ **qtbl_ext** QAD Table Extension

Field Name	Label	Col-Label	Format	Dec
qtbl_key1	Key Field 1		x(24)	
qtbl_key2	Key Field 2		x(24)	
qtbl_key3	Key Field 3		x(24)	
qtbl_key4	Key Field 4		x(24)	
qtbl_key5	Key Field 5		x(24)	
qtbl_key6	Key Field 6		x(24)	
qtbl_owner	Owner		x(8)	
qtbl_qadc01			x(24)	
qtbl_qadc02			x(24)	
qtbl_qadc03			x(24)	
qtbl_qadc04			x(24)	
qtbl_qadc05			x(24)	
qtbl_qadd01			-->>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd02			-->>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd03			-->>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd04			-->>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd05			-->>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadl01			yes/no	
qtbl_qadl02			yes/no	
qtbl_qadt01			99/99/99	
qtbl_qadt02			99/99/99	
qtbl_reference	Extension Reference		x(20)	
qtbl_table	Table Name		x(14)	

Index-Name	Uni	Field-Name	Asc	Abbr
qtbl_primary	yes	qtbl_owner	yes	no
		qtbl_table	yes	no
		qtbl_reference	yes	no
		qtbl_key1	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		qtbl_key2	yes	no
		qtbl_key3	yes	no
		qtbl_key4	yes	no
		qtbl_key5	yes	no
		qtbl_key6	yes	no

rbm_mstr Retrobill Master

Field Name	Label	Col-Label	Format	Dec
rbm_ar_nbr	A/R Reference		x(18)	
rbm_auth	Authorization Number		x(16)	
rbm_cmtindx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>,>>>,>>9.99<<<	10
rbm_rsn	Reason Code		x(8)	
rbm_status	Status		x(8)	
rbm_user1	Ufld1		x(8)	
rbm_user2	Ufld2		x(8)	
rbm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rbm_cust	yes	rbm_cust	yes	no
		rbm_auth	yes	no

rcc_mstr Customer Sequence Schedule Master

Field Name	Label	Col-Label	Format	Dec
rcc_addr	Ship-To		x(8)	
rcc_asn_edl	Send Sequence with ASN	ASN! Send	yes/no	
rcc_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rcc_firm_seq_days	Firm Days	Firm! Days	>>9	
rcc_inc_in_rss	Include Seq in Req Ship Sched	RSS	yes/no	
rcc_invoice_edl	Send Sequence with Invoice	Inv! Send	yes/no	
rcc_invoice_print	Print Sequence on Invoice	Inv! Print	yes/no	
rcc_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rcc_merge_seq	Merge Schedules	Merge	yes/no	
rcc_mod_date	Modified Date	Mod Date	99/99/99	
rcc_mod_pgm	Last Program		x(8)	
rcc_mod_userid	User ID		x(8)	
rcc_packing_order	Packing Order	Pack! Order	forward/reverse	
rcc_seq_per_container	Sequences Per Container	Seq Per! Cont	>>>>>>9	
rcc_shipper_print	Print Sequence on Shipper	Ship! Print	yes/no	
rcc_user1	Ufld1		x(8)	
rcc_user2	Ufld2		x(8)	
rcc__qadc01			x(8)	
rcc__qadc02			x(8)	
rcc__qadd01			-,>>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
rcc__qadd02			->, >>>, >>9.<<<<<<<<<	10
rcc__qadi01			->, >>>, >>9	
rcc__qadi02			->, >>>, >>9	
rcc__qadi01			yes/no	
rcc__qadi02			yes/no	
rcc__qadi03			yes/no	
rcc__qadi04			yes/no	
rcc__qadt01			99/99/99	
rcc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rcc_index1	yes	rcc_addr	yes	no

Customer Sequence Schedule Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	rcf index1	yes	rcf index1	yes	no

Customer Sequence Schedule Detail

Field Name	Label	Col-Label	Format	Dec
rcsd_cum_qty	Cum Quantity		>>>>>>9.9<<<<<<<<<	10
rcsd_custref	Customer Ref		x(30)	
rcsd_cust_build_date	Customer Build Date		99/99/99	
rcsd_cust_job	Customer Job		x(30)	
rcsd_cust_part	Customer Item		x(30)	
rcsd_cust_po	PO Number		x(22)	
rcsd_cust_ref	Customer Reference		x(30)	
rcsd_cust_seq	Customer Sequence		x(30)	
rcsd_date	Date		99/99/99	
rcsd_deleted	Deleted		yes/no	
rcsd_derived_rlse_id	Derived Release ID		x(30)	

Field Name	Label	Col-Label	Format	Dec
rccd_discr_qty	Quantity		>>, >>>, >>9.9<<<<<<<<<<	10
rccd_dock	Customer Dock		x(30)	
rccd_line	Line		>>9	
rccd_line_feed	Line Feed		x(30)	
◇ rccd_modelyr	Model Year		x(4)	
rccd_mod_date	Modified Date	Mod Date	99/99/99	
rccd_mod_pgm	Last Program		x(8)	
rccd_mod_userid	User ID		x(8)	
rccd_order	Order		x(8)	
rccd_part	Item Number		x(18)	
rccd_picked	Picked		yes/no	
rccd_rlse_id	Release ID		x(30)	
rccd_shipfrom	Ship-From		x(8)	
rccd_shipto	Ship-To		x(8)	
rccd_status	Status		x(8)	
rccd_time	Time		99:99	
rccd_user1	Ufld1		x(8)	
rccd_user2	Ufld2		x(8)	
rccd_x_referenced	Cross Referenced		yes/no	
rccd__qadc01			x(8)	
rccd__qadc02			x(8)	
rccd__qadd01			->, >>>, >>9.9<<<<<<<<<	10
rccd__qadd02			->, >>>, >>9.9<<<<<<<<<	10
rccd__qadi01			->, >>>, >>9	
rccd__qadi02			->, >>>, >>9	
rccd__qadi01			yes/no	
rccd__qadi02			yes/no	
rccd__qadt01			99/99/99	
rccd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rccd_index1	yes	rccd_shipfrom	yes	no
		rccd_shipto	yes	no
		rccd_rlse_id	yes	no
		rccd_cust_job	yes	no
		rccd_cust_seq	yes	no
		rccd_part	yes	no
		rccd_date	yes	no
		rccd_time	yes	no
		rccd_cust_ref	yes	no
		rccd_dock	yes	no
		rccd_line_feed	yes	no
		rccd_shipfrom	yes	no
		rccd_shipto	yes	no
		rccd_rlse_id	yes	no
rccd_index2	no	rccd_date	yes	no
		rccd_time	yes	no
		rccd_cust_job	yes	no
		rccd_cust_seq	yes	no
		rccd_part	yes	no
		rccd_order	yes	no
rccd_index3	no	rccd_line	yes	no
		rccd_rlse_id	yes	no
		rccd_part	yes	no
		rccd_date	yes	no
		rccd_time	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rcsd_index4	no	rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_picked	yes	no
		rcsd_x_referenced	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
rcsd_index5	no	rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_part	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no

rctx_ref

Customer Sequence Schedule Cross-Reference

Field Name	Label	Col-Label	Format	Dec
rcsx_cust_job	Customer Job		x(30)	
rcsx_cust_ref	Customer Reference		x(30)	
rcsx_cust_seq	Customer Sequence		x(30)	
rcsx_date	Date		99/99/99	
rcsx_dock	Customer Dock		x(30)	
rcsx_line_feed	Line Feed		x(30)	
rcsx_mod_date	Modified Date	Mod Date	99/99/99	
rcsx_mod_pgm	Last Program		x(8)	
rcsx_mod_userid	User ID		x(8)	
rcsx_part	Item Number		x(18)	
rcsx_picked	Picked		yes/no	
rcsx_rlse_id	Release ID		x(30)	
rcsx_shipfrom	Ship-From		x(8)	
rcsx_shipped	Shipped		yes/no	
rcsx_shipped_cust_job	Shipped Job		x(30)	
rcsx_shipped_cust_ref	Shipped Reference		x(30)	
rcsx_shipped_cust_seq	Shipped Sequence		x(30)	
rcsx_shipped_date	Scheduled Date		99/99/99	
rcsx_shipped_dock	Shipped Dock		x(30)	
rcsx_shipped_line_feed	Shipped Line Feed		x(30)	
rcsx_shipped_part	Shipped Item Number		x(18)	
rcsx_shipped_rlse_id	Shipped Release ID		x(30)	
rcsx_shipped_time	Scheduled Time		99:99	
rcsx_shipto	Ship-To		x(8)	
rcsx_time	Time		99:99	
rcsx_user1	Ufld1		x(8)	
rcsx_user2	Ufld2		x(8)	
rcsx__qadc01			x(8)	
rcsx__qadc02			x(8)	
rcsx__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcsx__qadd02			->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
rctx__qadi01			->,>>>,>>9	
rctx__qadi02			->,>>>,>>9	
rctx__qadi01			yes/no	
rctx__qadi02			yes/no	
rctx__qadt01			99/99/99	
rctx__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rctx_index1	yes	rctx_shipfrom	yes	no
		rctx_shipto	yes	no
		rctx_shipped_rlse_id	yes	no
		rctx_shipped_cust_job	yes	no
		rctx_shipped_cust_seq	yes	no
		rctx_shipped_part	yes	no
		rctx_shipped_date	yes	no
		rctx_shipped_time	yes	no
		rctx_shipped_cust_ref	yes	no
		rctx_shipped_dock	yes	no
		rctx_shipped_line_feed	yes	no
rctx_index2	no	rctx_shipfrom	yes	no
		rctx_shipto	yes	no
		rctx_rlse_id	yes	no
		rctx_cust_job	yes	no
		rctx_cust_seq	yes	no
		rctx_part	yes	no
		rctx_date	yes	no
		rctx_time	yes	no
		rctx_cust_ref	yes	no
		rctx_dock	yes	no
		rctx_line_feed	yes	no

rctx_mstr Customer Schedule Master

Field Name	Label	Col-Label	Format	Dec
rctx_active	Active		yes/no	
rctx_active_date	Active Date	Active! Date	99/99/99	
rctx_active_end	Active End		99/99/99	
rctx_active_start	Active Start		99/99/99	
rctx_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rctx_cr_date	Create Date	Create! Date	99/99/99	
rctx_cr_time	Create Time	Create! Time	x(5)	
rctx_cumulative	Cumulative		yes/no	
rctx_date_type	Schedule Date Type	Schedule! Date! Type	Ship/Delivery	
rctx_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rctx_mod_date	Modified Date	Mod Date	99/99/99	
rctx_mod_pgm	Last Program		x(8)	
rctx_mod_userid	User ID		x(8)	
rctx_packing_order	Packing Order	Packing! Order	forward/reverse	
rctx_rlse_id	Release ID		x(30)	
rctx_seq_per_container	Sequences Per Container		>>>>>>9	
rctx_shipfrom	Ship-From		x(8)	
rctx_shipto	Ship-To		x(8)	

Field Name	Label	Col-Label	Format	Dec
rsc_user1	Ufld1		x(8)	
rsc_user2	Ufld2		x(8)	
rsc__qadc01			x(8)	
rsc__qadc02			x(8)	
rsc__qadd01			->, >>>, >>9.9<<<<<<<<	10
rsc__qadd02			->, >>>, >>9.9<<<<<<<<	10
rsc__qadi01			->, >>>, >>9	
rsc__qadi02			->, >>>, >>9	
rsc__qadl01			yes/no	
rsc__qadl02			yes/no	
rsc__qadt01			99/99/99	
rsc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsc_index1	yes	rsc_shipfrom	yes	no
		rsc_shipto	yes	no
		rsc_rlse_id	yes	no
rsc_index2	no	rsc_shipfrom	yes	no
		rsc_shipto	yes	no
		rsc_active_date	yes	no
rsc_index3	no	rsc_shipfrom	yes	no
		rsc_shipto	yes	no
		rsc_active	yes	no

rdf_mstr

Service/Support Return Defaults Master

Field Name	Label	Col-Label	Format	Dec
rdf_addr	Address		x(8)	
rdf_area	Area		x(8)	
rdf_bom_code	Bill of Material		x(18)	
rdf_ca_int_type	Work Code	WK Code	x(8)	
rdf_ca_type	Call Type		x(8)	0
rdf_desc	Description		x(24)	
rdf_email	Email Address		x(48)	
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Modified Date	Mod Date	99/99/99	
rdf_mod_userid	User ID		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	
rdf_prod_line	Prod Line	Line	x(4)	
rdf_repair_days	Repair Days		>, >>>9.99	2
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_routing	Routing Code		x(18)	
rdf_rrts_loc	Return from RTS Location		x(8)	
rdf_rrts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	2
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtm_loc	Sales Return Location		x(8)	
rdf_srtm_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	Ufld1		x(8)	
rdf_user2	Ufld2		x(8)	
rdf__chr01			x(8)	
rdf__chr02			x(8)	
rdf__chr03			x(8)	
rdf__chr04			x(8)	
rdf__chr05			x(8)	
rdf__dec01			>>>, >>>, >>9.99	10
rdf__dec02			>>>, >>>, >>9.99	10
rdf__dte01			99/99/99	
rdf__dte02			99/99/99	
rdf__log01			yes/no	
rdf__log02			yes/no	
rdf__qadc01	QAD Character Field 1		X(8)	
rdf__qadc02	QAD Character Field 2		X(8)	
rdf__qadc03	QAD Character Field 3		X(8)	
rdf__qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
rdf__qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
rdf__qadl01	Qad Logical Field 1		yes/no	
rdf__qadl02	QAD Logical Field 2		yes/no	
rdf__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rdf_part	yes	rdf_prod_line	yes	no
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

reg_mstr Service/Support Region Master

Field Name	Label	Col-Label	Format	Dec
reg_3rd_party	Third Party		yes/no	
reg_code	Area		x(18)	
reg_desc	Description		x(24)	
reg_lang	Language		x(2)	
reg_loc	Location		x(8)	
reg_loc_rtn	Defective Location	Df Loc	x(8)	
reg_mod_date	Modified Date	Mod Date	99/99/99	
reg_mod_userid	User ID		X(8)	
reg_prod_line	Product Line	Prod	x(8)	
reg_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
reg_repair	Repair Center		yes/no	
reg_site	Site		x(8)	
reg_site_rtn	Defective Site	Df Site	x(8)	
reg_time_zone	Hours from GMT		>>9	
reg_type	Type		x(8)	
reg_user1	Ufld1		x(8)	
reg_user2	Ufld2		x(8)	
reg_wkctr	Work Center	Work Ctr	x(8)	
reg__chr01			x(8)	
reg__chr02			x(8)	
reg__chr03			x(8)	
reg__dec01			->>>,>>>,>>9.99	10
reg__dec02			->>>,>>>,>>9.99	10
reg__dte01			99/99/99	
reg__dte02			99/99/99	
reg__log01			yes/no	
reg__log02			yes/no	
reg__qadc01	QAD Character Field 1		X(8)	
reg__qadc02	QAD Character Field 2		X(8)	
reg__qadc03	QAD Character Field 3		X(8)	
reg__qadc04			x(8)	
reg__qadc05			x(4)	
reg__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
reg__qadl01	QAD Logical Field 1		yes/no	
reg__qadl02	QAD Logical Field 2		yes/no	
reg__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* reg_code	yes	reg_code	yes	no

req_det Requisition Detail

Field Name	Label	Col-Label	Format	Dec
req_acct	Pur Acct		x(8)	
req_approved	Approved	Apr	yes/no	
◇ req_app_owner	Owner Application		x(12)	
req_apr_by	Approved By	Aprv By	x(8)	
req_apr_code	Approval Code	Apr Code	x(8)	
req_apr_ent	Approved Entered By	Aprv Ent	x(8)	
req_apr_pnt	Print Approval	Print Apr	yes/no	
req_cc	Cost Ctr	CC	x(4)	
req_cmtindx	Comment Index	Comment	>>>>>>>9	
req_line	Line		>>>	
req_nbr	Requisition	Req	x(8)	
req_need	Need Date	Need	99/99/99	
req_part	Item Number		x(18)	
req_po_site	PO Site		x(8)	
req_print	Print Requisition	Print	yes/no	
req_project	Project		x(8)	
req_pur_cost	Unit Cost		->,>>>,>>>,>>9.99<<<	10
req_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
req_rel_date	Release Date	Release	99/99/99	

Field Name	Label	Col-Label	Format	Dec
req_request	Requested By	Req By	x(8)	
req_site	Site		x(8)	
req_so_job	Sales/Job		x(8)	
req_sub	Pur Sub-Acct	Sub-Acct	x(8)	
req_um	UM		x(2)	
req_user1	Ufld1		x(8)	
req_user2	Ufld2		x(8)	
req_chr01			x(8)	
req_chr02			x(8)	
req_chr03			x(8)	
req_chr04			x(8)	
req_chr05			x(8)	
req_dec01			>>>, >>>, >>9.99	10
req_dec02			>>>, >>>, >>9.99	10
req_dte01			99/99/99	
req_dte02			99/99/99	
req_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
req_apr_code	yes	req_apr_code	yes	no
		req_nbr	yes	no
		req_line	yes	no
* req_nbr	yes	req_nbr	yes	no
		req_line	yes	no
req_part	no	req_part	yes	no

rh​d_hist

Return Material Authorization Detail History

Field Name	Label	Col-Label	Format	Dec
rh​d_ch​g_type	Charge Type		x(8)	
rh​d_cm​tindx	Comment Index		>>>>>>>9	
rh​d_cov​ered	Covered Amount		>>>>, >>>, >>9.99<<<	10
rh​d_cp​l_date	Received Date	Rec Date	99/99/99	
rh​d_cust	Customer		x(8)	
rh​d_cust​oms	Customs Value		>>>>, >>>, >>9.99	2
rh​d_cv​r_pct	Coverage Percent	Cvr Per	->>, >>9.99	2
rh​d_desc	Description		X(24)	
rh​d_done	Received		yes/no	
rh​d_ed​it_isb	Edit Installed Base		yes/no	
rh​d_end	End Time		99:99	
rh​d_end​user	End User		x(8)	
rh​d_eng_​area	Eng Area		x(8)	
rh​d_eng_​code	Engineer Code	Eng Code	x(8)	
rh​d_eu_​area	End User Area		x(8)	
rh​d_exp_​date	Expected Date	Exp Date	99/99/99	
rh​d_fault_​cd	Fault Code	Fault	x(8)	
rh​d_file_​type			x(3)	
rh​d_hist​ype	History Type		x(4)	
rh​d_ins_​date	Install Date	Ins Date	99/99/99	
rh​d_iss	Inv Iss		yes/no	
rh​d_line	Line	Ln	>>9	
rh​d_link	Line to Line		>>9	

Field Name	Label	Col-Label	Format	Dec
rh_d_loaner	Loaner Sent		yes/no	
rh_d_loc	To Location		x(8)	
rh_d_mod_date	Modified Date	Mod Date	99/99/99	
rh_d_mod_userid	User ID		X(8)	
rh_d_nbr	Sales Order	Order	x(8)	
rh_d_op_tran	Op Tran		X(8)	
rh_d_part	Item		x(18)	
rh_d_par_date	Parent Install Date	Par Ins	99/99/99	
rh_d_par_part	Parent Item		x(18)	
rh_d_par_ser	Parent Serial		x(18)	
rh_d_prefix	Prefix		x(1)	
rh_d_price	Price		>>>>,>>>,>>9.99<<<	10
rh_d_process	Processing		x(2)	
rh_d_prodline	Product Line	Line	x(4)	
rh_d_qty_acp	Qty Received		-,>>>,>>9.9<<<<<<<<	10
rh_d_qty_non	Qty Due Billed		-,>>>,>>9.9<<<	2
rh_d_qty_ord	Qty Expected		-,>>>,>>9.9<<<<<<<<	10
rh_d_qty_rel	Qty Released		-,>>>,>>9.9<<<	2
rh_d_ref	Ref		>>>>>>9	
rh_d_restock	Restock		>>>,>>9.99<<<	2
rh_d_rev	Item Revision		x(8)	
rh_d_rma_line	RMA Line	Ln	>>9	
rh_d_rma_nbr	Return Id	Return	x(8)	
rh_d_rma_rtrn	Parts Return		yes/no	
rh_d_sa_nbr	Service Contract		x(8)	
rh_d_serial	Serial		x(18)	
rh_d_ser_lon	Loaner Serial		X(18)	
rh_d_ship	Ship To		x(8)	
rh_d_site	To Site		x(8)	
rh_d_start	Start Time		99:99	
rh_d_status	Status		x(8)	
rh_d_sv_code	Contract Type		x(8)	
rh_d_trans	Transaction	Tr	x(4)	
rh_d_trnbr	Transaction		>>>>>>>>9	
rh_d_type	Type		x(2)	
rh_d_um	UM		X(2)	
rh_d_um_conv	UM Conv		>>>>9.9999<<<<	2
rh_d_user1	Ufld1		x(8)	
rh_d_user2	Ufld2		x(8)	
rh_d_chr01			x(8)	
rh_d_chr02			x(8)	
rh_d_chr03			x(8)	
rh_d_chr04			x(8)	
rh_d_chr05			x(8)	
rh_d_chr06			x(8)	
rh_d_chr07			x(8)	
rh_d_chr08			x(8)	
rh_d_chr09			x(8)	
rh_d_chr10			x(8)	
rh_d_dec01			>>>,>>>,>>9.99	10
rh_d_dec02			>>>,>>>,>>9.99	10
rh_d_dte01			99/99/99	
rh_d_dte02			99/99/99	
rh_d_log01			yes/no	
rh_d_qadc01	QAD Character Field 1		X(8)	
rh_d_qadc02	QAD Character Field 2		X(8)	
rh_d_qadc03	QAD Character Field 3		X(8)	

Field Name	Label	Col-Label	Format	Dec
rhq__qadd01	QAD Date Field 1		99/99/99	
rhq__qadd02	QAD Date Field 2		99/99/99	
rhq__qadd03	QAD Date Field 3		99/99/99	
rhq__qadd04	QAD Date Field 4		99/99/99	
rhq__qadd05	QAD Date Field 5		99/99/99	
rhq__qadde01	QAD Decimal Field 1		-->, >>9.99	10
rhq__qadde02	QAD Decimal Field 2		-->, >>9.99	10
rhq__qadde03	QAD decimal Field 3		-->, >>9.99	10
rhq__qadi01	QAD Integer Field 1		-->, >>>, >>9	
rhq__qadi02	QAD Integer Field 2		-->, >>>, >>9	
rhq__qadi03	QAD Integer Field 3		-->, >>>, >>9	
rhq__qadl01	QAD Logical Field 1		yes/no	
rhq__qadl02	QAD Logical Field 2		yes/no	
rhq__qadl03	QAD Logical Field 3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
rhq__nbr	no	rhq__nbr	yes	no
rhq__part	no	rhq__part	yes	no
		rhq__nbr	yes	no
		rhq__prefix	yes	no
		rhq__line	yes	no
* rhq__trnbr	yes	rhq__file_type	yes	no
		rhq__trnbr	yes	no

rma_mstr Return Material Authorization Master

Field Name	Label	Col-Label	Format	Dec
rma_bill_to	Bill To		x(8)	
rma_ca_nbr	Call Id		x(8)	
rma_cmtindx	Comment Index	Comment	>>>>>>>9	
rma_complete	Complete	Cmp	yes/no	
rma_contract	RMA Contract		x(8)	
rma_crprlist	Credit Price List	Cr Price	x(8)	
rma_cstmlist	Customs List	Customs	x(8)	
rma_ctype	Contract Type		x(8)	
rma_cust_ven	Customer		x(8)	
rma_enduser	End User		x(8)	
rma_eng_code	Engineer Code	Eng Code	x(8)	
rma_exp_date	Expected Date	Expected	99/99/99	
rma_loc_iss	Issue Location		x(8)	
rma_loc_rec	Receive Location		x(8)	
rma_mod_date	Modified Date	Mod Date	99/99/99	
rma_mod_userid	User ID		X(8)	
rma_nbr	RMA		x(8)	
rma_ord_date	Order Date	Ord Date	99/99/99	
rma_prefix	Prefix		x(1)	
rma prt_rec	Print Receiving Doc	Print Rec	yes/no	
rma_pr_list	Price List	List	x(8)	
rma_req_date	Required Date	Required	99/99/99	
rma_rstk_pct	Restocking Charge	Restock	-->9.99%	2
rma_ship	Ship-To		x(8)	
rma_shipdate	Ship Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
rma_site_iss	Issue Site		x(8)	
rma_site_rec	Receive Site		x(8)	
rma_source	Order Source	Source	x(8)	
rma_stat	Action Status	St	x(2)	
rma_taxable	Taxable	Tax	yes/no	
rma_taxc	Tax Class	TxC	x(3)	
rma_type	Type		x(8)	
rma_user1	Ufld1		x(8)	
rma_user2	Ufld2		x(8)	
rma__chr01			x(8)	
rma__chr02			x(8)	
rma__chr03			x(8)	
rma__chr04			x(8)	
rma__chr05			x(8)	
rma__chr06			x(8)	
rma__chr07			x(8)	
rma__chr08			x(8)	
rma__chr09			x(8)	
rma__chr10			x(8)	
rma__dec01	PST		>>>, >>>, >>9.99	10
rma__dec02			>>>, >>>, >>9.99	10
rma__dte01			99/99/99	
rma__dte02			99/99/99	
rma__log01			yes/no	
rma__qadc01	QAD Character Field 1		X(8)	
rma__qadc02	QAD Character Field 2		X(8)	
rma__qadc03	QAD Character Field 3		X(8)	
rma__qadc04	QAD Character Field 4		x(8)	
rma__qadc05	QAD Character Field 5		x(8)	
rma__qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
rma__qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99<<<	10
rma__qadd03	QAD Decimal Field 3		->>>>, >>>, >>9.99<<<	10
rma__qadd04	QAD Decimal Field 4		->>>>, >>>, >>9.99<<<	10
rma__qadi01	QAD Integer Field 1		->, >>>, >>9	
rma__qadi02	QAD Integer Field 2		->, >>>, >>9	
rma__qadi03	QAD Integer Field 3		->, >>>, >>9	
rma__qadi01	QAD Logical Field 1		yes/no	
rma__qadi02	QAD Logical Field 2		yes/no	
rma__qadt01	QAD Date Field 1		99/99/99	
rma__qadt02	QAD Date Field 2		99/99/99	
rma__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
rma_ca_nbr	no	rma_ca_nbr	yes	no
		rma_nbr	yes	no
rma_cust_ven	yes	rma_cust_ven	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no
* rma_nbr	yes	rma_nbr	yes	no
		rma_prefix	yes	no

rmc_ctrl

Return Material Authorization Control

Field Name	Label	Col-Label	Format	Dec
rmc_all_days	Allocate Days		>>>>>9	
rmc_consume	Consume Forecast	Consume Fcst	yes/no	
rmc_det_all	Detail Allocations		yes/no	
rmc_dflt_rma	Default RMA Contract		x(8)	
rmc_disp_trail	RMA Trailer Display		yes/no	
rmc_edit_isb	Edit Installed Base		yes/no	
rmc_hcmmts	RMA Header Comments		yes/no	
rmc_hist	Return History		yes/no	
rmc_history	Keep Booking History		yes/no	
rmc_index1	Index		>>>>>9	
rmc_issues	Issues First		yes/no	
rmc_lcmmts	RMA Line Comments		yes/no	
rmc_loc_is	Customer Return Location		x(8)	
rmc_loc_iv	Return From Supplier Loc		x(8)	
rmc_loc_os	Customer Spares Location		x(8)	
rmc_loc_ov	At Supplier Location		x(8)	
rmc_mod_date	Modified Date	Mod Date	99/99/99	
rmc_mod_userid	User ID		X(8)	
rmc_node	Node		x(8)	
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>9	
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	
rmc__chr01			x(8)	
rmc__chr02			x(8)	
rmc__chr03			x(8)	
rmc__chr04			x(8)	
rmc__chr05			x(8)	
rmc__chr06			x(8)	
rmc__chr07			x(8)	
rmc__chr08			x(8)	
rmc__chr09			x(8)	
rmc__chr10			x(8)	
rmc__dec01			->>>,>>>,>>9.99	10
rmc__dec02			->>>,>>>,>>9.99	10
rmc__dec03			->>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
rmd__dte01			99/99/99	
rmd__dte02			99/99/99	
rmd__dte03			99/99/99	
rmd__dte04			99/99/99	
rmd__log01			yes/no	
rmd__log02			yes/no	
rmd__log03			yes/no	
rmd__log04			yes/no	
rmd__log05			yes/no	
rmd__qadc01	QAD Character Field 1		X(8)	
rmd__qadc02	QAD Character Field 2		X(8)	
rmd__qadc03	QAD Character Field 3		X(8)	
rmd__qadc04			x(4)	
rmd__qadc05			x(8)	
rmd__qadc06			x(4)	
rmd__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
rmd__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10
rmd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmd__qadi03			>>>>>>9	
rmd__qadi01	QAD Logical Field 1		yes/no	
rmd__qadi02	QAD Logical Field 2		yes/no	
rmd__qadi03	QAD Logical Field 3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* rmd__node	yes	rmd__node	yes	no

rmd_det

Return Material Authorization Detail

Field Name	Label	Col-Label	Format	Dec
rmd_chg_type	Charge Type	CT	x(2)	
rmd_cmtindx	Comment Index	Comment	>>>>>>9	
rmd_comment[5]	Comments		x(40)	
rmd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10
rmd_cpl_date	Received Date	Rec Date	99/99/99	
rmd_customs	Customs Value		>>>>,>>>,>>9.99<<<	10
rmd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	2
rmd_desc	Description		x(24)	
rmd_done	Received		yes/no	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	99:99	
rmd_eng_code	Engineer Code	Eng Code	x(8)	
rmd_exp_date	Expected Date	Exp Date	99/99/99	
rmd_fault_cd	Fault Code	Fault	x(8)	
rmd_ins_date	Install Date		99/99/99	
rmd_iss	Inv Iss		yes/no	
rmd_line	Line	Ln	>>9	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		yes/no	
rmd_loc	To Location		x(8)	
rmd_mod_date	Modified Date	Mod Date	99/99/99	
rmd_mod_userid	User ID		X(8)	

Field Name	Label	Col-Label	Format	Dec
rmd_nbr	Sales Order	Order	x(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_part	Item		x(18)	
rmd_par_date	Parent Install Date		99/99/99	
rmd_par_part	Parent Item		x(18)	
rmd_par_ser	Parent Serial		x(18)	
rmd_prefix	Prefix		x(1)	
rmd_price	Price		>>>>, >>>, >>9.99<<<	10
rmd_process	Processing		x(2)	
rmd_procline	Product Line	Line	x(4)	
rmd_qty_acp	Qty Received		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
rmd_ref	Ref		>>>>>>>9	
rmd_restock	Restock		>>>, >>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__chr05			x(8)	
rmd__chr06			x(8)	
rmd__chr07			x(8)	
rmd__chr08			x(8)	
rmd__chr09			x(8)	
rmd__chr10			x(8)	
rmd__dec01			>>>, >>>, >>9.99	10
rmd__dec02			>>>, >>>, >>9.99	10
rmd__dte01			99/99/99	
rmd__dte02			99/99/99	
rmd__log01			yes/no	
rmd__qadc01	QAD Character Field 1		X(8)	
rmd__qadc02	QAD Character Field 2		X(8)	
rmd__qadc03	QAD Character Field 3		X(8)	
rmd__qadc04			x(4)	
rmd__qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
rmd__qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99	10
rmd__qadd03	QAD Decimal Field 3		->>, >>9.99	10
rmd__qadi01	QAD Integer Field 1		->, >>>, >>9	
rmd__qadi02	QAD Integer Field 2		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
rmd__qadi03	QAD Integer Field 3		->,>>>,>>9	
rmd__qadi01	QAD Logical Field 1		yes/no	
rmd__qadi02	QAD Logical Field 2		yes/no	
rmd__qadi03	QAD Logical Field 3		yes/no	
rmd__qadt01	QAD Date Field 1		99/99/99	
rmd__qadt02	QAD Date Field 2		99/99/99	
rmd__qadt03	QAD Date Field 3		99/99/99	
rmd__qadt04	QAD Date Field 4		99/99/99	
rmd__qadt05	QAD Date Field 5		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_link	no	rmd_rma_nbr	yes	no
		rmd_rma_line	yes	no
		rmd_prefix	yes	no
* rmd_nbrln	yes	rmd_nbr	yes	no
		rmd_prefix	yes	no
		rmd_line	yes	no
rmd_part	no	rmd_part	yes	no
		rmd_exp_date	yes	no
		rmd_fault_cd	yes	no
rmd_type	no	rmd_prefix	yes	no
		rmd_type	yes	no
		rmd_nbr	yes	no
		rmd_line	yes	no

rnd_mstr Rounding Method Master

Field Name	Label	Col-Label	Format	Dec
rmd_dec_pt	Decimal Point	Dec! Pt.	x(1)	
rmd_desc	Description		x(24)	
rmd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rmd_thrshld	Rounding Threshold	Threshold	>,>>9.9999	4
rmd_unit	Rounding Unit	Rnd Unit	>,>>9.999	3
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__qad01			x(8)	
rmd__qad02			x(8)	
rmd__qad03			x(8)	
rmd__qad04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_desc	no	rmd_desc	yes	no
		rmd_rnd_mthd	yes	no
* rmd_rnd_mthd	yes	rmd_rnd_mthd	yes	no

Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
ro_auto_lbr	Auto Labor Report		yes/no	
ro_batch	Batch Qty	Batch! Qty	>,>>, >>9.9<<<<<<<	10
ro_bom_code	BOM Code		x(18)	
ro_cmtindx	Comment Index	Comment	>>>>>>9	
ro_cost	Cost		>>>, >>, >>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>, >>9.999	3
ro_cyc_unit	Units/Cycle		>>>>>9	2
ro_desc	Description		x(24)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
ro_end	End Date	End	99/99/99	
ro_end_ecn	End ECN		x(8)	
ro_fsc_code	Service Category		X(8)	
ro_fsm_type	FSM Type		x(8)	
ro_inv_value	Inventory Value		>>>, >>, >>9.99<<<	10
ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	3
ro_mch	Machine		x(8)	
ro_mch_op	Machines per Op	Mach / Op	->, >>, >>9	
ro_men_mch	Run Crew		->, >>9.99	2
ro_milestone	Milestone Operation	Milestone	yes/no	
ro_mod_date	Modified Date	Mod Date	99/99/99	
ro_mod_userid	User ID		X(8)	
ro_move	Move Time	Move	>, >>9.9<<	3
ro_mv_nxt_op	Move Next Op		yes/no	
ro_op	Operation	Op	>>>>9	
ro_po_line	Line	Ln	>>9	
ro_po_nbr	Purchase Order	PO	x(8)	
ro_price	Price		>>>, >>, >>9.99<<<	10
ro_queue	Queue Time	Queue	>, >>9.9<<	3
ro_rollup	Rollup Reqd		yes/no	
ro_rollup_id	Rollup ID		x(8)	
ro_routing	Routing Code		x(18)	
ro_run	Run Time	Run	>>, >>, >>9.9<<<<<<<<	9
ro_setup	Setup Time	Setup	>, >>9.9<<	3
ro_setup_men	Setup Crew		->, >>9.99	2
ro_start	Start Date	Start	99/99/99	
ro_start_ecn	Start ECN		x(8)	
ro_std_batch	Standard Batch Size	Batch	>>, >>9.9	2
ro_std_op	Standard Operation	Std Op	x(8)	
ro_sub_cost	Subcontract Cost	Subcontract	>>>, >>, >>9.99<<<	10
ro_sub_lead	Subcontract LT	Sub LT	>>9	
ro_tool	Tool Code	Tool	x(8)	
ro_tran_qty	Overlap Units	Overlap	->, >>, >>9	
ro_user1	Ufld1		x(8)	
ro_user2	Ufld2		x(8)	
ro_vend	Supplier		x(8)	
ro_wait	Wait Time	Wait	>, >>9.9<<	3
ro_wipmtl_part	WIP Item		x(18)	
ro_wkctr	Work Center	Work Ctr	x(8)	
ro_yield_pct	Yield%		>>9.99%	2
ro__chr01			x(8)	
ro__chr02			x(8)	
ro__chr03			x(8)	
ro__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
ro_chrf05			x(8)	
ro_dec01			>>>, >>>, >>9.99	10
ro_dec02			>>>, >>>, >>9.99	10
ro_dte01			99/99/99	
ro_dte02			99/99/99	
ro_log01			yes/no	
ro_qadc01	QAD Character Field 1		X(8)	
ro_qadc02	QAD Character Field 2		X(8)	
ro_qadc03	QAD Character Field 3		X(8)	
ro_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ro_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ro_qadl01	QAD Logical Field 1		yes/no	
ro_qadl02	QAD Logical Field 2		yes/no	
ro_qadt01	QAD Date Field 1		99/99/99	
ro_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ro_fsm_type	no	ro_fsm_type	yes	no
		ro_routing	yes	no
		ro_op	yes	no
* ro_routing	yes	ro_routing	yes	no
		ro_op	yes	no
		ro_start	yes	no
ro_wkctr	no	ro_wkctr	yes	no
		ro_mch	yes	no

rpc_ctrl Repetitive Control

Field Name	Label	Col-Label	Format	Dec
rpc_eff_days	End Eff Days		>>9	
rpc_eff_dflt	End Eff Default Method		X(1)	
rpc_inc_yld	Include Yield		yes/no	
rpc_index1	Index		9	
rpc_nbr	Next Picklist	P/L Nbr	>>>>>>9	
rpc_nbr_pre	P/L Prefix	Pre	x(3)	
rpc_sch_bck	Consume Back	Back	->>9	
rpc_sch_fwd	Consume Forward	Fwd	->>9	
rpc_user1	Ufld1		x(8)	
rpc_user2	Ufld2		x(8)	
rpc_using_new	Enable New Repetitive		yes/no	
rpc_wk_start	Start Week	Week! Day	9	
rpc_wxfer_acct	WIP Transfer Acct		X(8)	
rpc_wxfer_cc	WIP Transfer CC		X(4)	
rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
rpc_xfer_wip	Transfer WIP		yes/no	
rpc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rpc_index1	yes	rpc_index1	yes	no

rps_mstr

Repetitive Production Schedule Master

Field Name	Label	Col-Label	Format	Dec
rps_bom_code	BOM/Formula		x(18)	
rps_due_date	Due Date		99/99/99	
rps_line	Production Line	Line	x(8)	
rps_part	Item Number		x(18)	
rps_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<<	10
rps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<<	10
rps_record			>>>>>>9	
rps_rel_date	Release	Rel Date	99/99/99	
rps_routing	Routing Code		x(18)	
rps_site	Site		x(8)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	
rps__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rps_part	yes	rps_part	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_record	yes	rps_record	yes	no
rps_site	yes	rps_site	yes	no
		rps_part	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_site_line	no	rps_site	yes	no
		rps_line	yes	no
		rps_rel_date	yes	no
		rps_part	yes	no

rqa_mstr

Requisition Approver Master

Field Name	Label	Col-Label	Format	Dec
rqa_admin_apr	Administrative Approver	Admin.	x(8)	
rqa_alt_apr[2]	Alternate Approver	Alt.	x(8)	
rqa_apr	User Id		x(8)	
rqa_apr_level	Approval Level	Approval! Level	99	
rqa_apr_req	Approval Required	Req	yes/no	
rqa_category	Category		x(8)	
rqa_cc_from	Cost Ctr From	From! CC	X(4)	
rqa_cc_to	Cost Ctr To	To! CC	X(4)	
rqa_end	End Effective	End	99/99/99	
rqa_entity	Entity		X(4)	
rqa_job	Job		X(8)	
rqa_prod_line	Product Line	Product! Line	x(8)	
rqa_rvw_level	Review Level	Review! Level	99	
rqa_rvw_req	Review Required	Req	yes/no	
rqa_site	Site		x(8)	
rqa_start	Start Effective	Start	99/99/99	
rqa_sub_from	Sub-Account From	From! Sub	X(8)	
rqa_sub_to	Sub-Account To	To! Sub	X(8)	

Field Name	Label	Col-Label	Format	Dec
rqa_type	Type		>9	
rqa__chr01			x(8)	
rqa__chr02			x(8)	
rqa__chr03			x(8)	
rqa__chr04			x(8)	
rqa__qadc01	QAD Field		X(8)	
rqa__qadc02	QAD Field		X(8)	
rqa__qadc03	QAD Field		X(8)	
rqa__qadc04	QAD Field		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rqa_apr_type	yes	rqa_apr	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
rqa_type	yes	rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_apr	yes	no
rqa_type_apr	yes	rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no

rqcd_det Requisition Category Detail

Field Name	Label	Col-Label	Format	Dec
rqcd_acct_from	Account From		x(8)	
rqcd_acct_to	Account To		x(8)	
rqcd_category	Category		x(8)	
rqcd_sub_from	Sub-Account From		x(8)	
rqcd_sub_to	Sub-Account To		x(8)	
rqcd__chr01			x(8)	
rqcd__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqcd__chr03			x(8)	
rqcd__chr04			x(8)	
rqcd__qadc01	QAD Field		X(8)	0
rqcd__qadc02	QAD Field		X(8)	0
rqcd__qadc03	QAD Field		X(8)	0
rqcd__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqcd_category	no	rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no
		rqcd_category	yes	no
	yes	rqcd_category	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no

rqc_mstr Requisition Category Master

Field Name	Label	Col-Label	Format	Dec
rqc_category	Category		x(8)	
rqc_desc	Description		x(24)	
rqc__chr01			x(8)	
rqc__chr02			x(8)	
rqc__chr03			x(8)	
rqc__chr04			x(8)	
rqc__qadc01	QAD Field		X(8)	0
rqc__qadc02	QAD Field		X(8)	0
rqc__qadc03	QAD Field		X(8)	0
rqc__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqc_category	yes	rqc_category	yes	no
rqc_desc	no	rqc_desc	yes	no

rqda_det Requisition Approval Detail

Field Name	Label	Col-Label	Format	Dec
rqda_action	Action		x(20)	
rqda_apr_userid	User ID		x(8)	
rqda_date	Date		99/99/99	
rqda_ent_userid	Entered By		x(8)	
rqda_nbr	Req Nbr		x(8)	
rqda_time	Time		>>>>>>9	
rqda__chr01			x(8)	
rqda__chr02			x(8)	
rqda__chr03			x(8)	
rqda__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqda__qadc01	QAD Field		X(8)	0
rqda__qadc02	QAD Field		X(8)	0
rqda__qadc03	QAD Field		X(8)	0
rqda__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqda_apr_userid	no	rqda_apr_userid	yes	no
		rqda_nbr	yes	no
* rqda_nbr	yes	rqda_nbr	yes	no
		rqda_apr_userid	yes	no

rqd_det Requisition Detail

Field Name	Label	Col-Label	Format	Dec
rqd_acct	Pur Acct		x(8)	
rqd_aprv_stat	Aprvl Status		x(16)	
rqd_assay	Assay %		>>9.99%	2
rqd_category	Category		x(8)	
rqd_cc	Cost Ctr	CC	x(4)	
rqd_cmtindx	Comment Index	Comment	>>>>>>9	
rqd_desc	Desc		x(30)	
rqd_disc_pct	Disc%		->9.99%	2
rqd_due_date	Due Date		99/99/99	
rqd_expire	Expire Date	Expire	99/99/99	
rqd_grade	Grade		x(2)	
rqd_insp_rqd	Inspect Req	Insp	yes/no	
rqd_line	Line		>>>	
rqd_loc	Location		x(8)	
rqd_lot_rcpt	Single Lot		yes/no	
rqd_max_cost	Max Unit Cost		>>>,>>>,>>9.99<<<	10
rqd_nbr	Req Nbr		x(8)	
rqd_need_date	Need Date	Need	99/99/99	
rqd_oot_extra[8]			x(16)	
rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>,>>>,>>9.99<<<	10
rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>,>>>,>>9.99<<<	10
rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
rqd_open	Open		yes/no	
rqd_part	Item Number		x(18)	
rqd_project	Project		x(8)	
rqd_pr_list	Disc Tbl		x(8)	
rqd_pr_list2	Pr Tbl		x(8)	
rqd_pur_cost	Unit Cost		>>>,>>>,>>9.99<<<	10
rqd_rctstat	Receipt Status	Status	x(8)	
rqd_rel_date	Release Date	Release	99/99/99	
rqd_req_qty	Req Qty		>,>>>,>>9.9<<<<<<<<	10
rqd_rev	Revision	Rev	x(4)	
rqd_ship	Ship-to		x(8)	
rqd_site	Site		x(8)	
rqd_status	Status		x(1)	
rqd_taxable	Tax		yes/no	
rqd_type	Type		x(1)	

Field Name	Label	Col-Label	Format	Dec
rqd_um	UM		x(2)	
rqd_um_conv	UM Conv		>>>>9.9999<<<<	10
rqd_vend	Supplier		x(8)	
rqd_vpart	Supplier Part		x(30)	
rqd__chr01			x(8)	
rqd__chr02			x(8)	
rqd__chr03			x(8)	
rqd__chr04			x(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0
rqd__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqd_aprv_stat	no	rqd_aprv_stat	yes	no
		rqd_nbr	yes	no
* rqd_nbr	yes	rqd_nbr	yes	no
		rqd_line	yes	no
rqd_need_date	no	rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_part	no	rqd_part	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_site	no	rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_vend	no	rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl

Requisition Control

Field Name	Label	Col-Label	Format	Dec
rqf_appr_curr	Approval Currency		x(3)	
rqf_diraprs_req	Product Line Approvals Required		>9	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	
rqf_horaprs_req	Horizontal Approvals Required		>9	
rqf_index1	Index		>>>>9	
rqf_lcmmts	Line Comments		yes/no	
rqf_ln_fmt	Ln Format (S/M)		single/multi	
rqf_nbr	Next Requisition Number		99999999	
rqf_oot_rtg	Out Of Tolerance Routing		x(1)	
rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)		automatic/manual	
rqf_pre	Requisition Prefix		x(3)	
rqf_tol_pct	Tolerance Percent		>>9.99	2
rqf_tol_val	Tolerance Value		>>>>, >>9.99	2
rqf_use_tolpct	Use Tolerance Percent		yes/no	
rqf_use_tolval	Use Tolerance Value		yes/no	

Field Name	Label	Col-Label	Format	Dec
rqf_vrtaprs_req	Vertical Approvals Required		>9	
rqf__chr01			x(8)	
rqf__chr02			x(8)	
rqf__chr03			x(8)	
rqf__chr04			x(8)	
rqf__dec01			->>, >>>9.99	2
rqf__dte01			99/99/99	
rqf__log01			yes/no	
rqf__qadc01	QAD Field		X(8)	0
rqf__qadc02	QAD Field		X(8)	0
rqf__qadc03	QAD Field		X(8)	0
rqf__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqf_index1	yes	rqf_index1	yes	no

rqh_hist

Requisition History

Field Name	Label	Col-Label	Format	Dec
rqh_action	Action		x(20)	
rqh_apr_userid	User ID		x(8)	
rqh_date	Date		99/99/99	
rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
rqh_ent_userid	Entered By		x(8)	
rqh_line	Line		>>>	
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			999999999	
rqh_time	Time		>>>>>>>9	
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqh_nbr	yes	rqh_nbr	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no
rqh_nbr_usr	no	rqh_nbr	yes	no
		rqh_apr_userid	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no

rqj_mstr

Requisition Job Master

Field Name	Label	Col-Label	Format	Dec
rqj_desc	Description		x(24)	
rqj_end	End Effective		99/99/99	
rqj_job	Job		x(8)	
rqj_start	Start Effective		99/99/99	
rqj_chr01			x(8)	
rqj_chr02			x(8)	
rqj_chr03			x(8)	
rqj_chr04			x(8)	
rqj_qadc01	QAD Field		X(8)	0
rqj_qadc02	QAD Field		X(8)	0
rqj_qadc03	QAD Field		X(8)	0
rqj_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqj_job	yes	rqj_job	yes	no

rqj_mstr

Requisition Approval Level Master

Field Name	Label	Col-Label	Format	Dec
rqj_amt	Amount		>>>,>>>,>>>,>>9	2
rqj_desc	Description		x(34)	
rqj_level	Approval Level		99	
rqj_chr01			x(8)	
rqj_chr02			x(8)	
rqj_chr03			x(8)	
rqj_chr04			x(8)	
rqj_dec01			->>,>>9.99	2
rqj_qadc01	QAD Field		X(8)	0
rqj_qadc02	QAD Field		X(8)	0
rqj_qadc03	QAD Field		X(8)	0
rqj_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqj_lev	yes	rqj_level	yes	no

rqm_det

Requirement Detail

Field Name	Label	Col-Label	Format	Dec
rqm_cat	Category		x(10)	
rqm_date	Date		99/99/99	
rqm_interval	Interval		x(1)	
rqm_line	Line		>>9	
rqm_nbr	Order		x(8)	
rqm_reference	Reference	Ref	x(24)	
rqm_rlse_id	Rlse Id	Rlse! Id	x(30)	
rqm_time	Time		99:99	

Field Name	Label	Col-Label	Format	Dec
rqm_type	Type		>9	
rqm_user1	Ufld1		x(8)	
rqm_user2	Ufld2		x(8)	
rqm_value	Value		x(24)	
rqm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ rqm_cat_val_date	no	rqm_cat	yes	no
		rqm_value	yes	no
		rqm_date	yes	no
		rqm_type	yes	no
* rqm_schd	no	rqm_type	yes	no
		rqm_nbr	yes	no
		rqm_line	yes	no
		rqm_rlse_id	yes	no
		rqm_date	yes	no
		rqm_time	yes	no
		rqm_interval	yes	no
		rqm_reference	yes	no
		rqm_cat	yes	no
rqm_value	no	rqm_type	yes	no
		rqm_cat	yes	no
		rqm_date	yes	no
		rqm_value	yes	no

rqm_mstr Requisition Master

Field Name	Label	Col-Label	Format	Dec
rqm_acct	Account		x(8)	
rqm_aprv_stat	Aprvl Status		x(16)	
rqm_apr_cmtindx	Approval Comments		>>>>>>9	
rqm_bill	Bill-To		x(8)	
rqm_buyer	Buyer		x(8)	
rqm_category	Category		x(8)	
rqm_cc	Cost Ctr	CC	x(4)	
rqm_cls_date	Close Date	Closed	99/99/99	
rqm_cmtindx	Comments		>>>>>>9	
rqm_contact	Contact		x(24)	
rqm_curr	Currency		x(3)	
rqm_direct	Direct Matls		yes/no	
rqm_disc_pct	Disc %		->9.99%	2
rqm_due_date	Due Date		99/99/99	
rqm_eby_userid	Entered By		x(8)	
rqm_email_opt	E-mail Option		x(1)	
rqm_end_userid	End User		x(8)	
rqm_entity	Entity	Ent	x(4)	
rqm_ent_date	Ent Date		99/99/99	
rqm_ent_ex	Exch Rate		>>, >>9.99999<<<<<	5
rqm_exru_seq	Sequence		>>>>>>>9	
rqm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_ratetype	Rate Type		x(8)	
rqm_fix_pr	Fixed Price		yes/no	
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_in_fmt	Single/Multi		single/multi	
Δ rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		X(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_pr_list	Disc Tbl		x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
Δ rqm_total	Ext Cost Total	Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	
rqm__chr01			x(8)	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->>, >>9.99	2
rqm__log01			yes/no	
rqm__qadc01	QAD Field		X(8)	0
rqm__qadc02	QAD Field		X(8)	0
rqm__qadc03	QAD Field		X(8)	0
rqm__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqm_buyer	no	rqm_buyer	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_job	no	rqm_job	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
* rqm_nbr	yes	rqm_nbr	yes	no
rqm_open	no	rqm_open	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rqby_userid	no	rqm_rqby_userid	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rtto	no	rqm_rtto_userid	yes	no
		rqm_open	yes	no
		rqm_nbr	yes	no

rqpo_ref Requisition/PO Cross-Reference

Field Name	Label	Col-Label	Format	Dec
rqpo_po_line	PO Line		>>>	
rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
rqpo_qty_ord	Qty Ord		->, >>>, >>9.9<<<<<<<<<	10
rqpo_req_line	Req Line		>>>	
rqpo_req_nbr	Requisition	Req Nbr	x(8)	
rqpo__chr01			x(8)	
rqpo__chr02			x(8)	
rqpo__chr03			x(8)	
rqpo__chr04			x(8)	
rqpo__qadc01	QAD Field		X(8)	0
rqpo__qadc02	QAD Field		X(8)	0
rqpo__qadc03	QAD Field		X(8)	0
rqpo__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqpo_req_nbr	no	rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
	yes	rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no

rqr_mstr Role Master

Field Name	Label	Col-Label	Format	Dec
rqr_role	Role		x(8)	
rqr_userid	User ID		x(8)	
rqr__chr01			x(8)	
rqr__chr02			x(8)	
rqr__chr03			x(8)	
rqr__chr04			x(8)	
rqr__qadc01	QAD Field		X(8)	0
rqr__qadc02	QAD Field		X(8)	0
rqr__qadc03	QAD Field		X(8)	0
rqr__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqr_userid	yes	rqr_role	yes	no
		rqr_userid	yes	no
	yes	rqr_userid	yes	no
		rqr_role	yes	no

rq_mstr Requirement Master

Field Name	Label	Col-Label	Format	Dec
rq_end	End Date	End	99/99/99	
rq_lead	Lead Time (Days)	LT	>>9	
rq_lt_off	Offset (Days)	Offset	->>9	
rq_part	Item Number		x(18)	
rq_qty_per	Resource Qty Per	Qty Per	->, >>>, >>>9.9<<<<<<<<<	9
rq_ref	Reference		x(8)	
rq_rsc	Resource		x(8)	
rq_site	Site		x(8)	
rq_start	Start Date	Start	99/99/99	
rq_user1	Ufld1		x(8)	
rq_user2	Ufld2		x(8)	
rq__chr01			x(8)	
rq__chr02			x(8)	
rq__chr03			x(8)	
rq__chr04			x(8)	
rq__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
rq_dec01			>>>, >>>, >>9.99	10
rq_dec02			>>>, >>>, >>9.99	10
rq_dte01			99/99/99	
rq_dte02			99/99/99	
rq_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* rq_part	yes	rq_part	yes	no
		rq_site	yes	no
		rq_rsc	yes	no
		rq_ref	yes	no
		rq_start	yes	no
rq_rsc	no	rq_rsc	yes	no
		rq_site	yes	no

rsc_ctrl Shipping Schedule Control

Field Name	Label	Col-Label	Format	Dec
rsc_active	Enable Shipping Schedule		yes/no	
rsc_auto_update	Auto Update Plan From Ship		yes/no	
rsc_fab_days	Fab Auth Days		>>9	
rsc_firm_days	Firm Days		>>9	
rsc_gen_ship	Generate Ship Sched From MRP		yes/no	
rsc_index1	Index		>>>>9	
rsc_raw_days	Raw Auth Days		>>9	
rsc_ship_days	Schedule Days		>>9	
rsc_ship_months	Schedule Months		>>9	
rsc_ship_weeks	Schedule Weeks		>>9	
rsc_user1	Ufld1		x(8)	
rsc_user2	Ufld2		x(8)	
rsc_zero_req	Send Zero Requirements		yes/no	
rsc_qadc01	QAD Field		x(8)	
rsc_qadc02	QAD Field		x(8)	
rsc_qadd01	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc_qadd02	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc_qadi01	QAD Field		->, >>>, >>9	
rsc_qadi02	QAD Field		->, >>>, >>9	
rsc_qadi01	QAD Field		yes/no	
rsc_qadi02	QAD Field		yes/no	
rsc_qadi03	QAD Field		yes/no	
rsc_qadi04	QAD Field		yes/no	
rsc_qadt01	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsc_index1	yes	rsc_index1	yes	no

rsd_det Resource Requirements Detail

Field Name	Label	Col-Label	Format	Dec
rsd_cap	Cap/Day		->>>, >>9.9	1
rsd_end	End Date		99/99/99	
rsd_ref	Reference		x(8)	
rsd_rsc	Resource		x(8)	
rsd_shift1	Shift1		->>, >>9.99	2
rsd_shift2	Shift2		->>, >>9.99	2
rsd_shift3	Shift3		->>, >>9.99	2
rsd_shift4	Shift4		->>, >>9.99	2
rsd_site	Site		x(8)	
rsd_start	Start Date	Start	99/99/99	
rsd_user1	Ufld1		x(8)	
rsd_user2	Ufld2		x(8)	
rsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsd_rsc	yes	rsd_rsc	yes	no
		rsd_site	yes	no
		rsd_ref	yes	no
rsd_site	yes	rsd_site	yes	no
		rsd_rsc	yes	no
		rsd_ref	yes	no

rsn_ref Reason Code Master

Field Name	Label	Col-Label	Format	Dec
rsn_code	Reason Code	Code	x(8)	
rsn_desc	Description		x(24)	
rsn_type	Reason Type	Type	x(8)	
rsn_user1	Ufld1		x(8)	
rsn_user2	Ufld2		x(8)	
rsn__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsn_code	yes	rsn_code	yes	no
		rsn_type	yes	no
rsn_type	yes	rsn_type	yes	no
		rsn_code	yes	no

rstd_det Product Change Control Routing Slip Template Detail

Field Name	Label	Col-Label	Format	Dec
rstd_appr_code	Routing Slip		x(8)	
rstd_canneroute	Can Re-Route		yes/no	
rstd_group	Group		x(8)	
rstd_mod_date	Modified Date	Mod Date	99/99/99	
rstd_notify_nxt	Notify When Next	Nxt	yes/no	

Field Name	Label	Col-Label	Format	Dec
Δ rstd_sequence	Sequence	Seq	>>9	
rstd_svrty_lvl	Severity Level		>>9	
rstd_user1	Ufld1		x(8)	
rstd_user2	Ufld2		x(8)	
rstd_userid	User ID		x(8)	
rstd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rstd_codegroup	yes	rstd_appr_code	yes	no
		rstd_group	yes	no

rst_mstr

Product Change Control Routing Slip Template Master

Field Name	Label	Col-Label	Format	Dec
rst_appr_code	Routing Slip		x(8)	
rst_desc	Description		X(24)	
rst_mod_date	Modified Date	Mod Date	99/99/99	
rst_notify1	Notification List 1		X(72)	
rst_notify1_mail	E-mail List 1		X(255)	
rst_notify2	Notification List 2		X(72)	
rst_notify2_mail	E-mail List 2		X(255)	
rst_svrty_list	Severity List	Severity	x(8)	
rst_user1	Ufld1		x(8)	
rst_user2	Ufld2		x(8)	
rst_userid	User ID		x(8)	
rst__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rst_code	yes	rst_appr_code	yes	no

rsud_det

Product Change Control Routing Slip Detail

Field Name	Label	Col-Label	Format	Dec
rsud_approved	Approved	Appr	yes/no	
rsud_approverid	Approver ID	ID	X(8)	
rsud_appr_date	Date Approved	AppDate	99/99/99	
rsud_canreroute	Can Re-Route	ReRoute	yes/no	
rsud_cmntindx	Comment Index	CmtIndex	>>>>>>>9	
rsud_group	Group		X(8)	
rsud_index	Index		>>>>>>>9	
rsud_notify_nxt	Notify When Next	Nxt	yes/no	
rsud_reroute_date	Reroute Date		99/99/99	
rsud_sequence	Sequence	Seq	>>9	
Δ rsud_svrty_lvl	Severity Level		>>9	
rsud_user1	Ufld1		X(8)	
rsud_user2	Ufld2		X(8)	
rsud__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsud_indexgroup	yes	rsud_index	yes	no
		rsud_group	yes	no
	no	rsud_index	yes	no
		rsud_sequence	yes	no

rsu_mstr

Product Change Control Routing Slip Master

Field Name	Label	Col-Label	Format	Dec
rsu_appr_code	Approval Code	Code	X(8)	
rsu_appr_date	Approved Date	ApprDate	99/99/99	
rsu_doc_nbr	Document Number	DocNbr	X(40)	0
rsu_doc_type	Document Type	Doc Type	X(8)	0
rsu_index	Index		>>>>>>>9	
rsu_notify2	Notification List 2	NotifyLst2	X(72)	
rsu_notify2_mail	E-mail List 2		X(255)	
rsu_route_date	Routed Date	RouteDate	99/99/99	
rsu_user1	Ufld1		X(8)	
rsu_user2	Ufld2		X(8)	
rsu__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rsu_doc_nbr	no	rsu_doc_nbr	yes	no
		rsu_doc_type	yes	no
* rsu_index	yes	rsu_index	yes	no

rs_mstr

Resource Master

Field Name	Label	Col-Label	Format	Dec
rs_desc	Description		x(24)	
rs_rsc	Resource		x(8)	
rs_site	Site		x(8)	
rs_um	UM		x(2)	
rs_user1	Ufld1		x(8)	
rs_user2	Ufld2		x(8)	
rs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rs_desc	yes	rs_desc	yes	no
		rs_rsc	yes	no
		rs_site	yes	no
		rs_rsc	yes	no
* rs_rsc	yes	rs_rsc	yes	no
		rs_site	yes	no

◇ **sab_det** Service Contract Billing Detail

Field Name	Label	Col-Label	Format	Dec
sab_amt_type	Amount Type	AT	x(1)	
sab_billed_date	Billed Date		99/99/99	
sab_billed_time	Billed Time		x(8)	
sab_bill_to	Bill To		x(8)	
sab_curr	Currency	Cur	x(3)	
sab_cust	Customer		x(8)	
sab_cycle	Billing Cycle	Cyc	x(2)	
sab_desc	Description		x(24)	
sab_end_cover	End Cover		99/99/99	
sab_end_date	End Date		99/99/99	
sab_eu_nbr	End User		x(8)	
sab_exru_seq	Sequence		>>>>>>>9	
sab_ext_price	Ext Price		->>>>, >>>, >>9.99<<	10
sab_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
sab_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
sab_ex_ratetype	Rate Type		x(8)	
sab_for	Supported Item	Item	x(18)	
sab_line	Contract Line	Con Line	>>>>>>>9	
sab_line_seq	Line Seq		>>>>>>>9	
sab_line_type	Line Type	LT	x(1)	
sab_list_pr	List Price		->>>>, >>>, >>9.99<<<	10
sab_lstcover	Last Billed	Lst Bill	99/99/99	
sab_mod_date	Modified Date	Mod Date	99/99/99	
sab_mod_userid	User ID		x(8)	
sab_nbr	Contract		x(8)	
sab_prefix	Pf		x(1)	
sab_price	Net Price		>>>>, >>>, >>9.99<<<	10
sab_qty_chg	Qty To Bill		->, >>>, >>9.9<<<<<<<<<<	10
sab_qty_per	Duration		->>>9.9<<<	10
sab_ref	Ref		>>>>>>>9	
sab_serial	Lot/Serial		x(18)	
sab_sod_line	Sales Order Line	SO Ln	>>9	
sab_so_nbr	Sales Order	SO	x(8)	
sab_st_cover	Coverage		99/99/99	
sab_st_date	Start Date	Start	99/99/99	
sab_sv_code	Service Type	Svc Type	x(8)	
sab_taxable	Taxable	Tax	yes/no	
sab_taxc	Tax Class	TxC	x(3)	
sab_tax_env	Tax Environment	Tax Env	x(16)	
sab_tax_in	Tax In		yes/no	
sab_tax_usage	Tax Usage	TaxUsage	x(8)	
sab_ui_line	Line		>>>>>9	
sab_user1	User Field Character 1		x(24)	
sab_user2	User Field character 2		x(24)	
sab_userd01	User Field Decimal 1		->>>>, >>>, >>9.99<<<<<<<<<<	10
sab_useri01	User Field Integer 1		->>>>>>>9	
sab_userl01	User Field Logical 1		yes/no	
sab_usert01	User Field Date 1		99/99/99	
sab__qadc01			x(24)	
sab__qadc02			x(24)	
sab__qadd01			->>>>, >>>, >>9.99<<<<<<<<<<	10
sab__qadi01			->>>>>>>9	
sab__qadl01			yes/no	
sab__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sab_nbr	yes	sab_nbr	yes	no
		sab_prefix	yes	no
		sab_line	yes	no
		sab_billed_date	yes	no
		sab_billed_time	yes	no
◇ sab_so	no	sab_so_nbr	yes	no
		sab_sod_line	yes	no
		sab_line_seq	yes	no

sac_ctrl Service Contract Control

Field Name	Label	Col-Label	Format	Dec
◇ sac_add_chrg	Contract Additional Charges		yes/no	
sac_auto_sa	Automatic Service Contract #		yes/no	
◇ sac_bill_enduser	Bill End Users		yes/no	
◇ sac_bill_summary	Bill Summary		yes/no	
sac_calls_mrp	PM Calls in MRP		yes/no	
sac_company	Company Address		x(8)	
sac_contract_pr	Contract Price Lists		yes/no	
sac_create_pm	Create PM Calls		yes/no	
sac_deferred	Use Deferred Accounting		yes/no	
◇ sac_eu_add_chrg	End User Additional Charges		yes/no	
◇ sac_eu_totals	End User Totals		yes/no	
sac_ex_ratetype	Rate Type		x(8)	
sac_fob	F.O.B.		x(20)	
sac_free_be	Begin or End of Contract		begin/end	
sac_free_gt	On Contracts >		>>,>>9	
sac_free_mth	No Months Free Coverage		>>9	
sac_gen_def	Generate Deferred Accounting		yes/no	
sac_hcmmts	Service Header Comments		yes/no	
sac_index1	Index		>>>>>9	
◇ sac_item_enduser	Item End Users		yes/no	
sac_lcmmts	Service Line Comments		yes/no	
sac_limits_wnd	Contract Limits		yes/no	
sac_limit_copy	Renew Limits From		X(1)	
sac_lim_hist	Record Limits History		yes/no	
sac_ln_fmt	Ln Format S/M		single/multi	
sac_mod_date	Modified Date	Mod Date	99/99/99	
sac_mod_userid	User ID		X(8)	
sac_pm_days	PM Days Scheduling		yes/no	
sac_print	Are Service Contracts Printed		yes/no	
◇ sac_pt_isb	Items in Installed Base	IB	yes/no	
sac_qo	Next Service Quote	Nxt Qte	>>>>>>9	
sac_qo_pre	Quote Prefix	Qte	x(1)	
sac_renewal_days	Renewal Days		-,>>>,>>9	
sac_renew_fmt	Renew Format		x(4)	
sac_reval_bill	Revaluate at Billing		yes/no	
sac_reval_wnd	Revaluation Window		yes/no	
◇ sac_revenue	Revenue Type		x(1)	
sac_rvidx_nxtbl	Index at Next Bill		yes/no	

Field Name	Label	Col-Label	Format	Dec
sac_sa	Next Service Contract		>>>>>>9	
sac_saqo_nbr	Same Number for Quote/ Contract		yes/no	
sac_sa_multi	Multiple Contracts		yes/no	
sac_sa_pre	Contract Prefix	Ct	x(1)	
sac_sa_site	Contract Site		x(8)	
sac_so_hist	Keep Contract History		yes/no	
sac_so_nbr	Next Service Sales order		>>>>>>9	
sac_so_pre	Service SO Prefix		x(3)	
sac_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
sac_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
sac_user1	Ufld1		x(8)	
sac_user2	Ufld2		x(8)	
sac_user_pricing	User Contract Pricing		yes/no	
sac__chr01			x(8)	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac__dec01			->>>, >>>, >>9.99	10
sac__dec02			->>>, >>>, >>9.99	10
sac__dec03			->>>, >>>, >>9.99	10
sac__dte01			99/99/99	
sac__dte02			99/99/99	
sac__dte03			99/99/99	
sac__dte04			99/99/99	
sac__log01			yes/no	
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->, >>>, >>9	
sac__qadi02	QAD Integer Field 2		->, >>>, >>9	
sac__qadi01	QAD Logical Field 1		yes/no	
sac__qadi02	QAD Logical Field 2		yes/no	
sac__qadi03	QAD Logical Field 3		yes/no	
sac__qadi04	QAD Logical Field 4		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sac_index1	yes	sac_index1	yes	no

sadh_hist Service Contract Detail History

Field Name	Label	Col-Label	Format	Dec
sadh_amt_type	Amount Type	AT	x(1)	
sadh_area	Area		x(8)	
sadh_cancel	Cancel Date		99/99/99	
sadh_ca_nbr	Call		x(8)	
sadh_cmtindx	Comment Index	Comment	>>>>>>9	
sadh_comment{5}	Comments		x(40)	
sadh_comm_pct{4}	Commission	Comm%	>>9.99%	2
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_desc	Description		x(24)	
sadh_discount	Discountable		yes/no	
sadh_disc_pct	Disc %		->>9.99%	2
sadh_end_date	End Date	End	99/99/99	
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>, >>>, >>9.99<<	4
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_lst_bill	Last Bill		99/99/99	
sadh_mod_date	Modified Date	Mod Date	99/99/99	
sadh_mod_userid	User ID		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>, >>>, >>9.99<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlist_fnd	Price List Found		yes/no	
sadh_procline	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	
sadh_pvm_only	PM Only		yes/no	
sadh_pvm_route	Routing		x(18)	
sadh_qty_bld	Billed Count		->>>, >>9.9<<<<<	10
sadh_qty_chg	Qty to Bill		->, >>>, >>9.9<<<<<<<<<	10
sadh_qty_item	Item Quantity	Item Qty	>>, >>9.9	3
sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	3
sadh_qty_lst	Qty Last Billed	Last Qty	->, >>>, >>9.9<<	3
sadh_qty_per	Duration		->>>9.9<<<	10
sadh_ref	Ref		>>>>>>9	
sadh_serial	Lot/Serial		x(18)	
sadh_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
sadh_so_line	Sales Order Line		>>9	
sadh_so_ship	From Sales Order		x(8)	
sadh_so_shipln	From SO Line		>>9	
sadh_status	Status		x(8)	
sadh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sadh_st_cover	Coverage		99/99/99	
sadh_st_date	Start Date	Start	99/99/99	
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sadh_total_price	Total Price		>>>>,>>>,>>9.99<<<	10
sadh_tmnr	Transaction		>>>>>>>>>>9	
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	2
sadh__chr01	User Field #1		x(8)	
sadh__chr02	User Field #2		x(8)	
sadh__chr03	User Field #3		x(8)	
sadh__chr04	User Field #4		x(8)	
sadh__chr05	User Field #5		x(8)	
sadh__chr06	User Field #6		x(8)	
sadh__chr07	User Field #7		x(8)	
sadh__chr08	User Field #8		x(8)	
sadh__chr09	User Field #9		x(8)	
sadh__chr10	User Field #10		x(8)	
sadh__dec01	User Decimal Field #1		>>>,>>>,>>9.99	10
sadh__dec02	User Decimal Field #2		>>>,>>>,>>9.99	10
sadh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	

Field Name	Label	Col-Label	Format	Dec
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sadh_nbrln	no	sadh_nbr	yes	no
		sadh_prefix	yes	no
		sadh_line	yes	no
		sadh_end_date	yes	no
sadh_serial	no	sadh_serial	yes	no
		sadh_end_date	yes	no
* sadh_trnbr	yes	sadh_trnbr	yes	no

sad_det

Service Contract Detail

Field Name	Label	Col-Label	Format	Dec
◇ sad_accrued	Accrued	Accr	yes/no	
sad_acct	Sales Acct	Sales	x(8)	
sad_amt_type	Amount Type	AT	x(1)	
sad_area	Area		x(8)	
◇ sad_autorenew	Auto Renew	Renew	yes/no	
◇ sad_bill_to	Bill To		x(8)	
◇ sad_blanket_eu	Blanket End User		yes/no	
sad_cancel	Cancel Date		99/99/99	
sad_ca_nbr	Call		x(8)	
sad_cc	Cost Ctr	CC	x(4)	
sad_cmtindx	Comment Index	Comment	>>>>>>9	
sad_comment[5]	Comments		x(40)	
sad_comm_pct[4]	Commission	Comm%	>>9.99%	2
sad_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
◇ sad_curr	Currency	Cur	x(3)	
◇ sad_cust	Customer		x(8)	
sad_custpart	Customer Item		x(18)	
sad_cycle	Billing Cycle	Cyc	x(2)	
sad_desc	Description		x(24)	
sad_discount	Discountable		yes/no	
sad_disc_pct	Disc %		->>9.99%	2
sad_dsc_acct	Disc Acct		x(8)	
sad_dsc_cc	CC		x(4)	
sad_dsc_project	Disc Project		x(8)	
sad_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sad_end_date	End Date	End	99/99/99	
sad_es_nbr	Escalation		x(8)	
sad_eu_nbr	End User		x(8)	
sad_expire	Expires		99/99/99	
◇ sad_exru_seq	Sequence		>>>>>>>9	
◇ sad_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
◇ sad_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
◇ sad_ex_ratetype	Rate Type		x(8)	
sad_fix_pr	Fixed Price		yes/no	
◇ sad_fix_rate	Fixed Rate	Fixed	yes/no	

Field Name	Label	Col-Label	Format	Dec
sad_for	Supported Item	Item	x(18)	
sad_fst_list	FST on List		yes/no	
sad_lastbill	Date Last Billed		99/99/99	
Δ sad_line	Contract Line	Con Line	>>>>>>9	
◇ sad_line_type	Line Type	LT	x(1)	
sad_list_pr	List Price	Lst Price	->>>>, >>>, >>9.99<<<	10
sad_lstcover	Last Billed	Lst Bill	99/99/99	
sad_lst_bill	Last Bill		99/99/99	
sad_mod_date	Modified Date	Mod Date	99/99/99	
sad_mod_userid	User ID		X(8)	
sad_mrp	Link Line to MRP		yes/no	
Δ sad_nbr	Contract		x(8)	
sad_nxt_bill	Next Bill		99/99/99	
◇ sad_parent_line	Parent Line		>>>>>>9	
sad_pct_type	Percent Type	PT	x(1)	
sad_per_date	Perform Date	Perform	99/99/99	
◇ sad_po	Purchase Order		x(20)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>, >>>, >>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlst_fnd	Price List Found		yes/no	
sad_prodlne	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>, >>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->, >>>, >>9.9<<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>, >>9.9	3
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	3
sad_qty_lst	Qty Last Billed	Last Qty	->, >>>, >>9.9<<	3
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>>9	
◇ sad_released	Released To Contract	Rel	yes/no	
◇ sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
Δ sad_sod_line	Sales Order Line		>>9	
◇ sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
Δ sad_sv_code	Service Type	Svc Type	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	

Field Name	Label	Col-Label	Format	Dec
sad_total_bld	Total Billed		>>>>, >>>, >>9.99<<<<	10
sad_type	Ship Type	T	x(1)	
◇ sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	2
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sad_xslspn[3]	Salesperson	Salespsn	x(8)	0
sad__chr01			x(8)	
sad__chr02			x(8)	
sad__chr03			x(8)	
sad__chr04			x(8)	
sad__chr05			x(8)	
sad__chr06			x(8)	
sad__chr07			x(8)	
sad__chr08			x(8)	
sad__chr09			x(8)	
sad__chr10			x(8)	
sad__dec01			>>>, >>>, >>9.99	10
sad__dec02			>>>, >>>, >>9.99	10
sad__dte01			99/99/99	
sad__dte02			99/99/99	
sad__log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadc05			x(8)	
sad__qadc06			x(4)	
sad__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	
sad__qadt01	Qad Date #1		99/99/99	
sad__qadt02	Qad Date #2		99/99/99	
sad__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sad_enduser	yes	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line	yes	no
◇ sad_eu_line	yes	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_eu_nbr	yes	no
		sad_ui_line	yes	no
◇ sad_line_eu	no	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_ui_line	yes	no
		sad_eu_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* sad_nbrln	yes	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line	yes	no
sad_part	no	sad_for	yes	no
		sad_serial	yes	no
		sad_ref	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
sad_serial	no	sad_prefix	yes	no
		sad_serial	yes	no

sah_hist

Service Contract History

Field Name	Label	Col-Label	Format	Dec
sah_area	Area		x(8)	
sah_arrears	Bill Arrears	Arrear	yes/no	
sah_autornew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		>>>9.99<<<	6
sah_bill_cnt	Bill Count	Bill Cnt	->>>>>>9	
sah_bill_to	Bill To		x(8)	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		yes/no	
sah_bol	BOL		x(18)	
sah_calls_allow	Calls Allowed		>>>>>>9	
sah_calls_total	Total Calls		>>>>>>9	
sah_cancel	Cancel Date		99/99/99	
sah_can_tax	PST Pct		->>9.99<<%	10
sah_channel	Channel		x(8)	
sah_cmtindx	Comment Index	Comment	>>>>>>>9	
sah_comm_pct[4]	Commission	Comm%	>>9.99%	2
sah_complete	Complete	Cplt	yes/no	
sah_conf_date	Confirmed Date	Confirmed	99/99/99	
sah_cr_card	Credit Card	Card	x(2)	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(8)	
sah_curr	Currency	Cur	x(3)	
sah_cust	Customer		x(8)	
sah_cycle	Billing Cycle	Cyc	x(2)	
sah_date_printed	Date Printed		99/99/99	
sah_disc_pct	Disc %		->9.99%	2
sah_enduser	End User		x(8)	
sah_end_date	End Date		99/99/99	
sah_ent_ex	Exch Rate		>>>>>>9.99999<<<<<<<	10
sah_exp_date	Expire Date	Exp Date	99/99/99	
sah_exru_seq	Sequence		>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_ex_rate	Exch Rate		>>>>>>>>>>>>9.9<<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>>>>>>>>>9.9<<<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0\$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_invoiced	Invoiced		yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	2
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_procline	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah_prt_0itm	Print 0\$ Items		yes/no	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	3
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_release	Release to Contract	Rel	yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_reval_index	Revaluation Index Month		>>9	
sah_reval_period	Revaluation Period		>>9	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_schedule	Billing Schedule File		yes/no	
sah_sched_start	PM Start Date	Start	yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_shipvia	Ship Via		x(20)	
sah_ship_date	Ship Date		99/99/99	
sah_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_source	Order Source	Source	x(8)	
sah_so_nbr	Sales Order	Order	x(8)	
sah_stat	Action Status	St	x(2)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_summarize	Summarize		yes/no	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	2
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sah_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>g	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	2
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0
sah__chr01	User Field #1		x(8)	
sah__chr02	User Field #1		x(8)	
sah__chr03	User Field #3		x(8)	
sah__chr04	User Field #4		x(8)	
sah__chr05	User Field #5		x(8)	
sah__chr06	User Field #6		x(8)	
sah__chr07	User Field #7		x(8)	
sah__chr08	User Field #8		x(8)	
sah__chr09	User Field #9		x(8)	
sah__chr10	User Field #10		x(8)	
sah__dec01	User Decimal #1		>>>, >>>, >>9.99	10
sah__dec02	User Decimal #2		>>>, >>>, >>9.99	10
sah__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sah__dte01	User Date #1		99/99/99	
sah__dte02	User Date #2		99/99/99	
sah__dte03	User Date #3		99/99/99	
sah__log01	User Logical #1		yes/no	
sah__log02	User Logical #2		yes/no	
sah__log03	User Logical #3		yes/no	
sah__qadc01	Qad Field #1		x(8)	
sah__qadc02	Qad Field #2		x(8)	
sah__qadc03	Qad Field #3		x(8)	
sah__qadc04	Qad Field #4		x(8)	
sah__qadc05			x(8)	
sah__qadc06			x(4)	
sah__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sah__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sah__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10

Field Name	Label	Col-Label	Format	Dec
sah__qadl01	Qad Logical #1		yes/no	
sah__qadl02	Qad Logical #2		yes/no	
sah__qadl03	Qad Logical #3		yes/no	
sah__qadl04	QAD Logical Field		yes/no	
sah__qadt01	Qad Date #1		99/99/99	
sah__qadt02	Qad Date #2		99/99/99	
sah__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sah_enduser	no	sah_enduser	yes	no
		sah_prefix	yes	no
		sah_nbr	yes	no
sah_nbr	no	sah_nbr	yes	no
		sah_prefix	yes	no
		sah_end_date	yes	no
* sah_trnbr	yes	sah_trnbr	yes	no

salh_hist Service/Support Contract Limits History

Field Name	Label	Col-Label	Format	Dec
salh_budget	Budget		>>>>,>>>,>>9.99<<<	10
salh_call	Call		X(8)	0
salh_calls_allow	Calls Allowed		>>9	
salh_calls_total	Total Calls		>>9	
salh_category	Category		X(8)	0
salh_ca_int_type	Work Code		x(8)	
salh_code	Limit Code		x(8)	
salh_consumed_amt	Consumed Amount	Consumed	>>>>,>>>,>>9.99	2
salh_consumed_date	Activity Date		99/99/99	
salh_days	Days of Coverage		>,>>>,>>9	
salh_end	End Date		99/99/99	
salh_fcg_code	Charge Code	Charge	x(8)	
salh_file	File		x(16)	
salh_first_activity	First Activity		99/99/99	
salh_fis_sort	Invoice Sort		x(18)	
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	2
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	

Field Name	Label	Col-Label	Format	Dec
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>, >>>, >>9.99<<<	10
salh_trnbr	Trans		>>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>, >>>, >>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufld1		x(8)	
salh_user2	Ufld2		x(8)	
salh__chr01	User Field #1		x(8)	
salh__chr02	User Field #2		x(8)	
salh__chr03	User Field #3		x(8)	
salh__chr04	User Field #4		x(8)	
salh__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
salh__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
salh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
salh__dte01	User Date #1		99/99/99	
salh__dte02	User Date #2		99/99/99	
salh__dte03	User Date #3		99/99/99	
salh__log01	User Logical #1		yes/no	
salh__log02	User Logical #2		yes/no	
salh__log03	User Logical #3		yes/no	
salh__qadc01	Qad Field #1		x(8)	
salh__qadc02	Qad Field #2		x(8)	
salh__qadc03	Qad Field #3		x(8)	
salh__qadc04	Qad Field #4		x(8)	
salh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
salh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
salh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
salh__qadd04	Qad Decimal #4		->>>, >>>, >>9.99<<<<	10
salh__qadl01	Qad Logical #1		yes/no	
salh__qadl02	Qad Logical #2		yes/no	
salh__qadl03	Qad Logical #3		yes/no	
salh__qadl04	QAD Field		yes/no	
salh__qadt01	Qad Date #1		99/99/99	
salh__qadt02	Qad Date #2		99/99/99	
salh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
salh_call	no	salh_category	yes	no
		salh_call	yes	no
		salh_itm_line	yes	no
		salh_report	yes	no
		salh_op	yes	no
		salh_usage	yes	no
salh_days	no	salh_trnbr	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_sequence	yes	no
		salh_file	yes	no
		salh_prefix	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_start	yes	no
		salh_trnbr	yes	no
* salh_trnbr	yes	salh_trnbr	yes	no

sal_mstr Service/Support Contract Limits Master

Field Name	Label	Col-Label	Format	Dec
sal_bg_price	Price		->>>>, >>>, >>9.99<<<	10
sal_budget	Budget		>>>>, >>>, >>9.99<<<	10
sal_calls_allow	Calls Allowed		>>9	
sal_calls_total	Total Calls		>>9	
sal_ca_int_type	Work Code	Wk Code	x(8)	
sal_code	Limit Code		x(8)	
sal_days	Days of Coverage	Days	>, >>>, >>9	
sal_end	End Date		99/99/99	
sal_fcg_code	Charge Code	Charge	x(8)	
sal_file	File		x(16)	
sal_first_activity	First Activity		99/99/99	
sal_fis_sort	Invoice Sort		x(18)	
sal_fsc_code	Service Category	Svc Cat	x(8)	
sal_last_activity	Last Activity		99/99/99	
sal_limit_amt	Limit Amount	Amount	>>>>, >>>, >>9.99<<<	10
Δ sal_line	Line		>>>>>>>9	
sal_listpr_limit	List Price Limit		>>>>, >>>, >>9.99<<<	10
sal_mod_date	Modified Date	Mod Date	99/99/99	
sal_mod_userid	User ID		X(8)	
sal_nbr	Number		x(36)	
sal_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
sal_pct_covered	Percent Covered	%Cv	>>9	2
sal_per_call	Per Call Limit	Call	yes/no	
sal_prefix			x(3)	
sal_sequence	Sequence	Seq	>>9	
sal_start	Start		99/99/99	
sal_total	Consumed		>>>>, >>>, >>9.99<<<	10
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>, >>>, >>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	
sal__chr01	User Field #1		x(8)	
sal__chr02	User Field #2		x(8)	
sal__chr03	User Field #3		x(8)	
sal__chr04	User Field #4		x(8)	
sal__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
sal__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
sal__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sal__dte01	User Date #1		99/99/99	
sal__dte02	User Date #2		99/99/99	
sal__dte03	User Date #3		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sal__log01	User Logical #1		yes/no	
sal__log02	User Logical #2		yes/no	
sal__log03	User Logical #3		yes/no	
sal__qadc01	Qad Field #1		x(8)	
sal__qadc02	Qad Field #2		x(8)	
sal__qadc03	Qad Field #3		x(8)	
sal__qadc04	Qad Field #4		x(8)	
sal__qadd01	Qad Date #1		99/99/99	
sal__qadd02	Qad Date #2		99/99/99	
sal__qadd03	Qad Date #3		99/99/99	
sal__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sal__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sal__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sal__qadl01	Qad Logical #1		yes/no	
sal__qadl02	Qad Logical #2		yes/no	
sal__qadl03	Qad Logical #3		yes/no	
sal__qadl04	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sal_days	no	sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_sequence	yes	no
* sal_nbr	yes	sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_start	yes	no

sap_det

Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
sap_act_date	Actual Date	Actual	99/99/99	
sap_assign	Assigned		X(8)	
sap_bom_type	BOM Type		x(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		yes/no	
sap_desc	Comments		x(34)	
sap_group	Schedule Group		x(8)	
Δ sap_line	Contract Line		>>>>>>9	
sap_mod_date	Modified Date	Mod Date	99/99/99	
sap_mod_userid	User ID		X(8)	
sap_mrp	Link to MRP		yes/no	

Field Name	Label	Col-Label	Format	Dec
Δ sap_nbr	Contract Number		x(8)	
sap_prefix	Prefix		x(2)	
sap_sched_date	Schedule Date	Schedule	99/99/99	
sap_user1	Ufld1		x(8)	
sap_user2	Ufld2		x(8)	
sap__qadc01	QAD Characater Field 1		X(8)	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		99/99/99	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		->,>>>,>>9	
sap__qadi02	QAD Integer Field 2		->,>>>,>>9	
sap__qadi01	QAD Logical Field 1		yes/no	
sap__qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sap_assign	no	sap_assign	yes	no
		sap_sched_date	yes	no
sap_grpsch	no	sap_nbr	yes	no
		sap_prefix	yes	no
		sap_group	yes	no
		sap_sched_date	yes	no
* sap_nbrln	yes	sap_nbr	yes	no
		sap_prefix	yes	no
		sap_line	yes	no
		sap_sched_date	yes	no
sap_sched	no	sap_group	yes	no
		sap_sched_date	yes	no
		sap_prefix	yes	no
		sap_nbr	yes	no
sap_sched_date	no	sap_sched_date	yes	no

sar_mstr Service Contract Serial Number Master

Field Name	Label	Col-Label	Format	Dec
Δ sar_nbr	Service Contract	Contract	x(8)	
sar_part	Item		x(18)	
sar_prefix	Prefix	P	x(1)	
sar_ref	Ref		x(18)	
◇ sar_sad_line	Contract Line		>>>>>>>9	
sar_serial	Lot/Serial		x(18)	
sar_user1	Ufld1		x(8)	
sar_user2	Ufld2		x(8)	
sar__chr01			x(8)	
sar__chr02			x(8)	
sar__chr03			x(8)	
sar__dec01			->>>,>>>,>>9.99	10
sar__dec02			->>>,>>>,>>9.99	10
sar__dte01			99/99/99	
sar__dte02			99/99/99	
sar__log01			yes/no	
sar__log02			yes/no	
Δ sar__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* sar_nbrln	yes	sar_nbr	yes	no
		sar_prefix	yes	no
		sar_sad_line	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
Δ sar_serial	no	sar_prefix	yes	no
		sar_serial	yes	no
		sar_part	yes	no
		sar_ref	yes	no
		sar_nbr	yes	no
Δ sar_serialref	yes	sar_sad_line	yes	no
		sar_part	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
		sar_prefix	yes	no
		sar_nbr	yes	no
		sar_sad_line	yes	no

sa_mstr

Service Contract Master

Field Name	Label	Col-Label	Format	Dec
sa_area	Area		x(8)	
sa_arrears	Bill Arrears	Arrear	yes/no	
sa_ar_acct	AR Account	AR	x(8)	
sa_ar_cc	Cost Ctr	CC	x(4)	
sa_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
sa_autorenew	Auto Renew	A Renew	yes/no	
sa_base_pct	Contract Base		>>>9.99<<<	6
sa_bill_cnt	Bill Count	Bill Cnt	->, >>>, >>9	
◇ sa_bill_enduser	Bill End Users		yes/no	
◇ sa_bill_summary	Bill Summary		yes/no	
sa_bill_to	Bill To		x(8)	
sa_bill_type	Billing Type		x(8)	
sa_blanket	Blanket Contract		yes/no	
sa_bol	BOL		x(18)	
sa_calls_allow	Calls Allowed		>>>, >>9	
sa_calls_total	Total Calls		>>>, >>9	
◇ sa_call_price	Call Price List	Price	x(8)	
sa_cancel	Cancel Date		99/99/99	
sa_can_tax	PST Pct		->>9.99<<%	10
sa_channel	Channel		x(8)	
sa_cmtindx	Comment Index	Comment	>>>>>>>9	
sa_comm_pct[4]	Commission	Comm%	>>9.99%	2
sa_complete	Complete	Cplt	yes/no	
sa_conf_date	Confirmed Date	Confirmed	99/99/99	
sa_cr_card	Credit Card	Card	x(2)	
sa_cr_init	Cr Initials	Initials	x(2)	
sa_cr_terms	Credit Terms	Terms	x(8)	
sa_curr	Currency	Cur	x(3)	
sa_cust	Customer		x(8)	
sa_cycle	Billing Cycle	Cyc	x(2)	

Field Name	Label	Col-Label	Format	Dec
sa_date_printed	Date Printed		99/99/99	
sa_disc_pct	Disc %		->9.99%	2
sa_enduser	End User		x(8)	
sa_end_date	End Date		99/99/99	
sa_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
sa_exp_date	Expire Date	Exp Date	99/99/99	
sa_exru_seq	Sequence		>>>>>>>9	
sa_ext_date	Extend Date	Ext Date	99/99/9999	
sa_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_ratetype	Rate Type		x(8)	
sa_fix_pr	Fixed Price		yes/no	
sa_fix_rate	Fixed Rate	Fixed	yes/no	
sa_fob	FOB Point		x(20)	
sa_free_frm	Free Coverage From		99/99/99	
sa_free_to	Free Coverage To		99/99/99	
◇ sa_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
◇ sa_fsaccr_cc	Accrued Revenue CC		x(4)	
◇ sa_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
◇ sa_fsdef_acct	Deferred Revenue	Deferred	x(8)	
◇ sa_fsdef_cc	Deferred Revenue CC		x(4)	
◇ sa_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
sa_fst_id	FST ID		x(18)	
sa_gen_0itm	Generate 0\$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_invoiced	Invoiced		yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
◇ sa_item_enduser	Item End Users		yes/no	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Modified Date	Mod Date	99/99/99	
sa_mod_userid	User ID		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>9.99	2
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_periodic	Periodic Billing		yes/no	
◇ sa_per_bill	Period Based Billing	PBB	yes/no	
sa_po	Purchase Order		x(20)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodlne	Product Line	Line	x(4)	
sa_project	Project		x(8)	
◇ sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_0itm	Print 0\$ Items		yes/no	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_pst	PST		yes/no	

Field Name	Label	Col-Label	Format	Dec
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	3
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_release	Release To Contract	Rel	yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_revalue_date	Revaluation Date		99/99/99	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
◇ sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_schedule	Billing Schedule File		yes/no	
sa_sched_start	PM Start Date	Start	yes/no	
sa_serial_det	Serial Detail		yes/no	
sa_shipvia	Ship Via		x(20)	
sa_ship_date	Ship Date		99/99/99	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_source	Order Source	Source	x(8)	
sa_so_nbr	Sales Order	Order	x(8)	
sa_stat	Action Status	St	x(2)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_summarize	Summarize		yes/no	
△ sa_sv_code	Service Type	Svc Type	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	2
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sa_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufld1		x(8)	
sa_user2	Ufld2		x(8)	
sa_visits	Visits		>>9	2
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sa__chr01			x(8)	
sa__chr02			x(8)	
sa__chr03			x(8)	
sa__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
sa__chr05			x(8)	
sa__chr06			x(8)	
sa__chr07			x(8)	
sa__chr08			x(8)	
sa__chr09			x(8)	
sa__chr10			x(8)	
sa__dec01			>>>, >>>, >>9.99	10
sa__dec02			>>>, >>>, >>9.99	10
sa__dec03	User Decimal Field		->>, >>9.99	10
sa__dte01			99/99/99	
sa__dte02			99/99/99	
sa__dte03	User Date Field		99/99/99	
sa__log01			yes/no	
sa__log02	User Logical field		yes/no	
sa__log03	User Logical Field		yes/no	
sa__qadc01	Qad Field #1		x(8)	
sa__qadc02	Qad Field #2		x(8)	
sa__qadc03	Qad Field #3		x(8)	
sa__qadc04	Qad Field #4		x(8)	
sa__qadc05[2]			x(8)	0
sa__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sa__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sa__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sa__qadl01	Qad Logical #1		yes/no	
sa__qadl02	Qad Logical #2		yes/no	
sa__qadl03	Qad Logical #3		yes/no	
sa__qadl04	QAD Logical Field		yes/no	
sa__qadt01	Qad Date #1		99/99/99	
sa__qadt02	Qad Date #2		99/99/99	
sa__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sa_cust	yes	sa_cust	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_enduser	no	sa_enduser	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_end_date	no	sa_end_date	yes	no
		sa_nbr	yes	no
* sa_nbr	yes	sa_prefix	yes	no
sa_po_nbr	no	sa_po	yes	no
		sa_cust	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no

sbic_mstr Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	
sbc_qty_bill	Qty to Bill		->, >>>, >>9.9<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	
sbc__chr01			x(8)	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc__qadc01	QAD Character Field 1		X(8)	
sbc__qadc02	QAD Character Field 2		X(8)	
sbc__qadc03	QAD Character Field 3		X(8)	
sbc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
sbc__qadl01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sbc_code	yes	sbc_code	yes	no

sbd_det Sub-Account/Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
sbd_acc_beg	Range of Accounts	From! Account	x(8)	
sbd_acc_end	To	To! Account	x(8)	
sbd_line	Line		>>9	
sbd_sub	Sub-Account	Sub-Acct	x(8)	
sbd_user1	Ufld1		x(8)	
sbd_user2	Ufld2		x(8)	
sbd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sbd_index	yes	sbd_sub	yes	no
		sbd_line	yes	no

sbic_ctl Self-Bill Control

Field Name	Label	Col-Label	Format	Dec
sbic_active	Enable Self-Billing		yes/no	
sbic_index1	Index		>>>>>9	
sbic_next_sb	Next Self-Bill		>>>>>>>>>>>>>>>>>>9	
sbic_prefix	Self-Bill Prefix		X(3)	
sbic_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
sbic_user2	Ufld2		X(8)	
sbic_user3			X(8)	
sbic_user4			X(8)	
sbic__qadc01			X(8)	
sbic__qadc02			X(8)	
sbic__qadc03			X(8)	
sbic__qadc04			X(8)	
sbic__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadi01			>>>>>>9	
sbic__qadi02			>>>>>>9	
sbic__qadi03			>>>>>>9	
sbic__qadi04			>>>>>>9	
sbic__qadi01			yes/no	
sbic__qadi02			yes/no	
sbic__qadi03			yes/no	
sbic__qadi04			yes/no	
sbic__qadt01			99/99/99	
sbic__qadt02			99/99/99	
sbic__qadt03			99/99/99	
sbic__qadt04			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sbic_index1	yes	sbic_index1	yes	no

sbid_det

Self-Bill Detail

Field Name	Label	Col-Label	Format	Dec
Δ sbid_amt	Paid Amount		->>>>, >>>, >>9.99<<<	10
sbid_authorization	Authorization		x(24)	
sbid_bill	Bill-To		x(8)	
sbid_cust	Sold-To		x(8)	
◇ sbid_custref	Customer Ref		x(30)	
sbid_inv_nbr	Invoice/Memo	Inv/Memo	x(8)	
sbid_line	Line		>>>, >>9	
◇ sbid_modelyr	Model Year		x(4)	
sbid_mod_date	Modified Date	Mod Date	99/99/99	
sbid_mod_userid	User ID		X(8)	
sbid_nbr	Self-Bill		x(20)	
sbid_order	Sales Order	SO	x(8)	
sbid_origin	Origin	O	x(1)	
sbid_part	Self-Bill Item		x(30)	
sbid_po	Customer PO		x(22)	
sbid_price	Paid Price		>>, >>>, >>9.99<<<	10
sbid_qty	Paid Qty		->, >>>, >>9.9<<<<<<<<	10
sbid_remarks	Remarks		x(40)	
sbid_ship_id	Shipper		x(20)	
Δ sbid_tax_amt	Tax Amt		->>>>, >>>, >>9.99<<<	10
sbid_tax_pct	Tax Rate		->>9.99<<%	4
sbid_trnbr	Trans		>>>>>>>	
sbid_type	Type	T	x(1)	
sbid_um	UM		x(2)	
sbid_user1	Ufld1		X(8)	
sbid_user2	Ufld2		X(8)	
sbid_user3			X(8)	
sbid_user4			X(8)	
sbid_user5			X(8)	
sbid_user6			X(8)	
sbid_user7			X(8)	
sbid__qadc01			X(8)	
sbid__qadc02			X(8)	
sbid__qadc03			X(8)	
sbid__qadc04			X(8)	
sbid__qadc05			X(8)	
sbid__qadc06			X(8)	
sbid__qadc07			X(8)	
sbid__qadc08			X(8)	
sbid__qadc09			X(8)	
sbid__qadc10			X(8)	
sbid__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadd03			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadd04			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadi01			>>>>>>9	
sbid__qadi02			>>>>>>9	
sbid__qadi03			>>>>>>9	
sbid__qadi04			>>>>>>9	
sbid__qadi05			>>>>>>9	
sbid__qadi01			yes/no	
sbid__qadi02			yes/no	
sbid__qadi03			yes/no	
sbid__qadi04			yes/no	

Field Name	Label	Col-Label	Format	Dec
sbid__qadl05			yes/no	
sbid__qadt01			99/99/99	
sbid__qadt02			99/99/99	
sbid__qadt03			99/99/99	
sbid__qadt04			99/99/99	
sbid__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sbid_authorization	no	sbid_authorization	yes	no
sbid_inv_nbr	no	sbid_inv_nbr	yes	no
* sbid_nbr_line	yes	sbid_bill	yes	no
		sbid_nbr	yes	no
		sbid_line	yes	no
sbid_order	no	sbid_order	yes	no
sbid_part	no	sbid_part	yes	no
		sbid_type	yes	no
sbid_ship_id	no	sbid_ship_id	yes	no
sbid_trnbr	no	sbid_trnbr	yes	no

sbi_mstr Self-Bill Master

Field Name	Label	Col-Label	Format	Dec
sbi_amt	Amt Total		->>>>, >>>, >>9.99<<<	10
sbi_bill	Bill-To		x(8)	
sbi_check	Check		x(8)	
sbi_ctrl_amt	Amt Control Total		->>>>, >>>, >>9.99<<<	10
sbi_curr	Currency	Cur	x(3)	
sbi_lines	Lines		>>>>g	
sbi_mod_date	Modified Date	Mod Date	99/99/99	
sbi_mod_userid	User ID		X(8)	
sbi_nbr	Self-Bill		x(20)	
sbi_resp_date	Response Date	Response	99/99/99	
sbi_user1	Ufld1		X(8)	
sbi_user2	Ufld2		X(8)	
sbi_user3			X(8)	
sbi_user4			X(8)	
sbi_user5			X(8)	
sbi_xmission	Transmission		x(20)	
sbi__qadc01			X(8)	
sbi__qadc02			X(8)	
sbi__qadc03			X(8)	
sbi__qadc04			X(8)	
sbi__qadc05			X(8)	
sbi__qadc06			X(8)	
sbi__qadc07			X(8)	
sbi__qadc08			X(8)	
sbi__qadc09			X(8)	
sbi__qadc10			X(8)	
sbi__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
sbi__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
sbi__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
sbi__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sbi__qadd05			->>>>, >>>, >>9.9<<<<<<<<<<	10
sbi__qadi01			>>>>>>9	
sbi__qadi02			>>>>>>9	
sbi__qadi03			>>>>>>9	
sbi__qadi04			>>>>>>9	
sbi__qadi05			>>>>>>9	
sbi__qadi01			yes/no	
sbi__qadi02			yes/no	
sbi__qadi03			yes/no	
sbi__qadi04			yes/no	
sbi__qadi05			yes/no	
sbi__qadt01			99/99/99	
sbi__qadt02			99/99/99	
sbi__qadt03			99/99/99	
sbi__qadt04			99/99/99	
sbi__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sbi_check	no	sbi_bill	yes	no
		sbi_check	yes	no
		sbi_nbr	yes	no
* sbi_nbr	yes	sbi_bill	yes	no
		sbi_nbr	yes	no
sbi_xmission	no	sbi_bill	yes	no
		sbi_xmission	yes	no
		sbi_nbr	yes	no

sb_mstr Sub-Account Master

Field Name	Label	Col-Label	Format	Dec
sb_active	Active	Act	yes/no	
sb_desc	Description		x(24)	
sb_sub	Sub-Account	Sub-Acct	x(8)	
sb_user1	Ufld1		x(8)	
sb_user2	Ufld2		x(8)	
sb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sb_desc	no	sb_desc	yes	no
* sb_sub	yes	sb_sub	yes	no
		sb_active	yes	no

sca_mstr Service Contract Additional Charge Master

Field Name	Label	Col-Label	Format	Dec
sca_amount	Amount		>>>>, >>>, >>9.99<<<	10
sca_amt_type	Amount Type		x(1)	
sca_cycle	Billing Cycle		x(8)	
sca_desc	Description		x(40)	
sca_expire	Expire Date		99/99/99	
sca_mod_date	Modified Date	Mod Date	99/99/99	
sca_mod_userid	User ID		X(8)	
sca_part	Item		x(18)	
sca_pct_type	Percent Type		x(8)	
sca_priority	Priority		>>9	
sca_prodlne	Product Line	Line	x(4)	
sca_service	Service Type		x(8)	
sca_start	Start Date		99/99/99	
sca_user1	Ufld1		x(8)	
sca_user2	Ufld2		x(8)	
sca__chr01	User Character Field 1		X(8)	
sca__chr02	User Character Field 2		X(8)	
sca__chr03	User Character Field 3		X(8)	
sca__dec01	User Decimal Field 1		->>>>, >>>, >>9.99	10
sca__dte01	User Date Field 1		99/99/99	
sca__dte02	User Date Field 2		99/99/99	
sca__qadc01	QAD Character Field 1		X(8)	
sca__qadc02	QAD Character Field 2		X(8)	
sca__qadc03	QAD Character Field 3		X(8)	
sca__qade01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
sca__qadt01	QAD Date Field 1		99/99/99	
sca__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sca_part	no	sca_part	yes	no
		sca_service	yes	no
* sca_service	yes	sca_service	yes	no
		sca_part	yes	no

◇ **scc_mstr** Customer/Ship-To Shipment Controls Master

Field Name	Label	Col-Label	Format	Dec
scc_active	Enable Shipment Performance		yes/no	
scc_customer_source	Customer Source		x(3)	
scc_include_do	Include Distribution Orders		yes/no	
scc_include_mo	Include Material Orders		yes/no	
scc_include_rma	Include RMA Shipments		yes/no	
scc_include_sched	Include Scheduled Orders		yes/no	
scc_include_so	Include Sales Orders		yes/no	
scc_mod_date	Modified Date	Mod Date	99/99/99	
scc_mod_userid	User ID		X(8)	
scc_part	Item Number		x(18)	
scc_receive_addr	Receive Address		x(8)	
scc_sched_type	Schedule Type		>9	
scc_shipfrom	Ship-From		x(8)	

Field Name	Label	Col-Label	Format	Dec
scc_ship_lt	Transit Lead Time		>>9	
scc_user1	User Field Character 1		X(24)	
scc_user2	User Field Character 2		X(24)	
scc_use_current	Use Current Release		yes/no	
scc__qadc01			X(24)	
scc__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* scc_customer_source	yes	scc_customer_source	yes	no
		scc_shipfrom	yes	no
		scc_receive_addr	yes	no
		scc_part	yes	no

schd_det Release Management Schedule Detail

Field Name	Label	Col-Label	Format	Dec
schd_all_qty	Qty Pegged		>, >>>, >>9.9<<<<	2
schd_cmtindx	Comment Index	Comment	>>>>>>>9	
schd_cum_qty	Cumulative Qty		>>>, >>>, >>9.9<<<<<<	10
schd_date	Date		99/99/99	
schd_discr_qty	Discrete Qty		>>, >>>, >>9.9<<<<<<	10
schd_fc_qual	Q		x(1)	
schd_interval	Interval		x(1)	
schd_line	Line	Ln	>>9	
schd_nbr	Order	Sls Order	x(8)	
◇ schd_per_date	Perform Date	Perform	99/99/99	
schd_reference	Reference		x(24)	
◇ schd_reference_type	Reference Type	Ref! Type	x(2)	
schd_rlse_id	Release ID		x(30)	
schd_ship_qty	Qty Shipped		>>, >>>, >>9.9<<<<<<	10
schd_time	Time		99:99	
schd_type	Schedule Type		>9	
schd_upd_qty	Quantity		>>, >>>, >>9.9<<<<<<	10
schd_user1	Ufld1		x(8)	
schd_user2	Ufld2		x(8)	
schd_chr01			x(8)	
schd_chr02			x(8)	
schd_chr03			x(8)	
schd_chr04			x(8)	
schd_chr05			x(8)	
schd_chr06			x(8)	
schd_chr07			x(8)	
schd_chr08			x(8)	
schd_chr09			x(8)	
schd_chr10			x(8)	
schd_dec01			>>>, >>>, >>9.99	10
schd_dec02			>>>, >>>, >>9.99	10
schd_dec03			>>>, >>>, >>9.99	10
schd_dec04			>>>, >>>, >>9.99	10
schd_dec05			>>>, >>>, >>9.99	10
schd_dec06			>>>, >>>, >>9.99	10
schd_dec07			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
schd__dec08			>>>, >>>, >>9.99	10
schd__dec09			>>>, >>>, >>9.99	10
schd__dec10			>>>, >>>, >>9.99	10
schd__dte01			99/99/99	
schd__dte02			99/99/99	
schd__log01			yes/no	
schd__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* schd_dtr	yes	schd_type	yes	no
		schd_nbr	yes	no
		schd_line	yes	no
		schd_rlse_id	yes	no
		schd_date	yes	no
		schd_time	yes	no
		schd_interval	yes	no
		schd_reference	yes	no

sch_mstr Release Management Schedule Master

Field Name	Label	Col-Label	Format	Dec
sch_cmtindx	Comment Index	Comment	>>>>>>9	
sch_cr_date	Create Date		99/99/99	
sch_cr_time	Create Time		>>>>9	
sch_cumulative	Cumulative	Cum	yes/no	
sch_eff_end	Effective End		99/99/99	
sch_eff_start	Effective Start		99/99/99	
sch_fab_end	Fab End		99/99/99	
sch_fab_qty	Fab Qty		>>>, >>>, >>9.9<<<<<<<	10
sch_fab_strt	Fab Start		99/99/99	
sch_from_pid	From Plan Id		x(30)	
sch_from_sid	From Ship Id		x(30)	
sch_line	Line	Ln	>>9	
sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
sch_lr_cum_qty[10]	Cum Receipt Qty		>>>, >>>, >>9.9<<<<<<<<<<	10
sch_lr_date[10]	Receipt Date		99/99/99	
sch_lr_qty[10]	Receipt Qty		>>>, >>>, >>9.9<<<<<<<<<<	10
sch_lr_time[10]	Time		99:99	
sch_nbr	Order	Sls Order	x(8)	
sch_pcr_qty	Prior Cum Req		>>>, >>>, >>9.9<<<<<<<	10
sch_pcs_date	Prior Cum Date		99/99/99	
sch_pdr_qty	Prior Discrete Req		>>>, >>>, >>9.9<<<<<<<	10
sch_prp_ext	Ext Purpose Code		x(10)	
sch_prp_int	Int Purpose Code		x(10)	
sch_raw_end	Raw End		99/99/99	
sch_raw_qty	Raw Qty		>>>, >>>, >>9.9<<<<<<<	10
sch_raw_strt	Raw Start		99/99/99	
sch_rlse_id	Release ID		x(30)	
sch_sd_dates	Schedule Date Type		Ship/Delivery	
sch_sd_pat	Ship/Dlvy Pattern		x(2)	
sch_sd_time	Ship/Dlvy Time		x(2)	
sch_ship	Ship To		x(8)	

Field Name	Label	Col-Label	Format	Dec
sch_type	Schedule Type		>9	
sch_user1	Ufld1		x(8)	
sch_user2	Ufld2		x(8)	
sch__chr01			x(8)	
sch__chr02			x(8)	
sch__chr03			x(8)	
sch__chr04			x(8)	
sch__chr05			x(8)	
sch__chr06			x(8)	
sch__chr07			x(8)	
sch__chr08			x(8)	
sch__chr09			x(8)	
sch__chr10			x(8)	
sch__dec01			>>>, >>>, >>9.99	10
sch__dec02			>>>, >>>, >>9.99	10
sch__dec03			>>>, >>>, >>9.99	10
sch__dec04			>>>, >>>, >>9.99	10
sch__dec05			>>>, >>>, >>9.99	10
sch__dec06			>>>, >>>, >>9.99	10
sch__dec07			>>>, >>>, >>9.99	10
sch__dec08			>>>, >>>, >>9.99	10
sch__dec09			>>>, >>>, >>9.99	10
sch__dec10			>>>, >>>, >>9.99	10
sch__dte01			99/99/99	
sch__dte02			99/99/99	
sch__log01			yes/no	
sch__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sch_tnlr	no	sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_cr_date	yes	no
		sch_cr_time	yes	no
	yes	sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_rlse_id	yes	no

sct_det Cost Simulation Total Detail

Field Name	Label	Col-Label	Format	Dec
sct_bdn_ll	Burden LL		>>>>, >>>, >>9.99<<<	10
sct_bdn_tl	Burden		>>>>, >>>, >>9.99<<<	10
sct_cost_changed	Cost Changed		yes/no	
sct_cst_date	Cost Update	Updated	99/99/99	
sct_cst_tot	Cost Total		>>>>, >>>, >>9.99<<<	10
sct_lbr_ll	Labor LL		>>>>, >>>, >>9.99<<<	10
sct_lbr_tl	Labor		>>>>, >>>, >>9.99<<<	10
sct_mtl_ll	Material LL		>>>>, >>>, >>9.99<<<	10
sct_mtl_tl	Material		>>>>, >>>, >>9.99<<<	10
sct_nrv	Net Realized Value	NR! Value	>>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
sct_ovh_ll	Overhead LL		>>>>, >>>, >>9.99<<<<	10
sct_ovh_tl	Overhead		>>>>, >>>, >>9.99<<<<	10
sct_part	Item Number		x(18)	
sct_rollup	Freeze	Frz	yes/no	
sct_rollup_id	Rollup ID		x(18)	
sct_serial	Lot/Serial		x(18)	
sct_sim	Cost Set		x(8)	
sct_site	Site		x(8)	
sct_sub_ll	Subcontract LL		>>>>, >>>, >>9.99<<<<	10
sct_sub_tl	Subcontract		>>>>, >>>, >>9.99<<<<	10
sct_user1	Ufld1		x(8)	
sct_user2	Ufld2		x(8)	
sct__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sct_part_sim	no	sct_part	yes	no
		sct_sim	yes	no
* sct_sim_pt_site	yes	sct_sim	yes	no
		sct_part	yes	no
		sct_site	yes	no
sct_site_part	no	sct_site	yes	no
		sct_part	yes	no
sct_site_sim	no	sct_site	yes	no
		sct_sim	yes	no

scx_ref Scheduled Order Cross-Reference

Field Name	Label	Col-Label	Format	Dec
◇ scx_custref	Customer Ref		x(30)	
scx_line	Line		>>9	
◇ scx_modelyr	Model Year		x(4)	
scx_order	Order		x(8)	
scx_part	Item Number		x(18)	
scx_po	Purchase Order		x(22)	
scx_qkey	Quick Key		x(8)	
scx_shipfrom			x(8)	
scx_shipto			x(8)	
scx_type			9	
scx_user1	Ufld1		x(8)	
scx_user2	Ufld2		x(8)	
scx__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
scx_order	yes	scx_type	yes	no
		scx_order	yes	no
		scx_line	yes	no
Δ scx_po	no	scx_type	yes	no
		scx_po	yes	no
		scx_part	yes	no
		scx_shipto	yes	no
		scx_shipfrom	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* scx_shipfrom	yes	scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_part	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no

sc_mstr Cost Simulation Master

Field Name	Label	Col-Label	Format	Dec
sc_category	Category		x(1)	
sc_desc	Description		x(24)	
sc_element	Cost Element	Element	x(8)	
sc_sim	Cost Set		x(8)	
sc_user1	Ufld1		x(8)	
sc_user2	Ufld2		x(8)	
sc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sc_sim_cat	no	sc_sim	yes	no
* sc_sim_elem	yes	sc_category	yes	no
		sc_sim	yes	no
		sc_element	yes	no

sdttd_det Shipping Delivery Time Detail

Field Name	Label	Col-Label	Format	Dec
sdttd_code	SDT Code		x(3)	
sdttd_mod_date	Modified Date	Mod Date	99/99/99	
sdttd_mod_userid	User ID		x(8)	
sdttd_time	SDT Time		99:99	
sdttd__chr01			x(8)	
sdttd__chr02			x(8)	
sdttd__dec01			->>>, >>>, >>>9.99<	10
sdttd__dec02			->>>, >>>, >>>9.99<	10
sdttd__dte01			99/99/99	
sdttd__dte02			99/99/99	
sdttd__log01			yes/no	
sdttd__qadc01			x(8)	
sdttd__qadc02			x(8)	
sdttd__qadd01			->>>, >>>, >>>9.99<	10
sdttd__qadd02			->>>, >>>, >>>9.99<	10
sdttd__qadi01			>>>>>>9	
sdttd__qadi02			>>>>>>9	
sdttd__qadi01			yes/no	
sdttd__qadi02			yes/no	

Field Name	Label	Col-Label	Format	Dec
sdt__qadt01			99/99/99	
sdt__qadt02			99/99/99	
sdt__user1			x(8)	
sdt__user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sdt_code	yes	sdt_code	yes	no
		sdt_time	yes	no

sdt_mstr Shipping Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
sdt_code	SDT Code		X(3)	
sdt_desc	SDT Description		x(40)	
sdt_mod_date	Modified Date	Mod Date	99/99/99	
sdt_mod_userid	User ID		x(8)	
sdt__chr01			x(8)	
sdt__chr02			x(8)	
sdt__dec01			->>>, >>>, >>9.99<	10
sdt__dec02			->>>, >>>, >>9.99<	10
sdt__dte01			99/99/99	
sdt__dte02			99/99/99	
sdt__log01			yes/no	
sdt__log02			yes/no	
sdt__qadc01			x(8)	
sdt__qadc02			x(8)	
sdt__qadd01			->>>, >>>, >>9.99<	10
sdt__qadd02			->>>, >>>, >>9.99<	10
sdt__qadi01			>>>>>>9	
sdt__qadi02			>>>>>>9	
sdt__qadi01			yes/no	
sdt__qadi02			yes/no	
sdt__qadt01			99/99/99	
sdt__qadt02			99/99/99	
sdt__user1			x(8)	
sdt__user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sdt_code	yes	sdt_code	yes	no

sd_mstr Sales Order Discount Master

Field Name	Label	Col-Label	Format	Dec
sd_acct	Account		x(8)	
sd_amt	Amount		->, >>>, >>9.	0
sd_cc	Cost Ctr	CC	x(4)	
sd_curr	Currency	Cur	x(3)	
sd_cust	Customer		x(8)	

Field Name	Label	Col-Label	Format	Dec
sd_disc_pct	Disc Percent	Disc%	->>9,<<	2
sd_expire	Expire		99/99/99	
sd_ls_type	Customer Type	Cust Typ	x(8)	
sd_prodlne	Product Line	Line	x(4)	
sd_start	Start		99/99/99	
sd_sub	Sub-Account	Sub-Acct	x(8)	
sd_type	Type		x(8)	
sd_user1	Ufld1		x(8)	
sd_user2	Ufld2		x(8)	
sd__chr01			x(8)	
sd__chr02			x(8)	
sd__qad01			x(8)	
sd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sd_cust	no	sd_ls_type	yes	no
		sd_cust	yes	no
		sd_type	yes	no
		sd_amt	yes	no
* sd_type	yes	sd_type	yes	no
		sd_amt	yes	no
		sd_start	yes	no

seoc_ctrl Material Order Control

Field Name	Label	Col-Label	Format	Dec
seoc_all_days	Allocate MO Lines Due in Days		>>>>>9	
seoc_bo_advice	Next Back Order Advice		>>>>>>>9	
seoc_confirm	Confirmed Orders		yes/no	
seoc_consume	Consume Forecast	Consume Fcst	yes/no	
seoc_det_all	Detail Allocations		yes/no	
seoc_dnote	Next Delivery Note		>>>>>>>9	
seoc_ex_ratetype	Rate Type		x(8)	
seoc_hcmmts	MO Header Comments		yes/no	
seoc_immed_ship	Ship Immed		yes/no	
seoc_index1	Index		>>>>>9	
seoc_int_cust	Internal Customer		X(8)	
seoc_kit_auto	Autonumbering for Kits		yes/no	
seoc_kit_nbr	Next Kit Number		>>>>>9	
seoc_kit_pre	Kit Prefix		X(8)	
seoc_lcmmts	MO Line Comments		yes/no	
seoc_ln_fmt	Ln Format S/M		single/multi	
seoc_mod_date	Modified Date	Mod Date	99/99/99	
seoc_mod_userid	User ID		X(8)	
seoc_req	Required Qty Reduces Qty Avail		yes/no	
seoc_ship_to	Ship To		User/Engineer	
seoc_shp_lead	Shipping Lead Time		>>>9	
seoc_so	Next Material Order		>>>>>>>9	
seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
seoc_so_pre	Material Order Prefix	Pre	x(3)	
seoc_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
seoc_user2	Ufld2		X(8)	
seoc__chr01			x(8)	
seoc__chr02			x(8)	
seoc__chr03			x(8)	
seoc__chr04			x(8)	
seoc__chr05			x(8)	
seoc__dec01			>>>, >>>, >>9.99	10
seoc__dec02			>>>, >>>, >>9.99	10
seoc__dte01			99/99/99	
seoc__dte02			99/99/99	
seoc__log01			yes/no	
seoc__log02			yes/no	
seoc__qadc02	QAD Character Field 2		X(8)	
seoc__qadc03	QAD Character Field 3		x(8)	
seoc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
seoc__qadd02	QAD Decimal Field 2		->>, >>9.99	10
seoc__qadi01	QAD Field		->, >>>, >>9	
seoc__qadi02	QAD Integer Field 2		->, >>>, >>9	
seoc__qadi01	QAD Logical Field		yes/no	
seoc__qadi02	QAD Logical Field 2		yes/no	
seoc__qadt01	QAD Date Field 1		99/99/99	
seoc__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* seoc_index1	yes	seoc_index1	yes	no

seq_mstr

Production Line Schedule Sequence Master

Field Name	Label	Col-Label	Format	Dec
seq_due_date	Due Date		99/99/99	
seq_line	Line		x(8)	
seq_mode	Mode		yes/no	
seq_mode_qty			->, >>>, >>9.99	2
seq_part			x(18)	
seq_priority			>>9.99	2
seq_qty_req	Qty Req		->, >>>, >>9.99	2
seq_release	Release Date		99/99/99	
seq_shift1	Shift1		>>>9.99	
seq_shift2	Shift2		>>>9.99	2
seq_shift3	Shift3		>>>9.99	2
seq_shift4	Shift4		>>>9.99	2
seq_site	Site		x(8)	
seq_start	Start Date		99/99/99	
seq_type	Type		Forward/Backward	
seq_user1	Ufld1		x(8)	
seq_user2	Ufld2		x(8)	
seq__chr01			x(8)	
seq__chr02			x(8)	
seq__chr03			x(8)	
seq__chr04			x(8)	
seq__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
seq_dec01			>>>, >>>, >>9.99	10
seq_dec02			>>>, >>>, >>9.99	10
seq_dec03			>>>, >>>, >>9.99	10
seq_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
seq_sequence	yes	seq_site	yes	no
		seq_line	yes	no
		seq_priority	yes	no
* seq_site	yes	seq_site	yes	no
		seq_line	yes	no
		seq_part	yes	no
		seq_due_date	yes	no

sfb_det Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>9	
sfb_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_exchange	Exchange		yes/no	
sfb_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfb_fixed_price			->>>>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfb_line	Line		>>>9	
sfb_mod_date	Modified Date	Mod Date	99/99/99	
sfb_mod_userid	User ID		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	>>>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		->>>>, >>>, >>9.99<<<	10
sfb_price_on_inv	Price on Invoice		yes/no	
sfb_pst	PST Taxable		yes/no	
sfb_pt_type			>>9	
sfb_qty_billed	Qty Billed		->>>>, >>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>>, >>9.9<	10
sfb_qty_on_inv	Qty on Invoice		yes/no	
sfb_qty_req	Qty Required		->>>>, >>9.9<<	10
sfb_qty_ret	Qty Returned		->, >>>>, >>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_taxable	Taxable		yes/no	
sfb_taxc	Tax Class		x(8)	0

Field Name	Label	Col-Label	Format	Dec
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	
sfb_tax_usage	Tax Usage		x(8)	0
sfb_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	Ufld1		X(8)	
sfb_user2	Ufld2		X(8)	
sfb_chr01	User Field #1		x(8)	
sfb__chr02	User Field #2		x(8)	
sfb__chr03	User Field #3		x(8)	
sfb__chr04	User Field #4		x(8)	
sfb_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb_dte01	User Date #1		99/99/99	
sfb_dte02	User Date #2		99/99/99	
sfb__dte03	User Date #3		99/99/99	
sfb_log01	User Logical #1		yes/no	
sfb__log02	User Logical #2		yes/no	
sfb__log03	User Logical #3		yes/no	
sfb__qadc01	QAD Character Field		x(8)	0
sfb__qadc02	Qad Field #2		x(8)	
sfb__qadc03	Qad Field #3		x(8)	
sfb__qadc04	QAD Character Field		x(8)	0
sfb__qadd01	Qad Date #1		99/99/99	
sfb__qadd02	Qad Date #2		99/99/99	
sfb__qadd03	Qad Date #3		99/99/99	
sfb__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb__qadl01	QAD Logical Field		yes/no	
sfb__qadl02	QAD Logical Field		yes/no	
sfb__qadl03	QAD Logical Field		yes/no	
sfb__qadl04	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sfb_line	yes	sfb_nbr	yes	no
		sfb_so_line	yes	no
		sfb_pt_type	yes	no
		sfb_fis_sort	yes	no
		sfb_line	yes	no
sfb_report	no	sfb_report	yes	no
		sfb_op	yes	no
		sfb_part	yes	no
		sfb_line	yes	no

sfh_hist Service/Support Billing History

Field Name	Label	Col-Label	Format	Dec
sfh_ca_opn_date			99/99/99	
sfh_cmtindx	Comment Index	Comment	>>>>>>9	
sfh_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfh_desc	Description		x(24)	
sfh_detail			yes/no	
sfh_exchange	Exchange		yes/no	
sfh_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfh_fcg_code	Charge Code	Charge	x(8)	
sfh_fis_column	Column	Col	>>9	
sfh_fis_sort	Type		x(18)	
sfh_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfh_fixed_price			->>>, >>>, >>9.99<<<	10
sfh_fsc_code	Service Category	Svc Cat	x(8)	
sfh_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfh_inv_nbr	Invoice		x(8)	
sfh_line	Line		>>>9	
sfh_mod_date	Modified Date	Mod Date	99/99/99	
sfh_mod_userid	User ID		X(8)	
sfh_nbr			x(8)	
sfh_op	Operation	Op	>>>>>9	
sfh_part	Item		x(18)	
sfh_price	List Price		->>>, >>>, >>9.99<<<	10
sfh_price_on_inv	Price on Invoice		yes/no	
sfh_pst	PST Taxable		yes/no	
sfh_pt_type			>>9	
sfh_qty_billed	Qty Billed		->>>, >>9.9<	10
sfh_qty_inv	Qty to Invoice	Qty to Inv	->>>, >>9.9<	10
sfh_qty_on_inv	Qty on Invoice		yes/no	
sfh_qty_req	Qty Required		->>>, >>9.9<<	10
sfh_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
sfh_report	Report		X(8)	
sfh_ret_serial	Returned Serial		X(18)	
sfh_serial	Serial		x(18)	
sfh_so_line	SO Line		>>>9	
sfh_taxable	Taxable		yes/no	
sfh_taxc	Tax Class		x(8)	0
sfh_tax_env	Tax Environment		X(16)	0
sfh_tax_in	Tax In		yes/no	
sfh_tax_usage	Tax Usage		x(8)	0
sfh_total_std	Total Cost		->>>, >>>, >>9.99<<<	10
sfh_trnbr	Transaction		>>>>>>>>9	
sfh_um	UM		x(2)	
sfh_user1	Ufld1		X(8)	
sfh_user2	Ufld2		X(8)	
sfh_chr01	User Character Field #1		x(8)	0
sfh_chr02	User Character Field #2		x(8)	0
sfh_chr03	User Character Field #3		x(8)	0
sfh_chr04	User Character Field #4		x(8)	0
sfh_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
sfh_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
sfh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sfh_dte01	User Date #1		99/99/99	
sfh_dte02	User Date #2		99/99/99	
sfh_dte03	User Date #3		99/99/99	
sfh_log01	User Logical #1		yes/no	

Field Name	Label	Col-Label	Format	Dec
sfh__log02	User Logical #2		yes/no	
sfh__log03	User Logical #3		yes/no	
sfh__qadc01	QAD Character Field		x(8)	0
sfh__qadc02	Qad Field #2		x(8)	
sfh__qadc03	Qad Field #3		x(8)	
sfh__qadc04	QAD Character Field		x(8)	0
sfh__qadd01	Qad Date #1		99/99/99	
sfh__qadd02	Qad Date #2		99/99/99	
sfh__qadd03	Qad Date #3		99/99/99	
sfh__qadde01	Qad Decimal #1		-->>>,>>>,>>9.99<<<<	10
sfh__qadde02	Qad Decimal #2		-->>>,>>>,>>9.99<<<<	10
sfh__qadde03	Qad Decimal #3		-->>>,>>>,>>9.99<<<<	10
sfh__qadl01	QAD Logical Field		yes/no	
sfh__qadl02	QAD Logical Field		yes/no	
sfh__qadl03	QAD Logical Field		yes/no	
sfh__qadl04	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sfh_inv_nbr	no	sfh_inv_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
sfh_line	no	sfh_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
* sfh_trnbr	yes	sfh_trnbr	yes	no

sgad_det Shipping Group Address Detail

Field Name	Label	Col-Label	Format	Dec
sgad_addr	Address		x(8)	
sgad_cons_ship	Consolidate Ship		x(1)	
sgad_grp	Shipping Group	Ship Grp	x(8)	
sgad_is_src	Source/Dest		Source/Dest	
sgad_user1	Ufld1		x(8)	
sgad_user2	Ufld2		x(8)	
sgad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgad_addr	yes	sgad_addr	yes	no
		sgad_is_src	yes	no
		sgad_grp	yes	no
* sgad_grp	yes	sgad_grp	yes	no
		sgad_is_src	yes	no
		sgad_addr	yes	no

sgcd_det Shipping Group Carrier Detail

Field Name	Label	Col-Label	Format	Dec
sgcd_carrier	Carrier		x(8)	
sgcd_grp	Shipping Group	Ship Grp	x(8)	
sgcd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgcd_seq	Seq		>>9	
sgcd_user1	Ufld1		x(8)	
sgcd_user2	Ufld2		x(8)	
sgcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgcd_carrier	no	sgcd_carrier	yes	no
* sgcd_grp	yes	sgcd_grp	yes	no
		sgcd_inv_mov	yes	no
		sgcd_seq	yes	no

sgid_det Shipping Group and Inventory Movement Code Detail

Field Name	Label	Col-Label	Format	Dec
sgid_default	Default		yes/no	
sgid_format	Document Format	Format	x(8)	
sgid_grp	Shipping Group	Ship Grp	x(8)	
sgid_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgid_user1	Ufld1		x(8)	
sgid_user2	Ufld2		x(8)	
sgid__qadc01			x(8)	
sgid__qadc02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgid_default	yes	sgid_grp	yes	no
		sgid_default	yes	no
		sgid_inv_mov	yes	no
sgid_format	no	sgid_format	yes	no
* sgid_grp	yes	sgid_grp	yes	no
		sgid_inv_mov	yes	no
sgid_inv_mov	no	sgid_inv_mov	yes	no

sg_mstr Shipping Group Master

Field Name	Label	Col-Label	Format	Dec
sg_auto_tr	Auto Transfers	Auto Xfers	yes/no	
sg_desc	Description		x(30)	
sg_grp	Shipping Group	Ship Grp	x(8)	
sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	

Field Name	Label	Col-Label	Format	Dec
sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
sg_user1	Ufld1		x(8)	
sg_user2	Ufld2		x(8)	
sg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sg_grp	yes	sg_grp	yes	no
sg_inv_mov	no	sg_inv_mov	yes	no

shc_ctrl

Shipper Control

Field Name	Label	Col-Label	Format	Dec
shc_format	Document Format	Format	x(8)	
shc_index1			>>>>>9	
shc_master_nr_id	Master Bill Sequence ID		x(8)	
shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
shc_ship_nr_id	Shipper Sequence ID		x(8)	
shc_ship_rcpt	Shipment Info For Receipts		yes/no	
shc_trl_amts	Maintain Trailer Amounts		yes/no	
shc_user1	Ufld1		x(8)	
shc_user2	Ufld2		x(8)	
shc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shc_index1	yes	shc_index1	yes	no

shd_det

Shipping Schedule Detail

Field Name	Label	Col-Label	Format	Dec
shd_code	Transport ID	Trans ID	x(8)	
shd_departs	Ship Date		99/99/99	
shd_rec_site	Receiving Site	Rec Site	x(8)	
shd_src_site	Source Site	Source	x(8)	
shd_user1	Ufld1		x(8)	
shd_user2	Ufld2		x(8)	
shd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shd_code	yes	shd_code	yes	no
		shd_src_site	yes	no
		shd_rec_site	yes	no
		shd_departs	yes	no

shift_det

Shift Detail

Field Name	Label	Col-Label	Format	Dec
shift_day	Day of Week	Day	9	
shift_hour1	Hours		>,>>9.9<	2
shift_hour2	Hours		>,>>9.9<	2
shift_hour3	Hours		>,>>9.9<	2
shift_hour4	Hours		>,>>9.9<	2
shift_load1	Load		>>9.99%	2
shift_load2	Load		>>9.99%	2
shift_load3	Load		>>9.99%	2
shift_load4	Load		>>9.99%	2
shift_mch	Machine		x(8)	
shift_pat1	Pattern		x(8)	
shift_pat2	Pattern		x(8)	
shift_pat3	Pattern		x(8)	
shift_pat4	Pattern		x(8)	
shift_site	Site		x(8)	
shift_start1	Start Time	Start	>,>>9.9<<	3
shift_start2	Start Time	Start	>,>>9.9<<	3
shift_start3	Start Time	Start	>,>>9.9<<	3
shift_start4	Start Time	Start	>,>>9.9<<	3
shift_user1	Ufld1		x(8)	
shift_user2	Ufld2		x(8)	
shift_wkctr	Work Center	Work Ctr	x(8)	
shift__chr01			x(8)	
shift__chr02			x(8)	
shift__chr03			x(8)	
shift__chr04			x(8)	
shift__chr05			x(8)	
shift__dec01			>>>,>>>,>>9.99	10
shift__dec02			>>>,>>>,>>9.99	10
shift__dec03			>>>,>>>,>>9.99	10
shift__dec04			>>>,>>>,>>9.99	10
shift__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* shift_day	yes	shift_site	yes	no
		shift_wkctr	yes	no
		shift_mch	yes	no
		shift_day	yes	no

shm_mstr

Shipping Schedule Master

Field Name	Label	Col-Label	Format	Dec
shm_cmtindx	Comment Index	Comment	>>>,>>>,>>9	
shm_code	Transport ID	Trans ID	x(8)	
shm_end	End		99/99/99	
shm_load_lt	Load LT		->>9.9<	2
shm_no_units	Available Units	Units	->,>>>,>>9	
shm_rec_day[7]	Receive Days		yes/no	
shm_rec_site	Receiving Site	Rec Site	x(8)	
shm_ship_day[7]	Ship Days		yes/no	

Field Name	Label	Col-Label	Format	Dec
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	->>9.9<	2
shm_unld_lt	Unload LT		->>9.9<	2
shm_user1	Ufld1		x(8)	
shm_user2	Ufld2		x(8)	
shm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shm_code	yes	shm_code	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_start	yes	no
shm_rec_site	yes	shm_rec_site	yes	no
		shm_src_site	yes	no
		shm_code	yes	no
		shm_start	yes	no
shm_src_site	yes	shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal

Shop Calendar

Field Name	Label	Col-Label	Format	Dec
shop_hours[7]	Daily Hours	Hours	->>, >>9.99	2
shop_mch	Machine		x(8)	
shop_shifts[7]	Shifts		yes/no	
shop_site	Site		x(8)	
shop_user1	Ufld1		x(8)	
shop_user2	Ufld2		x(8)	
shop_wdays[7]	Workdays		yes/no	
shop_wkctr	Work Center	Work Ctr	x(8)	
shop__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shop_cal	yes	shop_site	yes	no
		shop_wkctr	yes	no
		shop_mch	yes	no

◇ **shpc_ctrl**

Shipment Performance Control

Field Name	Label	Col-Label	Format	Dec
shpc_active	Enable Shipment Performance		yes/no	
shpc_include_do	Include Distribution Orders		yes/no	
shpc_include_mo	Include Material Orders		yes/no	
shpc_include_rma	Include RMA Shipments		yes/no	
shpc_include_sched	Include Scheduled Orders		yes/no	
shpc_include_so	Include Sales Orders		yes/no	
shpc_index1	Index		>>>>9	
shpc_meas_subtype	Measurement Sub Type		9	
shpc_mod_date	Modified Date	Mod Date	99/99/99	
shpc_mod_userid	User ID		x(8)	
shpc_sched_type	Schedule Type		>9	
shpc_shipper_reasons	Enter Reason Codes in Workbench		yes/no	
shpc_user1	User Field Character 1		X(24)	
shpc_user2	User Field Character 2		X(24)	
shpc_use_current	Use Current Release		yes/no	
shpc__qadc01			X(24)	
shpc__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* shpc_index1	yes	shpc_index1	yes	no

◇ **shpd_hist**

Shipment Performance Detail History

Field Name	Label	Col-Label	Format	Dec
shpd_acceptable	Acceptable		yes/no	
shpd_measurement_type	Type		>	
shpd_meas_subtype	Measurement Sub Type	Sub Type	9	
shpd_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
shpd_mod_userid	User ID		X(8)	
shpd_rsn_code	Reason		x(8)	
shpd_rsn_type	Reason Type	Rsn Type	x(8)	
shpd_status_code	Status		x(8)	
shpd_tran_id	Tran ID		>>>>>>>9	
shpd_user1	User Field Character 1		X(24)	
shpd_user2	User Field Character 2		X(24)	
shpd__qadc01			X(24)	
shpd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ shpd_reason	no	shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_rsn_code	yes	no
◇ shpd_status	no	shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_status_code	yes	no
◇* shpd_tran_id	yes	shpd_tran_id	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no

◇ shp_hist

Shipment Performance History

Field Name	Label	Col-Label	Format	Dec
shp_abs_id	Shipper		x(20)	
shp_cmtdindx	Comment		>>>>>>>9	
shp_currency	Currency		x(3)	
shp_cust	Customer		x(8)	
shp_customer_source	Customer Source		x(3)	
shp_cust_part	Customer Item		x(30)	
shp_do_req	Requisition		x(8)	
shp_due_date	Due Date		99/99/99	
shp_ext_price	Extended Price		->>>>, >>>, >>9.99<<<	10
shp_include	Include in Reporting		yes/no	
shp_line	Line		>>9	
shp_mod_date	Modified Date	Mod Date	99/99/99	
shp_mod_userid	User ID		x(8)	
shp_nbr	Order		x(8)	
shp_open_qty	Open Qty		->>, >>>, >>9.9<<<<<<<<<	10
shp_order_category	Category		x(8)	
shp_ord_um	UM		x(2)	
shp_ord_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_part	Item Number		x(18)	
shp_perf_date	Performance Date		99/99/99	
shp_qty_pct	Shipment Percentage		->>9.99	2
shp_rel_id	Release		x(30)	
shp_req_date	Required Date		99/99/99	
shp_sched_time	Schedule Time		99:99	
shp_shipfrom	Ship-From		x(8)	
shp_shipto	Ship-To		x(8)	
shp_ship_date	Ship Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
shp_ship_price	Ship Price		->>>>, >>>, >>9.99<<<<	10
shp_ship_qty	Ship Qty		->>, >>>, >>9.9<<<<<<<<<	10
shp_ship_time	Ship Time		99:99	
shp_ship_um	UM		x(2)	
shp_ship_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_tran_id	Tran ID		>>>>>>>g	
shp_user1	User Field Character 1		X(24)	
shp_user2	User Field Character 2		X(24)	
shp__qadc01			X(24)	
shp__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ shp_abs_id	no	shp_shipfrom	yes	no
		shp_abs_id	yes	no
◇ shp_cust	no	shp_include	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
◇ shp_customer_source	no	shp_include	yes	no
		shp_customer_source	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
		shp_ship_date	yes	no
◇ shp_part	no	shp_include	yes	no
		shp_part	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
◇ shp_ship_date	no	shp_include	yes	no
		shp_ship_date	yes	no
		shp_shipfrom	yes	no
		shp_shipto	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
◇* shp_tran_id	yes	shp_tran_id	yes	no

shtr_det

Shipment Trailer Detail

Field Name	Label	Col-Label	Format	Dec
shtr_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	2
shtr_cd	Trailer 1	Trl1	x(2)	
shtr_curr	Currency	Cur	x(3)	
shtr_inv_nbr	Invoice Number	Invoice	x(8)	
shtr_nbr	Sales Order	Order	x(8)	
shtr_ship_date	Ship Date		99/99/99	
shtr_ship_id	Ship Id		x(8)	
shtr_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
shtr_user1	Ufld1		x(8)	
shtr_user2	Ufld2		x(8)	
shtr__qad01			-z,zzz,zzz,zz9.99	2
shtr__qad02			-z,zzz,zzz,zz9.99	2
shtr__qad03			-z,zzz,zzz,zz9.99	2
shtr__qad04			>	
shtr__qad05[2]			>>9.9<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
* shtr_nbrcd	yes	shtr_nbr	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no
shtr_shipcd	yes	shtr_ship_id	yes	no
		shtr_cd	yes	no

◇ shv_mstr Ship Via Master

Field Name	Label	Col-Label	Format	Dec
shv_mode_transp	Mode Of Transport		x(1)	
shv_mod_date	Modified Date	Mod Date	99/99/99	
shv_mod_userid	User ID		x(8)	
shv_name	Name		x(24)	
shv_port_mandatory	Port Mandatory		yes/no	
shv_shipvia	Ship Via		x(20)	
shv_user1	User Field Character 1		x(24)	
shv_user2	User Field Character 2		x(24)	
shv__qadc01			x(24)	
shv__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ shv_mode_transp	no	shv_mode_transp	yes	no
◇* shv_shipvia	yes	shv_shipvia	yes	no

sim_det Inventory Movement Site Detail

Field Name	Label	Col-Label	Format	Dec
sim_canrun[15]	Groups		x(60)	
sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sim_site	Site		x(8)	
sim_user1	Ufld1		x(8)	
sim_user2	Ufld2		x(8)	
sim__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sim_inv_mov	yes	sim_inv_mov	yes	no
		sim_site	yes	no
* sim_site	yes	sim_site	yes	no
		sim_inv_mov	yes	no

six_ref

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
Δ six_amt	Ship Amt		->>>>, >>>, >>9.99<<<	10
Δ six_amt_appld	Amt Applied		->>>>, >>>, >>9.99<<<	10
Δ six_amt_paid	Paid Amt		->>>>, >>>, >>9.99<<<	10
six_authorization	Authorization		x(24)	
six_bill	Bill-To		x(8)	
six_closed	Close Shipment Line	C	yes/no	
six_curr	Currency	Cur	x(3)	
six_cust	Sold-To		x(8)	
◇ six_custref	Customer Ref		x(30)	
six_inv_nbr	Invoice		x(8)	
six_line	Line		>>>9	
◇ six_modelyr	Model Year		x(4)	
six_mod_date	Modified Date	Mod Date	99/99/99	
six_mod_userid	User ID		X(8)	
six_order	Sales Order	Order	x(8)	
six_part	Item		x(18)	
six_po	Customer PO		x(22)	
six_price	Price		>>, >>>, >>9.99<<<	10
six_qty	Ship Qty		->, >>>, >>9.9<<<<<<<<	10
six_qty_paid	Paid Qty		->, >>>, >>9.9<<<<<<<<	10
six_ship	Ship-To		x(8)	
six_shipdt	Ship Date		99/99/99	
six_ship_id	Shipper		x(20)	
six_site	Ship-From		x(8)	
six_sopart	Self-Bill Item		x(30)	
six_trnbr	Trans		>>>>>>>>	
six_type	Type	T	x(1)	
six_um	UM		x(2)	
six_user1	Ufld1		X(8)	
six_user2	Ufld2		X(8)	
six_user3			X(8)	
six_user4			X(8)	
six_user5			X(8)	
six__qadc01			X(8)	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	
six__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
six__qadd02			->>>, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
six__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadi01			yes/no	
six__qadi02			yes/no	
six__qadi03			yes/no	
six__qadi04			yes/no	
six__qadi05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
six_auth_sopart	no	six_authorization	yes	no
		six_sopart	yes	no
six_bill_inv	no	six_bill	yes	no
		six_inv_nbr	yes	no
		six_type	yes	no
		six_order	yes	no
		six_line	yes	no
		six_ship_id	yes	no
		six_authorization	yes	no
six_order_sopart	no	six_order	yes	no
		six_sopart	yes	no
six_part	no	six_part	yes	no
six_po_sopart	no	six_po	yes	no
		six_sopart	yes	no
six_ship_sopart	no	six_ship_id	yes	no
		six_sopart	yes	no
six_sopart	no	six_sopart	yes	no
* six_trnbr	yes	six_trnbr	yes	no

si mstr

Site Master

Field Name	Label	Col-Label	Format	Dec
si_auto_loc	Automatic Locations	Auto Loc	yes/no	
si_btb_vend	EMT Supplier	EMT Supp	x(8)	
si_canrun	Groups		x(72)	
si_cur_set	Current Cost Set	Cur Set	x(8)	
si_db	Database		x(8)	
si_decl	Declarant		x(8)	
si_desc	Description		x(24)	
si_entity	Entity		x(4)	
si_ext_vd	External Supplier	Ext Supp	yes/no	
si_glt_acct	Goods In Transit Acct	GIT Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
si_git_cc	Cost Center	CC	x(4)	
◊ si_git_location	PO Transit Location	GIT Loc	x(8)	
si_git_sub	GIT Sub-Acct	Sub-Acct	x(8)	
si_gl_set	GL Cost Set	GL Set	x(8)	
si_site	Site		x(8)	
si_status	Default Inventory Status	Status	x(8)	
si_user1	Ufld1		x(8)	
si_user2	Ufld2		x(8)	
si_xfer_acct	Transfer Variance Acct	Transfer	x(8)	
si_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
◊ si_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
si_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
si__chr01			x(8)	
si__chr02			x(8)	
si__chr03			x(8)	
si__chr04			x(8)	
si__chr05			x(8)	
si__dec01			>>>, >>>, >>9.99	10
si__dec02			>>>, >>>, >>9.99	10
si__dte01			99/99/99	
si__dte02			99/99/99	
si__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ si_decl	no	si_decl	yes	no
* si_site	yes	si_site	yes	no

◊ slrd_det Site Linking Rules Detail

Field Name	Label	Col-Label	Format	Dec
slrd_attrib_code	Attribute Value		x(18)	
slrd_gl_cost_site	Default GL Cost Site	GL Site	x(8)	
slrd_inventory_site	Inventory Site	Site	x(8)	
slrd_linking_rule	Site Linking Rule	Linking! Rule	9	
slrd_mod_date	Modified Date		99/99/99	
slrd_mod_userid	User ID		x(8)	
slrd_userc01	User Field Character 1		x(24)	
slrd_userc02	User Field Character 2		x(24)	
slrd_userd01	User Field Decimal		->>>>, >>>, >>9.9<<<<<<<<<	10
slrd_useri01	User Field Integer		->>>>>>>9	
slrd_userl01	User Field Logical		yes/no	
slrd_usert01	User Field Date		99/99/99	
slrd__qadc01			x(24)	
slrd__qadc02			x(24)	
slrd__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
slrd__qadd02			->>>>, >>>, >>9.9<<<<<<<<<	10
slrd__qadi01			->>>>>>>9	
slrd__qadl01			yes/no	
slrd__qadt01			99/99/99	
slrd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sm_mstr	yes	sm_part	yes	no
		sm_sup_site	yes	no
		sm_mktg_site	yes	no
		sm_start	yes	no
		sm_type	yes	no

sob_det

Sales Order Configuration Bill Detail

Field Name	Label	Col-Label	Format	Dec
sob_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<<	10
sob_cfg_type	Configuration	Config	x(1)	
sob_cmtindx	Comment Index	Comment	>>>>>>9	
sob_feature	Feature		x(12)	
sob_iss_date	Issue Date	Iss Date	99/99/99	
sob_line	Line		>>9	
sob_loc	Location		x(8)	
sob_nbr	Sales Order	Order	x(8)	
sob_parent	Parent Item		x(18)	
sob_part	Item Number		x(18)	
sob_price	Price		>>>>,>>>,>>9.99<<<	10
sob_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<<	10
sob_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<<	10
sob_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<<	10
sob_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<<	10
sob_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<<	10
sob_scrp_pct	Scrap		>>9.99%	2
sob_serial	Lot/Serial		x(18)	
sob_site	Site		x(8)	
sob_tot_std	List Price		->>>,>>9.999	3
sob_user1	Ufld1		x(8)	
sob_user2	Ufld2		x(8)	
sob__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sob_det	yes	sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no
		sob_part	yes	no
sob_part	yes	sob_part	yes	no
		sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no

socc mstr Sales Order Credit Card Master

Field Name	Label	Col-Label	Format	Dec
socc_auth_amt	Authorization Amount	Auth Amt	>>>>, >>>,>>9.99<	10
socc_auth_date	Authorization Date	Auth Date	99/99/99	
socc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
socc_auth_nbr	Authorization Number		x(20)	
socc_billing_addr1	Address		x(28)	
socc_billing_addr2	Address		x(28)	
socc_billing_addr3	Address		x(28)	
socc_billing_city	City		x(20)	
socc_billing_country	Country		x(28)	
socc_billing_ctry	Country Code	Ctry	x(3)	
socc_billing_name	Name		x(28)	
socc_billing_state	State	St	x(4)	
socc_billing_zip	Post		x(10)	
socc_card_type	Card Type		x(8)	
socc_cc_expire_date	Expire Date	Expire	99/99/99	
socc_cc_nbr	Credit Card Number		x(24)	
socc_cc_nbr_tail	End Digits	Ending	x(4)	
socc_mod_date	Modified Date	Mod Date	99/99/99	
socc_mod_userid	User ID		x(8)	
socc_nbr	Sales Order	Order	x(8)	
socc_user1	User Field 1		x(24)	
socc_user2	User Field 2		x(24)	
socc__qadc01			x(8)	
socc__qadd01			->>>, >>>,>>9.<<<<<<<<<<<	10
socc__qadi01			>>>>>>g	
socc__qadl01			yes/no	
socc_qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	socc_nbr	yes	socc_nbr	yes	no
			socc_cc_nbr	yes	no

soc ctrl Sales Order Control

Field Name	Label	Col-Label	Format	Dec
soc_all	Qty All reduce qty Available		yes/no	
soc_all_avl	Limit allocate to avail only		yes/no	
soc_all_days	Allocate Days into Future		>>>>9	
soc_apm	Integrate with APM		yes/no	
soc_ar	Integrate with AR		yes/no	
◇ soc_atp_enabled	ATP Enforcement Enabled	ATP Enf	yes/no	
soc_auto_chg	Auto Accept Supplier Changes		yes/no	
soc_batch	Auto Batch Confirmation		yes/no	
soc_batch_id	Confirmation Batch ID		X(8)	
soc_btb_all	Direct Allocation	Dir All	yes/no	
soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
soc_btb_type	EMT Type		xx	
◇ soc_calc_promise_date	Calc Promise Date	Calc Prom Date	yes/no	
soc_company	Company Address		x(8)	

Field Name	Label	Col-Label	Format	Dec
soc_confirm	Confirmed Orders		yes/no	
◊ soc_crn_next	Next Correction Invoice Nbr		>>>>>>9	
◊ soc_crn_pre	Correction Invoice Prefix		x(3)	
soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_crtapp_acct	SO Interest Applied Account		X(8)	
soc_crtapp_cc	SO Interest Applied Cost	CC	X(4)	
	Center			
soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
soc_det_all	Detail Allocations		yes/no	
soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
soc_dum_loc	Direct Shipment Location		x(8)	
soc_edit_isb	SO Edit ISB Defaults		yes/no	
soc_ex_ratetype	Rate Type		x(8)	
soc_fcst_bck	Consume Back	Fcst Back	-,>>>,>>9	
soc_fcst_fwd	Consume Fwd	Fcst Fwd	-,>>>,>>9	
soc_fob	F.O.B.		x(20)	
soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
soc_fr_by_site	Calculate Freight by Site		yes/no	
soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
soc_fysm	Fiscal Start Month		>9	
soc_hcmmts	Sales Order Header Comments		yes/no	
◊ soc_horizon	ATP Horizon		-,>>>,>>9	
soc_index1	Index		>>>>>9	
soc_inv	Next Invoice		>>>>>>9	
soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	2
soc_inv_pre	Invoice Prefix	Pre	x(3)	
soc_jrnl	Next Journal		9999999	
soc_lcmmts	Sales Order Line Comments		yes/no	
soc_ln_fmt	Ln Format S/M		single/multi	
soc_ln_inv	Print Only Lines to Invoice		yes/no	
soc_margin	Comm on Margin not Sales		yes/no	
soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	2
soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
soc_next_abl	Next ASN/BOL		>>>>>>9	
soc_next_cid	Next Cntnr Nbr		>>>>>>9	
soc_ntaxdesc[10]	Description		x(12)	
soc_on_ord	Qty avail include qty on order		yes/no	
soc_pass_curr	Use Customer Currency on PO		yes/no	
soc_pc_line	Price by SO Line Due Date		yes/no	
soc_pick	Pick Only Allocated Lines		yes/no	
soc_pim_isb	Pend Inv Edit ISB		yes/no	
soc_pl_req	Price List Required		yes/no	
soc_print	Are Sales Orders Printed		yes/no	
soc_print_id	Confirmation Printer		X(8)	
soc_pt_req	Price Table Required		yes/no	
soc_req	Required qty reduce qty avail		yes/no	
soc_returns_isb	SO Returns Update ISB		yes/no	

Field Name	Label	Col-Label	Format	Dec
soc_sa	Integrate with SA	SA	yes/no	
soc_shp_lead	Shipping Lead Time		>>>9	
soc_so	Next Sales Order		>>>>>>9	
soc_so_hist	Keep Booking History	Book! Hst	yes/no	
soc_so_pre	Sales Order Prefix	Pre	x(3)	
soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
soc_user1	Ufld1		x(8)	
soc_user2	Ufld2		x(8)	
soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
Δ soc_use_frt_trl_cd	Use SO Frt List Trailer Code		yes/no	
soc__qad01			yes/no	
soc__qad02			yes/no	
soc__qad03			>>>>>>9	
soc__qadc01	QAD Field		X(8)	0
soc__qadc02	QAD Field		X(8)	0
soc__qadc03	QAD Field		X(8)	0
soc__qadi01	QAD Field		->,>>>,>>9	
soc__qadi02	QAD Field		->,>>>,>>9	
soc__qadi02	Check Customer Item Nbr First		yes/no	
soc__qadi03	QAD Field		yes/no	
Index-Name	Uni	Field-Name	Asc	Abbr
* soc_index1	yes	soc_index1	yes	no

◇ **sodlc_det** Sales Order Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
sodlc_abs_shipfrom	Ship From		x(8)	
sodlc_acct	Trailer Acct	Account	x(8)	
sodlc_cc	Trailer CC	CC	x(4)	
sodlc_charge_type	Charge Type	Charge! Type	x(8)	
sodlc_ext_price	Extended Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_amt	Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_line	Charge Line	Ln	>>9	
sodlc_mod_date	Modified Date	Mod Date	99/99/99	
sodlc_mod_userid	User ID		x(8)	
sodlc_one_time	One Time Charge	OTC	yes/no	
sodlc_order	Sales Order		x(8)	
sodlc_ord_line	SO Line	SO! Line	>>9	
sodlc_owned_by	Id		x(20)	
sodlc_project	Project		x(8)	
sodlc_ref	Reference		x(24)	
sodlc_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
sodlc_taxable	Taxable		yes/no	
sodlc_taxc	Tax Class	TxC	x(3)	
sodlc_times_charged	Times Charged		->,>>>,>>9	
sodlc_trl_code	Trailer Code	Code	x(2)	

Field Name	Label	Col-Label	Format	Dec
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	
sodlc__qadc01			x(24)	
sodlc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sodlc_order	yes	sodlc_order	yes	no
		sodlc_ord_line	yes	no
		sodlc_lc_line	yes	no
◇ sodlc_owned_by	no	sodlc_owned_by	yes	no
		sodlc_abs_shipfrom	yes	no
◇ sodlc_trl_code	no	sodlc_trl_code	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no

sodr_det Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
sodr_div	Division		X(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufld1		x(8)	
sodr_user2	Ufld2		x(8)	
sodr__qadc01			x(8)	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>>,>>>,>>9.9	10
sodr__qadd02			->>>>,>>>,>>9.9	10
sodr__qadi01			->,>>>,>>9	
sodr__qadi02			->,>>>,>>9	
sodr__qadi01			yes/no	
sodr__qadi02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sodr_nbrln_seq	yes	sodr_nbr	yes	no
		sodr_line	yes	no
		sodr_seq	yes	no
sodr_type	no	sodr_type	yes	no

sod_det

Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
sod_abnormal	Abnormal Demand	Abnormal	yes/no	
sod_acct	Sales Acct	Sales	x(8)	
sod_act_price	Total List Price		->>>>,>>>,>>9.99<<<	10
sod_alt_pkg	Alternates		yes/no	
sod_auto_ins	Installation Call		yes/no	
◇ sod_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
sod_bonus	Bonus Stock Line		yes/no	
sod_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<<	10
sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod_btb_type	EMT Type		xx	
sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
sod_calc_isb	Calculate Isb		yes/no	
sod_car_load	Call Act. Rec. Load		yes/no	
sod_ca_line	Call Line		>>9	
sod_ca_nbr	Call		x(8)	
sod_cc	Cost Ctr	CC	x(4)	
sod_cfg_type	Configuration	Config	x(1)	
◇ sod_charge_type	Charge Type	Charge! Type	x(8)	
sod_cmtindx	Comment Index	Comment	>>>>>>>9	
sod_comment[5]	Comments		x(40)	
sod_comm_pct[4]	Commission	Comm%	>>9.99%	2
sod_confirm	Confirmed		yes/no	
sod_conrep	Netting Logic	C/R	x(1)	
◇ sod_consignment	Consignment		yes/no	
◇ sod_consign_loc	Consignment Location	Consignment! Location	x(8)	
sod_consume	Consume Forecast	Consume Fcst	yes/no	
sod_contr_id	PO Number		x(30)	
sod_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
sod_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
sod_cum_date[4]	Cum Start		99/99/99	
sod_cum_qty[4]	Cum Shipped		->>>>,>>>,>>9.9<<<<<<<<	10
sod_cum_time[4]	Time		>>,>>>,>>9	
sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
◇ sod_custpart	Customer Item		x(30)	
sod_custref	Customer Ref		x(30)	
sod_desc	Description		x(24)	
sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
sod_disc_pct	Disc %		->>9.99%	2
sod_div	Division		x(8)	
sod_dock	Dock		x(8)	
sod_drp_ref	DRP Ref		x(8)	
sod_dsc_acct	Disc Acct		x(8)	
sod_dsc_cc	Disc CC	CC	x(4)	
sod_dsc_project	Disc Project		x(8)	
sod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sod_due_date	Due Date	Due	99/99/99	
sod_enduser	End User		x(8)	
sod_end_eff[4]	End Effective		99/99/99	
sod_expire	Expires		99/99/99	
sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
sod_fab_days	Fab Auth Days		>,>>9	
sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
sod_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
sod_fix_pr	Fixed Price	Fix	yes/no	

Field Name	Label	Col-Label	Format	Dec
sod_for	For		x(18)	
sod_for_serial	Parent Item Serial		X(18)	
sod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
sod_fr_class	Freight Class		x(8)	
sod_fr_list	Freight List	Frt List	x(8)	
sod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
sod_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<	6
sod_fr_wt_um	UM		x(2)	
sod_fsm_type	FSM Type		x(8)	
sod_fst_list	FST on List		yes/no	
◇ sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
sod_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
sod_inv_nbr	Invoice		x(8)	
sod_isb_loc	Installed Base Location		x(22)	
sod_isb_ref	ISB Ref		>>>>>>9	
sod_line	Line	Ln	>>9	
sod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
sod_ln_ref	Line Ref		x(8)	
sod_loc	Location		x(8)	
sod_lot	ID		x(8)	
◇ sod_manual_fr_list	Manual Fr List		yes/no	
◇ sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
◇ sod_modelyr	Model Year		x(4)	
sod_mod_date	Modified Date	Mod Date	99/99/99	
sod_mod_userid	User ID		X(8)	
sod_nbr	Sales Order	Order	x(8)	
◇ sod_order_category	Category		x(8)	
sod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
sod_out_po	Display PO Number		x(30)	
sod_override_lmt	Override Limits	Lmt	yes/no	
sod_owner	Ownership		x(8)	
sod_part	Item Number		x(18)	
sod_partial	Partial OK	Partial	yes/no	
sod_pastdue	Past Due Logic	C/R	x(1)	
△ sod_per_date	Perform		99/99/99	
sod_pickdate	Pick Date		99/99/99	
sod_pkg_code	Pkg Code		x(18)	
sod_pl_priority	P/L Priority		>9	
sod_price	Price		>>>>, >>>, >>9.99<<<	10
sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
sod_prig1	Pricing Group 1		x(8)	
sod_prig2	Pricing Group 2		x(8)	
sod_prodlne	Product Line	Line	x(4)	
sod_project	Project		x(8)	
◇ sod_promise_date	Promise Date	Promise	99/99/99	
sod_pr_list	Price List	List	x(8)	
sod_pst	PST Taxable		yes/no	
sod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
sod_qty_chg	Qty To Ship		->, >>>, >>9.9<<<<<<<<	10
sod_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	10
sod_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	10
sod_qty_inv	Qty to Invoice		->, >>>, >>9.9<<<<<<<<	10
sod_qty_item	Item Quantity	Item Qty	->>, >>9.9<<<<	3
sod_qty_ivcd	Quantity Invoiced		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
sod_qty_pend	Qty Pending		->, >>>, >>9.9<<<<<<<<	10
sod_qty_per	Duration		->>>9.9<<<	3

Field Name	Label	Col-Label	Format	Dec
sod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
sod_qty_qote	Qty Quoted		->,>>>,>>9.9<<<<<<<<	10
sod_qty_ret	Qty Returned		->,>>>,>>9.9<<<<<<<<	10
sod_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<<	10
sod_raw_days	Raw Auth Days		>,>>9	
sod_rbkt_days	Req Schedule Days		>>9	
sod_rbkt_mths	Req Schedule Months		>>9	
sod_rbkt_weeks	Req Schedule Weeks		>>9	
sod_ref	Ref		>>>>>>>9	
sod_req_date	Required Date	Required	99/99/99	
sod_rlse_nbr	Next Release ID		99999999	
sod_rma_type	RMA Type		x(1)	
Δ sod_sad_line	Contract Line		>>>>>>>9	
sod_sa_nbr	Service Contract		x(8)	
sod_sched	Scheduled		yes/no	
sod_sched_chgd	Schedule Changed		yes/no	
sod_sch_data	Schedule Data		x(8)	
sod_sch_mrp	Sched MRP Req		yes/no	
sod_serial	Lot/Serial		x(18)	
sod_ship	Ship-To		x(8)	
sod_ship_part	End Customer Shipping Item		x(30)	
sod_site	Site		x(8)	
sod_slspsn[4]	Salesperson	Salespsn	x(8)	
sod_sob_rev	Revised Date	Revised	99/99/99	
sod_sob_std	Standard Bill	Std BOM	yes/no	
sod_start_eff[4]	Start Effective		99/99/99	
sod_status	Status		x(8)	
sod_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sod_sv_code	Warranty Code		X(8)	
sod_taxable	Taxable	Tax	yes/no	
sod_taxc	Tax Class	TxC	x(3)	
sod_tax_env	Tax Environment	Tax Env	x(16)	
sod_tax_in	Tax In		yes/no	
sod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	2
sod_tax_usage	Tax Usage	TaxUsage	x(8)	
sod_to_loc	Location		x(8)	
sod_to_ref	Kit Ref		x(8)	
sod_to_site	Site		x(8)	
sod_translt_days	Transport Days		>>9.99	2
sod_translt_hrs	Transport Hours		>>9.99	2
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sod_xslspsn[3]	Salesperson	Salespsn	x(8)	
sod__chr01			x(8)	
sod__chr02			x(8)	
sod__chr03			x(8)	
sod__chr04			x(8)	
sod__chr05			x(8)	
sod__chr06			x(8)	
sod__chr07			x(8)	

Field Name	Label	Col-Label	Format	Dec
sod__chr08			x(8)	
sod__chr09			x(8)	
sod__chr10			x(8)	
sod__dec01			>>>, >>>, >>9.99	10
sod__dec02			>>>, >>>, >>9.99	10
sod__dte01			99/99/99	
sod__dte02			99/99/99	
sod__log01			yes/no	
sod__qad01			->>>>, >>>, >>9	
sod__qad02			yes/no	
sod__qadc01	QAD Field		X(8)	0
sod__qadc02	QAD Field		X(8)	0
sod__qadc03	QAD Field		X(8)	0
sod__qadc04	QAD Field		X(8)	0
sod__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd04	QAD Field		->, >>>, >>9.9<<<<<<<<<	10
sod__qadi01	QAD Field		->, >>>, >>9	
sod__qadi02	QAD Field		->, >>>, >>9	
sod__qadi03	QAD Field		yes/no	
sod__qadi04	QAD Field		yes/no	
sod__qadi05	QAD Field		yes/no	
sod__qadi06	QAD Field		99/99/99	
sod__qadi07	QAD Field		99/99/99	
sod__qadi08	QAD Field		99/99/99	
sod__qadi09	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sod_call	no	sod_ca_nbr	yes	no
		sod_ca_line	yes	no
		sod_part	yes	no
		sod_serial	yes	no
sod_fr_list	no	sod_nbr	yes	no
		sod_fr_list	yes	no
sod_fsm_type	no	sod_fsm_type	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
sod_nbrln	yes	sod_nbr	yes	no
		sod_line	yes	no
sod_part	yes	sod_part	yes	no
		sod_nbr	yes	no
		sod_line	yes	no

sop_det

Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
sop_batch	Batch Qty	Batch! Qty	>, >>>, >>9.9<<<<<<<<<	10
sop_cost	Cost		>>>>, >>>, >>9.99<<<	10
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	

Field Name	Label	Col-Label	Format	Dec
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
sop_men_mch	Run Crew		->>, >>9.99	2
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	9
sop_setup	Setup Time	Setup	>, >>9.9<<	3
sop_setup_men	Setup Crew		->>, >>9.99	2
sop_sim	Cost Set		x(8)	
sop_start	Start Date	Start	99/99/99	
sop_std_batch	Standard Batch Size	Batch	>>>, >>9.9	2
sop_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
sop_user1	Ufld1		x(8)	
sop_user2	Ufld2		x(8)	
sop_wkctr	Work Center	Work Ctr	x(8)	
sop_yield_pct	Yield%		>>9.99%	2
sop__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sop_sim_elem	yes	sop_sim	yes	no
		sop_element	yes	no
		sop_routing	yes	no
		sop_op	yes	no
* sop_sim_part	yes	sop_sim	yes	no
		sop_routing	yes	no
		sop_op	yes	no
		sop_element	yes	no

sor_mstr Sales Order Relationship Master

Field Name	Label	Col-Label	Format	Dec
sor_div	Division		X(8)	
sor_group	Group		X(8)	
sor_nbr	Sales Order		X(8)	
sor_pricing	Pricing		>9	
sor_seq	Sequence		>>9	
sor_type	Type		>>>9	
sor_user1	Ufld1		x(8)	
sor_user2	Ufld2		x(8)	
sor__qadc01			x(8)	
sor__qadc02			x(8)	
sor__qadc03			x(8)	
sor__qadd01			->>>>, >>>, >>9.9	10
sor__qadd02			->>>>, >>>, >>9.9	10
sor__qadi01			->, >>>, >>9	
sor__qadi02			->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
sor__qadl01			yes/no	
sor__qadl02			yes/no	
sor__qadt01			99/99/99	
sor__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sor_nbr_seq	yes	sor_nbr	yes	no
		sor_seq	yes	no
sor_type	no	sor_type	yes	no

◇ **sosrd_det** Sales Order Shipment Reason Detail

Field Name	Label	Col-Label	Format	Dec
sosrd_abs_id	Shipper		x(20)	
sosrd_dataset	Dataset		x(12)	
sosrd_line	Line		>>9	
sosrd_measurement_type	Type		>	
sosrd_mod_date	Modified Date	Mod Date	99/99/99	
sosrd_mod_userid	User ID		X(8)	
sosrd_nbr	Order		x(8)	
sosrd_rsn_code	Reason Code		x(8)	
sosrd_shipfrom	Ship-from		x(8)	
sosrd_user1	User Field Character 1		X(24)	
sosrd_user2	User Field Character 2		X(24)	
sosrd__qadc01			X(24)	
sosrd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sosrd_nbr	yes	sosrd_nbr	yes	no
		sosrd_line	yes	no
		sosrd_shipfrom	yes	no
		sosrd_abs_id	yes	no
		sosrd_measurement_type	yes	no
		sosrd_dataset	yes	no

◇ **sosr_mstr** Sales Order Shipment Reason Master

Field Name	Label	Col-Label	Format	Dec
sosr_abs_id	Shipper		x(20)	
sosr_cmtindx	Comment		>>>>>>>9	
sosr_line	Line		>>9	
sosr_mod_date	Modified Date	Mod Date	99/99/99	
sosr_mod_userid	User ID		X(8)	
sosr_nbr	Order		x(8)	
sosr_shipfrom	Ship-From		x(8)	
sosr_user1	User Field Character 1		X(24)	
sosr_user2	User Field Character 2		X(24)	
sosr__qadc01			X(24)	
sosr__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sosr_order	yes	sosr_nbr	yes	no
		sosr_line	yes	no
		sosr_shipfrom	yes	no
		sosr_abs_id	yes	no

so_mstr Sales Order Master

Field Name	Label	Col-Label	Format	Dec
so_app_owner	Owner Application		x(12)	
so_ar_acct	AR Account	AR	x(8)	
so_ar_cc	Cost Ctr	CC	x(4)	
so_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
so_auth_days	AUTHNBR Unique Days		>>9	
◇ so_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
so_bank	Bank		x(2)	
so_bill	Bill-To		x(8)	
so_bol	BOL		x(18)	
so_bump_all	Unpeg		yes/no	
so_cartons	Cartons		->,>>>,>>9	
so_ca_nbr	Call		x(8)	0
so_channel	Channel		x(8)	
so_cmtindx	Comment Index	Comment	>>>>>>>9	
so_cncl_date	Cancel Date	Cancel	99/99/99	
so_comm_pct[4]	Commission	Comm%	>>9.99%	2
so_conf_date	Confirmed Date	Confirmed	99/99/99	
so_conrep	Netting Logic	C/R	x(1)	
◇ so_consignment	Consignment		yes/no	
◇ so_consighn_loc	Consignment Location	Consignment! Location	x(8)	
so_credit	Credit	Cr	yes/no	
so_crplist	Credit Price List		X(8)	
so_cr_card	Credit Card	Card	x(2)	
so_cr_init	Cr Initials	Initials	x(3)	
so_cr_terms	Credit Terms	Terms	x(8)	
so_cum_acct	Cumulative Accounting		Cum/Req	
so_curr	Currency	Cur	x(3)	
so_cust	Sold-To		x(8)	
◇ so_custref_val	Customer Ref Is Customer Item		yes/no	
so_cust_po	End Customer PO	End Cust PO	x(22)	
so_disc_pct	Disc %		->9.99%	2
so_div	Division		x(8)	
so_due_date	Due Date	Due	99/99/99	
so_eng_code	Engineer		x(8)	
so_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
so_exru_seq	Sequence		>>>>>>>9	
so_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
so_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<<	10
so_ex_ratetype	Rate Type		x(8)	
so_fcg_code	Charge Code		x(8)	0
so_firm_seq_days	Firm Days		>>9	
so_fix_pr	Fixed Price		yes/no	

Field Name	Label	Col-Label	Format	Dec
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Fr List	x(8)	
so_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	2
so_fr_terms	Freight Terms	Fr Terms	x(8)	
◇ so_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
◇ so_fsaccr_cc	Accrued Revenue CC		x(4)	
◇ so_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
◇ so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
◇ so_fsdef_cc	Deferred Revenue CC		x(4)	
◇ so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_incl_iss	Include Saturday/Sunday		yes/no	
so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
◇ so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
so_invoiced	Invoiced		yes/no	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(8)	
so_lang	Language		x(2)	
◇ so_manual_fr_terms	Manual Fr Terms		yes/no	
◇ so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
so_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	
so_project	Project		x(8)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<=%	3
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_rev	Revision	Rev	>>9	
◇ so_revenue	Revenue Type		x(1)	
so_rmks	Remarks		x(40)	
so_sa_nbr	Contract		x(8)	
so_sched	Scheduled		yes/no	
so_sch_mthd	Schedules Via		x(1)	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_seq_order	Sequenced	Partial	yes/no	
so_ship	Ship-To		x(8)	
so_shipvia	Ship Via		x(20)	
so_ship_cmplt	Ship Complete		>>9	

Field Name	Label	Col-Label	Format	Dec
so_ship_date	Ship Date		99/99/99	
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO		x(22)	
so_site	Site		x(8)	
so_size	Size		->, >>>, >>>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	3
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_tr1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_tr1_cd	Trailer 1	Trl1	x(2)	
so_tr2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_tr2_cd	Trailer 2	Trl2	x(2)	
so_tr3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_tr3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>, >>>, >>>9.9999	4
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
so_xslspsn[2]	Salesperson	Salespsn	x(8)	
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so__dec01			>>>, >>>, >>>9.99	10
so__dec02			>>>, >>>, >>>9.99	10
so__dte01			99/99/99	
so__dte02			99/99/99	
so__log01			yes/no	
so__qad01			-z,zzz,zzz,zz9.99	2
so__qad02			-z,zzz,zzz,zz9.99	2
so__qad03			-z,zzz,zzz,zz9.99	2
so__qad04			>	
so__qad05[2]			>>9.9<<	2
so__qadc01	QAD Field		X(8)	0
so__qadc02	QAD Field		X(8)	0
so__qadc03	QAD Field		X(8)	0
so__qadc04	QAD Field		X(8)	0
so__qadc05	QAD Field		X(8)	0
so__qadd01	QAD Field		->>>>, >>>, >>>9.99<<<	10
so__qadd02	QAD Field		->>>>, >>>, >>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
so__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadi01	QAD Field		->, >>>, >>9	
so__qadi02	QAD Field		->, >>>, >>9	
so__qadi03	QAD Field		->, >>>, >>9	
so__qadi01	QAD Field		yes/no	
so__qadi02	Exclude Planning Data		yes/no	
so__qadi04			yes/no	
so__qadt01	QAD Field		99/99/99	
so__qadt02	QAD Field		99/99/99	
so__qadt03	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
so_bill	no	so_bill	yes	no
		so_nbr	yes	no
		so_ord_date	yes	no
so_ca_nbr	no	so_ca_nbr	yes	no
so_cust	no	so_cust	yes	no
so_cust_po	no	so_cust_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
so_fsm_type	no	so_fsm_type	yes	no
		so_nbr	yes	no
so_invoice	no	so_inv_nbr	yes	no
* so_nbr	yes	so_nbr	yes	no
so_po_nbr	no	so_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
so_quote	no	so_quote	yes	no
		so_nbr	yes	no
so_to_inv	yes	so_to_inv	yes	no
		so_nbr	yes	no

spc_ctrl Salesperson Control

Field Name	Label	Col-Label	Format	Dec
spc_index1	Index		>>>>>9	
spc_nbr	Next Salesperson		99999999	
spc_user1	Ufld1		x(8)	
spc_user2	Ufld2		x(8)	
spc__qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* spc_index1	yes	spc_index1	yes	no

spd_det

Salesperson Commission Detail

Field Name	Label	Col-Label	Format	Dec
spd_addr	Salespsn		x(8)	
spd_comm_pct	Commission	Comm%	>>9.99%	2
spd_cust	Customer		x(8)	
spd_mod_date	Modified Date	Mod Date	99/99/99	
spd_part	Item Number		x(18)	
spd_prod_ln	Prod Line	Line	x(4)	
spd_user1	Ufld1		x(8)	
spd_user2	Ufld2		x(8)	
spd_userid	User ID		x(8)	
spd__chr01			x(8)	
spd__chr02			x(8)	
spd__chr03			x(8)	
spd__chr04			x(8)	
spd__chr05			x(8)	
spd__dec01			>>>, >>>, >>9.99	10
spd__dec02			>>>, >>>, >>9.99	10
spd__dte01			99/99/99	
spd__dte02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* spd_addr	yes	spd_addr	yes	no
		spd_prod_ln	yes	no
		spd_part	yes	no
		spd_cust	yes	no

sph_hist

Salesperson Sales History

Field Name	Label	Col-Label	Format	Dec
sph_cost[12]	Cost		->>>, >>>, >>9	10
sph_quota[12]	Quota		->>>, >>>, >>9	10
sph_sales[12]	Sales		->>>, >>>, >>9	10
sph_slspsn1	Salespsn1		x(8)	
sph_smonth	Start Month		>9	
sph_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
sph_tot_sale	YTD Sales		->, >>>, >>>, >>9	10
sph_type	Ship Type	T	x(1)	
sph_user1	Ufld1		x(8)	
sph_user2	Ufld2		x(8)	
sph_year	Year		9999	
sph__chr01			x(8)	
sph__chr02			x(8)	
sph__chr03			x(8)	
sph__chr04			x(8)	
sph__chr05			x(8)	
sph_dec01[12]			>>>>, >>>, >>9.99	10
sph_dec02[12]			>>>>, >>>, >>9.99	10
sph__dte01			99/99/99	
sph__dte02			99/99/99	
sph__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sph_slspsn1	yes	sph_slspsn1	yes	no
		sph_year	yes	no
* sph_year	yes	sph_year	yes	no
		sph_slspsn1	yes	no

spt_det

Cost Simulation Item Detail

Field Name	Label	Col-Label	Format	Dec
spt_ao	Add On	A/O	yes/no	
spt_cst_ll	Cost LL		>>>>, >>>, >>9.99<<<	10
spt_cst_tl	Cost		>>>>, >>>, >>9.99<<<	10
spt_element	Cost Element	Element	x(8)	
spt_mod_date	Modified Date	Mod Date	99/99/99	
spt_part	Item Number		x(18)	
spt_pct_ll	Seq 1		>>9.99%	2
spt_pct_tl	Seq 2		>>9.99%	2
spt_sim	Cost Set		x(8)	
spt_site	Site		x(8)	
spt_user1	Ufld1		x(8)	
spt_user2	Ufld2		x(8)	
spt_userid	User ID		x(8)	
spt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sp_sim_part	yes	spt_sim	yes	no
		spt_element	yes	no
		spt_part	yes	no
		spt_site	yes	no
		spt_site	yes	no
		spt_sim	yes	no
		spt_part	yes	no
		spt_element	yes	no

sp_mstr

Salesperson Master

Field Name	Label	Col-Label	Format	Dec
sp_addr	Salespsn		x(8)	
sp_comm_pct	Commission	Comm%	>>9.99%	2
sp_sort	Sort Name		x(28)	
sp_territory	Territory	Trty	x(4)	
sp_user1	Ufld1		x(8)	
sp_user2	Ufld2		x(8)	
sp__chr01			x(8)	
sp__chr02			x(8)	
sp__chr03			x(8)	
sp__chr04			x(8)	
sp__chr05			x(8)	
sp__dec01			>>>, >>>, >>9.99	10
sp__dec02			>>>, >>>, >>9.99	10
sp__dte01			99/99/99	
sp__dte02			99/99/99	
sp__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sp_addr	yes	sp_addr	yes	no
sp_sort	no	sp_sort	yes	no

src_ctrl

Service Request Control

Field Name	Label	Col-Label	Format	Dec
src_index1	Index		>>>>>>9	
src_nbr	SR Number		>>>>>>9	
src_user1	Ufld1		x(8)	
src_user2	Ufld2		x(8)	
src__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* src_index1	yes	src_index1	yes	no

Service/Repair Order Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	sroc index1	yes	sroc index1	yes	no

Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
sro_assign	Assigned To	Assigned	x(8)	
sro_author	Authorized By	Author	x(8)	
sro_closed	Closed		yes/no	
sro_cls_date	Closed		99/99/99	
sro_cmmnt[16]			x(76)	
sro_cmtindx	Comment		>>>>>>9	
sro_cr_terms	Credit Terms	Terms	x(8)	
sro_cust	Customer		x(8)	
sro_desc	Description		x(24)	
sro_disc_pct	Disc %		->9.99%	2
sro_dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z,zzz,zzz,zz9.99	2
sro_invoiced	Invoiced		yes/no	
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	2
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv chg	Service		-z,zzz,zzz,zz9.99	2

Field Name	Label	Col-Label	Format	Dec
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	2
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	2
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	
sro__chr01			x(8)	
sro__chr02			x(8)	
sro__chr03			x(8)	
sro__chr04			x(8)	
sro__chr05			x(8)	
sro__dec01			>>>, >>>, >>9.99	10
sro__dec02			>>>, >>>, >>9.99	10
sro__dte01			99/99/99	
sro__dte02			99/99/99	
sro__log01			yes/no	
sro__qadc05			x(8)	
sro__qadc06			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
sro_assign	no	sro_closed	yes	no
		sro_assign	yes	no
		sro_ent_date	yes	no
sro_cust	no	sro_closed	yes	no
		sro_cust	yes	no
		sro_ent_date	yes	no
sro_desc	yes	sro_desc	yes	no
		sro_nbr	yes	no
sro_dspstn	no	sro_closed	yes	no
		sro_dspstn	yes	no
		sro_ent_date	yes	no
sro_ent_date	no	sro_closed	yes	no
		sro_ent_date	yes	no
		sro_nbr	yes	no
sro_failure1	no	sro_closed	yes	no
		sro_failure1	yes	no
		sro_ent_date	yes	no
* sro_nbr	yes	sro_nbr	yes	no
sro_part	no	sro_closed	yes	no
		sro_part	yes	no
		sro_ent_date	yes	no
sro_status	no	sro_closed	yes	no
		sro_status	yes	no
		sro_ent_date	yes	no
sro_type	no	sro_closed	yes	no
		sro_type	yes	no
		sro_ent_date	yes	no

srr_mstr

Service Request Master

Field Name	Label	Col-Label	Format	Dec
srr_act_hrs	Actual Hours	Act Hours	->>, >>9.99	10
srr_assign	Assigned		x(8)	
srr_ca_nbr	Call		x(8)	
srr_cls_date	Close Date		99/99/99	
srr_date	Date Entered		99/99/99	
srr_desc	Description		x(60)	
srr_eco	ECO		x(8)	
srr_est_hrs	Estimated Hours	Est Hours	->>, >>9.99	10
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	Ufld1		x(8)	
srr_user2	Ufld2		x(8)	
srr__chr01			x(8)	
srr__chr02			x(8)	
srr__chr03			x(8)	
srr__chr04			x(8)	
srr__chr05			x(8)	
srr__chr06			x(8)	
srr__chr07			x(8)	
srr__chr08			x(8)	
srr__chr09			x(8)	
srr__chr10			x(8)	
srr__dec01			>>>, >>>, >>9.99	10
srr__dec02			>>>, >>>, >>9.99	10
srr__dte01			99/99/99	
srr__dte02			99/99/99	
srr__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
srr_assign	no	srr_assign	yes	no
srr_eco	no	srr_eco	yes	no
srr_eu_nbr	no	srr_eu_nbr	yes	no
* srr_nbr	yes	srr_nbr	yes	no
srr_part	yes	srr_part	yes	no
		srr_nbr	yes	no
srr_problem	no	srr_problem	yes	no

sr_wkfl

Serial Number Work Table

Field Name	Label	Col-Label	Format	Dec
sr_assay	Assay %		>>9.99%	2
sr_expire	Expire Date	Expire	99/99/99	
sr_lineid			x(8)	
sr_loc	Location		x(8)	
sr_lotser	Lot/Serial		x(18)	
sr_qty	Quantity		->, >>>, >>9.9<<<<<<<<	10
sr_ref	Ref	Reference	x(8)	
sr_rev	Rev		x(4)	
sr_site	Site		x(8)	
sr_status	Status		x(8)	
sr_to_loc	Location		x(8)	
sr_to_site	Site		x(8)	
sr_user1	Ufld1		x(8)	
sr_user2	Ufld2		x(8)	
sr_userid	User ID		x(8)	
sr_vend_lot	Supplier Lot		x(18)	
sr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sr_id	yes	sr_userid	yes	no
		sr_lineid	yes	no
		sr_site	yes	no
		sr_loc	yes	no
		sr_lotser	yes	no
		sr_ref	yes	no

ssd_det

Source of Supply Detail

Field Name	Label	Col-Label	Format	Dec
ssd_end	End		99/99/99	
ssd_leadtime	Lead Time	LT	->, >>>	
ssd_network	Network Code		x(18)	
ssd_percent	Supply Percent	Percent	->>9.9<<%	3
ssd_rec_site	Receiving Site	Rec Site	x(8)	
ssd_ref	Reference		x(12)	
ssd_src_site	Supply Site	Source	x(8)	
ssd_start	Start		99/99/99	
ssd_trans	Transportation Code	Ship Via	x(8)	
ssd_user1	Ufld1		x(8)	
ssd_user2	Ufld2		x(8)	
ssd__qadc01			x(8)	
ssd__qadd01			>>>, >>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ssd_det	yes	ssd_network	yes	no
		ssd_rec_site	yes	no
		ssd_src_site	yes	no
		ssd_ref	yes	no
ssd_rec_site	no	ssd_rec_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ssd_src_site	no	ssd_network	yes	no
		ssd_src_site	yes	no
		ssd_src_site	yes	no
		ssd_network	yes	no
		ssd_rec_site	yes	no

ssm_mstr Source of Supply Master

Field Name	Label	Col-Label	Format	Dec
ssm_desc	Description		x(24)	
ssm_network	Network Code		x(18)	
ssm_planner	Planner		x(8)	
ssm_user1	Ufid1		x(8)	
ssm_user2	Ufid2		x(8)	
ssm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ssm_desc	no	ssm_desc	yes	no
		ssm_network	yes	no
* ssm_network	yes	ssm_network	yes	no

◇ **sttqd_det** Time-Based/Quantity-Based Status Code Detail

Field Name	Label	Col-Label	Format	Dec
sttqd_acceptable	Acceptable		yes/no	
sttqd_active	Active		yes/no	
sttqd_customer_source	Customer Source		x(3)	
sttqd_max_value	Maximum	Max	-->, >>>, >>9.9<<<<<<<<	10
sttqd_measurement_type	Status Type		>	
sttqd_min_value	Minimum	Min	-->, >>>, >>9.9<<<<<<<<	10
sttqd_mod_date	Modified Date	Mod Date	99/99/99	
sttqd_mod_userid	User ID		X(8)	
sttqd_part	Item Number		x(18)	
sttqd_receive_addr	Receive Address		x(8)	
sttqd_shipfrom	Ship-From		x(8)	
sttqd_status_code	Status Code		x(8)	
sttqd_tracking_measure	Track By		X(8)	
sttqd_user1	User Field Character 1		X(24)	
sttqd_user2	User Field Character 2		X(24)	
sttqd_use_percent	Track By Percentage		yes/no	
sttqd__qadc01			X(24)	
sttqd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
sttqd_active	no	sttqd_active	yes	no
		sttqd_measurement_type	yes	no
		sttqd_customer_source	yes	no
		sttqd_use_percent	yes	no
		sttqd_shipfrom	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sttqd_customer_src	yes	sttqd_receive_addr	yes	no
		sttqd_part	yes	no
		sttqd_min_value	yes	no
		sttqd_max_value	yes	no
		sttqd_measurement_type	yes	no
		sttqd_status_code	yes	no
		sttqd_customer_source	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no

◇ **sttq_mstr** Time-Based/Quantity-Based Status Code Master

Field Name	Label	Col-Label	Format	Dec
sttq_desc	Description		x(24)	
sttq_measurement_type	Measurement Type		>	
sttq_mod_date	Modified Date	Mod Date	99/99/99	
sttq_mod_userid	User ID		X(8)	
sttq_status_code	Status Code		x(8)	
sttq_user1	User Field Character 1		X(24)	
sttq_user2	User Field Character 2		X(24)	
sttq__qadc01			X(24)	
sttq__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sttq_type_code	yes	sttq_measurement_type	yes	no
		sttq_status_code	yes	no

◇ **stx_mstr** Suspended Tax Master

Field Name	Label	Col-Label	Format	Dec
stx_key	Key		x(8)	
stx_mod_date	Modified Date	Mod Date	99/99/99	
stx_mod_userid	User ID		x(8)	
stx_paid	Paid		yes/no	
stx_tax_code	Tax Code		x(8)	
stx_tran_type	Transaction Type	Tr Type	x(8)	
stx_user1	User Field Character 1		x(24)	
stx_user2	User Field Character 2		x(24)	
stx_use_st	Use Suspended Tax	Susp Tax	yes/no	
stx__qadc01			x(24)	
stx__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* stx_tran_key	yes	stx_tran_type	yes	no
		stx_key	yes	no
		stx_tax_code	yes	no

◇ **sufd_det** Shipper User Field Detail

Field Name	Label	Col-Label	Format	Dec
sufd_abs_fld_name	Shipper Field Name		x(32)	
sufd_fld_name	Field Name		X(30)	
sufd_fld_prompt	Prompt for Value		yes/no	
sufd_fld_seq	Field Sequence	Seq	>>9	
sufd_fld_value	Field Value		X(30)	
sufd_level	Apply to		>>9	
sufd_mod_date	Modified Date	Mod Date	99/99/99	
sufd_mod_userid	User ID		x(8)	
sufd_shipfrom	Ship From		x(8)	
sufd_shipto	Ship-To/Dock		x(8)	
sufd_userc01	User Field Character 1		x(24)	
sufd_userc02	User Field Character 2		x(24)	
sufd_validate	Validate		x(24)	
sufd__qadc01			x(24)	
sufd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ sufd_level	no	sufd_level	yes	no
		sufd_fld_seq	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
◇* sufd_shipfrom	yes	sufd_shipfrom	yes	no
		sufd_shipto	yes	no
		sufd_level	yes	no
		sufd_fld_seq	yes	no

◇ **suf_mstr** Shipper User Field Master

Field Name	Label	Col-Label	Format	Dec
suf_abs_fld_name	Shipper Field Name		x(32)	
suf_fld_name	Field Name		x(32)	
suf_fld_prompt	Prompt for Value		yes/no	
suf_fld_seq	Field Sequence	Seq	>>9	
suf_fld_value	Default Field Value		x(30)	
suf_level	Apply to		>>9	
suf_mod_date	Modified Date	Mod Date	99/99/99	
suf_mod_userid	User ID		x(8)	
suf_userc01	User Field Character 1		x(24)	
suf_userc02	User Field Character 2		x(24)	
suf_validate	Validate		x(32)	
suf__qadc01			x(24)	
suf__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* suf_level	yes	suf_level	yes	no
		suf_fld_seq	yes	no

svc_ctrl

Service/Support Management Control

Field Name	Label	Col-Label	Format	Dec
svc_ack_letter	Acknowledge Letter		yes/no	
svc_arrears	Bill Arrears	Arrear	yes/no	
svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
svc_autorenew	Auto Renew		yes/no	
svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
svc_auto_tim	Total Call Time		yes/no	
svc_avoidance	Use Call Avoidance		yes/no	
svc_bill	Use Repair Structure		yes/no	
svc_call_pdev	Call Print Device		x(8)	
svc_call_pre	Call Prefix		x(3)	
svc_canc1_status	Cancel Status		x(8)	
svc_ca_allow_inv	Invoice From Recording		yes/no	
svc_ca_cor_type	Corrective Work Code		x(8)	
svc_ca_coverage	Coverage Window		yes/no	
svc_ca_est_time	Default Call Length		999:99	
svc_ca_est_trv	Travel Time		99:99	
svc_ca_ins_type	Install Work Code		x(8)	
svc_ca_inv_draft	Draft Invoice		yes/no	
svc_ca_model	Use Model		yes/no	
svc_ca_print0	Print zero dollar calls		yes/no	
svc_ca_pvm_type	PM Work Code		x(8)	
svc_ca_sys	System Level on Calls		yes/no	
svc_ca_tec_type	Technical Work Code		x(8)	
svc_ca_time_wnd	Call Time Window		yes/no	
svc_ca_upd_type	Update Work Code		x(8)	
svc_ca_wo_wnd	Call WO Window		yes/no	
svc_chg_cd	Chargeable Code		x(2)	
svc_chg_svcode	Charge Service Type		x(8)	
svc_close	Close Status	CI Sts	x(8)	
svc_close_record	Close on Recording		yes/no	
svc_cmmts	Call Comments	Cmmt	yes/no	
svc_code	Code		x(8)	
svc_comp_status	Complete Status		x(8)	
svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
svc_corr_est_time	Corrective Call Duration		999:99	
svc_cp_causer	Copy Call User Fields		yes/no	
svc_cp_sauser	Copy Contract User Fields		yes/no	
svc_create_cus	Create Customer		yes/no	
svc_db_timezone	Database Time Zone		X(8)	
svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
svc_dflt_que	Default Call Queue	Df Queue	x(8)	
svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
svc_dflt_warr	Default Warranty Type		x(8)	
svc_dispatch	Dispatcher		yes/no	
svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
svc_esc_dflt	Escalation Default		x(8)	
svc_esc_pause	Escalation Program Pause		>>, >>9	
svc_esc_prt	Escalation Printer		x(10)	
svc_esc_sch	Use Escalation		yes/no	
svc_esc_user	Esc User for Messages		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_0itm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold	No Calls	>>9	
svc_hold_status	Hold Status		x(8)	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_ins_days	Installation Days Ahead		>>9	
svc_invoice_acct	Modify Sales Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	
svc_isb_compbon	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_nsbom	Load Standard BOM		yes/no	
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Modified Date	Mod Date	99/99/99	
svc_mod_userid	User ID		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->>, >>9.99<<<<	6
svc_pm_est_time	PM Call Duration		999:99	
svc_project_hndl	Project Code Handling		->, >>>, >>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	
svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
svc_pvm_cl	PM Calls		yes/no	
svc_que_paus	Queue Manager Pause		>>9	
svc_que_prog	Queue Manager		>>9	
svc_rc_transfer	Transfer Inventory		yes/no	
svc_return_sts	Return Status		x(8)	
svc_rma_hist	Rma History		yes/no	
svc_sap_bom_type	Default BOM for PM		x(8)	
svc_sa_account	Update Accounting		yes/no	
svc_sa_accounts	Modify Sales Accounts		yes/no	
svc_sa_cd	Contract Code		x(2)	
svc_scheduler	Scheduler		>>9	
svc_schedule_ca	Schedule New Calls		yes/no	
svc_scrap_sts	Scrap Status		x(8)	
svc_serial	Installed Base Serials		x(1)	
svc_server_timezone	Server Time Zone		X(8)	
svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
svc_site	Repair Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc_srr_close	SR Close Status	CI Sts	x(8)	0
svc_srr_open	SR Open Status	Opn Sts	x(8)	0
svc_srstatus	SR Resolution		x(8)	
svc_sr_pre	Service Request Prefix		x(3)	
svc_sub_cvr	Subs Covered		yes/no	
svc_sv_cd	Service Contract Cd		x(2)	
svc_sys_type			x(2)	
svc_tax_environ	Tax Enviroment		x(8)	
svc_temp_close	Close Call with Temp		yes/no	
svc_temp_cus	Temporary Customer		x(8)	
svc_time_zone	Hours from GMT		>>9	
svc_tm_cd	Time and Materials CD		x(2)	
svc_trace	Enable Tracing		yes/no	
svc_travel_step	Travel Step		>>>>9	
svc_trvl_um	Travel UM		x(2)	0
svc_um	Contract UM	UM	x(2)	0
svc_upd_est_time	Update Call Duration		999:99	
svc_user1	Ufld1		x(8)	
svc_user2	Ufld2		x(8)	
svc_wait_status	Wait Status		x(8)	
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0
svc__chr01	usfld1		x(8)	
svc__chr02	usfld2		x(8)	
svc__chr03	usfld3		x(8)	
svc__chr04	usfld4		x(8)	
svc__chr05	usfld5		x(8)	
svc__chr06	usfld6		x(8)	
svc__chr07	usfld7		x(8)	
svc__chr08	usfld8		x(8)	
svc__chr09	usfld9		x(8)	
svc__chr10	usfld10		x(8)	
svc__dec01			-->, >>9.99<<<<	6
svc__dec02			-->, >>9.99<<<<	6
svc__dec03			-->, >>9.99<<<<	6
svc__dec04			-->, >>9.99<<<<	6
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
svc__qadc04	QAD Character Field 4		x(8)	
svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		-->, >>9.99	2
svc__qadd02	QAD Decimal Field 2		-->, >>9.99	2
svc__qadd03	QAD Decimal Field 3		-->, >>9.99	2
svc__qadi02	QAD Integer Field 2		-->, >>>, >>9	
svc__qadi03	QAD Integer Field 3		-->, >>>, >>9	
svc__qadi04	QAD Integer Field		>>>9	

Field Name	Label	Col-Label	Format	Dec
svc__qadi05	QAD Integer Field 5		->,>>>,>>9	
svc__qadi01	QAD Logical Field 1		yes/no	
svc__qadi02	QAD Logical Field 2		yes/no	
svc__qadi03	QAD Logical Field 3		yes/no	
svc__qadi04	QAD Logical Field		yes/no	
svc__qadi06	QAD Logical Field		yes/no	
svc__qadi07	QAD Logical Field		yes/no	
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* svc_node	yes	svc_node	yes	no

sv_mstr

Service Agreement Terms and Conditions Master

Field Name	Label	Col-Label	Format	Dec
sv_blanket	Blanket		yes/no	
sv_calls_allow	Calls Allowed		>>>9	0
sv_call_price	Call Price List		X(8)	
sv_cmtindx	Comment Index	Comment	>>>>>>9	
sv_code	Service Type	Svc Type	x(8)	
sv_cr_prlist	Credit Price List	Cr Price	x(8)	
sv_cstmist	Customs List	Customs	x(8)	
sv_days[7]	Days		yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_duration	Duration	Dur	>>>9	
sv_dur_um	Contract UM		x(1)	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	
sv_off_hours_pt	Off Hours Item		x(18)	
sv_onsite	Onsite		yes/no	
sv_prod_line	Prod Line	Line	x(4)	
sv_pr_list	Contract Price List	CPrice List	x(8)	
sv_qo_title	Quote Title	Qo Title	x(24)	
sv_rmaonly	RMA Only		yes/no	
sv_rmaprice	RMA Price List		x(8)	0
sv_rsp_time	Response	Rsp Time	>>>>>9	
sv_rsp_um	Response Time UM		x(1)	
sv_rstk_pct	Restocking Charge		->>9.99%	2
sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
sv_so_title	So title		x(24)	
sv_stime[8]	Start Time		99:99	
sv_st_time	Start Time	Start	99:99	
sv_svc_type	Contract Type	T	x(2)	
sv_taxable	Taxable		yes/no	
sv_taxc	Tax Class	TxC	x(3)	

Field Name	Label	Col-Label	Format	Dec
sv_tax_usage	Nature of Operation	Nature	x(8)	
sv_type	End User Type		x(8)	
sv_user1	Ufld1		x(8)	
sv_user2	Ufld2		x(8)	
sv_visits	Visits Per Year		>>9	2
sv__chr01			x(8)	
sv__chr02			x(8)	
sv__chr03			x(8)	
sv__chr04			x(8)	
sv__chr05			x(8)	
sv__qadc01	Qad Field #1		x(8)	0
sv__qadc02	Qad Field #2		x(8)	0
sv__qadc03	Qad Field #3		x(8)	0
sv__qadc04	Qad Field #4		x(8)	0
sv__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	
sv__qadl02	Qad Logical #2		yes/no	
sv__qadl03	Qad Logical #3		yes/no	
sv__qadt01	Qad Date #1		99/99/99	
sv__qadt02	Qad Date #2		99/99/99	
sv__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sv_code	yes	sv_code	yes	no
		sv_type	yes	no
sv_svc_type	no	sv_code	yes	no
		sv_svc_type	yes	no

swc_det

Cost Simulation Work Center Detail

Field Name	Label	Col-Label	Format	Dec
swc_bdn_pct	Lbr Bdn %		>>9.99%	2
swc_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	2
swc_bdn_supct	Setup Bdn %		>>9.99%	2
swc_bdn_surate	Setup Bdn Rate		>>>, >>9.99	2
swc_cat	W/C Category		x(1)	
swc_element	Cost Element	Element	x(8)	
swc_lbr_rate	Labor Rate		>>>, >>9.99	2
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>, >>9.99	2
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>, >>9.99	2
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	3
swc_men_mch	Run Crew		>>9.999	3
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		->, >>9.999	3
swc_pct_util	Percent Utilization		->, >>9.999	2
swc_run_rate	Lbr/Bdn Rate		->, >>>, >>9.99999	5
swc_setup_men	Setup Crew		->, >>9.99	2
swc_setup_rte	Setup Rate		>>>, >>9.99	2

Field Name	Label	Col-Label	Format	Dec
swc_set_rate	Setup Rate		->,>>>,>>9.99999	5
swc_sim	Cost Set		x(8)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	
swc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* swc_sim_wc	yes	swc_sim	yes	no
		swc_element	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_sim	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_element	yes	no

tag_mstr Physical Inventory Tag Master

Field Name	Label	Col-Label	Format	Dec
tag_cnt_cnv	Count Conv		>>>>9.9999	4
tag_cnt_dt	Date Counted	Cnt Date	99/99/99	
tag_cnt_nam	Counted By	Cntd By	x(8)	
tag_cnt_qty	Qty Counted		>,>>>,>>9.9<<<<<<<<<	10
tag_cnt_um	Count UM	UM	x(2)	
tag_crt_dt	Create Date	Crt Date	99/99/99	
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	>>>>>>9	
tag_part	Item Number		x(18)	
tag_posted	Posted	Post	yes/no	
tag_prt_dt	Print Date	Prt Date	99/99/99	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	>>>>9.9999	4
tag_rcnt_dt	Date Recounted	RcntDate	99/99/99	
tag_rcnt_nam	Recounted By	Rcntd By	x(8)	
tag_rcnt_qty	Qty Recounted		>,>>>,>>9.9<<<<<<<<<	10
tag_rcnt_um	Recount UM	UM	x(2)	
tag_ref	Ref	Reference	x(8)	
tag_rmks	Remarks		x(24)	
tag_serial	Lot/Serial		x(18)	
tag_site	Site		x(8)	
tag_type	Type	T	x(1)	
tag_user1	Ufld1		x(8)	
tag_user2	Ufld2		x(8)	
tag_void	Void		yes/no	
tag__qad01			->>>,>>>,>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* tag_nbr	yes	tag_nbr	yes	no
tag_pslsn	yes	tag_part	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no
tag_pssln	yes	tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_nbr	yes	no
tag_slpsn	yes	tag_site	yes	no
		tag_loc	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no

taxd_det

Tax Detail

Field Name	Label	Col-Label	Format	Dec
taxd_city	City		x(20)	
taxd_county	County		x(20)	
taxd_effdate	Effective		99/99/99	
taxd_ntaxamt[10]	Non Taxable Amount		-->, >>>, >>9.99	10
taxd_state	State		x(4)	
taxd_taxamt[3]	Tax Amt		-->, >>>, >>9.99	10
taxd_totamt	Total Amount		-->, >>>, >>9.99	10
taxd_tottax	Taxable Sales	Taxable! Sales	-->, >>>, >>9.99	10
taxd_user1	Ufld1		x(8)	
taxd_user2	Ufld2		x(8)	
taxd__qad01			x(8)	
taxd__qad02			x(8)	
taxd__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* taxd_stcocie	yes	taxd_state	yes	no
		taxd_county	yes	no
		taxd_city	yes	no
		taxd_effdate	yes	no

tax_mstr Tax Master

Field Name	Label	Col-Label	Format	Dec
tax_acct[3]	Account		x(8)	
tax_cc[3]	Cost Center	CC	x(4)	
tax_city	City		x(20)	
tax_county	County		x(20)	
tax_effdate	Effective		99/99/99	
tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	2
tax_mod_date	Modified Date	Mod Date	99/99/99	
tax_state	State		x(4)	
tax_tax_pct[3]	Tax		->>9.99<<%	4
tax_trl	Tax Trailer Amounts	Tax! Trl	yes/no	
tax_user1	Ufld1		x(8)	
tax_user2	Ufld2		x(8)	
tax_userid	User ID		x(8)	
tax__qad01			x(8)	
tax__qad02			x(8)	
tax__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* tax_state	yes	tax_state	yes	no
		tax_county	yes	no
		tax_city	yes	no
		tax_effdate	yes	no

◇ **tblcd_det** Table Change Detail

Field Name	Label	Col-Label	Format	Dec
tblcd_active	Active		yes/no	
tblcd_desc	Description		x(24)	
tblcd_fld_name	Field		x(32)	
tblcd_mod_date	Modified Date	Mod Date	99/99/99	
tblcd_mod_userid	User ID		X(8)	
tblcd_table	Table		x(16)	
tblcd_user1	User Field Character 1		X(24)	
tblcd_user2	User Field Character 2		X(24)	
tblcd__qadc01			X(24)	
tblcd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* tblcd_table	yes	tblcd_table	yes	no
		tblcd_fld_name	yes	no

◇ **tblc_mstr** Table Change Master

Field Name	Label	Col-Label	Format	Dec
tblc_active	Active		yes/no	
tblc_delete	Delete		yes/no	
tblc_desc	Description		x(24)	
tblc_mod_date	Modified Date	Mod Date	99/99/99	
tblc_mod_userid	User ID		X(24)	
tblc_table	Table		x(16)	
tblc_user1	User Field Character 1		X(24)	
tblc_user2	User Field Character 2		X(24)	
tblc__qadc01			X(24)	
tblc__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* tblc_table	yes	tblc_table	yes	no

tbl_mstr Service/Support Parent/Child Relationship Master

Field Name	Label	Col-Label	Format	Dec
tbl_compcode	Component		x(18)	
tbl_comptype	Component Type	Comp Type	x(12)	
tbl_end	End Effective	End Eff	99/99/99	
tbl_mod_date	Modified Date	Mod Date	99/99/99	
tbl_mod_userid	User ID		X(8)	
tbl_parcode	Parent		x(18)	
tbl_partype	Parent Type		x(12)	
tbl_ref	Reference		x(12)	
tbl_rmks	Remarks		x(24)	
tbl_start	Start Effective	Start Eff	99/99/99	
tbl_user1	Ufld1		x(8)	
tbl_user2	Ufld2		x(8)	
tbl__chr01	User Character Field 1		x(8)	
tbl__chr02	User Character Field 2		x(8)	
tbl__chr03	User Character Field 3		x(8)	
tbl__chr04	User Character Field 4		x(8)	
tbl__chr05	User Character Field 5		x(8)	
tbl__dec01	User Decimal Field 1		->, >>9.99	2
tbl__dec02	User Decimal Field 2		->, >>9.99	2
tbl__dte01	User Date Field 1		99/99/99	
tbl__dte02	User Date Field 2		99/99/99	
tbl__log01	User Logical Field 1		yes/no	
tbl__log02	User Logical Field 2		yes/no	
tbl__qadc01	QAD Character Field 1		x(8)	
tbl__qadc02	QAD Character Field 2		x(8)	
tbl__qadd01	QAD Date Field 1		99/99/99	
tbl__qadd02	QAD Date Field 2		99/99/99	
tbl__qadde01	QAD Decimal Field 1		->, >>9.99	2
tbl__qadde02	QAD Decimal Field 2		->, >>9.99	2
tbl__qadl01	QAD Logical Field 1		yes/no	
tbl__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
tbl_comp	no	tbl_comptype	yes	no
		tbl_compcode	yes	no
* tbl_typecode	yes	tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

te_mstr

Transaction Export Master

Field Name	Label	Col-Label	Format	Dec
te_data	DATA		X(255)	
te_date	Date Created		99/99/99	
te_date_deliv	Date Delivered		99/99/99	
te_date_exp	Date Exported		99/99/99	
te_dest	Dest ID		x(16)	
te_exp_type	Export Type		x(16)	
te_line	Line		9999	
te_nbr	Number		99999999	
te_pgm	Program		x(16)	
te_pgm_errs	Error Count		9999	
te_pgm_msgs[10]	Errors		x(40)	
te_pgm_warn	Warn Count		9999	
te_site	Site		x(8)	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(3)	
te_user1	Ufld1		X(8)	
te_user2	Ufld2		X(8)	
te_userid	User ID		x(8)	
te__chr01			X(8)	
te__chr02			X(8)	
te__dec01			99999999.99	2
te__dec02			99999999.99	2
te__dte01			99/99/99	
te__dte02			99/99/99	
te__log01			yes/no	
te__log02			yes/no	
te__qadc01			X(8)	
te__qadc02			X(8)	
te__qadc03			X(8)	
te__qadc04			X(8)	
te__qadd07			99999999.99	2
te__qadd08			99999999.99	2
te__qadi05			9999	
te__qadi06			9999	
te__qadi11			YES/NO	
te__qadi12			YES/NO	
te__qadt09			99/99/99	
te__qadt10			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
te_date	no	te_date	yes	no
te_date_deliv	no	te_date_deliv	yes	no
te_dest	no	te_dest	yes	no
te_exp_type	no	te_exp_type	yes	no
* te_mstr	yes	te_site	yes	no
		te_nbr	yes	no
		te_line	yes	no
te_nbr	yes	te_nbr	yes	no
		te_line	yes	no

tm_mstr Transportation Master

Field Name	Label	Col-Label	Format	Dec
tm_cmtindx	Comment Index	Comment	>>>>>>9	
tm_code	Transport ID	Trans ID	x(8)	
tm_cube_um	UM		x(2)	
tm_desc	Description		x(24)	
tm_gross_wt	Gross Vehicle Weight	GVW	->>, >>>, >>9.9<<<	10
tm_height	Height		>>>, >>>, >>9.9<<<	10
tm_length	Length		>>>, >>>, >>9.9<<<	10
tm_load_lt	Load LT		->>9.9<	2
tm_maxcube	Max Load Volume	Max Vol	>>>, >>>, >>9.9<<<	10
tm_maxweight	Max Load Weight	Max Load	>>>, >>>, >>9.9<<<	10
tm_no_units	Available Units	Units	->, >>>, >>9	
tm_pallets	Pallet Capacity	Pallets	>>>, >>>, >>9	
tm_rate_code	Rate Table	Rate	x(8)	
tm_type	Transport Type	Type	x(8)	
tm_unload_lt	Unload LT		->>9.9<	2
tm_user1	Ufld1		x(8)	
tm_user2	Ufld2		x(8)	
tm_weight_um	UM		x(2)	
tm_width	Width		>>>, >>>, >>9.9<<<	10
tm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* tm_code	yes	tm_code	yes	no
tm_desc	no	tm_desc	yes	no
		tm_code	yes	no
tm_rate	no	tm_rate_code	yes	no
		tm_code	yes	no

◇ **totd_det** Terms of Trade Detail

Field Name	Label	Col-Label	Format	Dec
totd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
totd_mod_date	Modified Date	Mod Date	99/99/99	
totd_mod_userid	User ID		x(8)	
totd_responsibility	Responsibility		x(2)	
totd_terms_code	Terms of Trade		x(8)	
totd_user1	User Field Character 1		x(24)	
totd_user2	User Field Character 2		x(24)	
totd__qadc01			x(24)	
totd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* totd_terms_code	yes	totd_terms_code	yes	no
		totd_lc_charge	yes	no

◇ tot_mstr Terms of Trade Master

Field Name	Label	Col-Label	Format	Dec
tot_mod_date	Modified Date	Mod Date	99/99/99	
tot_mod_userid	User ID		x(8)	
tot_terms_code	Terms of Trade		x(8)	
tot_terms_desc	Description		x(24)	
tot_user1	User Field Character 1		x(24)	
tot_user2	User Field Character 2		x(24)	
tot__qadc01			x(24)	
tot__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* tot_terms_code	yes	tot_terms_code	yes	no

trcs_det Transaction Cost Detail

Field Name	Label	Col-Label	Format	Dec
trcs_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
trcs_curr	Currency	Cur	x(3)	
trcs_ex_rate	Exch Rate		>>, >>9.99999<<<<<	10
trcs_lbr_std	Labor		->>>, >>>, >>9.99<<<	10
trcs_mtl_std	Material		->>>, >>>, >>9.99<<<	10
trcs_ovh_std	Overhead		>>>>, >>>, >>9.99<<<	10
trcs_price	Price		->>>, >>>, >>9.99<<<	10
trcs_set	Cost Set		x(8)	
trcs_sub_std	Subcontract		->>>, >>>, >>9.99<<<	10
trcs_trnbr	Trans		>>>>>>>>	
trcs_user1	Ufld1		x(8)	
trcs_user2	Ufld2		x(8)	
trcs_userid	User ID		x(8)	
trcs__qad01			x(8)	
trcs__qad02			x(8)	
trcs__qad03			x(8)	
trcs__qad04			>>>, >>>, >>9.99	10
trcs__qad05			>>>, >>>, >>9.99	10
trcs__qad06			>>>, >>>, >>9.99	10
trcs__qad07			99/99/99	
trcs__qad08			99/99/99	
trcs__qad09			99/99/99	
trcs__qad10			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* trcs_nbr_set	yes	trcs_trnbr	yes	no
		trcs_set	yes	no

trgl_det

Inventory Transaction and General Ledger Cross-Reference

Field Name	Label	Col-Label	Format	Dec
trgl_cr_acct	Cr Acct		x(8)	
trgl_cr_cc	Cr Cost Ctr	CC	x(4)	
trgl_cr_line	Line		>>>9	
trgl_cr_proj	Cr Project	Project	x(8)	
trgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
trgl_dr_acct	Dr Acct		x(8)	
trgl_dr_cc	Dr Cost Ctr	CC	x(4)	
trgl_dr_line	Line		>>>9	
trgl_dr_proj	Dr Project	Project	x(8)	
trgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
trgl_dy_code	Daybook		x(8)	
trgl_dy_num	Entry Number		x(40)	
trgl_gl_amt	Amount		->>>>>, >>9.99	10
trgl_gl_ref	GL Reference		x(14)	
trgl_sequence	Sequence		->, >>>, >>9	
trgl_trnbr	Transaction	Trans	>>>>>9	
trgl_type	Type		x(8)	
trgl_user1	Ufld1		x(8)	
trgl_user2	Ufld2		x(8)	
trgl_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
trgl_dr_cr	no	trgl_dr_acct	yes	no
		trgl_dr_sub	yes	no
		trgl_dr_cc	yes	no
		trgl_cr_acct	yes	no
		trgl_cr_sub	yes	no
		trgl_cr_cc	yes	no
trgl_dy_code	no	trgl_dy_code	yes	no
		trgl_dy_num	yes	no
* trgl_nbr_ref	yes	trgl_trnbr	yes	no
		trgl_gl_ref	yes	no
		trgl_sequence	yes	no
trgl_ref_nbr	no	trgl_gl_ref	yes	no
		trgl_trnbr	yes	no
trgl_type_nbr_ref	no	trgl_type	yes	no
		trgl_trnbr	yes	no
		trgl_gl_ref	yes	no

trld_det

Trailer Tax Detail

Field Name	Label	Col-Label	Format	Dec
trld_code	Trailer Code	Trll Code	x(4)	
trld_taxable	Taxable		yes/no	
trld_taxc	Tax Class	TxC	x(3)	
trld_tax_type	Tax Type		x(16)	
trld_user1	Ufld1		x(8)	
trld_user2	Ufld2		x(8)	
trld_chr01			x(8)	
trld_log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
trld__qad01			x(8)	
trld__qad02			x(8)	
trld__qad03			->>>, >>>, >>9.99	2
trld__qad04			99/99/99	
trld__qad05			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* trld_code_type	yes	trld_code	yes	no
		trld_tax_type	yes	no

trl_mstr Trailer Master

Field Name	Label	Col-Label	Format	Dec
trl_acct	Trailer Acct	Acct	x(8)	
trl_cc	Trailer CC	CC	x(4)	
trl_code	Trailer Code	Code	x(2)	
trl_desc	Description		x(24)	
trl_fst	FST		yes/no	
trl_project	Project		x(8)	
trl_pst	PST		yes/no	
trl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
trl_taxable	Taxable		yes/no	
trl_taxc	Tax Class	TxC	x(3)	
trl_user1	Ufld1		x(8)	
trl_user2	Ufld2		x(8)	
trl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* trl_code	yes	trl_code	yes	no

trq_mstr Transmission Date Reference Master

Field Name	Label	Col-Label	Format	Dec
trq_add_ref	Add Ref		x(8)	
trq_doc_ref	Doc Ref		x(8)	
trq_doc_type	Doc Type		x(3)	
trq_id	Transmission Number	Transm	>>>>>>9	
trq_mod_date	Modified Date	Mod Date	99/99/99	
trq_mod_userid	User ID		x(16)	
trq_msg_type	Type		x(8)	
trq_user1	Ufld1		x(8)	
trq_user2	Ufld2		x(8)	
trq__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
trq_doc_type	yes	trq_doc_type	yes	no
		trq_doc_ref	yes	no
		trq_add_ref	yes	no
* trq_id	yes	trq_id	yes	no

tr_hist

Inventory Transaction History

Field Name	Label	Col-Label	Format	Dec
tr_addr	Address		x(8)	
tr_assay	Assay %		>>9.99%	2
tr_auto_install	Auto Installed		yes/no	
tr_batch	Batch		x(18)	
tr_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
tr_begin_qoh	Begin Balance		->, >>>, >>9.9<<<<<<<<	10
tr_ca_int_type	Work Code		x(8)	
tr_ca_opn_date			99/99/99	
tr_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
tr_cpri	Price		>>>>, >>>, >>9.99<<<	10
tr_curr	Currency	Cur	x(3)	
tr_date	Date		99/99/99	
tr_daycode	Day Code		x(8)	
tr_effdate	Effective	Eff Date	99/99/99	
tr_enduser	End User		X(8)	
tr_eng_area	Service Area	Area	x(18)	
tr_eng_code	Engineer Code	Eng Code	x(8)	
tr_expire	Expire Date		99/99/99	
tr_exru_seq	Sequence		>>>>>>>9	
tr_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
tr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
tr_ex_ratetype	Rate Type		x(8)	
tr_fcg_code	Charge Code		x(8)	
◇ tr_fldchg_cmtindx	Comment		>>>>>>>9	
tr_for	Service Part		x(18)	
tr_fsc_code	Service Category		x(8)	
tr_fsm_type	FSM Type		x(8)	
tr_gl_amt	Amount		->>>>>, >>9.99	10
tr_gl_date	GL Date		99/99/99	
tr_grade	Grade		x(2)	
tr_last_date	Last Activity		99/99/99	
tr_lbr_std	Labor		->>>, >>>, >>9.99<<<	10
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->, >>>, >>9.9<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>9	
tr_mtl_std	Material		->>>, >>>, >>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>, >>>, >>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>, >>>, >>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	

Field Name	Label	Col-Label	Format	Dec
tr_program	Program		x(12)	
◇ tr_promise_date	Promise Date	Promise	99/99/99	
tr_qty_chg	Qty Change		->, >>>, >>9.9<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->, >>>, >>9.9<<<<<<<<	10
tr_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
tr_qty_short	Qty Short		->, >>>, >>9.9<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>, >>>, >>9.99<<<	10
tr_svc_type			x(1)	
tr_sv_code	Contract Type		x(8)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>, >>>, >>9	
tr_tnrbr	Trans		>>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	
tr_user1	Ufld1		x(8)	
tr_user2	Ufld2		x(8)	
tr_userid	User ID		x(8)	
tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
tr_vend_lot	Supplier Lot		x(18)	
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspsn1	Salesperson 1	Salespsn	x(8)	
tr_xslspsn2	Salesperson 2	Salespsn	x(8)	
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	

Field Name	Label	Col-Label	Format	Dec
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>, >>>, >>9.99	10
tr__dec02			>>>, >>>, >>9.99	10
tr__dec03			>>>, >>>, >>9.99	10
tr__dec04			>>>, >>>, >>9.99	10
tr__dec05			>>>, >>>, >>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
tr_addr_eff	no	tr_addr	yes	no
		tr_effdate	yes	no
tr_batch	no	tr_batch	yes	no
tr_date_trn	yes	tr_date	yes	no
		tr_trnbr	yes	no
tr_eff_trnbr	no	tr_effdate	yes	no
		tr_trnbr	yes	no
tr_nbr_eff	no	tr_nbr	yes	no
		tr_effdate	yes	no
tr_part_eff	no	tr_part	yes	no
		tr_effdate	yes	no
tr_part_trn	no	tr_part	yes	no
		tr_trnbr	yes	no
tr_serial	no	tr_serial	yes	no
* tr_trnbr	yes	tr_trnbr	yes	no
tr_type	no	tr_type	yes	no
		tr_effdate	yes	no
tr_vend_lot	no	tr_vend_lot	yes	no

tx2d_det Tax Detail

Field Name	Label	Col-Label	Format	Dec
tx2d_abs_ret_amt	Base Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_by_line	Tax-By-Line	By! Line	yes/no	
tx2d_carrier	Carrier		x(8)	
tx2d_curr	Currency	Cur	x(3)	
tx2d_cur_abs_ret_amt	Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_cur_nontax_amt	Non-taxable		->>, >>>, >>9.99	10
tx2d_cur_recov_amt	Recoverable		->>, >>>, >>9.99	10
tx2d_cur_tax_amt	Tax		->>, >>>, >>9.99	10
tx2d_edited	Edited	Ed	yes/no	
tx2d_effdate	Tax Date		99/99/99	
tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_ent_nontax_amt	Entity Non-Taxable		->>, >>>, >>9.99	10
tx2d_ent_recov_amt	Entity Recoverable		->>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
tx2d_ent_tax_amt	Entity Tax		->>, >>>, >>9.99	10
Δ tx2d_line	Line		>>>>>>9	
tx2d_line_site_ent	Line Site Entity		x(4)	
tx2d_nbr	Number		x(8)	
tx2d_nontax_amt	Base Non-Taxable		->>, >>>, >>9.99	10
tx2d_posted_date	Posted Date	Post! Date	99/99/99	
tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2d_recov_amt	Base Recoverable		->>, >>>, >>9.99	10
tx2d_ref	Reference	Ref	x(8)	
tx2d_taxable_amt	Base Taxable		->>, >>>, >>9.99	10
tx2d_taxc	Tax Class	Tax! Class	x(3)	
tx2d_tax_amt	Base Tax		->>, >>>, >>9.99	10
tx2d_tax_code	Tax Code		x(8)	
tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
tx2d_tax_in	Tax In	Tax! In	yes/no	
tx2d_tax_type	Tax Type		x(16)	
tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
tx2d_totamt	Total Amount		->>, >>>, >>9.99	10
tx2d_tottax	Taxable Sales	Taxable! Sales	->>, >>>, >>9.99	10
tx2d_trans_ent	Transaction Entity		x(4)	
Δ tx2d_trl	Trailer	Trl	x(18)	
tx2d_tr_type	Transaction Type	TT	x(2)	
◇ tx2d_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2d_user1	Ufld1		x(8)	
tx2d_user2	Ufld2		x(8)	
tx2d_zone_from	Ship-From Tax Zone		x(16)	
tx2d_zone_to	Ship-To Tax Zone		x(16)	
tx2d__chr01			x(8)	
tx2d__chr02			x(8)	
tx2d__dec01			->>>, >>>, >>9.99	2
tx2d__dec02			->>>, >>>, >>9.99	2
tx2d__dte01			99/99/99	
tx2d__log01			yes/no	
tx2d__qad01			x(8)	
tx2d__qad02			x(8)	
tx2d__qad03			yes/no	
tx2d__qad04			->>>, >>>, >>9.99	2
tx2d__qad05			99/99/99	
tx2d__qadd01[3]			->>>, >>>, >>9.99<	10
tx2d__qadd02[10]			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
tx2d_carrier	no	tx2d_carrier	yes	no
* tx2d_ref_nbr	yes	tx2d_ref	yes	no
		tx2d_nbr	yes	no
		tx2d_line	yes	no
		tx2d_trl	yes	no
		tx2d_tr_type	yes	no
		tx2d_tax_code	yes	no
tx2d_tax_code	no	tx2d_tax_code	yes	no

tx2_mstr

Tax Master

Field Name	Label	Col-Label	Format	Dec
tx2_apr_acct	AP Retained Tax Account		x(8)	
tx2_apr_cc	CC		x(4)	
tx2_apr_sub	AP Retained Tax sub	Sub-Acct	x(8)	
tx2_apr_use			yes/no	
tx2_ap_acct	AP Tax Account		x(8)	
tx2_ap_cc	CC		x(4)	
◇ tx2_ap_disc_acct	AP Discount Account		x(8)	
◇ tx2_ap_disc_cc	CC		x(4)	
◇ tx2_ap_disc_sub	AP Discount Sub-Account	Sub-Acct	x(8)	
tx2_ap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
tx2_ara_acct	AR Absorbed Tax Account		x(8)	
tx2_ara_cc	CC		x(4)	
tx2_ara_sub	AR Absorbed Tax Sub	Sub-Acct	x(8)	
tx2_ara_use			yes/no	
tx2_ar_acct	AR Sales Tax Account		x(8)	
tx2_ar_cc	CC		x(4)	
◇ tx2_ar_disc_acct	AR Discount Account		x(8)	
◇ tx2_ar_disc_cc	CC		x(4)	
◇ tx2_ar_disc_sub	AR Discount Sub-Account	Sub-Acct	x(8)	
tx2_ar_sub	AR Sales Tax Sub-Acct	Sub-Acct	x(8)	
tx2_base	Taxable Base Code	Tax Base	x(8)	
tx2_by_line	Tax-By-Line	By! Line	yes/no	
tx2_cmtindx	Comment Index	Comment	>>>>>>9	
tx2_curr	Currency	Cur	x(3)	
tx2_desc	Description		x(24)	
tx2_ec_process_work	EC Process Work		yes/no	
tx2_ec_sales_list	EC Sales List		yes/no	
tx2_effdate	Effective		99/99/99	
tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
◇ tx2_group	Tax Group		x(8)	
tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
tx2_max	Maximum Taxable Amount	Max Amount	>>>, >>>, >>>, >>9.99<	10
tx2_method	Tax Method	Tax! Meth	x(2)	
tx2_min	Minimum Taxable Amount	Min Taxable	>>>, >>>, >>>, >>9.99<	10
tx2_mod_date	Modified Date	Mod Date	99/99/99	
tx2_pct_rcv	Percent Recoverable	Pct Recov	->>9.99<<%	10
tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
tx2_pt_taxc	Item Tax Class	TxC	x(3)	
tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
◇ tx2_register	Tax Register		x(2)	
◇ tx2_stx_acct	Suspended Tax Account		x(8)	
◇ tx2_stx_cc	CC		x(4)	
◇ tx2_stx_sub	Suspended Tax Sub Account	Sub-Acct	x(8)	
tx2_tax_code	Tax Code		x(8)	
tx2_tax_in	Allow Tax Included		yes/no	
tx2_tax_pct	Tax Rate		->>9.99<<%	10
tx2_tax_type	Tax Type		x(16)	
tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
◇ tx2_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2_user1	Ufld1		x(8)	
tx2_user2	Ufld2		x(8)	
tx2_userid	User ID		x(8)	
tx2_chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
tx2__chr02			x(8)	
tx2__dec01			->>>,>>>,>>9.99	10
tx2__dec02			->>>,>>>,>>9.99	10
tx2__dte01			99/99/99	
tx2__log01			yes/no	
tx2__qad01			x(8)	
tx2__qad02			x(8)	
tx2__qad03			yes/no	
tx2__qad04			->>>,>>>,>>9.99	10
tx2__qad05			99/99/99	
tx2__qadc01[2]			x(8)	
tx2__qadc02[2]			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ tx2_register	no	tx2_register	yes	no
* tx2_tax_code	yes	tx2_tax_code	yes	no
tx2_type_taxc	yes	tx2_tax_type	yes	no
		tx2_pt_taxc	yes	no
		tx2_tax_usage	yes	no
		tx2_effdate	yes	no

txbd_det Tax Base Detail

Field Name	Label	Col-Label	Format	Dec
txbd_base	Tax Base		x(8)	
txbd_tax_type	Tax Type		x(16)	
txbd_user1	Ufld1		x(8)	
txbd_user2	Ufld2		x(8)	
txbd__qad01			x(8)	
txbd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* txbd_base_type	yes	txbd_base	yes	no
		txbd_tax_type	yes	no

txc_ctrl Tax Control

Field Name	Label	Col-Label	Format	Dec
txc_by_line	Tax-By-Line		yes/no	
txc_ctry_code	Country Code	Ctry	x(3)	
txc_detrp	Display Detail on Reports		yes/no	
txc_edit_hist	Update History Allowed		yes/no	
txc_index1	Index		>>>>>9	
txc_inv_disc	Discount Tax at Invoice		yes/no	
txc_inv_hist	Keep Tax History	Hist	yes/no	
txc_method	Tax Method		x(2)	
txc_pmt_disc	Discount Tax at Payment		yes/no	
txc_prt_vat_reg	Print VAT Registration	Prt! VAT	yes/no	

Field Name	Label	Col-Label	Format	Dec
txc_rcpt_tax_point	Accrue Tax at Receipt	Accrue! Receipt	yes/no	
txc_round	Rounding Method	R	x(1)	
txc_tax_code	Last Tax Code		x(8)	
txc_tax_env	Tax Environment		x(16)	
txc_tax_zone	Tax Zone		x(16)	
txc_update_tax	Update Tax Allowed		yes/no	
◊ txc_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
txc_user1	Ufld1		x(8)	
txc_user2	Ufld2		x(8)	
txc_val_vat_reg	Validate VAT Registration	Val! VAT	yes/no	
txc_chr01			x(8)	
txc_chr02			x(8)	
txc_dec01			->>>, >>>, >>9.99	10
txc_dec02			->>>, >>>, >>9.99	10
txc_dte01			99/99/99	
txc_log01			yes/no	
txc_qad01			x(8)	
txc_qad02			x(8)	
txc_qad03			yes/no	
txc_qad04			->>>, >>>, >>9.99	2
txc_qad05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* txc_index1	yes	txc_index1	yes	no

txed_det

Tax Environment Detail

Field Name	Label	Col-Label	Format	Dec
txed_round	Rounding Method	R	x(1)	
txed_seq	Sequence	Sq	>9	
txed_tax_env	Tax Environment	Tax Env	x(16)	
txed_tax_type	Tax Type		x(16)	
txed_user1	Ufld1		x(8)	
txed_user2	Ufld2		x(8)	
txed__log01			yes/no	
txed__qad01			x(8)	
txed__qad02			x(8)	
txed__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
txed_seq	no	txed_tax_env	yes	no
		txed_seq	yes	no
* txed_tax_env	yes	txed_tax_env	yes	no
		txed_tax_type	yes	no

txe_mstr

Tax Environment Master

Field Name	Label	Col-Label	Format	Dec
txe_desc	Tax Environment	Tax Env	x(16)	
txe_tax_env	Tax Environment	Tax Env	x(16)	
txe_user1	Ufld1		x(8)	
txe_user2	Ufld2		x(8)	
txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(16)	
txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	
txe__log01			yes/no	
txe__qad01	Description		x(24)	
txe__qad02			x(8)	
txe__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
txe_desc	no	txe_desc	yes	no
* txe_tax_env	yes	txe_tax_env	yes	no
txe_to_from	yes	txe_zone_to	yes	no
		txe_zone_from	yes	no

txhd_det

Tax History Detail

Field Name	Label	Col-Label	Format	Dec
txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
txhd_comm_code	Commodity Code	Com Code	x(8)	
txhd_container	Container Indicator	C	x(1)	
txhd_curr	Currency	Cur	x(3)	
txhd_cust_ctype	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
txhd_del_terms	Terms of Delivery	T Δ	x(3)	
txhd_desdis_ctype	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_edit_hist	Editable Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>,>>>,>>>,>>9.99	10
txhd_line	Line		>>>>9	
txhd_nbr	Number		x(8)	
txhd_net_wt	Net Weight	Net Wt	->>>>>>>9	
txhd_orig_ctype	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>,>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_transh_port	Transshipment Port	T P	x(8)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>, >>>, >>>, >>9.99	10
txhd__chr01			x(8)	
txhd__chr02			x(8)	
txhd__dec01			->>>, >>>, >>9.99	2
txhd__dec02			->>>, >>>, >>9.99	2
txhd__dte01			99/99/99	
txhd__log01			yes/no	
txhd__qad01			x(8)	
txhd__qad02			x(8)	
txhd__qad03			yes/no	
txhd__qad04			->>>, >>>, >>9.99	2
txhd__qad05			->>>, >>>, >>9.99	2
txhd__qad06			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
txhd_fiscal_class	no	txhd_fiscal_class	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_post_type	no	txhd_posted	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_ref_nbr	yes	txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
		txhd_trl	yes	no
		txhd_tr_type	yes	no
		txhd_tax_code	yes	no
* txhd_tr_nbr	yes	txhd_tr_nbr	yes	no

◇ **txrd_det** Tax Register Detail

Field Name	Label	Col-Label	Format	Dec
txrd_code	Accounting Transaction Code		x(4)	
txrd_mod_date	Modified Date	Mod Date	99/99/99	
txrd_mod_userid	User ID		x(8)	
txrd_ref	Transaction Reference		x(8)	
txrd_register	Register		x(2)	
txrd_site	Site		x(8)	
txrd_tran_type	Transaction Type		x(8)	
txrd_user1	User Field Character 1		x(24)	
txrd_user2	User Field Character 2		x(24)	
txrd_userd01	User Field Decimal 2		->>>>, >>>, >>>9.9<<<<<<<<<<	10
txrd_useri01	User Field Integer 1		->>>>>>>9	
txrd_userl01	User Field Logical 1		yes/no	
txrd_usert01	User Field Date 1		99/99/99	
txrd__qadc01			x(24)	
txrd__qadc02			x(24)	
txrd__qadd01			->>>>, >>>, >>>9.9<<<<<<<<<<	10
txrd__qadi01			->>>>>>>9	
txrd__qadi01			yes/no	
txrd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* txrd_register	yes	txrd_register	yes	no
		txrd_site	yes	no
		txrd_tran_type	yes	no
		txrd_ref	yes	no

◇ **txr_mstr** Tax Register Master

Field Name	Label	Col-Label	Format	Dec
txr_active	Active		yes/no	
txr_ap_page_num	Next AP Tax Reg Page Nbr		99999999	
txr_ar_page_num	Next AR Tax Reg Page Nbr		99999999	
txr_co_seqid	Correction Invoice Sequence ID		x(8)	
txr_cr_seqid	Credit Note Sequence ID		x(8)	
txr_ec_report	EC Report		yes/no	
txr_inv_seqid	Invoice Sequence ID		x(8)	
txr_mod_date	Modified Date	Mod Date	99/99/99	
txr_mod_userid	User ID		x(8)	
txr_register	Tax Register		x(2)	
txr_site	Site		x(8)	
txr_user1	User Field Character 1		x(24)	
txr_user2	User Field Character 2		x(24)	
txr_userd01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
txr_useri01	User Field Integer 1		->>>>>>>9	
txr_userl01	User Field Logical 1		yes/no	
txr_usert01	User Field Date 1		99/99/99	
txr_vo_seqid	Voucher Sequence ID		x(8)	
txr__qadc01			x(24)	
txr_qadc02			x(24)	

Field Name	Label	Col-Label	Format	Dec
txr_qadd01			->>>>>>>>>9.9<<<<<<<<<<<	10
txr_qadi01			->>>>>>>>9	
txr_qadi01			yes/no	
txr_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* txr_register	yes	txr_register	yes	no
		txr_site	yes	no

txz_mstr Tax Zone Master

Field Name	Label	Col-Label	Format	Dec
txz_city	City		x(20)	
txz_county	County		x(20)	
txz_ctry_code	Country Code	Ctry	x(3)	
txz_desc	Description		x(24)	
txz_state	State	St	x(4)	
txz_tax_zone	Tax Zone		x(16)	
txz_user1	Ufld1		x(8)	
txz_user2	Ufld2		x(8)	
txz_zip	Post		x(10)	
txz_log01			yes/no	
txz_qad01	Sums-Into Tax Zone	Sums-Into! Tax Zone	x(16)	
txz_qad02	Use Sums-Into	Use! Sums	x(4)	
txz_qad03	Subtotal This Level	Sub	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
txz_ctry_state	yes	txz_ctry_code	yes	no
		txz_state	yes	no
		txz_county	yes	no
		txz_city	yes	no
		txz_zip	yes	no
txz_desc	no	txz_desc	yes	no
* txz_tax_zone	yes	txz_tax_zone	yes	no

typ_mstr Fixed Asset Type Master

Field Name	Label	Col-Label	Format	Dec
typ_desc	Description		x(24)	
typ_method	Depreciation Method	Depr! Method	x(8)	
typ_type	Type	T	x(2)	
typ_user1	Ufld1		x(8)	
typ_user2	Ufld2		x(8)	
typ_qad01			yes/no	
typ_qad02			x(8)	
typ_qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* typ_type	yes	typ_type	yes	no

tzod_det

Service/Support Time Zone Detail

Field Name	Label	Col-Label	Format	Dec
tzod_desc	Time Zone Description		X(60)	
tzod_eday	Ending Day		>9	
tzod_eyear	End Year		9999	
tzod_hour	Hours		>9	
tzod_min	Minutes		>9	
tzod_mod_date	Modified Date	Mod Date	99/99/99	
tzod_mod_userid	User ID		X(8)	
tzod_month	Start Period Month		>9	
tzod_offset	GMT Offset		+99999	
tzod_sday	Start Period Day		>9	
tzod_std_day	Time Period		X(3)	
tzod_syear	Start Year		9999	
tzod_tzone	Time Zone		X(8)	
tzod_user1	Ufld1		X(8)	
tzod_user2	Ufld2		X(8)	
tzod_wday	Weekday		X	
tzod__chr01	Character Field 1		X(8)	
tzod__chr02	Character Field 2		X(8)	
tzod__dte01	Date Field 1		99/99/99	
tzod__dte02	Date Field 2		99/99/99	
tzod__int01	Integer Field 1		->,>>>,>>9	
tzod__int02	Integer Field 2		->,>>>,>>9	
tzod__log01	Logical Field 1		yes/no	
tzod__log02	Logical Field 2		yes/no	
tzod__qadc01	QAD Character Field 1		X(8)	
tzod__qadc02	QAD Character Field 2		X(8)	
tzod__qadi01	QAD Integer Field 1		->,>>>,>>9	
tzod__qadi02	QAD Integer Field 2		->,>>>,>>9	
tzod__qadi01	QAD Logical Field 1		yes/no	
tzod__qadi02	QAD Logical Field 2		yes/no	
tzod__qadt01	QAD Date Field 1		99/99/99	
tzod__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* tzod_tzond	yes	tzod_tzone	yes	no
		tzod_std_day	yes	no
		tzod_syear	yes	no
		tzod_eyear	yes	no

tzo_mstr Service/Support Time Zone Master

Field Name	Label	Col-Label	Format	Dec
tzo_area	Area		X(8)	
tzo_auto_adj	Auto Period Adjust		yes/no	
tzo_desc	Description		X(40)	
tzo_label	Time Zone		X(8)	
tzo_mod_date	Modified Date	Mod Date	99/99/99	
tzo_mod_userid	User ID		X(8)	
tzo_tzone	Time Zone Tindex		X(20)	
tzo_user1	Ufld1		X(8)	
tzo_user2	Ufld2		X(8)	
tzo_chr01	Character Field 1		X(8)	
tzo_dte01	Date Field 1		99/99/99	
tzo_int01	Integer Field 1		->,>>>,>>9	
tzo_log01	Logical Field 1		yes/no	
tzo_qadc01	QAD Character Field 1		X(8)	
tzo_qadi01	QAD Integer Field 1		->,>>>,>>9	
tzo_qadi01	QAD Logical Field 1		yes/no	
tzo_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
tzo_area	no	tzo_area	yes	no
* tzo_label	yes	tzo_label	yes	no
		tzo_area	yes	no

ufd_det User Function Key Detail

Field Name	Label	Col-Label	Format	Dec
ufd_exec	Execution File		x(14)	
ufd_fkey	Function Key	Key	>>9	
ufd_label	Label		x(32)	
ufd_nbr	Menu		x(16)	
ufd_nbrsel	Menu/Sel		x(12)	
ufd_select	Selection	Select	>9	
ufd_seq	Sequence	Seq	>>9	
ufd_user1	Ufld1		x(8)	
ufd_user2	Ufld2		x(8)	
ufd_userid	User ID		x(8)	
ufd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ufd_label	no	ufd_userid	yes	no
		ufd_label	yes	no
ufd_nbrsel	no	ufd_userid	yes	no
		ufd_nbrsel	yes	no
* ufd_ufs	yes	ufd_userid	yes	no
		ufd_fkey	yes	no
		ufd_seq	yes	no

umsg_det User Message Detail

Field Name	Label	Col-Label	Format	Dec
umsg_addr	Address		x(8)	
umsg_call_pgm	Calling Program		x(14)	
umsg_exec_pgm	Execution File	Exec File	x(14)	
umsg_lang	Language		x(2)	
umsg_level	Severity		9	
umsg_nbr	Message Number	Msg	>>>9	
umsg_seq	Message Sequence		>>9	
umsg_site	Site		x(8)	
umsg_user1	Ufld1		x(8)	
umsg_user2	Ufld2		x(8)	
umsg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* umsg_cm	yes	umsg_call_pgm	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no
	yes	umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_call_pgm	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no

um_mstr Unit of Measure Conversion Master

Field Name	Label	Col-Label	Format	Dec
um_alt_qty	UM Qty		>>>>9.9<<<<	5
um_alt_um	Alternate UM	Alt	x(2)	
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	
um__chr01			x(8)	
um__chr02			x(8)	
um__chr03			x(8)	
um__chr04			x(8)	
um__chr05			x(8)	
um__chr06			x(8)	
um__dec01			>>>.>>>.>>9.99	10
um__dec02			>>>.>>>.>>9.99	10
um__dte01			99/99/99	
um__dte02			99/99/99	
um__log01			yes/no	
um__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
um_part	yes	um_part	yes	no
		um_um	yes	no
		um_alt_um	yes	no
* um_um_alt_pt	yes	um_um	yes	no
		um_alt_um	yes	no
		um_part	yes	no

upd_det Printer/User Detail

Field Name	Label	Col-Label	Format	Dec
upd_dev	Output To		x(8)	
upd_exec	Execution File		x(14)	
upd_nbr	Menu		x(16)	
upd_select	Selection	Select	>9	
upd_user1	Ufld1		x(8)	
upd_user2	Ufld2		x(8)	
upd_userid	User ID		x(8)	
upd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* upd_uns	yes	upd_userid	yes	no
		upd_nbr	yes	no
		upd_select	yes	no

url_mstr URL Master

Field Name	Label	Col-Label	Format	Dec
url_addr	User ID		X(8)	
url_call_pgm	Browse		X(14)	
url_desc	Description		x(50)	
url_determine	Determine		yes/no	
url_exec	URL to execute		x(50)	
url_field	Field		X(32)	
url_field_value	Value		x(50)	
url_image	GIF File Name		x(15)	
url_mod_date	Modified Date	Mod Date	99/99/99	
url_mod_userid	User ID		X(8)	
url_primary	Primary		yes/no	
url_script	URL Script		x(60)	
url_type	Type		x(8)	
url_user1	Ufld1		X(8)	
url_user2	Ufld2		X(8)	
url__qadc02			X(8)	
url__qadc03			x(8)	
url__qadd01			->>>>, >>>, >>9.99<<<	10
url__qadi01			->, >>>, >>9	
url__qadi02			>>>>>>9	
url__qadi01			yes/no	
url__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
	no	url_type	yes	no
		url_call_pgm	yes	no
		url_addr	yes	no
		url_field	yes	no
		url_field_value	yes	no
* url_type_field	yes	url_type	yes	no
		url_field	yes	no
		url_field_value	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		url_addr	yes	no
		url_call_pgm	yes	no
		url_exec	yes	no
		url_script	yes	no

◇ **usg_det** Application Usage Detail

Field Name	Label	Col-Label	Format	Dec
usg_clear_date	Clear Date		99/99/99	
usg_count	Access Count		>>>, >>>, >>9	
usg_date	Access Date		99/99/99	
usg_exec	Program		x(16)	
usg_product	Application		x(16)	
usg_user1	User Field Character 1		x(24)	
usg_user2	User Field Character 2		x(24)	
usg_userid	Last Accessed By	User ID	x(8)	
usg__qadc01			x(24)	
usg__qadc02			x(24)	
usg__qadd01			->>>>, >>>, >>9.<<<<<<<<<<	10
usg__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* usg_product	yes	usg_product	yes	no
		usg_exec	yes	no

usrc_ctrl User Control

Field Name	Label	Col-Label	Format	Dec
usrc_expire_days	Password Expiration Days		>>>>9	
usrc_index1	Index		>>>>>9	
usrc_sec_opt	Security Option		x(1)	
usrc_sess_id	Session ID Prefix		x(3)	
usrc_timeout_min	Timeout Minutes		>>>>9	
usrc_user1	Ufld1		x(8)	
usrc_user2	Ufld2		x(8)	
usrc__qad01			x(8)	
usrc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* usrc_index1	yes	usrc_index1	yes	no

◇ usrl_det

User Licensed Application Detail

Field Name	Label	Col-Label	Format	Dec
usr1_active	Active		yes/no	
usr1_active_date	Activated Date		99/99/99	
usr1_deactive_by	Deactivated By		x(8)	
usr1_deactive_date	Deactivated Date		99/99/99	
usr1_mod_date	Modified Date	Mod Date	99/99/99	
usr1_mod_userid	User ID		x(8)	
usr1_product	Application		x(16)	
usr1_user1	User Field Character 1		x(24)	
usr1_user2	User Field Character 2		x(24)	
usr1_userid	User ID		x(8)	
usr1__qadc01			x(24)	
usr1__qadc02			x(24)	
usr1__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
usr1__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ usrl_product	no	usrl_product	yes	no
		usrl_userid	yes	no
◇* usrl_userid	yes	usrl_userid	yes	no
		usrl_product	yes	no

usrw_wkfl

User Work Table

Field Name	Label	Col-Label	Format	Dec
usrw_charfld[15]			x(8)	
usrw_datefld[4]			99/99/99	
usrw_decfld[15]			->>, >>9.99	10
usrw_intfld[15]			->, >>>, >>9	
usrw_key1			x(8)	
usrw_key2			x(8)	
usrw_key3			x(8)	
usrw_key4			x(8)	
usrw_key5			x(8)	
usrw_key6			x(8)	
usrw_logfld[15]			yes/no	
usrw_user1	Ufld1		x(8)	
usrw_user2	Ufld2		x(8)	
usrw_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* usrw_index1	yes	usrw_key1	yes	no
		usrw_key2	yes	no
usrw_index2	no	usrw_key3	yes	no
		usrw_key4	yes	no
usrw_index3	no	usrw_key5	yes	no
		usrw_key6	yes	no

usr_mstr User Master

Field Name	Label	Col-Label	Format	Dec
◇ usr_access_loc	Access Location		x(8)	
◇ usr_access_type	Access Type		x(8)	
usr_addr	Address		x(8)	
◇ usr_ctype_code	Country Code	Ctry	x(3)	
usr_groups	Groups		x(72)	
usr_lang	Language	Lang	x(2)	
usr_last_date	Date Password Last Changed	Changed	99/99/99	
usr_mail_address	E-mail Address	E-mail	x(60)	
usr_name	User Name		x(35)	
usr_passwd	Password		x(16)	
usr_restrict	Restricted		yes/no	
usr_site	Site		x(8)	
◇ usr_timezone	Time Zone		x(8)	
◇ usr_type	User Type		x(8)	
usr_user1	Ufld1		x(8)	
usr_user2	Ufld2		x(8)	
usr_userid	User ID		x(8)	
◇ usr_variant_code	Variant		x(6)	
usr__qad01			x(8)	
usr__qad02			x(8)	
usr__qadc01	QAD Character Field		X(8)	
usr__qadc02	QAD Character Field		X(8)	
usr__qadc03	QAD Character Field		x(8)	
usr__qadc04	QAD Character Field		X(8)	
usr__qadi01	QAD Integer Field		>>>9	
usr__qadi02	QAD Integer Field		>>9	
usr__qadi01	QAD Logical Field		yes/no	
usr__qadi02	QAD Logical Field		yes/no	
Δ usr__qadi03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* usr_userid	yes	usr_userid	yes	no

vdc_ctrl Supplier Control

Field Name	Label	Col-Label	Format	Dec
vdc_index1	Index		>>>>9	
vdc_nbr	Next Supplier		99999999	
vdc_user1	Ufld1		x(8)	
vdc_user2	Ufld2		x(8)	
vdc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vdc_index1	yes	vdc_index1	yes	no

◇ vdf_mstr Supplier Fiscal Data Master

Field Name	Label	Col-Label	Format	Dec
vdf_addr	Supplier		x(8)	
vdf_birthcity	Birth City		x(20)	
vdf_birthday	Birth Date		99/99/99	
vdf_fiscal_code	Fiscal Code		x(16)	
vdf_for_fiscal_code	Foreign Fiscal Code		x(16)	
vdf_mod_date	Modified Date	Mod Date	99/99/99	
vdf_mod_userid	User ID		x(8)	
vdf_rsn_code	Reason Code		x(8)	
vdf_user1	User Field Character 1		x(24)	
vdf_user2	User Field Character 2		x(24)	
vdf_userc03	User Field Character 3		x(24)	
vdf_userc04	User Field Character 4		x(24)	
vdf_userc05	User Field Character 5		x(24)	
vdf_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
vdf_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
vdf_useri01	User Field Integer 1		->>>>>>>9	
vdf_useri02	User Field Integer 2		->>>>>>>9	
vdf_userl01	User Field Logical 1		yes/no	
vdf_userl02	User Field Logical 2		yes/no	
vdf_usert01	User Field Date 1		99/99/99	
vdf_usert02	User Field Date 2		99/99/99	
vdf_withholdtax	Withholding Tax		yes/no	
vdf__qadc01			x(24)	
vdf__qadc02			x(24)	
vdf__qadc03			x(24)	
vdf__qadc04			x(24)	
vdf__qadc05			x(24)	
vdf__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
vdf__qadd02			->>>>, >>>, >>9.9<<<<<<<<<<	10
vdf__qadi01			->>>>>>>9	
vdf__qadi02			->>>>>>>9	
vdf__qadi01			yes/no	
vdf__qadi02			yes/no	
vdf__qadt01			99/99/99	
vdf__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* vdf_addr	yes	vdf_addr	yes	no

vd_mstr Supplier Master

Field Name	Label	Col-Label	Format	Dec
vd_1099	Tax Report	Tax Rpt	yes/no	
vd_addr	Supplier		x(8)	
vd_ap_acct	AP Account	AP Acct	x(8)	
vd_ap_cc	AP Cost Ctr	CC	x(4)	
vd_ap_cntct	AP Contact		x(24)	
vd_ap_sub	AP Sub-Account	Sub-Acct	x(8)	
vd_balance	Balance		->>>>, >>>, >>9.99	10
vd_bank	Bank		x(2)	

Field Name	Label	Col-Label	Format	Dec
vd_buyer	Buyer		x(8)	
vd_ckfrm	Check Form	Ck	x(2)	
vd_conrep_logic	Consume/Replace Logic		x(1)	
vd_cr_terms	Cr Terms		x(8)	
vd_curr	Currency	Cur	x(3)	
vd_db	DB Number		x(16)	
vd_debtor	Debtor Number	Debtor	x(10)	
vd_disc_pct	Disc %		->9.99%	2
vd_drft_bal	Draft Balance		->>, >>>, >>>, >>>9.99	10
vd_ex_ratetype	Rate Type		x(8)	
vd_fix_pr	Fixed Price		yes/no	
vd_fob	FOB		x(20)	
vd_fr_list	Freight List	Frt List	x(8)	
vd_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
vd_fr_terms	Freight Terms	Fr Terms	x(8)	
vd_hold	Payment Hold	Hold	yes/no	
vd_lang	Language		x(2)	
vd_last_ck	Last Check		99/99/99	
vd_lc_bal	LC Balance		->>, >>>, >>>, >>>9.99	10
vd_misc_cr	Miscellaneous Creditor		yes/no	
vd_mod_date	Modified Date	Mod Date	99/99/99	
vd_partial	Partial OK	Partial	yes/no	
vd_pay_spec	Pay Specification	Pay Spec	yes/no	
vd_prepay	Prepayment Balance		->>, >>>, >>>, >>>9.99	10
vd_promo	Promotion Group		x(8)	
vd_pr_list	Disc Tbl		x(8)	
vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
vd_pur_acct	Pur Acct		x(8)	
vd_pur_cc	Pur Cost Ctr	CC	x(4)	
vd_pur_cntct	Purchase Contact		x(24)	
vd_pur_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	
vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
vd_remit	Remit-to		x(8)	
vd_rmks	Remarks		x(40)	
vd_shipvia	Ship Via		x(20)	
vd_sort	Sort Name		x(28)	
vd_taxable	Taxable	Tax	yes/no	
vd_tax_id	Tax ID		x(18)	
vd_tid_notice	TID Notice	T! N	x(1)	
◇ vd_tot_terms_code	Terms of Trade		x(8)	
vd_tp_pct	SO Price Reduction	Ext %	>>9.99%	2
vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vd_type	Type		x(4)	
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	
vd__chr01			x(8)	
vd__chr02			x(8)	
vd__chr03			x(8)	
vd__chr04			x(8)	
vd__chr05			x(8)	
vd__chr06			x(8)	
vd__chr07			x(8)	
vd__chr08			x(8)	
vd__chr09			x(8)	

Field Name	Label	Col-Label	Format	Dec
vd__chr10			x(8)	
vd__dec01			>>>, >>>, >>9.99	10
vd__dec02			>>>, >>>, >>9.99	10
vd__dte01			99/99/99	
vd__dte02			99/99/99	
vd__log01			yes/no	
vd__qadc01	QAD Field		X(8)	0
vd__qadc02	QAD Field		X(8)	0
vd__qadc03	QAD Field		X(8)	0
vd__qadc04	QAD Field		X(8)	0
vd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadi01			>>>>>>9	
vd__qadi02			>>>>>>9	
vd__qadi01			yes/no	
vd__qadi02			yes/no	
vd__qadi03			yes/no	
vd__qadi04			yes/no	
vd__qadt01			99/99/99	
vd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vd__addr	yes	vd__addr	yes	no
vd__remit	no	vd__remit	yes	no
		vd__addr	yes	no
vd__sort	no	vd__sort	yes	no

vecd_det Supplier Performance Category Detail

Field Name	Label	Col-Label	Format	Dec
vecd_category	Category		x(8)	
vecd_mod_date	Modified Date	Mod Date	99/99/99	
vecd_mod_userid	User ID		x(8)	
vecd_percent	Percent		>>9.99	2
vecd_user1	Ufld1		x(8)	
vecd_user2	Ufld2		x(8)	
vecd_user3			x(8)	
vecd_user4			x(8)	
vecd_value_from	Value From		->>>>, >>9.99	2
vecd_value_to	Value To		->>>>, >>9.99	2
vecd__qadc01	QAD Field		X(8)	0
vecd__qadc02	QAD Field		X(8)	0
vecd__qadc03	QAD Field		X(8)	0
vecd__qadc04	QAD Field		X(8)	0
vecd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vecd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vecd__qadi01			>>>>>>9	
vecd__qadi02			>>>>>>9	
vecd__qadi01			yes/no	
vecd__qadi02			yes/no	
vecd__qadt01			99/99/99	
vecd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	vecd_category	yes	vecd_category	yes	no
			vecd_value_from	yes	no

vec_mstr

Supplier Performance Category Master

Field Name	Label	Col-Label	Format	Dec
vec_active_flag	Use Category		yes/no	
vec_category	Category		x(8)	
vec_comp_method	Computation Method		X(12)	
vec_desc	Description		x(24)	
vec_discrete_type	Discrete Type		Add/Deduct	
vec_max_points	Maximum Points		->, >>>, >>9	
vec_mod_date	Modified Date	Mod Date	99/99/99	
vec_mod_userid	User ID		x(8)	
vec_name	Name		x(12)	
vec_pp_counter	Parts-Per Counter		Events/Quantity	
vec_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vec_table_lookup_flag	Use Lookup Table		yes/no	
vec_threshold_points	Threshold Points		->, >>>, >>9	
vec_user1	Ufld1		x(8)	
vec_user2	Ufld2		x(8)	
vec_user3			x(8)	
vec_user4			x(8)	
vec__qadc01	QAD Field		X(8)	0
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0
vec__qadc04	QAD Field		X(8)	0
vec__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadi01			>>>>>>9	
vec__qadi02			>>>>>>9	
vec__qadi01			yes/no	
vec__qadi02			yes/no	
vec__qadt01			99/99/99	
vec__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	vec category	yes	vec category	yes	no

vee_mstr

Supplier Performance Event Master

Field Name	Label	Col-Label	Format	Dec
vee_desc	Description		x(24)	
vee_event	Event Code		x(8)	
vee_mod_date	Modified Date	Mod Date	99/99/99	
vee_mod_userid	User ID		x(8)	
vee_name	Name		x(12)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	vee event	yes	vee event	yes	no

Supplier Performance Control

Field Name	Label	Col-Label	Format	Dec
vef_asn_data	ASN Information		X(8)	
vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
vef_days_early	Acceptable Days Early		>>9	
vef_days_late	Acceptable Days Late		>>9	
vef_do_only_flag	Include DO Orders Only		yes/no	
vef_do_receipts	DO Receipts		X(8)	
vef_dup_asn	Duplicate ASN		X(8)	
vef_early_rcpt	Early Receipt		X(8)	
vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
vef_enable_po_rtn	Enable PO Return		yes/no	
vef_fifth_level_max	Maximum Value		>>>	
vef_fifth_level_title	Fifth Interval Title		x(12)	
vef_first_level_max	Maximum Value		>>>	
vef_first_level_title	First Interval Title		x(12)	
vef_fourth_level_max	Maximum Value		>>>	
vef_fourth_level_title	Fourth Interval Title		x(12)	
vef_index1	Index		>>>>>9	
vef_late_asn	Late ASN		X(8)	
vef_late_rcpt	Late Receipt		X(8)	
vef_matl_quality	Material Quality		X(8)	
vef_missed_ship	Missed Shipment		X(8)	
vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
vef_mod_date	Modified Date	Mod Date	99/99/99	
vef_mod_userid	User ID		x(8)	
vef_overship_pct	Acceptable Over Shipment		>>9.99	2
vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	2
vef_overship_qty	Acceptable Over Shipment		>>.>>9	

Field Name	Label	Col-Label	Format	Dec
vef_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>,>>9.99<<<<<<<<	10
vef_over_ship	Over Shipment		X(8)	
vef_points	Default Points		>>>>,>>9.99	10
vef_po_only_flag	Include PO Orders Only		yes/no	
vef_po_receipts	PO Receipts		X(8)	
vef_pp_counter	Parts-Per Counter		Events/Quantity	
vef_pp_factor	Parts-Per Factor		>,>>>,>>>,>>9	
vef_rts_receipts	RTS Receipts		X(8)	
vef_same_day_receipts	Net Same Day Receipts		yes/no	
vef_second_level_max	Maximum Value		>>>	
vef_second_level_title	Second Interval Title		x(12)	
vef_third_level_max	Maximum Value		>>>	
vef_third_level_title	Third Interval Title		x(12)	
vef_undership_pct	Acceptable Under Shipment		>>9.99	2
vef_undership_qty	Acceptable Under Shipment		>>,>>9	
vef_under_ship	Under Shipment		X(8)	
vef_user1	Ufld1		x(8)	
vef_user2	Ufld2		x(8)	
vef_user3			x(8)	
vef_user4			x(8)	
vef_use_shippct	Use Shipment Percent		yes/no	
vef_use_shippct_cost	Use Shipment Percent Cost		yes/no	
vef_use_shipqty	Use Shipment Quantity		yes/no	
vef_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
vef_using_sup_perf	Use Supplier Performance		yes/no	
vef__qadc01	QAD Field		X(8)	0
vef__qadc02	QAD Field		X(8)	0
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			->>>>,>>>,>>9.9<<<<<<<<	10
vef__qadd02			->>>>,>>>,>>9.9<<<<<<<<	10
vef__qadi01			>>>>>>9	
vef__qadi02			>>>>>>9	
vef__qadi01			yes/no	
vef__qadi02			yes/no	
vef__qadt01			99/99/99	
vef__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vef_index1	yes	vef_index1	yes	no

vepd_det Supplier Performance Detail

Field Name	Label	Col-Label	Format	Dec
vepd_category	Category		x(8)	
vepd_cmtindx	Comments		>>>>>>>9	
vepd_doc_nbr	Doc Nbr	Doc	x(16)	
vepd_event	Event		x(8)	
vepd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<	2
vepd_mod_date	Modified Date	Mod Date	99/99/99	
vepd_mod_userid	User ID		x(8)	
vepd_reason_code	Reason		x(8)	

Field Name	Label	Col-Label	Format	Dec
vepd_seq_nbr	Sequence	Seq	>>>>>>>>	
vepd_site	Site		x(8)	
vepd_temp_missed_flag	Missed		yes/no	
vepd_tran_date	Transaction Date	Tran Date	99/99/99	
vepd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vepd_user1	Ufld1		x(8)	
vepd_user2	Ufld2		x(8)	
vepd_user3			x(8)	
vepd_user4			x(8)	
vepd_vendor	Supplier		x(8)	
vepd_vendor_source	Supplier Source	Source	x(3)	
vepd_vep_tran_date	Receipt Transaction Date		99/99/99	
vepd_vep_tran_id	Receipt Transaction ID		>>>>>>>>	
vepd_weight_code	Weight Code	Weight	x(8)	
vepd__qadc01	QAD Field		X(8)	0
vepd__qadc02	QAD Field		X(8)	0
vepd__qadc03	QAD Field		X(8)	0
vepd__qadc04	QAD Field		X(8)	0
vepd__qadd01			->>, >>>, >>>9.9<<<<<<<<<<	10
vepd__qadd02			->>, >>>, >>>9.9<<<<<<<<<<	10
vepd__qadi01			>>>>>>>9	
vepd__qadi02			>>>>>>>9	
vepd__qadi01			yes/no	
vepd__qadi02			yes/no	
vepd__qadt01			99/99/99	
vepd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vepd_temp_missed_flag	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
* transaction_order	yes	vepd_tran_id	yes	no
		vepd_tran_date	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
vendor_event_order	no	vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_category	yes	no
		vepd_event	yes	no
		vepd_site	yes	no
vepd_vendor_order	yes	vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_vep_tran_date	yes	no
		vepd_vep_tran_id	yes	no
		vepd_category	yes	no
		vepd_seq_nbr	yes	no
		vepd_site	yes	no

vep_mstr Supplier Performance Master

Field Name	Label	Col-Label	Format	Dec
vep_abs_id	Shipper ID	Shipper	x(20)	
vep_acct	Pur Acct		x(8)	
vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	
vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>9	
vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>9	
vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vep_asn_ship_qty	ASN Ship Qty		->,>>>,>>9.9<<<<<<<<<	2
vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>9	
vep_buyer	Buyer		x(8)	
vep_cc	Cost Ctr	CC	x(4)	
vep_comm_code	Commodity Code	Commodity	x(20)	
vep_db	DB Number	DB	x(16)	
vep_disc_pct	Disc%		->9.99%	2
vep_fsm_type	FSM Type		x(1)	
vep_line	Line	Ln	>>>	
vep_loc	Loc		x(8)	
vep_lotser	Lot/Serial	L/S	x(18)	
vep_mod_date	Modified Date	Mod Date	99/99/99	
vep_mod_userid	User ID		x(8)	
vep_nbr	Order Nbr	Order	x(8)	
vep_open_qty	Open Qty	Qty! Open	->,>>>,>>9.9<<<<<<<<	2
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>,>>>,>>9.99	2
vep_qty_ord	Qty Ordered	Qty! Ordered	->,>>>,>>9.9<<<<<<<<	2
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->,>>>,>>9.9<<<<<<<<	2
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1	Ufld1		x(8)	
vep_user2	Ufld2		x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep_vendor_source	Supplier Source	Source	x(3)	
vep__qadc01	QAD Field		X(8)	0
vep__qadc02	QAD Field		X(8)	0
vep__qadc03	QAD Field		X(8)	0
vep__qadc04	QAD Field		X(8)	0
vep__qadd01			->>>,>>>,>>9.9<<<<<<<<	10
vep__qadd02			->>>,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
vep__qadi01			>>>>>>9	
vep__qadi02			>>>>>>9	
vep__qadi01			yes/no	
vep__qadi02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vep_temp_missed_flag	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
vendor_date_order	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_line	yes	no
		vep_tran_date	yes	no
		vep_receiver	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
* vendor_site_order	yes	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
vep_vendor_nbr_order	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
vep_vendor_part	no	vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

verd_det Supplier Performance Registration Detail

Field Name	Label	Col-Label	Format	Dec
verd_active_flag	Use Category		yes/no	
verd_category	Category		x(8)	
verd_mod_date	Modified Date	Mod Date	99/99/99	
verd_mod_userid	User ID		x(8)	
verd_site	Site		x(8)	
verd_user1	Ufld1		x(8)	
verd_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
verd_user3			x(8)	
verd_user4			x(8)	
verd_vendor	Supplier		x(8)	
verd_vendor_source	Supplier Source		x(3)	
verd__qadc01	QAD Field		X(8)	0
verd__qadc02	QAD Field		X(8)	0
verd__qadc03	QAD Field		X(8)	0
verd__qadc04	QAD Field		X(8)	0
verd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
verd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
verd__qadi01			>>>>>>9	
verd__qadi02			>>>>>>9	
verd__qadi01			yes/no	
verd__qadi02			yes/no	
verd__qadt01			99/99/99	
verd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* verd_vendor	yes	verd_vendor	yes	no
		verd_vendor_source	yes	no
		verd_site	yes	no
		verd_category	yes	no

Supplier Performance Registration Master

Field Name	Label	Col-Label	Format	Dec
ver_active_flag	Use Supplier Performance		yes/no	
ver_asn_leadtime	Maximum ASN Lead-Time		99:99	
ver_comm_code	Commodity Code		x(20)	
ver_contact	Contact		X(24)	
ver_days_early	Acceptable Days Early		>>9	
ver_days_late	Acceptable Days Late		>>9	
ver_email_address	E-mail Address		X(60)	
ver_end	End Effective		99/99/99	
ver_mod_date	Modified Date	Mod Date	99/99/99	
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	2
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	2
ver_overship_qty	Acceptable Over Shipment		>>,>>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>>,>>>9.99<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	2
ver_undership_qty	Acceptable Under Shipment		>>,>>9	
ver_user1	Ufld1		x(8)	
ver_user2	Ufld2		x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver use shipqty	Use Shipment Quantity		yes/no	

Field Name	Label	Col-Label	Format	Dec
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	
ver__qadc01	QAD Field		X(8)	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			-->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadd02			-->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadi01			yes/no	
ver__qadi02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ver_comm_code	no	ver_comm_code	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
ver_part	no	ver_part	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_comm_code	yes	no
ver_site	no	ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no
* ver_vendor	yes	ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no

vesd_det Supplier Performance Summary Detail

Field Name	Label	Col-Label	Format	Dec
vesd_category	Category		x(8)	
vesd_event	Event		x(8)	
vesd_event_qty	Qty		->, >>>, >>9.9<<<<<<<<<	2
vesd_mod_date	Modified Date	Mod Date	99/99/99	
vesd_mod_userid	User ID		x(8)	
vesd_part	Item Number	Item	x(18)	
vesd_rec_type	Rec Type		x(8)	
vesd_site	Site		x(8)	
vesd_sub_type	Subcontract Type	Sub Type	x(12)	
vesd_tran_date	Transaction Date	Tran Date	99/99/99	
vesd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vesd_type	Type		x(1)	
vesd_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
vesd_user2	Ufld2		x(8)	
vesd_user3			x(8)	
vesd_user4			x(8)	
vesd_vendor	Supplier		x(8)	
vesd_vendor_source	Supplier Source	Source	x(3)	
vesd_ves_from_date	From Date		99/99/99	
vesd_ves_to_date	To Date		99/99/99	
vesd_weight_code	Weight Code	Weight	x(8)	
vesd__qadc01	QAD Field		X(8)	0
vesd__qadc02	QAD Field		X(8)	0
vesd__qadc03	QAD Field		X(8)	0
vesd__qadc04	QAD Field		X(8)	0
vesd__qadd01			-->, >>>, >>9.9<<<<<<<<<<	10
vesd__qadd02			-->, >>>, >>9.9<<<<<<<<<<	10
vesd__qadi01			>>>>>>9	
vesd__qadi02			>>>>>>9	
vesd__qadi01			yes/no	
vesd__qadi02			yes/no	
vesd__qadt01			99/99/99	
vesd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vesd_vendor_order	yes	vesd_vendor	yes	no
		vesd_vendor_source	yes	no
		vesd_ves_from_date	yes	no
		vesd_ves_to_date	yes	no
		vesd_site	yes	no
		vesd_part	yes	no
		vesd_rec_type	yes	no
		vesd_type	yes	no
		vesd_sub_type	yes	no
		vesd_category	yes	no
		vesd_tran_id	yes	no

ves_mstr Supplier Performance Summary Master

Field Name	Label	Col-Label	Format	Dec
ves_comm_code	Commodity Code	Commodity	x(20)	
ves_db	DB Number	DB	x(16)	
ves_from_date	From Date		99/99/99	
ves_mod_date	Modified Date	Mod Date	99/99/99	
ves_mod_userid	User ID		x(8)	
ves_occurance_count	Occurance		>>>>, >>>, >>9	
ves_part	Item Number	Item	x(18)	
ves_rcvd_qty	Receipt Qty	Qty! Received	>>>>, >>>, >>9.9<<<<<<<<<<	2
ves_rec_type	Rec Type		x(8)	
ves_site	Site		x(8)	
ves_sub_type	Subcontract Type	Sub Type	x(12)	
ves_to_date	To Date		99/99/99	
ves_type	Type		x(1)	
ves_user1	Ufld1		x(8)	
ves_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
ves_user3			x(8)	
ves_user4			x(8)	
ves_vendor	Supplier		x(8)	
ves_vendor_source	Supplier Source	Source	x(3)	
ves__qadc01	QAD Field		X(8)	0
ves__qadc02	QAD Field		X(8)	0
ves__qadc03	QAD Field		X(8)	0
ves__qadc04	QAD Field		X(8)	0
ves__qadd01			-->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadd02			-->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadi01			>>>>>>9	
ves__qadi02			>>>>>>9	
ves__qadi01			yes/no	
ves__qadi02			yes/no	
ves__qadt01			99/99/99	
ves__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ves_vendor_order	yes	ves_vendor	yes	no
		ves_vendor_source	yes	no
		ves_from_date	yes	no
		ves_to_date	yes	no
		ves_site	yes	no
		ves_part	yes	no
		ves_rec_type	yes	no
		ves_type	yes	no
		ves_sub_type	yes	no

vew_mstr Supplier Performance Weighting Factor Master

Field Name	Label	Col-Label	Format	Dec
vew_desc	Description		x(24)	
vew_mod_date	Modified Date	Mod Date	99/99/99	
vew_mod_userid	User ID		x(8)	
vew_name	Name		x(12)	
vew_user1	Ufld1		x(8)	
vew_user2	Ufld2		x(8)	
vew_user3			x(8)	
vew_user4			x(8)	
vew_weight_code	Weight Code		x(8)	
vew_weight_factor	Weight Factor		>, >>9.99	2
vew__qadc01	QAD Field		X(8)	0
vew__qadc02	QAD Field		X(8)	0
vew__qadc03	QAD Field		X(8)	0
vew__qadc04	QAD Field		X(8)	0
vew__qadd01			-->>>, >>>, >>9.9<<<<<<<<<	10
vew__qadd02			-->>>, >>>, >>9.9<<<<<<<<<	10
vew__qadi01			>>>>>>9	
vew__qadi02			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vew__qadi01			yes/no	
vew__qadi02			yes/no	
vew__qadt01			99/99/99	
vew__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vex_weight_code	yes	vew_weight_code	yes	no

vex_mstr Supplier Performance Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
vex_mod_date	Modified Date	Mod Date	99/99/99	
vex_mod_userid	User ID		x(8)	
vex_site	Site		x(8)	
vex_to_site	To-Site		x(8)	
vex_to_vendor	To-Supplier		x(8)	
vex_to_vendor_source	To-Supplier Source		x(3)	
vex_user1	Ufld1		x(8)	
vex_user2	Ufld2		x(8)	
vex_user3			x(8)	
vex_user4			x(8)	
vex_vendor	Supplier		x(8)	
vex_vendor_source	Supplier Source		x(3)	
vex__qadc01	QAD Field		X(8)	0
vex__qadc02	QAD Field		X(8)	0
vex__qadc03	QAD Field		X(8)	0
vex__qadc04	QAD Field		X(8)	0
vex__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadi01			>>>>>>9	
vex__qadi02			>>>>>>9	
vex__qadi01			yes/no	
vex__qadi02			yes/no	
vex__qadt01			99/99/99	
vex__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vex_site	yes	vex_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no
vex_to_site	no	vex_to_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no

vod_det

Voucher Detail

Field Name	Label	Col-Label	Format	Dec
vod_acct	Account		x(8)	
vod_amt	Amount		->>>>, >>>, >>9.99	10
vod_base_amt	Base Amount		->>>>, >>>, >>9.99	10
vod_cc	Cost Ctr	CC	x(4)	
vod_desc	Description		x(24)	
vod_dy_code	Daybook		x(8)	
vod_dy_num	Entry Number		x(40)	
vod_entity	Entity	Enty	x(4)	
vod_exp_acct	Expense Acct	Exp Acct	x(8)	
vod_exp_cc	Expense CC	CC	x(4)	
vod_exp_sub	Expense Sub-Acct	Sub-Acct	x(8)	
vod_ln	Line	Ln	>>9	
vod_pjs_line	Project Line		>>>>>>9	
vod_project	Project		x(8)	
vod_ref	Voucher		x(8)	
vod_sub	Sub-Account	Sub-Acct	x(8)	
vod_tax	Tax		x(1)	
vod_taxable	Taxable	Tax	yes/no	
vod_taxc	Tax Class	TxC	x(3)	
vod_tax_at	Tax	T	x(3)	
vod_tax_env	Tax Environment	Tax Env	x(16)	
vod_tax_in	Tax In		yes/no	
vod_tax_usage	Tax Usage	TaxUsage	x(8)	
vod_type	Type	T	x(1)	
vod_user1	Ufld1		x(8)	
vod_user2	Ufld2		x(8)	
vod__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
vod_dy	no	vod_dy_code	yes	no
		vod_dy_num	yes	no
		vod_ln	yes	no
* vod_ref	yes	vod_ref	yes	no
		vod_ln	yes	no
vod_tax	no	vod_ref	yes	no
		vod_tax_at	yes	no

vo_mstr

Voucher Master

Field Name	Label	Col-Label	Format	Dec
vo_amt_chg	Amount to Pay		->>>>, >>>, >>9.99	10
vo_applied	Amount Applied		->>>>, >>>, >>9.99	10
vo_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
vo_base_applied	Base Amount Applied		->>>>, >>>, >>9.99	10
vo_base_disc_chg	Base Disc to Take		->>>>, >>>, >>9.99	10
vo_base_hold_amt	Base Hold Amt		->>>>, >>>, >>9.99	10
vo_base_ndisc	Base Non-Disc Amt		->>>>, >>>, >>9.99	10
vo_cmtindx	Comment Index	Comment	>>>>>>9	
vo_confirmed	Confirmed	Cnf	yes/no	
vo_conf_by	Confirmed By	Conf By	x(8)	

Field Name	Label	Col-Label	Format	Dec
vo_cr_terms	Credit Terms	Terms	x(8)	
vo_curr	Currency	Cur	x(3)	
vo_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
vo_disc_date	Disc Date		99/99/99	
vo_due_date	Due Date	Due	99/99/99	
vo_exru_seq	Sequence		>>>>>>>9	
vo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
vo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
vo_ex_ratetype	Rate Type		x(8)	
vo_hold	Hold		yes/no	
vo_hold_amt	Hold Amt		->>>>, >>>, >>9.99	10
Δ vo_invoice	Invoice		x(20)	
vo_is_ers	ERS Voucher		yes/no	
vo_lc_amt	LC Amt		->, >>>, >>>, >>9.99	10
vo_modok	Modification Allowed	Mod	yes/no	
vo_ndisc_amt	Non-Disc Amt		->>>>, >>>, >>9.99	10
vo_paid_date	Last Paid		99/99/99	
vo_po	PO Number	PO	x(8)	
vo_po_rcvd	Goods Received		yes/no	
vo_prepay	Prepayment Amt		->, >>>, >>>, >>9.99	10
vo_rcycle	Interval	Int	x(1)	
vo_receiver	Receiver		x(8)	
vo_recur	Recurring Voucher	RV	yes/no	
vo_ref	Voucher		x(8)	
vo_rel_date	Last Release	Release	99/99/99	
◇ vo_resale_amt	Resale Amount		->>>>, >>>, >>9.99<	10
vo_rexpire	Expire		99/99/99	
vo_mnbr_cyc	Nbr Per Voucher	Nbr	>>9	
vo_rstart	Start		99/99/99	
vo_rv_nbr	Recur Voucher	Recur VO	x(8)	
vo_separate	Separate Check	Separate! Check	yes/no	
vo_ship	Ship-To		x(8)	
vo_taxable	Taxable	Tax	yes/no	
vo_taxc	Tax Class	TxC	x(3)	
vo_tax_date	Tax Date		99/99/99	
vo_tax_env	Tax Environment	Tax Env	x(16)	
vo_tax_pct[3]	Tax		->9.99<%	3
vo_tax_usage	Tax Usage	TaxUsage	x(8)	
vo_type	Type		x(4)	
vo_user1	Ufld1		x(8)	
vo_user2	Ufld2		x(8)	
◇ vo_waiting_exp	Waiting Expenses	WE	yes/no	
vo__chr01			x(8)	
vo__chr02			x(8)	
vo__chr03			x(8)	
vo__chr04			x(8)	
vo__chr05			x(8)	
vo__dec01			>>>, >>>, >>9.99	10
vo__dec02			>>>, >>>, >>9.99	10
vo__dte01			99/99/99	
vo__dte02			99/99/99	
vo__log01			yes/no	
vo__qad01	Assigned-To		x(8)	
vo__qad02			x(8)	
vo__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
vo_invoice	no	vo_invoice	yes	no
* vo_ref	yes	vo_ref	yes	no

vph_hist

Voucher Invoice History

Field Name	Label	Col-Label	Format	Dec
vph_acct	Account		x(8)	
vph_adj_amt	Cost Adjustment		->>>>, >>>, >>9.99<	10
vph_adj_inv	Inventory/Variance		Inventory/Variance	
vph_adj_prv_cst	Previous Cost		->>>>, >>>, >>9.99<<<	10
vph_adj_wip	WIP/Variance		WIP/Variance	
vph_amt	Amount		->>>>, >>>, >>9.99	10
vph_avg_post	Post To		x(4)	
vph_cc	Cost Ctr	CC	x(4)	
vph_cf_adj_amt	Confirmed Adjustment		->>>>, >>>, >>9.99<	10
vph_cf_dscr_amt	Confirmed Discrepancy		->>>>, >>>, >>9.99<	10
vph_costadj_acct	Cost Adj Acct	Cost Adj	x(8)	
vph_costadj_cc	Cost Adj CC	CC	x(4)	
vph_costadj_sub	Cost Adj Sub	Sub-Acct	x(8)	
vph_curr_amt	Currency Amount	Curr Amt	->, >>>, >>>, >>9.99<<<	10
vph_dscr_acct	Inventory Dscr Acct	Dscr Acct	x(8)	
vph_dscr_amt	Cost Discrepancy		->>>>, >>>, >>9.99<	10
vph_dscr_cc	Inventory Dscr CC	CC	x(4)	
vph_dscr_sub	Inventory Dscr Sub-Acct	Sub-Acct	x(8)	
vph_element	Cost Element	Element	x(8)	
vph_inv_cost	Invoice Cost		->, >>>, >>>, >>9.99<<<	10
vph_inv_date	Invoice Date	Inv Date	99/99/99	
vph_inv_qty	Invoice Qty		->, >>>, >>9.9<<<<<<<<	10
vph_nbr	PO Nbr		x(8)	
vph_project	Project		x(8)	
◇ vph_pvod_id_line	Line	Ln	>>>>>>>9	
◇ vph_pvo_id	Pending Voucher ID		>>>>>>>	
vph_qoh_at_adj	QOH at adjustment		->, >>>, >>9.9<<<<<<<<<	10
vph_ref	Voucher		x(8)	
vph_sub	Sub-Account	Sub-Acct	x(8)	
vph_user1	Ufld1		x(8)	
vph_user2	Ufld2		x(8)	
vph__qadc01			x(8)	
Δ vph__qadc02			x(24)	
Δ vph__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
vph_nbr	no	vph_nbr	yes	no
◇ vph_pvo_id	no	vph_pvo_id	yes	no
		vph_pvod_id_line	yes	no
		vph_ref	yes	no
Δ* vph_ref	yes	vph_ref	yes	no
		vph_pvo_id	yes	no
		vph_pvod_id_line	yes	no
vph_refnbr	no	vph_ref	yes	no
		vph_nbr	yes	no

vpo_det

Voucher Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
vpo_po	PO Number	PO	x(8)	
vpo_ref	Voucher		x(8)	
vpo_user1	Ufld1		x(8)	
vpo_user2	Ufld2		x(8)	
vpo__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vpo_refpo	yes	vpo_ref	yes	no
		vpo_po	yes	no

vp_mstr

Supplier Item Master

Field Name	Label	Col-Label	Format	Dec
vp_appr_date	Approve Date	Approve	99/99/99	
vp_bkage_amt	Brokerage Amt		->>, >>>, >>9.99	2
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	
vp_duty_amt	Duty Amt		->>, >>>, >>9.99	2
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->>, >>>, >>9.99	2
vp_ins_rqd	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>>, >>>, >>9.99<<<<	10
vp_q_qty	Quote Qty		->, >>>, >>9.9<<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	2
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	2
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufld1		x(8)	
vp_user2	Ufld2		x(8)	
vp_userid	User ID		x(8)	
vp_vend	Supplier		x(8)	
vp_vend_lead	Supplier Lead Time	LT	>>9	
vp_vend_part	Supplier Item		x(30)	
vp__chr01			x(8)	
vp__chr02			x(8)	
vp__chr03			x(8)	
vp__chr04			x(8)	
vp__chr05			x(8)	
vp__dec01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
vp__dec02			>>>>>>, >>9.99	10
vp__dte01			99/99/99	
vp__dte02			99/99/99	
vp__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* vp_partvend	yes	vp_part	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no
vp_vend_part	no	vp_vend	yes	no
		vp_vend_part	yes	no

vrc_ctrl

Version Control

Field Name	Label	Col-Label	Format	Dec
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	
vrc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vrc_id	yes	vrc_v86	yes	no

vtc_ctrl

Value Added Tax Control

Field Name	Label	Col-Label	Format	Dec
vtc_disc	Discount VAT at Invoice		yes/no	
vtc_index1	Index		>>>>>9	
vtc_pmt_disc	Discount VAT at Payment		yes/no	
vtc_round	Rounding Method		x(1)	
vtc_user1	Ufld1		x(8)	
vtc_user2	Ufld2		x(8)	
vtc_val_reg	Validate VAT Reg. No.		yes/no	
vtc_vt_class	Default Tax Class		x(3)	
vtc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vtc_index1	yes	vtc_index1	yes	no

vt_mstr Value Added Tax Master

Field Name	Label	Col-Label	Format	Dec
vt_ap_acct	AP VAT Acct		x(8)	
vt_ap_cc	AP VAT CC	CC	x(4)	
vt_ar_acct	AR VAT Acct		x(8)	
vt_ar_cc	AR VAT CC	CC	x(4)	
vt_class	VAT Class		x(1)	
vt_desc	Description		x(24)	
vt_end	End Eff		99/99/99	
vt_project	Project		x(8)	
vt_start	Start Eff		99/99/99	
vt_tax_pct	VAT Tax		->>9.99<<%	2
vt_user1	Ufld1		x(8)	
vt_user2	Ufld2		x(8)	
vt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vt_class	yes	vt_class	yes	no
		vt_start	yes	no

wcr_route Work Center Routing Standards

Field Name	Label	Col-Label	Format	Dec
wcr_mch	Machine		x(8)	
wcr_op	Op		>>>>>9	
wcr_part	Routing Code		x(18)	
wcr_rate	Std Prod Rate	Std Rate	->,>>>,>>9	
wcr_user1	Ufld1		x(8)	
wcr_user2	Ufld2		x(8)	
wcr_wkctr	Work Center	Work Ctr	x(8)	
wcr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
wcr_part	yes	wcr_part	yes	no
		wcr_op	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
* wcr_route	yes	wcr_wkctr	yes	no
		wcr_mch	yes	no
		wcr_part	yes	no
		wcr_op	yes	no

wc_mstr

Work Center Master

Field Name	Label	Col-Label	Format	Dec
wc_bdn_pct	Lbr Bdn %		>>9.99%	2
wc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
wc_bdn_supct	Setup Bdn %		>>9.99%	2
wc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
wc_dept	Department	Dept	x(8)	
wc_desc	Description		x(24)	
wc_fsm_type	FSM Type		x(8)	
wc_lbr_rate	Labor Rate		>>>,>>9.99	10
wc_mch	Machine		x(8)	
wc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_op	Mach/Op		>>9	
wc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_wkctr	Mach/Wk Ctr		>>9.999	3
wc_men_mch	Run Crew		>>9.999	3
wc_mod_date	Modified Date	Mod Date	99/99/99	
wc_pct_eff	Percent Efficiency		-,>>9.999	3
wc_pct_util	Percent Utilization		-,>>9.999	2
wc_queue	Queue Time	Queue	>,>>9.9<<	3
wc_setup_men	Setup Crew		->>,>>9.99	2
wc_setup_rte	Setup Rate		>>>,>>9.99	10
wc_user1	Ufld1		x(8)	
wc_user2	Ufld2		x(8)	
wc_userid	User ID		x(8)	
wc_wait	Wait Time	Wait	>,>>9.9<<	3
wc_wkctr	Work Center	Work Ctr	x(8)	
wc_wk_loc	Work Location		x(4)	
wc__chr01	User Character Field 1		X(8)	
wc__chr02	User Character Field 2		X(8)	
wc__chr03	User character Field 3		X(8)	
wc__dec01	User Decimal Field 1		->>>,>>9.99<	10
wc__dec02	User Decimal Field 2		->>>,>>9.99<	10
wc__log01	User Logical Field 1		yes/no	
wc__qad01			>,>>9.9	1
wc__qad02			>>,>>9.999	3
wc__qadc01	QAD Character Field 1		X(8)	
wc__qadc02	QAD Character Field 2		X(8)	
wc__qadc03	QAD Character Field 3		X(8)	
wc__qade01	QAD Decimal Field 1		->>>,>>9.99<<	10
wc__qade02	QAD Decimal Field 2		->>>,>>9.99<<	10
wc__qadi01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
wc_dept	no	wc_dept	yes	no
wc_desc	yes	wc_desc	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no
wc_fsm_type	no	wc_fsm_type	yes	no
		wc_wkctr	yes	no
* wc_wkctr	yes	wc_wkctr	yes	no
		wc_mch	yes	no

whl_mstr Warehouse Location Master

Field Name	Label	Col-Label	Format	Dec
whl_act	Active		yes/no	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_loc	Location		x(8)	
whl_po_cmt_exp	Comments		yes/no	
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
whl_wo_rcpt_exp	Work Order Receipt		yes/no	
whl_chr01	Reserved		x(8)	
whl_dec01			9.99	2
whl_dte01			99/99/99	
whl_log01			yes/no	
whl_qadc01			x(8)	
whl_qadc02			x(8)	
whl_qadd03			9.99	2
whl_qadl05			yes/no	
whl_qadt04			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
whl_dest	no	whl_src_dest_id	yes	no
* whl_site	yes	whl_site	yes	no
		whl_loc	yes	no

wlbld_det WIP Lot Trace BOM Control Detail

Field Name	Label	Col-Label	Format	Dec
wlbld_bom_code	BOM Code		x(18)	
wlbld_comp	Component Item		X(18)	
wlbld_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbld_mod_date	Modified Date	Mod Date	99/99/99	
wlbld_mod_userid	User ID		x(8)	
wlbld_start	Start Date	Start	99/99/99	
wlbld_trc_comps	Trace Components	Trace! Components	yes/no	

Field Name	Label	Col-Label	Format	Dec
wlc__log01			yes/no	
wlc__log02			yes/no	
wlc__qadc01			X(16)	
wlc__qadc02			X(16)	
wlc__qadc03			X(16)	
wlc__qadc04			X(16)	
wlc__qadd01			->>>,>>>, >>9.<<<<<<<<<	10
wlc__qadd02			->>>,>>>, >>9.<<<<<<<<<	10
wlc__qadi01			->,>>>, >>9	
wlc__qadi02			->,>>>, >>9	
wlc__qadi01			yes/no	
wlc__qadi02			yes/no	
wlc__qadt01			99/99/99	
wlc__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	wlc_index1	yes	wlc_index1	yes	no

wld_det

WIP Lot Inventory Detail

Field Name	Label	Col-Label	Format	Dec
wld_alloc_id	Alloc To WO ID		x(8)	
wld_alloc_op	Operation	Op	>>>>9	
wld_alloc_que	Queue		x(8)	
wld_lotser	Lot/Serial		x(18)	
wld_mch	Machine		x(8)	
wld_mod_date	Modified Date	Mod Date	99/99/99	
wld_mod_userid	User ID		x(8)	
wld_prodby_id	Produced By ID	Prod ID	x(8)	
wld_prodby_op	Produced By Op	Prod Op	>>>>9	
wld_qty_oh	Qty On Hand		->, >>>, >>9.9<<<<<<<<	10
wld_ref	Reference	Ref	x(8)	
wld_site	Site		x(8)	
wld_user1	Ufld1		X(16)	
wld_user2	Ufld2		X(16)	
wld_wkctr	Work Center	Work Ctr	x(8)	
wld__chr01			X(16)	
wld__chr02			X(16)	
wld__chr03			X(16)	
wld__chr04			X(16)	
wld__dec01			->>>, >>>, >>9.9<<<<<<<<	10
wld__dec02			->>>, >>>, >>9.9<<<<<<<<	10
wld__dte01			99/99/99	
wld__dte02			99/99/99	
wld__int01			->, >>>, >>9	
wld__int02			->, >>>, >>9	
wld__log01			yes/no	
wld__log02			yes/no	
wld__qadc01			X(16)	
wld__qadc02			X(16)	
wld__qadc03			X(16)	
wld__qadc04			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlr_d_qadd01			->>>>>>>>9.9<<<<<<<<<	10
wlr_d_qadd02			->>>>>>>>9.9<<<<<<<<<	10
wlr_d_qadi01			->>>>>>>9	
wlr_d_qadi02			->>>>>>>9	
wlr_d_qadi01			yes/no	
wlr_d_qadi02			yes/no	
wlr_d_qadt01			99/99/99	
wlr_d_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
wlr_d_alloc_loc	no	wlr_d_alloc_id	yes	no
		wlr_d_alloc_op	yes	no
		wlr_d_alloc_que	yes	no
		wlr_d_site	yes	no
		wlr_d_wkctr	yes	no
		wlr_d_mch	yes	no
		wlr_d_prodby_id	yes	no
		wlr_d_prodby_op	yes	no
		wlr_d_lotser	yes	no
		wlr_d_ref	yes	no
		wlr_d_prodby_id	yes	no
		wlr_d_prodby_op	yes	no
		wlr_d_lotser	yes	no
		wlr_d_ref	yes	no
* wlr_d_id	yes	wlr_d_site	yes	no
		wlr_d_wkctr	yes	no
		wlr_d_mch	yes	no
		wlr_d_alloc_id	yes	no
		wlr_d_alloc_op	yes	no
		wlr_d_alloc_que	yes	no
		wlr_d_lotser	yes	no
		wlr_d_ref	yes	no
		wlr_d_prodby_id	yes	no
		wlr_d_prodby_op	yes	no
		wlr_d_site	yes	no
		wlr_d_wkctr	yes	no
		wlr_d_mch	yes	no
		wlr_d_alloc_id	yes	no
wlr_d_lotser	no	wlr_d_alloc_op	yes	no
		wlr_d_alloc_que	yes	no
		wlr_d_lotser	yes	no
		wlr_d_ref	yes	no
		wlr_d_prodby_id	yes	no
		wlr_d_prodby_op	yes	no
		wlr_d_site	yes	no
		wlr_d_wkctr	yes	no
		wlr_d_mch	yes	no
		wlr_d_alloc_id	yes	no
		wlr_d_alloc_op	yes	no
		wlr_d_alloc_que	yes	no

wlr_d_det

WIP Lot Trace Routing Control Detail

Field Name	Label	Col-Label	Format	Dec
wlr_d_mod_date	Modified Date	Mod Date	99/99/99	
wlr_d_mod_userid	User ID		x(8)	
wlr_d_op	Operation	Op	>>>>9	
wlr_d_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlr_d_routing	Routing Code		x(18)	
wlr_d_start	Start Date	Start	99/99/99	
wlr_d_user1	Ufld1		X(16)	
wlr_d_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	wlrm_routing	yes	wlrm_routing	yes	no
			wlrm_start	yes	no

WIP Lot Trace Master



Field Name	Label	Col-Label	Format	Dec
wlt__dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlt__dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlt__dte01			99/99/99	
wlt__dte02			99/99/99	
wlt__int01			->, >>>, >>9	
wlt__int02			->, >>>, >>9	
wlt__log01			yes/no	
wlt__log02			yes/no	
wlt__qadc01			X(16)	
wlt__qadc02			X(16)	
wlt__qadc03			X(16)	
wlt__qadc04			X(16)	
wlt__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlt__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlt__qadi01			->, >>>, >>9	
wlt__qadi02			->, >>>, >>9	
wlt__qadi01			yes/no	
wlt__qadi02			yes/no	
wlt__qadt01			99/99/99	
wlt__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
wlt_prcons	no	wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no
		wlt_tr_type	yes	no
		wlt_trnbr	yes	no
* wlt_tr_type	yes	wlt_tr_type	yes	no
		wlt_trnbr	yes	no
		wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no

wl_mstr

WIP Lot Master

Field Name	Label	Col-Label	Format	Dec
wl_cert_status	Cert Status		x(8)	
wl_cr_date	Date Created		99/99/99	
wl_cr_time	Time Created		>>>>>>9	
wl_lotser	Lot/Serial		x(18)	
wl_mod_date	Modified Date	Mod Date	99/99/99	
wl_mod_time	Time Modified		>>>>>>9	
wl_mod_userid	User ID		x(8)	
wl_prodby_id	Produced By ID	Prod ID	x(8)	

Field Name	Label	Col-Label	Format	Dec
woc_index1	Index		>>>>>9	
woc_lbr_up	Update Current Labor Cost		yes/no	
woc_move	Move First Operation		yes/no	
woc_nbr	Next W/O Nbr	Next WO	>>>>>>9	
woc_nbr_pre	WO Prefix	Pre	x(3)	
woc_paper_lt	Paperwork LT	Paper LT	>>9	
woc_rcmnts	Routing Comments		yes/no	
woc_sched	Oper Sched Method (Back/ Fwd)	Sched	x(1)	
woc_time_ind	Time Indicator	Time	x(1)	
woc_user1	Ufld1		x(8)	
woc_user2	Ufld2		x(8)	
woc_var	Post variances at SFC		yes/no	
woc_wcmmts	Work Order Comments		yes/no	
woc__qadi01			>>>>>>9	
woc__qadi01			yes/no	
woc__qadi02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* woc_index1	yes	woc_index1	yes	no

wod_det Work Order Detail

Field Name	Label	Col-Label	Format	Dec
wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>, >>9.999	10
wod_bom_qty	Frozen BOM Qty	BOM Qty	->, >>>, >>9.9<<<<<<<<<	10
wod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
wod_ca_int_type	Work Code		x(8)	0
wod_cmtindx	Comment Index	Comment	>>>>>>9	
wod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wod_covered_post			>>>>, >>>, >>9.99<<<	10
wod_critical	Critical		yes/no	
wod_deliver	Deliver To		x(8)	
wod_eng_code	Engineer		x(8)	
wod_exg_price	Exchange Price		>>>>, >>>, >>9.99<<<	10
wod_fcg_code	Charge Code	Charge	x(8)	
wod_fcg_index			->, >>>, >>9	
wod_fis_column			>>9	
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>, >>>, >>9.99<<<	10
wod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>>, >>>, >>9.99<<<	10
wod_mvrte_accr	Mtl Rate Accrued	Accrued	->>>>, >>9.99	2

Field Name	Label	Col-Label	Format	Dec
wod_mvrtc_post	Mtl Rate Posted	Posted	->>>>, >>9.99	2
wod_mvrtc_rval	Mtl Rate Revalued	Revalued	->>>>, >>9.99	2
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>, >>9.99	2
wod_mvuse_post	Mtl Use Posted	Posted	->>>>, >>9.99	2
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>, >>9.99	2
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>, >>>, >>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	
wod_project	Project		x(8)	
wod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
wod_qty_chg	Qty to Issue		->, >>>, >>9.9<<<<<<<<	10
wod_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<	10
wod_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
wod_qty_posted			->, >>>, >>9.9<	10
wod_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
wod_qty_ret	Qty Returned	Qty Ret	->, >>9.9	2
wod_ref	Ref	Reference	x(8)	
wod_ret_iss			->, >>9.9	2
wod_ret_loc	Return Location		x(8)	
wod_ret_ref	Inventory Reference	Inv Ref	X(8)	
wod_ret_serial	Return Lot/Serial		x(18)	
wod_ret_site	Return Site		x(8)	
wod_seo_load	Loaded from MO		yes/no	
wod_serial	Lot/Serial		x(18)	
wod_site	Site		x(8)	
wod_sod_line	Line	Ln	>>9	
wod_sod_nbr	Sales Order	Order	x(8)	
wod_status	Status		x(8)	
wod_std_cost	Unit Cost		->>>, >>9.999	3
wod_sv_code			x(8)	
wod_tot_std	Std Cost		->>>, >>9.999	3
wod_user1	Ufld1		x(8)	
wod_user2	Ufld2		x(8)	
wod_yield_pct	Yield%		>>9.99%	2
wod__chr01			x(8)	
wod__chr02			x(8)	
wod__chr03			x(8)	
wod__chr04			x(8)	
wod__chr05			x(8)	
wod__dec01			>>>, >>>, >>9.99	10
wod__dec02			>>>, >>>, >>9.99	10
wod__dte01			99/99/99	
wod__dte02			99/99/99	
wod__log01			yes/no	
wod__qadc01	QAD Character Field 1		X(8)	
wod__qadc02	QAD Character Field 2		X(8)	
wod__qadc03	QAD Character Field 3		X(8)	
wod__qade01	QAD Decimal Field 1		->>>, >>9.99<	10
wod__qade02	QAD Decimal Field 2		->>>, >>9.99<	10
wod__qadi01	QAD Logical Field 1		yes/no	
wod__qadi02	QAD Logical Field 2		yes/no	
wod__qadt01	QAD Date Field 1		99/99/99	
wod__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* wod_det	yes	wod_lot	yes	no
		wod_part	yes	no
		wod_op	yes	no
wod_iss_part	no	wod_iss_date	yes	no
		wod_part	yes	no
wod_nbrpart	no	wod_nbr	yes	no
		wod_lot	yes	no
		wod_part	yes	no
wod_op	yes	wod_lot	yes	no
		wod_op	yes	no
		wod_part	yes	no
wod_part	no	wod_part	yes	no

wo_mstr Work Order Master

Field Name	Label	Col-Label	Format	Dec
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	Cls	yes/no	
◇ wo_app_owner	Owner Application		x(12)	
wo_assay	Assay %		>>9.99%	2
wo_base_id	Base ID		x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>, >>>, >>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>, >>>, >>9.99<<<	10
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>, >>9.99	10
wo_bom_code	BOM/Formula		x(18)	
wo_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	
Δ wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>>9	
wo_date_posted			99/99/99	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	
wo_flr_acct	Floor Stock Account	Fir Acct	x(8)	
wo_flr_cc	Floor Stock CC	CC	x(4)	
wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
wo_fsm_type			x(8)	
wo_gl_bdn	Create GL for Burden Variance		yes/no	
wo_gl_lbr	Create GL for Labor Variance		yes/no	
wo_grade	Grade	Grd	x(2)	
wo_iss_site	Issue Site		x(8)	
wo_itm_line	Item Line		>>>>>>>>9	
wo_joint_type	Co/By Type	CT	x(1)	
wo_lbr_tot	Labor Cost		->>>, >>9.99	10
wo_lbr_totx	Labor Cost		->>>, >>9.99	2
wo_lbr_up	Update Current Labor Cost		yes/no	

Field Name	Label	Col-Label	Format	Dec
wo_lbr_var	Lbr Variance		->>>>,>>9.99	10
wo_lead_time	W/O Lead Time	W/O Lead	->,>>>,>>9	
wo_line	Production Line	Line	x(8)	
wo_loc	Location		x(8)	
wo_lot	ID		x(8)	
wo_lot_next	Lot/Serial		x(18)	
wo_lot_prev	Previous ID	Prev ID	x(8)	
wo_lot_rcpt	Single Lot		yes/no	
wo_mix_var	Mix Variance		->>>>,>>9.99	10
wo_mthd_var	Mthd Chg Var		->>>>,>>9.99	10
wo_mtl_tot	Material Cost		->>>,>>>,>>9.99<<<	10
wo_mtl_totx	Material Cost		->>>,>>>,>>9.99<<<	10
wo_mtl_var	Mtl Variance		->>>>,>>9.99	10
wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
wo_myld_var	Mix & Yield Var	M&Y Var	->>>>,>>9.99	2
wo_nbr	Work Order		x(18)	
wo_ord_date	Order Date		99/99/99	
wo_ovh_tot	Ovhead Cost		->>>,>>9.999	10
wo_ovh_totx	Ovhead Cost		->>>,>>9.999	3
wo_part	Item Number		x(18)	
wo_per_date	Performance Date	Perform	99/99/99	
wo_prod_pct	Process		>>9.99%	2
wo_project	Project		x(8)	
wo_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
wo_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
wo_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
wo_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
wo_qty_type	Qty Type	QT	x(1)	
wo_queue_eff	Queue Pct		>>9.9<	2
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_record_date	Last Record Date		99/99/99	
wo_ref	Reference		x(8)	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->,>>>,>>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>,>>>,>>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_rval_tot	Revalued Total		->>>,>>>,>>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_serial	Lot/Serial		x(18)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_status	Status	St	x(1)	
◊ wo_stat_close_date	WO Close Date	WO Close	99/99/99	
◊ wo_stat_close_userid	WO Close UserID		x(8)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_var	Sub Variance		->>>>,>>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	

Field Name	Label	Col-Label	Format	Dec
wo_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svr_r_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svr_r_cc	Subcontract Rate Variance CC	CC	x(4)	
wo_svr_r_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>, >>>, >>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>, >>>, >>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	2
wo_chr01			x(8)	
wo_chr02			x(8)	
wo_chr03			x(8)	
wo_chr04			x(8)	
wo_chr05			x(8)	
wo_dec01			>>>, >>>, >>9.99	10
wo_dec02			>>>, >>>, >>9.99	10
wo_dec03			->>>, >>>, >>9.99	2
wo_dec04			->>>, >>>, >>9.99	2
wo_dte01			99/99/99	
wo_dte02			99/99/99	
wo_log01			yes/no	
wo_qad01			x(8)	
wo_qadc01	QAD Character Field 1		X(8)	
wo_qadc02	QAD Character Field 2		X(8)	
wo_qadc03	QAD Character Field 3		X(8)	
wo_qade01	QAD Decimal Field 1		->, >>>, >>9.9<<<	10
wo_qade02	QAD Decimal Field 2		->, >>>, >>9.9<<<	10
wo_qade03	QAD Decimal Field 3		->, >>>, >>9.9<<<	10
wo_qadi01	QAD Integer Field 1		->, >>>, >>9	
wo_qadi02	QAD Integer Field 2		->, >>>, >>9	
wo_qadi01	QAD Logical Field 1		yes/no	
wo_qadi02	QAD Logical Field 2		yes/no	
wo_qadt01	QAD Date Field 1		99/99/99	
wo_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
wo_due_part	no	wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
wo_fsm_type	no	wo_fsm_type	yes	no
		wo_nbr	yes	no
		wo_itm_line	yes	no
wo_lot	yes	wo_lot	yes	no
* wo_nbr	yes	wo_nbr	yes	no
		wo_lot	yes	no
wo_part	no	wo_part	yes	no
		wo_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
wo_part_rel	no	wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_rel_date	yes	no
◇ wo_site	no	wo_site	yes	no
		wo_nbr	yes	no
		wo_part	yes	no
wo_type_nbr	yes	wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_type_part	no	wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

wr_route Work Order Routing

Field Name	Label	Col-Label	Format	Dec
wr_act_posted	Quantity Posted		>>>, >>>, >>9.9<<<	9
wr_act_run	Act Run Time		->, >>9.9<<	9
wr_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	3
wr_auto_lbr	Auto Labor Report		yes/no	
wr_bdn_act	Burden Act	Act Burden	->>>>, >>9.99	10
wr_bdn_ll_act	Burden LL Act		->>>>, >>9.99	10
wr_bdn_ll_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bdn_pct	Lbr Bdn %		>>9.99%	2
wr_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	2
wr_bdn_std	Burden Std	Std Burden	->>>>, >>9.99	10
wr_bdn_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>, >>9.99	10
wr_bvrte_post	Bdn Rate Posted	Posted	->>>>, >>9.99	10
wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>, >>9.99	10
wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>, >>9.99	10
wr_bvuse_post	Bdn Use Posted	Posted	->>>>, >>9.99	10
wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>, >>9.99	10
wr_ca_int_type	Work Code		x(8)	
wr_cmtindx	Comment Index	Comment	>>>>>>9	
wr_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wr_covered_post			>>>>, >>>, >>9.99<<<	10
wr_curr	Currency	Cur	x(3)	
wr_desc	Description		x(24)	
wr_due	Due Date	Due	99/99/99	
wr_end_time	End		99:99	
wr_eng_code	Engineer		x(8)	
wr_expense			yes/no	
wr_fbdn_std			->>>>, >>9.99	10
wr_fcg_code	Charge Code	Charge	x(8)	
wr_fcg_index			->, >>>, >>9	
wr_fis_column			>>9	
wr_fis_sort			x(18)	
wr_flbr_cstd	Standard Cost		->>>>, >>9.99	10
wr_flbr_std	Standard Cost		->>>>, >>9.99	10
wr_fsc_code	Service Category	Svc Cat	x(8)	
wr_fsm_type	FSM Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
wr_itm_line			>>>9	
wr_lbr_act	Labor Act	Act Labor	->>>>,>>9.99	10
wr_lbr_ll_act	Labor LL Act		->>>>,>>9.99	2
wr_lbr_ll_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
wr_lbr_rate	Labor Rate		>>>,>>9.99	2
wr_lbr_std	Labor Std	Std Labor	->>>>,>>9.99	10
wr_lbr_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wr_lot	ID		x(8)	
wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>,>>9.99	10
wr_lvrte_post	Lbr Rate Posted	Posted	->>>>,>>9.99	10
wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>,>>9.99	10
wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>,>>9.99	10
wr_lvuse_post	Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>,>>9.99	10
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	3
wr_men_mch	Run Crew		->,>>9.99	2
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>,>>9.9<<	3
wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>,>>9.99	10
wr_mtl_ll_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
wr_ovh_act	Ovh Act		->>>>,>>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>,>>9.99	10
wr_ovh_ll_totx	Overhead		->>>,>>>,>>9.99<<<	10
wr_ovh_totx	Overhead		>>>>,>>>,>>9.99<<<	10
wr_part	Item Number		x(18)	
wr_posted_run			>>>,>>>,>>9.9<<<<<<<<<	9
wr_po_line	Line	Ln	>>9	
wr_po_nbr	Purchase Order	PO	x(8)	
wr_price	Price		>>>>,>>>,>>9.99<<<	10
wr_prod_line	Product Line	Line	x(4)	
wr_project	Project		x(8)	
wr_qty_comp	Qty Complete		->,>>>,>>9.9<<<<<<<<	10
wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrwrk	Cum Reworked	Cum! Reworked Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_inque	In Queue	Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_move	Qty Moved		->,>>>,>>9.9<<<<<<<<	10
wr_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
wr_qty_outque	Out Queue	Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
wr_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<<	10
wr_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<<	10
wr_queue	Queue Time	Queue	>,>>9.9<<	3
wr_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<<	9
wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>,>>9.99	10
wr_setup	Std Setup Time	Std Setup	>,>>9.9<<	3
wr_setup_men	Setup Crew		->>,>>9.99	2
wr_setup_rte	Setup Rate		>>>,>>9.99	2
wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_start	Start Date	Start	99/99/99	
wr_status	Status	St	x(1)	
wr_std_op	Standard Operation	Std Op	x(8)	
wr_st_time	Start		99:99	
wr_sub_act	Subcontract Act	Act Sub	->>>>,>>9.99	10
wr_sub_comp	Sub Qty Comp		->,>>>,>>9.9<<<<<<<<	10
wr_sub_cost	Subcontract Cost	Subcontract	>>>>,>>,>>9.99<<<	10
wr_sub_lead	Subcontract LT	Sub! LT	>>9	
wr_sub_ll_act	Subcontract LL Act		->>>>,>>9.99	10
wr_sub_ll_totx	Subcontract		->>>,>>>,>>9.99<<<	10
wr_sub_std	Subcontract Std	Std Sub	->>>>,>>9.99	10
wr_sub_totx	Subcontract		->>>,>>>,>>9.99<<<	10
wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>,>>9.99	10
wr_svrte_post	Sub Rate Posted	Posted	->>>>,>>9.99	10
wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>,>>9.99	10
wr_svuse_accr	Sub Use Accrued	Accrued	->>>>,>>9.99	10
wr_svuse_post	Sub Usage Posted	Posted	->>>>,>>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>,>>9.99	10
wr_sv_code			x(8)	
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->,>>9.9<<	3
wr_user1	Ufld1		x(8)	
wr_user2	Ufld2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>,>>9.9<<	3
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	2
wr_chr01			x(8)	
wr_chr02			x(8)	
wr_chr03			x(8)	
wr_chr04			x(8)	
wr_chr05			x(8)	
wr_dec01			>>>,>>>,>>9.99	10
wr_dec02			>>>,>>>,>>9.99	10
wr_dte01			99/99/99	
wr_dte02			99/99/99	
wr_log01			yes/no	
wr_qadc01	QAD Character Field 1		X(8)	
wr_qadc02	QAD Character Field 2		X(8)	
wr_qadc03	QAD Character Field 3		X(8)	

Field Name	Label	Col-Label	Format	Dec
wr__qadc04	QAD Character Field 4		X(8)	
wr__qadd05	QAD Decimal Field 5		->,>>>,>>9.99<<<	10
wr__qade01	QAD Decimal Field 1		->,>>>,>>9.99<<<	10
wr__qade02	QAD Decimal Field 2		->,>>>,>>9.99<<<	10
wr__qade03	QAD Decimal Field 3		->,>>>,>>9.99<<<	10
wr__qade04	QAD Decimal Field 4		->,>>>,>>9.99<<<	10
wr__qadi01	QAD Integer Field 1		->,>>>,>>9	
wr__qadi02	QAD Integer Field 2		->,>>>,>>9	
wr__qadi01	QAD Logical Field 1		yes/no	
wr__qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
wr_lot	yes	wr_lot	yes	no
		wr_op	yes	no
* wr_nbro	yes	wr_nbr	yes	no
		wr_lot	yes	no
		wr_op	yes	no
wr_part	no	wr_part	yes	no
		wr_op	yes	no
wr_wkctr	no	wr_wkctr	yes	no
		wr_mch	yes	no
		wr_start	yes	no

◇ **wtx_mstr** Withholding Tax Master

Field Name	Label	Col-Label	Format	Dec
wtx_acct	Withholding Tax Account		x(8)	
wtx_addr	Supplier		x(8)	
wtx_cc	Withholding Tax Cost Center		x(4)	
wtx_charge_amt	Charge Amount		->>>>,>>>,>>9.99<	10
wtx_charge_type	Charge Type		Expense/Fee	
wtx_check	Payment Reference		x(10)	
wtx_invoice	Supplier's Invoice Number		x(12)	
wtx_ln	Voucher Line		>>9	
wtx_mod_date	Modified Date	Mod Date	99/99/99	
wtx_mod_userid	User ID		x(8)	
wtx_paid_date	Voucher Payment Date		99/99/99	
wtx_printed	Certificate Printed		yes/no	
wtx_ref	Voucher Number		x(8)	
wtx_ret_amt	Retained Amount		->>>>,>>>,>>9.99<	10
wtx_rsn_code	Reason Code		x(8)	
wtx_set_date	Settlement Date		99/99/99	
wtx_sub	Withholding Tax Sub Account		x(8)	
wtx_taxable_amt	Taxable Fee Amount		->>>>,>>>,>>9.99<	10
wtx_tax_pct	Withholding Tax Rate		->>9.9<%	2
wtx_tot_amt	Total Amount		->>>>,>>>,>>9.99<	10
wtx_tot_paid	Total Paid		->>>>,>>>,>>9.99<	10
wtx_user1	User Field Character 1		x(24)	
wtx_user2	User Field Character 2		x(24)	
wtx_userc03	User Field Character 3		x(24)	
wtx_userc04	User Field Character 4		x(24)	
wtx_userc05	User Field Character 5		x(24)	

Field Name	Label	Col-Label	Format	Dec
wtx_userd01	User Field Decimal 1		-->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx_userd02	User Field Decimal 2		-->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx_useri01	User Field Integer 1		-->>>>>>>9	
wtx_useri02	User Field Integer 2		-->>>>>>>9	
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_usert01	User Field Date 1		99/99/99	
wtx_usert02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		-->>>>, >>>, >>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		-->>>>, >>>, >>9.99<	10
wtx__qadc01			x(24)	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			-->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx__qadd02			-->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx__qadi01			-->>>>>>>9	
wtx__qadi02			-->>>>>>>9	
wtx__qadi01			yes/no	
wtx__qadi02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* wtx_advoln	yes	wtx_addr	yes	no
		wtx_ref	yes	no
		wtx_ln	yes	no
		wtx_check	yes	no
◇ wtx_vo_date	no	wtx_vo_date	yes	no



Section 2

Summary of Changes

This section contains a summary of fields and indexes that have changed since the last published version of this book.

Changed Fields **584**

Deleted Fields **587**

New Fields **589**

Changed Indexes **596**

Deleted Indexes **598**

New Indexes for Existing Tables **600**

Deleted Tables **601**

New Tables **602**

Changed Fields

For each field, current values are given in the top line, old values underneath in italics.

Field Name	Label	Col-Label	Format	Dec
apc_batch	Next Batch	Batch	>>>>>>9 >>>>>9	?
apc_ckfrm	Check Form	?	x(2) x(1)	?
ap_ckfrm	Check Form	Ck Fm	x(2) x(1)	?
ap_ref	Reference	?	x(10) x(8)	?
arc_batch	Next Batch	Batch	99999999 999999	?
bk_bk_acct1	Bank Acct 1	?	x(35) x(24)	?
bk_bk_acct2	Bank Acct 2	?	x(35) x(24)	?
bk_check	Next Check	Check	99999999 999999	?
btb_so_price	Primary SO Price	Pr SO Price	>>>>, >>>, >>9.99<<<	10 2
ca_cline	Contract Line	?	>>>>>>9 >>9	?
chm_cline	Contract Line	?	>>>>>>9 >>9	?
ckd_ref	Reference	?	x(10) x(8)	?
cksd_nbr	Check	?	99999999 999999	?
ck_nbr	Check	?	99999999 999999	?
ck_ref	Reference	?	x(10) x(8)	?
csbd_bk_acct	Bank Account	?	x(35) x(24)	?
dss_status	Order Status <i>Status</i>	Status <i>St</i>	x(8) x(2)	?

Field Name	Label	Col-Label	Format	Dec
emp_country	Country	?	x(28) x(20)	?
idh_conrep	Netting Logic <i>Netting Logid</i>	C/R	X(1)	?
idh_sad_line	Contract Line <i>Service Contract Line</i>	?	>>>>>>9 >>9	?
itmh_sad_line	Contract Line	?	>>>>>>9 >>9	?
itm_sad_line	Contract Line <i>Line</i>	?	>>>>>>9 >>9	?
knb_rep_time	Replenishment Time	Replen!Time <i>Repl!Time</i>	>>>9.9< >>>9.99<	2
lnd_rate	?	?	>>>, >>>, >>9.99 >>>, >>>, >>9.99<<<	2
ln_rate	Units/Hour	?	>>>, >>>, >>9.99 >>>, >>>, >>9.99<<<	2
op_sad_line	Contract Line <i>Line</i>	Ln	>>>>>>9 >>9	?
prh_ps_nbr	Packing Slip	?	x(20) x(12)	?
rqm_max_total	Max Ext Cost Total	Max Ext!Cost Total	->>>>, >>>, >>9.99<<< ZZZZ, ZZZ, ZZ9.99	10 2
rqm_total	Ext Cost Total	Ext!Cost Total	->>>>, >>>, >>9.99<<< ZZZZ, ZZZ, ZZ9.99	10 2
rstd_svrty_lvl	Severity Level	?	>>9 >9	?
rsud_svrty_lvl	Severity Level	?	>>9 99	?
sad_line	Contract Line <i>Line</i>	Con Line <i>Ln</i>	>>>>>>9 >>9	?
sad_nbr	Contract ?	?	x(8) x(10)	?
sal_line	Line	?	>>>>>>9 >>>	?
sap_line	Contract Line <i>Line</i>	?	>>>>>>9 >>9	?
sap_nbr	Contract Number	?	x(8) x(10)	?

Field Name	Label	Col-Label	Format	Dec
sar_nbr	Service Contract	Contract	x(8) x(10)	?
sbid_amt	Paid Amount	?	->>>>, >>>, >>9.99<<< ->>, >>>, >>9.99	10
sbid_tax_amt	Tax Amt	?	->>>>, >>>, >>9.99<<< ->>, >>>, >>9.99	10
six_amt	Ship Amt	?	->>>>, >>>, >>9.99<<< ->>, >>>, >>9.99	10
six_amt_appld	Amt Applied	?	->>>>, >>>, >>9.99<<< ->>, >>>, >>9.99	10
six_amt_paid	Paid Amt	?	->>>>, >>>, >>9.99<<< ->>, >>>, >>9.99	10
sod_per_date	Perform <i>Promised</i>	?	99/99/99	?
sod_sad_line	Contract Line <i>Line</i>	? <i>Ln</i>	>>>>>>9 >>9	?
tx2d_line	Line	?	>>>>>>9 >>>>9	?
tx2d_trl	Trailer	Trl	x(18) x(4)	?
vo_invoice	Invoice	?	x(20) x(12)	?
wo_close_date	Accounting Close Date <i>Close Date</i>	Acctg Close <i>Closed</i>	99/99/99	?

Deleted Fields

Table Name	Field Name	Label
apc_ctrl	apc_ico_acct	Intercompany Acct
	apc_ico_cc	Intercompany Cost Center
	apc_ico_sub	Intercompany Sub-Acct
arc_ctrl	arc_ico_acct	Intercompany Acct
	arc_ico_cc	Intercompany Cost Center
	arc_ico_sub	Intercompany Sub-Acct
bk_mstr	bk_var_acct	Exch Gain/Loss
	bk_var_cc	Gain/Loss Cost Ctr
	bk_var_sub	Exch Gain/Loss Sub
dss_mstr	dss_frterms	Freight Terms
fabd_det	fabd_acq	Acquired
	fabd_cst_adj	Cost Adjust
fact_ctrl	fact_ico_acct	Intercompany Acct
	fact_ico_cc	Intercompany Cost Center
	fact_ico_sub	Intercompany Sub-Account
icc_ctrl	icc_ico_acct	Intercompany Acct
	icc_ico_cc	Intercompany Cost Center
	icc_ico_sub	Intercompany Sub-Acct
kbmd_mstr	kbmd_cons_loc	Consuming Location
	kbmd_cons_site	Consuming Site
	kbmd_supp_loc	Supplying Location
	kbmd_supp_site	Supplying Site
knbd_det	knbd_cons_loc	Consuming Location
	knbd_cons_site	Consuming Site
	knbd_nbr	Kanban ID
	knbd_prod_move	Production/Move Card
	knbd_qty	Quantity per Kanban
	knbd_sfty_stk	Safety Stk
	knbd_size	Container Capacity
	knbd_supp_loc	Supplying Location
	knbd_supp_site	Supplying Site
knb_mstr	knb_batch_size	Batch Size
	knb_calc_fld	Calculate Cards/Qty
	knb_cards	Number of Cards
	knb_cons_loc	Consuming Location
	knb_cons_site	Consuming Site
	knb_cont_type	Container Type
	knb_qty	Quantity per Kanban
	knb_sfty_stk	Safety Stk
	knb_size	Container Capacity
	knb_supp_loc	Supplying Location
	knb_supp_site	Supplying Site

Table Name	Field Name	Label
	knb_type	Kanban Type
	knb_var_factor	Variability Factor
prh_hist	prh_acct	Account
	prh_cc	Cost Ctr
	prh_ers_status	ERS Status
	prh_inv_qty	Invoice Qty
	prh_last_vo	Voucher
	prh_project	Project
	prh_sub	Sub-Account
	prh__qad01	?
sad_det	sad_part	Service Type
	sad_so_line	Sales Order Line
sar_mstr	sar_line	Line
sa_mstr	sa_part	Service Type
soc_ctrl	soc__qadl04	QAD Field
usr_mstr	usr_emp_cus	User Type
vph_hist	vph_line	PO line
	vph_receiver	Receiver

New Fields

Table Name	Field Name	Label
abs_mstr	abs_charge_type	Charge Type
	abs_desc	Description
	abs_master_shipfrom	Master Bill Ship-From
	abs_price	Price
act_mstr	act_charge_type	Charge Type
	act_ord_mult	Std Pack Qty
ac_mstr	ac_match_seq	Matching Sequence
ad_mstr	ad_intr_division	IntraStat Division
	ad_last_file	Last Filing
	ad_name_control	Name Control
	ad_tax_report	Tax Report
apc_ctrl	apc_multi_entity_pay	Multi-Entity Payments
ap_mstr	ap_unapplied_ref	Unapplied Reference
ar_mstr	ar_customer_bank	Customer Bank
	ar_customer_initiated	Customer Initiated
	ar_draft_disc_date	Draft Discounting Date
	ar_draft_submit_date	Draft Submission Date
	ar_pay_method	Payment Method
	ar_recon_date	Reconciliation Date
	ar_shipfrom	Ship-From
	ar_status	Status
	ar_void_date	Void Date
bk_mstr	bk_validation	Validation
cb_mstr	cb_subtype	Sub Type
ckd_det	ckd_unapplied_ref	Unapplied Reference
cm_mstr	cm_bank	Bank
	cm_pay_method	Payment Method
	cm_sic	SIC
	cm_submit_prop	Allow Submission Proposed Drft
co_ctrl	co_bfb_acct	Brought Forward Balance Acct
	co_bfb_cc	Brought Forward Balance CC
	co_bfb_desc	Brought Forward Balance Desc
	co_bfb_sub	Brought Forward Balance Sub
	co_close_bs	Close Balance Sheet
	co_sup_reop	Suppress Reopen Closed Periods
	co_yec_acct	Year End Closing Balance Acct
	co_yec_cc	Year End Closing Balance CC
	co_yec_desc	Year End Closing Balance Desc
	co_yec_sub	Year End Closing Balance Sub

Table Name	Field Name	Label
csbd_det	csbd_validation	Validation
ctry_mstr	ctry_ie_code	IntraStat Country Code
	ctry_vat_reg_prefix	VAT Registration Prefix
ct_mstr	ct_mtd_disc	30 days
	ct_mtd_due	30 days
cu_mstr	cu_iso_curr	ISO Currency
dsr_mstr	dsr_app_owner	Owner Application
dss_mstr	dss_app_owner	Owner Application
	dss_fr_min_wt	Frt Min Wt
	dss_weight	Weight
	dss_weight_um	Weight UM
ds_det	ds_fr_chg	Unit Freight Charge
	ds_fr_class	Freight Class
	ds_fr_list	Freight List
	ds_fr_rate	Freight Rate
	ds_fr_wt	Unit Ship Weight
	ds_fr_wt_um	UM
	ds_line	Line
	ds_order_category	Category
emp_mstr	emp_ctry	Country Code
en_mstr	en_addr	Company Address
	en_next_prot	Next Protocol Number
	en_src_desc_lang	Source Description Language
flh_mstr	flh_mod_date	Modified Date
	flh_mod_userid	User ID
ft_mstr	ft_accrual_level	Accrual Level
	ft_lc_charge	Logistics Charge Code
gltr_hist	gltr_src_desc	Source GL Description
gl_t_det	gl_t_src_desc	Source GL Description
gl_ctrl	gl_fsaccr_acct	Accrued Revenue
	gl_fsaccr_cc	Accrued Revenue CC
	gl_fsaccr_sub	Accrued Revenue Sub-Acct
	gl_fsdef_acct	Deferred Revenue
	gl_fsdef_cc	Deferred Revenue CC
	gl_fsdef_sub	Deferred Revenue Sub-Acct
	gl_timezone	Server Time Zone
idh_hist	idh_custref	Customer Ref
	idh_modelyr	Model Year
	idh_promise_date	Promise Date
iec_ctrl	iec_act_ex_type_list	Active ExtraStat Type List
	iec_act_in_type_list	Active IntraStat Type List
	iec_container	Container

Table Name	Field Name	Label
	iec_corr_flow_arr	Correction Flow Of Arrival
	iec_corr_flow_disp	Correction Flow Of Dispatch
	iec_preference	Preference
	iec_use_extrastat	Use ExtraStat
ied_det	ied_affiliation	Affiliation
	ied_container	Container
	ied_csa	CSA code
	ied_decl_region	Declaration Region
	ied_item_spec	Item Specification
	ied_preference	Preference
	ied_req_nbr	Requisition Number
	ied_shipvia	Ship Via
	ied_tmbr	Trans
ieh_hist	ieh_affiliation	Affiliation
	ieh_container	Container
	ieh_correction	Correction
	ieh_csa	CSA Code
	ieh_decl_region	Declaration Region
	ieh_item_spec	Item Specification
	ieh_orig_doc	Original Document
	ieh_orig_month	Original Month
	ieh_orig_year	Original Year
	ieh_preference	Preference
	ieh_req_nbr	Requisition Number
	ieh_shipvia	Ship Via
	ieh_tmbr	Trans
ie_mstr	ie_affiliation	Affiliation
	ie_correction	Correction
	ie_orig_doc	Original Document
	ie_orig_month	Original Month
	ie_orig_year	Original Year
ih_hist	ih_custref_val	Customer Ref Is Customer Item
im_mstr	im_unplanned_acct	Unplanned Account
	im_unplanned_cc	Unplanned Cost Center
	im_unplanned_sub	Unplanned Sub Account
in_mstr	in_cust_consign_qty	Customer Consignment Qty
	in_gl_cost_site	GL Cost Source Site
	in_supp_consign_qty	Supplier Consignment Qty
kbc_ctrl	kbc_controlled_entry	Controlled Entry
	kbc_display_pause	Display Pause
	kbc_eff_date_entry	Enable Eff Date
	kbc_id_barcode	Print ID Barcode
	kbc_item_barcode	Print Item Barcode
	kbc_max_cycle_time	Maximum Cycle Time
	kbc_min_cycle_check	Minimum Cycle Check
	kbc_min_cycle_time	Minimum Cycle Time
	kbc_print_quantity	Print Quantity
	kbc_userd01	User Field Decimal 1
	kbc_useri01	User Field Integer 1
	kbc_userl01	User Field Logical 1

Table Name	Field Name	Label
	kbc_usert01	User Field Date 1
	kbc__qadc02	?
	kbc__qadc03	?
	kbc__qadd01	?
	kbc__qadi01	?
	kbc__qadi01	?
	kbc__qadt01	?
kbp_mstr	kbp_calendar_days	Calendar Days
	kbp_work_days	Work Days
knbd_det	knbd_active	Active
	knbd_card_type	Card Type
	knbd_cont_size	Container Capacity
	knbd_kanban_quantity	Kanban Quantity
	knbd_lot_size	Kanban Lot Size
	knbd_max_cycle_time	Maximum Cycle Time
	knbd_print_time	Print Time
	knbd_production_line	Production Line
	knbd_safety_stock	Safety Stock
	knbd_trans_type	Transaction Type
knb_mstr	knb_po_nbr	PO Number
	knb_production_line	Production Line
	knb_trans_type	Transaction Type
ld_det	ld_cust_consign_qty	Customer Consignment Qty
	ld_supp_consign_qty	Supplier Consignment Qty
ln_mstr	ln_freeze_period	Freeze Period
	ln_kanban_receipts	Post Kanban Receipts
	ln_rate_code	Rate code
	ln_schedule_code	Schedule Code
loc_mstr	loc_phys_addr	Physical Address
	loc_xfer_ownership	Transfer Ownership
mrp_det	mrp_keyid	Key ID
op_hist	op_userc03	User Field Character 3
	op_userd01	User Field Decimal 1
	op_useri01	User Field Integer 1
	op_userl01	User Field Logical 1
	op_usert01	User Field Date 01
plsd_det	plsd_fsaccr_acct	Accrued Revenue
	plsd_fsaccr_cc	Accrued Revenue CC
	plsd_fsaccr_sub	Accrued Revenue Sub-Acct
	plsd_fsdef_acct	Deferred Revenue
	plsd_fsdef_cc	Deferred Revenue CC
	plsd_fsdef_sub	Deferred Revenue Sub-Acct
pl_mstr	pl_fsaccr_acct	Accrued Revenue
	pl_fsaccr_cc	Accrued Revenue CC
	pl_fsaccr_sub	Accrued Revenue Sub-Acct
	pl_fsdef_acct	Deferred Revenue
	pl_fsdef_cc	Deferred Revenue CC

Table Name	Field Name	Label
	pl_fsdef_sub	Deferred Revenue Sub-Acct
	pl_xfer_acct	Transfer Variance Account
	pl_xfer_cc	Transfer Variance CC
	pl_xfer_sub	Transfer Variance Sub
poc_ctrl	poc_multi_due_dates	Multi Due Dates
pod_det	pod_consignment	Consignment
	pod_max_aging_days	Maximum Aging Days
	pod_multi_due_dates	Multi Due Dates
po_mstr	po_app_owner	Owner Application
	po_consignment	Consignment
	po_max_aging_days	Maximum Aging Days
	po_tot_terms_code	Terms of Trade
	po_translt_days	Transport Days
prh_hist	prh__qadc01	?
ptp_det	ptp_atp_enforcement	ATP Enforcement
	ptp_atp_family	Family ATP
pt_mstr	pt_atp_enforcement	ATP Enforcement
	pt_atp_family	Family ATP
qod_det	qod_manual_fr_list	Manual Fr List
qo_mstr	qo_app_owner	Owner Application
	qo_manual_fr_terms	Manual Fr Terms
rcsd_det	rcsd_custref	Customer Ref
	rcsd_modelyr	Model Year
req_det	req_app_owner	Owner Application
sac_ctrl	sac_add_chrg	Contract Additional Charges
	sac_bill_enduser	Bill End Users
	sac_bill_summary	Bill Summary
	sac_eu_add_chrg	End User Additional Charges
	sac_eu_totals	End User Totals
	sac_item_enduser	Item End Users
	sac_pt_isb	Items in Installed Base
	sac_revenue	Revenue Type
sad_det	sad_accrued	Accrued
	sad_autorenew	Auto Renew
	sad_bill_to	Bill To
	sad_blanket_eu	Blanket End User
	sad_curr	Currency
	sad_cust	Customer
	sad_exru_seq	Sequence
	sad_ex_rate	Exch Rate
	sad_ex_rate2	Exch Rate 2
	sad_ex_ratetype	Rate Type
	sad_fix_rate	Fixed Rate
	sad_line_type	Line Type
	sad_parent_line	Parent Line

Table Name	Field Name	Label
	sad_po	Purchase Order
	sad_released	Released To Contract
	sad_renewed_to	Renewed To
	sad_so_nbr	Sales Order
	sad_ui_line	Line
sar_mstr	sar_sad_line	Contract Line
sa_mstr	sa_bill_enduser	Bill End Users
	sa_bill_summary	Bill Summary
	sa_call_price	Call Price List
	sa_fsaccr_acct	Accrued Revenue
	sa_fsaccr_cc	Accrued Revenue CC
	sa_fsaccr_sub	Accrued Revenue Sub-Acct
	sa_fsdef_acct	Deferred Revenue
	sa_fsdef_cc	Deferred Revenue CC
	sa_fsdef_sub	Deferred Revenue Sub-Acct
	sa_item_enduser	Item End Users
	sa_per_bill	Period Based Billing
	sa_prorate	Prorate Partial Periods
	sa_revenue	Revenue Type
sbid_det	sbid_custref	Customer Ref
	sbid_modelyr	Model Year
schr_det	schr_per_date	Perform Date
	schr_reference_type	Reference Type
scx_ref	scx_custref	Customer Ref
	scx_modelyr	Model Year
six_ref	six_custref	Customer Ref
	six_modelyr	Model Year
si_mstr	si_decl	Declarant
	si_git_location	PO Transit Location
	si_xfer_ownership	Transfer Ownership
soc_ctrl	soc_atp_enabled	ATP Enforcement Enabled
	soc_calc_promise_date	Calc Promise Date
	soc_crn_next	Next Correction Invoice Nbr
	soc_crn_pre	Correction Invoice Prefix
	soc_horizon	ATP Horizon
sod_det	sod_auto_replenish	Auto Replenish
	sod_charge_type	Charge Type
	sod_consignment	Consignment
	sod_consign_loc	Consignment Location
	sod_custref	Customer Ref
	sod_intrans_loc	In-Transit Location
	sod_manual_fr_list	Manual Fr List
	sod_max_aging_days	Maximum Aging Days
	sod_modelyr	Model Year
	sod_order_category	Category
	sod_promise_date	Promise Date

Table Name	Field Name	Label
so_mstr	so_auto_replenish	Auto Replenish
	so_consignment	Consignment
	so_consigh_loc	Consignment Location
	so_custref_val	Customer Ref Is Customer Item
	so_fsaccr_acct	Accrued Revenue
	so_fsaccr_cc	Accrued Revenue CC
	so_fsaccr_sub	Accrued Revenue Sub-Acct
	so_fsdef_acct	Deferred Revenue
	so_fsdef_cc	Deferred Revenue CC
	so_fsdef_sub	Deferred Revenue Sub-Acct
	so_intrans_loc	In-Transit Location
	so_manual_fr_terms	Manual Fr Terms
	so_max_aging_days	Maximum Aging Days
	so_revenue	Revenue Type
tr_hist	tr_fldchg_cmtindx	Comment
	tr_promise_date	Promise Date
tx2d_det	tx2d_usage_tax_point	Accrue Tax At Usage
tx2_mstr	tx2_ap_disc_acct	AP Discount Account
	tx2_ap_disc_cc	CC
	tx2_ap_disc_sub	AP Discount Sub-Account
	tx2_ar_disc_acct	AR Discount Account
	tx2_ar_disc_cc	CC
	tx2_ar_disc_sub	AR Discount Sub-Account
	tx2_group	Tax Group
	tx2_register	Tax Register
	tx2_stx_acct	Suspended Tax Account
	tx2_stx_cc	CC
	tx2_stx_sub	Suspended Tax Sub Account
	tx2_usage_tax_point	Accrue Tax At Usage
txc_ctrl	txc_usage_tax_point	Accrue Tax At Usage
usr_mstr	usr_access_loc	Access Location
	usr_access_type	Access Type
	usr_ctype_code	Country Code
	usr_timezone	Time Zone
	usr_type	User Type
	usr_variant_code	Variant
vd_mstr	vd_tot_terms_code	Terms of Trade
vo_mstr	vo_resale_amt	Resale Amount
	vo_waiting_exp	Waiting Expenses
vph_hist	vph_pvod_id_line	Line
	vph_pvo_id	Pending Voucher ID
wo_mstr	wo_app_owner	Owner Application
	wo_stat_close_date	WO Close Date
	wo_stat_close_userid	WO Close UserID

Changed Indexes

The left side for each index lists the current values of the various items; the right side lists the previous values.

Index Name	Table Name	Unique	Current Values				Previous Values		
			Field Name	Asc	Abr	Unique	Field Name	Asc	Abr
abs_master_id	abs_mstr	no	abs_master_id	yes	no	no	abs_master_id	yes	no
			abs_master_shipfrom	yes	no		abs_shipfrom	yes	no
			abs_shipfrom	yes	no				
ds_nbr	ds_det	no	ds_nbr	yes	no	no	ds_nbr	yes	no
			ds_shipsite	yes	no				
			ds_line	yes	no				
kbmd_part	kbmd_mstr	yes	kbmd_part	yes	no	yes	kbmd_part	yes	no
			kbmd_supp_source	yes	no		kbmd_supp_site	yes	no
			kbmd_supp_ref	yes	no		kbmd_supp_loc	yes	no
			kbmd_cons_source	yes	no		kbmd_cons_site	yes	no
			kbmd_cons_ref	yes	no		kbmd_cons_loc	yes	no
			kbmd_line	yes	no		kbmd_line	yes	no
			kbmd_pattern	yes	no		kbmd_pattern	yes	no
knbd_part	knbd_det	no	knbd_part	yes	no	no	knbd_part	yes	no
			knbd_supp_source	yes	no		knbd_supp_site	yes	no
			knbd_supp_ref	yes	no		knbd_supp_loc	yes	no
			knbd_cons_source	yes	no		knbd_cons_site	yes	no
			knbd_cons_ref	yes	no		knbd_cons_loc	yes	no
knb_part	knb_mstr	yes	knb_part	yes	no	yes	knb_part	yes	no
			knb_supp_source	yes	no		knb_supp_site	yes	no
			knb_supp_ref	yes	no		knb_supp_loc	yes	no
			knb_cons_source	yes	no		knb_cons_site	yes	no
			knb_cons_ref	yes	no		knb_cons_loc	yes	no
sar_nbrln	sar_mstr	yes	sar_nbr	yes	no	yes	sar_nbr	yes	no
			sar_prefix	yes	no		sar_prefix	yes	no
			sar_sad_line	yes	no		sar_line	yes	no
			sar_serial	yes	no		sar_serial	yes	no
			sar_ref	yes	no		sar_ref	yes	no
sar_serial	sar_mstr	no	sar_prefix	yes	no	no	sar_prefix	yes	no
			sar_serial	yes	no		sar_serial	yes	no
			sar_part	yes	no		sar_part	yes	no
			sar_ref	yes	no		sar_ref	yes	no

Index Name	Table Name	Unique	Current Values				Previous Values		
			Field Name	Asc	Abr	Unique	Field Name	Asc	Abr
sar_serialref	sar_mstr	yes	sar_nbr	yes	no		sar_nbr	yes	no
			sar_sad_line	yes	no		sar_line	yes	no
			sar_part	yes	no	yes	sar_part	yes	no
			sar_serial	yes	no		sar_serial	yes	no
			sar_ref	yes	no		sar_ref	yes	no
			sar_prefix	yes	no		sar_prefix	yes	no
scx_po	scx_ref	no	sar_nbr	yes	no		sar_nbr	yes	no
			sar_sad_line	yes	no		sar_line	yes	no
			scx_type	yes	no	yes	scx_type	yes	no
			scx_po	yes	no		scx_po	yes	no
			scx_part	yes	no		scx_part	yes	no
			scx_shipto	yes	no		scx_shipto	yes	no
scx_shipfrom	scx_ref	yes	scx_shipfrom	yes	no		scx_shipfrom	yes	no
			scx_type	yes	no	yes	scx_type	yes	no
			scx_shipfrom	yes	no		scx_shipfrom	yes	no
			scx_shipto	yes	no		scx_shipto	yes	no
			scx_part	yes	no		scx_part	yes	no
			scx_custref	yes	no		scx_po	yes	no
vph_ref	vph_hist	yes	scx_po	yes	no				
			scx_modelyr	yes	no				
			vph_ref	yes	no	yes	vph_ref	yes	no
			vph_pvo_id	yes	no		vph_receiver	yes	no
			vph_pvod_id_line	yes	no		vph_line	yes	no
							vph_element	yes	no

Deleted Indexes

Index	Table Name
adp_ind2	adp_det
adp_index	adp_det
ApplID	apr_mstr
ApplID	ilg_hist
ApplID	elg_hist
btd_base_typ	btd_det
bt_base_typ	bt_mstr
bt_desc	bt_mstr
ded_ded	ded_mstr
ded_desc	ded_mstr
ded_order	ded_mstr
ded_type	ded_mstr
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
dptd_ded	dptd_det
dptd_earn	dptd_det
dptd_index	dptd_det
edd_ind1	edd_det
edd_ind3	edd_det
edd_ind4	edd_det
edd_index	edd_det
edd_order	edd_det
edd_wk_loc	edd_det
edi_wkfl	edi_wkfl
ed_ded	ed_mstr
ed_index	ed_mstr
eead_dept	eead_det
eead_ind1	eead_det
eead_ind2	eead_det
eead_ind3	eead_det
eead_ind4	eead_det
eead_ind5	eead_det
eead_index	eead_det
eead_wk_loc	eead_det
erd_ind1	erd_det
erd_ind2	erd_det
erd_ind3	erd_det
erd_index	erd_det
erd_wk_loc	erd_det
ExtDocKey	ilg_hist
ExtDocKey	elg_hist
ftxd_ind	ftxd_det
GroupID	ilg_hist
GroupID	elg_hist
kbmd_cons_site	kbmd_mstr
kbmd_cons_site2	kbmd_mstr
knbd_cons_site	knbd_det
knbd_nbr	knbd_det
knb_cons_site	knb_mstr
MfgProKey	ilg_hist
MfgProKey	elg_hist

Index	Table Name
missed_event_order	vep_mstr
missed_event_order	vepd_det
pck_ck_nbr	pck_det
pck_ind1	pck_det
pck_ind2	pck_det
pck_ind3	pck_det
pck_ind4	pck_det
pck_index	pck_det
pck_wk_loc	pck_det
prc_bank	prc_ctrl
prh_ers	prh_hist
sft_desc	sft_mstr
sft_shift	sft_mstr
Site	ilg_hist
Site	elg_hist
std1_state	std1_det
std2_index	std2_det
st_state	st_mstr
wkc_index	wkc_mstr
wk_desc	wk_mstr
wk_state	wk_mstr
wk_wk_loc	wk_mstr
ytd_earn	ytd_det
ytd_index	ytd_det

New Indexes for Existing Tables

Index	Table Name
abs_inv_nbr	abs_mstr
ApplD	apr_mstr
ApplD	ilg_hist
ApplD	elg_hist
ap_unapplied	ap_mstr
cp_cust_part	cp_mstr
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
ds_fr_list	ds_det
ExtDocKey	ilg_hist
ExtDocKey	elg_hist
GroupID	ilg_hist
GroupID	elg_hist
idh_fsm_type	idh_hist
in_gl_cost_site	in_mstr
kbmd_cons_source	kbmd_mstr
kbmd_cons_source2	kbmd_mstr
knbd_cons_source	knbd_det
knbd_id	knbd_det
knb_cons_source	knb_mstr
ln_siteline	ln_mstr
MfgProKey	ilg_hist
MfgProKey	elg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
mrp_keyid	mrp_det
qod_fr_list	qod_det
rqm_cat_val_date	rqm_det
sad_eu_line	sad_det
sad_line_eu	sad_det
Site	ilg_hist
Site	elg_hist
si_decl	si_mstr
sod_fr_list	sod_det
tx2_register	tx2_mstr
vph_pvo_id	vph_hist
wo_site	wo_mstr

Deleted Tables

Table Name	Table Description
adp_det	Auto Deposit Detail
btd_det	Payroll Deduction Base Type Detail
bt_mstr	Payroll Deduction Base Type Master
ded_mstr	Deduction Master
dptd_det	Payroll Department Detail
edd_det	Employee Deduction Detail
edi_wkfl	Electronic Data Interchange Workfile
ed_mstr	Employee Deduction Master
eead_det	Employee Earnings Detail
erd_det	Employer Paid Deduction Detail
ftxd_det	Federal Income Tax Tables Detail
pck_det	Payroll Check Detail
prc_ctrl	Payroll Control File
sft_mstr	Shift Master
std1_det	State Tax Detail - Type 1
std2_det	State Tax Detail - Type 2
st_mstr	State Tax Master
wkc_mstr	Workers Compensation Master
wk_mstr	Work Location Master
ytd_det	Employee Year-To-Date Totals Detail

New Tables

Table Name	Table Description
abscc_det	Sales Order Detail Container Charges
absd_det	Shipment Line Item Detail
absi_mstr	Shipper Information Master
absl_det	Shipment Detail Line Charges
acdf_mstr	Account Default Master
arsd_det	Accounts Receivable Payment Status Detail
atd_mstr	Accounting Transaction Description Master
bdp_det	Bank Driver Payment Detail
bkad_det	Payment Selection Allocation Detail
bkd_det	Payment Method Detail
bkfm_mstr	Bank Account Format Master
bkpd_det	Payment Selection Detail
bkpm_mstr	Payment Selection Master
cclscd_det	Ship-To/Container Price List Detail
cclsc_mstr	Ship-To/Container Master
ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master
ccl_ctrl	Container/Line Charge Control
cct_mstr	Container Charge Type Master
cild_det	Correction Invoice Link Detail
cil_mstr	Correction Invoice Link Master
cncix_mstr	Consigned Shipment Inventory Cross-Reference Master
cncs_mstr	Customer Consignment Ship-To/Item Master
cncud_det	Customer Consignment Shipment Usage Detail
cncu_mstr	Customer Consignment Shipment Usage Master
cnc_ctrl	Customer Consignment Control
cnsix_mstr	Supplier Consignment Receipt Inventory Master
cnss_mstr	Supplier Consignment Supplier/Item Master
cnsud_det	Supplier Consignment Receipt Usage Detail
cnsu_mstr	Supplier Consignment Receipt Usage Master
cns_ctrl	Supplier Consignment Control
decl_mstr	Declarant Master
defr_det	Service Contract Deferred/Accrued Revenue Detail
delt_mstr	Delivery Time Master
djrc_det	Daybook Journal Report Detail
djr_mstr	Daybook Journal Report Master
ecx_ref	External Order Cross-Reference
flcrh_hist	Flow Line Capacity Rate History
flcr_mstr	Flow Line Capacity Rate Master
fffr_mstr	Flow Flex Fence Master
flscd_det	Flow Schedule Code Detail
flsc_mstr	Flow Schedule Code Master
flsd_det	Flow Schedule Detail
giap_mstr	Application Definition Master
gimd_mstr	Model Definition Master
gip_det	Table Attribute Detail
gisi_mstr	Site/Item Model Definition Master
glptr_hist	General Ledger Protocol History
glstd_mstr	General Ledger Description Source Master
gltrnd_det	General Ledger Transaction Matching Detail
gltrm_mstr	General Ledger Transaction Matching Master
idhlc_hist	Invoice History Line Charge Detail

Table Name	Table Description
isvc_mstr	Statistical Value Calculation Master
kbtrd_det	Kanban Transaction History Detail
kbtr_hist	Kanban Transaction History
knbl_det	Kanban Loop Detail
lacd_det	Logistics Accounting Charge Detail
lac_ctrl	Logistics Accounting Control
lc_mstr	Logistics Accounting Charge Code Master
lnf_det	Flow Production Line Preference Detail
locc_det	Reserved Locations Detail
mrpp_det	Material Requirements Planning Pegging Detail
plid_det	Purchase Ledger Invoice Detail
pli_mstr	Purchase Ledger Invoice Master
pould_det	Point of Use Location Detail
poul_mstr	Point of Use Location Master
pou_mstr	Point of Use Code Master
pshc_ctrl	Purchase Shipper Control
ptc_det	Container Item Detail
pvod_det	Pending Voucher Detail
pvo_mstr	Pending Voucher Master
qtbl_ext	QAD Table Extension
sab_det	Service Contract Billing Detail
scc_mstr	Customer/Ship-To Shipment Controls Master
shpc_ctrl	Shipment Performance Control
shpd_hist	Shipment Performance Detail History
shp_hist	Shipment Performance History
shv_mstr	Ship Via Master
slrd_det	Site Linking Rules Detail
slr_mstr	Site Linking Rules Master
sodlc_det	Sales Order Detail Line Charges
sosrd_det	Sales Order Shipment Reason Detail
sosr_mstr	Sales Order Shipment Reason Master
sttqd_det	Time-Based/Quantity-Based Status Code Detail
sttq_mstr	Time-Based/Quantity-Based Status Code Master
stx_mstr	Suspended Tax Master
sufd_det	Shipper User Field Detail
suf_mstr	Shipper User Field Master
tblcd_det	Table Change Detail
tblc_mstr	Table Change Master
told_det	Terms of Trade Detail
tot_mstr	Terms of Trade Master
txrd_det	Tax Register Detail
txr_mstr	Tax Register Master
usg_det	Application Usage Detail
usrl_det	User Licensed Application Detail
vdf_mstr	Supplier Fiscal Data Master
wtx_mstr	Withholding Tax Master

Index of Table Descriptions

A

Account Cross-Reference Master 20
Account Default Master 17
Account Master 21
Account Total Detail 17
Account/Sub-Account/Cost Center Master 39
Accounting Transaction Description Master 41
Accounts Payable Check Detail 79
Accounts Payable Check Master 80
Accounts Payable Control 28
Accounts Payable Master 32
Accounts Receivable Control 33
Accounts Receivable Detail 34
Accounts Receivable Master 36
Accounts Receivable Payment Status Detail 35
Action Message Detail 320
Address Control 21
Address List Detail 308
Address Master 22
Advanced Pricing Management Control 29
Advanced Pricing Management Customer Relationship
Master 28
Allocation Account Detail 24
Allocation Account Master 25
Alternate Container Master 20
Analysis Code Exploded Detail 27
Analysis Code Link Detail 25
Analysis Code Master 27
Analysis Code Selection Detail 26
Application Code Master 19
Application Definition Master 213
Application Parameter Master 30
Application Registry 30
Application Return Code Master 35
Application Usage Detail 539

ASN/BOL/Shipper Master 14
Asset Book Detail 8
Asset Cost Change Detail 16
Asset Master 40
Associated Item Detail 371
Audit Detail 42
Automatic Lot Master 25
Available-to-Promise Detail 42

B

Bank Account Format Master 50
Bank Driver Payment Detail 45
Bank Master 53
Batch Control Detail 43
Batch Control Master 44
Batch Data Load Detail 44
Batch Data Load Master 45
Batch Master 43
Budget Detail 46
Budget Master 48

C

Calendar Detail 58
Carrier Control 99
Cash Book Master 64
Cash Flow Control 72
Cash Flow Master 73
Check Status Detail 79
Class Master 81
Code Range Master 100
Commodity Code Detail 94
Commodity Code Master 95
Compliance Control 80
Consigned Shipment Inventory Cross-Reference
Master 86

Consolidated Exchange Rate Detail 159
 Consolidation Currency Exchange Master 160
 Container Charge Type Master 70
 Container Item Detail 372
 Container/Line Charge Control 69
 Container/Line Charge Ship-From/Ship-To Control Master 68
 Control Work Table 310
 Controlled Substance Authority Master 100
 Controlled Substance Customer Master 102
 Controlled Substance General License Master 105
 Controlled Substance Individual License Detail 105
 Controlled Substance Individual License Master 104
 Controlled Substance Item Detail 102
 Controlled Substance Item Master 104
 Controlled Substance Site Master 106
 Co-product/By-product Average Cost Master 18
 Correction Invoice Link Detail 77
 Correction Invoice Link Master 78
 Cost Center Master 70
 Cost Center/Account Validation Detail 65
 Cost Center/Sub-Account Validation Detail 65
 Cost Set Calendar 95
 Cost Set Master 107
 Cost Simulation Item Detail 499
 Cost Simulation Master 463
 Cost Simulation Operation Detail 491
 Cost Simulation Total Detail 461
 Cost Simulation Work Center Detail 512
 Country Master 108
 Credit Card Control 64
 Credit Card Transaction History 69
 Credit Terms Detail 107
 Credit Terms Master 108
 Currency Master 109
 Customer Consignment Control 91
 Customer Consignment Shipment Usage Detail 89
 Customer Consignment Shipment Usage Master 89
 Customer Consignment Ship-To/Item Master 87
 Customer Control 81
 Customer Item Master 99
 Customer Master 84
 Customer Period Calendar Detail 97
 Customer Period Calendar Master 97
 Customer Sales History 83
 Customer Schedule Master 404
 Customer Sequence Schedule Control 401

Customer Sequence Schedule Cross-Reference 403
 Customer Sequence Schedule Detail 401
 Customer Sequence Schedule Master 399
 Customer/Item Sales History 98
 Customer/Ship-To Shipment Controls Master 458
 Customer/Supplier Bank Detail 101

D

Database Connection Master 111
 Database Revision Control Master 110
 Daybook Journal Report Detail 114
 Daybook Journal Report Master 115
 Declarant Master 111
 Delivery Time Master 113
 Department Master 119
 Depreciation Book Master 110
 Depreciation Convention Master 116
 Depreciation Detail 117
 Depreciation Method Detail 118
 Depreciation Method Master 119
 Distributed Site Order Detail 124
 Distributed Site Order Master 123
 Distributed Site Requisition Detail 121
 Distributed Site Requisition Master 122
 Distribution Requirements Planning Control 120
 Document Print Format Master 114
 Draft Management Work Table 116

E

Earnings Master 126
 E-mail Master 147
 Employee Control 143
 Employee Master 144
 EMU Control 155
 Engineering Change Approval Detail 131
 Engineering Change Approval Master 126
 Engineering Change Item Detail 131
 Engineering Change Master 132
 Engineering Change Master Lists 132
 Engineering Change Product Structure Detail 127
 Engineering Change Routing Detail 128
 Engineering Change Text File Detail 129
 Engineering Change Type Master 134
 Enterprise Material Transfer Change Management Detail 82
 Enterprise Material Transfer Change Management Master 82

Enterprise Material Transfer Primary Business Unit
Detail 56
Entity Master 149
Evaluated Receipts Settlement Master 150
Exchange Rate Master 161
Exchange Rate Usage 161
Export Document Log 140
Export Document Message 143
Export Document Specification Master 152
External Address Cross-Reference Detail 22
External Order Cross-Reference 134

F

Family Hierarchy Master 183
Family Item Cost Detail 201
Family Line Plan 188
Family Production and Shipment Plan 198
Family Production Backlog and Cost Plan 197
Family Production Inventory and Order Plan 197
Family Simulation Backlog and Cost Plan 208
Family Simulation Inventory and Order Plan 209
Family Simulation Production and Shipment Plan 209
Field Default Master 187
Field Help Program Master 188
Field Security Master 188
Final Assembly Control 170
Fixed Asset Account Detail 162
Fixed Asset Adjustment Master 162
Fixed Asset Batch Detail 163
Fixed Asset Batch Master 164
Fixed Asset Book Default Master 170
Fixed Asset Book Depreciation Detail 164
Fixed Asset Book Detail 166
Fixed Asset Book Master 165
Fixed Asset Calendar Detail 167
Fixed Asset Calendar Master 169
Fixed Asset Class Account Detail 167
Fixed Asset Class Master 168
Fixed Asset Component Detail 170
Fixed Asset Control 169
Fixed Asset Custodian Master 107
Fixed Asset Custom Table Detail 172
Fixed Asset Location Code Master 172
Fixed Asset Location Master 171
Fixed Asset Master 177
Fixed Asset Meter Detail 173
Fixed Asset Meter Master 173

Fixed Asset Method Master 174
Fixed Asset System Control 175
Fixed Asset Type Master 533
Fixed Assets UOP Forecast Detail 175
Flow Flex Fence Master 187
Flow Line Capacity Rate History 185
Flow Line Capacity Rate Master 186
Flow Production Line Preference Detail 303
Flow Schedule Code Detail 189
Flow Schedule Code Master 189
Flow Schedule Detail 190
Forecast Summary 181
Format Position Master 191
Freight Charge Detail 202
Freight List Master 204
Freight Rate Detail 203
Freight Rate Master 203
Freight Terms Master 211
Freight Zone Detail 204

G

General Ledger (Company) Control 96
General Ledger Calendar 215
General Ledger Calendar Detail 215
General Ledger Daybook Master 125
General Ledger Default Daybook Master 125
General Ledger Description Source Master 217
General Ledger Protocol History 215
General Ledger Report Detail 216
General Ledger Report Master 217
General Ledger Transaction History 219
General Ledger Transaction Matching Detail 217
General Ledger Transaction Matching Master 218
General Ledger Unposted Transaction Detail 221
General Ledger Work Table 220
Generalized Code Master 94
GL Report Writer Account Balance Detail 241
GL Report Writer Account Balances 227
GL Report Writer Analysis Code and Item Type Work
Table 237
GL Report Writer Analysis Code Detail 229
GL Report Writer Analysis Code Explosion Work
Table 242
GL Report Writer Analysis Code Link-File Detail 229
GL Report Writer Analysis Code Master 230
GL Report Writer Break Group Detail 235
GL Report Writer Budgeted Account Balance

Detail 231
 GL Report Writer Column Group Detail 232
 GL Report Writer Column Group Master 233
 GL Report Writer Control 244
 GL Report Writer Definition Matrix 234
 GL Report Writer Fiscal Quarter Calendar 239
 GL Report Writer Group Row/Column Sequence
 Detail 234
 GL Report Writer Image Column Detail 236
 GL Report Writer Report Content Master 243
 GL Report Writer Report Image Detail 236
 GL Report Writer Report Image Master 238
 GL Report Writer Report Image Matrix 237
 GL Report Writer Row Group Detail 239
 GL Report Writer Row Group Master 240
 GL Report Writer Row/Column Explosion
 (Hierarchical) Work Table 243
 GL Report Writer Row/Column Explosion (Separate)
 Work Table 242
 GL Report Writer Selection Detail 230
 GL Report Writer Text String Detail 240

H

Help Master 245
 Holiday Master 245

I

Import Document Log 265
 Import Document Map Detail 267
 Import Document Message 267
 Import Document Specification Master 279
 Import/Export Control 253
 Import/Export Detail 255
 Import/Export History 256
 Import/Export Master 258
 Independent Demand Detail 269
 Interface Session Master 259
 Inventory Control 247
 Inventory Master 271
 Inventory Movement Code Master 268
 Inventory Movement Site Detail 478
 Inventory Status Detail 279
 Inventory Status Master 282
 Inventory Transaction and General Ledger Cross-
 Reference 521
 Inventory Transaction History 523
 Invoice History Credit Card Master 260

Invoice History Detail 249
 Invoice History Line Charge Detail 248
 Invoice History Master 261
 Invoice History Relationship Detail 249
 Invoice History Relationship Master 261
 Invoice Schedule Control 288
 Invoice Schedule Detail 270
 Invoice Schedule Master 270
 Invoice Sort Master 183
 Item Location Detail 264
 Item Lot/Serial Detail 373
 Item Master 379
 Item Planning Detail 374
 Item Quantitative Analysis Detail 376
 Item Routing Cost Detail 276
 Item Routing Detail 377
 Item Site Load Detail 288
 Item Site Load Master 288
 Item Specification Detail 272
 Item Statistical Value Detail 378
 Item Substitute Detail 377
 Item Tax Detail 378

K

Kanban Card Detail 293
 Kanban Control 289
 Kanban Loop Detail 294
 Kanban Master 295
 Kanban Maximum Demand Master 290
 Kanban Planning Period Master 291
 Kanban Transaction History 291
 Kanban Transaction History Detail 291

L

Label Control 298
 Language Detail 304
 Language Master 305
 Line Changeover Master 74
 Line Master 305
 Location Allocation Detail 297
 Location Detail 299
 Location Master 306
 Logistics Accounting Charge Code Master 298
 Logistics Accounting Charge Detail 296
 Logistics Accounting Control 297
 Logistics Master 301
 Logistics Site Detail 300

Lot Master 307

Lot Number Work Table 307

M

Mapped Export Document Detail 142

Master Bill of Lading Control 55

Master Comments 72

Master Production Schedule 314

Master Specification 315

Master Specification Detail 312

Master Specification Test History 313

Master Specification Test Results 275

Material Order Control 465

Material Requirements Planning Control 315

Material Requirements Planning Detail 316

Material Requirements Planning Pegging Detail 315

Maximum Table Detail 309

Maximums Master 309

Menu Detail 311

Menu Title Detail 312

Message Master 317

Mirror Account Master 310

Model Definition Master 213

Monetary Union Master 317

N

Net Commerce Control 318

Number Range History 319

Number Range Master 319

O

Operation Transaction History 323

Operations Plan Control 323

P

Pallet Detail 327

Pallet Master 327

Payment Method Detail 50

Payment Selection Allocation Detail 49

Payment Selection Detail 51

Payment Selection Master 52

Pending Voucher Detail 383

Pending Voucher Master 384

Physical Inventory Tag Master 513

Pick List Work Table 348

Point of Use Code Master 360

Point of Use Location Detail 360

Point of Use Location Master 360

Price List Detail 335

Price List Group Customer Detail 336

Price List Group Item Detail 336

Price List Group Master 337

Price List Master 330, 340

Pricing Control 335

Pricing History 273, 338

Printer Detail 364

Printer Master 369

Printer/User Detail 538

Product Change Control 328

Product Change Control Group Detail 329

Product Change Control Group Master 329

Product Change Control Item Routing Detail 130

Product Change Control Routing Slip Detail 431

Product Change Control Routing Slip Master 432

Product Change Control Routing Slip Template
Detail 430

Product Change Control Routing Slip Template
Master 431

Product Change Control Test Results Detail 129

Product Change Control Type Master 330

Product Line Detail 349

Product Line Master 352

Product Line Plan 363

Product Line Requirements Master 364

Product Line Sales Detail 351

Product Line Tax Detail 352

Product Structure (Bill of Material) Master 55

Product Structure Master 370

Production Forecast Detail 331

Production Line Allocation Detail 302

Production Line Detail 303

Production Line Schedule Sequence Master 466

Products Sales History 372

Program Detail 334

Project Master 348

Project Realization Control 342

Project Realization Project Master 367

Project Realization Project Type Master 347

Project Realization Structure Master 346

Project Realization Subproject Detail 343

Project Realization Transaction History 344

Project Structure Cross-Reference Detail 345

Purchase Approval Code Master 326

Purchase Ledger Invoice Detail 350

Purchase Ledger Invoice Master 350

Purchase Order Control 355
 Purchase Order Detail 356
 Purchase Order Line Cost Element Detail 328
 Purchase Order Master 361
 Purchase Order Receipt History 365
 Purchase Shipper Control 369

Q

Q/LinQ Control 395
 QAD Table Extension 398
 QAD Work Table 385
 Quality Control Order Detail 386
 Quality Control Order Master 387
 Quality Inspection Routing Detail 397
 Quality Order Control 386
 Quality Order Test Steps 397
 Quality Sampling Pattern Master 387
 Quality Test Bill Detail 395

R

Raw Export Document Detail 149
 Raw Import Document Detail 275
 Reason Code Master 430
 Release Management Schedule Detail 459
 Release Management Schedule Master 460
 Repetitive Control 417
 Repetitive Production Schedule Master 418
 Requirement Detail 424
 Requirement Master 428
 Requisition Approval Detail 420
 Requisition Approval Level Master 424
 Requisition Approver Master 418
 Requisition Category Detail 419
 Requisition Category Master 420
 Requisition Control 422
 Requisition Detail 407, 421
 Requisition History 423
 Requisition Job Master 424
 Requisition Master 426
 Requisition/PO Cross-Reference 427
 Reserved Locations Detail 306
 Resource Master 432
 Resource Requirements Detail 430
 Retrobill Master 399
 Return Material Authorization Control 412
 Return Material Authorization Detail 413
 Return Material Authorization Detail History 408

Return Material Authorization Master 410
 Return Status Master 202
 Role Master 428
 Rounding Method Master 415
 Routing Operation Detail 416

S

Sales Order Configuration Bill Detail 483
 Sales Order Configuration Bill History 245
 Sales Order Control 484
 Sales Order Credit Card Master 484
 Sales Order Detail 488
 Sales Order Detail Container Charges 9
 Sales Order Detail Line Charges 486
 Sales Order Discount Master 464
 Sales Order Master 494
 Sales Order Relationship Detail 487
 Sales Order Relationship Master 492
 Sales Order Shipment Reason Detail 493
 Sales Order Shipment Reason Master 493
 Sales Quotation Configuration Bill Detail 388
 Sales Quotation Control 389
 Sales Quotation Detail 390
 Sales Quotation Master 393
 Sales Quotation Relationship Detail 390
 Sales Quotation Relationship Master 392
 Salesperson Commission Detail 498
 Salesperson Control 497
 Salesperson Master 500
 Salesperson Sales History 499
 Scheduled Order Cross-Reference 462
 Seasonal Build Detail 182
 Self-Bill Control 453
 Self-Bill Detail 455
 Self-Bill Master 456
 Serial Number Work Table 504
 Service Agreement Terms and Conditions Master 511
 Service Category Master 205
 Service Contract Additional Charge Master 458
 Service Contract Billing Detail 433
 Service Contract Control 434
 Service Contract Deferred/Accrued Revenue
 Detail 112
 Service Contract Detail 438
 Service Contract Detail History 436
 Service Contract History 441
 Service Contract Master 449

Service Contract Preventive Maintenance Detail	447	Service/Support Field Notification Detail	192
Service Contract Serial Number Master	448	Service/Support Field Notification History	193
Service Request Control	500	Service/Support Field Notification Master	194
Service Request Master	503	Service/Support Holiday Master	207
Service/Repair Order Control	501	Service/Support Installed Base Item Master	277
Service/Repair Order Master	501	Service/Support Installed Base Structure	281
Service/Support Billing Cycle Master	453	Service/Support Installed Configuration Detail	246
Service/Support Billing Detail	467	Service/Support Item-Site Detail	332
Service/Support Billing History	469	Service/Support Kit Master	184
Service/Support Call Activity Detail	206	Service/Support Management Control	508
Service/Support Call Default Master	71	Service/Support On Call Master	320
Service/Support Call Fault Code Master	66	Service/Support Paging Control	333
Service/Support Call History	57	Service/Support Paging History	333
Service/Support Call History Master	74	Service/Support Parent/Child Relationship Master	516
Service/Support Call Item Detail	285	Service/Support Price Indexing Master	199
Service/Support Call Item History	283	Service/Support Pricing Master	200
Service/Support Call Master	60	Service/Support Region Master	406
Service/Support Call Master Control	56	Service/Support Return Defaults Master	405
Service/Support Call Queue Master	59	Service/Support Time Zone Detail	534
Service/Support Call Status Master	60	Service/Support Time Zone Master	535
Service/Support Call Type Master	181	Service/Support Trace History	210
Service/Support Charge Code Master	180	Service/Support User Preference Master	210
Service/Support Charge Code Product Line Master	178	Service/Support Work Code Master	212
Service/Support Contract Billing Control	48	Shift Detail	473
Service/Support Contract Limits History	444	Ship Via Master	478
Service/Support Contract Limits Master	446	Shipment Carrier Detail	10
Service/Support Cross-Reference Master	99	Shipment Detail Line Charges	11
Service/Support Custom Program Detail	311	Shipment Detail/Invoice Number Cross-Reference	479
Service/Support Custom Program Parameter Detail	314	Shipment Line Item Detail	10
Service/Support Default Charge Code Master	179	Shipment Performance Control	475
Service/Support End User Control	156	Shipment Performance Detail History	475
Service/Support End User Detail	157	Shipment Performance History	476
Service/Support End User Master	157	Shipment Requirement Detail	12
Service/Support Engineer Availability Master	135	Shipment Sequence Detail	12
Service/Support Engineer Master	147	Shipment Trailer Detail	477
Service/Support Engineer Message Master	146	Shipper Control	472
Service/Support Engineer Problem/Skills Detail	138	Shipper Information Master	10
Service/Support Engineer Schedule Control	135	Shipper User Field Detail	507
Service/Support Engineer Schedule Detail	136	Shipper User Field Master	507
Service/Support Engineer Schedule Master	151	Shipping Delivery Time Detail	463
Service/Support Engineer Selection Work Table	140	Shipping Delivery Time Master	464
Service/Support Engineer Status Master	153	Shipping Group Address Detail	470
Service/Support Engineer Tracking Master	138	Shipping Group and Inventory Movement Code Detail	471
Service/Support Escalation and Repair Master	154	Shipping Group Carrier Detail	471
Service/Support Escalation Control	150	Shipping Group Master	471

Shipping Schedule Control 429
 Shipping Schedule Detail 472
 Shipping Schedule Master 473
 Ship-To/Container Master 67
 Ship-To/Container Price List Detail 67
 Shop Calendar 475
 Shop Floor Operation General Ledger Detail 321
 Shop Floor Operation History Control 321
 Simulated Forecast Master 182
 Simulation Line Plan 208
 Site Cost Detail 106
 Site Linking Rules Detail 481
 Site Linking Rules Master 482
 Site Master 480
 Site/Item Model Definition Master 214
 Source Matrix Master 482
 Source of Supply Detail 504
 Source of Supply Master 505
 Standard Operation Master 322
 Statistical Value Calculation Master 282
 Sub-Account Master 457
 Sub-Account/Account Validation Detail 453
 Supplier Consignment Control 94
 Supplier Consignment Receipt Inventory Master 91
 Supplier Consignment Receipt Usage Detail 92
 Supplier Consignment Receipt Usage Master 93
 Supplier Consignment Supplier/Item Master 92
 Supplier Control 541
 Supplier Fiscal Data Master 542
 Supplier Item Master 559
 Supplier Master 542
 Supplier Performance Category Detail 544
 Supplier Performance Category Master 545
 Supplier Performance Control 546
 Supplier Performance Cross-Reference Master 555
 Supplier Performance Detail 547
 Supplier Performance Event Master 545
 Supplier Performance Master 549
 Supplier Performance Registration Detail 550
 Supplier Performance Registration Master 551
 Supplier Performance Summary Detail 552
 Supplier Performance Summary Master 553
 Supplier Performance Weighting Factor Master 554
 Suspended Tax Master 506
 System/Account Control 223

T

Table Attribute Detail 214
 Table Change Detail 515
 Table Change Master 516
 Tax Base Detail 528
 Tax Control 528
 Tax Detail 514, 525
 Tax Environment Detail 529
 Tax Environment Master 530
 Tax History Detail 530
 Tax Master 515, 527
 Tax Register Detail 532
 Tax Register Master 532
 Tax Zone Master 533
 Terms of Trade Detail 519
 Terms of Trade Master 520
 Time-Based/Quantity-Based Status Code Detail 505
 Time-Based/Quantity-Based Status Code Master 506
 Trailer Master 522
 Trailer Tax Detail 521
 Transaction Comments 83
 Transaction Cost Detail 520
 Transaction Export Master 517
 Transmission Date Reference Master 522
 Transportation Master 519

U

Unit of Measure Conversion Master 536
 URL Master 538
 User Control 539
 User Function Key Detail 535
 User Licensed Application Detail 540
 User Master 541
 User Message Detail 536
 User Work Table 540

V

Value Added Tax Control 560
 Value Added Tax Master 561
 Version Control 560
 Voucher Detail 556
 Voucher Invoice History 558
 Voucher Master 556
 Voucher Purchase Order Detail 559

W

Warehouse Location Master 563

WIP Lot Inventory Detail 566
WIP Lot Master 570
WIP Lot Trace BOM Control Detail 563
WIP Lot Trace BOM Control Master 564
WIP Lot Trace Control 565
WIP Lot Trace Master 569
WIP Lot Trace Routing Control Detail 567
WIP Lot Trace Routing Control Master 568

Withholding Tax Master 580
Work Center Master 562
Work Center Routing Standards 561
Work Order Control 571
Work Order Detail 572
Work Order Master 574
Work Order Routing 577

