



Database Definitions



78-0441A
MFG/PRO Version 9.0
Printed in the U.S.A.
March 1999

This document contains proprietary information that is protected by copyright. No part of this document may be photocopied, reproduced, or translated without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

Some states do not allow the exclusion of implied warranties or the limitation or exclusion of liability for incidental or consequential damages, so the above limitations and exclusion may not be applicable.

PROGRESS® is a registered trademark of Progress Software Corporation. Windows™ is a trademark of Microsoft Corporation.

MFG/PRO® is a registered trademark of QAD Inc.
Copyright © 1999 by QAD Inc.
78-0441A

QAD Inc.
6450 Via Real
Carpinteria, California 93013
Phone (805) 684-6614
Fax (805) 684-1890

Contents

ABOUT THIS GUIDE	1
SECTION 1 DATABASE DEFINITIONS	5
abd_det	Asset Book Detail 6
absc_det	Shipment Carrier Detail 7
absr_det	Shipment Requirement Detail 7
abs_mstr	ASN/BOL/Shipper Master 8
accd_det	Asset Cost Change Detail 10
acd_det	Account Total Detail 11
acm_mstr	Co-product/By-product Average Cost Master 11
act_mstr	Alternate Container Master 12
acx_mstr	Account Cross-Reference Master 12
ac_mstr	Account Master 13
adc_ctrl	Address Control File 14
adp_det	Auto Deposit Detail 14
ad_mstr	Address Master 15
ald_det	Allocation Account Detail 16
alm_mstr	Auto Lot Master File 17
al_mstr	Allocation Account Master 17
anl_det	Analysis Code Link Detail 18
ans_det	Analysis Code Selection Detail 18
anx_det	Analysis Code Exploded Detail 18
an_mstr	Analysis Code Master 19
apc_ctrl	Accounts Payable Control File 19
apmr_mstr	APM Customer Relationships 20
apm_ctrl	Advanced Pricing Management Control File 21
aprm_mstr	Application Parameter Master 21
apr_mstr	Application Registry 22
ap_mstr	Accounts Payable Master 25
arc_ctrl	Accounts Receivable Control File 26
ard_det	Accounts Receivable Detail 26
art_mstr	Application Return Code Master 27
ar_mstr	Accounts Receivable Master 28

IV MFG/PRO DATABASE DEFINITIONS

asc_mstr	Account Sub-Account Cost Center Master	30
ast_mstr	Asset Master	31
as_mstr	Application Server Master	32
atp_det	Available-to-Promise Detail	33
aud_det	Audit Detail	33
ba_mstr	Batch Master	34
bcd_det	Batch Control Detail	35
bc_mstr	Batch Control Master	35
bdld_det	Batch Data Load Detail	36
bdl_mstr	Batch Data Load Master	36
bgd_det	Budget Detail	36
bg_mstr	Budget Master	37
bic_ctrl	Service/Support Contract Billing Control	38
bk_mstr	Bank Master	38
bl_ctrl	Master Bill of Lading Control File	39
bom_mstr	Product Structure (Bill of Material) Master	40
btb_det	Enterprise Material Transfer – Primary Business Unit Data	41
btd_det	Payroll Deduction Base Type Detail	41
bt_mstr	Payroll Deduction Base Type Master	41
cac_ctrl	Service/Support Call Master Control	42
cah_hist	Service/Support Call History	43
cal_det	Calendar Detail	44
caq_mstr	Service/Support Call Queue Master	45
cas_mstr	Service/Support Call Status Master	46
ca_mstr	Service/Support Call Master	46
cb_mstr	Cash Book Master	50
ccd1_det	Cost Center – Account Validation Detail	50
ccd2_det	Cost Center – Sub-Account Validation Detail	51
ccd_mstr	Service/Support Call Fault Code Detail	51
cc_mstr	Cost Center Master	52
cdf_mstr	Service Support Call Defaults	52
cd_det	Master Comments	53
cfc_ctrl	Cash Flow Control File	54
cf_mstr	Cash Flow Master	54
chg_mstr	Line Changeover Master	55
chm_mstr	Service/Support Call History Master	56
ckd_det	Check Detail – Accounts Payable	59
cksd_det	Check Status Detail	60
ck_mstr	Check Master – Accounts Payable	60
clc_ctrl	Compliance Control File	61
cls_mstr	Class Master	61
cmc_ctrl	Customer Control File	61
cmd_det	Enterprise Material Transfer – Change Management Detail	62
cmf_mstr	Enterprise Material Transfer – Change Management Master	62
cmh_hist	Sales History – Customer	63
cmt_det	Transaction Comments	64
cm_mstr	Customer Master	64

code_mstr	Code Master	66
comd_det	Commodity Code Detail File	66
com_mstr	Commodity Code Master	67
cost_cal	Cost Set Calendar	67
co_ctrl	General Ledger (Company) Control File	68
cpcd_det	Customer Period Calendar Detail File	68
cpc_mstr	Customer Period Calendar Master File	69
cph_hist	Sales History – Customer-Item	69
cp_mstr	Customer Item Master	70
crc_ctrl	Carrier Control File	71
cref_mstr	Service/Support Cross-Reference Master	71
csa_mstr	Controlled Substance Authority File	71
csbd_det	Customer/Supplier Bank Detail	72
csc_mstr	Controlled Substance Customer File	73
csid_det	Controlled Substance Item Detail File	73
csil_mstr	Individual License Master File	74
csim_mstr	Controlled Substance Item Master	74
csld_det	Individual License Detail File	75
cslm_mstr	General License Master File	75
cssi_det	Cost-Site Detail	76
css_mstr	Controlled Substance Site File	76
cst_mstr	Fixed Asset Custodian Master	77
cs_mstr	Cost Set Master	78
ctd_det	Credit Terms Detail	78
ctry_mstr	Country Master	78
ct_mstr	Credit Terms Master	79
cu_mstr	Currency Master	80
dbk_mstr	Depreciation Book Master	80
dbb_mstr	Database Revision Control File	81
dc_mstr	Database Connection Master	81
ded_mstr	Deduction Master	82
df_mstr	Document Print Format Master	83
dmw_wkfl	Draft Management Workfile	83
dm_mstr	Drafts Management	84
dpc_mstr	Depreciation Convention Master	84
dprd_det	Depreciation Detail	85
dprt_det	Depreciation Method Table Detail	86
dpr_mstr	Depreciation Method Master	86
dptd_det	Payroll Department Detail	87
dpt_mstr	Department Master	87
drp_ctrl	DRP Control File	88
dsd_det	Distributed Site Requisition Detail	88
dsr_mstr	Distributed Site Requisition Master	90
dss_mstr	Distributed Site Order Master	90
ds_det	Distributed Site Order Detail	91
dyd_mstr	General Ledger Default Daybook Master	92
dy_mstr	General Ledger Daybook Master	93

VI MFG/PRO DATABASE DEFINITIONS

ea_mstr	Earnings Master	94
eca_mstr	Engineering Change Approval Master	94
ecc_ctrl	Engineering Change Control File	95
ecd1_det	Engineering Change Detail – Product Structures	95
ecd2_det	Engineering Change Detail – Routings	96
ecd3_det	Engineering Change Detail – Text Files	97
ecd4_det	Product Change Control – Test Results Data	97
ecd5_det	Product Change Control – Item Routing Data	98
ecd6_det	Product Change Control – Item Substitution Data	99
ecd9_det	Engineering Change Detail – Approvals	100
ecd_det	Engineering Change Detail – Item Masters	100
ecl_list	Engineering Change – Master Lists	101
ecm_mstr	Engineering Change Master	101
ect_mstr	Engineering Change Type Master	103
edc_ctrl	MFG/EC Control File	103
edd_det	Employee Deduction Detail	104
edi_wkfl	Electronic Data Interchange Workfile	105
edmfdd_det	MFG/PRO Document Field Detail	106
edmfdd_det	MFG/PRO Document Record Detail	107
edmfdd_det	MFG/PRO Document Repository Detail	108
edmfdd_mstr	MFG/PRO Document Repository Master	109
edmfdd_det	MFG/PRO Document Status Message Detail	110
edmfdd_det	MFG/PRO Document Status History Detail	111
edmfdd_mstr	MFG/PRO Document Status Master	112
edmfdd_mstr	MFG/PRO Document Master	113
edmfdd_det	MFG/PRO Document Implementation Field Detail	115
edmfdd_det	MFG/PRO Document Implementation Record Detail	116
edmfdd_mstr	MFG/PRO Document Implementation Master	117
edmfdd_mstr	Message Master	118
edmfdd_ref	Document Status Join Cross-Reference	119
edmfdd_det	EC Subsystem Control Record Field Detail	120
edmfdd_det	EC Subsystem Control Record Detail	121
edmfdd_mstr	EC Subsystem Master	122
edmfdd_ref	EC Subsystem to Exchange File Record Cross-Reference	123
edmfdd_mstr	Turnaround Data Mapping Master	124
edmfdd_mstr	Turnaround Retrieval Function Master	125
edmfdd_mstr	Turnaround Data Repository Master	126
edmfdd_mstr	Turnaround Data Item Master	127
edmfdd_mstr	Document Transmission Group Master	128
edmfdd_ref	Trading Partner MFG/PRO Document Cross-Reference	129
edmfdd_det	Trading Partner Document Detail	130
edmfdd_mstr	Trading Partner Parameters Master	131
edmfdd_mstr	Trading Partner Master	132
edmfdd_det	Transformation Actions Detail	133
edmfdd_mstr	Transformation Function Definitions Master	134
edmfdd_mstr	Transformation Map Function Parameters Master	135
edmfdd_mstr	Transformation Variables Master	136

edtr_mstr	Transformation Definitions Master	137
edval_mstr	Validation Codes Master	138
edxfdd_det	Exchange File Field Detail	140
edxfd_det	Exchange File Record Detail	142
edxfsdd_det	Exchange File Status Message Detail	143
edxfsd_det	Exchange File Status History Detail	144
edxfs_mstr	Exchange File Status Master	145
edxf_mstr	Exchange File Master	146
edxrd_det	Exchange File Repository Detail	147
edxref_mstr	EC Data Cross-Reference Master	148
edxr_mstr	Exchange File Repository Master	149
ed_mstr	Employee Deduction Master	150
eead_det	Employee Earnings Detail	150
ega_mstr	Service/Support Engineer Availability Master	151
egc_ctrl	Service/Support Engineer Schedule Control File	152
egd_det	Service/Support Engineer Schedule Detail	153
egs_det	Service/Support Engineer Problem/Skills Detail	154
egt_mstr	Service/Support Engineer Tracking Master	154
egw_wkfl	Service/Support Engineer Selection Work File	156
elg_hist	Export Document Log	156
elm_dflt	Cost Element Defaults	158
emap_det	Mapped Export Document Detail	159
emc_ctrl	Employee Control File	160
emg_msg	Export Document Message	160
emp_mstr	Employee Master	161
emsg_mstr	Service/Support Engineer Message Master	162
em_mstr	E-mail Master File	163
eng_mstr	Service/Support Engineer Master	164
en_mstr	Entity Master	166
eraw_det	Raw Export Document Detail	166
erd_det	Employer Paid Deduction Detail	167
ers_mstr	Evaluated Receipts Settlement Table	167
esc_ctrl	Service/Support Escalation Control File	168
esh_mstr	Service/Support Engineer Schedule Master	168
esp_mstr	Export Document Specification Master	169
ess_mstr	Service/Support Engineer Status Master	171
es_mstr	Service/Support Escalation and Repair Master	171
et_ctrl	EMU Control	173
euc_ctrl	Service/Support End User Number Control	173
eud_det	Service/Support End User Detail	174
eu_mstr	Service/Support End User Master	175
excd_det	Consolidated Exchange Rate Detail	176
exc_mstr	Consolidation Currency Exchange Master	177
exru_usage	Exchange Rate Usage	177
exr_rate	Exchange Rate	178
fac_ctrl	Final Assembly Control File	178
fal_mstr	Fixed Asset Location Master	179

VIII MFG/PRO DATABASE DEFINITIONS

fas_ctrl	Fixed Asset System Control File	179
fcc_mstr	Service/Support Charge Code Product Line	180
fcd_mstr	Service/Support Charge Code Defaults	181
fcg_mstr	Service/Support Charge Code Master	182
fcs_sum	Forecast Summary	183
fct_mstr	Service/Support Call Types	183
fc_det	Seasonal Build Detail	184
ffc_ctrl	Forecast Calculation Control File	184
ff_mstr	Forecasting Master File	184
fh_mstr	Family Hierarchy Master	185
fis_mstr	Invoice Sort Categories	186
fkt_mstr	Service/Support Kit Master	186
fldf_mstr	Field Default Master	187
flh_mstr	Field Help Program Master	188
flpw_mstr	Field Security Master	188
flp_plan	Family Line Planning File	189
fm_mstr	Format Position Master	189
fnd_det	Service/Support Field Notification Detail	190
fnh_hist	Service/Support Field Notification History	191
fn_mstr	Service/Support Field Notification Master	192
fp1_plan	Family Plan – Production Backlog and Cost	194
fp2_plan	Family Plan – Production Inventory and Order	194
fp3_plan	Family Plan – Production and Shipment	195
fpci_mstr	Service/Support Price Indexing Master	196
fpc_mstr	Service/Support Contract/Repair Pricing	197
fpd_cost	Family Item Cost File	198
fpst_mstr	Return Status Master	199
frcd_det	Freight Charge Detail	199
frd_det	Freight Rate Detail	200
frm_mstr	Freight Rate Master	200
frzd_det	Freight Zone Detail	201
fr_mstr	Freight List Master	202
fsc_mstr	Service Category Master	202
fsd_det	Service/Support Work Order Serial Number Workfile	203
fsh_mstr	Service/Support Holiday Master	204
fslp_pln	Simulation Line Planning File	205
fsp1_pln	Family Plan – Simulation Backlog and Cost	205
fsp2_pln	Family Plan – Simulation Inventory and Order	206
fsp3_pln	Family Plan – Simulation Production and Shipment	206
fspi_det	Service/Support Contract Price Indexing	207
fsu_mstr	Service/Support User Preferences	208
ftch_hist	Service/Support Trace History File	209
ftcr_mstr	Service/Support Trace Master	209
ftxd_det	Federal Income Tax Tables Detail	210
ft_mstr	Freight Terms Master	210
fwk_mstr	Service/Support Work Code Master	211
glcd_det	General Ledger Calendar Detail	212

glc_cal	General Ledger Calendar	212
glrd_det	General Ledger Report Detail	213
glr_mstr	General Ledger Report Master	213
gltr_hist	General Ledger Transaction History	214
gltw_wkfl	General Ledger Work File	215
glt_det	General Ledger Transactions (Unposted)	216
gl_ctrl	System/Account Control File	218
grac_det	GL Report Writer – Account Balances	221
grad_det	Analysis Code Detail File	223
gral_det	Analysis Code Link-File Detail	224
gras_det	Analysis Code and GL Code Selection Detail	224
gra_mstr	Analysis Code Master File	224
grbg_det	GL Report Writer – Budgeted Account Balances	225
grcd_det	Column Group Detail File	227
grc_mstr	Column Group Master	227
grdf_mtx	Definition Matrix	228
grfn_mstr	GL Report Writer – Function Master	228
grhd_det	Row/Column Sequence for Group	229
grib_det	Break Group Detail File	229
gric_det	Image Column Detail File	230
grid_det	Report Image Detail File	231
grig_mtx	Report Image Matrix	231
gril_det	Analysis Code Image Explosion Level	232
grit_wkfl	Analysis Code and Item Type Workfile	232
gri_mstr	Report Image Master File	233
grqd_det	GL Report Writer – Fiscal Quarter Calendar	234
grrd_det	Row Group Detail	234
grr_mstr	Row Group Master	235
grtx_det	GL Report Writer – Text String Detail	235
grv_det	GL Report Writer – Account Balances	236
grx1_wkfl	Analysis Code Explosion Workfile	237
grx2_wkfl	Row/Column Explosion (Separate)	237
grx3_wkfl	Row/Column Explosion (Hierarchical)	238
grx_mstr	Report Content Master File	238
gr_ctrl	GL Report Writer Control File	240
hd_mstr	Holiday Master	240
hlp_mstr	Help Master	240
ibh_hist	Sales Order Configuration Bill History	241
ib_det	Service/Support Installed Configuration Detail	242
icc_ctrl	Inventory Control File	242
idhr_hist	Invoice History Detail Relationships	243
idh_hist	Invoice History Detail	244
iec_ctrl	Import/Export Control File	248
ied_det	Import/Export Detail	249
ieh_hist	Import/Export History	250
ie_mstr	Import/Export Master	252
ifs_mstr	Interface Session Master	253

X MFG/PRO DATABASE DEFINITIONS

ihr_hist	Invoice History Master Relationships	254
ih_hist	Invoice History Master File	254
ild_det	Item Location Detail	257
ilg_hist	Import Document Log	258
imap_det	Mapped Import Document Detail	259
img_msg	Import Document Message	260
im_mstr	Inventory Movement Code Master	261
ind_det	Independent Demand File	261
in_mstr	Inventory Master	262
ipd_det	Item Specification Detail	263
iph_hist	Pricing History File	264
ip_mstr	QSpec Master Specification – Test Results	266
iraw_det	Raw Import Document Detail	266
iro_det	Item Routing Cost Detail	267
isb_mstr	Service/Support Installed Base Item Detail	267
isd_det	Inventory Status Detail	270
isp_mstr	Import Document Specification Master	270
iss_mstr	Service/Support Installed Base Structure	272
is_mstr	Inventory Status Master	272
itmhist	Service/Support Call Item History	273
itm_det	Service/Support Call Item Detail	275
itsd_det	Item Site Load Detail File	278
its_mstr	Item Site Load Master	278
it_mstr	Item Status Master	278
kbd_det	Kanban Card Details	279
kb_mstr	Kanban Card Master Details	279
lad_det	Allocation Detail by Location	280
ld_det	Inventory Detail by Location	281
lgc_mstr	Logistics Application Charge Master	282
lgsi_det	Logistics Site Detail	282
lgs_mstr	Logistics Master	283
lnd_det	Line Detail	284
lngd_det	Language Detail	285
lng_mstr	Language Master	286
ln_mstr	Line Master	286
loc_mstr	Location Master	287
lotw_wkfl	Lot Number Workfile	288
lot_mstr	Lot Master File	288
ls_mstr	Address List Detail	289
maxt_det	Maximum Table Detail	289
max_mstr	Maximums Master	290
ma_mstr	Mirror Account Master	291
mfc_ctrl	Control File Data – Interim	291
mnd_det	Menu Detail	292
mne_det	Menu Program Execution Detail	292
mnp_det	Service/Support Custom Program Detail	292
mnt_det	Menu Title Detail	293

mpd_det	Master Specification Detail	293
mph_hist	Master Specification Test History	294
mpp_det	Service/Support Custom Program Parameter File.....	294
mps_mstr	Master Production Schedule	295
mp_mstr	Master Specification Record	296
mrpc_ctrl	MRP Control File	296
mrp_det	MRP Detail.....	296
msg_mstr	Message Master	297
mu_mstr	Monetary Union Master	298
nrh_hist	Sequence Number History Table.....	298
nr_mstr	Number Range Master	299
oa_det	Action Message Detail	299
ocm_mstr	Service/Support On Call Master	300
opc_ctrl	Shop Floor Operation History Control File.....	300
opgl_det	Shop Floor Operation – General Ledger Detail	301
opm_mstr	Standard Operation Master	302
ops_ctrl	Operations Plan Control File	303
op_hist	Shop Floor Operation History	303
pac_mstr	Purchase Approval Code Master	305
pald_det	Pallet Detail.....	306
pal_mstr	Pallet Master	307
pcc_ctrl	Product Change Control – Control File.....	307
pcd_det	Purchase Order Line – Cost Element Detail	308
pck_det	Payroll Check Detail	308
pcl_d_det	Product Change Control – Group Detail	309
pcl_mstr	Product Change Control – Group Master	309
pct_mstr	Product Change Control – Type Master	310
pc_mstr	Price List Master	311
pf_c_det	Production Forecast.....	311
pf_d_det	Service/Support Item-Site Data	312
pgc_ctrl	Service/Support Pager Control File	313
pg_h_hist	Service/Support Paging History	314
pgm_det	Program Detail File	314
pic_ctrl	Pricing Control File	315
pid_det	Price List Detail.....	316
picg_det	Price List Group Customers.....	316
picg_det	Price List Group Items	317
picg_mstr	Price List Groups	318
pih_hist	Pricing History File	319
pi_mstr	Price List Master	320
pj_mstr	Project Master.....	322
pk_det	Pick List Detail	322
pl_d_det	Product Line Detail	323
plsd_det	Product Line Sales Detail	324
plt_det	Product Line Tax Detail	324
pl_mstr	Product Line Master.....	325
poc_ctrl	Purchase Order Control File	327

XII MFG/PRO DATABASE DEFINITIONS

pod_det	Purchase Order Detail	328
pou_det	Point of Use Detail	331
po_mstr	Purchase Order Master.....	331
pp_plan	Product Line Plan.....	334
pq_mstr	Product Line Requirements	334
prbd_det	Service/Support Problem Detail	335
prb_mstr	Service/Support Problem Master	336
prc_ctrl	Payroll Control File.....	336
prd_det	Printer Detail	337
prh_hist	Purchase Order Receipt History	338
pr_mstr	Printer Master	340
ps_mstr	Product Structure Master	341
pta_det	Associated Item Detail	342
pth_hist	Sales History – Products.....	343
ptls_det	Item and Lot/Serial Attribute Detail	344
ptp_det	Item Planning Data Detail	344
ptqa_det	Item Quantitative Analysis Detail	346
ptr_det	Item Routing Detail	347
pts_det	Item Substitute Detail	347
ptt_det	Item Tax Detail	348
ptv_det	Parts Statistical Value Detail	348
pt_mstr	Item Master	349
qad_wkfl	Workfile, Reserved for QAD.....	353
qcc_ctrl	Quality Order Control File	354
qcd_det	Quality Control Order Detail.....	354
qcs_mstr	Quality Sampling Pattern Master	355
qc_mstr	Quality Control Order Master	355
qob_det	Sales Quotation Configuration Bill	356
qoc_ctrl	Sales Quotation Control File	357
qodr_det	Sales Quotation Detail Relationships.....	357
qod_det	Sales Quotation Detail	358
qor_mstr	Sales Quotation Master Relationships	360
qo_mstr	Sales Quotation Master	360
qps_det	Quality Test Bill Detail	363
qqc_ctrl	Q/LinQ Control File	363
qro_det	Quality Inspection Routing Detail	364
qr_test	Quality Order Test Step File	366
rbm_mstr	Retrobill Master	366
rdf_mstr	Service/Support Returns Defaults.....	367
reg_mstr	Service/Support Region Master	368
req_det	Requisition Detail	369
rhd_hist	RMA Detail History.....	370
rma_mstr	RMA Order Master.....	372
rmc_ctrl	RMA Control File.....	373
rmd_det	RMA Detail Lines	375
rnd_mstr	Rounding Method Master	377
ro_det	Routing Operation Detail.....	377

rpc_ctrl	Repetitive Control File	379
rps_mstr	Repetitive Production Schedule	379
rqa_mstr	Requisition Approver Master File	380
rqcd_det	Requisition Category Detail File	381
rqc_mstr	Category Master File	382
rqda_det	Requisition Detail Approvals File	382
rqd_det	Requisition Detail File	382
rqf_ctrl	Requisition Control File	384
rqh_hist	Requisition History File	385
rqj_mstr	Requisition Job Master File	385
rql_mstr	Requisition Approval Level Master	386
rqm_det	Requirement Detail	386
rqm_mstr	Requisition Master File	387
rqpo_ref	Requisition – PO Cross-Reference File	388
rqr_mstr	Role Master File	390
rq_mstr	Requirements Master	390
rsc_ctrl	Shipping Schedule Control File	391
rsd_det	Resource Requirements Detail	391
rsn_ref	Reason Code Master	392
rstd_det	Product Change Control – Routing Slip Template Detail	392
rst_mstr	Product Change Control – Routing Slip Template Master	393
rsud_det	Product Change Control – Routing Slip Detail	393
rsu_mstr	Product Change Control – Routing Slip Master	394
rs_mstr	Resource Master	394
sac_ctrl	Service Contract Control File	394
sadh_hist	Service Contract Detail History	396
sad_det	Service Contract Detail	398
sah_hist	Service Contract History Master	401
salh_hist	Service/Support Contract Limit History	404
sal_mstr	Service/Support Contract Limits	406
sap_det	Service Contract Preventive Maintenance Detail	407
sar_mstr	Service Contract Serial Number Master	408
sa_mstr	Service Contract Master File	409
sbc_mstr	Service/Support Billing Cycle	412
sbd_det	Sub-Account – Account Validation Detail	413
sbic_ctl	Self-Billing Control File	413
sbid_det	Self-Bill Detail	414
sbi_mstr	Self-Bill Master	415
sb_mstr	Sub-Account Master	416
sca_mstr	Service Contract Additional Options	418
schd_det	Schedule Detail – Release Management	418
sch_mstr	Schedule Master – Release Management	419
sct_det	Cost Simulation Total Detail	421
scx_ref	Scheduled Order Cross Reference	422
sc_mstr	Cost Simulation Master	422
sdt_d_det	Shipping Delivery Time Detail	423
sdt_mstr	Shipping Delivery Time Master	423

XIV MFG/PRO DATABASE DEFINITIONS

sd_mstr	Sales Order Discount Master	424
seoc_ctrl	Service Engineer Order Control File	424
seq_mstr	Sequence Master – Line Scheduling	426
sfb_det	Service/Support Billing Detail.....	426
sfh_hist	Service/Support Billing History.....	428
sft_mstr	Shift Master	429
sgad_det	Shipping Group Address Detail.....	430
sgcd_det	Shipping Group Carrier Detail	430
sgid_det	Shipping Group and Inventory Movement Code Detail.....	431
sg_mstr	Shipping Group Master	431
shc_ctrl	Shipper Control File	431
shd_det	Shipping Schedule Detail	432
shft_det	Shift Detail File	432
shm_mstr	Shipping Schedule Master	433
shop_cal	Shop Calendar	434
shtr_det	Shipment Trailer Detail	434
sim_det	Inventory Movement Site Detail	435
six_ref	Shipment Detail/Invoice Number Cross-Reference	436
si_mstr	Site Master	437
sm_mstr	Source Matrix Master	438
sob_det	Sales Order Configuration Bill.....	438
soc_ctrl	Sales Order Control File	439
sodr_det	Sales Order Detail Relationships	441
sod_det	Sales Order Detail.....	441
sop_det	Cost Simulation Operation Detail	445
sor_mstr	Sales Order Master Relationships	446
so_mstr	Sales Order Master	446
spc_ctrl	Salesperson Control File.....	449
spd_det	Salesperson Commission Detail File	450
sph_hist	Sales History – Salesperson	450
spt_det	Cost Simulation Item Detail.....	451
sp_mstr	Salesperson Master	451
src_ctrl	Service Request Control File	452
sroc_ctrl	Service/Repair Order Control File	452
sro_mstr	Service/Repair Order Master	452
srr_mstr	Service Request Master	454
sr_wkfl	Serial Number Workfile	455
ssd_det	Source of Supply Detail	456
ssm_mstr	Source of Supply Master.....	456
std1_det	State Tax Detail – Type 1	457
std2_det	State Tax Detail – Type 2	457
st_mstr	State Tax Master.....	458
svc_ctrl	Service/Support Management Control File	459
sv_mstr	Service Agreement Terms and Conditions Master	462
swc_det	Cost Simulation Work Center Detail.....	463
tag_mstr	Physical Inventory Tag Master.....	464
taxd_det	Tax Details	465

tax_mstr	Tax Master	466
tbl_mstr	Service/Support – Parent/Child Relationship Master	466
te_mstr	Transaction Export Master	467
tm_mstr	Transportation Master	468
trcs_det	Transaction Cost Detail	469
trgl_det	Inventory Transaction and General Ledger Cross-Reference	469
trld_det	Trailer Tax Detail File	470
trl_mstr	Trailer Master	470
trq_mstr	Transmission Date Reference	471
tr_hist	Inventory Transaction History	471
tx2d_det	Tax Details	474
tx2_mstr	Tax Master	475
txbd_det	Tax Base Detail	476
txc_ctrl	Tax Control File	477
txed_det	Tax Environment Detail	477
txe_mstr	Tax Environment Master	478
txhd_det	Tax History Detail	478
txz_mstr	Tax Zone Master	480
typ_mstr	Fixed Assets Type Master	480
tzod_det	Service/Support Time Zone Detail	481
tzo_mstr	Service/Support Time Zone Master	482
ufd_det	Function Key and User Detail	482
umsg_det	User Message Detail	483
um_mstr	Alternate Unit of Measure Master	483
upd_det	Printer/User Detail	484
url_mstr	URL Master Table	484
usrc_ctrl	User Control File	485
usrw_wkfl	Workfile (Available for Users)	485
usr_mstr	User Master	486
vdc_ctrl	Vendor Control File	487
vd_mstr	Vendor Master	487
vecd_det	Supplier Performance Category Detail File	489
vec_mstr	Supplier Performance Category Master	489
vee_mstr	Supplier Performance Event Master	490
vef_ctrl	Supplier Performance Control File	491
vepd_det	Supplier Performance Detail	492
vep_mstr	Supplier Performance Data Master	493
verd_det	Supplier Performance Registration Detail	495
ver_mstr	Supplier Performance Registration Master	496
vesd_det	Supplier Performance Summary Detail	497
ves_mstr	Supplier Performance Summary Master	498
vew_mstr	Supplier Performance Weighting Factor Master	499
vex_mstr	Supplier Performance Cross-Reference Master	499
vod_det	Voucher Detail	500
vo_mstr	Voucher Master	501
vph_hist	Voucher/Purchase Receipts History	503
vpo_det	Voucher Purchase Order Detail	503

vp_mstr	Vendor Item Master	503
vrc_ctrl	Version Control Table	504
vtc_ctrl	VAT Control File.....	505
vt_mstr	Value Added Taxes Master.....	505
wcr_route	Work Center Routing Standards	506
wc_mstr	Work Center Master.....	506
whl_mstr	Warehouse Location Master	507
wkc_mstr	Workers Compensation Master	508
wk_mstr	Work Location Master	508
woc_ctrl	Work Order Control File	509
wod_det	Work Order Detail	510
wo_mstr	Work Order Master	511
wr_route	Work Order Routing	514
ytd_det	Employee Year-To-Date Totals Detail	517
 SECTION 2 SUMMARY OF CHANGES		519
Changed Fields.....		520
Deleted Fields.....		532
New Fields		534
Changed Indexes.....		537
Deleted Indexes.....		538
New Indexes for Existing Tables.....		539
Deleted Tables.....		540
New Tables		541
 INDEX OF TABLE DESCRIPTIONS		543

About This Guide

Introduction 2

How This Book Is Organized 2

Symbols and Conventions 3

Other 9.0 Documentation 4

Routing Maintenance (Date Based)

Routing Code	10-15000	NONAUTOMATIC CHILLING
Operation	20	
Standard Operation	1000	INSPECTION, ALL SITE
Work Center		
Machine		
Description	INSPEC PER PROC-005	
Machines per Op	1	
Overlap Units	1	
Queue Time	3.0	
Wait Time	0.0	
Setup Time	0.0	
Ready for Production	By 10/1/90	

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming. Cross-references for identifying new, changed, and deleted files, fields, and indexes are included after the main section.

How This Book Is Organized

Database files are grouped by module and listed alphabetically (see *Conventions* for symbols), with the following information.

abd_det Asset Book Detail				
Field Name	Field Label	Column Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	->>9.9<%	10

- *Field Name*. The name of the field.
- *Field Label*. The label as it appears on screens.
- *Column Label*. The label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- User definable for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions of MFG/PRO)

Each database file has at least one index. By default PROGRESS sorts and retrieves records using the primary index, which is indicated by an asteris (*). Indexes have the following attributes.

Index Name	Uni	Field Name	Asc	Abbr
abd_active	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
* abd_asset	yes	abd_asset	yes	no
		abd_book	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. PROGRESS uses the primary index when retrieving records or ordering records for a list (like a report) if you don't specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the file can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Files with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols and conventions are used in this book. For this version of *Database Definitions*, new and changed are relative to the previous publication, based on 8.6E.

Symbol	Meaning
*	Primary Index
◇	New file, field, index
△	Changed field/index
!	Shows where a column label wraps to next line

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>_user<number>	User field (ac_user1)
<prefix>_dec<number>	User decimal data field (ac_dec01)
<prefix>_chr<number>	User character field (ac_chr01)
<prefix>_qad<number>	QAD reserved field (ac_qad01)
<prefix>_x<number>	Obsolete field (ac_xctr)

Other 9.0 Documentation

- For an overview of new features and software updates, see the *9.0 Release Bulletin*.
- For software installation instructions, refer to the *9.0 Installation Guides*.
- For instructions on navigating the MFG/PRO environment, refer to the *9.0 User Interface Guide*.
- For information on using MFG/PRO, refer to the *9.0 User Guides*.
- For technical details, refer to the *9.0 File Relationships* and *9.0 Database Definitions*.
- To review MFG/PRO program screens, refer to the *Screen Book, Volumes 1–3*.
- To view documents online in PDF format, see the *9.0 Documents on CD*.

Online Help

MFG/PRO has an extensive online help system. Help is available for most fields found on a screen. Procedure help is available for most programs that update the database. Most inquiries, reports, and browses do not have procedure help.

For information on using the help system, refer to the *9.0 User Interface Guide*.

QAD Web Site

For MFG/PRO users with a QAD Web account, MFG/PRO documentation is available for viewing or downloading at:

<http://support.qad.com/documentation/>

To obtain a QAD Web account, go to:

<http://support.qad.com/>

The QAD Web site also has information about training classes and other services that can help you learn about MFG/PRO.

SECTION 1

Database Definitions

This section contains an alphabetical listing of database definitions used in MFG/PRO.



Routing Code:	10-12500	DESCRIPTION: COOLING
Operation:	25	
Standard Operation:		
Work Center:	1030	INSPECTION, ALL SITES
Machine:		
Description:	INSPECTION PER PROC-600	
Machines per Op:	1	Production
Overlag Units:	1	
Queue Time:	1.0	
Wait Time:	0.0	
Setup Time:	0.0	
Hourly Production Rate:		

6 abd_det

abd_det

Asset Book Detail

Field Name	Label	Col-Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	-->9.9<%	10
abd_book	Book		x(8)	
abd_conv	Convention	Conv	x(8)	
abd_cost	Acquisition Cost		-->,>>>,>>>,>>9.99<	10
abd_credit	Tax Credit Percent	Tax Cr %	-->9.9<%	10
abd_cr_amt	Tax Credit Amount		-->,>>>,>>>,>>9.99<	10
abd_curr_cost	Acquisition Cost		-->,>>>,>>>,>>9.99<	10
abd_date	Depreciation Start Date	Start! Date	99/99/9999	
abd_db_pct	Declining Balance Percent	DB %	-->9.9<%	10
abd_dtd	Prior Depreciation--Fiscal	Prior Depreciation! Fiscal	-->,>>>,>>>,>>9.99<	10
abd_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
abd_expense	Expensed Amount		-->,>>>,>>>,>>9.99<	10
abd_exru_seq	Sequence		>>>>>>>9	
abd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
abd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<<	10
abd_ex_ratetype	Rate Type		x(8)	
abd_first_mnth	First Month's Depreciation	First Month's Depr	-->,>>>,>>>,>>9.99<	10
abd_last_depr	Last Depreciated	Last Depr	99/99/99	
abd_life_mnth	Months	Mo	99	
abd_life_yr	Years	Yr	99	
abd_method	Depreciation Method	Method	x(8)	
abd_pd_depr	Depreciation per Period	Depr per Period	-->,>>>,>>>,>>9.99<	10
abd_periods	Depreciation Periods to Take	Pds	999	
abd_prior_ast	Prior Depreciation--Asset	Prior Depreciation! Asset	-->,>>>,>>>,>>9.99<	10
	Life	Life		
abd_rem_mnth	Months Remaining	Mo! Lf	-99	
abd_rem_yr	Years Remaining	Yr! Lf	99	
abd_rep_pct	Current Cost Percent	Curr Cst %	-->9.9<%	10
abd_rt_date	Retirement Date	Retire! Date	99/99/9999	
abd_salvage	Salvage Value		-->,>>>,>>>,>>9.99<	10
abd_sched_depr	Scheduled Depreciation--Annual	Scheduled Depr! Annual	-->,>>>,>>>,>>9.99<	10
abd_type	Type	T	x(2)	
abd_uddec1	Decimal 1		-->,>>>,>>>,>>9.99<	10
abd_uddec2	Decimal 2		-->,>>>,>>>,>>9.99<	10
abd_uddec3	Decimal 3		-->,>>>,>>>,>>9.99<	10
abd_uddec4	Decimal 4		-->,>>>,>>>,>>>,>>9.99<	10
abd_uint1	Integer 1	Int 1	-999999	
abd_uint2	Integer 2	Int 2	-999999	
abd_uint3	Integer 3	Int 3	-999999	
abd_user1	Ufld1		x(8)	
abd_user2	Ufld2		x(8)	
abd_ytd	YTD Depreciation--Fiscal	YTD Depreciation! Fiscal	-->,>>>,>>>,>>9.99<	10
abd_ytd_total	Annual Allowed Depreciation	Annual Allowed Depr	-->,>>>,>>>,>>9.99<	10
abd__qad01			x(8)	
abd__qad02			x(8)	
abd__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
abd_active	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
* abd_asset	yes	abd_asset	yes	no
		abd_book	yes	no

absc_det Shipment Carrier Detail

Field Name	Label	Col-Label	Format	Dec
absc_abs_id	ID		x(20)	
absc_carrier	Carrier		x(8)	
absc_seq	Seq		>>9	
absc_user1	user1		x(8)	
absc_user2	user2		x(8)	
absc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* absc_abs_id	yes	absc_abs_id	yes	no
		absc_seq	yes	no
absc_carrier	no	absc_carrier	yes	no

absr_det Shipment Requirement Detail

Field Name	Label	Col-Label	Format	Dec
absr_cnfrmd	Confirmed		yes/no	
absr_date	Date		99/99/99	
absr_id	Id		x(8)	
absr_interval	Interval		x(1)	
absr_line	Line	Ln	>>9	
absr_nbr	Order	Sls Order	x(8)	
absr_qty	Qty Pegged		>, >>>, >>9.9<<<<	5
absr_reference	Reference		x(24)	
absr_rlse_id	Release ID		x(30)	
absr_shipfrom	Ship-from Id		x(8)	
absr_ship_id	ID		x(8)	
absr_time	Time		99:99	
absr_type	Schedule Type		>9	
absr_user1	user1		x(8)	
absr_user2	user2		x(8)	
absr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* absr_dtl	yes	absr_shipfrom	yes	no
		absr_id	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no

8 abs_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no

abs_mstr ASN/BOL/Shipper Master

Field Name	Label	Col-Label	Format	Dec
abs_act_fcst	Act Frt Cost		>>>>, >>>, >>9.99	2
abs_apr_date	Approval Date		99/99/99	
abs_apr_time	Approval Time		>>>>>>9	
abs_apr_userid	Approved By		x(8)	
abs_arr_date	Arrive Date		99/99/99	
abs_arr_time	Arrive Time		>>>>>>9	
abs_asn_crt_date	ASN Create Date		99/99/99	
abs_asn_crt_time	ASN Create Time		>>>>>>9	
abs_canceled	Canceled		Yes/No	
abs_cancel_date	Cancel Date		99/99/99	
abs_cmtindx	Comment Index		>>>>>>9	
abs_cons_ship	Consolidate		x(8)	
abs_crt_date	Create Date		99/99/99	
abs_crt_time	Create Time		>>>>>>9	
abs_cum_qty	Cum Ship Qty		>, >>>, >>9.9<<<<<<<<	10
abs_cust_ref	Customer Ref		x(24)	
abs_dataset	Data Set		x(12)	
abs_dim_um	Dimensions UM		x(2)	
abs_doc_data[5]			x(8)	
abs_eff_date	Effective		99/99/99	
abs_est_fcst	Est Frt Cost		>>>>, >>>, >>9.99	2
◇ abs_export_batch	Batch		>>>>>>>9	
◇ abs_export_date	Export Date		99/99/99	
◇ abs_export_time	Export Time		>>>>>>9	
abs_fa_lot	Final Assembly ID	ID	x(8)	
abs_format	Document Format	Format	x(8)	
abs_fr_class	Frt Class		x(8)	
abs_fr_curr	Currency		x(3)	
abs_gwt	Gross Weight		>, >>>, >>9.9<<<<<<<	10
abs_id	Id		x(20)	
abs_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
abs_inv_nbr	Invoice Number		x(8)	
abs_item	Container Item		x(18)	
abs_lang	Language		x(2)	
abs_line	Order Line		x(8)	
abs_loc	Location		x(8)	
abs_lotser	Lot/Serial		x(18)	
abs_master_id	Master Bill ID		x(20)	
abs_nr_id	Sequence ID		x(8)	
abs_nwt	Net Weight		>, >>>, >>9.9<<<<<<<	10
abs_order	Order		x(8)	
abs_par_id	Parent ID		x(24)	
abs_preship_id	Pre-Shipper Number		x(20)	
abs_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
abs_qty	Qty To Ship		>, >>>, >>9.9<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
abs_ref	Ref		x(8)	
abs_shipfrom	Ship-from Id		x(8)	
abs_shipto	Ship-to Id		x(8)	
abs_ship_qty	Quantity Shipped		>,>>>,>>9.9<<<<<<<<	10
abs_shp_date	Ship Date		99/99/99	
abs_shp_time	Ship Time		>>>>>>>9	
abs_site	Site		x(8)	
abs_status	Status		x(8)	
abs_timezone	Time Zone		x(2)	
abs_trl_cmtindx	Trailer Comments		>>>>>>>9	
abs_type	Type		x(1)	
abs_user1	user1		x(8)	
abs_user2	user2		x(8)	
abs_vol	Volume		>,>>>,>>9.9<<<<<<<<	10
abs_vol_um	Volume UM		x(2)	
abs_wt_um	Weight UM		x(2)	
abs__chr01			x(8)	
abs__chr02			x(8)	
abs__chr03			x(8)	
abs__chr04			x(8)	
abs__chr05			x(8)	
abs__chr06			x(8)	
abs__chr07			x(8)	
abs__chr08			x(8)	
abs__chr09			x(8)	
abs__chr10			x(8)	
abs__dec01			>>>,>>>,>>9.99	10
abs__dec02			>>>,>>>,>>9.99	10
abs__dec03			>>>,>>>,>>9.99	10
abs__dec04			>>>,>>>,>>9.99	10
abs__dec05			>>>,>>>,>>9.99	10
abs__dec06			>>>,>>>,>>9.99	10
abs__dec07			>>>,>>>,>>9.99	10
abs__dec08			>>>,>>>,>>9.99	10
abs__dec09			>>>,>>>,>>9.99	10
abs__dec10			>>>,>>>,>>9.99	10
abs__qad01			x(8)	
abs__qad02			x(8)	
abs__qad03			x(8)	
abs__qad04			x(8)	
abs__qad05			x(8)	
abs__qad06			x(8)	
abs__qad07			x(8)	
abs__qad08			x(8)	
abs__qad09			x(8)	
abs__qad10			x(8)	
abs__qadc01			x(8)	
abs__qadd01			>,>>>,>>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
∅ abs_export_batch	no	abs_export_batch	yes	no
abs_format	no	abs_format	yes	no
* abs_id	yes	abs_shipfrom	yes	no
		abs_id	yes	no
abs_item	no	abs_item	yes	no
		abs_shipfrom	yes	no

10 accd_det

Index-Name	Uni	Field-Name	Asc	Abbr
abs_master_id	no	abs_master_id	yes	no
		abs_shipfrom	yes	no
abs_order	no	abs_order	yes	no
abs_par_id	yes	abs_shipfrom	yes	no
		abs_par_id	yes	no
		abs_id	yes	no
abs_shipto	yes	abs_shipfrom	yes	no
		abs_shipto	yes	no
		abs_id	yes	no

accd_det Asset Cost Change Detail

Field Name	Label	Col-Label	Format	Dec
accd_amt	Amount		->>, >>>, >>>, >>>9.99<	10
accd_asset	Asset		x(12)	
accd_book	Book		x(8)	
accd_curr	Currency	Cur	x(3)	
accd_curr_amt	Currency Amount		->>, >>>, >>>, >>>9.99<	10
accd_date	Date		99/99/9999	
accd_desc	Description		x(24)	
accd_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
accd_exru_seq	Sequence		>>>>>>>9	
accd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
accd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
accd_ex_ratetype	Rate Type		x(8)	
accd_life_mnth	Months Asset's Life increased	Mo	99	
accd_life_yr	Years Asset's Life increased	Yr	99	
accd_line	Line	Ln	999	
accd_mod_date	Modified Date	Mod Date	99/99/99	
accd_user1	user1		x(8)	
accd_user2	user2		x(8)	
accd_userid	User ID		x(8)	
accd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* accd_asset	yes	accd_asset	yes	no
		accd_book	yes	no
		accd_line	yes	no
accd_mod	no	accd_userid	yes	no
		accd_mod_date	yes	no
		accd_asset	yes	no
		accd_book	yes	no

acd_det Account Total Detail

Field Name	Label	Col-Label	Format	Dec
acd_acc	Account		x(8)	
acd_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
acd_cc	Cost Ctr	CC	x(4)	
acd_cr_amt	CR Amount		->>, >>>, >>>, >>9.99	10
acd_cr_curr_amt	CR Currency Amount		->>, >>>, >>>, >>9.99	10
acd_curr_amt	Currency Amount		->>, >>>, >>>, >>>, >>9.99	10
acd_dr_amt	DR Amount		->>, >>>, >>>, >>9.99	10
acd_dr_curr_amt	DR Currency Amount		->>, >>>, >>>, >>9.99	10
acd_ecur_amt	Amount in entity currency		->>, >>>, >>>, >>9.99	10
acd_entity	Entity	Enty	x(4)	
acd_per	Period	Per	>>9	
acd_project	Project		x(8)	
acd_sub	Sub-Account	Sub-Acct	x(8)	
acd_user1	Ufld1		x(8)	
acd_user2	Ufld2		x(8)	
acd_year	Year		9999	
acd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
acd_ind2	no	acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_entity	yes	no
		acd_year	yes	no
		acd_per	yes	no
* acd_index	yes	acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no
		acd_entity	yes	no
		acd_year	yes	no
acd_period	no	acd_per	yes	no
		acd_year	yes	no
		acd_per	yes	no
		acd_entity	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no

acm_mstr Co-product/By-product Average Cost Master

Field Name	Label	Col-Label	Format	Dec
acm_method	Method		x(14)	
acm_part	Base Process		x(18)	
acm_prod_line	Product Line		x(4)	
acm_site	Site		x(8)	
acm_user1	user1		x(8)	
acm_user2	user2		x(8)	
acm__qadc01			x(8)	

12 act_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* acm_index	no	acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
acm_unique	yes	acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
		acm_method	yes	no

act_mstr Alternate Container Master

Field Name	Label	Col-Label	Format	Dec
act_cont_part			x(18)	
act_line			>>9	
act_nbr	Alternate Container		x(8)	
act_user1	user1		x(8)	
act_user2	user2		x(8)	
act__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* act_order	yes	act_nbr	yes	no
		act_line	yes	no
		act_cont_part	yes	no

acx_mstr Account Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
acx_acc	Account		x(8)	
acx_cc	Cost Center	CC	x(4)	
acx_entity	From Entity	From! Enty	x(4)	
acx_sub	Sub-Account	Sub-Acct	x(8)	
acx_to_acc	To Account	To-Acct	x(8)	
acx_to_cc	To Cost Center	To-CC	x(4)	
acx_to_ent	To Entity	To-Ent	x(8)	
acx_to_sub	To Sub-Account	To-Sub	x(8)	
acx_user1	Ufld1		x(8)	
acx_user2	Ufld2		x(8)	
acx_xcons_cc			yes/no	
acx__qad01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* acx_index	yes	acx_entity	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
		acx_to_ent	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
acx_to_index	no	acx_to_ent	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no

ac_mstr Account Master

Field Name	Label	Col-Label	Format	Dec
ac_active	Active	Act	yes/no	
ac_code	Account		x(8)	
ac_curr	Currency	Cur	x(3)	
ac_desc	Description		x(24)	
ac_fpos	Format Position	Format	>>>>>9	
ac_fx_index	Curr Translation Index	Ind	x(1)	
ac_modl_only	Sub-Module Entries Only	Sub! Only	yes/no	
ac_stat_acc	Statistical Account	Stat Acc	x(8)	
ac_stat_cc	Statistical Cost Ctr	CC	x(4)	
ac_type	Type	T	x(1)	
ac_user1	Ufld1		x(8)	
ac_user2	Ufld2		x(8)	
ac_xctr	Book Type	Book! Type	x(1)	
ac_xret_acc			x(8)	
ac_xret_cc			x(4)	
ac__chr01			x(8)	
ac__chr02			x(8)	
ac__chr03			x(8)	
ac__chr04			x(8)	
ac__dte01			99/99/99	
ac__dte02			99/99/99	
ac__log01			yes/no	
ac__log02			yes/no	
ac__qad01			99/99/99	
ac__qad02			x(8)	
ac__qad03	Calc Unrealized Gain/Loss		x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
ac_active	yes	ac_active	yes	no
		ac_code	yes	no
* ac_code	yes	ac_code	yes	no
ac_curr	no	ac_curr	yes	no
ac_desc	no	ac_desc	yes	no
		ac_code	yes	no
ac_fpos	no	ac_fpos	yes	no
		ac_code	yes	no
ac_type	no	ac_type	yes	no
		ac_code	yes	no

14 adc_ctrl

adc_ctrl Address Control File

Field Name	Label	Col-Label	Format	Dec
adc_format	Format		>9	
adc_index1	Index		>>>>9	
adc_user1	Ufld1		x(8)	
adc_user2	Ufld2		x(8)	
adc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* adc_index1	yes	adc_index1	yes	no

adp_det Auto Deposit Detail

Field Name	Label	Col-Label	Format	Dec
adp_account	Account		x(20)	
adp_addr	Employee		x(8)	
adp_ad_bank	Auto Deposit Bank	AD Bank	x(8)	
adp_ad_type	Account Type	T	x(1)	
adp_amt	Deposit Amount	Amount	>>>.>>9.99	2
adp_bank	Bank	Bk	x(2)	
adp_ck_date	Check Date	Chk Date	99/99/99	
adp_pd_date	Period End	Per End	99/99/99	
adp_req_nbr	Paycheck Request	Pay Req	99999	
adp_status	Status		x(6)	
adp_transit	Transit Number	Transit No	x(10)	
adp_user1	user1		x(8)	
adp_user2	user2		x(8)	
adp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
adp_ind2	no	adp_addr	yes	no
		adp_ck_date	yes	no
		adp_bank	yes	no
		adp_req_nbr	yes	no
* adp_index	yes	adp_bank	yes	no
		adp_pd_date	yes	no
		adp_addr	yes	no
		adp_req_nbr	yes	no
		adp_transit	yes	no
		adp_account	yes	no
		adp_ad_type	yes	no

ad_mstr

Address Master

Field Name	Label	Col-Label	Format	Dec
ad_addr	Address		x(8)	
ad_asn_data	ASN Default Data		x(8)	
ad_attn	Attention		x(24)	
ad_attn2	Attention		x(24)	
ad_barlbl_prt	Barcode Label Print Program		x(10)	
ad_barlbl_val	Barcode Validation Program		x(10)	
ad_bk_acct1	Bank Acct 1		x(20)	
ad_bk_acct2	Bank Acct 2		x(20)	
ad_calendar	Calendar		x(8)	
ad_city	City		x(20)	
ad_coc_reg	CoC Number	CoC	x(8)	
ad_conrep	Netting Logic	C/R	x(1)	
ad_country	Country		x(28)	
ad_county	County		x(20)	
ad_ctry	Country Code	Ctry	x(3)	
ad_date	Added		99/99/99	
ad_edl_ctrl[5]	EDI Control		x(50)	
ad_edl_id	Our EDI ID		x(24)	
ad_edl_level	EDI Standard Level		x(8)	
ad_edl_std	EDI Standard		x(8)	
ad_edl_tpid	Trd Prtnr EDI ID		x(24)	
ad_ext	Ext		x(4)	
ad_ext2	Ext		x(4)	
ad_fax	Fax/Telex		x(16)	
ad_fax2	Fax/Telex		x(16)	
ad_format	Format		>9	
ad_gst_id	Tax ID - Federal		x(18)	
ad_inv_mthd	Invoices Via		x(1)	
ad_lang	Language		x(2)	
ad_line1	Address		x(28)	
ad_line2	Address		x(28)	
ad_line3	Address		x(28)	
ad_misc1_id	Tax ID - Misc 1		x(18)	
ad_misc2_id	Tax ID - Misc 2		x(18)	
ad_misc3_id	Tax ID - Misc 3		x(18)	
ad_mod_date	Modified Date	Mod Date	99/99/99	
ad_name	Name		x(28)	
ad_phone	Telephone		x(16)	
ad_phone2	Telephone		x(16)	
ad_po_mthd	Purchase Orders Via		x(1)	
ad_pst_id	Tax ID - State		x(18)	
ad_ref	Reference		x(8)	
ad_sch_mthd	Schedules Via		x(1)	
ad_sort	Sort Name		x(28)	
ad_state	State	St	x(4)	
ad_taxable	Taxable		yes/no	
ad_taxc	Tax Class	TxC	x(3)	
ad_tax_in	Tax In		yes/no	
ad_tax_type	Tax Type		x(3)	
ad_tax_usage	Tax Usage	TaxUsage	x(8)	
ad_tax_zone	Tax Zone		x(16)	
ad_temp	Temporary	Temp	yes/no	
ad_timezone	Time Zone		x(8)	
ad_tp_loc_code	Trd Partner Location Code		x(24)	
ad_type	List Type	List	x(8)	

16 ald_det

Field Name	Label	Col-Label	Format	Dec
ad_user1	Ufld1		x(8)	
ad_user2	Ufld2		x(8)	
ad_userid	User ID		x(8)	
ad_vat_reg	VAT Registration		x(18)	
ad_wk_offset	Week Offset		9	
ad_zip	Post		x(10)	
ad__chr01			x(8)	
ad__chr02			x(8)	
ad__chr03			x(8)	
ad__chr04			x(8)	
ad__chr05			x(8)	
ad__qad01			x(8)	
ad__qad02			x(8)	
ad__qad03			x(8)	
ad__qad04			x(8)	
ad__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ad_addr	yes	ad_addr	yes	no
ad_edt_tpid	no	ad_edt_tpid	yes	no
ad_gst	yes	ad_gst_id	yes	no
		ad_addr	yes	no
		ad_sort	yes	no
ad_ref	no	ad_ref	yes	no
		ad_addr	yes	no
ad_sort	yes	ad_sort	yes	no
		ad_addr	yes	no
ad_type	yes	ad_type	yes	no
		ad_addr	yes	no
ad_zip	no	ad_zip	yes	no
		ad_addr	yes	no

ald_det Allocation Account Detail

Field Name	Label	Col-Label	Format	Dec
ald_acc	Account		x(8)	
ald_cc	Cost Ctr	CC	x(4)	
ald_code	Allocation Code	Allocatn	x(8)	
ald_pct	Percentage	Percent	->>9.999	3
ald_project	Project		x(8)	
ald_sub	Sub-Account	Sub-Acct	x(8)	
ald_user1	Ufld1		x(8)	
ald_user2	Ufld2		x(8)	
ald__qad01			99/99/99	
ald__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ald_index	yes	ald_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ald_acc	yes	no
		ald_sub	yes	no
		ald_cc	yes	no
		ald_project	yes	no

alm_mstr Auto Lot Master File

Field Name	Label	Col-Label	Format	Dec
alm_date	Date Create	Date	99/99/99	
alm_lead	Leading Characters	Leading Char	x(12)	
alm_len	Sequence Length	Len	>9	
alm_lot_grp	Lot Group	Lot Grp	x(8)	
alm_pgm	Execution File		x(14)	
alm_seq	Sequence Number	Sequence	>>>>>>>>9	2
alm_site	Site		x(8)	
alm_trail	Trailing Characters	Trailing Char	x(12)	
alm_user1	user1		x(8)	
alm_user2	user2		x(8)	
alm_userid	User ID		x(8)	
alm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* alm_lot_grp	yes	alm_lot_grp	yes	no
		alm_site	yes	no

al_mstr Allocation Account Master

Field Name	Label	Col-Label	Format	Dec
al_code	Allocation Code	Allocatn	x(8)	
al_desc	Description		x(24)	
al_user1	Ufld1		x(8)	
al_user2	Ufld2		x(8)	
al_userid			x(8)	
al__qad01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* al_code	yes	al_code	yes	no
al_desc	no	al_desc	yes	no
		al_code	yes	no

18 anl_det

anl_det

Analysis Code Link Detail

Field Name	Label	Col-Label	Format	Dec
anl_code	Code		x(18)	
anl_desc	Description		x(24)	
anl_link_code	Linked Code	Link-to	x(18)	
anl_type	Type		x(24)	
anl_user1	Ufld1		x(8)	
anl_user2	Ufld2		x(8)	
anl__qadc01			x(8)	
anl__qadd01			->>>,>>>,>>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
anl_link_code	no	anl_type	yes	no
		anl_link_code	yes	no
* anl_type_code	yes	anl_type	yes	no
		anl_code	yes	no
		anl_link_code	yes	no

ans_det

Analysis Code Selection Detail

Field Name	Label	Col-Label	Format	Dec
ans_code	Code		x(18)	
ans_field	Condition Field		x(32)	
ans_include	Include		yes/no	
ans_mask	Wildcard		x(28)	
ans_sel_high	To		x(28)	
ans_sel_low	From		x(28)	
ans_type	Type		x(24)	
ans_user1	Ufld1		x(8)	
ans_user2	Ufld2		x(8)	
ans__qadc01			x(8)	
ans__qadd01			->>>,>>>,>>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ans_type_code	yes	ans_type	yes	no
		ans_code	yes	no
		ans_field	yes	no
		ans_sel_low	yes	no

anx_det

Analysis Code Exploded Detail

Field Name	Label	Col-Label	Format	Dec
anx_active	Active		yes/no	
anx_code	Code		x(18)	
anx_node	Node		x(18)	
anx_type	Type		x(24)	

Field Name	Label	Col-Label	Format	Dec
anx_user1	Ufld1		x(8)	
anx_user2	Ufld2		x(8)	
anx_qadc01			x(8)	
anx_qadd01			->>>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
anx_active	yes	anx_type	yes	no
		anx_node	yes	no
		anx_active	yes	no
		anx_code	yes	no
anx_node	yes	anx_type	yes	no
		anx_node	yes	no
		anx_code	yes	no
* anx_type_code	yes	anx_type	yes	no
		anx_code	yes	no
		anx_node	yes	no

an_mstr Analysis Code Master

Field Name	Label	Col-Label	Format	Dec
an_active	Active		yes/no	
an_cmtindx	Comment Index	Comment	>>>>>>9	
an_code	Code		x(18)	
an_desc	Description		x(24)	
an_mod_date	Date Modified		99/99/99	
an_sec_group	Security Group		x(72)	
an_type	Type		x(24)	
an_user1	Ufld1		x(8)	
an_user2	Ufld2		x(8)	
an_userid	User ID		x(8)	
an_qadc01			x(8)	
an_qadd01			->>>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
an_code_type	yes	an_code	yes	no
		an_type	yes	no
* an_type_code	yes	an_type	yes	no
		an_code	yes	no

apc_ctrl Accounts Payable Control File

Field Name	Label	Col-Label	Format	Dec
apc_approv	Use Assigned-To Field		yes/no	
apc_bank	Default Bank	Bank	x(2)	
apc_batch	Next Batch	Batch	>>>>>>9	
apc_ckfrm	Check Form		x(1)	
apc_confirm	Enter Vouchers Confirmed		yes/no	
apc_drft_acc	Drafts Payable Acct	Drft Pay	x(8)	

20 apmr_mstr

Field Name	Label	Col-Label	Format	Dec
apc_drft_cc	Drafts Payable Cost Center	CC	x(4)	
apc_ers_ps_err	ERS Packing Slip Error	P/S! Err	yes/no	
apc_ers_vo_tp	ERS Voucher Date Option	ERS! VDO	>9	
apc_expvar	Use Expensed Item Var		yes/no	
	Accts			
apc_ext_ref	External Voucher		yes/no	
	References Allowed			
apc_ex_ratetype	Rate Type		x(8)	
apc_ex_tol	Exchange Tolerance		>9.99%	2
apc_gl_avg_cst	Update GL Average Cost	Avg! Cst	yes/no	
apc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
apc_ico_acct	Intercompany Acct		x(8)	
apc_ico_cc	Intercompany Cost Center	CC	x(4)	
apc_index1	Index		>>>>>9	
apc_jrnl	Next Journal	Journl	999999	
apc_pip	Use Payment In Process	PIP	yes/no	
	Acct			
apc_rv_conf	Release Recur VOs		yes/no	
	Confirmed			
apc_ship	Ship-To		x(8)	
apc_user1	Ufld1		x(8)	
apc_user2	Ufld2		x(8)	
apc_use_drft	Use Draft Management	Use! DM	yes/no	
apc_vchr_all	Voucher All		yes/no	
apc_voucher	Next Voucher	Voucher	>>>>>>9	
apc_vo_pre	Voucher Prefix	Pre	x(3)	
apc_qad01			>>>>>9	
apc_qad02			99/99/99	
apc_qad03			x(8)	
arc_ext_ref	External Memo References		yes/no	
	Allowed			

Index-Name	Uni	Field-Name	Asc	Abbr
* apc_index1	yes	apc_index1	yes	no

apmr_mstr APM Customer Relationships

Field Name	Label	Col-Label	Format	Dec
Δ apmr_pricing	Pricing		>9	
Δ apmr_rule	Rule		>9	
Δ apmr_seq	Sequence		>>9	
Δ apmr_type	Type		>>>9	
Δ apmr_user1	Ufld1		x(8)	
Δ apmr_user2	Ufld2		x(8)	
Δ apmr_qadc01			x(8)	
apmr__qadc02			x(8)	
apmr__qadc03			x(8)	
apmr__qadd01			->>>>, >>>, >>9.9	10
apmr__qadd02			->>>>, >>>, >>9.9	10
apmr__qadi01			->, >>>, >>9	
apmr__qadi02			->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
apmr__qadl01			yes/no	
apmr__qadl02			yes/no	
apmr__qadt01			99/99/99	
apmr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* apmr_seq	yes	apmr_seq	yes	no
apmr_type	yes	apmr_type	yes	no

apm_ctrl Advanced Pricing Management Control File

Field Name	Label	Col-Label	Format	Dec
Δ apm_div	Default Division		x(8)	
Δ apm_index1	Index		>>>>>9	
Δ apm_line_rel	Line Relationships		yes/no	
Δ apm_manual	Manual P/L Selection		yes/no	
Δ apm_multi_div	Multiple Divisions		yes/no	
Δ apm_plpri	P/L Priorities		yes/no	
Δ apm_plpri_dseq	P/L Display Seq		x(20)	
Δ apm_plpri_sseq	P/L Select Seq		x(20)	
Δ apm_prig1	Pricing Group 1		yes/no	
Δ apm_prig2	Pricing Group 2		yes/no	
Δ apm_user1	Ufld1		x(8)	
Δ apm_user2	Ufld2		x(8)	
apm__qadc01			x(8)	
apm__qadc02			x(8)	
apm__qadc03			x(8)	
apm__qadd01			->>>>, >>>, >>9.9	10
apm__qadd02			->>>>, >>>, >>9.9	10
apm__qadi01			->, >>>, >>9	
apm__qadi02			->, >>>, >>9	
apm__qadl01			yes/no	
apm__qadl02			yes/no	
apm__qadl03			yes/no	
apm__qadt01			99/99/99	
apm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* apm_index1	yes	apm_index1	yes	no

◇ aprm_mstr Application Parameter Master

Field Name	Label	Col-Label	Format	Dec
aprm_app_id	Application ID		x(12)	
aprm_code	Parameter Code		x(8)	
aprm_desc	Parameter Description		x(60)	
aprm_doc_std	Document Standard		X(8)	
aprm_mod_date	Modified Date		99/99/99	
aprm_mod_userid	Last Updated By		x(8)	

22 apr_mstr

Field Name	Label	Col-Label	Format	Dec
aprm_mthd_name	Method Name		x(1)	
aprm_seq	Parameter Sequence Number.		9	
aprm_user1			x(8)	
aprm_user2			x(8)	
aprm_val	Parameter Value		x(12)	
aprm__dec01			->>>, >>>, >>9.99<	10
aprm__dec02			->>>, >>>, >>9.99<	10
aprm__dte01			99/99/99	
aprm__dte02			99/99/99	
aprm__int01			->>>, >>>, >>9	
aprm__int02			->>>, >>>, >>9	
aprm__log01			yes/no	
aprm__log02			yes/no	
aprm__qadc01			x(8)	
aprm__qadc02			x(8)	
aprm__qadc03			x(8)	
aprm__qadc04			x(8)	
aprm__qadd01			->>>, >>>, >>9.99<	10
aprm__qadd02			->>>, >>>, >>9.99<	10
aprm__qadi01			->>>, >>>, >>9	
aprm__qadi02			->>>, >>>, >>9	
aprm__qadi01			yes/no	
aprm__qadi02			yes/no	
aprm__qadt01			99/99/99	
aprm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AppParmSeq	yes	aprm_app_id	yes	no
		aprm_doc_std	yes	no
		aprm_mthd_name	yes	no
		aprm_seq	yes	no

◇ apr_mstr Application Registry

Field Name	Label	Col-Label	Format	Dec
apr_access_code	Access Code		x(60)	
apr_ack_doc_rev	Document Revision		x(8)	
apr_ack_doc_std	Document Standard		x(8)	
apr_ack_doc_typ	Document Type		x(21)	
apr_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
apr_adapter_env	Adapter Type		x(1)	
apr_adapter_proc	PROGRESS Adapter Program		x(12)	
apr_adapt_cmd	Adapter Start Command		X(65)	
apr_adapt_start	Start when Connecting		yes/no	
apr_app_id	Application ID		x(12)	
apr_app_ver	Version		x(8)	
apr_cim_proc	CIM/API Process		yes/no	
apr_code_pg	Code Page		X(15)	
apr_date_form	Date Format		X(3)	
apr_del_err_det	Delete Error Detail		x(1)	
apr_desc	Description		x(60)	

Field Name	Label	Col-Label	Format	Dec
apr_doc_lng	Document Language		x(2)	
apr_email_notlvl	E-mail Level		x(1)	
apr_email_userid	Default E-mail User ID		x(8)	
apr_eol_delim	End of Line Delimiter for Export		yes/no	
apr_ex_dest_proc	In Registered Application		x(12)	
apr_ex_init_conn	Initiate Export Connection		yes/no	
apr_ex_ip_addr	IP Address For Export		x(16)	
apr_ex_map_flg	Map Exports		yes/no	
apr_ex_port_nbr	Port Number For Export		>>>>9	
apr_im_dest_proc	In MFG/PRO		x(12)	
apr_im_doc_std	Document Standard for Import		X(8)	
apr_im_init_conn	Initiate Import Connection		yes/no	
apr_im_ip_addr	IP Address For Import		x(16)	
apr_im_map_flg	Map Imports		yes/no	
apr_im_port_nbr	Port Number For Import		>>>>9	
apr_mapper_proc	Data Mapper Procedure		x(12)	
apr_map_parm[10]	Mapper Parameter Codes		X(8)	
apr_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
apr_map_spec	Mapping Specification ID		x(12)	
apr_mod_date	Modified Date		99/99/99	
apr_mod_userid	Last Updated By		x(8)	
apr_msg_ack_lvl	Acknowledgment Level		x(8)	
apr_msg_clnt_ord	Message Ordering		x(8)	
apr_msg_persist	Persistence		X(8)	
apr_msg_priority	Priority		x(8)	
apr_msg_routing	Routing		x(8)	
apr_msg_secur	Security		X(8)	
apr_msg_sync	Sync Scope		X(8)	
apr_msg_ttl	Time To Live		x(8)	
apr_name	Name		x(20)	
apr_num_form	Numeric Format		X(8)	
apr_pause_sev	Pause Severity Level		>>9	
apr_proc_flag	Process Imports		yes/no	
apr_publ_flg	Publish Exports		yes/no	
apr_queue_pub	Queue Published Documents		X(1)	
apr_rcv_flg	Receive Imports		yes/no	
apr_send_flg	Send Exports		yes/no	
apr_src_comp	Source Component		x(10)	
apr_src_task	Task		x(10)	
apr_src_userid	Source User ID		x(8)	
apr_user1			x(8)	
apr_user2			x(8)	
apr__dec01			->>>>,>>>,>>9.99<	10
apr__dec02			->>>>,>>>,>>9.99<	10
apr__dte01			99/99/99	
apr__dte02			99/99/99	
apr__int01			->>>>,>>>,>>9	
apr__int02			->>>>,>>>,>>9	
apr__log01			yes/no	
apr__log02			yes/no	
apr__qadc01			x(8)	
apr__qadc02			x(8)	
apr__qadc03			x(8)	

24 apr_mstr

Field Name	Label	Col-Label	Format	Dec
apr__qadc04			x(8)	
apr__qadd01			->>>, >>>, >>9.99<	10
apr__qadd02			->>>, >>>, >>9.99<	10
apr__qadi01			->>>, >>>, >>9	
apr__qadi02			->>>, >>>, >>9	
apr__qadl01			yes/no	
apr__qadl02			yes/no	
apr__qadt01			99/99/99	
apr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
0* ApplD	yes	apr_app_id	yes	no

ap_mstr Accounts Payable Master

Field Name	Label	Col-Label	Format	Dec
ap_acct	Account		x(8)	
ap_amt	Amount		->>>>, >>>, >>9.99	10
ap_bank	Bank		x(2)	
ap_base_amt	Base Amount		->>>>, >>>, >>9.99	10
ap_batch	Batch		x(8)	
ap_cc	Cost Ctr	CC	x(4)	
ap_ckfrm	Check Form	Ck Fm	x(1)	
ap_curr	Currency	Cur	x(3)	
ap_date	Date		99/99/99	
ap_disc_acct	Disc Account	Dsc Acct	x(8)	
ap_disc_cc	Disc Cost Ctr	CC	x(4)	
ap_dy_code	Daybook		x(8)	
ap_effdate	Effective	Eff Date	99/99/99	
ap_entity	Entity	Enty	x(4)	
ap_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ap_expt_date	Expect Pay Date	Expect	99/99/99	
ap_exru_seq	Sequence		>>>>>>>9	
ap_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ap_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ap_ex_ratetype	Rate Type		x(8)	
ap_open	Open		yes/no	
ap_ref	Reference		x(8)	
ap_remit	Remit-To Address		x(8)	
ap_rmk	Remark		x(20)	
ap_sort	Voucher Sort	Voucher! Sort	x(8)	
ap_type	Type	T	x(2)	
ap_user1	Ufld1		x(8)	
ap_user2	Ufld2		x(8)	
ap_vend	Supplier		x(8)	
ap__qad01			x(8)	
ap__qad02			x(8)	
ap__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ap_batch_ref	yes	ap_batch	yes	no
		ap_ref	yes	no
ap_open	yes	ap_open	yes	no
		ap_vend	yes	no
		ap_ref	yes	no
* ap_type_ref	yes	ap_type	yes	no
		ap_ref	yes	no
ap_vend_date	no	ap_vend	yes	no
		ap_date	yes	no

26 arc_ctrl

arc_ctrl

Accounts Receivable Control File

Field Name	Label	Col-Label	Format	Dec
arc_auto_drft	Auto Post Drafts	Auto! Post	yes/no	
arc_auto_late_int	Auto Calculate Late Interest	Auto! Late! Int	yes/no	
arc_batch	Next Batch	Batch	999999	
arc_coll_mthd	Collection Method	M	x(1)	
arc_cont_acct	Draft Contingent Liab Acct	Cnt Liab! Acct	x(8)	
arc_cont_cc		CC	x(4)	
arc_drft_acc	Drafts Receivable Account	Drft Rcv	x(8)	
arc_drft_cc	Drafts Receivable Cost Center	CC	x(4)	
arc_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	2
arc_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	2
arc_ext_drft_ref	External Draft Ref Allowed	ERA	yes/no	
arc_ex_ratetype	Rate Type		x(8)	
arc_ex_tol	Exchange Tolerance		>9.99%	2
arc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
arc_ico_acct	Intercompany Acct		x(8)	
arc_ico_cc	Intercompany Cost Center	CC	x(4)	
arc_index1	Index		>>>>>9	
arc_jrnl	Next Journal	Journl	999999	
arc_memo	Next Memo	Memo	99999999	
arc_memo_pre	Memo Prefix	Pre	x(3)	
arc_nxt_drft	Next Draft	Draft	x(8)	
arc_nxt_pmt	Next Payment	Payment	x(8)	
arc_user1	Ufld1		x(8)	
arc_user2	Ufld2		x(8)	
arc_use_drft	Use Draft Management	Use! Drft	yes/no	
arc__qad01			>>>>>>9	
arc__qad02			99/99/99	
arc__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* arc_index1	yes	arc_index1	yes	no

ard_det

Accounts Receivable Detail

Field Name	Label	Col-Label	Format	Dec
ard_acct	Account		x(8)	
ard_amt	Amount		->>>>, >>>, >>9.99	10
ard_cc	Cost Ctr	CC	x(4)	
ard_cur_amt	Currency Amount		->>>>, >>>, >>9.99	10
ard_cur_disc	Currency Discount		->>>>, >>>, >>9.99	10
Δ ard_ded_nbr	Deduction Nbr		>>, >>>, >>9	
ard_desc	Description		x(24)	
ard_disc	Discount		->>>>, >>>, >>9.99	10
ard_dy_code	Daybook		x(8)	
ard_dy_num	Entry Number		x(40)	
ard_entity	Entity	Enty	x(4)	
ard_exru_seq	Sequence		>>>>>>>9	
ard_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ard_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
ard_ex_ratetype	Rate Type		x(8)	
ard_nbr	Reference		x(18)	
ard_project	Project		x(8)	
ard_ref	Reference		x(8)	
ard_tax	Tax Code		x(1)	
ard_taxc	Tax Class	TxC	x(3)	
ard_tax_at	Tax	T	x(3)	
ard_tax_usage	Tax Usage	TaxUsage	x(8)	
ard_type	Type	T	x(1)	
ard_user1	Ufld1		x(8)	
ard_user2	Ufld2		x(8)	
ard__qad01			99/99/99	
ard__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ard_dy	no	ard_dy_code	yes	no
		ard_dy_num	yes	no
* ard_nbr	yes	ard_nbr	yes	no
		ard_ref	yes	no
		ard_type	yes	no
		ard_tax_at	yes	no
		ard_entity	yes	no
		ard_acct	yes	no
		ard_cc	yes	no
		ard_tax	yes	no
ard_ref	no	ard_ref	yes	no
ard_tax	no	ard_nbr	yes	no
		ard_tax_at	yes	no

◇ **art_mstr** Application Return Code Master

Field Name	Label	Col-Label	Format	Dec
art_app_id	Application ID		x(12)	
art_desc	Code Description		x(60)	
art_mfg_msg_code	MFG/PRO Message Number		>>>9	
art_mod_date	Modified Date		99/99/99	
art_mod_userid	Last Updated By		x(8)	
art_mthd_name	Method Name		X(1)	
art_return_code	Application Return Code		x(8)	
art_sev_lvl	Message Severity Level		x(1)	
art_user1			x(8)	
art_user2			x(8)	
art__dec01			->>>, >>>, >>9.99<	10
art__dec02			->>>, >>>, >>9.99<	10
art__dte01			99/99/99	
art__dte02			99/99/99	
art__int01			->>>, >>>, >>9	
art__int02			->>>, >>>, >>9	
art__log01			yes/no	
art__log02			yes/no	
art__qadc01			x(8)	
art__qadc02			x(8)	
art__qadc03			x(8)	

28 ar_mstr

Field Name	Label	Col-Label	Format	Dec
art_qadc04			x(8)	
art_qadd01			->>>>, >>>, >>9.99<	10
art_qadd02			->>>>, >>>, >>9.99<	10
art_qadi01			->>>>, >>>, >>9	
art_qadi02			->>>>, >>>, >>9	
art_qadi01			yes/no	
art_qadi02			yes/no	
art_qadt01			99/99/99	
art_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AppRetCode	yes	art_app_id	yes	no
		art_mthd_name	yes	no
		art_return_code	yes	no

ar_mstr Accounts Receivable Master

Field Name	Label	Col-Label	Format	Dec
ar_acct	Account		x(8)	
ar_amt	Amount		->>>>, >>>, >>9.99	10
ar_amt_chg	Amount to Pay		->>>>, >>>, >>9.99	10
ar_applied	Applied Amt		->>>>, >>>, >>9.99	10
◇ ar_app_owner	Owner Application		x(12)	
ar_bank	Bank		x(2)	
ar_base_amt	Base Amt		->>>>, >>>, >>9.99	10
ar_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
ar_base_applied	Base Applied Amt		->>>>, >>>, >>9.99	10
ar_base_comm_amt[4]	Base Commission Amt		->>>>, >>>, >>9.99	10
ar_batch	Batch		x(8)	
ar_bill	Bill-To		x(8)	
ar_cc	Cost Ctr	CC	x(4)	
ar_check	Check		x(8)	
ar_cmtindx	Comment Index	Comment	>>>>>>9	
ar_coll_mthd	Collection Method	M	x(1)	
ar_comm_amt[4]	Commission Amt	Comm Amt	->>>>, >>>, >>9.99	10
ar_comm_pct[4]	Commission	Comm%	>>9.99%	2
ar_contested	Contested	Contest	yes/no	
ar_cr_terms	Cr Terms		x(8)	
ar_curr	Currency	Cur	x(3)	
ar_cust	Sold-To		x(8)	
ar_date	Date		99/99/99	
ar_dd_curr	Draft Discount Currency	Draft Disc Cur	x(3)	
ar_dd_exru_seq	Sequence		>>>>>>>9	
ar_dd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_dd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_disc_acct	Disc Acct	Dsc Acct	x(8)	
ar_disc_cc	Disc Cost Ctr	CC	x(4)	
ar_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
ar_disc_date	Disc Date		99/99/99	
ar_draft	Approved	Aprvd	yes/no	
ar_drft_sel	Sel		yes/no	
ar_due_date	Due Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ar_dun_level	Dun Level	Dn! Lv	>9	
ar_dy_code	Daybook		x(8)	
ar_effdate	Effective	Eff Date	99/99/99	
ar_entity	Entity	Enty	x(4)	
ar_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ar_expt_date	Expect Pay Date	Expect	99/99/99	
ar_exru_seq	Sequence		>>>>>>>9	
ar_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_ratetype	Rate Type		x(8)	
ar_fr_terms	Freight Terms	Fr Terms	x(8)	
ar_fsm_type	FSM Type		x(8)	
ar_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ar_ldue_date	Last Due Date		99/99/99	
ar_mrgn_amt	Gr Margin		->>>>, >>>>, >>9.99	10
ar_nbr	Reference		x(18)	
ar_open	Open		yes/no	
ar_paid_date	Paid Date	Paid	99/99/99	
ar_po	Remark		x(22)	
ar_print	Printed		yes/no	
ar_sales_amt	Sales Amount		->>>>, >>>, >>9.99	10
ar_ship	Ship-To		x(8)	
ar_slspsn[4]	Salesperson	Salespsn	x(8)	
ar_so_nbr	Sales Order	Order	x(8)	
ar_tax_date	Tax Date		99/99/99	
ar_tax_env	Tax Environment	Tax Env	x(16)	
ar_type	Type	T	x(1)	
ar_user1	Ufld1		x(8)	
ar_user2	Ufld2		x(8)	
ar_var_acct	Gain/Loss Acct		x(8)	
ar_var_cc	Gain/Loss Cost Ctr	CC	x(4)	
ar_xcomm_pct[2]	Commission	Comm %	>>9.99%	2
ar_xslspsn1	Slspsn[1]		x(8)	
ar_xslspsn2	Slspsn[2]		x(8)	
ar__chr01			x(8)	
ar__chr02			x(8)	
ar__chr03			x(8)	
ar__chr04			x(8)	
ar__chr05			x(8)	
ar__dec01			>>>, >>>, >>9.99	10
ar__dec02			>>>, >>>, >>9.99	10
ar__dte01			99/99/99	
ar__dte02			99/99/99	
ar__log01			yes/no	
ar__qad01			x(8)	
ar__qad02			x(8)	
ar__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ar_batch	no	ar_batch	yes	no
ar_bill	no	ar_bill	yes	no
		ar_date	yes	no
		ar_nbr	yes	no
ar_bill_open	yes	ar_bill	yes	no
		ar_open	yes	no
		ar_due_date	yes	no

30 asc_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
ar_bill_type	no	ar_nbr	yes	no
		ar_bill	yes	no
		ar_type	yes	no
		ar_open	yes	no
		ar_draft	yes	no
ar_check	no	ar_nbr	yes	no
		ar_check	yes	no
ar_cust	no	ar_cust	yes	no
		ar_date	yes	no
		ar_nbr	yes	no
ar_date	no	ar_date	yes	no
ar_drft_sel	no	ar_drft_sel	yes	no
		ar_bill	yes	no
		ar_entity	yes	no
		ar_curr	yes	no
ar_effdate	no	ar_effdate	yes	no
* ar_nbr	yes	ar_nbr	yes	no
ar_type	no	ar_type	yes	no
		ar_draft	yes	no

asc_mstr Account Sub-Account Cost Center Master

Field Name	Label	Col-Label	Format	Dec
asc_acc	Account		x(8)	
asc_cc	Cost Ctr	CC	x(4)	
asc_desc	Description		x(24)	
asc_fpos			>>>>>9	
asc_sub	Sub-Account	Sub-Acct	x(8)	
asc_user1	user1		x(8)	
asc_user2	user2		x(8)	
asc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
asc_cc	yes	asc_cc	yes	no
		asc_acc	yes	no
		asc_sub	yes	no
asc_fac	no	asc_fpos	yes	no
		asc_acc	yes	no
		asc_cc	yes	no
asc_fasc	no	asc_sub	yes	no
		asc_fpos	yes	no
		asc_acc	yes	no
asc_fcac	no	asc_sub	yes	no
		asc_cc	yes	no
		asc_fpos	yes	no
asc_fsac	no	asc_acc	yes	no
		asc_sub	yes	no
		asc_fpos	yes	no
		asc_acc	yes	no
		asc_cc	yes	no
		asc_sub	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
asc_fsc	no	asc_fpos	yes	no
		asc_sub	yes	no
		asc_cc	yes	no
		asc_acc	yes	no
asc_ind1	no	asc_acc	yes	no
		asc_cc	yes	no
		asc_sub	yes	no
* asc_index	yes	asc_acc	yes	no
		asc_sub	yes	no
		asc_cc	yes	no
asc_sub	yes	asc_sub	yes	no
		asc_acc	yes	no
		asc_cc	yes	no

ast_mstr Asset Master

Field Name	Label	Col-Label	Format	Dec
ast_acct	Asset Account	Asset! Account	x(8)	
ast_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
ast_ac_cc	Cost Center	CC	x(4)	
ast_ac_proj	Project		x(8)	
ast_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_asset	Asset		x(12)	
ast_at_risk	At-Risk Basis		->>, >>>, >>>, >>9.99<	10
ast_cc	Cost Center	CC	x(4)	
ast_class	Class	Cls	x(3)	
ast_cust	Custodian		x(12)	
ast_date	Depreciation Start Date	Start! Date	99/99/99	
ast_desc	Description		x(24)	
ast_entity	Entity	Enty	x(4)	
ast_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
ast_exp_cc	Cost Center	CC	x(4)	
ast_exp_proj	Project		x(8)	
ast_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_fa_loc	Fixed Asset Location	Loc	x(4)	
ast_ins_co	Insurance Company		x(24)	
ast_ins_date	Insurance Date	Ins Date	99/99/9999	
ast_ins_nbr	Insurance Policy	Ins Policy	x(12)	
ast_ins_value	Insurance Value		->>, >>>, >>>, >>9.99<	10
ast_inv_nbr	Inventory Number		x(18)	
ast_mod_date	Modified Date	Mod Date	99/99/99	
ast_po_nbr	Purchase Order	Order	x(8)	
ast_prev_method	Previous Method	Previous! Method	x(8)	
ast_proj	Project		x(8)	
ast_pur_date	Purchase Date	Purch Date	99/99/99	
ast_qty	Quantity	Qty	>>>>	
ast_report	Print on Reports	Prt	yes/no	
ast_retire	Retirement Method	RM	x(2)	
ast_rt_date	Retirement Date	Retire! Date	99/99/9999	
ast_rt_price	Retirement Price		->>, >>>, >>>, >>9.99<	10
ast_rt_reason	Retirement Reason		x(24)	
ast_serial	Serial Number		x(24)	

32 as_mstr

Field Name	Label	Col-Label	Format	Dec
ast_sp_ac_acct	Special Accumulated Depr Acct	Spec Acc! Depr Acct	x(8)	
ast_sp_ac_cc	Cost Center	CC	x(4)	
ast_sp_ac_proj	Project		x(8)	
ast_sp_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_sp_exp_acct	Special Depreciation Exp Acct	Spec Depr! Exp Acct	x(8)	
ast_sp_exp_cc	Cost Center	CC	x(4)	
ast_sp_exp_proj	Project		x(8)	
ast_sp_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_sub	Sub-Account	Sub-Acct	x(8)	
ast_sus_beg	Suspension Start	Start! Suspend	99/99/99	
ast_sus_end	Suspension End	End! Suspend	99/99/99	
ast_uchar1	Char 1		x(8)	
ast_uchar2	Char 2		x(8)	
ast_uchar3	Char 3		x(8)	
ast_uchar4	Char 4		x(8)	
ast_ude1	Date 1		99/99/9999	
ast_ude2	Date 2		99/99/9999	
ast_ude3	Date 3		99/99/9999	
ast_ude4	Date 4		99/99/9999	
ast_udec1	Decimal 1		-->, >>>, >>>, >>9.99<	10
ast_udec2	Decimal 2		-->, >>>, >>>, >>9.99<	10
ast_uint1	Integer 1		-->, >>>, >>>, >>>	
ast_uint2	Integer 2		-->, >>>, >>>, >>>	
ast_uint3	Integer 3	Int 3	-->, >>>, >>>, >>>	
ast_uint4	Integer 4	Int 4	-->, >>>, >>>, >>>	
ast_user1	user1		x(8)	
ast_user2	user2		x(8)	
ast_userid	User ID		x(8)	
ast_vend	Supplier		x(8)	
ast_warranty	Warranty Date	Warranty! Date	99/99/9999	
ast__qad01			yes/no	
ast__qad02			x(8)	
ast__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ast_asset	yes	ast_asset	yes	no
ast_ast_ent	no	ast_asset	yes	no
		ast_entity	yes	no
ast_ent_ast	no	ast_entity	yes	no
		ast_asset	yes	no
ast_inv	no	ast_inv_nbr	yes	no
ast_retire	yes	ast_asset	yes	no
		ast_rt_date	yes	no

as_mstr Application Server Master

Field Name	Label	Col-Label	Format	Dec
as_directory	AppServer Directory		x(50)	
as_host	Host		x(24)	
as_name	Database Name	DB	x(8)	
as_network	Network		x(8)	

Field Name	Label	Col-Label	Format	Dec
as_parmfile	Parameter File	Param File	x(8)	
as_phy_name	Physical Database Name	Phy DB Name	x(12)	
as_server	Server		x(24)	
as_user1	user1		x(8)	
as_user2	user2		x(8)	
as__char01			x(8)	
as__char02			x(8)	
as__dt01			99/99/99	
as__qadc01			x(8)	
as__qadc02			x(8)	
as__qadl01			yes/no	
as__qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* as_name	yes	as_name	yes	no

atp_det Available-to-Promise Detail

Field Name	Label	Col-Label	Format	Dec
atp_date	Date	Date	99/99/99	
atp_id_num			>>>>>9	
atp_part	Item Number		x(18)	
atp_qty	Qty		->,>>>,>>9.<<<<<<<<<	10
atp_site	Site		x(8)	
atp_user1	Ufld1		x(8)	
atp_user2	Ufld2		x(8)	
atp__qad01			x(18)	
atp__qad02			99/99/99	
atp__qad03			x(8)	
atp__qad04			x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
atp_id_num	yes	atp_id_num	yes	no
* atp_part	yes	atp_part	yes	no
		atp_site	yes	no
		atp_date	yes	no
		atp_id_num	yes	no

aud_det Audit Detail

Field Name	Label	Col-Label	Format	Dec
aud_dataset	File		x(16)	
aud_date	Date		99/99/99	
aud_entry	Entry		>>>>>>>>>>9	
aud_field	Field Name		x(32)	
aud_key1	Key Field 1		x(18)	
aud_key2	Key Field 2		x(18)	
aud_key3	Key Field 3		x(18)	

34 ba_mstr

Field Name	Label	Col-Label	Format	Dec
aud_key4	Key Field 4		x(18)	
aud_key5	Key Field 5		x(18)	
aud_key6	Key Field 6		x(18)	
aud_key7	Key Field 7		x(18)	
aud_new_data[15]	Data	New data	x(76)	
aud_old_data[15]	Data	Old data	x(76)	
aud_time	Time		x(8)	
aud_user1	user1		x(8)	
aud_user2	user2		x(8)	
aud_userid	User ID		x(8)	
aud__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
aud_dataset	yes	aud_dataset	yes	no
		aud_key1	yes	no
		aud_key2	yes	no
		aud_key3	yes	no
		aud_key4	yes	no
		aud_key5	yes	no
		aud_key6	yes	no
		aud_key7	yes	no
		aud_date	yes	no
		aud_entry	yes	no
* aud_entry	yes	aud_entry	yes	no
aud_user	no	aud_userid	yes	no
		aud_dataset	yes	no
		aud_date	yes	no

ba_mstr

Batch Master

Field Name	Label	Col-Label	Format	Dec
ba_bank	Bank		x(2)	
ba_batch	Batch		x(8)	
ba_beg_bal	Balance		->>>>>, >>>, >>9.99	10
ba_ctrl	Batch Ctrl		->>, >>>, >>>, >>9.99	10
ba_date	Date		99/99/99	
ba_doc_type	Document Type	T	x(2)	
ba_module	Module		x(2)	
ba_status	Status		x(2)	
ba_total	Total		->>, >>>, >>>, >>9.99	10
ba_user1	Ufld1		x(8)	
ba_user2	Ufld2		x(8)	
ba_userid	User ID		x(8)	
ba__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ba_modbatch	yes	ba_module	yes	no
		ba_batch	yes	no

bcd_det

Batch Control Detail

Field Name	Label	Col-Label	Format	Dec
bcd_batch	Batch ID		x(8)	
bcd_date_run	Run Date	Run! Date	99/99/99	
bcd_date_sub	Submit Date	Submit! Date	99/99/99	
bcd_dev	Output		x(8)	
bcd_exec	Program		x(14)	
bcd_mnu_nbr	Menu		x(16)	
bcd_mnu_sel	Selection	Sel	>9	
bcd_parm	Parameter Data	Parameter! Data	x(200)	
bcd_perm	Permanent	Perm	yes/no	
bcd_priority	Priority		>>>,>>9	
bcd_process	Process		yes/no	
bcd_run_stat	Run Status	Run! Status	x(8)	
bcd_time_run	Run Time	Run! Time	x(8)	
bcd_time_sub	Submit Time	Submit! Time	x(8)	
bcd_user1	Ufld1		x(8)	
bcd_user2	Ufld2		x(8)	
bcd_userid	Submitted By	Submitted! By	x(8)	
bcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bcd_id	yes	bcd_batch	yes	no
		bcd_date_sub	yes	no
		bcd_time_sub	yes	no
		bcd_userid	yes	no

bc_mstr

Batch Control Master

Field Name	Label	Col-Label	Format	Dec
bc_batch	Batch ID		x(8)	
bc_canrun	Users/Groups		x(60)	
bc_cmtindx	Comment Index	Comment	>>>>>>>9	
bc_desc	Description		x(24)	
bc_perm	Permanent		yes/no	
bc_priority	Priority		>>>,>>9	
bc_user1	Ufld1		x(8)	
bc_user2	Ufld2		x(8)	
bc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bc_batch	yes	bc_batch	yes	no

36 bdl_d_det

bdld_det Batch Data Load Detail

Field Name	Label	Col-Label	Format	Dec
bdld_data	Data		x(78)	
bdld_id	Group Id		>>>>>>>9	
bdld_line	Line Number		>>>9	
bdld_source	Source		x(16)	
bdld_user1	Ufld1		x(8)	
bdld_user2	Ufld2		x(8)	
bdld_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bdl_id	yes	bdld_source	yes	no
		bdld_id	yes	no
		bdld_line	yes	no

bdl_mstr Batch Data Load Master

Field Name	Label	Col-Label	Format	Dec
bdl_date_ent	Date Entered		99/99/99	
bdl_date_pro	Date Processed		99/99/99	
bdl_exec	Program		x(16)	
bdl_id	Group Id		>>>>>>>9	
bdl_pgm_errs	Program Errors		>,>>9	
bdl_pro_errs	Progress Errors		>,>>9	
bdl_source	Source ID		x(16)	
bdl_time_ent	Time Entered		x(8)	
bdl_time_pro	Time Processed		x(8)	
bdl_user1	Ufld1		x(8)	
bdl_user2	Ufld2		x(8)	
bdl_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bdl_id	yes	bdl_source	yes	no
		bdl_id	yes	no

bgd_det Budget Detail

Field Name	Label	Col-Label	Format	Dec
bgd_acc	Account		x(8)	
bgd_amt	Budget Amount		->>,>>>,>>>,>>>,>>9.99	2
bgd_cc	Cost Ctr	CC	x(4)	
bgd_code	Budget Code	Budget	x(8)	
bgd_date	Date		99/99/99	
bgd_ecur_amt	Amoun in entity currency		->>,>>>,>>>,>>9.99	2
bgd_entity	Entity	Enty	x(4)	
bgd_ent_dt	Enter Date	Entered	99/99/99	
bgd_en_enrate	Entity exch rate		>>,>>9.99999<<<<<	10
bgd_fpos	Format Position	Format	>>>>>9	

Field Name	Label	Col-Label	Format	Dec
bgd_pct	Percentage		->>>9.999	3
bgd_per	Period	Pd	>9	
bgd_project	Project		x(8)	
bgd_sub	Sub-Account	Sub-Acct	x(8)	
bgd_user1	Ufld1		x(8)	
bgd_user2	Ufld2		x(8)	
bgd_userid	User ID		x(8)	
bgd_year	Year		9999	
bgd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
bgd_ind1	no	bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
* bgd_index	yes	bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_project	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
bgd_period	no	bgd_year	yes	no
		bgd_per	yes	no
		bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_project	yes	no

bg_mstr

Budget Master

Field Name	Label	Col-Label	Format	Dec
bg_acc	Account		x(8)	
bg_budg_acc	Base Account	Base! Acct	x(8)	
bg_budg_cc	Base Cost Center	Base! CC	x(4)	
bg_budg_fpos	Base Fmt Pos	Base! Fmt	>>>>9	
bg_budg_sub	Base Sub-Account	Base! Sub-Acct	x(8)	
bg_cc	Cost Ctr	CC	x(4)	
bg_code	Budget Code	Budget	x(8)	
bg_entity	Entity	Enty	x(4)	
bg_fpos	Format Position	Format	>>>>9	
bg_project	Project		x(8)	

38 bic_ctrl

Field Name	Label	Col-Label	Format	Dec
bg_sub	Sub-Account	Sub-Acct	x(8)	
bg_user1	Ufld1		x(8)	
bg_user2	Ufld2		x(8)	
bg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
bg_ind1	no	bg_code	yes	no
		bg_fpos	yes	no
		bg_entity	yes	no
* bg_index	yes	bg_code	yes	no
		bg_entity	yes	no
		bg_acc	yes	no
		bg_sub	yes	no
		bg_cc	yes	no
		bg_fpos	yes	no
		bg_project	yes	no

bic_ctrl

Service/Support Contract Billing Control

Field Name	Label	Col-Label	Format	Dec
bic_audit	Audit has been Run		yes/no	
bic_index1	Index		>>>>9	
bic_last_cyc	Last Cycle Billed	Lst Cyc	x(2)	
bic_last_due	Last Due Date Billed	Lst Due	99/99/99	
bic_lst_date	Date Last Billed		99/99/99	
bic_periods	Periods In Billing Year		>>9	
bic_user1	user1		x(8)	
bic_user2	user2		x(8)	
bic__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bic_index1	yes	bic_index1	yes	no

bk_mstr

Bank Master

Field Name	Label	Col-Label	Format	Dec
bk_acct	Cash Account	Cash Acct	x(8)	
bk_bkchg_acct	Bank Charges Acct	Bank! Chg Acct	x(8)	
bk_bkchg_cc		CC	x(4)	
bk_bktx_acct	Bank Taxes Acct	Bank! Tax Acct	x(8)	
bk_bktx_cc		CC	x(4)	
bk_bk_acct1	Bank Acct 1		x(10)	
bk_bk_acct2	Bank Acct 2		x(10)	
bk_cc	Cash Cost Ctr	CC	x(4)	
bk_cdft_acct	Cashed Drafts Acct	Cashed! Dft Acct	x(8)	
bk_cdft_cc		CC	x(4)	
bk_check	Next Check	Check	999999	
bk_code	Bank	Bk	x(2)	

Field Name	Label	Col-Label	Format	Dec
bk_curr	Currency	Cur	x(3)	
bk_ddft_acct	Disc Drafts Acct	Disc! Dft Acct	x(8)	
bk_ddft_cc		CC	x(4)	
bk_desc	Description		x(40)	
bk_dftap_acct	Drafts Payable Acct	Drafts! Pay Acct	x(8)	
bk_dftap_cc		CC	x(4)	
bk_dftar_acct	Draft Rec Acct	Draft! Rec Acct	x(8)	
bk_dftar_cc		CC	x(4)	
bk_disc_acct	Disc Charges Acct	Disc! Chg Acct	x(8)	
bk_disc_cc		CC	x(4)	
bk_drft_acct	Drafts Account		x(8)	
bk_drft_cc	Drafts Cost Ctr	CC	x(4)	
bk_drft_chg	Draft Charge Amount		->>, >>>, >>>, >>9.99	2
bk_drft_chg_pct	Draft Charge Percent		->9.9999%	2
bk_edft_acct	Endorsed Drafts Acct	Endorsed! Dft Acct	x(8)	
bk_edft_cc		CC	x(4)	
bk_entity	Entity	Enty	x(4)	
bk_lc_acct	Letters of Credit account	LC Acct	x(8)	
bk_lc_cc	LC Cost Ctr	CC	x(4)	
bk_max_drft	Maximum Draft		->>, >>>, >>>, >>9.99	2
bk_min_drft	Minimum Draft		->>, >>>, >>>, >>9.99	2
bk_mod_date	Modified Date	Mod Date	99/99/99	
bk_pip_acct	Payment in Process Acct	PIP Acct	x(8)	
bk_pip_cc	Payment in Process Cost Ctr	CC	x(4)	
bk_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
bk_rgain_cc	Realized Exchange Gain	CC CC	x(4)	
bk_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
bk_rloss_cc	Realized Exchange Loss	CC CC	x(4)	
bk_user1	Ufld1		x(8)	
bk_user2	Ufld2		x(8)	
bk_userid	Userid		x(8)	
bk_var_acct	Exch Gain/Loss		x(8)	
bk_var_cc	Gain/Loss Cost Ctr	CC	x(4)	
bk__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* bk_code	yes	bk_code	yes	no
bk_curr	no	bk_curr	yes	no
		bk_code	yes	no
bk_desc	yes	bk_desc	yes	no
		bk_code	yes	no

bl_ctrl Master Bill of Lading Control File

Field Name	Label	Col-Label	Format	Dec
bl_master_id	Next Master Bill ID		x(8)	
bl_user1	user1		x(8)	
bl_user2	user2		x(8)	
bl__qadc01			x(8)	

40 bom_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* bl_master	yes	bl_master_id	yes	no

bom_mstr Product Structure (Bill of Material) Master

Field Name	Label	Col-Label	Format	Dec
bom_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
bom_batch_um	UM		x(2)	
bom_cmtindx	Comment Index	Comment	>>>, >>>, >>9	
bom_desc	Description		x(24)	
bom_formula	Formula		yes/no	
bom_fsm_type	FSM Type		x(8)	
bom_ll_code	Low Level	Low Lvl	->>>>>9	
bom_loc	Home Location		X(8)	
bom_mod_date	Modified Date	Mod Date	99/99/99	
bom_mthd	Backflush Mthd	BM	x(1)	
bom_parent	BOM Code		x(18)	
bom_site	Home Site		X(8)	
bom_user1	Ufld1		x(8)	
bom_user2	Ufld2		x(8)	
bom_userid	User ID		x(8)	
bom__chr01			x(8)	
bom__chr02			x(8)	
bom__chr03			x(8)	
bom__chr04			x(8)	
bom__chr05			x(8)	
bom__dec01			>>>, >>>, >>9.99	10
bom__dec02			>>>, >>>, >>9.99	10
bom__dte01			99/99/99	
bom__dte02			99/99/99	
bom__log01			yes/no	
bom__qadc01	QAD Character Field		X(8)	0
bom__qadc02	QAD Character Field		X(8)	0
bom__qadc03	QAD Character field		X(8)	0
bom__qadd01	QAD Decimal Field		->>, >>9.99	10
bom__qadi01	QAD Integer Field		->, >>>, >>9	0
bom__qadi02	QAD Integer Field		->, >>>, >>9	0
bom__qadi01	QAD Logical Field		yes/no	0
bom__qadi02	QAD Logical Field		yes/no	0
bom__qadt01	QAD Date Field		99/99/99	0
bom__qadt02	QAD Date Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
bom_fsm_type	no	bom_fsm_type	yes	no
		bom_parent	yes	no
* bom_parent	yes	bom_parent	yes	no

btb_det Enterprise Material Transfer – Primary Business Unit Data

Field Name	Label	Col-Label	Format	Dec
btb_cm_addr	End Customer	End Cust	x(8)	
btb_cm_desc	Description		x(24)	
btb_cm_part	End Customer Item		x(18)	
btb_mod_date			99/99/99	
btb_mod_userid			x(16)	
btb_pr_so	Primary SO		x(8)	
btb_pr_sod_line	Primary SO Line	Pr SO Ln	>>9	
btb_so	Secondary SO	Sec SO	x(8)	
btb_sod_line	Secondary SO Line	Sec SO Ln	>>9	
btb_so_price	Primary SO Price	Pr SO Price	>>>>,>>>,>>9.99<<<	2
btb_user1			x(8)	
btb_user2			x(8)	
btb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* btb_so	yes	btb_so	yes	no
		btb_sod_line	yes	no

btd_det Payroll Deduction Base Type Detail

Field Name	Label	Col-Label	Format	Dec
btd_base_typ	Deduction Base Type	Base	x(2)	
btd_ded	Excluded Deduction Code	Ded Code	x(8)	
btd_ded_type	Excluded Deduction Type	T	x(1)	
btd_user1	user1		x(8)	
btd_user2	user2		x(8)	
btd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* btd_base_typ	yes	btd_base_typ	yes	no
		btd_ded_type	yes	no
		btd_ded	yes	no

bt_mstr Payroll Deduction Base Type Master

Field Name	Label	Col-Label	Format	Dec
bt_base_typ	Deduction Base Type	Base	x(2)	
bt_desc	Description		x(24)	
bt_user1	user1		x(8)	
bt_user2	user2		x(8)	
bt__qadc01			x(8)	

42 cac_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
* bt_base_typ	yes	bt_base_typ	yes	no
bt_desc	no	bt_desc	yes	no

cac_ctrl

Service/Support Call Master Control

Field Name	Label	Col-Label	Format	Dec
cac_ex_ratetype	Rate Type		x(8)	
cac_index1	Index		>>>>9	
cac_mod_date	Date Last Updated		99/99/99	
cac_mod_userid	Last Updated By		X(8)	
cac_nbr	Next Call Id		99999999	
cac_quote	Next Quote Id		99999999	
cac_quote_days	Days Until Expire		->,>>>,>>9	
cac_quote_pre	Quote Prefix		x(3)	
cac_quote_que	Default Quote Queue		x(8)	
cac_upd_isb	Calls Update ISB	Update ISB	yes/no	
cac_user1	Ufld1		x(8)	
cac_user2	Ufld2		x(8)	
cac__qadc01	QAD Character Field 1		X(8)	
cac__qadc02	QAD Character Field 2		X(8)	
cac__qadl01	QAD Logical Field 1		yes/no	
cac__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cac_index1	yes	cac_index1	yes	no

cah_hist Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmnt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_escalate	Escalate	Esc	x(2)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	0
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	
cah_part	Part No		x(18)	
cah_phone	Phone		x(16)	
cah_pri	Priority	Pri	>>>9	
cah_problem	Prob/Skill	Prob	x(8)	
cah_que	Queue		x(8)	0
cah_ref	ISB Ref		>>>>>9	
cah_resolve	Resolution		x(8)	
cah_seq	Sequence	Seq	>>>>>9	
cah_serial	Serial		x(18)	
cah_severity	Severity		x(8)	
cah_snt_date			99/99/99	
cah_snt_time			->,>>>,>>9	
cah_status	Status		x(8)	
cah_sv_code	Service Type	Svc Type	x(8)	
cah_time_log	Time Spent		>>9.99	2
cah_time_stmp	Time		99:99	
cah_trv_dist	Travel Distance	Trvl Dst	->,>>>,>>9	
cah_trv_um	Travel UM	UM	x(2)	
cah_type	Type		x(8)	0
cah_user1	user1		x(8)	
cah_user2	user2		x(8)	
cah__chr01			x(8)	
cah__chr02			x(8)	
cah__chr03			x(8)	
cah__chr04			x(8)	
cah__chr05			x(8)	

44 cal_det

Field Name	Label	Col-Label	Format	Dec
cah_chr06			x(8)	
cah_chr07			x(8)	
cah_chr08			x(8)	
cah_chr09			x(8)	
cah_chr10			x(8)	
cah_chr11	User Field #11		x(8)	
cah_dec01			-->, >>9.99	2
cah_dec02			-->, >>9.99	2
cah_dec03			-->, >>9.99	2
cah_dte01			99/99/99	
cah_dte02			99/99/99	
cah_dte03			99/99/99	
cah_dte04			99/99/99	
cah_dte05			99/99/99	
cah_log01			yes/no	
cah_log02			yes/no	
cah_log03			yes/no	
cah_log04			yes/no	
cah_log05			yes/no	
◇ cah_qadc01			x(8)	
◇ cah_qadc02			x(8)	
◇ cah_qadc03			x(8)	
◇ cah_qadd01			-->, >>9.99	10
◇ cah_qadd02			-->, >>9.99	10
◇ cah_qadd03			-->, >>9.99	10
◇ cah_qadi01			->, >>>, >>9	
◇ cah_qadi02			->, >>>, >>9	
◇ cah_qadi03			->, >>>, >>9	
◇ cah_qadi01			yes/no	
◇ cah_qadi02			yes/no	
◇ cah_qadi03			yes/no	
◇ cah_qadt01			99/99/99	
◇ cah_qadt02			99/99/99	
◇ cah_qadt03			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cah_nbr	yes	cah_nbr	yes	no
		cah_opn_date	yes	no
		cah_seq	yes	no
cah_part	no	cah_part	yes	no

cal_det

Calendar Detail

Field Name	Label	Col-Label	Format	Dec
cal_end	End	End	99/99/99	
cal_hours	Daily Hours	Hours	-->, >>9.99	2
cal_mch	Machine		x(8)	
cal_ref	Reference	Ref	x(8)	
cal_shift1	Shift1		-->, >>9.99	2
cal_shift2	Shift2		-->, >>9.99	2
cal_shift3	Shift3		-->, >>9.99	2
cal_shift4	Shift4		-->, >>9.99	2

Field Name	Label	Col-Label	Format	Dec
cal_site	Site		x(8)	
cal_start	Start	Start	99/99/99	
cal_user1	Ufld1		x(8)	
cal_user2	Ufld2		x(8)	
cal_wkctr	Work Center	Work Ctr	x(8)	
cal__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cal_det	yes	cal_site	yes	no
		cal_wkctr	yes	no
		cal_mch	yes	no
		cal_ref	yes	no
		cal_start	yes	no

caq_mstr Service/Support Call Queue Master

Field Name	Label	Col-Label	Format	Dec
caq_3rd_party	Third Party		yes/no	
caq_area	Area		x(8)	
caq_area_pri	Schedule by Area		yes/no	
caq_area_sc	Schedule by Area		yes/no	
caq_create_bom	Create BOM		yes/no	
caq_create_rte	Create Routing		yes/no	
caq_create_wo	Create WO		yes/no	
caq_default_rte	Default Routing		x(8)	
caq_depot	Repair Center		Depot/Field	
caq_desc	Description		x(24)	
caq_field	Field Visits		yes/no	
caq_file_type	Type		x(8)	
caq_node	Site		x(16)	
caq_prob_pri	Schedule by Problem		yes/no	
caq_que	Queue		x(8)	
caq_user1	user1		x(8)	
caq_user2	user2		x(8)	
caq__chr01			x(8)	
caq__chr02			x(8)	
caq__chr03			x(8)	
caq__dec01			-->, >>9.99	2
caq__dec02			-->, >>9.99	2
caq__dte01			99/99/99	
caq__dte02			99/99/99	
caq__log01			yes/no	
caq__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* caq_que	yes	caq_que	yes	no
		caq_file_type	yes	no

46 cas_mstr

cas_mstr Service/Support Call Status Master

Field Name	Label	Col-Label	Format	Dec
cas_desc	Description		x(24)	
cas_field	Field	Fld	yes/no	
cas_file_type			x(2)	
cas_hold	Hold		yes/no	
cas_id	Status ID	Sts Id	>>9	
cas_mod_date	Date Modified		99/99/99	
cas_mod_userid	Modified By		X(8)	
cas_nxt_que	Next Queue		x(8)	
cas_nxt_stat	Next Status	Nxt Sts	x(8)	
cas_prog	Program To Invoke	Program	x(12)	
cas_req	Required	Req	yes/no	
cas_review	Review		yes/no	
cas_status	Status		x(8)	
cas_user1	user1		x(8)	
cas_user2	user2		x(8)	
cas_wait	Waiting for Items		yes/no	
cas__chr01			x(8)	
cas__chr02			x(8)	
cas__chr03			x(8)	
cas__dec01			-->, >>9.99	2
cas__dec02			-->, >>9.99	2
cas__dte01			99/99/99	
cas__dte02			99/99/99	
cas__log01			yes/no	
cas__log02			yes/no	
cas__qadc01	QAD Character Field 1		X(8)	
cas__qadc02	QAD Character Field 2		X(8)	
cas__qadl01	QAD Logical Field 1		yes/no	
cas__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cas_id	yes	cas_id	yes	no
		cas_file_type	yes	no
* cas_status	yes	cas_status	yes	no
		cas_file_type	yes	no

ca_mstr Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0

Field Name	Label	Col-Label	Format	Dec
ca_cline	Contract Line		>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmnt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	
ca_comp_time	Complete Time		99:99	
ca_contract	Contract		x(8)	
ca_created	Created	Cr	x(1)	0
ca_cr_terms	Terms	Terms	x(8)	
ca_curr	Currency	Cur	x(3)	
ca_customer	Customer		X(8)	
ca_date_stmp	Date		99/99/99	
ca_desc	Description		x(60)	
ca_ecmtindx			>>>>>>9	
ca_eng_area	Engineer Area	Eng Area	x(8)	
ca_eng_group	Engineer Group		x(8)	
ca_enter_by	Entered by		x(8)	
ca_ent_ex	Exch Rate		>>, >>9.99999<<<	10
ca_est_time	Estimated Length		999:99	
ca_es_nbr	Escalation	Esc	x(8)	
ca_es_seq	Sequence	Seq	>>9	
Δ ca_eu_changed	End User Changed		yes/no	
ca_eu_date	End User Date		99/99/99	
ca_eu_nbr	End User		x(8)	
ca_eu_time	End User Time		99:99	
ca_evt_date	Event Date	Evt Date	99/99/99	
ca_evt_tim	Event Time	Evt Time	>>>>>>9	
ca_evt_time	Event Time	Evt Time	99:99	
ca_exru_seq	Sequence		>>>>>>>9	
ca_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_ratetype	Rate Type		x(8)	
ca_fix_rate	Fixed Rate	Fixed	yes/no	
ca_fn_nbr	Field Notification		x(8)	
ca_from_que	From Que	Fr Que	x(8)	
ca_inc_stats	Include in Stats		yes/no	
ca_int_type	Work Code	WK Code	x(8)	
ca_inv_draft			yes/no	
ca_lang	Language		x(2)	
ca_mod_date	Date Last Updated		99/99/99	
ca_mod_userid	Last Updated By		X(8)	
ca_name	Caller		x(24)	
ca_nbr	Call ID		x(8)	
ca_nxt_act	Next Status	Nxt Sts	x(8)	0
ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>>9	
ca_nxt_time	Next Status Time	Time	99:99	
ca_opn_date	Call Date	CL Date	99/99/99	
ca_opn_time	Time Opened	Tm Open	x(8)	
ca_part	Item Number		x(18)	
ca_phone	Phone		x(16)	
ca_po_nbr	PO		x(22)	
ca_pri	Priority	Pri	>>>9	
ca_printed	Call Printed		yes/no	
ca_problem	Prob/Skill	Prob	x(8)	

48 ca_mstr

Field Name	Label	Col-Label	Format	Dec
ca_pr_list	Price List		x(8)	0
ca_qo_cmtindx			>>>>>>>>9	
ca_que	Queue		x(8)	
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>>>9	
ca_repair_ctr			yes/no	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_res_cmtidx			>>>>>9	
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->, >>>, >>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_svc_type			x(1)	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	2
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_time_log	Time Spent		>>9.99	2
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->, >>>, >>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	
ca_type	Type		x(8)	
ca_user1	user1		x(8)	
ca_user2	user2		x(8)	
ca_waiting_parts	Awaiting Items		yes/no	
ca__chr01			x(8)	
ca__chr02			x(8)	
ca__chr03			x(8)	
ca__chr04			x(8)	
ca__chr05			x(8)	
ca__chr06			x(8)	

Field Name	Label	Col-Label	Format	Dec
ca_chr07			x(8)	
ca_chr08			x(8)	
ca_chr09			x(8)	
ca_chr10			x(8)	
ca_dec01			-->, >>9.99	2
ca_dec02			-->, >>9.99	2
ca_dec03			-->, >>9.99	2
ca_dte01			99/99/99	
ca_dte02			99/99/99	
ca_dte03			99/99/99	
ca_dte04			99/99/99	
ca_dte05			99/99/99	
ca_log01			yes/no	
ca_log02			yes/no	
ca_log03			yes/no	
ca_log04			yes/no	
ca_log05			yes/no	
ca_qadc03	QAD Character Field 3		X(8)	
Δ ca_qadc04	QAD Character Field 4		x(8)	
Δ ca_qadc05	QAD Character Field 5		x(8)	
Δ ca_qadc06	QAD Character Field 6		x(8)	
ca_qadd01	QAD Decimal Field 1		-->, >>9.99	10
ca_qadd02	QAD Decimal Field 2		-->, >>9.99	10
ca_qadd03	QAD Decimal Field 3		-->, >>9.99	10
ca_qadi01			>>>>>>9	
ca_qadi02	QAD Integer Field 2		->, >>>, >>9	
ca_qadi03	QAD Integer Field 3		->, >>>, >>9	
ca_qadi02	QAD Logical Field 2		yes/no	
ca_qadi03	QAD Logical Field 3		yes/no	
◇ ca_qadi04	QAD Logical Field 4		yes/no	
ca_qadt01	QAD Date Field 1		99/99/99	
ca_qadt02	QAD Date Field 2		99/99/99	
ca_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ca_area	no	ca_category	yes	no
		ca_area	yes	no
		ca_eu_nbr	yes	no
ca_assign	no	ca_assign	yes	no
		ca_category	yes	no
ca_contract	no	ca_contract	yes	no
		ca_opn_date	yes	no
ca_customer	no	ca_category	yes	no
		ca_customer	yes	no
ca_eu_nbr	no	ca_eu_nbr	yes	no
		ca_category	yes	no
		ca_nbr	yes	no
* ca_nbr	yes	ca_category	yes	no
		ca_nbr	yes	no
ca_nxt_date	no	ca_category	yes	no
		ca_nxt_date	yes	no
		ca_nxt_tim	yes	no
ca_part	no	ca_part	yes	no
ca_que	no	ca_category	yes	no
		ca_que	yes	no

50 cb_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
ca_serial	no	ca_pri	yes	no
		ca_serial	yes	no
		ca_ref	yes	no
ca_sr	no	ca_sr	yes	no

cb_mstr Cash Book Master

Field Name	Label	Col-Label	Format	Dec
cb_amt	Amount		->, >>>, >>>, >>>9.99	10
cb_batch	Batch		x(8)	
cb_curr	Currency	Cur	x(3)	
cb_curr_amt	Currency Amount		->>>>, >>>, >>>9.99	10
cb_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
cb_exru_seq	Sequence		>>>>>>>9	
cb_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
cb_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
cb_ex_ratetype	Rate Type		x(8)	
cb_line	Line		>>>>>9	
cb_ref	Reference		x(18)	
cb_type	Type	T	x(1)	
cb_user1	Ufld1		x(8)	
cb_user2	Ufld2		x(8)	
cb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cb_batch	yes	cb_batch	yes	no
		cb_line	yes	no

ccd1_det Cost Center – Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
ccd1_acc_beg	Range of Accounts	From! Account	x(8)	
ccd1_acc_end	To	To! Account	x(8)	
ccd1_cc	Cost Ctr	CC	x(4)	
ccd1_line	Line		>>9	
ccd1_user1	user1		x(8)	
ccd1_user2	user2		x(8)	
ccd1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd1_index	yes	ccd1_cc	yes	no
		ccd1_line	yes	no

ccd2_det Cost Center – Sub-Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
ccd2_cc	Cost Ctr	CC	x(4)	
ccd2_line	Line		>>9	
ccd2_sub_beg	Range of Sub-Accounts	From! Sub-Acct	x(8)	
ccd2_sub_end	To	To! Sub-Acct	x(8)	
ccd2_user1	user1		x(8)	
ccd2_user2	user2		x(8)	
ccd2__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd2_index	yes	ccd2_cc	yes	no
		ccd2_line	yes	no

ccd_mstr Service/Support Call Fault Code Detail

Field Name	Label	Col-Label	Format	Dec
ccd_cause	Cause		x(8)	
ccd_ca_nbr	Call Number		x(8)	
ccd_cmtindx	Comment Index	Comment	>>>>>>9	
ccd_date	Problem Date		x(8)	
ccd_eng_code	Engineer		x(8)	0
ccd_hours	Hours		>>,>>9.99	2
ccd_itm_line	Item Line	It Ln	>>9	
ccd_line	Line		>>9	
ccd_mod_date	Modified Date		99/99/99	
ccd_mod_userid	Modified By		X(8)	
ccd_opn_date			99/99/99	
ccd_part	Component		x(18)	
ccd_problem	Problem		x(8)	0
ccd_resolution	Resolution	Resolved	x(8)	0
ccd_serial	Component Serial		x(18)	
ccd_sys_part	System Item		x(18)	
ccd_sys_ser	System Serial		x(18)	
ccd_type	Type		x(8)	
ccd_user1	user1		x(8)	
ccd_user2	user2		x(8)	
ccd__chr01	User #1		x(8)	
ccd__chr02	User #2		x(8)	
ccd__chr03	User #3		x(8)	
ccd__chr04	User #4		x(8)	
ccd__chr05	User #5		x(8)	
ccd__chr06	User #6		x(8)	
ccd__chr07	User #7		x(8)	
ccd__chr08	User #8		x(8)	
ccd__log01	User Logical Field 1		yes/no	
ccd__qadc01	QAD Character Field 1		X(8)	
ccd__qadc02	QAD Character Field 2		X(8)	
ccd__qadc03	QAD Character Field 3		X(8)	
ccd__qadc04	QAD Character Field 4		X(8)	

52 cc_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd_ca_nbr	yes	ccd_ca_nbr	yes	no
		ccd_opn_date	yes	no
		ccd_itm_line	yes	no
		ccd_part	yes	no
		ccd_line	yes	no
ccd_part	no	ccd_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
ccd_sys_part	no	ccd_sys_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no

cc_mstr Cost Center Master

Field Name	Label	Col-Label	Format	Dec
cc_active	Active	Act	yes/no	
cc_ctr	Cost Ctr	CC	x(4)	
cc_desc	Description		x(24)	
cc_user1	Ufld1		x(8)	
cc_user2	Ufld2		x(8)	
cc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cc_ctr	yes	cc_ctr	yes	no
		cc_active	yes	no
cc_desc	no	cc_desc	yes	no

cdf_mstr Service Support Call Defaults

Field Name	Label	Col-Label	Format	Dec
cdf_ca_category	Category		x(8)	
cdf_ca_desc	Call Description		x(50)	
cdf_ca_es_nbr	Escalation	Esc	x(8)	
cdf_ca_int_type	Work Code	WK Code	x(8)	
cdf_ca_nxtsts	Call Next Status		x(8)	
cdf_ca_pri	Call Priority		>>9	
cdf_ca_prob	Call Problem		x(8)	
cdf_ca_que	Call Queue	Queue	x(8)	
cdf_ca_severity	Call Severity		x(8)	
cdf_ca_status	Call Status	Status	x(8)	0
cdf_ca_type	Call Type		x(8)	
cdf_desc	Description		x(24)	
cdf_est_time	Estimated Duration		999:99	
cdf_exec	Program		x(16)	
cdf_group	FSM Group		x(8)	0
cdf_model	Model		x(18)	
cdf_mod_date	Date Last Updated		99/99/99	
cdf_mod_userid	Last Updated By		X(8)	

Field Name	Label	Col-Label	Format	Dec
cdf_part	Default Item		x(18)	
cdf_status_type	Status Type	St Type	x(8)	
cdf_user1	user1		x(8)	
cdf_user2	user2		x(8)	
cdf_chr01	User Field #1		x(8)	0
cdf_chr02	User Field #2		x(8)	
cdf_chr03	User Field #3		x(8)	
cdf_chr04	User Field #4		x(8)	
cdf_dec01	User Decimal #1		-->>>, >>>, >>9.99<<<<	10
cdf_dec02	User Decimal #2		-->>>, >>>, >>9.99<<<<	10
cdf_dec03	User Decimal #3		-->>>, >>>, >>9.99<<<<	10
cdf_dte01	User Date #1		99/99/99	
cdf_dte02	User Date #2		99/99/99	
cdf_dte03	User Date #3		99/99/99	
cdf_log01	User Logical #1		yes/no	
cdf_log02	User Logical #2		yes/no	
cdf_log03	User Logical #3		yes/no	
cdf_qadc01	Qad Field #1		x(8)	
cdf_qadc02	Qad Field #2		x(8)	
cdf_qadc03	Qad Field #3		x(8)	
cdf_qadc04	Qad Field #4		x(8)	
cdf_qadd01	Qad Date #1		99/99/99	
cdf_qadd02	Qad Date #2		99/99/99	
cdf_qadd03	Qad Date #3		99/99/99	
cdf_qadde01	Qad Decimal #1		-->>>, >>>, >>9.99<<<<	10
cdf_qadde02	Qad Decimal #2		-->>>, >>>, >>9.99<<<<	10
cdf_qadde03	Qad Decimal #3		-->>>, >>>, >>9.99<<<<	10
cdf_qadl01	Qad Logical #1		yes/no	
cdf_qadl02	Qad Logical #2		yes/no	
cdf_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cdf_gpmnd	yes	cdf_ca_category	yes	no
		cdf_ca_int_type	yes	no
		cdf_model	yes	no
		cdf_group	yes	no
		cdf_status_type	yes	no

cd_det

Master Comments

Field Name	Label	Col-Label	Format	Dec
cd_cmmt[15]	Comment Data		x(76)	
cd_lang	Language		x(2)	
cd_ref	Master Reference		x(40)	
cd_seq	Page		>9	
cd_type	Type	T	x(2)	
cd_user1	Ufld1		x(8)	
cd_user2	Ufld2		x(8)	
cd__qadc01			x(8)	

54 cfc_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
* cd_ref_type	yes	cd_ref	yes	no
		cd_type	yes	no
		cd_lang	yes	no
		cd_seq	yes	no

cfc_ctrl

Cash Flow Control File

Field Name	Label	Col-Label	Format	Dec
cfc_cfnbr	Next Nbr	Nbr	99999999	
cfc_ex_round	Round Factor		->9	
cfc_ex_tol	Exchange Tolerance		>9.99%	2
cfc_incl_ap	Include AP		yes/no	
cfc_incl_ar	Include AR		yes/no	
cfc_incl_cf	Include Misc Cash Flow		yes/no	
cfc_incl_fs	Include FS		yes/no	
cfc_incl_po	Include PO		yes/no	
cfc_incl_qad01	Include		yes/no	
cfc_incl_qad02	Include		yes/no	
cfc_incl_so	Include SO		yes/no	
cfc_index1	Index		>>>>9	
cfc_nbr_pre	Item Prefix	Pre	x(3)	
cfc_user1	Ufld1		x(8)	
cfc_user2	Ufld2		x(8)	
cfc_chr01			x(8)	
cfc_chr02			x(8)	
cfc_chr03			x(8)	
cfc_chr04			x(8)	
cfc_chr05			x(8)	
cfc_dec01			>>>, >>>, >>9.99	10
cfc_dec02			>>>, >>>, >>9.99	10
cfc_dte01			99/99/99	
cfc_dte02			99/99/99	
cfc_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cfc_index1	yes	cfc_index1	yes	no

cf_mstr

Cash Flow Master

Field Name	Label	Col-Label	Format	Dec
cf_bank	Bank		x(2)	
cf_cmtindx	Comment Index	Comment	>>>>>>9	
cf_cum_amt	Cumulative Amount		->>>>, >>>, >>9.99<<<	2
cf_curr	Currency	Cur	x(3)	
cf_date	Date Entered		99/99/99	
cf_desc1	Description		x(24)	
cf_desc2			x(24)	
cf_due_date	Due Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
cf_entity	Entity		x(4)	
cf_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
cf_expt_amt	Expected Amount		->>>>, >>>, >>9.99<<<	2
cf_expt_date	Expect Date	Expect	99/99/99	
cf_exru_seq	Sequence		>>>>>>>9	
cf_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
cf_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
cf_ex_ratetype	Rate Type		x(8)	
cf_lastedit	Last Edit	Last	99/99/99	
cf_ldue_date	Last Due Date	Last Due	99/99/99	
cf_nbr	Cash Number	Cash Nbr	x(8)	
cf_ref	Reference		x(18)	
cf_ref_amt	Reference Amount		->>>>, >>>, >>9.99<<<	2
cf_type	Type	T	Source/Use	
cf_user1	Ufld1		x(8)	
cf_user2	Ufld2		x(8)	
cf_userid	User ID		x(8)	
cf__chr01			x(8)	
cf__chr02			x(8)	
cf__chr03			x(8)	
cf__chr04			x(8)	
cf__chr05			x(8)	
cf__dec01			>>>, >>>, >>9.99	10
cf__dec02			>>>, >>>, >>9.99	10
cf__dte01			99/99/99	
cf__dte02			99/99/99	
cf__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cf_nbr	yes	cf_nbr	yes	no
cf_type_date	no	cf_type	yes	no
		cf_due_date	yes	no
		cf_expt_date	yes	no

chg_mstr Line Changeover Master

Field Name	Label	Col-Label	Format	Dec
chg_from	From Item	From	x(18)	
chg_line	Production Line	line	x(8)	
chg_site	Site		x(8)	
chg_start	Start Time	Start	->>, >>9.99	2
chg_time	Change Over Time	Change	->>, >>9.99	2
chg_to	To Item	To	x(18)	
chg_user1	Ufld1		x(8)	
chg_user2	user2		x(8)	
chg__chr01			x(8)	
chg__chr02			x(8)	
chg__chr03			x(8)	
chg__chr04			x(8)	
chg__chr05			x(8)	
chg__dec01			>>>, >>>, >>9.99	10

56 chm_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* chg_line	yes	chg_site	yes	no
		chg_line	yes	no
		chg_from	yes	no
		chg_to	yes	no

chm_mstr Service/Support Call History Master

Field Name	Label	Col-Label	Format	Dec
chm_3rd_party	Third Party Service		yes/no	
chm_3rd_party_id	Third Party ID		x(12)	
chm_ack_cmtindx			>>>>>>>>9	
chm_ack_letter	Send Ack Letter		yes/no	
chm_area	Area		x(8)	
chm_assign	Assigned		x(8)	
chm_bill	Bill-To		x(8)	
chm_category	Category		x(8)	
chm_channel	Channel		X(8)	0
chm_cline	Contract Line		>>9	
chm_cls_date	Closed Date	ClS Date	99/99/99	
chm_cls_time	Closed Time	ClS Time	99:99	
chm_cmtindx	Index		>>>>>>>9	
chm_code			x(8)	
chm_comp_date	Complete Date		99/99/99	
chm_comp_time	Complete Time		99:99	
chm_contract	Contract		x(8)	
chm_created	Created	Cr	x(3)	
chm_cr_terms	Terms		x(8)	
chm_curr	Currency	Cur	x(3)	
chm_customer	Customer		X(8)	
chm_date_stmp	Date		99/99/99	
chm_desc	Description		x(60)	
chm_ecmtindx			>>>>>>9	
chm_enddown_date	End Down		99/99/99	
chm_enddown_time	Time		99:99	
chm_eng_area	Engineer Area		x(8)	
chm_eng_group	Group		x(8)	
chm_enter_by	Entered by		x(8)	
chm_ent_ex	Exchange Rate		>>, >>9.99999<<<	10
chm_est_time	Estimated Length		999:99	
chm_es_nbr	Escalation	Esc	x(8)	
chm_es_seq	Sequence	Seq	>>9	
chm_eu_date	End User Date		99/99/99	
chm_eu_nbr	End User		x(8)	
chm_eu_time	End User Time		99:99	
Δ chm_eu_timezone	End User Time Zone		X(8)	
chm_exru_seq	Sequence		>>>>>>>9	
chm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
chm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
chm_ex_ratetype	Rate Type		x(8)	
chm_fix_rate	Fixed Rate		yes/no	
chm_fn_nbr	Field Notification		x(8)	
chm_from_que	From Que	Fr Que	x(8)	
chm_inc_stats	Include in Stats		yes/no	

Field Name	Label	Col-Label	Format	Dec
chm_int_type	Work Code	WK Code	x(8)	
chm_inv_draft			yes/no	
chm_lang	Language		X(2)	
chm_name	Caller Name	Name	x(24)	
chm_nbr	Call Id		x(8)	
chm_opn_date	Call Date	Opn Date	99/99/99	
chm_opn_time	Time Opened	Tm Open	x(8)	
chm_part	Part No		x(18)	
chm_phone	Phone		x(16)	
chm_po_nbr	PO		x(22)	
chm_printed	Call Printed		yes/no	
chm_problem			x(8)	
chm_pr_list	Price List		x(8)	
chm_qo_cmtidx			>>>>>>>>g	
chm_que	Queue		x(8)	
chm_quote	Quote Required		yes/no	
chm_quote_curr	Currency	Cur	x(3)	
chm_quote_exp	Quote Expires		99/99/99	
chm_quote_nbr	Quote Number	Quote	X(8)	
chm_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>g	
chm_repair_ctr			yes/no	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_res_cmtidx			>>>>>g	
chm_rev	Rev Level	Rev	x(10)	
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
Δ chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdown_date	Start Down		99/99/99	
chm_stdown_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	
chm_stjob_time	Start Time		99:99	
chm_svc_type			x(1)	
chm_sv_code	Service Type	Svc Type	x(8)	
chm_taxable	Taxable	Tax	yes/no	
chm_taxc	Tax Class	TxC	x(3)	
chm_tax_date	Tax Date		99/99/99	
chm_tax_env	Tax Environment		X(16)	
chm_tax_pct	Tax Percent		->>9.99%	2
chm_tax_usage	Tax Usage		X(8)	
chm_time_log	Time Spent		>>9.99	2
chm_time_stmp	Time		99:99	
chm_to_que	To Queue	Queue	x(8)	

58 chm_mstr

Field Name	Label	Col-Label	Format	Dec
chm_trv_dist	Travel Dist	Trvl Dst	->,>>>,>>9	
chm_trv_time	Travel Time		99:99	
chm_trv_um	Travel UM	UM	x(2)	
chm_type	Type		x(8)	
chm_user1	user1		x(8)	
chm_user2	user2		x(8)	
chm_wo_lot	WO ID		x(8)	
chm_wo_nbr	Work Order		x(18)	
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>,>>>,>>9.99	10
chm__dec02			->>>,>>>,>>9.99	10
chm__dec03			->>>,>>>,>>9.99	10
chm__dte01			99/99/99	
chm__dte02			99/99/99	
chm__dte03			99/99/99	
chm__dte04			99/99/99	
chm__dte05			99/99/99	
chm__log01			yes/no	
chm__log02			yes/no	
chm__log03			yes/no	
chm__log04			yes/no	
chm__log05			yes/no	
chm__qadc03	QAD Character Field 3		X(8)	
◇ chm__qadc04	QAD Character Field 4		x(8)	
◇ chm__qadc05	QAD Character Field 5		x(8)	
◇ chm__qadc06	QAD Character Field 6		x(8)	
chm__qadd01	QAD Date Field 1		99/99/99	
chm__qadd02	QAD Date Field 2		99/99/99	
chm__qadd03	QAD Date Field 3		99/99/99	
chm__qadde01	QAD Decimal Field 1		->>,>>9.99	10
chm__qadde02	QAD Decimal Field 2		->>,>>9.99	10
chm__qadde03	QAD Decimal Field 3		->>,>>9.99	10
chm__qadi01	QAD Integer Field 1		>>>>>>>9	
chm__qadi02	QAD Integer Field 2		->,>>>,>>9	
chm__qadi03	QAD Integer Field 3		->,>>>,>>9	
chm__qadi02	QAD Logical Field 2		yes/no	
chm__qadi03	QAD Logical Field 3		yes/no	
Δ chm__qadi04	QAD Logical Field 4		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
chm_assign	no	chm_assign	yes	no
chm_cls_date	no	chm_cls_date	yes	no
		chm_nbr	yes	no
chm_contract	no	chm_contract	yes	no
		chm_opn_date	yes	no
chm_eu_nbr	no	chm_eu_nbr	yes	no
		chm_category	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* chm_nbr	yes	chm_nbr	yes	no
		chm_category	yes	no
		chm_nbr	yes	no
		chm_opn_date	yes	no
chm_opn_date	no	chm_opn_date	yes	no
		chm_opn_time	yes	no
chm_part	no	chm_part	yes	no
		chm_serial	yes	no
		chm_ref	yes	no
chm_que	no	chm_category	yes	no
		chm_que	yes	no
chm_sr	no	chm_sr	yes	no

ckd_det

Check Detail – Accounts Payable

Field Name	Label	Col-Label	Format	Dec
ckd_acct	Account		x(8)	
ckd_amt	Amount		->>>>, >>>, >>9.99	10
ckd_cc	Cost Ctr	CC	x(4)	
ckd_cur_amt	Currency Amount		->>>>, >>>, >>9.99	10
ckd_cur_disc	Currency Discount		->>>>, >>>, >>9.99	10
ckd_disc	Disc Amount		->>>>, >>>, >>9.99	10
ckd_dy_code	Daybook		x(8)	
ckd_dy_num	Entry Number		x(40)	
ckd_entity	Entity		x(8)	
ckd_exru_seq	Sequence		>>>>>>>9	
ckd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ckd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ckd_ex_ratetype	Rate Type		x(8)	
ckd_project	Project		x(8)	
ckd_ref	Reference		x(8)	
ckd_type	Type	T	x(2)	
ckd_user1	Ufld1		x(8)	
ckd_user2	Ufld2		x(8)	
ckd_voucher	Voucher		x(8)	
ckd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ckd_dy	no	ckd_dy_code	yes	no
		ckd_dy_num	yes	no
* ckd_ref	yes	ckd_ref	yes	no
		ckd_voucher	yes	no
		ckd_type	yes	no
		ckd_entity	yes	no
		ckd_acct	yes	no
		ckd_cc	yes	no
		ckd_project	yes	no
ckd_voucher	no	ckd_voucher	yes	no

60 cksd_det

cksd_det Check Status Detail

Field Name	Label	Col-Label	Format	Dec
cksd_acct	Account		x(8)	
cksd_batch	Batch		x(8)	
cksd_cc	Cost Center	CC	x(4)	
cksd_exru_seq	Sequence		>>>>>>>9	
cksd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
cksd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
cksd_ex_ratetype	Rate Type		x(8)	
cksd_line	Line		>>>>>>9	
cksd_nbr	Check		999999	
cksd_user1	Ufld1		x(8)	
cksd_user2	Ufld2		x(8)	
cksd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cksd_batch	yes	cksd_batch	yes	no
		cksd_line	yes	no
		cksd_nbr	yes	no
cksd_nbr	no	cksd_nbr	yes	no

ck_mstr Check Master – Accounts Payable

Field Name	Label	Col-Label	Format	Dec
ck_bank	Bank	Bk	x(2)	
ck_clr_date	Clear Date	Clear	99/99/99	
ck_cmtindx	Comment Index	Comment	>>>>>>>9	
ck_curr	Currency	Cur	x(3)	
ck_exru_seq	Sequence		>>>>>>>9	
ck_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
ck_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
ck_ex_ratetype	Rate Type		x(8)	
ck_nbr	Check		999999	
ck_ref	Reference		x(8)	
ck_status	Status		x(8)	
ck_type	Check Type	T	x(2)	
ck_user1	Ufld1		x(8)	
ck_user2	Ufld2		x(8)	
ck_voiddate	Void Date	Void Dt	99/99/99	
ck_voideff	Void Eff		99/99/99	
ck__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ck_nbr_bank	yes	ck_nbr	yes	no
		ck_bank	yes	no
* ck_ref	yes	ck_ref	yes	no

clc_ctrl Compliance Control File

Field Name	Label	Col-Label	Format	Dec
clc_active	Compliance Active	Cmpl	yes/no	
clc_comp_issue	Modify Component Issue	Cmplss	yes/no	
clc_index1	Index		>>>>9	
clc_jp_rcpt	Modify Co/By Product Receipts	CT	yes/no	
clc_lotlevel	Lot Control Level	LCL	9	
clc_polot_rcpt	Single Lot Per PO Receipt	Lot/PO	yes/no	
clc_relot_rcpt	Single Lot per REPET Receipt	Lot/REP	yes/no	
clc_user1	user1		x(8)	
clc_user2	user2		x(8)	
clc_wolot_rcpt	Single Lot per WO Receipt	Lot/WO	yes/no	
clc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* clc_index1	yes	clc_index1	yes	no

cls_mstr Class Master

Field Name	Label	Col-Label	Format	Dec
cls_acct	Asset Account	Account	x(8)	
cls_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
cls_class	Class	Cls	x(3)	
cls_desc	Description		x(24)	
cls_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
cls_mod_date	Modified Date	Mod Date	99/99/99	
cls_user1	user1		x(8)	
cls_user2	user2		x(8)	
cls_userid	User ID		x(8)	
cls__qad01			yes/no	
cls__qad02			x(8)	
cls__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cls_class	yes	cls_class	yes	no

cmc_ctrl Customer Control File

Field Name	Label	Col-Label	Format	Dec
cmc_index1	Index		>>>>9	
cmc_nbr	Next Customer		99999999	
cmc_user1	Ufld1		x(8)	
cmc_user2	Ufld2		x(8)	
cmc__qadc01			x(8)	

62 cmd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* cmd_index1	yes	cmd_index1	yes	no

cmd_det Enterprise Material Transfer – Change Management Detail

Field Name	Label	Col-Label	Format	Dec
cmd_field	Field		x(24)	
cmd_file	File Name	File	x(32)	
cmd_key_val	Index Key Values	Values	x(32)	
cmd_mod_date			99/99/99	
cmd_mod_userid			x(16)	
cmd_ref_date	Reference Date		99/99/99	
cmd_ref_time	Reference Time		>>>>>9	
cmd_trans_nbr	Transaction Number	Trans	>>>>>>9	
cmd_user1			x(8)	
cmd_user2			x(8)	
cmd_val	Field Value	Value	x(18)	
cmd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cmd_trans_nbr	yes	cmd_trans_nbr	yes	no
		cmd_file	yes	no
		cmd_field	yes	no
		cmd_key_val	yes	no

cmf_mstr Enterprise Material Transfer – Change Management Master

Field Name	Label	Col-Label	Format	Dec
cmf_doc_ref	Doc Ref	Ref	x(12)	
cmf_doc_type	Doc Type	Type	x(3)	
cmf_mod_date			99/99/99	
cmf_mod_userid			x(16)	
cmf_ref_date	Reference Date		99/99/99	
cmf_ref_time	Reference Time		>>>>>9	
cmf_so_po	Purchase Order		x(8)	
cmf_status	Status	St	x	
cmf_trans_nbr	Transaction Number	Trans	>>>>>>9	
cmf_user1	user1		x(8)	
cmf_user2	user2		x(8)	
cmf__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cmf_doc	yes	cmf_doc_type	yes	no
		cmf_doc_ref	yes	no
		cmf_status	yes	no
* cmf_trans_nbr	yes	cmf_trans_nbr	yes	no

cmh_hist Sales History – Customer

Field Name	Label	Col-Label	Format	Dec
cmh_cust	Customer		x(8)	
cmh_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
cmh_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
cmh_type	Ship Type	T	x(1)	
cmh_user1	Ufld1		x(8)	
cmh_user2	Ufld2		x(8)	
cmh_year	Year		9999	
cmh__chr01			x(8)	
cmh__chr02			x(8)	
cmh__chr03			x(8)	
cmh__chr04			x(8)	
cmh__chr05			x(8)	
cmh__chr06			x(8)	
cmh__chr07			x(8)	
cmh__chr08			x(8)	
cmh__chr09			x(8)	
cmh__chr10			x(8)	
cmh__dec01			>>>,>>>,>>9.99	10
cmh__dec02			>>>,>>>,>>9.99	10
cmh__dte01			99/99/99	
cmh__dte02			99/99/99	
cmh__log01			yes/no	
cmh__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cmh_custyear	yes	cmh_cust	yes	no
		cmh_year	yes	no
* cmh_yearcust	yes	cmh_year	yes	no
		cmh_cust	yes	no

64 cmt_det

cmt_det Transaction Comments

Field Name	Label	Col-Label	Format	Dec
cmt_cmm[15]	Comment Data		x(76)	
cmt_expire	Expire		99/99/99	
cmt_indx	Index		>>>>>>9	
cmt_lang	Language		x(2)	
cmt_print	Print Control		x(24)	
cmt_ref	Reference		x(40)	
cmt_seq	Page		>9	
cmt_start	Start		99/99/99	
cmt_type	Type	T	x(2)	
cmt_user1	Ufld1		x(8)	
cmt_user2	Ufld2		x(8)	
cmt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cmt_ref	yes	cmt_indx	yes	no
		cmt_seq	yes	no

cm_mstr Customer Master

Field Name	Label	Col-Label	Format	Dec
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->>, >>9	
cm_balance	Balance		->>, >>>, >>>, >>9.99	10
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>, >>>, >>>, >>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_db	DB Number		x(12)	
Δ cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->9.99%	2
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	2
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	2
cm_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	2
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	

Field Name	Label	Col-Label	Format	Dec
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Fr List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_high_cr	High Credit		->>,>>>,>>>,>>9	2
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>,>>>,>>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->>,>>>,>>>,>>9.99	2
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK		yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
cm_po_reqd	PO Required	PO Reqd	yes/no	
Δ cm_promo	Promotion Group		x(10)	
cm_pr_list	Disc Tbl	Disc Tbl	x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_pst	PST Taxable		yes/no	
cm_pst_id	PST ID		x(18)	
cm_region	Region		x(4)	
cm_resale	Resale		x(20)	
cm_rmks	Remarks		x(40)	
cm_sale_date	Last Sale		99/99/99	
cm_scurr	Second Cur	2nd Cur	x(3)	
cm_serv_terms	Service Terms		X(8)	
cm_ship	Ship-To		x(8)	
cm_shipvia	Ship Via		x(20)	
cm_ship_lt	Customer Shipping LT	Cust Ship LT	>>9	
cm_site	Site		x(8)	
cm_slspsn[4]	Salesperson	Salespsn	x(8)	
cm_slscct			x(8)	
cm_sort	Sort Name		x(28)	
cm_stmt	Statement	Stmt	yes/no	
cm_stmt_cyc	Stmt Cycle	Cycle	x(4)	
cm_svc_list	Service Price List		x(8)	
cm_taxable	Taxable	Tax	yes/no	
cm_taxc	Tax Class	TxC	x(3)	
cm_tax_in	Tax In		yes/no	
cm_type	Type		x(4)	
cm_user1	Ufld1		x(8)	
cm_user2	Ufld2		x(8)	
cm_userid	User ID		x(8)	
cm_xslspsn	Slspsn[1]		x(8)	
cm_xslspsn2	Slspsn[2]		x(8)	
cm__chr01			x(8)	
cm__chr02			x(8)	
cm__chr03			x(8)	
cm__chr04			x(8)	
cm__chr05			x(8)	
cm__chr06			x(8)	
cm__chr07			x(8)	
cm__chr08			x(8)	
cm__chr09			x(8)	
cm__chr10			x(8)	
cm__dec01			>>>,>>>,>>9.99	10

66 code_mstr

Field Name	Label	Col-Label	Format	Dec
cm__dec02			>>>, >>>, >>9.99	10
cm__dte01			99/99/99	
cm__dte02			99/99/99	
cm__log01			yes/no	
cm__qad01			x(8)	
cm__qad03			x(4)	
cm__qad04[3]			->9.99<%	2
cm__qad05			>	
cm__qad06			yes/no	
cm__qad07			->, >>>, >>>, >>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* cm__addr	yes	cm__addr	yes	no
cm__sort	no	cm__sort	yes	no

code_mstr Code Master

Field Name	Label	Col-Label	Format	Dec
code__cmmt	Comments		x(40)	
code__desc	Description		x(24)	
code__fldname	Field Name		x(32)	
code__user1	Ufld1		x(8)	
code__user2	Ufld2		x(8)	
code__value	Value		x(8)	
code__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* code__fldval	yes	code__fldname	yes	no
		code__value	yes	no

comd_det Commodity Code Detail File

Field Name	Label	Col-Label	Format	Dec
Δ comd__comm_code	Commodity Code		x(20)	
comd__part	Item Number		x(18)	
comd__user1			x(8)	
comd__user2			x(8)	
comd__user3			x(8)	
comd__user4			x(8)	
comd__qadc01	QAD Field		X(8)	0
comd__qadc02	QAD Field		X(8)	0
comd__qadc03	QAD Field		X(8)	0
comd__qadc04	QAD Field		X(8)	0
comd__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
comd__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
comd__qadi01			>>>>>9	
comd__qadi02			>>>>>9	

Field Name	Label	Col-Label	Format	Dec
comd__qadl01			yes/no	
comd__qadl02			yes/no	
comd__qadt01			99/99/99	
comd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* comd_comm_code	yes	comd_comm_code	yes	no
		comd_part	yes	no
comd_part	yes	comd_part	yes	no

com_mstr Commodity Code Master

Field Name	Label	Col-Label	Format	Dec
Δ com_comm_code	Commodity Code	Com Code	x(20)	
com_desc	Description		x(24)	
com_suppl	Supplementary Units Required	S	yes/no	
com_uom	Supplementary UOM	UOM	x(2)	
com_user1	Ufld1		x(8)	
com_user2	Ufld2		x(8)	
com__log01			yes/no	
com__qad01			x(8)	
com__qad02			x(8)	
com__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* com_comm_code	yes	com_comm_code	yes	no

cost_cal Cost Set Calendar

Field Name	Label	Col-Label	Format	Dec
cost_cmtindx	Comment		>>>>>>9	
cost_memo	Memo		x(24)	
cost_set	Cost Set		x(8)	
cost_site	Site		x(8)	
cost_start	Start Date	Start	99/99/99	
cost_user1	user1		x(8)	
cost_user2	user2		x(8)	
cost__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cost_cal	yes	cost_site	yes	no
		cost_set	yes	no
		cost_start	yes	no

68 co_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
* cost_date	yes	cost_start	yes	no
		cost_site	yes	no
cost_site	yes	cost_site	yes	no
		cost_start	yes	no

co_ctrl

General Ledger (Company) Control File

Field Name	Label	Col-Label	Format	Dec
co_allow_mod	Allow Changes to Module Transactions	Allow! Mod	yes/no	
co_cont_page	Continuous Page Numbers for Post Audit	Cont! Page	yes/no	
co_daily_seq	Daily/Continuous Reference Sequence		Daily/Continuous	
co_enty_bal	Balanced Entities	Bal Enty	yes/no	
co_ex_ratetype	Rate Type		x(8)	
co_fx_acct	Translation Adj Acct (IS)	Trans (IS)	x(8)	
co_index1	Index		>>>>9	
co_page_num	Last Page Number for Post Audit	Page	>>>>9	
co_pl	Profit/Loss Account (BS)	P/L Acct	x(8)	
co_ret	Retained Earnings Account	Ret Earn	x(8)	
co_trns_acct	Translation Adj Acct (BS)	Trans (BS)	x(8)	
co_user1	Ufld1		x(8)	
co_user2	Ufld2		x(8)	
co_use_cc	Use Cost Centers	Use! CC	yes/no	
co_use_sub	Use Sub-Accounts	Sub! Acct	yes/no	
co_var_acct	Unrealized Exch Gain/Loss Acct	Un Gn/Ls	x(8)	
co__qad01	Primary Statement Version	Primary! Stmt Ver	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* co_index1	yes	co_index1	yes	no

cpcd_det

Customer Period Calendar Detail File

Field Name	Label	Col-Label	Format	Dec
cpcd_cust	Customer		x(8)	
cpcd_end	Expire		99/99/99	
cpcd_per	Period		>>9	
cpcd_start	Start		99/99/99	
cpcd_type	Period Type	Type	x(1)	
cpcd_user1	user1		x(8)	
cpcd_user2	user2		x(8)	
cpcd_year	Year		9999	
cpcd__chr01			x(8)	
cpcd__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
cpcd__chr03			x(8)	
cpcd__chr04			x(8)	
cpcd__dec01			->>, >>9.99	2
cpcd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cpcd_per	yes	cpcd_cust	yes	no
		cpcd_year	yes	no
		cpcd_type	yes	no
		cpcd_per	yes	no

cpc_mstr Customer Period Calendar Master File

Field Name	Label	Col-Label	Format	Dec
cpc_cust	Customer		x(8)	
cpc_desc	Description	Desc	x(24)	
cpc_mod_date	Modified Date	Mod Date	99/99/99	
cpc_type	Period Type	Type	x(1)	
cpc_user1	user1		x(8)	
cpc_user2	user2		x(8)	
cpc_userid	User ID		x(8)	
cpc_year	Year		9999	
cpc__chr01			x(8)	
cpc__chr02			x(8)	
cpc__chr03			x(8)	
cpc__chr04			x(8)	
cpc__dec01			->>, >>9.99	2
cpc__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* cpc_cust	yes	cpc_cust	yes	no
		cpc_year	yes	no
		cpc_type	yes	no

cph_hist Sales History – Customer-Item

Field Name	Label	Col-Label	Format	Dec
cph_cost[12]	Cost		->>>>, >>>, >>9	10
cph_cust	Customer		x(8)	
cph_part	Item Number		x(18)	
cph_pl	Product Line		x(4)	
cph_qty[12]	Quantity		->, >>>, >>9	10
cph_sales[12]	Sales		->>>>, >>>, >>9	10
cph_ship	Ship-To		x(8)	
cph_site	Site		x(8)	
cph_smonth	Start Month		>9	
cph_tot_cost	YTD Cost		->>, >>>, >>>, >>9	10
cph_tot_qty	YTD Quantity		->>>, >>>, >>9	10

70 cp_mstr

Field Name	Label	Col-Label	Format	Dec
cph_tot_sale	YTD Sales		-->>, >>>, >>>, >>9	10
cph_type	Ship Type	T	x(1)	
cph_user1	Ufld1		x(8)	
cph_user2	Ufld2		x(8)	
cph_year	Year		9999	
cph__chr01			x(8)	
cph__chr02			x(8)	
cph__chr03			x(8)	
cph__chr04			x(8)	
cph__chr05			x(8)	
cph__dec01[12]			>>>>, >>>, >>9.99	10
cph__dec02[12]			>>>>, >>>, >>9.99	10
cph__dte01			99/99/99	
cph__dte02			99/99/99	
cph__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
cph_cust	yes	cph_cust	yes	no
		cph_ship	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
		cph_site	yes	no
* cph_part	no	cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no

cp_mstr Customer Item Master

Field Name	Label	Col-Label	Format	Dec
cp_comment	Comment		x(40)	
cp_cust	Customer		x(8)	
cp_cust_eco	Customer Item ECO Nbr		x(8)	
cp_cust_part	Customer Item		x(30)	
cp_cust_partd	Display Customer Item		x(30)	
cp_mod_date	Modified Date	Mod Date	99/99/99	
cp_part	Item Number		x(18)	
cp_pkg_code	Pkg Code		x(18)	
cp_user1	Ufld1		x(8)	
cp_user2	Ufld2		x(8)	
cp_userid	User ID		x(8)	
cp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cp_cust	yes	cp_cust	yes	no
		cp_cust_part	yes	no
cp_part_cust	no	cp_part	yes	no
		cp_cust	yes	no

crc_ctrl Carrier Control File

Field Name	Label	Col-Label	Format	Dec
crc_index1			>>>>>9	
crc_nbr	Next Carrier		99999999	
crc_user1	user1		x(8)	
crc_user2	user2		x(8)	
crc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* crc_index1	yes	crc_index1	yes	no

cref_mstr Service/Support Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
cref_cset	Cost Set		x(8)	
cref_item1	Item 1		x(18)	
cref_item2	Item 2		x(18)	
cref_item3	Item 3		x(18)	
cref_item4	Item 4		x(18)	
cref_qad_date1	Qad Date 1		99/99/99	
cref_qad_date2	Qad Date 2		99/99/99	
cref_qad_dec01	Qad Decimal 1		->>,>>9.99	2
cref_qad_dec02	Qad Decimal 2		->>,>>9.99	2
cref_qad_log01	Qad Field 1		yes/no	
cref_qad_log02	Qad Logical 2		yes/no	
cref_ref_type	Reference Type		x(8)	
cref_user1	user1		x(8)	
cref_user2	user2		x(8)	
cref__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cref_item12	yes	cref_ref_type	yes	no
		cref_item1	yes	no
		cref_item2	yes	no

csa_mstr Controlled Substance Authority File

Field Name	Label	Col-Label	Format	Dec
csa_auth	Authority	Auth	x(8)	
csa_cmtindx	Comment Index	Comments	>>>>>>>9	
csa_group	Group		x(8)	
csa_name	Name		x(28)	
csa_type	Type		x(8)	
csa_user1	user1		x(8)	
csa_user2	user2		x(8)	
csa__qadc01			x(8)	

72 csbd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* csa_auth	yes	csa_auth	yes	no
csa_group	no	csa_group	yes	no
csa_name	no	csa_name	yes	no

csbd_det Customer/Supplier Bank Detail

Field Name	Label	Col-Label	Format	Dec
csbd_addr	Address		x(8)	
csbd_bank	Bank		x(8)	
csbd_beg_date	Beginning Date	Begin! Date	99/99/99	
csbd_bk_acct	Bank Account		x(23)	
csbd_branch	Branch		x(8)	
csbd_edl	EDI		x(8)	
csbd_end_date	Ending Date	End! Date	99/99/99	
csbd_mod_date	Modified Date	Mod Date	99/99/99	
csbd_type	Account Type	Acct! Type	x(3)	
csbd_user1	Ufld1		x(8)	
csbd_user2	Ufld2		x(8)	
csbd_userid	UserID		x(8)	
csbd__chr01			x(8)	
csbd__chr02			x(8)	
csbd__chr03			x(8)	
csbd__chr04			x(8)	
csbd__chr05			x(8)	
csbd__dec01			-->>>, >>>, >>9.99	10
csbd__dec02			-->>>, >>>, >>9.99	10
csbd__dte01			99/99/99	
csbd__dte02			99/99/99	
csbd__log01			yes/no	
csbd__log02			yes/no	
csbd__qad01			x(8)	
csbd__qad02			x(8)	
csbd__qad03			-->>>, >>>, >>9.99	10
csbd__qad04			-->>>, >>>, >>9.99	10
csbd__qad05			99/99/99	
csbd__qad06			99/99/99	
csbd__qad07			yes/no	
csbd__qad08			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
csbd_bk_addr	no	csbd_bank	yes	no
		csbd_addr	yes	no
* csbd_ind1	yes	csbd_addr	yes	no
		csbd_bank	yes	no
		csbd_type	yes	no

csc_mstr Controlled Substance Customer File

Field Name	Label	Col-Label	Format	Dec
csc_addr	Address Code	Address	x(8)	
csc_auth	Authority	Auth	x(8)	
csc_cmtindx	Comment Index	Comments	>>>>>>9	
csc_ctrl	Control Number		x(20)	
csc_etry_code	Country	Ctry	x(3)	
csc_end	End Date	End	99/99/99	
csc_start	Start Date	Start	99/99/99	
csc_user1	user1		x(8)	
csc_user2	user2		x(8)	
csc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csc_addr_auth	no	csc_addr	yes	no
		csc_auth	yes	no
csc_ctrl_addr	no	csc_ctrl	yes	no
		csc_addr	yes	no
* csc_etry_auth	yes	csc_etry_code	yes	no
		csc_auth	yes	no
		csc_addr	yes	no

csid_det Controlled Substance Item Detail File

Field Name	Label	Col-Label	Format	Dec
csid_addr1	Address Code	Address	x(8)	
csid_addr2	Address Code	Address	x(8)	
csid_addr3	Address Code	Address	x(8)	
csid_auth	Authority	Auth	x(8)	
csid_class	Class		x(8)	
csid_ctrl	Control Number		x(20)	
csid_etry_code	Country	Ctry	x(3)	
csid_end	End Date	End	99/99/99	
csid_intrastat	Intrastat Item		yes/no	
csid_orig_etry	Originating Country	Ctry	x(3)	
csid_orig_pct	Originating Percent	Pct	>>9.99	2
csid_part	Item Number		x(18)	
csid_pref	Preference Criteria		x(8)	
csid_start	Start Date	Start	99/99/99	
csid_status	Status		x(8)	
csid_user1	user1		x(8)	
csid_user2	user2		x(8)	
csid__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csid_ctrl_part	no	csid_ctrl	yes	no
		csid_part	yes	no
* csid_etry_auth	yes	csid_etry_code	yes	no
		csid_auth	yes	no
		csid_ctrl	yes	no

74 csil_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
csid_part_auth	yes	csid_part	yes	no
		csid_part	yes	no
		csid_etry_code	yes	no
		csid_auth	yes	no

csil_mstr Individual License Master File

Field Name	Label	Col-Label	Format	Dec
csil_addr1	Licensee Address	Licensee	x(8)	
csil_addr2	Producer Address	Producer	x(8)	
csil_addr3	Intermediate Consignee Addr	Int Con	x(8)	
csil_addr4	Final Consignee Address	Fin Con	x(8)	
csil_auth	Authority	Auth	x(8)	
csil_cmtindx	Comment Index	Comments	>>>>>>9	
csil_etry_code	Country	Ctry	x(3)	
csil_end	End Date	End	99/99/99	
csil_licen	License Number		x(30)	
csil_start	Start Date	Start	99/99/99	
csil_user1	user1		x(8)	
csil_user2	user2		x(8)	
csil__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
csil_addr4_licen	no	csil_addr4	yes	no
* csil_etry_auth	yes	csil_licen	yes	no
		csil_etry_code	yes	no
		csil_auth	yes	no
		csil_licen	yes	no
csil_licen	no	csil_licen	yes	no

csim_mstr Controlled Substance Item Master

Field Name	Label	Col-Label	Format	Dec
csim_auth	Authority	Auth	x(8)	
csim_cmtindx	Comment Index	Comments	>>>>>>9	
csim_ctrl	Control Number		x(20)	
csim_etry_code	Country	Ctry	x(3)	
csim_desc	Description		x(28)	
csim_um	Unit of Measure	UM	x(2)	
csim_user1	user1		x(8)	
csim_user2	user2		x(8)	
csim__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cslm_auth_ctrl	no	cslm_auth	yes	no
		cslm_ctrl	yes	no
* cslm_etry_auth	yes	cslm_etry_code	yes	no
		cslm_auth	yes	no
		cslm_ctrl	yes	no
cslm_desc	no	cslm_auth	yes	no
		cslm_desc	yes	no

cslm_det

Individual License Detail File

Field Name	Label	Col-Label	Format	Dec
cslm_auth	Authority	Auth	x(8)	
cslm_cmtindx	Comment Index	Comments	>>>>>>9	
cslm_etry_code	Country	Ctry	x(3)	
cslm_curr	Currency	Cur	x(3)	
cslm_licen	License Number		x(30)	
cslm_max_amt	Max Amount		>>>, >>>, >>9.99<<<	2
cslm_max_qty	Max Quantity		>>>, >>>, >>9	
cslm_part	Item Number		x(18)	
cslm_tot_amt	Total Amount		>>>, >>>, >>9.99<<<	2
cslm_tot_qty	Total Quantity		>>>, >>>, >>9	
cslm_user1	user1		x(8)	
cslm_user2	user2		x(8)	
cslm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cslm_etry_auth	yes	cslm_etry_code	yes	no
		cslm_auth	yes	no
		cslm_licen	yes	no
		cslm_part	yes	no
cslm_licen_part	no	cslm_licen	yes	no
		cslm_part	yes	no
cslm_part_licen	no	cslm_part	yes	no
		cslm_licen	yes	no

cslm_mstr

General License Master File

Field Name	Label	Col-Label	Format	Dec
cslm_auth	Authority	Auth	x(8)	
cslm_cmtindx	Comment Index	Comments	>>>>>>9	
cslm_ctrl	Control Num / ECCN		x(20)	
cslm_etry_code	Country	Ctry	x(3)	
cslm_curr	Currency	Cur	x(3)	
cslm_end	End Date	End	99/99/99	
cslm_group	Country Groups		x(60)	
cslm_licen	License Number		x(30)	
cslm_max_amt	Max Amount		>>>, >>>, >>9.99<<<	2
cslm_max_qty	Max Quantity		>>>, >>>, >>9	

76 cssi_det

Field Name	Label	Col-Label	Format	Dec
cslm_start	Start Date	Start	99/99/99	
cslm_tot_amt	Total Amount		>>>>, >>>, >>9.99<<<	2
cslm_tot_qty	Total Quantity		>>>, >>>, >>9	
cslm_user1	user1		x(8)	
cslm_user2	user2		x(8)	
cslm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cslm_ctrl_licen	no	cslm_ctrl	yes	no
		cslm_licen	yes	no
* cslm_etry_auth	yes	cslm_etry_code	yes	no
		cslm_auth	yes	no
		cslm_licen	yes	no
		cslm_ctrl	yes	no
cslm_grp	no	cslm_group	yes	no

cssi_det Cost-Site Detail

Field Name	Label	Col-Label	Format	Dec
cssi_active	Active	Act	yes/no	
cssi_cur	Currency	Cur	x(3)	
cssi_mod_date	Modified Date	Mod Date	99/99/99	
cssi_set	Cost Set		x(8)	
cssi_site	Site		x(8)	
cssi_user1	Ufld1		x(8)	
cssi_user2	Ufld2		x(8)	
cssi_userid	User ID		x(8)	
cssi__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cssi_set_site	yes	cssi_set	yes	no
		cssi_site	yes	no
		cssi_active	yes	no
* cssi_site_set	yes	cssi_site	yes	no
		cssi_set	yes	no
		cssi_active	yes	no

css_mstr Controlled Substance Site File

Field Name	Label	Col-Label	Format	Dec
css_auth	Authority	Auth	x(8)	
css_cmtindx	Comment Index	Comments	>>>>>>>9	
css_ctrl	Control Number		x(20)	
css_etry_code	Country	Ctry	x(3)	
css_end	End Date	End	99/99/99	
css_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
css_start	Start Date	Start	99/99/99	
css_user1	user1		x(8)	
css_user2	user2		x(8)	
css__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
css_ctrl_site	no	css_ctrl	yes	no
		css_site	yes	no
* css_ctry_auth	yes	css_ctry_code	yes	no
		css_auth	yes	no
		css_site	yes	no
css_site_auth	no	css_site	yes	no
		css_auth	yes	no

cst_mstr Fixed Asset Custodian Master

Field Name	Label	Col-Label	Format	Dec
cst_cust	Custodian		x(12)	
cst_desc	Description		x(30)	
cst_user1	user1		x(8)	
cst_user2	user2		x(8)	
cst__qad01			x(8)	
cst__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cst_cust	yes	cst_cust	yes	no
cst_desc	no	cst_desc	yes	no
		cst_cust	yes	no

78 cs_mstr

cs_mstr Cost Set Master

Field Name	Label	Col-Label	Format	Dec
cs_desc	Description		x(24)	
cs_method	Costing Method	Mthd	x(4)	
cs_set	Cost Set		x(8)	
cs_type	Cost Set Type	Type	x(4)	
cs_user1	user1		x(8)	
cs_user2	user2		x(8)	
cs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cs_set	yes	cs_set	yes	no
cs_type	yes	cs_type	yes	no
		cs_set	yes	no

ctd_det Credit Terms Detail

Field Name	Label	Col-Label	Format	Dec
ctd_code	Terms Code	Terms	x(8)	
ctd_date_cd	Dating Code	Dating	x(8)	
ctd_pct_due	% Due		-->9.99	2
ctd_seq	Sequence	Seq	>>9	
ctd_user1	Ufld1		x(8)	
ctd_user2	Ufld2		x(8)	
ctd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ctd_cdseq	yes	ctd_code	yes	no
		ctd_seq	yes	no

ctry_mstr Country Master

Field Name	Label	Col-Label	Format	Dec
ctry_cmtindx	Comment Index	Comment	>>>>>>9	
ctry_code1	Alternate Code	Alt.! Code	x(2)	
ctry_country	Name		x(28)	
ctry_ctry_code	Country Code	Ctry	x(3)	
ctry_dea_flag	DEA Country	DEA	yes/no	
ctry_ec_flag	EC Country	EC	yes/no	
ctry_gatt_flag	GATT Country	GATT	yes/no	
ctry_group	Country Group	Group	x(8)	
ctry_nafta_flag	NAFTA Country	NAFTA	yes/no	
ctry_type	Country Type	Type	x(8)	
ctry_user1	Ufld1		x(8)	
ctry_user2	Ufld2		x(8)	
ctry__chr01			x(8)	
ctry__log01			yes/no	
ctry__qad01			x(8)	

Field Name	Label	Col-Label	Format	Dec
ctry__qad02			x(8)	
ctry__qad03			x(8)	
ctry__qad04			yes/no	
ctry__qad05			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ctry_code1	no	ctry_code1	yes	no
ctry_country	yes	ctry_country	yes	no
* ctry_ctry_code	yes	ctry_ctry_code	yes	no
ctry_ec_flag	no	ctry_ec_flag	yes	no

ct_mstr

Credit Terms Master

Field Name	Label	Col-Label	Format	Dec
ct_base_date	Base Date		99/99/99	
ct_base_days	Base Days		-->9	
ct_code	Terms Code	Terms	x(8)	
ct_dating	Multiple Due Dates		yes/no	
ct_desc	Description		x(24)	
ct_disc_date	Disc Date		99/99/99	
ct_disc_days	Disc Days	Disc! Days	-->9	2
ct_disc_pct	Disc %		-->>9.99%	2
ct_due_date	Due Date		99/99/99	
ct_due_days	Due Days	Due! Days	-->9	2
ct_due_inv	Due Date From	Start! Due	>9	
ct_from_inv	Disc Date From	Start! Disc	>9	
ct_grace_days	Grace Days		-->9	
ct_late_int	Daily Overdue Int Pct	Daily! Overdue! Int Pct	-->>9.99	2
ct_min_days	Minimum Due Days		-->9	
ct_mod_date	Modified Date	Mod Date	99/99/99	
ct_terms_int	Terms Interest Pct	Trms Int%	-->>9.99	2
ct_user1	Ufld1		x(8)	
ct_user2	Ufld2		x(8)	
ct_userid	User ID		x(8)	
ct_xdue_inv	Due Date From Invoice/EOM	Start! Due	Invoice/EOM	
ct_xfrom_inv	Disc Date From Invoice/EOM	Start! Disc	Invoice/EOM	
ct__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ct_code	yes	ct_code	yes	no
ct_desc	yes	ct_desc	yes	no
		ct_code	yes	no

80 cu_mstr

cu_mstr Currency Master

Field Name	Label	Col-Label	Format	Dec
cu_active	Active		yes/no	
cu_curr	Currency	Cur	x(3)	
cu_desc	Description		x(24)	
cu_ex_rnd_acct	Exchange Rounding Account	Exch Rnd	x(8)	
cu_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
cu_mod_date	Modified Date		99/99/99	
cu_mod_userid	User ID		x(8)	
cu_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
cu_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
cu_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
cu_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
cu_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
cu_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
cu_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
cu_ulos_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
cu_ulos_cc	Unrealized Exchange Loss CC	CC	x(4)	
cu_user1	Ufld1		x(8)	
cu_user2	Ufld2		x(8)	
cu_qadc01			x(8)	
cu_qadd01			>>,>>9.9999<<<<<	10
cu_qadl01			yes/no	
cu_qadt01			99/99/99	
cu_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cu_curr	yes	cu_curr	yes	no

dbk_mstr Depreciation Book Master

Field Name	Label	Col-Label	Format	Dec
dbk_bank	Bank	Bk	x(2)	
dbk_beg_dt	Depreciation Year Starts	Year! Starts	99/99/99	
dbk_book	Book		x(8)	
dbk_curr	Currency	Cur	x(3)	
dbk_curr_pd	Current Depreciation Period	Cur! Pd	999	
dbk_desc	Description		x(24)	
dbk_entity	Entity	Enty	x(4)	
dbk_mod_date	Modified Date	Mod Date	99/99/99	
dbk_pd_taken	Depr Periods Taken YTD	YTD! Pds	999	
dbk_pd_yr	Depreciation Periods per Year	Pds! Year	999	
dbk_post	Post to General Ledger	Post	yes/no	
dbk_rep_cost	Use Current Costs	Curr! Cost	yes/no	
dbk_user1	user1		x(8)	

Field Name	Label	Col-Label	Format	Dec
dbk_user2	user2		x(8)	
dbk_userid	User ID		x(8)	
dbk_ytd	Depreciate Using YTD Amounts	YTD	yes/no	
dbk__qad01			yes/no	
dbk__qad02			x(8)	
dbk__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dbk_bk_ent	yes	dbk_book	yes	no
		dbk_entity	yes	no
dbk_post	no	dbk_entity	yes	no
		dbk_post	yes	no

dbb_mstr Database Revision Control File

Field Name	Label	Col-Label	Format	Dec
dbb_date	Date		99/99/99	
dbb_major	Major Revision Number	Major	>>9.9	2
dbb_minor	Minor Revision Number	Minor	x(8)	
dbb_status	Conversion Status	Status	x(8)	
dbb_time	Time		>,>>>,>>9	
dbb_user1	User1		x(8)	
dbb_user2	User2		x(8)	
dbb_userid	User Id		x(8)	
dbb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dbb_rev	yes	dbb_major	no	no
		dbb_minor	no	no

dc_mstr Database Connection Master

Field Name	Label	Col-Label	Format	Dec
dc_active	Active	Act	yes/no	
dc_cmtindx	Comment Index	Comment	>>>>>>9	
dc_desc	Description		x(24)	
dc_dir	Database Directory		x(50)	
dc_host	Host		x(24)	
dc_name	Database Name	DB name	x(8)	
dc_network	Network		x(8)	
dc_parmfile	Parameter File	ParmFile	x(8)	
dc_phy_name	Physical Database Name	Phys DB Name	x(12)	
dc_server	Server		x(24)	
dc_type	Type		x(8)	
dc_user1	user1		x(8)	
dc_user2	user2		x(8)	
dc_use_app	Use AppServer		yes/no	

82 ded_mstr

Field Name	Label	Col-Label	Format	Dec
dc_chr01			x(8)	
dc_chr02			x(8)	
dc_qadc01			x(8)	
dc_qadc02			x(8)	
dc_qadl01			yes/no	
dc_qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* dc_name	yes	dc_name	yes	no

ded_mstr Deduction Master

Field Name	Label	Col-Label	Format	Dec
ded_acct	Account		x(8)	
ded_base_typ	Base Type	Base	x(2)	
ded_calc	Calculation Method	Calc	x(2)	
ded_cc	Cost Ctr	CC	x(4)	
ded_ded	Deduction Code	Ded Code	x(8)	
ded_ded_base	Base Deduction Code	Base Code	x(8)	
ded_desc	Description		x(24)	
ded_dr_acct	Debit Account	Dr Acct	x(8)	
ded_dr_cc	Debit Cost Ctr	Dr CC	x(4)	
ded_freq	Frequency	Freq	x(2)	
ded_id	Employer I.D.		x(16)	
ded_max	Maximum YTD Base	Maximum	->>>, >>9.99	2
ded_min	Minimum YTD Base	Minimum	->>>, >>9.99	2
ded_order	Order of Calculation	Ord	99	
ded_pd_max	Pay Period Maximum	Pay Pd Max	->>>, >>9.99	2
ded_rate	Percentage/Rate	Rate	->>>, >>9.999<	4
ded_type	Deduction Type	Type	x(1)	
ded_user1	Ufld1		x(8)	
ded_user2	Ufld2		x(8)	
ded_wk_spec	Not Used		yes/no	
ded_qad01			yes/no	
ded_qad02			x(2)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ded_ded	yes	ded_ded	yes	no
ded_desc	no	ded_desc	yes	no
		ded_ded	yes	no
ded_order	no	ded_order	yes	no
ded_type	no	ded_type	yes	no
		ded_order	yes	no

df_mstr Document Print Format Master

Field Name	Label	Col-Label	Format	Dec
df_desc	Description		x(30)	
df_format	Document Format	Format	x(8)	
df_form_code	Form Code	Form Cd	x(2)	
df_inv	Invoice		yes/no	
df_type	Document Type		x(3)	
df_user1	user1		x(8)	
df_user2	user2		x(8)	
df__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* df_format	yes	df_type	yes	no
		df_format	yes	no

dmw_wkfl Draft Management Workfile

Field Name	Label	Col-Label	Format	Dec
dmw_amt	Amount		->>, >>>, >>>, >>9.99	2
dmw_appl	Applied Amt		->>, >>>, >>>, >>9.99	2
dmw_bank	Bank		x(8)	
dmw_bill	Bill-To		x(8)	
dmw_curr	Currency	Cur	x(3)	
dmw_date	Date		99/99/99	
dmw_disc	Discount		->>, >>>, >>>, >>9.99	2
dmw_due_date	Due Date		99/99/99	
dmw_entity	Entity	Enty	x(4)	
dmw_nbr	Reference		x(8)	
dmw_sel	Sel		x(1)	
dmw_type	Type	T	x(1)	
dmw_user1	user1		x(8)	
dmw_user2	user2		x(8)	
dmw__char01			x(8)	
dmw__char02			x(8)	
dmw__char03			x(8)	
dmw__char04			x(8)	
dmw__char05			x(8)	
dmw_dte01			99/99/99	
dmw__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
dmw_bill	no	dmw_bill	yes	no
		dmw_entity	yes	no
		dmw_curr	yes	no
* dmw_nbr	yes	dmw_nbr	yes	no
		dmw_bill	yes	no
		dmw_sel	yes	no

84 dm_mstr

dm_mstr Drafts Management

Field Name	Label	Col-Label	Format	Dec
dm_apv_eff	Approval Eff Date	Appr Eff! Date	99/99/99	
dm_base_amt	Base Amt		->>>>, >>>, >>9.99	2
dm_clo_eff	Closing Eff Date	Clo Eff! Date	99/99/99	
dm_coll_acct	Draft Collection Acct	Dft Coll! Acct	x(8)	
dm_coll_cc		CC	x(4)	
dm_coll_eff	Coll Eff Date	Coll Eff! Date	99/99/99	
dm_cont_acct	Contingent Liability Acct	Cnt Liab! Acct	x(8)	
dm_cont_cc		CC	x(4)	
dm_disc	Discountable	Dsc	yes/no	
dm_drft_usage	Draft Usage	U	x(1)	
dm_enter_date	Entered	Entered! Date	99/99/99	
dm_nbr	Draft		x(8)	
dm_pmt_eff	Payment Eff Date	Pmt Eff! Date	99/99/99	
dm_recr	Recourse	Rcr	yes/no	
dm_rmk	Remark		x(20)	
dm_srl_nbr	Serial Nbr	Srl Nbr	x(16)	
dm_status	Status	S	x(1)	
dm_type	Type	T	x(1)	
dm_user1	user1		x(8)	
dm_user2	user2		x(8)	
dm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dm_nbr	yes	dm_nbr	yes	yes

dpc_mstr Depreciation Convention Master

Field Name	Label	Col-Label	Format	Dec
dpc_acq_pct[4]	Percent		->>9.9<%	2
dpc_beg_date	Beginning Date	Beg Date	99/99/99	
dpc_conv	Convention		x(8)	
dpc_desc	Description		x(24)	
dpc_end_date	Ending Date	End Date	99/99/99	
dpc_rt_pct[4]	Percent		->>9.9<%	2
dpc_user1	user1		x(8)	
dpc_user2	user2		x(8)	
dpc__qad01			x(8)	
dpc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpc_conv	yes	dpc_conv	yes	no

dprd_det Depreciation Detail

Field Name	Label	Col-Label	Format	Dec
dprd_acct	Account		x(8)	
dprd_amt	Amount		->>, >>>, >>>, >>9.99<	10
dprd_asset	Asset		x(12)	
dprd_book	Book		x(8)	
dprd_cc	Cost Center	CC	x(4)	
dprd_cost_pct	Current Cost Percent	Cur Cost! Percent	->>9.9<%	10
dprd_curr_amt	Currency Amount		->>, >>>, >>>, >>9.99<	10
dprd_desc	Description		x(24)	
dprd_effdate	Effective	Eff Date	99/99/99	
dprd_entity	Entity	Enty	x(4)	
dprd_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
dprd_exru_seq	Sequence		>>>>>>>>9	
dprd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
dprd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
dprd_ex_ratetype	Rate Type		x(8)	
dprd_gl_line	Line		>>>9	
dprd_line	Line	Ln	999	
dprd_method	Method		x(8)	
dprd_pd	Period	Pd	999	
dprd_pd_closed	Period Closed	Pd! Clsd	yes/no	
dprd_pd_date	Period End		99/99/99	
dprd_post	Posted		yes/no	
dprd_proj	Project		x(8)	
dprd_ref	GL Reference		x(14)	
dprd_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
dprd_sub	Sub-Account	Sub-Acct	x(8)	
dprd_type	Type	T	x(1)	
dprd_user1	user1		x(8)	
dprd_user2	user2		x(8)	
dprd__qad01			x(8)	
dprd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
dprd_ent_pdate	no	dprd_entity	yes	no
		dprd_pd_date	yes	no
* dprd_index1	yes	dprd_entity	yes	no
		dprd_book	yes	no
		dprd_asset	yes	no
		dprd_pd_date	yes	no
		dprd_line	yes	no
		dprd_rflag	yes	no
dprd_pdate_line	no	dprd_pd_date	yes	no
		dprd_line	yes	no
		dprd_pd_closed	yes	no
		dprd_entity	yes	no
		dprd_book	yes	no
		dprd_asset	yes	no
dprd_post	no	dprd_asset	yes	no
		dprd_post	yes	no
		dprd_effdate	yes	no

86 dprt_det

Index-Name	Uni	Field-Name	Asc	Abbr
dprd_type	no	dprd_book	yes	no
		dprd_type	yes	no
		dprd_asset	yes	no
		dprd_pd_date	yes	no

dprt_det Depreciation Method Table Detail

Field Name	Label	Col-Label	Format	Dec
dprt_amt	Amount		->>, >>>, >>>, >>9.99<	10
dprt_method	Method		x(8)	
dprt_mnth	Month	Mh	99	
dprt_percent	Percent		>>>9.9<<<%	10
dprt_user1	user1		x(8)	
dprt_user2	user2		x(8)	
dprt_year	Year	Yr	99	
dprt__qad01			yes/no	
dprt__qad02			x(8)	
dprt__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dprt_index1	yes	dprt_method	yes	no
		dprt_year	yes	no
		dprt_mnth	yes	no

dpr_mstr Depreciation Method Master

Field Name	Label	Col-Label	Format	Dec
dpr_basis	Basis		x(24)	
dpr_beg_date	Beginning Date	Begin	99/99/99	
dpr_desc	Description		x(24)	
dpr_end_date	Ending Date	End	99/99/99	
dpr_eq[15]	Equation		x(76)	
dpr_method	Method		x(8)	
dpr_mod_date	Modified Date	Mod Date	99/99/99	
dpr_opt_method	Optimization Method	Optimize! Method	x(8)	
dpr_switch	Optimize Depreciation	Opt! Depr	yes/no	
dpr_table	Table	Tbl	yes/no	
dpr_user1	Ufld1		x(8)	
dpr_user2	Ufld2		x(8)	
dpr_userid	User ID		x(8)	
dpr__qad01			yes/no	
dpr__qad02			x(8)	
dpr__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpr_method	yes	dpr_method	yes	no
dpr_table	no	dpr_method	yes	no
		dpr_table	yes	no

dptd_det Payroll Department Detail

Field Name	Label	Col-Label	Format	Dec
dptd_acc	Account		x(8)	
dptd_cc	Cost Center	CC	x(4)	
dptd_ded	Employer-Paid Contribution	Emplr Con	x(8)	
dptd_dept	Department	Dept	x(8)	
dptd_earn	Earnings	Earn	x(4)	
dptd_shift	Shift	Sft	yes/no	
dptd_user1	Ufld1		x(8)	
dptd_user2	Ufld2		x(8)	
dptd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
dptd_ded	no	dptd_dept	yes	no
		dptd_ded	yes	no
dptd_earn	no	dptd_dept	yes	no
		dptd_earn	yes	no
* dptd_index	yes	dptd_dept	yes	no
		dptd_ded	yes	no
		dptd_shift	yes	no
		dptd_earn	yes	no

dpt_mstr Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_db_acct	Not Used		x(8)	
dpt_db_cc	Not Used		x(4)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->,>>>,>>9	
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	
dpt_sic_acct	Not Used		x(8)	
dpt_sic_cc	Not Used		x(4)	
dpt_sub_acct	Subcontract	Subcntrct	x(8)	
dpt_sub_cc	Subcontract Cost Ctr	CC	x(4)	
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	

88 drp_ctrl

Field Name	Label	Col-Label	Format	Dec
dpt_vac_acct	Not Used		x(8)	
dpt_vac_cc	Vacation Cost Ctr	CC	x(4)	
dpt_chr01			x(8)	
dpt_chr02			x(8)	
dpt_chr03			x(8)	
dpt_chr04			x(8)	
dpt_chr05			x(8)	
dpt_dec01			>>>, >>>, >>9.99	10
dpt_dec02			>>>, >>>, >>9.99	10
dpt_dte01			99/99/99	
dpt_dte02			99/99/99	
dpt_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpt_dept	yes	dpt_dept	yes	no
dpt_desc	yes	dpt_desc	yes	no
		dpt_dept	yes	no

drp_ctrl

DRP Control File

Field Name	Label	Col-Label	Format	Dec
drp_auto_nbr	Auto Δ/O Numbers	Auto Δ/O	yes/no	
drp_auto_req	Auto Requisitions		yes/no	
drp_dcmmts	Distribution Order Comments	Δ/O Cmnts	yes/no	
drp_index1	Index		>>>>>9	
drp_mrp	DRP/MRP Combined	DRP/MRP	yes/no	
drp_nbr	Next Δ/O Nbr	Next Δ/O	>>>>>>9	
drp_nbr_pre	Δ/O Prefix	Pre	x(3)	
drp_rcmmts	Requisition Comments	Req Cmnts	yes/no	
drp_req_nbr	Next Req Nbr	Next Req	>>>>>>9	
drp_req_pre	Req Prefix	Pre	x(3)	
drp_user1	Ufld1		x(8)	
drp_user2	Ufld2		x(8)	
drp_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* drp_ctrl	yes	drp_index1	yes	no

dsd_det

Distributed Site Requisition Detail

Field Name	Label	Col-Label	Format	Dec
dsd_cmtindx	Comment Index	Comment	>>>>>>9	
dsd_due_date	Due Date		99/99/99	
dsd_git_acct	Goods in Transit Acct	GIT Acct	x(8)	
dsd_git_cc	Cost Center	CC	x(4)	
dsd_git_site	In Transit Site	GIT Site	x(8)	
dsd_loc	Location		x(8)	

Field Name	Label	Col-Label	Format	Dec
dsd_nbr	Order Number	Order	x(8)	
dsd_part	Item Number		x(18)	
dsd_per_date	Performance Date	Perform	99/99/99	
dsd_pod_line	Line	Ln	>>9	
dsd_po_nbr	Purchase Order	P/O Nbr	x(8)	
dsd_project	Project		x(8)	
dsd_qty_chg	Qty To Receive	Receipt Qty	->, >>>, >>9.9<<<<<<<<	10
dsd_qty_conf	Qty Confirmed		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<	10
dsd_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<	10
dsd_req_nbr	Requisition	Req Nbr	x(8)	
dsd_residual	In Transit Value		->>>, >>>, >>9.99<<<	10
dsd_rev	Rev		x(4)	
dsd_rmks	Remarks		x(40)	
dsd_shipdate	Ship Date	Ship	99/99/99	
dsd_shipsite	Shipping Site	Source	x(8)	
dsd_site	Site		x(8)	
dsd_status	Status	St	x(1)	
dsd_transit	In Transit		->, >>>, >>9.9<<<<<<<<	10
dsd_trans_id	Transportation Code	Transport	x(8)	
dsd_updated	Updated		yes/no	
dsd_user1	Ufld1		x(8)	
dsd_user2	Ufld2		x(8)	
dsd__chr01			x(8)	
dsd__chr02			x(8)	
dsd__chr03			x(8)	
dsd__chr04			x(8)	
dsd__chr05			x(8)	
dsd__dec01			>>>, >>>, >>9.99	10
dsd__dec02			>>>, >>>, >>9.99	10
dsd__dte01			99/99/99	
dsd__dte02			99/99/99	
dsd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
dsd_nbr	no	dsd_nbr	yes	no
		dsd_shipsite	yes	no
dsd_req_nbr	yes	dsd_req_nbr	yes	no
		dsd_site	yes	no
		dsd_shipsite	yes	no
* dsd_site	yes	dsd_site	yes	no
		dsd_req_nbr	yes	no
		dsd_shipsite	yes	no
dsr_part_due	no	dsd_part	yes	no
		dsd_site	yes	no
		dsd_due_date	yes	no
dsr_part_rel	no	dsd_part	yes	no
		dsd_shipsite	yes	no
		dsd_shipdate	yes	no

90 dsr_mstr

dsr_mstr Distributed Site Requisition Master

Field Name	Label	Col-Label	Format	Dec
dsr_cmtindx	Comment Index	Comment	>>>>>>9	
dsr_due_date	Due Date		99/99/99	
dsr_loc	Location		x(8)	
dsr_ord_date	Order Date	Ord Date	99/99/99	
dsr_part	Item Number		x(18)	
dsr_project	Project		x(8)	
dsr_qty_req	Quantity		->, >>>, >>9.9<<<<<<<<	10
dsr_req_nbr	Requisition	Req Nbr	x(8)	
dsr_rev	Rev		x(4)	
dsr_rmks	Remarks		x(40)	
dsr_site	Site		x(8)	
dsr_so_job	Sales/Job	SO/Job	x(8)	
dsr_status	Status	St	x(1)	
dsr_user1	Ufld1		x(8)	
dsr_user2	Ufld2		x(8)	
dsr_chr01			x(8)	
dsr_chr02			x(8)	
dsr_chr03			x(8)	
dsr_chr04			x(8)	
dsr_chr05			x(8)	
dsr_dec01			>>>, >>>, >>9.99	10
dsr_dec02			>>>, >>>, >>9.99	10
dsr_dte01			99/99/99	
dsr_dte02			99/99/99	
dsr_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* dsr_mstr	yes	dsr_site	yes	no
		dsr_req_nbr	yes	no
dsr_part	no	dsr_part	yes	no
		dsr_site	yes	no
		dsr_due_date	yes	no
dsr_req_nbr	yes	dsr_req_nbr	yes	no
		dsr_site	yes	no

dss_mstr Distributed Site Order Master

Field Name	Label	Col-Label	Format	Dec
dss_bol	BOL		x(18)	
dss_cartons	Cartons		>, >>>, >>9	
dss_cmtindx	Comment Index	Comment	>>>>>>9	
dss_created	Date Created	Ord Date	99/99/99	
dss_due_date	Due Date		99/99/99	
dss_fob	FOB Point		x(20)	
dss_frterms	Freight Terms	Fr Terms	x(8)	
dss_fr_list	Freight List	Frt List	x(8)	
dss_lang	Language		x(2)	
dss_nbr	Order Number	Order	x(8)	
dss_po_nbr	Purchase Order	PO	x(22)	
dss_rec_site	Ship-To		x(8)	

Field Name	Label	Col-Label	Format	Dec
dss_rmks	Remarks		x(40)	
dss_shipdate	Ship Date		99/99/99	
dss_shipsite	Site		x(8)	
dss_shipvia	Ship Via		x(20)	
dss_so_nbr	Sales Order	S/O	x(8)	
dss_status	Status	St	x(2)	
dss_user1	Ufld1		x(8)	
dss_user2	Ufld2		x(8)	
dss_chr01			x(8)	
dss_chr02			x(8)	
dss_chr03			x(8)	
dss_chr04			x(8)	
dss_chr05			x(8)	
dss_chr06			x(8)	
dss_chr07			x(8)	
dss_chr08			x(8)	
dss_chr09			x(8)	
dss_chr10			x(8)	
dss_dec01	PST		>>>, >>>, >>9.99	10
dss_dec02			>>>, >>>, >>9.99	10
dss_dte01			99/99/99	
dss_dte02			99/99/99	
dss_log01			yes/no	
dss_qad01			-z,zzz,zzz,zz9.99	2
dss_qad02			-z,zzz,zzz,zz9.99	2
dss_qad03			-z,zzz,zzz,zz9.99	2
dss_qad04			>	
dss_qad05[2]			>>9.9<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
* dss_nbr	yes	dss_nbr	yes	no
		dss_shipsite	yes	no
dss_rec_site	no	dss_rec_site	yes	no
		dss_shipsite	yes	no
		dss_nbr	yes	no
dss_shipsite	no	dss_shipsite	yes	no
		dss_rec_site	yes	no
		dss_nbr	yes	no

ds_det

Distributed Site Order Detail

Field Name	Label	Col-Label	Format	Dec
ds_cmtindx	Comment Index	Comment	>>>>>>9	
ds_due_date	Due Date		99/99/99	
ds_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
ds_git_cc	Cost Center	CC	x(4)	
ds_git_site	In Transit Site	GIT Site	x(8)	
ds_loc	Location		x(8)	
ds_nbr	Order Number	Order	x(8)	
ds_part	Item Number		x(18)	
ds_per_date	Performance Date	Perform	99/99/99	
ds_project	Project		x(8)	

92 dyd_mstr

Field Name	Label	Col-Label	Format	Dec
ds_qty_all	Qty Allocated	Allocated	->,>>>,>>9.9<<<<<<<<	10
ds_qty_chg	Qty To Issue	Issue Qty	->,>>>,>>9.9<<<<<<<<	10
ds_qty_conf	Qty Confirmed	Qty Conf	->,>>>,>>9.9<<<	10
ds_qty_ord	Qty Ordered		->,>>>,>>9.9<<<	10
ds_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
ds_qty_ship	Qty Shipped		->,>>>,>>9.9<<<	10
ds_req_nbr	Requisition Number	Req Nbr	x(8)	
ds_residual	In Transit Value		->>>,>>>,>>9.99	10
ds_rev	Rev		x(4)	
ds_rmks	Remarks		x(40)	
ds_shipdate	Ship Date	Ship	99/99/99	
ds_shipsite	Shipping Site	Source	x(8)	
ds_site	Site		x(8)	
ds_sod_line	Line	Ln	>>9	
ds_so_nbr	Sales Order	S/O Nbr	x(8)	
ds_status	Status	St	x(1)	
ds_trans_id	Transport ID	Transport	x(8)	
ds_user1	Ufld1		x(8)	
ds_user2	Ufld2		x(8)	
ds_chr01			x(8)	
ds_chr02			x(8)	
ds_chr03			x(8)	
ds_chr04			x(8)	
ds_chr05			x(8)	
ds_dec01			>>>,>>>,>>9.99	10
ds_dec02			>>>,>>>,>>9.99	10
ds_dte01			99/99/99	
ds_dte02			99/99/99	
ds_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ds_det	yes	ds_shipsite	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
ds_nbr	no	ds_nbr	yes	no
ds_part	no	ds_part	yes	no
		ds_shipsite	yes	no
		ds_shipdate	yes	no
* ds_req_nbr	yes	ds_req_nbr	yes	no
		ds_site	yes	no
		ds_shipsite	yes	no

dyd_mstr General Ledger Default Daybook Master

Field Name	Label	Col-Label	Format	Dec
dyd_doc_type	Doc Type		x(8)	
dyd_dy_code	Daybook		x(8)	
dyd_entity_fr	From Entity		x(4)	
dyd_entity_to	To Entity		x(4)	

Field Name	Label	Col-Label	Format	Dec
dyd_tr_type	Trans Type	Trans	x(2)	
dyd_user1	user1		x(8)	
dyd_user2	user2		x(8)	
dyd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dyd_type	yes	dyd_tr_type	yes	no
		dyd_doc_type	yes	no
		dyd_entity_fr	yes	no
		dyd_entity_to	yes	no

dy_mstr

General Ledger Daybook Master

Field Name	Label	Col-Label	Format	Dec
dy_desc	Desc		x(24)	
dy_dy_code	Daybook		x(8)	
dy_last_entcen	Central Last Entry	Central Entry	x(40)	
dy_last_entdet	Daybook Last Entry	Daybook Entry	x(40)	
dy_next_pgcn	Central Next Page	Central Page	>>>>>>9	
dy_next_pgdet	Daybook Next Page	Daybook Page	>>>>>>9	
dy_type	Daybook Type		x(2)	
dy_user1	user1		x(8)	
dy_user2	user2		x(8)	
dy__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* dy_code	yes	dy_dy_code	yes	no

94 ea_mstr

ea_mstr Earnings Master

Field Name	Label	Col-Label	Format	Dec
ea_acc	Default Account	Account	x(8)	
ea_cc	Default Cost Ctr	CC	x(4)	
ea_desc	Description		x(24)	
ea_earn	Earnings Code	Earn	x(4)	
ea_fed_yn	Piece Rate		yes/no	
ea_mod_date	Modified Date	Mod Date	99/99/99	
ea_piece	Piece Rate	Pc	yes/no	
ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	4
ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
ea_type	Earnings Type	Type	x(1)	
ea_user1	Ufld1		x(8)	
ea_user2	Ufld2		x(8)	
ea_userid	User ID		x(8)	
ea__qad01			yes/no	
ea__qad02			yes/no	
ea__qad03			yes/no	
ea__qad04			yes/no	
ea__qad05			yes/no	
ea__qad06			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ea_desc	yes	ea_desc	yes	no
		ea_earn	yes	no
* ea_earn	yes	ea_earn	yes	no

eca_mstr Engineering Change Approval Master

Field Name	Label	Col-Label	Format	Dec
eca_code	Approval Code	Approval	x(8)	
eca_group	Group		x(8)	
eca_mod_date	Modified Date	Mod Date	99/99/99	
eca_reroute	Re-Approval	Re	>9	
eca_seq	Sequence	Seq	>>9	
eca_user1	user1		x(8)	
eca_user2	user2		x(8)	
eca_userid	User ID		x(8)	
eca__qad01	First Rec		yes/no	
eca__qad02			99/99/99	
eca__qad03	ReRoute Permission	ReRoute	x(8)	
eca__qad04			x(8)	
eca__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* eca_code_group	yes	eca_code	yes	no
		eca_group	yes	no

ecc_ctrl Engineering Change Control File

Field Name	Label	Col-Label	Format	Dec
ecc_index1	Index		>>>>>9	
ecc_mod_date	Modified Date	Mod Date	99/99/99	
ecc_rel_lead	Release Lead Time		>>>9	
ecc_user1	user1		x(8)	
ecc_user2	user2		x(8)	
ecc_userid	User ID		x(8)	
ecc_warn_pend	Warn on Pending ECNs		yes/no	
ecc_warn_rel	Warn on Released ECNs		yes/no	
ecc__qad01			yes/no	
ecc__qad02			yes/no	
ecc__qad03			yes/no	
ecc__qad04			x(8)	
ecc__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecc_index1	yes	ecc_index1	yes	no

ecd1_det Engineering Change Detail – Product Structures

Field Name	Label	Col-Label	Format	Dec
ecd1_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
ecd1_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<<%	10
ecd1_batch_um	UM		x(2)	
ecd1_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd1_comp	Component Item		x(18)	
ecd1_deactivate	Deactivate	Deactivate	yes/no	0
ecd1_default	Default Option	Default	yes/no	0
ecd1_fcst_pct	Forecast	Fcst	>>9.99%	2
ecd1_group	Option Group	Group	x(8)	0
ecd1_item_no	Number		->>>>>>>	
ecd1_lt_off	LT Offset	LTO	->>	0
ecd1_mandatory	Mandatory		yes/no	0
ecd1_mod_date	Modified Date	Mod Date	99/99/99	
ecd1_nbr	ECN Number	ECN	x(8)	
ecd1_op	Op		>>>>>>	
ecd1_par	Parent Item		x(18)	
ecd1_process	Process		x(8)	
ecd1_psprocess	Process		x(8)	0
ecd1_ps_code	Structure Type	T	x(1)	0
ecd1_qty_per	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ecd1_qty_per_b	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ecd1_qty_type	Qty Type	T	x(1)	
ecd1_recindx	Cross Reference	Xref	>>>>>>>9	
ecd1_ref	Reference		x(12)	
ecd1_rms	Remarks		x(24)	
ecd1_scrp_pct	Scrap		>>9.99%	2
ecd1_start	Start Date	Start	99/99/99	0
ecd1_user1	Ufld1		x(8)	
ecd1_user2	Ufld2		x(8)	
ecd1_userid	User ID		x(8)	

96 ecd2_det

Field Name	Label	Col-Label	Format	Dec
ecd1__qad01	Deactivate	D	yes/no	
ecd1__qad02	Start		99/99/99	
ecd1__qad03	Structure Type	T	x(8)	
ecd1__qad04	Mandatory		x(8)	
ecd1__qad05	Default Option	Default	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd1_comp_par	no	ecd1_nbr	yes	no
		ecd1_comp	yes	no
		ecd1_par	yes	no
* ecd1_par_comp	yes	ecd1_nbr	yes	no
		ecd1_par	yes	no
		ecd1_comp	yes	no
		ecd1_ref	yes	no

ecd2_det Engineering Change Detail – Routings

Field Name	Label	Col-Label	Format	Dec
ecd2_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd2_desc	Description		x(24)	
ecd2_mch	Machine		x(8)	
ecd2_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
ecd2_men_mch	Run Crew		->>, >>>9.99	2
ecd2_mod_date	Modified Date	Mod Date	99/99/99	
ecd2_nbr	ECN Number	ECN	x(8)	
ecd2_op	Operation	Op	>>>>9	
ecd2_process	Process		x(8)	
ecd2_recindx	Cross Reference	Xref	>>>>>>>9	
ecd2_routing	Routing Code		x(18)	
ecd2_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<<	9
ecd2_run_per_b	Run Time/Batch Qty	R/B	>>>, >>>, >>9.9<<<<<<<<<	9
ecd2_setup	Setup Time	Setup	>, >>9.9<<	3
ecd2_setup_men	Setup Crew		->>, >>>9.99	2
ecd2_std_op	Standard Operation	Std Op	x(8)	
ecd2_subcntrt	Subcontract	Sub	yes/no	
ecd2_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ecd2_tool	Tool Code	Tool	x(8)	
ecd2_user1	Ufld1		x(8)	
ecd2_user2	Ufld2		x(8)	
ecd2_userid	User ID		x(8)	
ecd2_vend	Supplier		x(8)	
ecd2_wkctr	Work Center	Work Ctr	x(8)	
ecd2_yield_pct	Yield%		>>9.99%	2
ecd2__qad01			yes/no	
ecd2__qad02			99/99/99	
ecd2__qad03			x(8)	
ecd2__qad04			x(8)	
ecd2__qad05			x(8)	
edcd2_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd2_ro_op	yes	ecd2_nbr	yes	no
		ecd2_routing	yes	no
		ecd2_op	yes	no

ecd3_det Engineering Change Detail – Text Files

Field Name	Label	Col-Label	Format	Dec
ecd3_cmtindx	Comment Index	Comment	>>>>>>9	
ecd3_mod_date	Modified Date	Mod Date	99/99/99	
ecd3_nbr	ECN Number	ECN	x(8)	
ecd3_order	Order		->>>>>>	
ecd3_process	Process		x(8)	
ecd3_user1	Ufld1		x(8)	
ecd3_user2	Ufld2		x(8)	
ecd3_userid	User ID		x(8)	
ecd3__qad01			yes/no	
ecd3__qad02			99/99/99	
ecd3__qad03	Reference		x(40)	
ecd3__qad04			x(8)	
ecd3__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd3_cmt	yes	ecd3_nbr	yes	no
		ecd3_cmtindx	yes	no

ecd4_det Product Change Control – Test Results Data

Field Name	Label	Col-Label	Format	Dec
ecd4_attach	Attachments		X(70)	
ecd4_attribute	Attribute		X(8)	
ecd4_cmtindx	Comment Index	Comment	>>>>>>9	0
ecd4_doc_nbr	Documnet Number		>>>>>>9	0
ecd4_doc_rev	Revision	Rev	>>>9.<<<	3
ecd4_maximum	Maximum Value		X(8)	
ecd4_minimum	Minimum Value		X(8)	0
ecd4_nbr	Document		x(8)	0
ecd4_op	Operation	Op	>>>>9	0
ecd4_part	Item Number		x(18)	0
ecd4_property	Property Name		x(24)	0
ecd4_propertyum	Unit of Measure	UOM	x(12)	0
ecd4_routing	Routing		x(18)	0
ecd4_sequence	Test Sequence		x(8)	0
ecd4_specid	Internal QSpec Number		>>>>>>9	0
ecd4_spec_det	Specification		x(26)	0
ecd4_target	Target Value		X(8)	
ecd4_testmthd	Test Method		X(8)	0

98 ecd5_det

Field Name	Label	Col-Label	Format	Dec
ecd4_user1	Ufld1		x(8)	0
ecd4_user2	Ufld2		x(8)	0
ecd4__qadc01			x(8)	
ecd4__qadi01			>>>>>>>9	0

Index-Name	Uni	Field-Name	Asc	Abbr
ecd4_nbr_specid	no	ecd4_nbr	yes	no
		ecd4_specid	yes	no
		ecd4_sequence	yes	no
* ecd4_part_seq	yes	ecd4_part	yes	no
		ecd4_routing	yes	no
		ecd4_op	yes	no
		ecd4_nbr	yes	no
		ecd4_sequence	yes	no

ecd5_det Product Change Control – Item Routing Data

Field Name	Label	Col-Label	Format	Dec
ecd5_apprdate	Approved Date	Approved	99/99/99	
ecd5_appr_id	Approved By	Appr ID	x(8)	0
ecd5_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ecd5_bom_code	BOM/Formula		x(18)	0
ecd5_burden	Burden Cost		>>>>, >>>, >>9.99<<<	10
ecd5_cmtindx	Comment Index	Comment	>>>>>>9	
ecd5_end	End Effective	End Eff	99/99/99	
ecd5_labor	Labor Cost		>>>>, >>>, >>9.99<<<	10
ecd5_material	Material Cost		>>>>, >>>, >>9.99<<<	10
ecd5_mod_date	Modified Date	Mod Date	99/99/99	
ecd5_overhead	Overhead		>>>>, >>>, >>9.99<<<	10
ecd5_part	Item Number		x(18)	0
ecd5_qspec_id	QSpecid		>>>>>>>9	
ecd5_qspec_nbr	QSpec Number		X(40)	
ecd5_routing	Routing Code		x(18)	0
ecd5_site	Site		x(8)	0
ecd5_start	Start Effective	Start Eff	99/99/99	
ecd5_subcontract	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ecd5_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
ecd5_user1	Ufld1		x(8)	0
ecd5_user2	Ufld2		x(8)	0
ecd5_userid	User ID		x(8)	0
ecd5__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd5_bom_code	no	ecd5_bom_code	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
* ecd5_part	yes	ecd5_part	yes	no
		ecd5_site	yes	no
		ecd5_routing	yes	no
		ecd5_bom_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ecd5_routing	no	ecd5_start	yes	no
		ecd5_routing	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no

ecd6_det Product Change Control – Item Substitution Data

Field Name	Label	Col-Label	Format	Dec
ecd6_attribute	Attribute		x(8)	
ecd6_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd6_end	End Effective	End Eff	99/99/99	
ecd6_include	Include		yes/no	
ecd6_label	Characteristic		x(24)	0
ecd6_nbr	Document		x(8)	0
ecd6_op	Operation	Op	>>>>9	
ecd6_part	Item Number		x(18)	0
ecd6_qspec_id	QSpecid		>>>>>>>9	
ecd6_qspec_nbr	QSpec Number		X(40)	
ecd6_routing	Routing/Procedure		x(18)	0
ecd6_start	Start Effective	Start Eff	99/99/99	
ecd6_test	Number		x(8)	0
ecd6_testmthd	Test Method		x(8)	
ecd6_tol	Specification		x(26)	0
ecd6_tol_type	Measure		x(12)	0
ecd6_user1	Ufld1		x(8)	0
ecd6_user2	Ufld2		x(8)	0
ecd6__chr01			x(8)	0
ecd6__chr02			x(8)	0
ecd6__chr03			x(8)	0
ecd6__chr04			x(8)	0
ecd6__chr05			x(8)	0
ecd6__dec01			>>>, >>>, >>9.99	2
ecd6__dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd6_itemtype	yes	ecd6_part	yes	no
		ecd6_routing	yes	no
		ecd6_op	yes	no
		ecd6_test	yes	no
		ecd6_start	yes	no
ecd6_nbr	no	ecd6_nbr	yes	no
		ecd6_start	yes	no

100 ecd9_det

ecd9_det Engineering Change Detail – Approvals

Field Name	Label	Col-Label	Format	Dec
ecd9_approved	Approved		yes/no	
ecd9_appr_date	Approved Date	Date! Approved	99/99/99	
ecd9_cmtindx	Comment Index	Comment	>>>>>>9	
ecd9_group	Group		x(8)	
ecd9_mod_date	Modified Date	Mod Date	99/99/99	
ecd9_nbr	ECN Number	ECN	x(8)	
ecd9_seq	Sequence	Seq	>>9	
ecd9_status	Status		x(8)	
ecd9_user1	Ufld1		x(8)	
ecd9_user2	Ufld2		x(8)	
ecd9_userid	User ID		x(8)	
ecd9__qad01	First Rec		yes/no	
ecd9__qad02			99/99/99	
ecd9__qad03	ReRoute Level	Re Lvl	x(8)	
ecd9__qad04	ReRoute		x(8)	
ecd9__qad05	Approver ID	Approver	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd9_group	yes	ecd9_nbr	yes	no
		ecd9_group	yes	no

ecd_det Engineering Change Detail – Item Masters

Field Name	Label	Col-Label	Format	Dec
ecd_cmtindx	Comment Index	Comment	>>>>>>9	
ecd_draw	Drawing		x(18)	
ecd_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
ecd_drwg_size	Drwg Size	DS	x(2)	
ecd_dsgn_grp	Design Group	Dsgn Grp	x(8)	
ecd_end	End		99/99/99	
ecd_group	Group		x(8)	
ecd_inv_dspn	Disposition		x(12)	
ecd_mod_date	Modified Date	Mod Date	99/99/99	
ecd_nbr	ECO Number	ECO	x(8)	
ecd_new	New		yes/no	
ecd_new_rev	New Rev	New	x(4)	
ecd_old_rev	Old Rev	Old	x(4)	
ecd_part	Item Number		x(18)	
ecd_part_type	Item Type	Type	x(8)	
ecd_process	Process		x(8)	
ecd_prodlne	Prod Line	Line	x(4)	
ecd_start	Start		99/99/99	
ecd_status	Status	St	x(8)	
ecd_user1	Ufld1		x(8)	
ecd_user2	Ufld2		x(8)	
ecd_userid	User ID		x(8)	
ecd__qad01	Parent	Par	yes/no	

Field Name	Label	Col-Label	Format	Dec
ecd__qad02			99/99/99	
ecd__qad03			x(8)	
ecd__qad04			x(8)	
ecd__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd_det	yes	ecd_nbr	yes	no
		ecd_part	yes	no
		ecd_new	yes	no
ecd_part_rev	no	ecd_part	yes	no
		ecd_new_rev	yes	no

ecl_list Engineering Change – Master Lists

Field Name	Label	Col-Label	Format	Dec
ecl_copies	Copies	Cp	>>9	
ecl_desc	Description		x(24)	
ecl_dev	Output		x(8)	
ecl_group	Group		x(8)	
ecl_id	User Id		x(8)	
ecl_mod_date	Modified Date	Mod Date	99/99/99	
ecl_type	Type	T	x(2)	
ecl_user1	Ufld1		x(8)	
ecl_user2	Ufld2		x(8)	
ecl_userid	User ID		x(8)	
ecd__qad01	First Rec		yes/no	
ecd__qad02	End Date		99/99/99	
ecd__qad03			x(8)	
ecd__qad04			x(8)	
ecd__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecd_id_type	yes	ecd_id	yes	no
		ecd_group	yes	no
		ecd_type	yes	no
* ecl_type_id	yes	ecd_type	yes	no
		ecd_group	yes	no
		ecd_id	yes	no

ecm_mstr Engineering Change Master

Field Name	Label	Col-Label	Format	Dec
ecm_approval	Approval Code	Approval	x(8)	
ecm_appr_date	Approved Date	AppDate	99/99/99	
ecm_assign	Design Group	Dsgn Grp	x(8)	
ecm_batched	Batched	Batch	yes/no	
ecm_close_date	Closed		99/99/99	
ecm_cmmt[5]	Reason		x(60)	

102 ecm_mstr

Field Name	Label	Col-Label	Format	Dec
ecm_cmtindx	Comment Index	Comment	>>>>>>9	
ecm_date	Date		99/99/99	
ecm_distr	Distribution	Dstrbn	x(8)	
ecm_doc_type	Document Type	Doc Type	X(8)	
ecm_ecr_dspn	Disposition	ECR Dspn	x(8)	
ecm_eff_date	Effective	Eff Date	99/99/99	
ecm_end_date	Implemented	Impl Date	99/99/99	
ecm_exp_cost	Expected Cost		->>>,>>>,>>9.99	2
ecm_init	ECN Created By	By	x(8)	
ecm_man_date	Mandatory	Man Date	99/99/99	
ecm_mod_date	Modified Date	Mod Date	99/99/99	
ecm_name	Originated By		x(28)	
ecm_nbr	Number		x(8)	
ecm_nbr_fr	From ECN		x(8)	
ecm_nbr_to	To ECN		x(8)	
ecm_open_date	Entered		99/99/99	
ecm_rel_date	Released		99/99/99	
ecm_replan	Replan		yes/no	
ecm_reprocess	Re-Process	Re-Process	yes/no	
ecm_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
ecm_secure_item	Security Profile - Item	Item Pfl	X(8)	0
ecm_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
ecm_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
ecm_secure_text	Security Profile - Test	Text Pfl	X(8)	
ecm_selected_eff	Selected Effective	Effective	99/99/99	
ecm_seqrev_off	Rev Level Off	Off	yes/no	
ecm_status	Status		x(8)	
ecm_sub_date	Submitted	Sub Date	99/99/99	
ecm_title	Title		x(32)	
ecm_type	Type		x(8)	
ecm_user1	Ufld1		x(8)	
ecm_user2	Ufld2		x(8)	
ecm_userid	User ID		x(8)	
ecm__qad01			->>>,>>9.99	2
ecm__qad02			x(18)	
ecm__qad03	ECR/ECN		ECR/ECN	
ecm__qad04	Appr Date		99/99/99	
ecm__qad05	effect		->>,>>9.99	2
ecm__qad06	batched		x(8)	
ecm__qad07	reprocess		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ecm_approval	yes	ecm_approval	yes	no
		ecm_rel_date	yes	no
		ecm_nbr	yes	no
ecm_eff_date	no	ecm_nbr	yes	no
		ecm_eff_date	yes	no
* ecm_mstr	yes	ecm_nbr	yes	no
ecm_nbrdoc	yes	ecm_nbr	yes	no
		ecm_doc_type	yes	no

ect_mstr Engineering Change Type Master

Field Name	Label	Col-Label	Format	Dec
ect_approval	Approval Code	Approval	x(8)	
ect_dc_warn	Warning Type		>9	
ect_desc	Description		x(24)	
ect_distr	Distribution	Dstrbn	x(8)	
ect_doc_type	Document Type	Doc Type	X(8)	
ect_dsgn_grp	Design Group	Dsgn Grp	x(8)	
ect_mod_date	Modified Date	Mod Date	99/99/99	
ect_prefix	Prefix	Pre	x(3)	
ect_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
ect_secure_item	Security Profile - Item	Item Pfl	X(8)	0
ect_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
ect_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
ect_secure_text	Security Profile - Test	Text Pfl	X(8)	
ect_seqrev_off	Rev Level Off	Off	yes/no	
ect_type	Type		x(8)	
ect_user1	Ufld1		x(8)	
ect_user2	Ufld2		x(8)	
ect_userid	User ID		x(8)	
ect__qad01	ECR/ECN		yes/no	
ect__qad02			99/99/99	
ect__qad03			x(8)	
ect__qad04			x(8)	
ect__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ect_type	yes	ect_type	yes	no
		ect_dsgn_grp	yes	no

◇ **edc_ctrl** MFG/EC Control File

Field Name	Label	Col-Label	Format	Dec
edc_archive_dir	Archive Directory		x(60)	
edc_error_dir	Error File Directory	Error Directory	x(60)	
edc_error_prefix	Error Filename Prefix	Err! File! Prefix	x(3)	
edc_func_dir	Function Directory		x(60)	
edc_inbound_dir	Inbound Directory		x(60)	
edc_index1	Index		>>>>9	
edc_mod_date	Last Modified		99/99/99	
edc_mod_userid	User ID		X(8)	
edc_next_exf	Next Exchange Sequence		>>>>9	
	No			
edc_next_mfd	Next Mfg/Pro Sequence No		>>>>9	
edc_proc_sess	Process Session Number		>>>>>>9	
edc_subsys	Default Subsystem	Subsystem	x(20)	
edc_user1			X(8)	
edc_user10			X(8)	
edc_user2			X(8)	
edc_user3			X(8)	
edc_user4			X(8)	
edc_user5			X(8)	

Field Name	Label	Col-Label	Format	Dec
edc_user6			X(8)	
edc_user7			X(8)	
edc_user8			X(8)	
edc_user9			X(8)	
edc__qadc01			X(8)	
edc__qadc02			X(8)	
edc__qadc03			X(8)	
edc__qadc04			X(8)	
edc__qadc05			X(8)	
edc__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edc__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edc__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edc__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edc__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edc__qadi01			>>>>>>g	
edc__qadi02			>>>>>>g	
edc__qadi03			>>>>>>g	
edc__qadi04			>>>>>>g	
edc__qadi05			>>>>>>g	
edc__qadi01			yes/no	
edc__qadi02			yes/no	
edc__qadi03			yes/no	
edc__qadi04			yes/no	
edc__qadi05			yes/no	
edc__qadt01			99/99/99	
edc__qadt02			99/99/99	
edc__qadt03			99/99/99	
edc__qadt04			99/99/99	
edc__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* edc index1	yes	edc index1	yes	no

edd_det

Employee Deduction Detail

Field Name	Label	Col-Label	Format	Dec
edd_addr	Employee		x(8)	
edd_amt	Amount		->>, >>>, >>9.99	2
edd_bank	Bank	Bk	x(2)	
edd_ck_date	Check Date	Chk Date	99/99/99	
edd_ck_nbr	Check		999999	
edd_ded	Deduction Code	Ded Code	x(8)	
edd_order	Order of Calculation	Ord	99	
edd_pd_date	Period Ending Date	Per End	99/99/99	
edd_posted	Posted		yes/no	
edd_req_nbr	Paycheck Request	Pay Req	99999	
edd_type	Deduction Type	T	x(1)	
edd_user1	UfId1		x(8)	
edd_user2	UfId2		x(8)	
edd_wk_loc	Work Location	Wk Loc	x(4)	
edd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
edd_ind1	no	edd_addr	yes	no
		edd_ded	yes	no
		edd_ck_date	yes	no
		edd_bank	yes	no
		edd_ck_nbr	yes	no
edd_ind3	no	edd_addr	yes	no
		edd_ck_date	yes	no
		edd_bank	yes	no
		edd_ck_nbr	yes	no
		edd_ded	yes	no
edd_ind4	no	edd_ded	yes	no
		edd_ck_date	yes	no
* edd_index	yes	edd_addr	yes	no
		edd_pd_date	yes	no
		edd_bank	yes	no
		edd_req_nbr	yes	no
		edd_ded	yes	no
edd_order	no	edd_addr	yes	no
		edd_pd_date	yes	no
		edd_bank	yes	no
		edd_req_nbr	yes	no
		edd_order	yes	no
edd_wk_loc	no	edd_wk_loc	yes	no

edi_wkfl

Electronic Data Interchange Workfile

Field Name	Label	Col-Label	Format	Dec
edi_addr	Address		x(8)	
edi_cmtindx	Comment Index		>>>>>>9	
edi_desc	Description		x(24)	
edi_elm	Element ID		x(10)	
edi_exec	Execution File		x(14)	
edi_exec_param	Execution Parameter		x(14)	
edi_ext	External Value		x(8)	
edi_fldname	Field Name		x(20)	
edi_int	Internal Value		x(8)	
edi_io	I/O		Inbound/Outbound	
edi_seg	Segment		x(10)	
edi_site	Site		x(8)	
edi_std_ver	EDI Standard Version		x(30)	
edi_trn	Transaction Set		x(12)	
edi_type	Type		x(12)	
edi_user1	user1		x(8)	
edi_user2	user2		x(8)	
edi__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* edi_wkfl	yes	edi_type	yes	no
		edi_site	yes	no
		edi_addr	yes	no

106 edmfdd_det

Index-Name	Uni	Field-Name	Asc	Abbr
		edi_std_ver	yes	no
		edi_trn	yes	no
		edi_io	yes	no
		edi_ext	yes	no

◇ edmfdd_det MFG/PRO Document Field Detail

Field Name	Label	Col-Label	Format	Dec
edmfdd_doc_in	Direction	Dir	In/Out	
edmfdd_fld_max	Max Length	Max	>>9	
edmfdd_fld_min	Min Length	Min	>>9	
edmfdd_fld_name	Field Name		x(20)	
edmfdd_fld_reqd	Requirement		Mandatory/Optional	
edmfdd_fld_seq	Field Seq		>>>9	
edmfdd_fld_type	Type		x(2)	
edmfdd_gtwy_var	Gateway Variable	Variable	x(30)	
edmfdd_mfd_name	Doc Name		x(20)	
edmfdd_mfd_vers	Version	Ver	>>9	
edmfdd_mod_date	Last Modified		99/99/99	
edmfdd_mod_userid	User ID		X(8)	
edmfdd_rec_seq	Record Seq	Seq	>>>9	
edmfdd_user1			X(8)	
edmfdd_user10			X(8)	
edmfdd_user2			X(8)	
edmfdd_user3			X(8)	
edmfdd_user4			X(8)	
edmfdd_user5			X(8)	
edmfdd_user6			X(8)	
edmfdd_user7			X(8)	
edmfdd_user8			X(8)	
edmfdd_user9			X(8)	
edmfdd__qadc01			X(8)	
edmfdd__qadc02			X(8)	
edmfdd__qadc03			X(8)	
edmfdd__qadc04			X(8)	
edmfdd__qadc05			X(8)	
edmfdd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edmfdd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edmfdd__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edmfdd__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edmfdd__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edmfdd__qadi01			>>>>>>9	
edmfdd__qadi02			>>>>>>9	
edmfdd__qadi03			>>>>>>9	
edmfdd__qadi04			>>>>>>9	
edmfdd__qadi05			>>>>>>9	
edmfdd__qadi01			yes/no	
edmfdd__qadi02			yes/no	
edmfdd__qadi03			yes/no	
edmfdd__qadi04			yes/no	
edmfdd__qadi05			yes/no	
edmfdd__qadt01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
edmfdd__qadt02			99/99/99	
edmfdd__qadt03			99/99/99	
edmfdd__qadt04			99/99/99	
edmfdd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
*? edmfdd_rseq_fseq	yes	edmfdd_mfd_name	yes	no
		edmfdd_mfd_vers	yes	no
		edmfdd_doc_in	yes	no
		edmfdd_rec_seq	yes	no
		edmfdd_fid_seq	yes	no

◇ **edmfd_det** MFG/PRO Document Record Detail

Field Name	Label	Col-Label	Format	Dec
edmfddoc_in	Direction	Dir	In/Out	
edmfdfmd_name	Doc Name		x(20)	
edmfdfmd_vers	Version	Ver	>>9	
edmfdfmod_date	Last Modified		99/99/99	
edmfdfmod_userid	User ID		X(8)	
edmfdfrec_lp_end	Loop End Record Sequence	Loop End! Seq	>>>9	
edmfdfrec_lp_occ	Loop Occurrence	Loop! Occur	>>>>>9	
edmfdfrec_name	Record Name		x(20)	
edmfdfrec_reqd	Requirement		Mandatory/Optional	
edmfdfrec_seq	Record Seq	Seq	>>>9	
edmfduer1			X(8)	
edmfduer10			X(8)	
edmfduer2			X(8)	
edmfduer3			X(8)	
edmfduer4			X(8)	
edmfduer5			X(8)	
edmfduer6			X(8)	
edmfduer7			X(8)	
edmfduer8			X(8)	
edmfduer9			X(8)	
edmfdaqdc01			X(8)	
edmfdaqdc02			X(8)	
edmfdaqdc03			X(8)	
edmfdaqdc04			X(8)	
edmfdaqdc05			X(8)	
edmfdaqdd01			->>>, >>>, >>9.9<<<<<<<<	10
edmfdaqdd02			->>>, >>>, >>9.9<<<<<<<<	10
edmfdaqdd03			->>>, >>>, >>9.9<<<<<<<<	10
edmfdaqdd04			->>>, >>>, >>9.9<<<<<<<<	10
edmfdaqdd05			->>>, >>>, >>9.9<<<<<<<<	10
edmfdaqdi01			>>>>>>9	
edmfdaqdi02			>>>>>>9	
edmfdaqdi03			>>>>>>9	
edmfdaqdi04			>>>>>>9	
edmfdaqdi05			>>>>>>9	
edmfdaqdl01			yes/no	
edmfdaqdl02			yes/no	
edmfdaqdl03			yes/no	

Field Name	Label	Col-Label	Format	Dec
edmfdf__qadl04			yes/no	
edmfdf__qadl05			yes/no	
edmfdf__qadt01			99/99/99	
edmfdf__qadt02			99/99/99	
edmfdf__qadt03			99/99/99	
edmfdf__qadt04			99/99/99	
edmfdf__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edmfnd_name_rseq	yes	edmfnd_mfd_name	yes	no
		edmfnd_mfd_vers	yes	no
		edmfnd_doc_in	yes	no
		edmfnd_rec_seq	yes	no

◇ **edmfrd_det** MFG/PRO Document Repository Detail

Field Name	Label	Col-Label	Format	Dec
edmfird_mfd_doc_fid[100]	Field Value		x(99)	
edmfird_mfd_rec_seq	Record Seq	Seq	>>>9	
edmfird_mfd_rec_stru	Record Structure ID		x(30)	
edmfird_mfd_seq	Sequence Number	Seq	>>>>9	
edmfird_mft	Table Name	Table	x(16)	
edmfird_mft_idx	Index Name	Index	x(50)	
edmfird_mft_idx_val	Index Value		x(60)	
edmfird_mod_date	Last Modified		99/99/99	
edmfird_mod_userid	User ID		X(8)	
edmfird_user1			X(8)	
edmfird_user10			X(8)	
edmfird_user2			X(8)	
edmfird_user3			X(8)	
edmfird_user4			X(8)	
edmfird_user5			X(8)	
edmfird_user6			X(8)	
edmfird_user7			X(8)	
edmfird_user8			X(8)	
edmfird_user9			X(8)	
edmfird__qadc01			X(8)	
edmfird__qadc02			X(8)	
edmfird__qadc03			X(8)	
edmfird__qadc04			X(8)	
edmfird__qadc05			X(8)	
edmfird__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edmfird__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edmfird__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edmfird__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edmfird__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edmfird__qadi01			>>>>>>9	
edmfird__qadi02			>>>>>>9	
edmfird__qadi03			>>>>>>9	
edmfird__qadi04			>>>>>>9	
edmfird__qadi05			>>>>>>9	
edmfird__qadl01			yes/no	
edmfird__qadl02			yes/no	

Field Name	Label	Col-Label	Format	Dec
edmfird__qadl03			yes/no	
edmfird__qadl04			yes/no	
edmfird__qadl05			yes/no	
edmfird__qadt01			99/99/99	
edmfird__qadt02			99/99/99	
edmfird__qadt03			99/99/99	
edmfird__qadt04			99/99/99	
edmfird__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edmfird_seq_line	yes	edmfird_mfd_seq	yes	no
		edmfird_mfd_rec_stru	yes	no

◇ **edmfr_mstr** MFG/PRO Document Repository Master

Field Name	Label	Col-Label	Format	Dec
edmfrr_doc_in	Direction	Dir	In/Out	
edmfrr_mfd_name	Doc Name		x(20)	
edmfrr_mfd_seq	Sequence Number	Seq	>>>>>9	
edmfrr_mfd_vers	Version	Ver	>>9	
edmfrr_mfg_addr	Address		x(8)	
edmfrr_mfg_site	Site		x(8)	
edmfrr_mft	Table Name	Table	x(16)	
edmfrr_mft_idx	Index Name	Index	x(50)	
edmfrr_mft_idx_val	Index Value		x(60)	
edmfrr_mod_date	Last Modified		99/99/99	
edmfrr_mod_userid	User ID		X(8)	
edmfrr_user1			X(8)	
edmfrr_user10			X(8)	
edmfrr_user2			X(8)	
edmfrr_user3			X(8)	
edmfrr_user4			X(8)	
edmfrr_user5			X(8)	
edmfrr_user6			X(8)	
edmfrr_user7			X(8)	
edmfrr_user8			X(8)	
edmfrr_user9			X(8)	
edmfrr_qadc01			X(8)	
edmfrr_qadc02			X(8)	
edmfrr_qadc03			X(8)	
edmfrr_qadc04			X(8)	
edmfrr_qadc05			X(8)	
edmfrr_qadd01			->>>, >>>, >>9.9<<<<<<<<	10
edmfrr_qadd02			->>>, >>>, >>9.9<<<<<<<<	10
edmfrr_qadd03			->>>, >>>, >>9.9<<<<<<<<	10
edmfrr_qadd04			->>>, >>>, >>9.9<<<<<<<<	10
edmfrr_qadd05			->>>, >>>, >>9.9<<<<<<<<	10
edmfrr_qadi01			>>>>>>9	
edmfrr_qadi02			>>>>>>9	
edmfrr_qadi03			>>>>>>9	
edmfrr_qadi04			>>>>>>9	
edmfrr_qadi05			>>>>>>9	
edmfrr_qadi01			yes/no	

110 edmsfdd_det

Field Name	Label	Col-Label	Format	Dec
edmfr__qadl02			yes/no	
edmfr__qadl03			yes/no	
edmfr__qadl04			yes/no	
edmfr__qadl05			yes/no	
edmfr__qadt01			99/99/99	
edmfr__qadt02			99/99/99	
edmfr__qadt03			99/99/99	
edmfr__qadt04			99/99/99	
edmfr__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edmfr_mfd_seq	yes	edmfr_mfd_seq	yes	no

◇ edmsfdd_det MFG/PRO Document Status Message Detail

Field Name	Label	Col-Label	Format	Dec
edmsfdd_delm_str	Delimited String	Extended Message	x(90)	
edmsfdd_error_level	Error Level	Error! Level	>>>9	
edmsfdd_mfd_seq	Sequence Number	Seq	>>>>9	
edmsfdd_mod_date	Last Modified		99/99/99	
edmsfdd_mod_userid	User ID		X(8)	
edmsfdd_msg_no	Message Number	Number	->>>>9	
edmsfdd_msg_seq	Message Sequence	Msg! Seq	>>>9	
edmsfdd_proc_seq	Process Seq	Seq	9	
edmsfdd_proc_sess	Process Session Number	Session	>>>>9	
edmsfdd_user1			X(8)	
edmsfdd_user10			X(8)	
edmsfdd_user2			X(8)	
edmsfdd_user3			X(8)	
edmsfdd_user4			X(8)	
edmsfdd_user5			X(8)	
edmsfdd_user6			X(8)	
edmsfdd_user7			X(8)	
edmsfdd_user8			X(8)	
edmsfdd_user9			X(8)	
edmsfdd__qadc01			X(8)	
edmsfdd__qadc02			X(8)	
edmsfdd__qadc03			X(8)	
edmsfdd__qadc04			X(8)	
edmsfdd__qadc05			X(8)	
edmsfdd__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
edmsfdd__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
edmsfdd__qadd03			->>>, >>>, >>9.9<<<<<<<<<<	10
edmsfdd__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edmsfdd__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edmsfdd__qadi01			>>>>>9	
edmsfdd__qadi02			>>>>>9	
edmsfdd__qadi03			>>>>>9	
edmsfdd__qadi04			>>>>>9	
edmsfdd__qadi05			>>>>>9	
edmsfdd__qadl01			yes/no	
edmsfdd__qadl02			yes/no	
edmsfdd__qadl03			yes/no	

Field Name	Label	Col-Label	Format	Dec
edmfdsd__qadl04			yes/no	
edmfdsd__qadl05			yes/no	
edmfdsd__qadt01			99/99/99	
edmfdsd__qadt02			99/99/99	
edmfdsd__qadt03			99/99/99	
edmfdsd__qadt04			99/99/99	
edmfdsd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edmfdsd_msg_seq	yes	edmfdsd_mfd_seq	yes	no
		edmfdsd_proc_sess	yes	no
		edmfdsd_proc_seq	yes	no
		edmfdsd_msg_seq	yes	no

◇ edmfds_det MFG/PRO Document Status History Detail

Field Name	Label	Col-Label	Format	Dec
edmfdsd_mfd_seq	Sequence Number	Seq	>>>>>9	
edmfdsd_mod_date	Last Modified		99/99/99	
edmfdsd_mod_userid	User ID		X(8)	
edmfdsd_proc_date	Process Date	Date	99/99/99	
edmfdsd_proc_seq	Process Seq	Seq	9	
edmfdsd_proc_sess	Process Session Number	Session	>>>>>>>9	
edmfdsd_proc_time	Process Time	Time	>>>>>9	
edmfdsd_status	Status		>>9	
edmfdsd_user1			X(8)	
edmfdsd_user10			X(8)	
edmfdsd_user2			X(8)	
edmfdsd_user3			X(8)	
edmfdsd_user4			X(8)	
edmfdsd_user5			X(8)	
edmfdsd_user6			X(8)	
edmfdsd_user7			X(8)	
edmfdsd_user8			X(8)	
edmfdsd_user9			X(8)	
edmfdsd__qadc01			X(8)	
edmfdsd__qadc02			X(8)	
edmfdsd__qadc03			X(8)	
edmfdsd__qadc04			X(8)	
edmfdsd__qadc05			X(8)	
edmfdsd__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
edmfdsd__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
edmfdsd__qadd03			->>>, >>>, >>9.9<<<<<<<<<<	10
edmfdsd__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edmfdsd__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edmfdsd__qadi01			>>>>>>9	
edmfdsd__qadi02			>>>>>>9	
edmfdsd__qadi03			>>>>>>9	
edmfdsd__qadi04			>>>>>>9	
edmfdsd__qadi05			>>>>>>9	
edmfdsd__qadl01			yes/no	
edmfdsd__qadl02			yes/no	
edmfdsd__qadl03			yes/no	

Field Name	Label	Col-Label	Format	Dec
edmfms__qadl03			yes/no	
edmfms__qadl04			yes/no	
edmfms__qadl05			yes/no	
edmfms__qadt01			99/99/99	
edmfms__qadt02			99/99/99	
edmfms__qadt03			99/99/99	
edmfms__qadt04			99/99/99	
edmfms__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edmfs_seq_stat	yes	edmfs_mfd_seq	yes	no

◇ **edmf_mstr** MFG/PRO Document Master

Field Name	Label	Col-Label	Format	Dec
edmf_doc_in	Direction	Dir	In/Out	
edmf_gtwy_pgm	Gateway Program	Program	x(12)	
edmf_gtwy_rpt	Gateway Report Program	Report! Program	x(12)	
edmf_mfd_name	Doc Name		x(20)	
edmf_mfd_vers	Version	Ver	>>9	
edmf_mod_date	Last Modified		99/99/99	
edmf_mod_userid	User ID		X(8)	
edmf_qad_dsgn	QAD Designed		yes/no	
edmf_user1			X(8)	
edmf_user10			X(8)	
edmf_user2			X(8)	
edmf_user3			X(8)	
edmf_user4			X(8)	
edmf_user5			X(8)	
edmf_user6			X(8)	
edmf_user7			X(8)	
edmf_user8			X(8)	
edmf_user9			X(8)	
edmf__qadc01			X(8)	
edmf__qadc02			X(8)	
edmf__qadc03			X(8)	
edmf__qadc04			X(8)	
edmf__qadc05			X(8)	
edmf__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edmf__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edmf__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edmf__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edmf__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edmf__qadi01			>>>>>>9	
edmf__qadi02			>>>>>>9	
edmf__qadi03			>>>>>>9	
edmf__qadi04			>>>>>>9	
edmf__qadi05			>>>>>>9	
edmf__qadi01			yes/no	
edmf__qadi02			yes/no	
edmf__qadi03			yes/no	
edmf__qadi04			yes/no	
edmf__qadi05			yes/no	

114 edmf_mstr

Field Name	Label	Col-Label	Format	Dec
edmf__qadt01			99/99/99	
edmf__qadt02			99/99/99	
edmf__qadt03			99/99/99	
edmf__qadt04			99/99/99	
edmf__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edmf_name_vers	yes	edmf_mfd_name	yes	no
		edmf_mfd_vers	yes	no
		edmf_doc_in	yes	no

◆ **edmidd_det** MFG/PRO Document Implementation Field Detail

Field Name	Label	Col-Label	Format	Dec
edmidd_disp	Display		Yes/No	
edmidd_disp_child	Disp on Child Frame	Disp on! Child! Frame	Yes/No	
edmidd_doc_in	Direction	Dir	In/Out	
edmidd_edit	Edit		Yes/No	
edmidd_fld_cond	Field Prompt Conditions		x(60)	
edmidd_fld_help	Field Help		x(60)	
edmidd_fld_max	Max Length	Max	>>9	
edmidd_fld_min	Min Length	Min	>>9	
edmidd_fld_msk_def	Edit Mask / Default Value		x(30)	
edmidd_fld_name	Field Name		x(20)	
edmidd_fld_reqd	Requirement		Mandatory/Optional	
edmidd_fld_seq	Field Seq	Seq	>>>9	
edmidd_fld_src_dst	Source or Destination	Src! Dst	x(1)	
edmidd_fld_type	Type		x(2)	
edmidd_gtwy_var	Gateway Variable	Variable	x(30)	
edmidd_imp_name	Implementation Name		x(20)	
edmidd_imp_vers	Version		>>9	
edmidd_mfd_name	Doc Name		x(20)	
edmidd_mfd_vers	Version	Ver	>>9	
edmidd_mod_date	Last Modified		99/99/99	
edmidd_mod_userid	User ID		X(8)	
edmidd_rec_seq	Record Seq	Seq	>>>9	
edmidd_user1			X(8)	
edmidd_user10			X(8)	
edmidd_user2			X(8)	
edmidd_user3			X(8)	
edmidd_user4			X(8)	
edmidd_user5			X(8)	
edmidd_user6			X(8)	
edmidd_user7			X(8)	
edmidd_user8			X(8)	
edmidd_user9			X(8)	
edmidd_validate	Validate		Yes/No	
edmidd_qadc01			X(8)	
edmidd_qadc02			X(8)	
edmidd_qadc03			X(8)	
edmidd_qadc04			X(8)	
edmidd_qadc05			X(8)	
edmidd_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edmidd_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edmidd_qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edmidd_qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edmidd_qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edmidd_qadi01			>>>>>>9	
edmidd_qadi02			>>>>>>9	
edmidd_qadi03			>>>>>>9	
edmidd_qadi04			>>>>>>9	
edmidd_qadi05			>>>>>>9	
edmidd_qadi01			yes/no	
edmidd_qadi02			yes/no	
edmidd_qadi03			yes/no	
edmidd_qadi04			yes/no	
edmidd_qadi05			yes/no	
edmidd_qadt01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
edmidd__qadt02			99/99/99	
edmidd__qadt03			99/99/99	
edmidd__qadt04			99/99/99	
edmidd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* edmidd_irseq_ifseq	yes	edmidd_mfd_name	yes	no
		edmidd_mfd_vers	yes	no
		edmidd_imp_name	yes	no
		edmidd_imp_vers	yes	no
		edmidd_doc_in	yes	no
		edmidd_rec_seq	yes	no
		edmidd_fld_seq	yes	no

◇ **edmid_det** MFG/PRO Document Implementation Record Detail

Field Name	Label	Col-Label	Format	Dec
edmid_doc_in	Direction	Dir	In/Out	
edmid_imp_name	Implementation Name		x(20)	
edmid_imp_vers	Version		>>9	
edmid_mfd_name	Doc Name		x(20)	
edmid_mfd_vers	Version	Ver	>>9	
edmid_mod_date	Last Modified		99/99/99	
edmid_mod_userid	User ID		X(8)	
edmid_rec_lp_end	Loop End Record Sequence	Loop End! Seq	>>>9	
edmid_rec_lp_occ	Loop Occurrence	Loop! Occur	>>>>9	
edmid_rec_name	Record Name		x(20)	
edmid_rec_reqd	Requirement		Mandatory/Optional	
edmid_rec_seq	Record Seq	Seq	>>>9	
edmid_user1			X(8)	
edmid_user10			X(8)	
edmid_user2			X(8)	
edmid_user3			X(8)	
edmid_user4			X(8)	
edmid_user5			X(8)	
edmid_user6			X(8)	
edmid_user7			X(8)	
edmid_user8			X(8)	
edmid_user9			X(8)	
edmid_qadc01			X(8)	
edmid_qadc02			X(8)	
edmid_qadc03			X(8)	
edmid_qadc04			X(8)	
edmid_qadc05			X(8)	
edmid_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edmid_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edmid_qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edmid_qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edmid_qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edmid_qadi01			>>>>>>9	
edmid_qadi02			>>>>>>9	
edmid_qadi03			>>>>>>9	
edmid_qadi04			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
edmid__qadi05			>>>>>9	
edmid__qadi01			yes/no	
edmid__qadi02			yes/no	
edmid__qadi03			yes/no	
edmid__qadi04			yes/no	
edmid__qadi05			yes/no	
edmid__qadt01			99/99/99	
edmid__qadt02			99/99/99	
edmid__qadt03			99/99/99	
edmid__qadt04			99/99/99	
edmid__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
0* edmid_imp_rseq	yes	edmid_mfd_name	yes	no
		edmid_mfd_vers	yes	no
		edmid_imp_name	yes	no
		edmid_imp_vers	yes	no
		edmid_doc_in	yes	no
		edmid_rec_seq	yes	no

◇ **edmi_mstr** MFG/PRO Document Implementation Master

Field Name	Label	Col-Label	Format	Dec
edmi_desc	Description		x(30)	
edmi_doc_in	Direction	Dir	In/Out	
edmi_imp_name	Implementation Name		x(20)	
edmi_imp_vers	Version		>>9	
edmi_mfd_name	Doc Name		x(20)	
edmi_mfd_vers	Version	Ver	>>9	
edmi_mod_date	Last Modified		99/99/99	
edmi_mod_userid	User ID		X(8)	
edmi_qad_dsgn	QAD Designed		yes/no	
edmi_user1			X(8)	
edmi_user10			X(8)	
edmi_user2			X(8)	
edmi_user3			X(8)	
edmi_user4			X(8)	
edmi_user5			X(8)	
edmi_user6			X(8)	
edmi_user7			X(8)	
edmi_user8			X(8)	
edmi_user9			X(8)	
edmi__qadc01			X(8)	
edmi__qadc02			X(8)	
edmi__qadc03			X(8)	
edmi__qadc04			X(8)	
edmi__qadc05			X(8)	
edmi__qadd01			->>, >>>, >>9.9<<<<<<<<	10
edmi__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
edmi__qadd03			->>>, >>>, >>9.9<<<<<<<<	10
edmi__qadd04			->>>, >>>, >>9.9<<<<<<<<	10
edmi__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
edmi__qadi01			>>>>>>9	

120 edsdd_det

Field Name	Label	Col-Label	Format	Dec
edrrx__qadl04			yes/no	
edrrx__qadl05			yes/no	
edrrx__qadt01			99/99/99	
edrrx__qadt02			99/99/99	
edrrx__qadt03			99/99/99	
edrrx__qadt04			99/99/99	
edrrx__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ edrrx_mseq_xseq	yes	edrrx_mfd_seq	yes	no
		edrrx_exf_seq	yes	no
◇* edrrx_xseq_mseq	yes	edrrx_exf_seq	yes	no
		edrrx_mfd_seq	yes	no

◇ edsdd_det EC Subsystem Control Record Field Detail

Field Name	Label	Col-Label	Format	Dec
edsdd_default	Default Value		x(30)	
edsdd_doc_in	Direction	Dir	In/Out	
edsdd_fld_max	Max Length	Max	>>9	
edsdd_fld_min	Min Length	Min	>>9	
edsdd_fld_name	Field Name		x(20)	
edsdd_fld_reqd	Requirement		Mandatory/Optional	
edsdd_fld_seq	Field Seq	Seq	>>>9	
edsdd_fld_token	Token		x(30)	
edsdd_mod_date	Last Modified		99/99/99	
edsdd_mod_userid	User ID		X(8)	
edsdd_rec_seq	Record Seq	Seq	>>>9	
edsdd_subsys	Subsystem		x(20)	
edsdd_user1			X(8)	
edsdd_user10			X(8)	
edsdd_user2			X(8)	
edsdd_user3			X(8)	
edsdd_user4			X(8)	
edsdd_user5			X(8)	
edsdd_user6			X(8)	
edsdd_user7			X(8)	
edsdd_user8			X(8)	
edsdd_user9			X(8)	
edsdd__qadc01			X(8)	
edsdd__qadc02			X(8)	
edsdd__qadc03			X(8)	
edsdd__qadc04			X(8)	
edsdd__qadc05			X(8)	
edsdd__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
edsdd__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
edsdd__qadd03			->>>, >>>, >>9.9<<<<<<<<<<	10
edsdd__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edsdd__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edsdd__qadi01			>>>>>>9	
edsdd__qadi02			>>>>>>9	
edsdd__qadi03			>>>>>>9	
edsdd__qadi04			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
edsdd__qadi05			>>>>>9	
edsdd__qadi01			yes/no	
edsdd__qadi02			yes/no	
edsdd__qadi03			yes/no	
edsdd__qadi04			yes/no	
edsdd__qadi05			yes/no	
edsdd__qadt01			99/99/99	
edsdd__qadt02			99/99/99	
edsdd__qadt03			99/99/99	
edsdd__qadt04			99/99/99	
edsdd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edsdd_rseq_fseq	yes	edsdd_subsys	yes	no
		edsdd_doc_in	yes	no
		edsdd_rec_seq	yes	no
		edsdd_fid_seq	yes	no

◇ **edsd_det** EC Subsystem Control Record Detail

Field Name	Label	Col-Label	Format	Dec
edsd_doc_in	Direction	Dir	In/Out	
edsd_mod_date	Last Modified		99/99/99	
edsd_mod_userid	User ID		X(8)	
edsd_rec_cde	Record Code	Code	x(8)	
edsd_rec_name	Record Name		x(20)	
edsd_rec_reqd	Requirement		Mandatory/Optional	
edsd_rec_seq	Record Seq	Seq	>>>9	
edsd_subsys	Subsystem		x(20)	
edsd_user1			X(8)	
edsd_user10			X(8)	
edsd_user2			X(8)	
edsd_user3			X(8)	
edsd_user4			X(8)	
edsd_user5			X(8)	
edsd_user6			X(8)	
edsd_user7			X(8)	
edsd_user8			X(8)	
edsd_user9			X(8)	
edsd__qadc01			X(8)	
edsd__qadc02			X(8)	
edsd__qadc03			X(8)	
edsd__qadc04			X(8)	
edsd__qadc05			X(8)	
edsd__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
edsd__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
edsd__qadd03			->>>, >>>, >>9.9<<<<<<<<	10
edsd__qadd04			->>>, >>>, >>9.9<<<<<<<<	10
edsd__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
edsd__qadi01			>>>>>>9	
edsd__qadi02			>>>>>>9	
edsd__qadi03			>>>>>>9	
edsd__qadi04			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
edsd__qadi05			>>>>>9	
edsd__qadi01			yes/no	
edsd__qadi02			yes/no	
edsd__qadi03			yes/no	
edsd__qadi04			yes/no	
edsd__qadi05			yes/no	
edsd__qadt01			99/99/99	
edsd__qadt02			99/99/99	
edsd__qadt03			99/99/99	
edsd__qadt04			99/99/99	
edsd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edsd_rec_seq	yes	edsd_subsys	yes	no
		edsd_doc_in	yes	no
		edsd_rec_seq	yes	no

◇ **edss_mstr** EC Subsystem Master

Field Name	Label	Col-Label	Format	Dec
edss_ecf_cde_len	Record Code Length	Length	>>>9	
edss_ecf_cde_pos	Record Code Position	Position	>>>9	
edss_ecf_delim	Field Delimiter	Delimiter	>>9	
edss_ecf_ext	File Extension	File! Ext	x(3)	
edss_ecf_fixed	Format		Fixed/Variable	
edss_ecf_quote	Quote Character	Quote! Character	>>9	
edss_mod_date	Last Modified		99/99/99	
edss_mod_userid	User ID		X(8)	
edss_subsys	Subsystem		x(20)	
edss_user1			X(8)	
edss_user10			X(8)	
edss_user2			X(8)	
edss_user3			X(8)	
edss_user4			X(8)	
edss_user5			X(8)	
edss_user6			X(8)	
edss_user7			X(8)	
edss_user8			X(8)	
edss_user9			X(8)	
edss__qadc01			X(8)	
edss__qadc02			X(8)	
edss__qadc03			X(8)	
edss__qadc04			X(8)	
edss__qadc05			X(8)	
edss__qadd01			->>>, >>>, >>9,9<<<<<<<<<	10
edss__qadd02			->>>, >>>, >>9,9<<<<<<<<<	10
edss__qadd03			->>>, >>>, >>9,9<<<<<<<<<	10
edss__qadd04			->>>, >>>, >>9,9<<<<<<<<<	10
edss__qadd05			->>>, >>>, >>9,9<<<<<<<<<	10
edss__qadi01			>>>>>>9	
edss__qadi02			>>>>>>9	
edss__qadi03			>>>>>>9	
edss__qadi04			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
edss__qadi05			>>>>>9	
edss__qadi01			yes/no	
edss__qadi02			yes/no	
edss__qadi03			yes/no	
edss__qadi04			yes/no	
edss__qadi05			yes/no	
edss__qadt01			99/99/99	
edss__qadt02			99/99/99	
edss__qadt03			99/99/99	
edss__qadt04			99/99/99	
edss__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\varnothing^*$ edss_subsys	yes	edss_subsys	yes	no

◇ **edsxx_ref** EC Subsystem to Exchange File Record Cross-Reference

Field Name	Label	Col-Label	Format	Dec
edsxx_doc_in	Direction	Dir	In/Out	
edsxx_ecf_rec_cde	Code		x(4)	
edsxx_exf_name	File Name		x(20)	
edsxx_exf_rec_seq	Record Seq	Rec Seq	>>>9	
edsxx_exf_vers	Version	Ver	>>9	
edsxx_mod_date	Last Modified		99/99/99	
edsxx_mod_userid	User ID		X(8)	
edsxx_subsys	Subsystem		x(20)	
edsxx_tp_doc	TP Doc ID	Doc Type	x(8)	
edsxx_user1			X(8)	
edsxx_user10			X(8)	
edsxx_user2			X(8)	
edsxx_user3			X(8)	
edsxx_user4			X(8)	
edsxx_user5			X(8)	
edsxx_user6			X(8)	
edsxx_user7			X(8)	
edsxx_user8			X(8)	
edsxx_user9			X(8)	
edsxx__qadc01			X(8)	
edsxx__qadc02			X(8)	
edsxx__qadc03			X(8)	
edsxx__qadc04			X(8)	
edsxx__qadc05			X(8)	
edsxx__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edsxx__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edsxx__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edsxx__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edsxx__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edsxx__qadi01			>>>>>>9	
edsxx__qadi02			>>>>>>9	
edsxx__qadi03			>>>>>>9	
edsxx__qadi04			>>>>>>9	
edsxx__qadi05			>>>>>>9	
edsxx__qadi01			yes/no	

124 edtadm_mstr

Field Name	Label	Col-Label	Format	Dec
edsxx__qadl02			yes/no	
edsxx__qadl03			yes/no	
edsxx__qadl04			yes/no	
edsxx__qadl05			yes/no	
edsxx__qadt01			99/99/99	
edsxx__qadt02			99/99/99	
edsxx__qadt03			99/99/99	
edsxx__qadt04			99/99/99	
edsxx__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edsxx_xref_reccde	yes	edsxx_subsys	yes	no
		edsxx_tp_doc	yes	no
		edsxx_doc_in	yes	no
		edsxx_ecf_rec_cde	yes	no
◇ edsxx_xref_recseq	yes	edsxx_subsys	yes	no
		edsxx_tp_doc	yes	no
		edsxx_doc_in	yes	no
		edsxx_exf_rec_seq	yes	no

◇ edtadm_mstr Turnaround Data Mapping Master

Field Name	Label	Col-Label	Format	Dec
edtadm_doc_in	Direction	Dir	In/Out	
edtadm_imp_name	Implementation Name		x(20)	
edtadm_imp_vers	Version		>>9	
edtadm_mfd_name	Doc Name		x(20)	
edtadm_mfd_rec_fld	Field Seq	Seq	>>>9	
edtadm_mfd_rec_seq	Record Seq	Seq	>>>9	
edtadm_mfd_vers	Version	Ver	>>9	
edtadm_mft	Table Name	Table	x(16)	
edtadm_mft_idx	Index Name	Index	x(50)	
edtadm_mod_date	Last Modified		99/99/99	
edtadm_mod_userid	User ID		X(8)	
edtadm_param_name	Parameter Name		x(70)	
edtadm_param_qual	Parameter Qualifier	Qualifier	x(8)	
edtadm_param_seq	Parameter Seq	Seq	>9	
edtadm_retr_func	Retrieval Function		x(20)	
edtadm_tad_itm	Turnaround Data Item		x(20)	
edtadm_user1			X(8)	
edtadm_user10			X(8)	
edtadm_user2			X(8)	
edtadm_user3			X(8)	
edtadm_user4			X(8)	
edtadm_user5			X(8)	
edtadm_user6			X(8)	
edtadm_user7			X(8)	
edtadm_user8			X(8)	
edtadm_user9			X(8)	
edtadm__qadc01			X(8)	
edtadm__qadc02			X(8)	
edtadm__qadc03			X(8)	
edtadm__qadc04			X(8)	

Field Name	Label	Col-Label	Format	Dec
edtar__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edtar__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edtar__qadi01			>>>>>>9	
edtar__qadi02			>>>>>>9	
edtar__qadi03			>>>>>>9	
edtar__qadi04			>>>>>>9	
edtar__qadi05			>>>>>>9	
edtar__qadi01			yes/no	
edtar__qadi02			yes/no	
edtar__qadi03			yes/no	
edtar__qadi04			yes/no	
edtar__qadi05			yes/no	
edtar__qadt01			99/99/99	
edtar__qadt02			99/99/99	
edtar__qadt03			99/99/99	
edtar__qadt04			99/99/99	
edtar__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edtar_idx_itm	yes	edtar_mft	yes	no
		edtar_mft_idx	yes	no
		edtar_mft_idx_val	yes	no
		edtar_tad itm	yes	no

◇ **edta_mstr** Turnaround Data Item Master

Field Name	Label	Col-Label	Format	Dec
edta_mod_date	Last Modified		99/99/99	
edta_mod_userid	User ID		X(8)	
edta_tad_itm	Turnaround Data Item		x(20)	
edta_tad_itm_desc	Turnaround Data Item Description		x(30)	
edta_tad_itm_type	Turnaround Data Item Type		x(20)	
edta_user1			X(8)	
edta_user10			X(8)	
edta_user2			X(8)	
edta_user3			X(8)	
edta_user4			X(8)	
edta_user5			X(8)	
edta_user6			X(8)	
edta_user7			X(8)	
edta_user8			X(8)	
edta_user9			X(8)	
edta__qadc01			X(8)	
edta__qadc02			X(8)	
edta__qadc03			X(8)	
edta__qadc04			X(8)	
edta__qadc05			X(8)	
edta__qadd01			->>>, >>>,>>9.9<<<<<<<<<	10
edta__qadd02			->>>, >>>,>>9.9<<<<<<<<<	10
edta__qadd03			->>>, >>>,>>9.9<<<<<<<<<	10
edta__qadd04			->>>, >>>,>>9.9<<<<<<<<<	10
edta__qadd05			->>>, >>>,>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\varnothing^*$ edtg_dtg_name	yes	edtg_dtg_name	yes	no

◇ **edtmx_ref**

Field Name	Label	Col-Label	Format	Dec
edtmx_doc_in	Direction	Dir	In/Out	
edtmx_imp_name	Implementation Name	Imp Name	x(20)	
edtmx_imp_vers	Version	Ver	>>9	
edtmx_mfd_name	Doc Name		x(20)	
edtmx_mfd_vers	Version	Ver	>>9	
edtmx_mfg_addr	Address		x(8)	
edtmx_mfg_site	Site		x(8)	
edtmx_mod_date	Last Modified		99/99/99	
edtmx_mod_userid	User ID		X(8)	
edtmx_tp_addr	TP Address Reference	TP Addr	x(35)	
edtmx_tp_doc	TP Doc ID	Doc Type	x(8)	
edtmx_tp_id	TP ID	EDI Customer Number	x(35)	
edtmx_tp_site	Site		x(35)	
edtmx_user1			X(8)	
edtmx_user10			X(8)	
edtmx_user2			X(8)	
edtmx_user3			X(8)	
edtmx_user4			X(8)	
edtmx_user5			X(8)	
edtmx_user6			X(8)	
edtmx_user7			X(8)	
edtmx_user8			X(8)	
edtmx_user9			X(8)	
edtmx__qadc01			X(8)	
edtmx__qadc02			X(8)	
edtmx__qadc03			X(8)	
edtmx__qadc04			X(8)	
edtmx__qadc05			X(8)	
edtmx__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edtmx__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edtmx__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edtmx__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edtmx__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10

130 edtpd_det

Field Name	Label	Col-Label	Format	Dec
edtmx__qadi01			>>>>>9	
edtmx__qadi02			>>>>>9	
edtmx__qadi03			>>>>>9	
edtmx__qadi04			>>>>>9	
edtmx__qadi05			>>>>>9	
edtmx__qadi01			yes/no	
edtmx__qadi02			yes/no	
edtmx__qadi03			yes/no	
edtmx__qadi04			yes/no	
edtmx__qadi05			yes/no	
edtmx__qadi01			99/99/99	
edtmx__qadi02			99/99/99	
edtmx__qadi03			99/99/99	
edtmx__qadi04			99/99/99	
edtmx__qadi05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ edtmx_msite_maddr	yes	edtmx_mfd_name	yes	no
		edtmx_mfd_vers	yes	no
		edtmx_doc_in	yes	no
		edtmx_mfg_site	yes	no
		edtmx_mfg_addr	yes	no
◇* edtmx_tsite_taddr	yes	edtmx_tp_id	yes	no
		edtmx_tp_doc	yes	no
		edtmx_doc_in	yes	no
		edtmx_tp_site	yes	no
		edtmx_tp_addr	yes	no

◇ edtpd_det Trading Partner Document Detail

Field Name	Label	Col-Label	Format	Dec
edtpd_doc_in	Direction	Dir	In/Out	
edtpd_dtg_name	Name		x(20)	
edtpd_exf_mfd_map	Document Map		x(20)	
edtpd_mod_date	Last Modified		99/99/99	
edtpd_mod_userid	User ID		X(8)	
edtpd_tp_doc	TP Doc ID	Doc Type	x(8)	
edtpd_tp_id	TP ID	EDI Customer Number	x(35)	
edtpd_user1			X(8)	
edtpd_user10			X(8)	
edtpd_user2			X(8)	
edtpd_user3			X(8)	
edtpd_user4			X(8)	
edtpd_user5			X(8)	
edtpd_user6			X(8)	
edtpd_user7			X(8)	
edtpd_user8			X(8)	
edtpd_user9			X(8)	
edtpd__qadc01			X(8)	
edtpd__qadc02			X(8)	
edtpd__qadc03			X(8)	
edtpd__qadc04			X(8)	
edtpd__qadc05			X(8)	

Field Name	Label	Col-Label	Format	Dec
edtpd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edtpd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edtpd__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edtpd__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edtpd__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edtpd__qadi01			>>>>>>9	
edtpd__qadi02			>>>>>>9	
edtpd__qadi03			>>>>>>9	
edtpd__qadi04			>>>>>>9	
edtpd__qadi05			>>>>>>9	
edtpd__qadi01			yes/no	
edtpd__qadi02			yes/no	
edtpd__qadi03			yes/no	
edtpd__qadi04			yes/no	
edtpd__qadi05			yes/no	
edtpd__qadt01			99/99/99	
edtpd__qadt02			99/99/99	
edtpd__qadt03			99/99/99	
edtpd__qadt04			99/99/99	
edtpd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edtpd_tpid_tpdoc	yes	edtpd_tp_id	yes	no
		edtpd_tp_doc	yes	no
		edtpd_doc_in	yes	no

◇ edtpparm_mstrTrading Partner Parameters Master

Field Name	Label	Col-Label	Format	Dec
edtpparm_addr	Address		x(8)	
edtpparm_char[20]	Char Params		x(40)	
edtpparm_char_desc[20]	Char Desc		x(25)	
edtpparm_date[20]	Date Params		99/99/9999	
edtpparm_date_desc[20]	Date Desc		x(30)	
edtpparm_deci[20]	Deci Params		->>>>>>>9.99	2
edtpparm_deci_desc[20]	Deci Desc		x(25)	
edtpparm_int[20]	Int Params		->>>>>>>9	
edtpparm_int_desc[20]	Int Desc		x(25)	
edtpparm_log[20]	Log Params		yes/no	
edtpparm_log_desc[20]	Log Desc		x(25)	
edtpparm_mod_date	Last Modified		99/99/99	
edtpparm_mod_userid	User ID		X(8)	
edtpparm_site	EDI Site		x(8)	
edtpparm_tp_addr	Trading Partner Address		x(35)	
edtpparm_tp_site	Trading Partner Site		x(35)	
edtpparm_user1			X(8)	
edtpparm_user10			X(8)	
edtpparm_user2			X(8)	
edtpparm_user3			X(8)	
edtpparm_user4			X(8)	
edtpparm_user5			X(8)	
edtpparm_user6			X(8)	
edtpparm_user7			X(8)	

Field Name	Label	Col-Label	Format	Dec
edtrf_user4			X(8)	
edtrf_user5			X(8)	
edtrf_user6			X(8)	
edtrf_user7			X(8)	
edtrf_user8			X(8)	
edtrf_user9			X(8)	
edtrf__qadc01			X(8)	
edtrf__qadc02			X(8)	
edtrf__qadc03			X(8)	
edtrf__qadc04			X(8)	
edtrf__qadc05			X(8)	
edtrf__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edtrf__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edtrf__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edtrf__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edtrf__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edtrf__qadi01			>>>>>>9	
edtrf__qadi02			>>>>>>9	
edtrf__qadi03			>>>>>>9	
edtrf__qadi04			>>>>>>9	
edtrf__qadi05			>>>>>>9	
edtrf__qadi01			yes/no	
edtrf__qadi02			yes/no	
edtrf__qadi03			yes/no	
edtrf__qadi04			yes/no	
edtrf__qadi05			yes/no	
edtrf__qadt01			99/99/99	
edtrf__qadt02			99/99/99	
edtrf__qadt03			99/99/99	
edtrf__qadt04			99/99/99	
edtrf__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ int_name	yes	edtrf_int_name	yes	no
◇* name	yes	edtrf_name	yes	no

◇ edtrp_mstr Transformation Map Function Parameters Master

Field Name	Label	Col-Label	Format	Dec
edtrp_doc_in	Type		In/Out	
edtrp_event	Event		9	
edtrp_mod_date	Last Modified		99/99/99	
edtrp_mod_userid	User ID		X(8)	
edtrp_name	Name		x(20)	
edtrp_param_name	Parameter Name		x(70)	
edtrp_param_qual	Parameter Qualifier	Qualifier	X(1)	
edtrp_param_seq	Parameter Seq	Seq	>9	
edtrp_rec_seq	Record Sequence from either the Exchange File or Implementation	Record! Seq	>>>>9	
edtrp_seq	Sequence	Seq	>>>>9	
edtrp_user1			X(8)	
edtrp_user10			X(8)	

Field Name	Label	Col-Label	Format	Dec
edtrv_user2			X(8)	
edtrv_user3			X(8)	
edtrv_user4			X(8)	
edtrv_user5			X(8)	
edtrv_user6			X(8)	
edtrv_user7			X(8)	
edtrv_user8			X(8)	
edtrv_user9			X(8)	
edtrv_var_name	Variable Name		x(20)	
edtrv__qadc01			X(8)	
edtrv__qadc02			X(8)	
edtrv__qadc03			X(8)	
edtrv__qadc04			X(8)	
edtrv__qadc05			X(8)	
edtrv__qadd01			-->>>, >>>, >>9.9<<<<<<<<<<	10
edtrv__qadd02			-->>>, >>>, >>9.9<<<<<<<<<<	10
edtrv__qadd03			-->>>, >>>, >>9.9<<<<<<<<<<	10
edtrv__qadd04			-->>>, >>>, >>9.9<<<<<<<<<<	10
edtrv__qadd05			-->>>, >>>, >>9.9<<<<<<<<<<	10
edtrv__qadi01			>>>>>>9	
edtrv__qadi02			>>>>>>9	
edtrv__qadi03			>>>>>>9	
edtrv__qadi04			>>>>>>9	
edtrv__qadi05			>>>>>>9	
edtrv__qadi01			yes/no	
edtrv__qadi02			yes/no	
edtrv__qadi03			yes/no	
edtrv__qadi04			yes/no	
edtrv__qadi05			yes/no	
edtrv__qadt01			99/99/99	
edtrv__qadt02			99/99/99	
edtrv__qadt03			99/99/99	
edtrv__qadt04			99/99/99	
edtrv__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edtrv_mstr	yes	edtrv_doc_in	yes	no
		edtrv_name	yes	no
		edtrv_var_name	yes	no
		edtrv_type	yes	no

◇ **edtr_mstr** Transformation Definitions Master

Field Name	Label	Col-Label	Format	Dec
edtr_debug	Run in Debug Mode	Debug	9	
edtr_doc_in	Type		In/Out	
edtr_exf_name	File Name		x(20)	
edtr_exf_vers	Version	Ver	>>9	
edtr_is_runnable	Production Flag Indicator	Production	yes/no	
edtr_many	Many to Many		yes/no	
edtr_mfdi_name	MFG/PRO Imp Doc Name		x(20)	
edtr_mfdi_vers	Version	Ver	>>9	
edtr_mfd_name	Doc Name		x(20)	

Field Name	Label	Col-Label	Format	Dec
edval_mfd_name	Doc Name		x(20)	
edval_mfd_vers	Version	Ver	>>9	
edval_mod_date	Last Modified		99/99/99	
edval_mod_userid	User ID		X(8)	
edval_rec_seq	Record Seq	Seq	>>>9	
edval_user1			X(8)	
edval_user10			X(8)	
edval_user2			X(8)	
edval_user3			X(8)	
edval_user4			X(8)	
edval_user5			X(8)	
edval_user6			X(8)	
edval_user7			X(8)	
edval_user8			X(8)	
edval_user9			X(8)	
edval__qadc01			X(8)	
edval__qadc02			X(8)	
edval__qadc03			X(8)	
edval__qadc04			X(8)	
edval__qadc05			X(8)	
edval__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edval__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edval__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edval__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edval__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edval__qadi01			>>>>>>9	
edval__qadi02			>>>>>>9	
edval__qadi03			>>>>>>9	
edval__qadi04			>>>>>>9	
edval__qadi05			>>>>>>9	
edval__qadi01			yes/no	
edval__qadi02			yes/no	
edval__qadi03			yes/no	
edval__qadi04			yes/no	
edval__qadi05			yes/no	
edval__qadt01			99/99/99	
edval__qadt02			99/99/99	
edval__qadt03			99/99/99	
edval__qadt04			99/99/99	
edval__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edval_fseq_fcode	yes	edval_mfd_name	yes	no
		edval_mfd_vers	yes	no
		edval_imp_name	yes	no
		edval_imp_vers	yes	no
		edval_doc_in	yes	no
		edval_rec_seq	yes	no
		edval_fld_seq	yes	no
		edval_fld_cde_val	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edxfdd_rseq_fseq	yes	edxfdd_exf_name	yes	no
		edxfdd_exf_vers	yes	no
		edxfdd_doc_in	yes	no
		edxfdd_rec_seq	yes	no
		edxfdd_fld_seq	yes	no

◇ **edxfd_det** Exchange File Record Detail

Field Name	Label	Col-Label	Format	Dec
edxfd_dloc_in	Direction	Dir	In/Out	
edxfd_exf_name	File Name		x(20)	
edxfd_exf_vers	Version	Ver	>>9	
edxfd_mod_date	Last Modified		99/99/99	
edxfd_mod_userid	User ID		X(8)	
edxfd_rec_lp_end	Loop End Record Sequence	Loop End! Seq	>>>9	
edxfd_rec_lp_occ	Loop Occurrence	Loop! Occur	>>>>>9	
edxfd_rec_name	Record Name		x(20)	
edxfd_rec_reqd	Requirement		Mandatory/Optional	
edxfd_rec_seq	Record Seq	Seq	>>>9	
edxfd_user1			X(8)	
edxfd_user10			X(8)	
edxfd_user2			X(8)	
edxfd_user3			X(8)	
edxfd_user4			X(8)	
edxfd_user5			X(8)	
edxfd_user6			X(8)	
edxfd_user7			X(8)	
edxfd_user8			X(8)	
edxfd_user9			X(8)	
edxfd__qadc01			X(8)	
edxfd__qadc02			X(8)	
edxfd__qadc03			X(8)	
edxfd__qadc04			X(8)	
edxfd__qadc05			X(8)	
edxfd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edxfd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edxfd__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edxfd__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edxfd__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edxfd__qadi01			>>>>>>9	
edxfd__qadi02			>>>>>>9	
edxfd__qadi03			>>>>>>9	
edxfd__qadi04			>>>>>>9	
edxfd__qadi05			>>>>>>9	
edxfd__qadl01			yes/no	
edxfd__qadl02			yes/no	
edxfd__qadl03			yes/no	
edxfd__qadl04			yes/no	
edxfd__qadl05			yes/no	
edxfd__qadt01			99/99/99	
edxfd__qadt02			99/99/99	
edxfd__qadt03			99/99/99	
edxfd__qadt04			99/99/99	
edxfd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edxfd_xrec_seq	yes	edxfd_xef_name	yes	no
		edxfd_xef_vers	yes	no
		edxfd_doc_in	yes	no
		edxfd_rec_seq	yes	no

◇ edxfsdd_det Exchange File Status Message Detail

Field Name	Label	Col-Label	Format	Dec
edxfssdd_delim_str	Delimited String	Extended Message	x(90)	
edxfssdd_error_level	Error Level	Error! Level	>>>9	
edxfssdd_exf_seq	File Seq	Seq	>>>>>9	
edxfssdd_mod_date	Last Modified		99/99/99	
edxfssdd_mod_userid	User ID		X(8)	
edxfssdd_msg_no	Message Number	Number	>>>>9	
edxfssdd_msg_seq	Message Sequence	Msg! Seq	>>>9	
edxfssdd_proc_seq	Process Seq	Seq	9	
edxfssdd_proc_sess	Process Session Number	Session	>>>>>9	
edxfssdd_user1			X(8)	
edxfssdd_user10			X(8)	
edxfssdd_user2			X(8)	
edxfssdd_user3			X(8)	
edxfssdd_user4			X(8)	
edxfssdd_user5			X(8)	
edxfssdd_user6			X(8)	
edxfssdd_user7			X(8)	
edxfssdd_user8			X(8)	
edxfssdd_user9			X(8)	
edxfssdd__qadc01			X(8)	
edxfssdd__qadc02			X(8)	
edxfssdd__qadc03			X(8)	
edxfssdd__qadc04			X(8)	
edxfssdd__qadc05			X(8)	
edxfssdd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edxfssdd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edxfssdd__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edxfssdd__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edxfssdd__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edxfssdd__qadi01			>>>>>>9	
edxfssdd__qadi02			>>>>>>9	
edxfssdd__qadi03			>>>>>>9	
edxfssdd__qadi04			>>>>>>9	
edxfssdd__qadi05			>>>>>>9	
edxfssdd__qadl01			yes/no	
edxfssdd__qadl02			yes/no	
edxfssdd__qadl03			yes/no	
edxfssdd__qadl04			yes/no	
edxfssdd__qadl05			yes/no	
edxfssdd__qadt01			99/99/99	
edxfssdd__qadt02			99/99/99	
edxfssdd__qadt03			99/99/99	
edxfssdd__qadt04			99/99/99	
edxfssdd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edxfsd_msg_seq	yes	edxfsd_exf_seq	yes	no
		edxfsd_proc_sess	yes	no
		edxfsd_proc_seq	yes	no
		edxfsd_msg_seq	yes	no

144 edxfsd_det

◇ **edxfsd_det** Exchange File Status History Detail

Field Name	Label	Col-Label	Format	Dec
edxfsd_exf_seq	File Seq	Seq	>>>>9	
edxfsd_mod_date	Last Modified		99/99/99	
edxfsd_mod_userid	User ID		X(8)	
edxfsd_proc_date	Process Date	Date	99/99/99	
edxfsd_proc_seq	Process Seq	Seq	9	
edxfsd_proc_sess	Process Session Number	Session	>>>>>>9	
edxfsd_proc_time	Process Time	Time	>>>>9	
edxfsd_status	Status		>>9	
edxfsd_user1			X(8)	
edxfsd_user10			X(8)	
edxfsd_user2			X(8)	
edxfsd_user3			X(8)	
edxfsd_user4			X(8)	
edxfsd_user5			X(8)	
edxfsd_user6			X(8)	
edxfsd_user7			X(8)	
edxfsd_user8			X(8)	
edxfsd_user9			X(8)	
edxfsd__qadc01			X(8)	
edxfsd__qadc02			X(8)	
edxfsd__qadc03			X(8)	
edxfsd__qadc04			X(8)	
edxfsd__qadc05			X(8)	
edxfsd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
edxfsd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
edxfsd__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
edxfsd__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
edxfsd__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
edxfsd__qadi01			>>>>>>9	
edxfsd__qadi02			>>>>>>9	
edxfsd__qadi03			>>>>>>9	
edxfsd__qadi04			>>>>>>9	
edxfsd__qadi05			>>>>>>9	
edxfsd__qadi01			yes/no	
edxfsd__qadi02			yes/no	
edxfsd__qadi03			yes/no	
edxfsd__qadi04			yes/no	
edxfsd__qadi05			yes/no	
edxfsd__qadt01			99/99/99	
edxfsd__qadt02			99/99/99	
edxfsd__qadt03			99/99/99	
edxfsd__qadt04			99/99/99	
edxfsd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edxfsd_stat_sess	yes	edxfsd_exf_seq	yes	no
		edxfsd_proc_sess	yes	no
		edxfsd_proc_seq	yes	no

◇ **edxfs_mstr** Exchange File Status Master

Field Name	Label	Col-Label	Format	Dec
edxfs_doc_in	Direction	Dir	In/Out	
edxfs_dtg_name	Name		x(20)	
edxfs_exf_seq	File Seq	Seq	>>>>9	
edxfs_file_name	File Name		x(12)	
edxfs_mod_date	Last Modified		99/99/99	
edxfs_mod_userid	User ID		X(8)	
edxfs_status	Status		>>9	
edxfs_tp_doc	TP Doc ID	Doc Type	x(8)	
edxfs_tp_doc_ref	Primary Reference	Doc ID	x(35)	
edxfs_tp_id	TP ID	EDI Customer Number	x(35)	
edxfs_user1			X(8)	
edxfs_user10			X(8)	
edxfs_user2			X(8)	
edxfs_user3			X(8)	
edxfs_user4			X(8)	
edxfs_user5			X(8)	
edxfs_user6			X(8)	
edxfs_user7			X(8)	
edxfs_user8			X(8)	
edxfs_user9			X(8)	
edxfs__qadc01			X(8)	
edxfs__qadc02			X(8)	
edxfs__qadc03			X(8)	
edxfs__qadc04			X(8)	
edxfs__qadc05			X(8)	
edxfs__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
edxfs__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
edxfs__qadd03			->>>, >>>, >>9.9<<<<<<<<<<	10
edxfs__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edxfs__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edxfs__qadi01			>>>>>>9	
edxfs__qadi02			>>>>>>9	
edxfs__qadi03			>>>>>>9	
edxfs__qadi04			>>>>>>9	
edxfs__qadi05			>>>>>>9	
edxfs__qadi01			yes/no	
edxfs__qadi02			yes/no	
edxfs__qadi03			yes/no	
edxfs__qadi04			yes/no	
edxfs__qadi05			yes/no	
edxfs__qadt01			99/99/99	
edxfs__qadt02			99/99/99	
edxfs__qadt03			99/99/99	
edxfs__qadt04			99/99/99	
edxfs__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edxfs_fseq_stat	yes	edxfs_exf_seq	yes	no

◇ **edxrd_det** Exchange File Repository Detail

Field Name	Label	Col-Label	Format	Dec
edxrd_exf_fld[100]	Field Value		x(99)	
edxrd_exf_rec_seq	Record Seq	Seq	>>>9	
edxrd_exf_rec_stru	Record Structure ID		x(30)	
edxrd_exf_seq	File Seq	Seq	>>>>9	
edxrd_mod_date	Last Modified		99/99/99	
edxrd_mod_userid	User ID		X(8)	
edxrd_user1			X(8)	
edxrd_user10			X(8)	
edxrd_user2			X(8)	
edxrd_user3			X(8)	
edxrd_user4			X(8)	
edxrd_user5			X(8)	
edxrd_user6			X(8)	
edxrd_user7			X(8)	
edxrd_user8			X(8)	
edxrd_user9			X(8)	
edxrd__qadc01			X(8)	
edxrd__qadc02			X(8)	
edxrd__qadc03			X(8)	
edxrd__qadc04			X(8)	
edxrd__qadc05			X(8)	
edxrd__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
edxrd__qadd02			->>>, >>>, >>9.9<<<<<<<<<<	10
edxrd__qadd03			->>>, >>>, >>9.9<<<<<<<<<<	10
edxrd__qadd04			->>>, >>>, >>9.9<<<<<<<<<<	10
edxrd__qadd05			->>>, >>>, >>9.9<<<<<<<<<<	10
edxrd__qadi01			>>>>>>9	
edxrd__qadi02			>>>>>>9	
edxrd__qadi03			>>>>>>9	
edxrd__qadi04			>>>>>>9	
edxrd__qadi05			>>>>>>9	
edxrd__qadi01			yes/no	
edxrd__qadi02			yes/no	
edxrd__qadi03			yes/no	
edxrd__qadi04			yes/no	
edxrd__qadi05			yes/no	
edxrd__qadt01			99/99/99	
edxrd__qadt02			99/99/99	
edxrd__qadt03			99/99/99	
edxrd__qadt04			99/99/99	
edxrd__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* edxrd_seq_id	yes	edxrd_exf_seq	yes	no
		edxrd_exf_rec_stru	yes	no

edxref_mstr

Field Name	Label	Col-Label	Format	Dec
edxref_conv_value	Converted Value		x(30)	
edxref_doc_in	Direction	Dir	In/Out	
edxref_init_value	Initial Value		x(30)	
edxref_mfd_fld_seq	Field Seq	Seq	>>9	
edxref_mfd_name	Doc Name		x(20)	
edxref_mfd_rec_seq	Record Seq	Seq	>>>9	
edxref_mfd_vers	Version	Ver	>>9	
edxref_mod_date	Last Modified		99/99/99	
edxref_mod_userid	User ID		X(8)	
edxref_tp_doc	TP Doc ID	Doc Type	X(8)	
edxref_tp_id	TP ID	EDI Customer Number	x(35)	
edxref_user1			X(8)	
edxref_user10			X(8)	
edxref_user2			X(8)	
edxref_user3			X(8)	
edxref_user4			X(8)	
edxref_user5			X(8)	
edxref_user6			X(8)	
edxref_user7			X(8)	
edxref_user8			X(8)	
edxref_user9			X(8)	
edxref__qadc01			X(8)	
edxref__qadc02			X(8)	
edxref__qadc03			X(8)	
edxref__qadc04			X(8)	
edxref__qadc05			X(8)	
edxref__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
edxref__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
edxref__qadd03			->>>, >>>, >>9.9<<<<<<<<	10
edxref__qadd04			->>>, >>>, >>9.9<<<<<<<<	10
edxref__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
edxref__qadi01			>>>>>>9	
edxref__qadi02			>>>>>>9	
edxref__qadi03			>>>>>>9	
edxref__qadi04			>>>>>>9	
edxref__qadi05			>>>>>>9	
edxref__qadl01			yes/no	
edxref__qadl02			yes/no	
edxref__qadl03			yes/no	
edxref__qadl04			yes/no	
edxref__qadl05			yes/no	
edxref__qadt01			99/99/99	
edxref__qadt02			99/99/99	
edxref__qadt03			99/99/99	
edxref__qadt04			99/99/99	
edxref__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edxref_cross_ref	yes	edxref_tp_doc	yes	no
		edxref_doc_in	yes	no
		edxref_tp_id	yes	no
		edxref_mfd_name	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		edxref_mfd_vers	yes	no
		edxref_mfd_rec_seq	yes	no
		edxref_mfd_fld_seq	yes	no
		edxref_init_value	yes	no

◇ **edxr_mstr** Exchange File Repository Master

Field Name	Label	Col-Label	Format	Dec
edxr_doc_in	Direction	Dir	In/Out	
edxr_dtg_name	Name		x(20)	
edxr_exf_name	File Name		x(20)	
edxr_exf_seq	File Seq	Seq	>>>>>9	
edxr_exf_vers	Version	Ver	>>9	
edxr_mod_date	Last Modified		99/99/99	
edxr_mod_userid	User ID		X(8)	
edxr_tp_addr	TP Address		x(35)	
edxr_tp_doc	TP Doc ID	Doc Type	x(8)	
edxr_tp_doc_ref	Primary Reference	Doc ID	x(35)	
edxr_tp_fg_no	Group Number		x(35)	
edxr_tp_ic_no	Interchange Number		x(35)	
edxr_tp_id	TP ID	EDI Customer Number	x(35)	
edxr_tp_msg_no	TP Message Number		x(35)	
edxr_tp_site	TP Site		x(35)	
edxr_user1			X(8)	
edxr_user10			X(8)	
edxr_user2			X(8)	
edxr_user3			X(8)	
edxr_user4			X(8)	
edxr_user5			X(8)	
edxr_user6			X(8)	
edxr_user7			X(8)	
edxr_user8			X(8)	
edxr_user9			X(8)	
edxr__qadc01			X(8)	
edxr__qadc02			X(8)	
edxr__qadc03			X(8)	
edxr__qadc04			X(8)	
edxr__qadc05			X(8)	
edxr__qadd01			->>>, >>>, >>9,9<<<<<<<<<	10
edxr__qadd02			->>>, >>>, >>9,9<<<<<<<<<	10
edxr__qadd03			->>>, >>>, >>9,9<<<<<<<<<	10
edxr__qadd04			->>>, >>>, >>9,9<<<<<<<<<	10
edxr__qadd05			->>>, >>>, >>9,9<<<<<<<<<	10
edxr__qadi01			>>>>>>9	
edxr__qadi02			>>>>>>9	
edxr__qadi03			>>>>>>9	
edxr__qadi04			>>>>>>9	
edxr__qadi05			>>>>>>9	
edxr__qadl01			yes/no	
edxr__qadl02			yes/no	
edxr__qadl03			yes/no	
edxr__qadl04			yes/no	
edxr__qadl05			yes/no	
edxr__qadt01			99/99/99	

150 ed_mstr

Field Name	Label	Col-Label	Format	Dec
edxr__qadt02			99/99/99	
edxr__qadt03			99/99/99	
edxr__qadt04			99/99/99	
edxr__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* edxr_exf_seq	yes	edxr_exf_seq	yes	no

ed_mstr Employee Deduction Master

Field Name	Label	Col-Label	Format	Dec
ed_addr	Employee		x(8)	
ed_amt	Deduction Amount	Amount	->>>,>>9.99	2
ed_credit	Credit		->>>,>>9.99	2
ed_ded	Deduction Code	Ded Code	x(8)	
ed_exempt	Exemptions	Alw	>9	
ed_freq	Frequency	Fr	x(2)	
ed_max	YTD Maximum		->>>,>>9.99	2
ed_max_date	As of		99/99/99	
ed_nonex	Exempt from Deduction	Ex	yes/no	
ed_pd_max	Pay Period Maximum	Pay Pd Max	->>>,>>9.99	2
ed_percent	Deduction Percentage	Dedn %	->>9.999<	4
ed_user1	Ufld1		x(8)	
ed_user2	Ufld2		x(8)	
ed__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ed_ded	no	ed_ded	yes	no
* ed_index	yes	ed_addr	yes	no
		ed_ded	yes	no

eead_det Employee Earnings Detail

Field Name	Label	Col-Label	Format	Dec
eead_acct	Account		x(8)	
eead_addr	Employee		x(8)	
eead_amt	Amount		->>,>>>,>>>.99	2
eead_bank	Bank	Bk	x(2)	
eead_cc	Cost Ctr	CC	x(4)	
eead_ck_date	Check Date	Chk Date	99/99/99	
eead_ck_nbr	Check		999999	
eead_date	Date of Earnings	Date	99/99/99	
eead_dept	Department	Dept	x(8)	
eead_earn	Earnings Code	Earn	x(4)	
eead_line	Line		>>9	
eead_pd_date	Period Ending Date	Per End	99/99/99	
eead_posted	Posted		yes/no	
eead_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
eead_rate	Pay Rate		->>, >>9.99	2
eead_req_nbr	Paycheck Request	Pay Req	999999	
eead_sft_dif	Shift Differential	Shift! Differ'l	->>, >>>, >>>.99	10
eead_shift	Employee Shift	Sh	x(2)	
eead_type	Earnings Type	T	x(1)	
eead_units	Hours/Units	Hrs/Uts	->>, >>9.999	3
eead_user1	Ufld1		x(8)	
eead_user2	Ufld2		x(8)	
eead_wk_loc	Work Location Code	Wk Loc	x(4)	
eead__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
eead_dept	no	eead_dept	yes	no
eead_ind1	no	eead_addr	yes	no
		eead_earn	yes	no
		eead_ck_date	yes	no
		eead_bank	yes	no
		eead_shift	yes	no
		eead_ck_nbr	yes	no
eead_ind2	no	eead_addr	yes	no
		eead_date	yes	no
		eead_bank	yes	no
		eead_req_nbr	yes	no
eead_ind3	no	eead_addr	yes	no
		eead_ck_date	yes	no
		eead_bank	yes	no
		eead_ck_nbr	yes	no
		eead_earn	yes	no
eead_ind4	no	eead_earn	yes	no
		eead_date	yes	no
* eead_ind5	yes	eead_addr	yes	no
		eead_pd_date	yes	no
		eead_bank	yes	no
		eead_req_nbr	yes	no
		eead_line	yes	no
eead_index	yes	eead_addr	yes	no
		eead_pd_date	yes	no
		eead_bank	yes	no
		eead_req_nbr	yes	no
		eead_type	yes	no
		eead_line	yes	no
eead_wk_loc	no	eead_wk_loc	yes	no

ega_mstr Service/Support Engineer Availability Master

Field Name	Label	Col-Label	Format	Dec
ega_avail_hours[7]	Available	Avl	>9.9	2
ega_calls[7]	Number of Calls	Calls	>>9	
ega_eng_code	Engineer Code	Eng Code	x(8)	
ega_esh_schedule	Schedule		x(8)	
ega_hours[7]	Hours		>9.9	2
ega_user1	user1		x(8)	

152 egc_ctrl

Field Name	Label	Col-Label	Format	Dec
ega_user2	user2		x(8)	
ega_week	Week		99/99/99	
ega__dec01	User Decimal Field 1		->>, >>9.99	4
ega__int01	User Integer Field 1		->, >>>, >>9	
ega__log01	User Logical Field 1		yes/no	
ega__qade01	QAD Decimal Field 1		->>, >>9.99	4
ega__qadi01	QAD Integer Field 1		->, >>>, >>9	
ega__qadi01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ega_eng_code	yes	ega_eng_code	yes	no
		ega_week	yes	no
		ega_esh_schedule	yes	no

egc_ctrl Service/Support Engineer Schedule Control File

Field Name	Label	Col-Label	Format	Dec
Δ egc_area_limit	Limit by Service Area		yes/no	
egc_area_points	Area Points		>9	
Δ egc_avail_limit	Limit by Availability		X	
egc_avail_points	Available Points		>9	
egc_by_calls	Display by Calls		yes/no	
egc_call_list	On call List		x(8)	
egc_eng_lhr	Lunch Duration		99:99	
egc_hours_display	Standard Hours Display		yes/no	
egc_index			>>9	
egc_mod_date	Date Last Updated		99/99/99	
egc_mod_userid	Last Updated By		X(8)	
egc_nbr	Next Engineer Number		->, >>>, >>9	0
Δ egc_override_opt	Override Scheduling Options		yes/no	
egc_prim_points	Primary Eng Points		>9	
Δ egc_prob_limit	Limit by Problem/Skill		yes/no	
egc_prob_points	Problem Points		>9	
Δ egc_tz_eng_hours	Range of Hours to Consider		X(2)	
Δ egc_tz_limit	Limit by Time Zone		yes/no	
Δ egc_tz_points	Time Zone Points		>9	
egc_user1	user1		x(8)	
egc_user2	user2		x(8)	
egc__chr01	Character Field 1		X(8)	
egc__chr02	Character Field 2		X(8)	
egc__int01	Integer Field 1		->, >>>, >>9	
egc__int02	Integer Field 2		->, >>>, >>9	
egc__log01	Logical Field 1		yes/no	
egc__log02	Logical Field 2		yes/no	
egc__qadc03	QAD Character Field 3		X(8)	
egc__qadc04	QAD Character Field 4		X(8)	
egc__qadc05[4]	QAD Field		99:99	0
egc__qadc06[4]	QAD Character Field		x(8)	0
◇ egc__qadc07	QAD Character Field 7		x(8)	
◇ egc__qadd01	QAD Decimal Field 1		->>, >>9.99	10
◇ egc__qadd02	QAD Decimal Field 2		->>, >>9.99	10
◇ egc__qadd03	QAD Decimal Field 3		->>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
egc__qadi01	Next Engineer Number		>>>>>>9	0
◊ egc__qadi04	QAD Integer Field 4		->, >>>, >>9	
◊ egc__qadi05	QAD Integer Field 5		->, >>>, >>9	
◊ egc__qadi05	QAD Logical Field 5		yes/no	
◊ egc__qadi06	QAD Logical Field 6		yes/no	
◊ egc__qadi07	QAD Logical Field 7		yes/no	
◊ egc__qadi01	QAD Date Field 1		99/99/99	
◊ egc__qadi02	QAD Date Field 2		99/99/99	
◊ egc__qadi03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egc_index	yes	egc_index	yes	no

egd_det Service/Support Engineer Schedule Detail

Field Name	Label	Col-Label	Format	Dec
egd_days[8]	Days	Days	yes/no	
egd_end_eff	End Date		99/99/99	
egd_end_time[8]	End Time	End Time	99:99	
egd_eng_code	Engineer		x(8)	
egd_esh_schedule	Schedule		x(8)	
egd_holidays	Holidays		yes/no	
egd_mod_date	Modified Date		99/99/99	
egd_mod_userid	Modified By		X(8)	
egd_oncall	On Call Schedule	Call	yes/no	
egd_sched_type	Schedule Type		x(8)	
egd_start_eff	Start Date		99/99/99	
egd_start_time[8]	Start time		99:99	
egd_status	Status		x(8)	
egd_user1	user1		x(8)	
egd_user2	user2		x(8)	
egd_chr01	User Character Field 1		X(8)	
egd_dec01	User Decimal Field 1		->>, >>9.99	4
egd_dte01	User Date Field 1		99/99/99	
egd_log01	User Logical Field 1		yes/no	
egd_log02	User Logical Field 2		yes/no	
egd_qadc01	QAD Character Field 1		X(8)	
egd_qadc02	QAD Character Field 2		X(8)	
egd_qade01	QAD Decimal Field 1		->>, >>9.99	4
egd_qadi01	QAD Logical Field 1		yes/no	
egd_qadi02	QAD Logical Field 2		yes/no	
egd_qadi01	QAD Date Field 1		99/99/99	
egd_qadi02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egd_eng_code	yes	egd_eng_code	yes	no
		egd_start_eff	yes	no
egd_eng_sched	no	egd_eng_code	yes	no
		egd_esh_schedule	yes	no
		egd_start_eff	yes	no

154 egs_det

egs_det

Service/Support Engineer Problem/Skills Detail

Field Name	Label	Col-Label	Format	Dec
egs_area	End User Area		x(12)	
egs_cert	Certification Date	Cert	99/99/99	
egs_eng_code	Engineer Code		x(8)	
egs_level	Level		x(4)	
egs_mod_date	Modified Date		99/99/99	
egs_mod_userid	Modified By		X(8)	
egs_skill	Skill Code		x(8)	
egs_type	Type		x(8)	
egs_user1	user1		x(8)	
egs_user2	user2		x(8)	
egs_chr01			x(8)	
egs_chr02			x(8)	
egs_chr03			x(8)	
egs_dec01			-->>>, >>>, >>>9.99	10
egs_dec02			-->>>, >>>, >>>9.99	10
egs_dte01			99/99/99	
egs_dte02			99/99/99	
egs_log01			yes/no	
egs_log02			yes/no	
egs_qadc01	QAD Character Field 1		X(8)	
egs_qadc02	QAD Character Field 2		X(8)	
egs_qade01	QAD Decimal Field 1		-->, >>9.99	2
egs_qadi01	QAD Integer Field 1		-->, >>>, >>>9	
egs_qadl01	QAD Logical Field 1		yes/no	
egs_qadl02	QAD Logical Field 2		yes/no	
egs_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* egs_eng_code	yes	egs_eng_code	yes	no
		egs_type	yes	no
		egs_skill	yes	no
egs_skill	yes	egs_skill	yes	no
		egs_type	yes	no
		egs_area	yes	no
		egs_eng_code	yes	no

egt_mstr

Service/Support Engineer Tracking Master

Field Name	Label	Col-Label	Format	Dec
egt_ca_nbr	Call ID		x(8)	
egt_close	Call Closed	Cls	yes/no	
egt_create_date	Creation Date		99/99/99	
egt_current	Engineer Status		x(8)	
egt_end_time	End Time	End	99:99	
egt_eng_code	Engineer		x(8)	
egt_esh_schedule			x(8)	
egt_hours	Hours		>>>, >>9.9<	2
egt_itm_itm_line	Sub Line		>>9	
egt_itm_line	Line		>>9	
egt_itm_prefix	Detail Type		X(3)	

Field Name	Label	Col-Label	Format	Dec
egt_itm_type	Type		X(8)	
egt_multi	Multiple Schedule		yes/no	
egt_priority	Priority	Pri	>>>9	
egt_reschedule	Reschedulable	Res	yes/no	
egt_sched_date	Scheduled Date	St Date	99/99/99	
egt_start_time	Start Time	Start	99:99	
egt_trnbr	Tran		>>>>>>>9	
egt_user1	user1		x(8)	
egt_user2	user2		x(8)	
egt_chr01	User Field #1		x(8)	
egt_chr02	User Field #2		x(8)	
egt_chr03	User Field #3		x(8)	
egt_chr04	User Field #4		x(8)	
egt_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
egt_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
egt_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
egt_dte01	User Date #1		99/99/99	
egt_dte02	User Date #2		99/99/99	
egt_dte03	User Date #3		99/99/99	
egt_log01	User Logical #1		yes/no	
egt_log02	User Logical #2		yes/no	
egt_log03	User Logical #3		yes/no	
egt_qadc01	Qad Field #1		x(8)	
egt_qadc02	Qad Field #2		x(8)	
egt_qadc03	Qad Field #3		x(8)	
egt_qadc04	Qad Field #4		x(8)	
egt_qadd01	Qad Date #1		99/99/99	
egt_qadd02	Qad Date #2		99/99/99	
egt_qadd03	Qad Date #3		99/99/99	
egt_qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
egt_qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
egt_qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
egt_qadl01	Qad Logical #1		yes/no	
egt_qadl02	Qad Logical #2		yes/no	
egt_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
egt_ca_line	no	egt_ca_nbr	yes	no
		egt_itm_prefix	yes	no
		egt_itm_type	yes	no
		egt_itm_itm_line	yes	no
		egt_itm_line	yes	no
egt_ca_nbr	no	egt_ca_nbr	yes	no
		egt_eng_code	yes	no
		egt_trnbr	yes	no
egt_eng_ca	no	egt_eng_code	yes	no
		egt_ca_nbr	yes	no
		egt_trnbr	yes	no
egt_eng_code	no	egt_eng_code	yes	no
		egt_sched_date	yes	no
		egt_start_time	yes	no
* egt_trnbr	yes	egt_trnbr	yes	no

156 egw_wkfl

egw_wkfl

Service/Support Engineer Selection Work File

Field Name	Label	Col-Label	Format	Dec
egw_area	Area		x(8)	
egw_available	Available		yes/no	
egw_avail_hours[7]	Available	Avl	x(3)	
egw_calls[7]	Call		x(3)	
egw_ega_recid			>>>>>>>>9	
egw_end_time	End Time	End	99:99	
egw_eng_code	Engineer Code	Engineer	x(8)	
egw_hours[7]	Day Of Week		>>9	2
egw_name	Name		x(24)	
egw_overtime	Overtime	O/T	yes/no	
egw_points	Points	Pts	>>>9	
egw_prob	Prb		yes/no	
Δ egw_schedule	Schedule	Sched	X(8)	
egw_st_time	Start Time	Start	99:99	
egw_tag	Select		*/	
egw_user1	user1		x(8)	
egw_user2	user2		x(8)	
egw_userid	User Id		x(8)	
egw_week	Week of		99/99/99	
egw__qadc02	QAD Field		X(8)	0
◇ egw__qadc03	QAD Field		x(8)	
egw__qadi01	QAD Field		->, >>>, >>9	0
egw__qadi02	QAD Field		->, >>>, >>9	0
egw__qadi01	QAD Field		yes/no	
egw__qadi02	QAD Field		yes/no	
egw__qadt01	QAD Field		99/99/99	
egw__qadt02	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
egw_area	no	egw_userid	yes	no
		egw_area	yes	no
		egw_points	no	no
* egw_eng_code	yes	egw_userid	yes	no
		egw_eng_code	yes	no
egw_points	no	egw_userid	yes	no
		egw_points	no	no
		egw_eng_code	yes	no

◇ elg_hist

Export Document Log

Field Name	Label	Col-Label	Format	Dec
elg_access_code	Access Code		x(60)	
elg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
elg_ack_rcvd	Autoacknowledgment Received		yes/no	
elg_ack_stat	Autoacknowledgment Status		X(1)	
elg_app_id	Application ID		x(12)	
elg_app_ver	Application Version		x(8)	
elg_archive_id	Archive ID		x(12)	
elg_code_pg	Code Page		X(15)	

Field Name	Label	Col-Label	Format	Dec
elg_ctrl_tot_1	Control Total 1		>>>,>>9	
elg_ctrl_tot_2	Control Total 2		9	10
elg_ctrl_tot_3	Control Total 3		9	10
elg_date_ack	Date Acknowledged		99/99/9999	
elg_date_form	Date Format		X(3)	
elg_date_map	Date Mapped		99/99/9999	
elg_date_publ	Date Published		99/99/9999	
elg_date_sent	Date Sent		99/99/9999	
elg_dest_proc	Destination Procedure		x(12)	
elg_doc_id	Document ID		>>>>>>9	
elg_doc_lng	Document Language		x(2)	
elg_doc_rev	Document Revision		x(8)	
elg_doc_std	Document Standard		x(8)	
elg_doc_sufx	Document Suffix		>>	
elg_doc_typ	Document Type		x(21)	
elg_email_notlvl	E-mail Notification Level		x(1)	
elg_email_userid	E-mail Recipient User ID		x(8)	
elg_err_stat	Error Status		X(1)	
elg_ext_doc_key	External Document Key		x(40)	
elg_grp_id	Group ID		>>>>>>9	
elg_grp_seq	Sequence		>,>>,>>9	
elg_map_doc_now	Map Document Now		yes/no	
elg_map_log_file	Mapper Error Log File		x(60)	
elg_map_spec	Map Specification		x(12)	
elg_mfgpro_key	MFG/PRO Key		X(18)	
elg_mfgpro_site	MFG/PRO Site		X(8)	
elg_mod_date	Modified Date		99/99/99	
elg_mod_userid	Last Updated By		x(8)	
elg_num_form	Numeric Format		X(8)	
elg_orig_doc_id	Original Document ID		>>>>>>9	
elg_prcg_stage	Processing Stage		x(1)	
elg_resend	Resend Document		yes/no	
elg_sess_id	Session ID		>>>>>>9	
elg_src_app_id	Source Application ID		x(12)	
elg_src_app_ver	Source Application Version		x(8)	
elg_src_comp	Source Component		x(10)	
elg_src_doc_rev	Source Document Revision		x(8)	
elg_src_doc_std	Source Document Standard		x(8)	
elg_src_doc_typ	Source Document Type		x(21)	
elg_src_proc	Source Procedure		x(12)	
elg_src_task	Source Task		x(10)	
elg_src_userid	Source User ID		x(8)	
elg_time_ack	Time Acknowledged		x(8)	
elg_time_map	Time Mapped		x(8)	
elg_time_publ	Time Published		x(8)	
elg_time_sent	Time Sent		x(8)	
elg_tradptr_id	Trading Partner ID		x(32)	
elg_unit_wrk_typ	Unit of Work Type		x(1)	
elg_user1			x(8)	
elg_user2			x(8)	
elg_use_ex_queue	Use Export Queue		yes/no	
elg__dec01			->>>,>>,>>9.99<	10
elg__dec02			->>>,>>,>>9.99<	10
elg__dte01			99/99/99	
elg__dte02			99/99/99	
elg__int01			->>>,>>,>>9	
elg__int02			->>>,>>,>>9	

158 elm_dflt

Field Name	Label	Col-Label	Format	Dec
elg_log01			yes/no	
elg_log02			yes/no	
elg_qadc01			x(8)	
elg_qadc02			x(8)	
elg_qadc03			x(8)	
elg_qadc04			x(8)	
elg_qadd01			-->>>, >>>, >>9.99<	10
elg_qadd02			-->>>, >>>, >>9.99<	10
elg_qadi01			-->>>, >>>, >>9	
elg_qadi02			-->>>, >>>, >>9	
elg_qadi01			yes/no	
elg_qadi02			yes/no	
elg_qadt01			99/99/99	
elg_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AppID	no	elg_app_id	yes	no
		elg_prcg_stage	yes	no
◇* DocIDSufx	yes	elg_doc_id	yes	no
		elg_doc_sufx	yes	no
◇ ExtDocKey	no	elg_ext_doc_key	yes	no
◇ GroupID	no	elg_grp_id	yes	no
◇ MfgProKey	no	elg_mfgpro_key	yes	no
◇ Site	no	elg_mfgpro_site	yes	no

elm_dflt Cost Element Defaults

Field Name	Label	Col-Label	Format	Dec
elm_abc	ABC Class	ABC	x(1)	
elm_element	Cost Element	Element	x(8)	
elm_group	Group		x(8)	
elm_loc	Location		x(8)	
elm_mod_date	Modified Date	Mod Date	99/99/99	
elm_part_type	Item Type	Type	x(8)	
elm_pct_tl	Percent	Pct	>>9.99%	3
elm_pm_code	Pur/Mfg	P/M	x(1)	
elm_procline	Product Line	Line	x(4)	
elm_set	Cost Set		x(8)	
elm_site	Site		x(8)	
elm_user1	Ufld1		x(8)	
elm_user2	Ufld2		x(8)	
elm_userid	User ID		x(8)	
elm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* elm_dflt	yes	elm_set	yes	no
		elm_site	yes	no
		elm_procline	yes	no
		elm_pm_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		elm_loc	yes	no
		elm_abc	yes	no
		elm_group	yes	no
		elm_part_type	yes	no

◇ **emap_det** Mapped Export Document Detail

Field Name	Label	Col-Label	Format	Dec
emap_data	Mapped Export Document Data		x(255)	
emap_doc_id	Document ID		>>>>>>9	
emap_doc_line	Document Line Number		>>9	
emap_doc_sufx	Document Suffix		>>	
emap_line_cont	Line Continued		yes/no	
emap_mod_date	Modified Date		99/99/99	
emap_mod_userid	Last Updated By		x(8)	
emap_user1			x(8)	
emap_user2			x(8)	
emap__dec01			->>>,>>>,>>9.99<	10
emap__dec02			->>>,>>>,>>9.99<	10
emap__dte01			99/99/99	
emap__dte02			99/99/99	
emap__int01			->>>,>>>,>>9	
emap__int02			->>>,>>>,>>9	
emap__log01			yes/no	
emap__log02			yes/no	
emap__qadc01			x(8)	
emap__qadc02			x(8)	
emap__qadc03			x(8)	
emap__qadc04			x(8)	
emap__qadd01			->>>,>>>,>>9.99<	10
emap__qadd02			->>>,>>>,>>9.99<	10
emap__qadi01			->>>,>>>,>>9	
emap__qadi02			->>>,>>>,>>9	
emap__qadi01			yes/no	
emap__qadi02			yes/no	
emap__qadt01			99/99/99	
emap__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* MappedExport	yes	emap_doc_id	yes	no
		emap_doc_sufx	yes	no
		emap_doc_line	yes	no

160 emc_ctrl

emc_ctrl Employee Control File

Field Name	Label	Col-Label	Format	Dec
emc_index1	Index		>>>>9	
emc_nbr	Next Employee		99999999	
emc_user1	Ufld1		x(8)	
emc_user2	Ufld2		x(8)	
emc_qad01			>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* emc_index1	yes	emc_index1	yes	no

◇ **emg_msg** Export Document Message

Field Name	Label	Col-Label	Format	Dec
emg_app_id	Application ID		x(12)	
emg_doc_id	Document ID		>>>>>>9	
emg_doc_sufx	Document Suffix		>>	
emg_email_sent	Email Message Sent		yes/no	
emg_mod_date	Modified Date		99/99/99	
emg_mod_userid	Last Updated By		x(8)	
emg_prcg_stage	Processing Stage		x(1)	
emg_return_code	Return Code		x(8)	
emg_return_txt	Message Text		x(160)	
emg_sev_lvl	Severity Level		x(1)	
emg_user1			x(8)	
emg_user2			x(8)	
emg__dec01			->>>, >>>, >>9.99<	10
emg__dec02			->>>, >>>, >>9.99<	10
emg__dte01			99/99/99	
emg__dte02			99/99/99	
emg__int01			->>>, >>>, >>9	
emg__int02			->>>, >>>, >>9	
emg__log01			yes/no	
emg__log02			yes/no	
emg__qadc01			x(8)	
emg__qadc02			x(8)	
emg__qadc03			x(8)	
emg__qadc04			x(8)	
emg__qadd01			->>>, >>>, >>9.99<	10
emg__qadd02			->>>, >>>, >>9.99<	10
emg__qadi01			->>>, >>>, >>9	
emg__qadi02			->>>, >>>, >>9	
emg__qadi01			yes/no	
emg__qadi02			yes/no	
emg__qadt01			99/99/99	
emg__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ExpReturnCode	yes	emg_doc_id	yes	no
		emg_doc_sufx	yes	no
		emg_prcg_stage	yes	no
		emg_return_code	yes	no

emp_mstr Employee Master

Field Name	Label	Col-Label	Format	Dec
emp_addr	Employee		x(8)	
emp_ad_acc1	Acct 1		x(20)	
emp_ad_acc2	Acct 2		x(20)	
emp_ad_amt1	Deposit Amount	Amount	>>>,>>9.99	2
emp_ad_amt2	Deposit Amount	Amount	>>>,>>9.99	2
emp_ad_bank	Auto Deposit Bank 1	Auto Bk1	x(8)	
emp_ad_bank2	Auto Deposit Bank 2	Auto Bk2	x(8)	
emp_ad_pct1	Percentage	Pct	>>9.99	2
emp_ad_pct2	Percentage	Pct	>>9.99	2
emp_ad_type1	Account 1 Type	Type1	x(1)	
emp_ad_type2	Account 2 Type	Type2	x(1)	
emp_bank	Bank	Bk	x(2)	
emp_birthday	Birth Date	Birth Dt	99/99/9999	
emp_bs_phone	Business Phone	Bus Phone	x(16)	
emp_city	City		x(20)	
emp_country	Country		x(20)	
emp_dept	Department	Dept	x(8)	
emp_emp_date	Date Employed	Dt Empld	99/99/99	
emp_exempt	Personal Exemptions	Ex	>9	
emp_ext	Ext		x(4)	
emp_fname	First Name		x(16)	
emp_freq	Pay Frequency	Fr	x(2)	
emp_last_dt	Date of Last Pay Rate Change	Last Chg	99/99/99	
emp_last_pay	Prior Pay Rate	Prior Pay	-->>>,>>9.99	2
emp_line1	Address 1		x(28)	
emp_line2	Address 2		x(28)	
emp_line3	Address 3		x(28)	
emp_lname	Last Name		x(16)	
emp_marital	Marital Status	MS	x(2)	
emp_mod_date	Modified Date	Mod Date	99/99/99	
emp_pay_rate	Rate of Pay	Pay Rate	-->>>,>>9.99<<	4
emp_pay_type	Pay Type	T	x(2)	
emp_phone	Home Phone		x(16)	
emp_project	Default Project	Project	x(8)	
emp_shift	Employee Shift	Sh	x(2)	
emp_sick_hrs	Accrued Sick Leave	Sick Leave	->,>>9.999	3
emp_ssn	SSN		x(18)	
emp_state	State		x(4)	
emp_status	Employment Status	St	x(2)	
emp_title	Job Title		x(24)	
emp_transit1	Transit Number 1	Transit 1	x(10)	
emp_transit2	Transit Number 2	Transit 2	x(10)	
emp_trm_date	Date Terminated	Term Dt	99/99/99	
emp_units	Normal Hrs/Units	Hrs/Uts	-->,>>9.99	2
emp_user1	Ufld1		x(8)	
emp_user2	Ufld2		x(8)	
emp_user3	User3		x(8)	
emp_user4	User4		-->>>,>>9.99	2
emp_user5	User5		-->>>,>>9.99	2
emp_user6	User6		99/99/99	
emp_userid	User ID		x(8)	
emp_vac_hrs	Accrued Vacation	Vacation	->,>>9.999	3
emp_wc_class	Worker Comp Class	W/C	x(2)	
emp_wk_loc	Default Work Location	Wk Loc	x(4)	

162 emsg_mstr

Field Name	Label	Col-Label	Format	Dec
emp_zip	Post		x(10)	
emp_chr01			x(8)	
emp_chr02			x(8)	
emp_chr03			x(8)	
emp_chr04			x(8)	
emp_chr05			x(8)	
emp_dec01			>>>, >>>, >>9.99	10
emp_dec02			>>>, >>>, >>9.99	10
emp_dte01			99/99/99	
emp_dte02			99/99/99	
emp_dte03			99/99/99	
emp_dte04			99/99/99	
emp_dte05			99/99/99	
emp_log01			yes/no	
emp_log02			yes/no	
emp_qad01			x(8)	
emp_qad02			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
* emp_addr	yes	emp_addr	yes	no
emp_bank	no	emp_bank	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_dept	no	emp_dept	yes	no
emp_frq_mar	no	emp_freq	yes	no
		emp_marital	yes	no
emp_name	no	emp_lname	yes	no
		emp_fname	yes	no
emp_ssn	no	emp_ssn	yes	no
emp_wc_ind	no	emp_wc_class	yes	no
		emp_wk_loc	yes	no

emsg_mstr Service/Support Engineer Message Master

Field Name	Label	Col-Label	Format	Dec
emsg_action	Action		x(8)	
emsg_act_date	Action Date		99/99/99	
emsg_act_time	Action Time		99:99	
emsg_cmtindx	Comment		>>>>>>9	
emsg_complete	Completed		yes/no	
emsg_date	Date		99/99/99	
emsg_desc	Description		x(60)	
emsg_eng_code	Engineer		x(8)	
emsg_entered	Entered By		x(8)	
emsg_file_date1	Date 1		99/99/99	
emsg_file_date2	Date 2		99/99/99	
emsg_file_name	File		x(16)	
emsg_file_nbr1	Number 1		x(8)	
emsg_file_nbr2	Number 2		x(8)	
emsg_file_nbr3	Number 3		x(18)	
emsg_file_nbr4	Number 4		x(18)	
emsg_file_trnbr	file Transaction	File Trn	>>>>>>>9	0

Field Name	Label	Col-Label	Format	Dec
emsg_msg_type	Message Type		x(8)	
emsg_name_date1	Date Field 1		x(16)	
emsg_name_date2	Date Field 2		x(16)	
emsg_name_nbr1	Field 1		x(16)	
emsg_name_nbr2	Field 2		x(16)	
emsg_name_nbr3	Field 3		x(16)	
emsg_name_nbr4	Field 4		x(16)	
emsg_read	Read		yes/no	
emsg_time	Time		99:99	
emsg_trnbr	Transaction		>>>>>>>>9	
emsg_user1	user1		x(8)	
emsg_user2	user2		x(8)	
emsg_userid	Userid		x(8)	
emsg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
emsg_eng_code	no	emsg_eng_code	yes	no
		emsg_date	yes	no
		emsg_time	yes	no
		emsg_trnbr	no	no
* emsg_trnbr	yes	emsg_trnbr	no	no

em_mstr E-mail Master File

Field Name	Label	Col-Label	Format	Dec
em_attach_parm	Attachments		x(8)	
em_attach_seq	Sequence		>	
em_cc_parm	cc		x(8)	
em_cc_seq	Sequence		>	
em_desc	Description		x(24)	
em_end	End Effective	End	99/99/99	
em_msg_parm	Message		x(8)	
em_msg_seq	Sequence		>	
em_opsys	Operating System		x(8)	
em_other_parm	Other		x(8)	
em_other_seq	Sequence		>	
em_program	Path and Program Name		x(70)	
em_pswd_parm	Password		x(8)	
em_pswd_seq	Sequence		>	
em_recip_parm	Recipient		x(8)	
em_recip_seq	Sequence		>	
em_sender_parm	Sender		x(8)	
em_sender_seq	Sequence		>	
em_start	Start Effective	Start	99/99/99	
em_subject_parm	Subject		x(8)	
em_subject_seq	Sequence		>	
em_system_id	E-mail System	E-mail! System	x(8)	
em__chr01			x(8)	
em__chr02			x(8)	
em__chr03			x(8)	
em__chr04			x(8)	

164 eng_mstr

Field Name	Label	Col-Label	Format	Dec
em__qadc01	QAD Field		X(8)	0
em__qadc02	QAD Field		X(8)	0
em__qadc03	QAD Field		X(8)	0
em__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* em_system_id	yes	em_system_id	yes	no
		em_opsys	yes	no
		em_start	yes	no

eng_mstr Service/Support Engineer Master

Field Name	Label	Col-Label	Format	Dec
eng_3rd_party	Third Party Engineer		yes/no	
eng_addr	Engineer		x(8)	
eng_address	Engineer Address		X(8)	0
eng_area	Service Area	Area	x(18)	
eng_avail_ot	Available for Overtime		yes/no	
eng_call_load	Calls per Day	Calls	>>9	
eng_code	Engineer Code	Eng Code	x(8)	
eng_cplt_dt	Completion Date	Comp Date	99/99/99	
eng_cplt_tm	Completion Time	Comp Time	>>>>>>>>>>9	
eng_esh_schedule	Schedule		x(8)	
eng_field	Field Engineer		yes/no	
eng_group	Group		x(8)	
eng_labor	Labor Part		x(8)	
eng_loc	Location		x(8)	0
eng_location	Current Location	Loc	x(8)	0
eng_loc_rtn	Return Location		x(8)	
eng_mod_date	Date Last Updated		99/99/99	
eng_mod_userid	Last Updated By		X(8)	
eng_pager	Pager		x(20)	
eng_site	Site		x(8)	0
eng_site_rtn	Return Site		x(8)	
eng_skills	Skills		x(8)	
eng_sort	Name		X(24)	
eng_status	Status		x(8)	
eng_sub	Subcontractor		yes/no	
eng_user1	user1		x(8)	
eng_user2	user2		x(8)	
eng__chr01			x(8)	
eng__chr02			x(8)	
eng__chr03			x(8)	
eng__chr04			x(8)	
eng__chr05			x(8)	
eng__chr06			x(8)	
eng__chr07			x(8)	
eng__chr08			x(8)	
eng__chr09			x(8)	
eng__chr10			x(8)	
eng__dec01			->>>,>>>,>>9.99	10
eng__dec02			->>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
eng__dec03			->>>, >>>, >>9.99	10
eng__dte01			99/99/99	
eng__dte02			99/99/99	
eng__dte03			99/99/99	
eng__dte04			99/99/99	
eng__log01			yes/no	
eng__log02			yes/no	
eng__log03			yes/no	
eng__log04			yes/no	
eng__log05			yes/no	
eng__qadc01	Engineer Address		X(8)	0
eng__qadc02	QAD Character Field 2		X(8)	
eng__qadd01	QAD Date Field 1		99/99/99	
eng__qadd02	QAD Date Field 2		99/99/99	
eng__qadde01	QAD Decimal Field 1		->>, >>9.99	2
eng__qadi01	QAD Integer Field 1		->, >>>, >>9	
eng__qadi02	QAD Integer Field 2		->, >>>, >>9	
eng__qadl01	QAD Logical Field 1		yes/no	
eng__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* eng__addr	yes	eng__addr	yes	no
eng__area	no	eng__area	yes	no
		eng__code	yes	no
eng__code	yes	eng__code	yes	no
eng__schedule	no	eng__esh_schedule	yes	no
		eng__area	yes	no
		eng__code	yes	no
eng__sort	no	eng__sort	yes	no

en_mstr Entity Master

Field Name	Label	Col-Label	Format	Dec
en_adj_bs	Post Translation Adj to (B/I)	Post Adj	Bal Sheet/Inc Stmt	
en_curr	Currency	Cur	x(3)	
en_entity	Entity	Ent	x(4)	
en_name	Description		x(24)	
en_page_num	Posting Audit Trail Page Nbr	Page	>>>>9	
en_primary	Primary Entity	Pri	yes/no	
en_user1	Ufld1		x(8)	
en_user2	Ufld2		x(8)	
en_qad01			yes/no	
en_qad02			>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* en_entity	yes	en_entity	yes	no

◇ **eraw_det** Raw Export Document Detail

Field Name	Label	Col-Label	Format	Dec
eraw_data	Raw Export Document Data		x(255)	
eraw_doc_id	Document ID		>>>>>>>9	
eraw_doc_line	Document Line Number		>>9	
eraw_line_cont	Line Continued		yes/no	
eraw_mod_date	Modified Date		99/99/99	
eraw_mod_userid	Last Updated By		x(8)	
eraw_user1			x(8)	
eraw_user2			x(8)	
eraw__dec01			->>>, >>>, >>9.99<	10
eraw__dec02			->>>, >>>, >>9.99<	10
eraw__dte01			99/99/99	
eraw__dte02			99/99/99	
eraw__int01			->>>, >>>, >>9	
eraw__int02			->>>, >>>, >>9	
eraw__log01			yes/no	
eraw__log02			yes/no	
eraw__qadc01			x(8)	
eraw__qadc02			x(8)	
eraw__qadc03			x(8)	
eraw__qadc04			x(8)	
eraw__qadd01			->>>, >>>, >>9.99<	10
eraw__qadd02			->>>, >>>, >>9.99<	10
eraw__qadi01			->>>, >>>, >>9	
eraw__qadi02			->>>, >>>, >>9	
eraw__qadi01			yes/no	
eraw__qadi02			yes/no	
eraw__qadt01			99/99/99	
eraw__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* RawExport	yes	eraw_doc_id	yes	no
		eraw_doc_line	yes	no

erd_det Employer Paid Deduction Detail

Field Name	Label	Col-Label	Format	Dec
erd_acct	Account		x(8)	
erd_addr	Employee		x(8)	
erd_amt	Amount		->>, >>>, >>9.99	2
erd_bank	Bank	Bk	x(2)	
erd_cc	Cost Ctr	CC	x(4)	
erd_ck_date	Check Date	Chk Date	99/99/99	
erd_ded	Deduction Code	Ded Code	x(8)	
erd_pd_date	Period Ending Date	Per End	99/99/99	
erd_project	Project		x(8)	
erd_req_nbr	Paycheck Request	Pay Req	99999	
erd_user1	Ufld1		x(8)	
erd_user2	Ufld2		x(8)	
erd_wk_loc	Work Location	Wk Loc	x(4)	
erd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
erd_ind1	no	erd_addr	yes	no
		erd_ck_date	yes	no
		erd_bank	yes	no
		erd_req_nbr	yes	no
		erd_ded	yes	no
erd_ind2	no	erd_addr	yes	no
		erd_ded	yes	no
		erd_ck_date	yes	no
erd_ind3	no	erd_ded	yes	no
		erd_ck_date	yes	no
		erd_addr	yes	no
* erd_index	yes	erd_addr	yes	no
		erd_pd_date	yes	no
		erd_bank	yes	no
		erd_req_nbr	yes	no
		erd_ded	yes	no
erd_wk_loc	no	erd_wk_loc	yes	no

ers_mstr Evaluated Receipts Settlement Table

Field Name	Label	Col-Label	Format	Dec
ers_mod_date	Modified Date	Mod Date	99/99/99	
ers_mod_userid	User ID		x(8)	
ers_opt	ERS Option	ERS! OPT	>9	
ers_part	Item Number		x(18)	
ers_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
ers_site	Site		x(8)	
ers_user1	Ufld1		x(8)	
ers_user2	Ufld2		x(8)	
ers_vend	Supplier		x(8)	
ers__qadc01			x(8)	
ers__qadc02			x(8)	

168 esc_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
ers_part	no	ers_part	yes	no
		ers_vend	yes	no
ers_si	no	ers_site	yes	no
		ers_vend	yes	no
		ers_part	yes	no
* ers_vd_si_pt	yes	ers_vend	yes	no
		ers_site	yes	no
		ers_part	yes	no

esc_ctrl

Service/Support Escalation Control File

Field Name	Label	Col-Label	Format	Dec
esc_es_prefix	Escalation Prefix		x(3)	
esc_index	Index		>>9	
esc_mod_date	Date Modified		99/99/99	
esc_mod_userid	Modified By		X(8)	
esc_nbr	Escalation Number		>>>>9	
esc_rrc_nbr	Repair Step Number		>>>>>>9	
esc_rrc_pre	Repair Step Prefix		X(3)	
esc_user1	user1		x(8)	
esc_user2	user2		x(8)	
esc_chr01	User Character Field 1		X(8)	
esc_chr02	User Character Field 2		X(8)	
esc_dte01	User Date Field 1		99/99/99	
esc_int01	User Integer Field 1		->, >>>, >>9	
esc_log01	User Logical Field 1		yes/no	
esc_qadc01	QAD Character Field 1		X(8)	
esc_qadc02	QAD Character Field 2		X(8)	
esc_qadi01	QAD Integer Field 1		->, >>>, >>9	
esc_qadl01	QAD Logical Field 1		yes/no	
esc_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* esc_index	yes	esc_index	yes	no

esh_mstr

Service/Support Engineer Schedule Master

Field Name	Label	Col-Label	Format	Dec
esh_days[8]	Days	Days	yes/no	
esh_end_eff	End Effective		99/99/99	
esh_end_time[8]	End Time	End Time	99:99	
esh_holidays	Holidays		yes/no	
esh_mod_date	Date Modified		99/99/99	
esh_mod_userid	Modified By		X(8)	
esh_oncall	On Call Schedule	Call	yes/no	
esh_reg_code	Region Code		x(8)	
esh_schedule	Schedule		x(8)	
esh_sched_type	Schedule Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
esh_shift_code	Shift		x(8)	
esh_start_eff	Start Effective		99/99/99	
esh_start_time[8]	Start time		99:99	
esh_status	Status		x(8)	
esh_user1	user1		x(8)	
esh_user2	user2		x(8)	
esh_chr01	User Character Field 1		X(8)	
esh_chr02	User Character Field 2		X(8)	
esh_dte01	User Date Field 1		99/99/99	
esh_dte02	User Date Field 2		99/99/99	
esh_log01	User Logical Field 1		yes/no	
esh_log02	User Logical Field 2		yes/no	
esh_qadc01	QAD Character Field 1		X(8)	
esh_qadc02	QAD Character Field 2		X(8)	
esh_qadi01	QAD Integer Field 1		->,>>>,>>9	0
esh_qadi02	QAD Integer Field 2		X(8)	0
esh_qadl01	QAD Logical Field 1		yes/no	
esh_qadl02	QAD Logical Field 2		yes/no	
esh_qadt01	QAD Date Field 1		99/99/99	
esh_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* esh_schedule	yes	esh_schedule	yes	no
		esh_start_eff	yes	no

◇ **esp_mstr** Export Document Specification Master

Field Name	Label	Col-Label	Format	Dec
esp_access_code	Access Code		x(60)	
esp_ack_doc_rev	Document Revision		x(8)	
esp_ack_doc_std	Document Standard		x(8)	
esp_ack_doc_typ	Document Type		x(21)	
esp_ack_lv_reqd	Autoacknowledgment Level		x(1)	
esp_app_id	Application ID		x(12)	
esp_app_ver	Application Version		x(8)	
esp_code_pg	Code Page		X(15)	
esp_date_form	Date Format		X(3)	
esp_del_err_det	Delete Error Detail		x(1)	
esp_desc	Description		x(60)	
esp_dest_proc	Destination Procedure		x(12)	
esp_doc_lng	Document Language		x(2)	
esp_doc_rev	Document Revision		x(8)	
esp_doc_std	Document Standard		x(8)	
esp_doc_typ	Document Type		x(21)	
esp_email_notlvl	E-mail Level		x(1)	
esp_email_userid	Default E-mail User ID		x(8)	
esp_eol_delim	End of Line Delimiter for Export		yes/no	
esp_ex_map_flg	Export Mapping Enabled		yes/no	
esp_mapper_proc	Data Mapper Procedure		x(12)	
esp_map_parm[10]	Mapper Parameter Codes		x(8)	
esp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	

170 esp_mstr

Field Name	Label	Col-Label	Format	Dec
esp_map_spec	Mapping Specification ID		x(12)	
esp_mod_date	Modified Date		99/99/99	
esp_mod_userid	Last Updated By		x(8)	
esp_msg_ack_lvl	Acknowledgment Level		x(8)	
esp_msg_clnt_ord	Message Ordering		x(8)	
esp_msg_persist	Persistence		X(8)	
esp_msg_priority	Priority		x(8)	
esp_msg_routing	Routing		x(8)	
esp_msg_secur	Security		X(8)	
esp_msg_sync	Sync Scope		X(8)	
esp_msg_ttl	Time To Live		x(8)	
esp_num_form	Numeric Format		X(8)	
esp_pause_sev	Pause Severity Level		9	
esp_publ_flg	Publishing Enabled		yes/no	
esp_queue_pub	Queue Published Documents		X(1)	
esp_send_flg	Sending Enabled		yes/no	
esp_src_app_id	Source Application ID		x(12)	
esp_src_app_ver	Source Application Version		x(8)	
esp_src_comp	Source Component		x(10)	
esp_src_doc_rev	Source Document Revision		x(8)	
esp_src_doc_std	Source Document Standard		x(8)	
esp_src_doc_typ	Source Document Type		x(21)	
esp_src_proc	Source Procedure		x(12)	
esp_src_task	Task		x(10)	
esp_src_userid	Source User ID		x(8)	
esp_tradptr_id	Trading Partner ID		x(32)	
esp_user1			x(8)	
esp_user2			x(8)	
esp_use_ex_queue	Use Export Queue		yes/no	
esp__dec01			->>>, >>>, >>>9.99<	10
esp__dec02			->>>, >>>, >>>9.99<	10
esp__dte01			99/99/99	
esp__dte02			99/99/99	
esp__int01			->>>, >>>, >>9	
esp__int02			->>>, >>>, >>9	
esp__log01			yes/no	
esp__log02			yes/no	
esp__qadc01			x(8)	
esp__qadc02			x(8)	
esp__qadc03			x(8)	
esp__qadc04			x(8)	
esp__qadd01			->>>, >>>, >>>9.99<	10
esp__qadd02			->>>, >>>, >>>9.99<	10
esp__qadi01			->>>, >>>, >>9	
esp__qadi02			->>>, >>>, >>9	
esp__qadi01			yes/no	
esp__qadi02			yes/no	
esp__qadt01			99/99/99	
esp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ExportSpec	yes	esp_app_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		esp_doc_std	yes	no
		esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no

ess_mstr Service/Support Engineer Status Master

Field Name	Label	Col-Label	Format	Dec
ess_available	Available	Avl	yes/no	
ess_desc	Description		x(24)	
ess_mod_date	Date Modified		99/99/99	
ess_mod_userid	Modified By		X(8)	
ess_status	Status		x(8)	
ess_user1	user1		x(8)	
ess_user2	user2		x(8)	
ess_chr01	User Character Field 1		X(8)	
ess_log01	User Logical Field 1		yes/no	
ess_qadc01	QAD Character Field 1		X(8)	
ess_qadl01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ess_status	yes	ess_status	yes	no
ess_statusav	no	ess_status	yes	no
		ess_available	yes	no

es_mstr Service/Support Escalation and Repair Master

Field Name	Label	Col-Label	Format	Dec
es_act_date	Actual Date	Act Date	99/99/99	
es_ca_category	Category		x(8)	
es_ca_int_type	Work Code	Wk Code	x(8)	
es_ca_pri	Call Priority		>>9	
es_ca_problem	Call Problem	Problem	x(8)	
es_ca_severity	Call Severity	Severity	x(8)	
es_ca_status	Status		x(8)	
es_ca_type	Call Type	Type	x(8)	
es_cmtindx	Comment Index	Comment	>>>>>>9	
es_days_in	Days Allowed In Status	Days	>>>>9	
es_desc	Description		x(24)	
es_docs_printed	All Documents Printed		yes/no	
es_doc_desc[7]	Description		x(24)	
es_doc_exec[7]	Program		x(8)	
es_doc_paged[7]	Paged		yes/no	
es_doc_printed[7]	Document Printed	Prt	yes/no	
es_doc_printer[7]	Printer		x(8)	
es_doc_printit[7]	Print	Prt	yes/no	
es_due_date	Due Date		99/99/99	
es_escalate	Escalate	Esc	yes/no	
es_esc_program	Escalation Program	Esc Program	x(12)	

172 es_mstr

Field Name	Label	Col-Label	Format	Dec
es_es_nbr	Escalation		x(8)	
es_group	Group		x(8)	
es_initial_date	Initial Date	Initial	99/99/99	
es_itm_line	Line	Ln	>>9	
es_message	Messages	Msg	yes/no	
es_message_list	Distribution List		x(24)	
es_nbr	Number		x(8)	
es_next_que	Queue	Queue	x(8)	
es_next_status	Status	Status	x(8)	0
es_page	Page		yes/no	
es_prefix			x(4)	
es_print	Print	Prt	yes/no	
es_pri_bump	Bump Priority	Pri	>>9	
es_program	Program		x(12)	
es_repair_step	Repair Step	Step	x(2)	
es_seq	Sequence	Seq	>>9	
es_time_in	Time Allowed in Status		99:99	
es_user1	user1		x(8)	
es_user2	user2		x(8)	
es_chr01	User Field #1		x(8)	
es_chr02	User Field #2		x(8)	
es_chr03	User Field #3		x(8)	
es_chr04	User Field #4		x(8)	
es_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
es_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
es_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
es_dte01	User Date #1		99/99/99	
es_dte02	User Date #2		99/99/99	
es_dte03	User Date #3		99/99/99	
es_log01	User Logical #1		yes/no	
es_log02	User Logical #2		yes/no	
es_log03	User Logical #3		yes/no	
es_qadc01	Qad Field #1		x(8)	
es_qadc02	Qad Field #2		x(8)	
es_qadc03	Qad Field #3		x(8)	
es_qadc04	Qad Field #4		x(8)	
es_qadd01	Qad Date #1		99/99/99	
es_qadd02	Qad Date #2		99/99/99	
es_qadd03	Qad Date #3		99/99/99	
es_qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
es_qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
es_qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
es_qadl01	Qad Logical #1		yes/no	
es_qadl02	Qad Logical #2		yes/no	
es_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* es_nbr	yes	es_nbr	yes	no
		es_prefix	yes	no
		es_itm_line	yes	no
		es_ca_status	yes	no
		es_ca_int_type	yes	no
		es_ca_type	yes	no
		es_ca_severity	yes	no
		es_ca_problem	yes	no
		es_seq	yes	no

et_ctrl EMU Control

Field Name	Label	Col-Label	Format	Dec
et_base_curr	Old Base Currency		x(3)	
et_conv_acct	Conversion Rounding Acct		x(8)	
et_conv_cc	Conversion Rounding CC		x(4)	
et_gl_eff_dt	GL Effective Date		99/99/99	
et_index1	Index		>>>>9	
et_print_dc	Print SO/Invc In Dual Cur		yes/no	
et_rate_active	Euro Cur Exch Rates Active		yes/no	
et_show_diff	Show Conversion Rounding Diff		yes/no	
et_start_conv	Start Conversion		yes/no	
et_user1	Ufld1		x(8)	
et_user2	Ufld2		x(8)	
et__qadc01			x(8)	
et__qadc02			x(8)	
et__qadc03			x(8)	
Δ et__qadc05	QAD Character Field 5		x(8)	
et__qadd01			->>>, >>>, >>9.99	10
et__qadd02			->>>, >>>, >>9.99	10
et__qadd03			->>>, >>>, >>9.99	10
et__qadi01			>>>>>9	
et__qadi02			>>>>>9	
et__qadi03			>>>>>9	
et__qadi01			yes/no	
et__qadi02			yes/no	
et__qadi03			yes/no	
Δ et__qadi04	QAD Logical Field 4		yes/no	
Δ et__qadi05	QAD Logical Field 5		yes/no	
et__qadt01			99/99/99	
et__qadt02			99/99/99	
et__qadt03			99/99/99	
Δ et__qadt04	QAD Date Field 4		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* et_index1	yes	et_index1	yes	no

euc_ctrl Service/Support End User Number Control

Field Name	Label	Col-Label	Format	Dec
euc_create_isb	Create ISB		yes/no	0
euc_index1	Index		>>>>9	
euc_mod_date	Date Modified		99/99/99	
euc_mod_userid	Modified By		X(8)	
euc_nbr	Next Enduser		99999999	
euc_user1	Ufld1		x(8)	
euc_user2	Ufld2		x(8)	
euc__chr01	User Character Field 1		X(8)	
euc__dte01	User Date Field 1		99/99/99	
euc__int01	User Integer Field 1		->, >>>, >>9	
euc__log01	User Logical Field 1		yes/no	
euc__qadc01	QAD Character Field 1		X(8)	

174 eud_det

Field Name	Label	Col-Label	Format	Dec
euc__qadi01	QAD Integer Field 1		->, >>>, >>9	
euc__qadi01	Create ISB		yes/no	0
euc__qadi02	QAD Logical Field		yes/no	0
euc__qadi01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* euc_index1	yes	euc_index1	yes	no

eud_det Service/Support End User Detail

Field Name	Label	Col-Label	Format	Dec
eud_addr	End User		x(8)	
eud_fax	Fax		x(20)	
eud_ls_type	List Type		x(8)	
eud_mail_addr	Mail Address		x(24)	
eud_mod_date	Date Modified		99/99/99	
eud_mod_userid	Modified By		X(8)	
eud_nametype			x(1)	
eud_phone	Phone		x(20)	
eud_sort	Name		x(35)	
eud_title	Title		x(20)	
eud_trnbr	Transaction Number		>>>>9	
eud_type	Contact Type		x(16)	
eud_updt	Last Update		99/99/99	
eud_user1	user1		x(8)	
eud_user2	user2		x(8)	
eud__chr01	User Character Field 1		X(8)	
eud__chr02	User Character Field 2		X(8)	
eud__chr03	User Character Field 3		X(8)	
eud__dte01	User Date Field 1		99/99/99	
eud__int01	User Integer Field 1		->, >>>, >>9	
eud__log01	User Logical Field 1		yes/no	
eud__qadc01	QAD Character Field 1		X(8)	
eud__qadc02	QAD Character Field 2		X(8)	
eud__qadc03	QAD Character Field 3		X(8)	
eud__qadi01	QAD Integer Field 1		->, >>>, >>9	
eud__qadi01	QAD Logical Field 1		yes/no	
eud__qadi01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
eud_addr	no	eud_addr	yes	no
		eud_ls_type	yes	no
		eud_sort	yes	no
eud_nametype	no	eud_addr	yes	no
		eud_nametype	yes	no
		eud_trnbr	yes	no
eud_phone	no	eud_phone	yes	no
eud_sort	no	eud_sort	yes	no
* eud_trnbr	yes	eud_trnbr	yes	no

eu_mstr Service/Support End User Master

Field Name	Label	Col-Label	Format	Dec
eu_addr	End User		x(8)	
eu_application	Application		x(40)	
eu_autorenew	Auto Renew Contracts		yes/no	
eu_channel	Channel	Chan	x(4)	
eu_cmtindx	Comment Idx		>>>>>9	
eu_cm_nbr	Customer No	Cus No	x(8)	
eu_create_isb	Create ISB		yes/no	
eu_disc_pct	Disc %		->>9.99%	2
eu_ed_time	End Time	Ed Tm	99:99	
eu_eng_code	Engineer Code	Eng Cd	x(8)	
eu_eng_group	Engineer Group		x(8)	
eu_eng_sec	Secondary Eng		x(8)	0
eu_es_nbr	Escalation	Esc	x(8)	
eu_lang	Language		x(2)	
eu_login	Login		x(12)	
eu_modem	Modem Phone	Modem	x(20)	
eu_mod_date	Date Last Updated		99/99/99	
eu_mod_userid	Last Updated By		X(8)	
eu_msg	Message		x(60)	
eu_msg_end	End Date		99/99/99	
eu_name	Name		x(35)	
eu_node	Node		x(8)	
eu_node_type	Node Type		x(8)	
eu_office	Office		x(8)	
eu_phone	Phone		x(20)	
eu_po_accum	Accumulated PO Total		>>>>, >>>, >>9.99<<<	10
eu_po_limit	PO Limit		>>>>, >>>, >>9.99<<<	10
eu_po_nbr	Purchase Order	PO	x(22)	
eu_po_reqd	PO Required		yes/no	
eu_pri	Call Priority	Pri	>>>9	
eu_rebuild_isb	Rebuild Isb		yes/no	
eu_receipt_days	Days to Receive		>>9	
eu_renew_days	Days to Renew		>>9	
eu_reseller	Reseller		yes/no	
eu_review	Review Date		99/99/99	
eu_rsb	Responsible		x(24)	
eu_sep_invoice	Separate Invoice		yes/no	
eu_ship_days	Days to Ship		>>9	
eu_sic_code	SIC Code		x(8)	
eu_sort	Name		x(35)	
eu_status	Status		x(4)	
eu_st_time	Start Time	St Tm	99:99	
eu_svc_area	Service Area	Svc Area	x(18)	
eu_time_zone	Hours from GMT		>>9	0
eu_trv_dist	Travel Dist	Trvl Dst	>>9	
eu_trv_time	Travel Time		999:99	0
eu_trv_um	Travel UM	TU	x(2)	
eu_type	Type		x(8)	
eu_un_billed	Un Billed		>>>>, >>>, >>9.99<<<	10
eu_updates	Updates		x(8)	
eu_user1	user1		x(8)	
eu_user2	user2		x(8)	
eu_zip	Post		x(10)	
eu__chr01			x(8)	
eu__chr02			x(8)	

176 excd_det

Field Name	Label	Col-Label	Format	Dec
eu_chr03			x(8)	
eu_chr04			x(8)	
eu_chr05			x(8)	
eu_chr06			x(8)	
eu_chr07			x(8)	
eu_chr08			x(8)	
eu_chr09			x(8)	
eu_chr10			x(8)	
eu_dec01			-->>>, >>>, >>9.99	10
eu_dec02			-->>>, >>>, >>9.99	10
eu_dec03			-->>>, >>>, >>9.99	10
eu_dte01			99/99/99	
eu_dte02			99/99/99	
eu_dte03			99/99/99	
eu_dte04			99/99/99	
eu_log01			yes/no	
eu_log02			yes/no	
eu_log03			yes/no	
eu_log04			yes/no	
eu_log05			yes/no	
eu_qadc01	QAD Character Field 1		X(8)	
eu_qadc02	QAD Character Field 2		X(8)	
eu_qadc03	QAD Character Field 3		X(8)	
eu_qadd01	QAD Decimal Field 1		-->>>>, >>>, >>9.99<<<	10
eu_qadi01	QAD Integer Field 1		->, >>>, >>9	
eu_qadi02	QAD Integer Field 2		->, >>>, >>9	
eu_qadi01	QAD Logical Field 1		yes/no	
eu_qadi02	QAD Logical Field 2		yes/no	
eu_qadi03	QAD Logical Field 3		yes/no	
eu_qadt01	QAD Date Field 1		99/99/99	
eu_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* eu_addr	yes	eu_addr	yes	no
eu_cmeu_nbr	yes	eu_cm_nbr	yes	no
		eu_addr	yes	no
eu_sort_addr	yes	eu_sort	yes	no
		eu_addr	yes	no
eu_zip	no	eu_zip	yes	no
		eu_addr	yes	no

excd_det Consolidated Exchange Rate Detail

Field Name	Label	Col-Label	Format	Dec
excd_acc	Account		x(8)	
excd_curr	Currency	Curr	x(3)	
excd_curr2	Currency 2	Cur 2	x(3)	
excd_en_rate	Rate Entered		>>, >>9.99999<<<<<	9
excd_exru_seq	Sequence		>>>>>>>9	
excd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
excd_ex_ratetype	Rate Type		x(8)	
excd_per	Period	Pd	>9	

Field Name	Label	Col-Label	Format	Dec
excd_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
excd_user1	Ufld1		x(8)	
excd_user2	Ufld2		x(8)	
excd_xac_type	Not Used		x(1)	
excd_xcc	Not Used		x(4)	
excd_year	Fiscal Year	Year	9999	
excd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* excd_index	yes	excd_curr	yes	no
		excd_curr2	yes	no
		excd_acc	yes	no
		excd_year	yes	no
		excd_per	yes	no

exc_mstr Consolidation Currency Exchange Master

Field Name	Label	Col-Label	Format	Dec
exc_acc	Account		x(8)	
exc_curr	Currency	Cur	x(3)	
exc_curr2	Currency 2	Cur 2	x(3)	
exc_user1	Ufld1		x(8)	
exc_user2	Ufld2		x(8)	
exc_xac_type	Not Used		x(1)	
exc_xall_cc	Not Used		yes/no	
exc_xcc	Not Used		x(4)	
exc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* exc_index	yes	exc_curr	yes	no
		exc_curr2	yes	no
		exc_acc	yes	no

exru_usage Exchange Rate Usage

Field Name	Label	Col-Label	Format	Dec
exru_curr1	Cur 1		x(3)	
exru_curr2	Cur 2		x(3)	
exru_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
exru_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
exru_seq	Sequence		>>>>>>>9	
exru_step	Step		>>9	
exru__qadc01			x(8)	
exru__qadd01			->>, >>>, >>9.99	10
exru__qadl01			yes/no	
exru__qadt01			99/99/99	

178 exr_rate

Index-Name	Uni	Field-Name	Asc	Abbr
* exru_seq	yes	exru_seq	yes	no
		exru_step	yes	no

exr_rate Exchange Rate

Field Name	Label	Col-Label	Format	Dec
exr_curr1	Cur 1		x(3)	
exr_curr2	Cur 2		x(3)	
exr_end_date	End		99/99/99	
exr_mod_date	Modified Date		99/99/99	
exr_mod_userid	User ID		x(8)	
exr_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
exr_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
exr_ratetype	Rate Type		x(8)	
exr_start_date	Start		99/99/99	
exr_user1	Ufld1		x(8)	
exr_user2	Ufld2		x(8)	
exr__qadc01			x(8)	
exr__qadd01			->>>>, >>>, >>9.99	10
exr__qadl01			yes/no	
exr__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
exr_curr2	no	exr_curr2	yes	no
* exr_curr1	yes	exr_curr1	yes	no
		exr_curr2	yes	no
		exr_ratetype	yes	no
		exr_start_date	no	no
exr_ratetype	no	exr_ratetype	yes	no

fac_ctrl Final Assembly Control File

Field Name	Label	Col-Label	Format	Dec
fac_index1	Index		>>>>>9	
fac_so_rec	Receive F/A in SO	SO Rec	yes/no	
fac_unit_qty	Unit F/A Orders	Unit F/A	yes/no	
fac_user1	user1		x(8)	
fac_user2	user2		x(8)	
fac_wo_rec	Receive F/A in WO	WO Rec	yes/no	
fac__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fac_ctrl	yes	fac_index1	yes	no

fal_mstr

Fixed Asset Location Master

Field Name	Label	Col-Label	Format	Dec
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Account	Depr Exp! Sub-Acct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Acct	x(8)	
fal_user1	user1		x(8)	
fal_user2	user2		x(8)	
fal_userid	User ID		x(8)	
fal__qad01			yes/no	
fal__qad02			x(8)	
fal__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fal_desc	no	fal_desc	yes	no
		fal_fa_loc	yes	no
* fal_fa_loc	yes	fal_fa_loc	yes	no
fal_ind1	no	fal_loc	yes	no
		fal_bldg	yes	no
		fal_dept	yes	no
		fal_fa_loc	yes	no

fas_ctrl

Fixed Asset System Control File

Field Name	Label	Col-Label	Format	Dec
fas_detail	Post		detail/summary	
fas_gain_acct	Gain Account	Gain Acc	x(8)	
fas_gain_cc	Cost Center	CC	x(4)	
fas_gain_sub	Sub-Account	Sub-Acct	x(8)	
fas_index1	Index		>>>>>9	
fas_loss_acct	Loss Account	Loss Acc	x(8)	
fas_loss_cc	Cost Center	CC	x(4)	
fas_loss_sub	Sub-Account	Sub-Acct	x(8)	
fas_minimum	Asset Minimum Cost		->>, >>>, >>>, >>9.99<	10
fas_mod_date	Modified Date	Mod Date	99/99/99	
fas_next_asset	Next Asset Number	Nxt Asst Nbr	999999999999	
fas_short_end	Short Tax Year Ending Date	Short Tax! Year End	99/99/99	
fas_short_year	Short Tax Year	Short! Year	yes/no	
fas_user1	user1		x(8)	
fas_user2	user2		x(8)	

180 fcc_mstr

Field Name	Label	Col-Label	Format	Dec
fas_userid	User ID		x(8)	
fas__qad01			yes/no	
fas__qad02			x(8)	
fas__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fas_index1	yes	fas_index1	yes	no

fcc_mstr Service/Support Charge Code Product Line

Field Name	Label	Col-Label	Format	Dec
fcc_ca_int_type	Work Code	Wk Code	x(8)	
fcc_fcq_code	Charge Code	Charge	x(8)	
fcc_fsc_code	Service Category	Svc Cat	x(8)	
fcc_mod_date	Modified Date		99/99/99	
fcc_mod_userid	Modified By		X(8)	
fcc_prod_line	Product Line	Line	x(4)	
fcc_pt_prod_line	Item Product Line	Itm Line	x(4)	0
fcc_pt_svc_group	Service Group	Group	x(8)	
fcc_sv_code	Service Type	Ser Type	x(8)	
fcc_type			x(4)	0
fcc_user1	User Field 1		X(8)	
fcc_user2	User Field 2		X(8)	
fcc_chr01	User Field #1		x(8)	
fcc_chr02	User Field #2		x(8)	
fcc_chr03	User Field #3		x(8)	
fcc_chr04	User Field #4		x(8)	
fcc_dec01	User Decimal #1		->>>>, >>>, >>>9.99<<<<	10
fcc_dec02	User Decimal #2		->>>>, >>>, >>>9.99<<<<	10
fcc_dec03	User Decimal #3		->>>>, >>>, >>>9.99<<<<	10
fcc_dte01	User Date #1		99/99/99	
fcc_dte02	User Date #2		99/99/99	
fcc_dte03	User Date #3		99/99/99	
fcc_log01	User Logical #1		yes/no	
fcc_log02	User Logical #2		yes/no	
fcc_log03	User Logical #3		yes/no	
fcc_qadc01	Qad Field #1		x(8)	
fcc_qadc02	Qad Field #2		x(8)	
fcc_qadc03	Qad Field #3		x(8)	
fcc_qadc04	Qad Field #4		x(8)	
fcc_qadd01	Qad Decimal #1		->>>>, >>>, >>>9.99<<<<	10
fcc_qadd02	Qad Decimal #2		->>>>, >>>, >>>9.99<<<<	10
fcc_qadd03	Qad Decimal #3		->>>>, >>>, >>>9.99<<<<	10
fcc_qadl01	Qad Logical #1		yes/no	
fcc_qadl02	Qad Logical #2		yes/no	
fcc_qadl03	Qad Logical #3		yes/no	
fcc_qadt01	Qad Date #1		99/99/99	
fcc_qadt02	Qad Date #2		99/99/99	
fcc_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fcc_ca_int_type	no	fcc_type	yes	no
		fcc_ca_int_type	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
* fcc_fcg_code	yes	fcc_type	yes	no
		fcc_fcg_code	yes	no
		fcc_ca_int_type	yes	no
		fcc_fsc_code	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no

fcd_mstr Service/Support Charge Code Defaults

Field Name	Label	Col-Label	Format	Dec
fcd_ca_int_type	Work Code		x(8)	
fcd_eu_type	End User Type	EU Type	x(8)	
fcd_fcg_billable	Billable		x(8)	
fcd_fcg_contract	Contract		x(8)	0
fcd_fcg_covered	Covered		x(8)	
fcd_fcg_fixed	Fixed Billable		x(8)	
fcd_fcg_warranty	Warranty		x(8)	0
fcd_fsc_code	Service Category	Svc Cat	x(8)	
fcd_mod_date	Modified Date		99/99/99	
fcd_mod_userid	Modified By		X(8)	
fcd_sv_code	Service Type		x(8)	
fcd_user1	User Field 1		X(8)	
fcd_user2	User Field 2		X(8)	
fcd__chr01	User Character Field 1		X(8)	
fcd__chr02	User Character Field 2		X(8)	
fcd__dec01	User Decimal Field 1		->>, >>9.99	10
fcd__dte01	User Date Field 1		99/99/99	
fcd__int01	User Integer Field 1		->, >>>, >>9	
fcd__log01	User Logical Field 1		yes/no	
fcd__qadc01	QAD Character Field 1		X(8)	
fcd__qadc02	QAD Character Field 2		X(8)	
fcd__qadd01	QAD Decimal Field 1		->>, >>9.99	10
fcd__qadi01	QAD Integer Field 1		->, >>>, >>9	
fcd__qadi01	QAD Logical Field 1		yes/no	
fcd__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcd_sv_code	yes	fcd_sv_code	yes	no
		fcd_ca_int_type	yes	no
		fcd_fsc_code	yes	no
		fcd_eu_type	yes	no

182 fcg_mstr

fcg_mstr Service/Support Charge Code Master

Field Name	Label	Col-Label	Format	Dec
fcg_billable	Billable	Bill	yes/no	
fcg_code	Charge Code		x(8)	
fcg_contract	Contract	Ctr	yes/no	
fcg_covered	Covered	Cvd	yes/no	
fcg_desc	Description		x(24)	
fcg_fix_billable	Fixed Price Billable	Fix	yes/no	
fcg_fix_index			yes/no	
fcg_giveaway	Giveaway	Giv	yes/no	
fcg_index			->, >>>, >>9	
fcg_mod_date	Modified Date		99/99/99	
fcg_mod_userid	Modified By		X(8)	
fcg_project	Project Mandatory	Prj	yes/no	
fcg_user1	User Field 1		X(8)	
fcg_user2	User Field 2		X(8)	
fcg_warranty	Warranty	War	yes/no	
fcg_chr01	User Character Field #1		x(8)	0
fcg_chr02	User Character Field #2		x(8)	0
fcg_chr03	User Character Field #3		x(8)	0
fcg_chr04	User Character Field #4		x(8)	0
fcg_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fcg_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fcg_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fcg_dte01	User Date #1		99/99/99	
fcg_dte02	User Date #2		99/99/99	
fcg_dte03	User Date #3		99/99/99	
fcg_log01	User Logical #1		yes/no	
fcg_log02	User Logical #2		yes/no	
fcg_log03	User Logical #3		yes/no	
fcg_qadc01	Qad Field #1		x(8)	
fcg_qadc02	Qad Field #2		x(8)	
fcg_qadc03	Qad Field #3		x(8)	
fcg_qadc04	Qad Field #4		x(8)	
fcg_qadd01	Qad Date #1		99/99/99	
fcg_qadd02	Qad Date #2		99/99/99	
fcg_qadd03	Qad Date #3		99/99/99	
fcg_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fcg_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fcg_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fcg_qadl01	Qad Logical #1		yes/no	
fcg_qadl02	Qad Logical #2		yes/no	
fcg_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fcg_billindex	yes	fcg_code	yes	no
		fcg_fix_index	yes	no
* fcg_code	yes	fcg_code	yes	no

fcs_sum Forecast Summary

Field Name	Label	Col-Label	Format	Dec
fcs_abnormal[52]	Abnormal Demand	Abnormal	->,>>>,>>9	4
fcs_fcst_qty[52]	Qty Forecast	Forecast	->,>>>,>>9	4
fcs_part	Item Number		x(18)	
fcs_pr_fcst[52]	Production Forecast	Prod Fcst	->,>>>,>>9	4
fcs_site	Site		x(8)	
fcs_sold_qty[52]	Qty Sold	Qty Sold	->,>>>,>>9	4
fcs_user1	Ufld1		x(8)	
fcs_user2	Ufld2		x(8)	
fcs_year	Year		>>>>	
fcs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcs_partyear	yes	fcs_part	yes	no
		fcs_site	yes	no
		fcs_year	yes	no
fcs_yearpart	yes	fcs_year	yes	no
		fcs_part	yes	no
		fcs_site	yes	no

fct_mstr Service/Support Call Types

Field Name	Label	Col-Label	Format	Dec
fct_desc	Description		X(24)	
fct_mod_date	Modified Date		99/99/99	
fct_mod_userid	Modified By		X(8)	
fct_sched_type	Scheduling Type	Sched Type	>9	
fct_type	Call Type		X(8)	
fct_user1	User Field 1		X(8)	
fct_user2	User Field 2		X(8)	
fct_chr01	Character Field 1		X(8)	
fct_chr02	Character Field 2		X(8)	
fct_int01	Integer Field 1		->,>>>,>>9	
fct_int02	Integer Field 2		->,>>>,>>9	
fct_log01	Logical Field 1		yes/no	
fct_log02	Logical Field 2		yes/no	
fct__qadc01	QAD Character Field 1		X(8)	
fct__qadc02	QAD Character Field 2		X(8)	0
fct__qadi01	QAD Integer Field 1		->,>>>,>>9	
fct__qadi02	QAD Integer Field 2		->,>>>,>>9	
fct__qadi01	QAD Logical Field 1		yes/no	
fct__qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fct_type	yes	fct_type	yes	no

184 fc_det

fc_det Seasonal Build Detail

Field Name	Label	Col-Label	Format	Dec
fc_end	End Date	End	99/99/99	
fc_part	Item Number		x(18)	
fc_qty	Seasonal Inventory	Seasonal Inv	->,>>>,>>9.9<<<<<<<<	10
fc_ref	Reference		x(8)	
fc_site	Site		x(8)	
fc_start	Date	Date	99/99/99	
fc_user1	Ufld1		x(8)	
fc_user2	Ufld2		x(8)	
fc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_part	yes	fc_part	yes	no
		fc_site	yes	no
		fc_start	yes	no
fc_ref_part	no	fc_ref	yes	no
		fc_part	yes	no
fc_site	yes	fc_site	yes	no
		fc_part	yes	no
		fc_start	yes	no

ffc_ctrl Forecast Calculation Control File

Field Name	Label	Col-Label	Format	Dec
ffc_fysm	Starting Month		9	
ffc_index1	Index		9	
ffc_user1	user1		x(8)	
ffc_user2	user2		x(8)	
ffc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ffc_index1	yes	ffc_index1	yes	no

ff_mstr Forecasting Master File

Field Name	Label	Col-Label	Format	Dec
ff_adj_fc[24]	Adjusted F/C	Adj F/C	->>>>>>9	2
ff_cust	Customer		x(8)	
ff_date	Date		99/99/99	
ff_his_yr[5]	Hist Years		9999	
ff_id	Forecasting ID	F/C ID	x(8)	
ff_method	F/C Method		>9	
ff_orig_fc[24]	Original F/C	Orig F/C	->>>>>>9	2
ff_part	Item Number		x(18)	
ff_site	Site		x(8)	
ff_time	Time		->>,>>>,>>9	
ff_user	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
ff_user1	Ufld1		x(8)	
ff_user2	Ufld2		x(8)	
ff_year	F/C Year	Year	9999	
ff_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_id	yes	ff_id	yes	no
		ff_user	yes	no
		ff_year	yes	no
		ff_method	yes	no
		ff_part	yes	no
		ff_site	yes	no
		ff_cust	yes	no

fh_mstr Family Hierarchy Master

Field Name	Label	Col-Label	Format	Dec
fh_comp	Item		x(18)	
fh_fcst_pct	Forecast Percent	Fcst Pct	>>9.99%	2
fh_mod_date	Modified Date		99/99/99	
fh_mod_userid	User ID		x(8)	
fh_parent	Family Item		x(18)	
fh_rlup_pct[52]	Rollup Percent	Rlup Pct	>>9.99%	2
fh_rmks	Remarks		x(24)	
fh_site	Site		x(8)	
fh_user1	Ufld1		x(8)	
fh_user2	Ufld2		x(8)	
fh_year	Effective Year	Year	>>>>	
fh_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fh_comp	no	fh_comp	yes	no
		fh_parent	yes	no
fh_compsite	no	fh_comp	yes	no
		fh_site	yes	no
* fh_parsite	yes	fh_parent	yes	no
		fh_comp	yes	no
		fh_site	yes	no
		fh_year	yes	no
fh_sitecomp	no	fh_site	yes	no
		fh_comp	yes	no
fh_sitepar	yes	fh_site	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
		fh_year	yes	no

186 fis_mstr

fis_mstr

Invoice Sort Categories

Field Name	Label	Col-Label	Format	Dec
fis_column	Type		>>9	0
fis_desc	Description		x(24)	
fis_detail	Invoice Detail	Det	yes/no	
fis_include_fix	Include Fixed Price	Fix	yes/no	
fis_label	Label		x(14)	
fis_mod_date	Modified Date		99/99/99	
fis_mod_userid	Modified By		X(8)	
fis_order	Display Order	Order	>>>9	0
fis_row_type	Row Type		x(8)	
fis_sort	Invoice Sort		x(18)	
fis_total	Include in Total		yes/no	
fis_user1	User Field 1		X(8)	
fis_user2	User Field 2		X(8)	
fis_chr01	User Character Field 1		X(8)	
fis_chr02	User Character Field 2		X(8)	
fis_dec01	User Decimal Field 1		->>, >>9.99	10
fis_dte01	User Date Field 1		99/99/99	
fis_int01	User Integer Field 1		->, >>>, >>9	
fis_log01	User Logical Field 1		yes/no	
fis_qadc01	QAD Character Field 1		X(8)	
fis_qadc02	QAD Character Field 2		X(8)	
fis_qade01	QAD Decimal Field 1		->>, >>9.99	10
fis_qadi01	QAD Integer Field 1		->, >>>, >>9	
fis_qadi01	QAD Logical Field 1		yes/no	
fis_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fis_order	no	fis_row_type	yes	no
		fis_order	yes	no
* fis_sort_type	yes	fis_sort	yes	no
		fis_row_type	yes	no

fkt_mstr

Service/Support Kit Master

Field Name	Label	Col-Label	Format	Dec
fkt_bom_code	BOM Code		x(18)	0
fkt_complete	Complete		yes/no	
fkt_curr_loc	Current Location	Curr Loc	x(8)	
fkt_curr_site	Current Site		x(8)	
fkt_eff_date	Effective		99/99/99	
fkt_eng_code	Engineer		x(8)	
fkt_in_use	In Use		yes/no	
fkt_loc	Home Location		x(8)	
fkt_mod_date	Date Modified		99/99/99	
fkt_mod_userid	Modified By		X(8)	
fkt_order	Available to Order		yes/no	
fkt_part	Kit		x(18)	0
fkt_rev	Rev		x(4)	
fkt_serial	Serial		x(8)	
fkt_site	Home Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
fkt_type	Type		x(8)	
fkt_user1	User Field 1		X(8)	
fkt_user2	User Field 2		X(8)	
fkt_chr01	User Character Field #1		x(8)	0
fkt_chr02	User Character Field #2		x(8)	0
fkt_chr03	User Character Field #3		x(8)	0
fkt_chr04	User Character Field #4		x(8)	0
fkt_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fkt_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fkt_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fkt_dte01	User Date #1		99/99/99	
fkt_dte02	User Date #2		99/99/99	
fkt_dte03	User Date #3		99/99/99	
fkt_log01	User Logical #1		yes/no	
fkt_log02	User Logical #2		yes/no	
fkt_log03	User Logical #3		yes/no	
fkt_qadc01	Qad Field #1		x(8)	
fkt_qadc02	Qad Field #2		x(8)	
fkt_qadc03	Qad Field #3		x(8)	
fkt_qadc04	Qad Field #4		x(8)	
fkt_qadd01	Qad Date #1		99/99/99	
fkt_qadd02	Qad Date #2		99/99/99	
fkt_qadd03	Qad Date #3		99/99/99	
fkt_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fkt_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fkt_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fkt_qadl01	Qad Logical #1		yes/no	
fkt_qadl02	Qad Logical #2		yes/no	
fkt_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fkt_bom_code	no	fkt_bom_code	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
fkt_part	no	fkt_part	yes	no
		fkt_serial	yes	no
* fkt_serial	yes	fkt_serial	yes	no
fkt_site	no	fkt_site	yes	no
		fkt_loc	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no

fldf_mstr Field Default Master

Field Name	Label	Col-Label	Format	Dec
fldf_call_pg	Procedure		x(10)	
fldf_desc	Description		x(30)	
fldf_field	Field Name		x(32)	
fldf_user1	Ufld1		x(8)	

188 flh_mstr

Field Name	Label	Col-Label	Format	Dec
fldf_user2	Ufld2		x(8)	
fldf_userid	User ID		x(8)	
fldf_value	Default Value		x(24)	
fldf__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldf_field	yes	fldf_field	yes	no
		fldf_call_pg	yes	no
		fldf_userid	yes	no

flh_mstr Field Help Program Master

Field Name	Label	Col-Label	Format	Dec
flh_call_pgm	Calling Procedure	Calling! Procedure	x(10)	
flh_desc	Description		x(24)	
flh_down	Lines In Window	Lines! In! Window	>9	
flh_exec	Procedure To Execute	Procedure	x(12)	
flh_field	Field		x(32)	
flh_user1	Ufld1		x(8)	
flh_user2	Ufld2		x(8)	
flh_x	X Coordinate	X	>9	
flh_y	Window Starts At Row	Y	>9	
flh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* flh_field	yes	flh_field	yes	no
		flh_call_pgm	yes	no

flpw_mstr Field Security Master

Field Name	Label	Col-Label	Format	Dec
flpw_cmmt	Comments		x(24)	
flpw_field	Field		x(32)	
flpw_user1	Ufld1		x(8)	
flpw_user2	Ufld2		x(8)	
flpw_userid	User ID		x(8)	
flpw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* flpw_fld_usr	yes	flpw_field	yes	no
		flpw_userid	yes	no

flp_plan

Family Line Planning File

Field Name	Label	Col-Label	Format	Dec
flp_line	Production Line		x(8)	
flp_part	Item Number	Item	x(18)	
flp_prod_act[52]	Production Actual	Prod Act	->>, >>>, >>9.9<<<<<<<<<<	10
flp_prod_fcst[52]	Production Forecast	Prod Fcst	->>, >>>, >>9.9<<<<<<<<<<	10
flp_site	Site		x(8)	
flp_user1	Ufld1		x(8)	
flp_user2	Ufld2		x(8)	
flp_year	Year		>>>>	
flp_dec01			->>>, >>>, >>9.99<	10
flp_dec02			->>>, >>>, >>9.99<	10
flp_dec03[52]			->>>, >>>, >>9.99<	10
flp_dec04[52]			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* flp_plan	yes	flp_part	yes	no
		flp_site	yes	no
		flp_line	yes	no
		flp_year	yes	no

fm_mstr

Format Position Master

Field Name	Label	Col-Label	Format	Dec
fm_cc_sort	Sort Cost Center Before Acct Sort! CC		yes/no	
fm_desc	Description		x(24)	
fm_dr_cr	Debit(dr)/Credit(cr)	Dr/! Cr	dr/cr	
fm_fpos	Format Position	Format! Pos	>>>>>9	
fm_header	Suppress Header	Sup! Hdr	yes/no	
fm_page_brk	Page Break After Total	Pg! Brk	yes/no	
fm_skip	Skip Line After Total	Skp! Ln	yes/no	
fm_sub_sort	Sort Sub-Acct Before Acct	Sort! Sub	yes/no	
fm_sums_into	Sums Into	Sums! Into	>>>>>9	
fm_total	Suppress Total	Sup! Tot	yes/no	
fm_type	Report Type	T	x(1)	
fm_underln	Double-Underline Total	Dbl! Ln	yes/no	
fm_user1	Ufld1		x(8)	
fm_user2	Ufld2		x(8)	
fm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fm_desc	no	fm_desc	yes	no
* fm_fpos	yes	fm_fpos	yes	no
		fm_type	yes	no
		fm_sums_into	yes	no
fm_sums_into	no	fm_sums_into	yes	no

190 fnd_det

fnd_det Service/Support Field Notification Detail

Field Name	Label	Col-Label	Format	Dec
fnd_ca_nbr	Call		x(8)	
fnd_comp_date	Date Completed		99/99/99	
fnd_ecm_nbr	ECO number		x(8)	
fnd_mod_date	Date Modified		99/99/99	
fnd_mod_userid	Modified By		X(8)	
fnd_nbr	FN		x(8)	
fnd_user1	User Field 1		X(8)	
fnd_user2	User Field 2		X(8)	
fnd_chr01	User Character Field #1		x(8)	0
fnd_chr02	User Character Field #2		x(8)	0
fnd_chr03	User Character Field #3		x(8)	0
fnd_chr04	User Character Field #4		x(8)	0
fnd_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fnd_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fnd_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fnd_dte01	User Date #1		99/99/99	
fnd_dte02	User Date #2		99/99/99	
fnd_dte03	User Date #3		99/99/99	
fnd_log01	User Logical #1		yes/no	
fnd_log02	User Logical #2		yes/no	
fnd_log03	User Logical #3		yes/no	
fnd_qadc01	Qad Field #1		x(8)	
fnd_qadc02	Qad Field #2		x(8)	
fnd_qadc03	Qad Field #3		x(8)	
fnd_qadc04	Qad Field #4		x(8)	
fnd_qade01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fnd_qade02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fnd_qade03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fnd_qadl01	Qad Logical #1		yes/no	
fnd_qadl02	Qad Logical #2		yes/no	
fnd_qadl03	Qad Logical #3		yes/no	
fnd_qadt01	Qad Date #1		99/99/99	
fnd_qadt02	Qad Date #2		99/99/99	
fnd_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fnd_ca_nbr	no	fnd_ca_nbr	yes	no
		fnd_nbr	yes	no
fnd_comp	no	fnd_nbr	yes	no
		fnd_comp_date	yes	no
fnd_eco	no	fnd_ecm_nbr	yes	no
		fnd_nbr	yes	no
* fnd_nbr	yes	fnd_nbr	yes	no
		fnd_ca_nbr	yes	no

fnh_hist Service/Support Field Notification History

Field Name	Label	Col-Label	Format	Dec
fnh_account_eng	Account Engineer		yes/no	
fnh_ca_desc	Call Description		x(68)	
fnh_ca_int_type	Work Code		x(8)	
fnh_ca_opn_date	Call Open Date	Call Date	99/99/99	0
fnh_ca_pri	Priority		>>9	
fnh_ca_problem	Problem		x(8)	
fnh_ca_que	Queue		x(8)	
fnh_ca_severity	Severity		x(8)	
fnh_ca_status	Status		x(8)	
fnh_ca_type	Call Type		x(8)	
fnh_cmtindx	Comment Index		>>>>>>9	
fnh_combine	Combine with PM		yes/no	
fnh_complete	Completed		yes/no	
fnh_comp_date	Date Completed		99/99/99	
fnh_copy_cmmts	Copy Comments to Call		yes/no	0
fnh_copy_eco_cmt	Copy ECO Comments		yes/no	
fnh_desc	Description		x(24)	
fnh_document	Reference Document	Doc Nbr	X(24)	0
	Number			
fnh_eff_date	Effective Date		99/99/99	
fnh_ent_date	Date Entered		99/99/99	
fnh_ent_userid	Entered By		X(8)	
fnh_esc_nbr	Escalation		x(8)	
fnh_from_ca_nbr	From Call		X(8)	
fnh_from_eu_nbr	From End User		x(8)	
fnh_from_part	From Item		x(18)	
fnh_from_serial	From Serial		x(18)	
fnh_fr_ship_date	From Ship Date		99/99/99	
fnh_generated	Calls Generated		yes/no	
fnh_model	Model		X(8)	
fnh_mod_date	Date Modified		99/99/99	
fnh_mod_userid	Modified By		X(8)	
fnh_nbr	Notification		x(8)	
fnh_sequence	Sequence Number		->,>>>,>>9	
Δ fnh_top_level	Top Level Only		yes/no	
fnh_to_ca_nbr	To Call		X(8)	
fnh_to_eu_nbr	To End User		x(8)	
fnh_to_part	To Item		x(18)	
fnh_to_serial	To Serial		x(18)	
fnh_to_ship_date	To Ship date		99/99/99	
fnh_user1	User Field 1		X(8)	
fnh_user2	User Field 2		X(8)	
fnh_chr01	User Character Field #1		x(8)	0
fnh_chr02	User Character Field #2		x(8)	0
fnh_chr03	User Character Field #3		x(8)	0
fnh_chr04	User Character Field #4		x(8)	0
fnh_dec01	User Decimal #1		-->>>,>>>,>>9.99<<<<	10
fnh_dec02	User Decimal #2		-->>>,>>>,>>9.99<<<<	10
fnh_dec03	User Decimal #3		-->>>,>>>,>>9.99<<<<	10
fnh_dte01	User Date #1		99/99/99	
fnh_dte02	User Date #2		99/99/99	
fnh_dte03	User Date #3		99/99/99	
fnh_log01	User Logical #1		yes/no	
fnh_log02	User Logical #2		yes/no	
fnh_log03	User Logical #3		yes/no	

192 fn_mstr

Field Name	Label	Col-Label	Format	Dec
fnh__qadc01	Qad Field #1		x(8)	
fnh__qadc02	Qad Field #2		x(8)	
fnh__qadc03	Qad Field #3		x(8)	
fnh__qadc04	Qad Field #4		x(8)	
fnh__qade01	Qad Decimal #1		-->>>, >>>, >>9.99<<<<	10
fnh__qade02	Qad Decimal #2		-->>>, >>>, >>9.99<<<<	10
fnh__qade03	Qad Decimal #3		-->>>, >>>, >>9.99<<<<	10
fnh__qadl01	QAD Logical #1		yes/no	0
fnh__qadl03	Qad Logical #3		yes/no	
fnh__qadl04	Qad Logical #4		yes/no	
fnh__qadt01	QAD Date #1		99/99/99	0
fnh__qadt02	Qad Date #2		99/99/99	
fnh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fnh_document	no	fnh_document	yes	no
		fnh_nbr	yes	no
fnh_effnbr	no	fnh_eff_date	yes	no
		fnh_nbr	yes	no
* fnh_nbr	yes	fnh_nbr	yes	no
		fnh_eff_date	yes	no
		fnh_sequence	yes	no
fnh_parteff	no	fnh_from_part	yes	no
		fnh_eff_date	yes	no

fn_mstr

Service/Support Field Notification Master

Field Name	Label	Col-Label	Format	Dec
fn_account_eng	Account Engineer		yes/no	
fn_ca_desc	Call Description		x(68)	
fn_ca_int_type	Work Code		x(8)	
fn_ca_opn_date	Call Open Date	Call Date	99/99/99	0
fn_ca_pri	Priority		>>9	
fn_ca_problem	Problem		x(8)	
fn_ca_que	Queue		x(8)	
fn_ca_severity	Severity		x(8)	
fn_ca_status	Status		x(8)	
fn_ca_type	Call Type		x(8)	
fn_cmtindx	Comment Index		>>>>>>9	
fn_combine	Combine with PM		yes/no	
fn_comb_date	Combine Date		99/99/99	
fn_complete	Completed		yes/no	
fn_comp_date	Date Completed		99/99/99	
fn_copy_cmmts	Copy Comments to Call		yes/no	0
fn_copy_eco_cmt	Copy ECO Comments		yes/no	
fn_desc	Description		x(24)	
fn_document	Reference Document	Reference	X(24)	
fn_eff_date	Effective Date		99/99/99	
fn_ent_date	Date Entered		99/99/99	
fn_ent_userid	Entered By		X(8)	
fn_es_nbr	Escalation		x(8)	
fn_from_eu_nbr	From End User		x(8)	

Field Name	Label	Col-Label	Format	Dec
fn_from_part	From Item		x(18)	
fn_from_serial	From Serial		x(18)	
fn_fr_ship_date	From Ship Date		99/99/99	
fn_generated	Calls Generated		yes/no	
fn_model	Model		x(18)	
fn_mod_date	Date Modified		99/99/99	
fn_mod_userid	Modified By		X(8)	
fn_nbr	Notification		x(8)	
Δ fn_top_level	Top Level Only		yes/no	
fn_to_eu_nbr	To End User		x(8)	
fn_to_part	To Item		x(18)	
fn_to_serial	To Serial		x(18)	
fn_to_ship_date	To Ship date		99/99/99	
fn_user1	User Field 1		X(8)	
fn_user2	User Field 2		X(8)	
fn_chr01	User Character Field 1		X(8)	
fn_chr02	User Character Field 2		X(8)	
fn_chr03	User Character Field 3		X(8)	
fn_chr04	User Character Field 4		X(8)	
fn_dec01	User Decimal Field 1		->>>,>>>,>>9.99	10
fn_dec02	User Decimal Field 2		->>>,>>>,>>9.99	10
fn_dec03	User Decimal Field 3		->>>,>>>,>>9.99	10
fn_dte01	User Date Field 1		99/99/99	
fn_dte02	User Date Field 2		99/99/99	
fn_dte03	User Date Field 3		99/99/99	
fn_log01	User Logical Field 1		yes/no	
fn_log02	User Logical Field 2		yes/no	
fn_log03	User Logical Field 3		yes/no	
fn_qadc01	QAD Character Field 1		X(8)	
fn_qadc02	QAD Character Field 2		X(8)	
fn_qadc03	QAD Character Field 3		X(8)	
fn_qadc04	QAD Character Field 4		X(8)	
fn_qade01	QAD Decimal Field 1		->>>,>>>,>>9.99	10
fn_qade02	QAD Decimal Field 2		->>>,>>>,>>9.99	10
fn_qade03	QAD Decimal Field 3		->>>,>>>,>>9.99	10
fn_qadl01	QAD Logical Field 1		yes/no	0
fn_qadl03	QAD Logical Field 3		yes/no	
◇ fn_qadl04	QAD Logical Field 4		yes/no	
fn_qadt01	QAD Date Field 1		99/99/99	0
fn_qadt02	QAD Date Field 2		99/99/99	
fn_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
fn_document	no	fn_document	yes	no
		fn_nbr	yes	no
fn_effnbr	no	fn_eff_date	yes	no
		fn_nbr	yes	no
* fn_nbr	yes	fn_nbr	yes	no
fn_parteff	no	fn_from_part	yes	no
		fn_eff_date	yes	no

fp1_plan

Family Plan – Production Backlog and Cost

Field Name	Label	Col-Label	Format	Dec
fp1_beg_inv	Beginning Inventory	Begin Inv	->>,>>,>>9.9<<<<<<<<	10
fp1_bklg_act[52]	Backlog Actual	Bklg Act	->>,>>,>>9.9<<<<<<<<	10
fp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->,>>,>>9.9<<<<<<<<	10
fp1_cost_act[52]	Cost Actual	Cost Act	->,>>,>>9.9<<<<<<<<	10
fp1_cost_fcst[52]	Cost Forecast	Cost Fcst	->,>>,>>9.9<<<<<<<<	10
fp1_mod_date	Modified Date		99/99/99	
fp1_mod_userid	User ID		x(8)	
fp1_part	Item Number	Item	x(18)	
fp1_site	Site		x(8)	
fp1_target	Coverage	Cov	>>9.9	2
fp1_user1	Ufld1		x(8)	
fp1_user2	Ufld2		x(8)	
fp1_year	Year		>>>>	
fp1__chr01			x(8)	
fp1__chr02			x(8)	
fp1__chr03			x(8)	
fp1__chr04			x(8)	
fp1__chr05			x(8)	
fp1__dec01			->>,>>,>>9.99<	10
fp1__dec02			->>,>>,>>9.99<	10
fp1__log01			yes/no	
fp1__log02			yes/no	
fp1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fp1_sitelyear	yes	fp1_site	yes	no
		fp1_part	yes	no
		fp1_year	yes	no
fp1_yearsite	yes	fp1_year	yes	no
		fp1_part	yes	no
		fp1_site	yes	no

fp2_plan

Family Plan – Production Inventory and Order

Field Name	Label	Col-Label	Format	Dec
fp2_beg_inv	Beginning Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<	10
fp2_inv_act[52]	Inventory Actual	Inv Act	->>, >>>, >>9.9<<<<<<<<<	10
fp2_inv_fcst[52]	Inventory Forecast	Inv Fcst	->>, >>>, >>9.9<<<<<<<<<	10
fp2_mod_date	Modified Date		99/99/99	
fp2_mod_userid	User ID		x(8)	
fp2_ord_act[52]	Orders Actual	Orders Act	->>, >>>, >>9.9<<<<<<<<<	10
fp2_ord_fcst[52]	Orders Forecast	Orders Fcst	->>, >>>, >>9.9<<<<<<<<<	10
fp2_part	Item Number	Item	x(18)	
fp2_site	Site		x(8)	
fp2_target	Coverage	Cov	>>9.9	2
fp2_user1	Ufld1		x(8)	
fp2_user2	Ufld2		x(8)	
fp2_year	Year		>>>>	
fp2__chr01			x(8)	
fp2__chr02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fp2_sityear	yes	fp2_site	yes	no
		fp2_part	yes	no
		fp2_year	yes	no
fp2_yearsite	yes	fp2_year	yes	no
		fp2_part	yes	no
		fp2_site	yes	no

Family Plan – Production and Shipment

Index-Name	Uni	Field-Name	Asc	Abbr
* fp3_sityear	yes	fp3_site	yes	no
		fp3_part	yes	no

196 fpci_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
fp3_yearsite	yes	fp3_year	yes	no
		fp3_year	yes	no
		fp3_part	yes	no
		fp3_site	yes	no

fpci_mstr Service/Support Price Indexing Master

Field Name	Label	Col-Label	Format	Dec
fpci_index	Index		x(8)	
fpci_mod_date	Date Modified		99/99/99	
fpci_reval_link	Revaluation Link	Link	->>>>, >>9.99<<<<	10
fpci_user1	User Field 1		X(8)	
fpci_user2	User Field 2		X(8)	
fpci_userid	Userid		x(8)	
fpci_values[12]	Value		->>>>, >>9.99<<<<	10
fpci_year	Year		>>>9	
fpci_chr01	User Character Field #1		x(8)	0
fpci_chr02	User Character Field #2		x(8)	0
fpci_chr03	User Character Field #3		x(8)	0
fpci_chr04	User Character Field #4		x(8)	0
fpci_dec01	User Decimal #1		->>>>, >>>, >>9.99<<<<	10
fpci_dec02	User Decimal #2		->>>>, >>>, >>9.99<<<<	10
fpci_dec03	User Decimal #3		->>>>, >>>, >>9.99<<<<	10
fpci_dte01	User Date #1		99/99/99	
fpci_dte02	User Date #2		99/99/99	
fpci_dte03	User Date #3		99/99/99	
fpci_log01	User Logical #1		yes/no	
fpci_log02	User Logical #2		yes/no	
fpci_log03	User Logical #3		yes/no	
fpci_qadc01	Qad Field #1		x(8)	
fpci_qadc02	Qad Field #2		x(8)	
fpci_qadc03	Qad Field #3		x(8)	
fpci_qadc04	Qad Field #4		x(8)	
fpci_qadd01	Qad Date #1		99/99/99	
fpci_qadd02	Qad Date #2		99/99/99	
fpci_qadd03	Qad Date #3		99/99/99	
fpci_qadde01	Qad Decimal #1		->>>>, >>>, >>9.99<<<<	10
fpci_qadde02	Qad Decimal #2		->>>>, >>>, >>9.99<<<<	10
fpci_qadde03	Qad Decimal #3		->>>>, >>>, >>9.99<<<<	10
fpci_qadl01	Qad Logical #1		yes/no	
fpci_qadl02	Qad Logical #2		yes/no	
fpci_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpci_index	yes	fpci_index	yes	no
		fpci_year	yes	no

fpc_mstr Service/Support Contract/Repair Pricing

Field Name	Label	Col-Label	Format	Dec
fpc_amt[15]	Price		->>>, >>>, >>9.99<<<	10
fpc_amt_type	Amount Type	T	x(1)	
fpc_ca_int_type	Work Code	Work CD	x(8)	
fpc_curr	Currency	Curr	x(4)	0
fpc_expire	Expiration	Expire	99/99/99	
fpc_fsc_code	Service Category	Svc Cat	x(8)	
fpc_list	Price List	List	x(8)	
fpc_list_type	Type		x(3)	
fpc_max_price[15]	Maximum Price		->>>, >>>, >>9.99<<<	2
fpc_min_price	Minimum Price		->>>, >>>, >>9.99<<<	10
fpc_min_qty[15]	Min Qty		>>>>>>9	2
fpc_mod_date	Modified Date	Mod Date	99/99/99	
fpc_part	Item		x(18)	
fpc_prod_line	Product Line	Line	x(4)	
fpc_start	Start		99/99/99	
fpc_svc_group	Service Group	Svc Grp	x(8)	
fpc_sv_code	Service Type	Svc Type	x(8)	0
fpc_tax_in	Tax In		yes/no	
fpc_um	UM		x(2)	
fpc_user1	User Field 1		X(8)	
fpc_user2	User Field 2		X(8)	
fpc_userid	User ID		x(8)	
fpc_chr01	User Character Field #1		x(8)	0
fpc_chr02	User Character Field #2		x(8)	0
fpc_chr03	User Character Field #3		x(8)	0
fpc_chr04	User Character Field #4		x(8)	0
fpc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fpc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fpc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fpc_dte01	User Date #1		99/99/99	
fpc_dte02	User Date #2		99/99/99	
fpc_dte03	User Date #3		99/99/99	
fpc_log01	User Logical #1		yes/no	
fpc_log02	User Logical #2		yes/no	
fpc_log03	User Logical #3		yes/no	
fpc_qadc01	Qad Field #1		x(8)	
fpc_qadc02	Qad Field #2		x(8)	
fpc_qadc03	Qad Field #3		x(8)	
fpc_qadc04	Qad Field #4		x(8)	
fpc_qadd01	Qad Date #1		99/99/99	
fpc_qadd02	Qad Date #2		99/99/99	
fpc_qadd03	Qad Date #3		99/99/99	
fpc_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fpc_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fpc_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fpc_qadl01	Qad Logical #1		yes/no	
fpc_qadl02	Qad Logical #2		yes/no	
fpc_qadl03	Qad Logical #3		yes/no	

198 fpd_cost

Index-Name	Uni	Field-Name	Asc	Abbr
* fpc_list	yes	fpc_list	yes	no
		fpc_list_type	yes	no
		fpc_curr	yes	no
		fpc_ca_int_type	yes	no
		fpc_svc_group	yes	no
		fpc_prod_line	yes	no
		fpc_fsc_code	yes	no
		fpc_part	yes	no
		fpc_um	yes	no
		fpc_start	yes	no

fpd_cost Family Item Cost File

Field Name	Label	Col-Label	Format	Dec
fpd_cost1	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost2	Cost		>>>, >>>, >>9.99<<<	10
fpd_cost3	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost4	Cost		>>>>, >>>, >>9.99<<<	10
fpd_cost5	Cost		>>>>, >>>, >>9.99<<<	10
fpd_part	Family Item	Family	x(18)	
fpd_price	Price		>>>>, >>>, >>9.99<<<	10
fpd_rate1	Production Rate	Rate	>>>>, >>>, >>9.99<<<	10
fpd_rate2	Production Rate		>>>>, >>>, >>9.99<<<	2
fpd_rate3	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_rate4	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_rate5	Production Rate		>>>>, >>>, >>9.99<<<	10
fpd_sim	Cost Set		x(8)	
fpd_site	Site		x(8)	
fpd_user1	Ufld1		x(8)	
fpd_user2	Ufld2		x(8)	
fpd__chr01			x(8)	
fpd__chr02			x(8)	
fpd__chr03			x(8)	
fpd__chr04			x(8)	
fpd__chr05			x(8)	
fpd__dec01			->>>, >>>, >>9.99<<<	2
fpd__dec02			->>>, >>>, >>9.99	2
fpd__dec03			->>>, >>>, >>9.99	2
fpd__dec04			->>>, >>>, >>9.99	2
fpd__dec05			->>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* fpd_cost	yes	fpd_sim	yes	no
		fpd_site	yes	no
		fpd_part	yes	no

fpst_mstr Return Status Master

Field Name	Label	Col-Label	Format	Dec
fpst_desc	Description		x(24)	
fpst_exchange	Exchange		yes/no	
fpst_good	Good		yes/no	
fpst_mod_date	Date Modified		99/99/99	
fpst_mod_userid	Modified By		X(8)	
fpst_pending	Pending		yes/no	
fpst_return	Return Items		yes/no	
fpst_scrap	Scrap		yes/no	
fpst_status	Status		x(8)	0
fpst_user1	User Field 1		X(8)	
fpst_user2	User Field 2		X(8)	
fpst_chr01	User Character Field 1		X(8)	
fpst_chr02	User Character Field 2		X(8)	
fpst_dec01	User Decimal Field 1		->>, >>9.99	10
fpst_dte01	User Date Field 1		99/99/99	
fpst_log01	User Logical Field 1		yes/no	
fpst_log02	User Logical Field 2		yes/no	
fpst_qadc01	QAD Character Field 1		X(8)	
fpst_qadc02	QAD Character Field 2		X(8)	
fpst_qade01	QAD Decimal Field 1		->>, >>9.99	10
fpst_qadl01	QAD Logical Field 1		yes/no	
fpst_qadl02	QAD Logical Field 2		yes/no	
fpst_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpst_status	yes	fpst_status	yes	no

frcd_det Freight Charge Detail

Field Name	Label	Col-Label	Format	Dec
frcd_class	Freight Class	Class	x(8)	
frcd_curr	Currency	Cur	x(3)	
frcd_end	End		99/99/99	
frcd_fr_list	Freight List	Frt List	x(8)	
frcd_max_wt	Maximum Weight	Max Weight	->>, >>>, >>>	2
frcd_min_wt	> Minimum Weight	>Min Weight	->>, >>>, >>>	2
frcd_min_wtc	Freight Charge	Freight! Charge	->>, >>>, >>9.9<<<	10
frcd_site	Site		x(8)	
frcd_start	Start		99/99/99	
frcd_tot_wtc	Freight Charge Per Fr List UM	Charge Per! Fr List UM	->>, >>>, >>9.99	2
frcd_user1			x(8)	
frcd_user2			x(8)	
frcd_xtr_wtc	Freight Charge Per UM Over Fr Chg Per! Unit Over Min		->>, >>>, >>9.99	2
frcd_zone	Zone		x(10)	
frcd_chr01			x(8)	
frcd_chr02			x(8)	
frcd_chr03			x(8)	
frcd_chr04			x(8)	

200 frd_det

Field Name	Label	Col-Label	Format	Dec
frcd__chr05			x(8)	
frcd__chr06			x(8)	
frcd__chr07			x(8)	
frcd__chr08			x(8)	
frcd__dec01			>>>, >>>, >>9.99	10
frcd__dec02			>>>, >>>, >>9.99	10
frcd__dte01			99/99/99	
frcd__dte02			99/99/99	
frcd__log01			yes/no	
frcd__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* frcd_fr_list	yes	frcd_fr_list	yes	no
		frcd_site	yes	no
		frcd_curr	yes	no
		frcd_zone	yes	no
		frcd_class	yes	no
		frcd_max_wt	yes	no
		frcd_start	yes	no

frd_det Freight Rate Detail

Field Name	Label	Col-Label	Format	Dec
frd_code	Rate Code	Code	x(8)	
frd_rate	Rate		>, >>>, >>9.99<<<	10
frd_user1	user1		x(8)	
frd_user2	user2		x(8)	
frd_weight	Weight		>, >>>, >>9.9<<<<<<<	10
frd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* frd_rate	yes	frd_code	yes	no
		frd_weight	yes	no

frm_mstr Freight Rate Master

Field Name	Label	Col-Label	Format	Dec
frm_code	Rate Code	Code	x(8)	
frm_curr	Currency	Curr	x(3)	
frm_desc	Description		x(24)	
frm_rate_qty	Rate Qty		>, >>>, >>9.9<<<<<<<	10
frm_um	UM		x(2)	
frm_user1	user1		x(8)	
frm_user2	user2		x(8)	
frm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* frm_code	yes	frm_code	yes	no

frzd_det

Freight Zone Detail

Field Name	Label	Col-Label	Format	Dec
frzd_end	End		99/99/99	
frzd_fr_list	Freight List	Frt List	x(8)	
frzd_post_en	Post End		x(10)	
frzd_post_st	Post Start		x(10)	
frzd_site	Site		x(8)	
frzd_start	Start		99/99/99	
frzd_user1			x(8)	
frzd_user2			x(8)	
frzd_zone	Zone		x(10)	
frzd__chr01			x(8)	
frzd__chr02			x(8)	
frzd__chr03			x(8)	
frzd__chr04			x(8)	
frzd__chr05			x(8)	
frzd__chr06			x(8)	
frzd__chr07			x(8)	
frzd__chr08			x(8)	
frzd__dec01			>>>,>>>,>>9.99	10
frzd__dec02			>>>,>>>,>>9.99	10
frzd__dte01			99/99/99	
frzd__dte02			99/99/99	
frzd__log01			yes/no	
frzd__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* frzd_fr_list	yes	frzd_fr_list	yes	no
		frzd_site	yes	no
		frzd_zone	yes	no
		frzd_post_st	yes	no
		frzd_start	yes	no

202 fr_mstr

fr_mstr Freight List Master

Field Name	Label	Col-Label	Format	Dec
fr_curr	Currency	Curr	x(3)	
fr_desc	Description		x(24)	
fr_list	Freight List	Frt List	x(8)	
fr_mode	Freight Mode		x(8)	
fr_site	Site		x(8)	
fr_trl_cd	Trailer Code	Trl	x(2)	
fr_type	Type		UNIT/BULK	
fr_um	UM		x(2)	
fr_user1			x(8)	
fr_user2			x(8)	
fr_chr01			x(8)	
fr_chr02			x(8)	
fr_chr03			x(8)	
fr_chr04			x(8)	
fr_chr05			x(8)	
fr_chr06			x(8)	
fr_chr07			x(8)	
fr_chr08			x(8)	
fr_dec01			>>>, >>>, >>9.99	10
fr_dec02			>>>, >>>, >>9.99	10
fr_dte01			99/99/99	
fr_dte02			99/99/99	
fr_log01			yes/no	
fr_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fr_list	yes	fr_list	yes	no
		fr_site	yes	no
		fr_curr	yes	no

fsc_mstr Service Category Master

Field Name	Label	Col-Label	Format	Dec
fsc_bdn_pct	Labor Burden Percent	Lbr Bdn %	>>9.99%	2
fsc_bdn_rate	Labor Burden Rate	Lbr Bdn Rate	>>>, >>9.99	2
fsc_code	Service Category	Svc Cat	x(8)	
fsc_con_parts	Consumable Items	Con	yes/no	
fsc_customer	Customer Chargable		yes/no	
fsc_cus_non_prod	Customer Non-Productive	Cus NP	yes/no	
fsc_desc	Description		x(24)	
fsc_exg_parts	Exchanged Items	Exg	yes/no	
fsc_expense	Expense	Exp	yes/no	
fsc_fis_column	Column	Col	>>9	
fsc_fis_sort	Invoice Sort		x(18)	
fsc_labor	Labor	Lab	yes/no	
fsc_lbr_rate	Standard Labor Rate	Std Lbr Rate	>>>, >>9.99	2
fsc_non_prod	Non-Productive	Non P	yes/no	
fsc_other	Other	Oth	yes/no	
fsc_parts	Items	Itm	yes/no	
fsc_sick	Sick		yes/no	

Field Name	Label	Col-Label	Format	Dec
fsc_taxable	Taxable		yes/no	0
fsc_taxc	Tax Class		x(8)	0
fsc_training	Training	Trn	yes/no	
fsc_travel_exp	Travel Expenses	TE	yes/no	
fsc_travel_labor	Travel Labor	TL	yes/no	
fsc_user1	User Field 1		X(8)	
fsc_user2	User Field 2		X(8)	
fsc_vacation	Vacation	Vac	yes/no	
fsc_chr01	User Character Field #1		x(8)	0
fsc_chr02	User Character Field #2		x(8)	0
fsc_chr03	User Character Field #3		x(8)	0
fsc_chr04	User Character Field #4		x(8)	0
fsc_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fsc_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fsc_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fsc_dte01	User Date #1		99/99/99	
fsc_dte02	User Date #2		99/99/99	
fsc_dte03	User Date #3		99/99/99	
fsc_log01	User Logical #1		yes/no	
fsc_log02	User Logical #2		yes/no	
fsc_log03	User Logical #3		yes/no	
fsc_qadc01	QAD Character Field		x(8)	0
fsc_qadc02	Qad Field #2		x(8)	
fsc_qadc03	Qad Field #3		x(8)	
fsc_qadc04	Qad Field #4		x(8)	
fsc_qadd01	Qad Date #1		99/99/99	
fsc_qadd02	Qad Date #2		99/99/99	
fsc_qadd03	Qad Date #3		99/99/99	
fsc_qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
fsc_qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
fsc_qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
fsc_qadl01	QAD Logical Field		yes/no	0
fsc_qadl02	Qad Logical #2		yes/no	
fsc_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsc_code	yes	fsc_code	yes	no

fsd_det Service/Support Work Order Serial Number Workfile

Field Name	Label	Col-Label	Format	Dec
fsd_file			x(8)	
fsd_file_line			>>9	
fsd_inv_ref	Ref	Reference	X(8)	
fsd_isb_ref	Installed Base Reference	ISB Ref	>>>>>>>9	
fsd_line	Line		>>>9	
fsd_loc	Location		x(8)	
fsd_lotser	Lot/Serial		x(18)	
fsd_nbr			x(8)	
fsd_part	Item		x(18)	
fsd_qty_post			->,>>>,>>9.9<<<<<<<<<	10
fsd_qty_tran	Quantity		->,>>>,>>9.9<<<<<<<<<	10

204 fsh_mstr

Field Name	Label	Col-Label	Format	Dec
fsd_ref	Ref	Reference	x(8)	
fsd_ret_loc	Return Location		x(8)	
fsd_ret_site	Return Site		x(8)	
fsd_rev	Rev		x(4)	
fsd_site	Site		x(8)	
fsd_status	Status		x(8)	
fsd_user1	Ufld1		x(8)	
fsd_user2	Ufld2		x(8)	
fsd_chr01	User Character Field 1		X(8)	
fsd_chr02	User Character Field 2		X(8)	
fsd_dec01	User Decimal Field 1		->>>, >>>, >>9.9<<<	10
fsd_int01	User Integer Field 1		->, >>>, >>9	
fsd_log01	User Logical Field 1		yes/no	
fsd_qadc01	QAD Character Field 1		X(8)	
fsd_qadc02	QAD Character Field 2		X(8)	
fsd_qadc03	QAD Character Field		X(8)	0
fsd_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.9<<<	10
fsd_qadd02	QAD Decimal Field		->>, >>9.99	10
fsd_qadi01	QAD Integer Field 1		->, >>>, >>9	
fsd_qadi02	QAD Integer Field		->, >>>, >>9	0
fsd_qadl01	QAD Logical Field 1		yes/no	
fsd_qadl02	QAD Logical Field		yes/no	0

Index-Name	Uni	Field-Name	Asc	Abbr
* fsd_nbr	yes	fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_line	yes	no
fsd_part	no	fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_site	yes	no
		fsd_loc	yes	no
		fsd_lotser	yes	no
		fsd_ref	yes	no

fsh_mstr Service/Support Holiday Master

Field Name	Label	Col-Label	Format	Dec
fsh_code	Code		x(8)	
fsh_code_field	Field		x(32)	
fsh_covered	Covered		yes/no	
fsh_date	Holiday		99/99/99	
fsh_desc	Description		x(24)	
fsh_user1	user1		x(8)	
fsh_user2	user2		x(8)	
fsh_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsh_codefield	yes	fsh_code	yes	no
		fsh_code_field	yes	no
		fsh_date	yes	no

fslp_pln

Simulation Line Planning File

Field Name	Label	Col-Label	Format	Dec
fslp_line	Production Line		x(8)	
fslp_part	Item Number	Item	x(18)	
fslp_plan_id	Plan ID		x(8)	
fslp_prod_act[52]	Production Actual	Prod Act	->>, >>>, >>9.9<<<<<<<<<<	10
fslp_prod_fcst[52]	Production Forecast	Prod Fcst	->>, >>>, >>9.9<<<<<<<<<<	10
fslp_site	Site		x(8)	
fslp_user1	Ufld1		x(8)	
fslp_user2	Ufld2		x(8)	
fslp_year	Year		>>>>	
fslp__dec01			->, >>>, >>9.99<	10
fslp__dec02			->, >>>, >>9.99<	10
fslp__dec03[52]			->, >>>, >>9.99<	10
fslp__dec04[52]			->, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* fslp_pln	yes	fslp_plan_id	yes	no
		fslp_part	yes	no
		fslp_site	yes	no
		fslp_line	yes	no
		fslp_year	yes	no

fsp1_pln

Family Plan – Simulation Backlog and Cost

Field Name	Label	Col-Label	Format	Dec
fsp1_beg_inv	Beginning Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<<	10
fsp1_bklg_act[52]	Backlog Actual	Bklg Act	->>, >>>, >>9.9<<<<<<<<<<	10
fsp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->>, >>>, >>9.9<<<<<<<<<<	10
fsp1_cost_act[52]	Cost Actual	Cost Act	->>, >>>, >>9.9<<<<<<<<<<	10
fsp1_cost_fcst[52]	Cost Forecast	Cost Fcst	->>, >>>, >>9.9<<<<<<<<<<	10
fsp1_mod_date	Modified Date		99/99/99	
fsp1_mod_userid	User ID		x(8)	
fsp1_part	Item Number	Item	x(18)	
fsp1_percent	Percent		->>9.9<%	2
fsp1_plan_id	Plan ID		x(8)	
fsp1_prod_rate	Production Rate	Prod Rate	>>>>, >>>, >>9.99<<<	10
fsp1_sim_rate	Simulation Rate	Sim Rate	>>>>, >>>, >>9.9<<<	10
fsp1_site	Site		x(8)	
fsp1_src_pct	Percent		->>9.9<%	2
fsp1_target	Coverage	Cov	>>9.9	2

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp3_pln	yes	fsp3_plan_id	yes	no
		fsp3_site	yes	no
		fsp3_part	yes	no
		fsp3_year	yes	no

Service/Support Contract Price Indexing

Field Name	Label	Col-Label	Format	Dec
fspi_detail	Detail		yes/no	
fspi_end	End Date		99/99/99	
fspi_factor_pct	Factor		>>>9.99<<<	6
fspi_fpci_index	Index		x(8)	
fspi_mod_date	Date Modified		99/99/99	
fspi_pct_type	Percent Type		Base/Increase	0
fspi_ref_month	Ref Month	Mt	>9	
fspi_sa_nbr	Contract		x(8)	
fspi_sa_prefix			x(8)	
fspi_start	Start		99/99/99	
fspi_user1	User Field 1		X(8)	
fspi_user2	User Field 2		X(8)	
fspi_userid	Userid		x(8)	
fspi_values[12]	Value		->>>, >>9.99<<<<	10
fspi_chr01	User Character Field #1		x(8)	0
fspi_chr02	User Character Field #2		x(8)	0
fspi_chr03	UserCharacter Field #3		x(8)	0
fspi_chr04	User Character Field #4		x(8)	0
fspi_dec01	User Decimal #1		->>>, >>>9.99<<<<	10
fspi_dec02	User Decimal #2		->>>, >>>9.99<<<<	10
fspi_dec03	User Decimal #3		->>>, >>>9.99<<<<	10
fspi_dte01	User Date #1		99/99/99	
fspi_dte02	User Date #2		99/99/99	
fspi_dte03	User Date #3		99/99/99	
fspi_log01	User Logical #1		yes/no	
fspi_log02	User Logical #2		yes/no	
fspi_log03	User Logical #3		yes/no	
fspi_qadc01	Qad Field #1		x(8)	

208 fsu_mstr

Field Name	Label	Col-Label	Format	Dec
fspi__qadc02	Qad Field #2		x(8)	
fspi__qadc03	Qad Field #3		x(8)	
fspi__qadc04	Qad Field #4		x(8)	
fspi__qadd01	Qad Date #1		99/99/99	
fspi__qadd02	Qad Date #2		99/99/99	
fspi__qadd03	Qad Date #3		99/99/99	
fspi__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fspi__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fspi__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fspi__qadl01	Qad Logical #1		yes/no	
fspi__qadl02	Qad Logical #2		yes/no	
fspi__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fspi_saindex	yes	fspi_sa_nbr	yes	no
		fspi_sa_prefix	yes	no
		fspi_fpci_index	yes	no
		fspi_start	yes	no

fsu_mstr

Service/Support User Preferences

Field Name	Label	Col-Label	Format	Dec
fsu_ca_time_wnd	Call Time Window		yes/no	
fsu_ca_wo_wnd	Call WO Window		yes/no	
fsu_dflt_pri	Call Priority	Call! Priority	>>>9	
fsu_dflt_que	Call Queue	Call! Queue	x(8)	
fsu_esc_dflt	Escalation Default	Esc Dflt	x(8)	
fsu_que_prog	Queue Manager		>>9	
fsu_quote_que	Quote Queue	Quote! Queue	x(8)	
Δ fsu_timezone	Time Zone		x(8)	
fsu_user1	user1		x(8)	
fsu_user2	user2		x(8)	
fsu_userid	User Id		x(8)	
fsu__qadc02			x(8)	
fsu__qadc03			x(8)	
fsu__qadc04			x(8)	
fsu__qadc05			x(8)	
◇ fsu__qadc06			x(8)	
fsu__qadi01			>>>>>>9	
fsu__qadi02			>>>>>>9	
fsu__qadi03			>>>>>>9	
fsu__qadi04			>>>>>>9	
fsu__qadi05			>>>>>>9	
fsu__qadl01			yes/no	
fsu__qadl02			yes/no	
fsu__qadl03			yes/no	
fsu__qadl04			yes/no	
fsu__qadl05			yes/no	
◇ fsu__qadt01			99/99/99	
◇ fsu__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsu_userid	yes	fsu_userid	yes	no

ftch_hist

Service/Support Trace History File

Field Name	Label	Col-Label	Format	Dec
ftch_desc	Description		x(24)	
ftch_eff_date	Effective Date		99/99/99	
ftch_eng_code	Engineer		x(8)	
ftch_ent_date	Create Date		99/99/99	
ftch_model			x(8)	
ftch_mod_date	Modified Date		99/99/99	
ftch_mod_userid	Modified By		X(8)	
ftch_nbr	Order		x(8)	
ftch_part	Item		x(18)	
Δ ftch_prior_value	Prior Value		x(18)	
ftch_serial	Serial		x(18)	
ftch_swapped	Model		yes/no	
ftch_trans	Transaction Type	TR Type	x(8)	
ftch_trnbr	Tran Number		>>>>>>>>>>>>9	
ftch_user1	user1		x(8)	
ftch_user2	user2		x(8)	
ftch_chr01	User Field #1		x(8)	
ftch_dte01	User Date #1		99/99/99	
ftch_log01	User Logical #1		yes/no	
◇ ftch_qadc02	Qad Field #2		x(8)	
◇ ftch_qadd01	Qad Decimal #1		->>, >>9.99	10
ftch_qadl01	Qad Logical #1		yes/no	
ftch_qadt01	Qad Date #1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ftch_engeff	no	ftch_eng_code	yes	no
		ftch_eff_date	yes	no
ftch_parteff	no	ftch_part	yes	no
		ftch_eff_date	yes	no
ftch_serialeff	no	ftch_serial	yes	no
		ftch_eff_date	yes	no
* ftch_trnbr	yes	ftch_trnbr	yes	no

ftcr_mstr

Service/Support Trace Master

Field Name	Label	Col-Label	Format	Dec
ftcr_model	Model		x(18)	
ftcr_mod_date	Modified Date		99/99/99	
ftcr_mod_userid	Modified By		X(8)	
ftcr_part_fsc	Item/Group		x(18)	
ftcr_trans	Transaction Type		x(8)	
ftcr_type	Type		x(1)	
ftcr_user1	User Field 1		X(8)	

210 ftxd_det

Field Name	Label	Col-Label	Format	Dec
ftcr_user2	User Field 2		X(8)	
ftcr_chr01	User Character Field 1		X(8)	
ftcr_dte01	User Date Field 1		99/99/99	
ftcr_log01	User Logical Field 1		yes/no	
ftcr_qadc01	QAD Character Field 1		X(8)	
ftcr_qadl01	QAD Logical Field 1		yes/no	
ftcr_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ftcr_model	no	ftcr_model	yes	no
		ftcr_trans	yes	no
* ftrc_part	yes	ftrc_part_fsc	yes	no
		ftrc_type	yes	no
		ftrc_trans	yes	no
ftrc_trans	no	ftrc_trans	yes	no
		ftrc_model	yes	no

ftxd_det Federal Income Tax Tables Detail

Field Name	Label	Col-Label	Format	Dec
ftxd_allow	Withholding Allowance	Allowance	-->,-->9.99	2
ftxd_base[12]	Base Amount	Base	-->,-->9.99	2
ftxd_desc	Description		x(24)	
ftxd_freq	Pay Frequency	Freq	x(2)	
ftxd_marital	Marital Status	MS	x(2)	
ftxd_mod_date	Modified Date	Mod Date	99/99/99	
ftxd_over[12]	Of Amount Over	Overage	-->,-->9.99	2
ftxd_perc[12]	Percentage	Percent	-->9.999	3
ftxd_user1	Ufld1		x(8)	
ftxd_user2	Ufld2		x(8)	
ftxd_userid	User ID		x(8)	
ftxd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ftxd_ind	yes	ftxd_freq	yes	no
		ftxd_marital	yes	no

ft_mstr Freight Terms Master

Field Name	Label	Col-Label	Format	Dec
ft_desc	Description		x(24)	
ft_terms	Freight Terms	Fr Terms	x(8)	
ft_type	Type		x(8)	
ft_user1			x(8)	
ft_user2			x(8)	
ft_chr01			x(8)	
ft_chr02			x(8)	
ft_chr03			x(8)	

Field Name	Label	Col-Label	Format	Dec
ft_chr04			x(8)	
ft_chr05			x(8)	
ft_chr06			x(8)	
ft_chr07			x(8)	
ft_chr08			x(8)	
ft_dec01			>>>, >>>, >>9.99	10
ft_dec02			>>>, >>>, >>9.99	10
ft_dte01			99/99/99	
ft_dte02			99/99/99	
ft_log01			yes/no	
ft_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ft_terms	yes	ft_terms	yes	no

fwk_mstr Service/Support Work Code Master

Field Name	Label	Col-Label	Format	Dec
fwk_ca_int_type	Work Code		x(8)	
fwk_desc	Description		x(24)	
fwk_egs_type	Skill Type	Skill	x(8)	
fwk_fcg_code	Charge Code	Charge	x(8)	
fwk_fixed_labor	Fix Labor Only	FL	yes/no	
fwk_fixed_price	Fixed Price	Fixed	yes/no	
fwk_mod_date	Modified Date		X(8)	
fwk_mod_userid	Modified By		X(8)	
fwk_repair_ctr	Repair Center	RC	yes/no	
fwk_user1	User Field 1		X(8)	
fwk_user2	User Field 2		X(8)	
fwk_chr01	User Character Field #1		x(8)	
fwk_chr02	User Character Field #2		x(8)	
fwk_chr03	User Character Field #3		x(8)	
fwk_chr04	User Character Field #4		x(8)	
fwk_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fwk_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fwk_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fwk_dte01	User Date #1		99/99/99	
fwk_dte02	User Date #2		99/99/99	
fwk_dte03	User Date #3		99/99/99	
fwk_log01	User Logical #1		yes/no	
fwk_log02	User Logical #2		yes/no	
fwk_log03	User Logical #3		yes/no	
fwk_qadc01	Qad Field #1		x(8)	
fwk_qadc02	Qad Field #2		x(8)	
fwk_qadc03	Qad Field #3		x(8)	
fwk_qadc04	Qad Field #4		x(8)	
fwk_qadd01	Qad Date #1		99/99/99	
fwk_qadd02	Qad Date #2		99/99/99	
fwk_qadd03	Qad Date #3		99/99/99	
fwk_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fwk_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10

212 glcd_det

Field Name	Label	Col-Label	Format	Dec
fwk__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
fwk__qadl01	Qad Logical #1		yes/no	
fwk__qadl02	Qad Logical #2		yes/no	
fwk__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fwk_ca_int_type	yes	fwk_ca_int_type	yes	no

glcd_det General Ledger Calendar Detail

Field Name	Label	Col-Label	Format	Dec
glcd_closed	Modules Closed	Modules! Closed	yes/no	
glcd_entity	Entity	Enty	x(4)	
glcd_gl_clsd	G/L Closed	G/L! Closed	yes/no	
glcd_per	Period	Per	>>9	
glcd_user1	Ufld1		x(8)	
glcd_user2	Ufld2		x(8)	
glcd_year	Year		9999	
glcd_yr_clsd	Year Closed	Year! Closed	yes/no	
glcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* glcd_index	yes	glcd_year	yes	no
		glcd_per	yes	no
		glcd_entity	yes	no

glc_cal General Ledger Calendar

Field Name	Label	Col-Label	Format	Dec
glc_end	Period End	Per End	99/99/99	
glc_per	Period	Per	>>9	
glc_start	Period Start	Per Beg	99/99/99	
glc_user1	Ufld1		x(8)	
glc_user2	Ufld2		x(8)	
glc_year	Year		9999	
glc_yr_end	Year-End/Regular	Year! End	YearEnd/Regular	
glc__qad01			yes/no	
glc__qad02			x(4)	
glc__qad03			yes/no	
glc__qad04			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* glc_index	yes	glc_year	yes	no
		glc_per	yes	no
glc_start	no	glc_start	yes	no

glrd_det

General Ledger Report Detail

Field Name	Label	Col-Label	Format	Dec
glrd_acct	Account		x(8)	
glrd_acct1	To Account	To Acct	x(8)	
glrd_cc	Cost Ctr	CC	x(4)	
glrd_cc1	To Cost Ctr	To CC	x(4)	
glrd_code	Custom Code	Custom	x(8)	
glrd_desc	Description		x(24)	
glrd_dr_cr	Debit(dr)/Credit(cr)	Dr/Cr	dr/cr	
glrd_entity	Entity	Ent	x(4)	
glrd_fpos	Format Position	Fmt Pos	>>>>9	
glrd_header	Suppress Header	Sup! Hdr	yes/no	
glrd_line	Line		>>>9	
glrd_page	Page Break After Total	Pg! Brk	yes/no	
glrd_skip	Skip Line After Total	Skp! Ln	yes/no	
glrd_sub	Sub-Account	Sub-Acct	x(8)	
glrd_sub1	To Sub-Account	To Sub	x(8)	
glrd_sums	Sums Into	Sums! Into	>>>>9	
glrd_total	Suppress Total	Sup! Tot	yes/no	
glrd_underln	Double-Underline Total	Db! Ln	yes/no	
glrd_user1	Ufld1		x(8)	
glrd_user2	Ufld2		x(8)	
glrd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* glrd_code	yes	glrd_code	yes	no
		glrd_fpos	yes	no
		glrd_line	yes	no
glrd_ind1	no	glrd_code	yes	no
		glrd_sums	yes	no
		glrd_fpos	yes	no

glr_mstr

General Ledger Report Master

Field Name	Label	Col-Label	Format	Dec
glr_code	Custom Code	Custom	x(8)	
glr_title	Report Title		x(24)	
glr_user1	Ufld1		x(8)	
glr_user2	Ufld2		x(8)	
glr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* glr_code	yes	glr_code	yes	no

214 gltr_hist

gltr_hist General Ledger Transaction History

Field Name	Label	Col-Label	Format	Dec
gltr_acc	Account		x(8)	
gltr_addr	Address		x(8)	
gltr_amt	Amount		>>, >>>, >>>, >>9.99cr	10
gltr_batch	Batch		x(8)	
gltr_correction	Correction	Corr	yes/no	
gltr_ctr	Cost Ctr	CC	x(4)	
gltr_curr	Currency	Cur	x(3)	
gltr_curramt	Currency Amount		->>, >>>, >>>, >>9.99	10
gltr_desc	Description		x(24)	
gltr_doc	Document		x(16)	
gltr_doc_typ	Document Type	T	x(2)	
gltr_dy_code	Daybook		x(8)	
gltr_dy_num	Entry Number		x(40)	
gltr_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>, >>>, >>>, >>9.99	10
gltr_eff_dt	Effective	Eff Date	99/99/99	
gltr_entity	Entity	Enty	x(4)	
gltr_ent_dt	Entered		99/99/99	
gltr_en_exrate	Entity Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_en_exrate2	Entity Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_en_exru_seq	Sequence		>>>>>>>g	
gltr_error	Error Message		x(16)	
gltr_export	Exported	Exp	yes/no	
gltr_exru_seq	Sequence		>>>>>>>g	
gltr_ex_rate	Exchange Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
gltr_ex_ratetype	Rate Type		x(8)	
gltr_fx_ind	FX Conversion Index	FX	x(1)	
gltr_line	Line		>>>g	
gltr_project	Project		x(8)	
gltr_ref	GL Reference		x(14)	
gltr_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
gltr_sub	Sub-Account	Sub-Acct	x(8)	
gltr_tr_type	Transaction Type	T	x(2)	
gltr_unb	Unbalanced	Unb	yes/no	
gltr_user	User ID		x(8)	
gltr_user1	Ufld1		x(8)	
gltr_user2	Ufld2		x(8)	
gltr_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
gltr_acc_ctr	no	gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_entity	yes	no
		gltr_project	yes	no
		gltr_eff_dt	yes	no
gltr_addr	no	gltr_addr	yes	no
		gltr_eff_dt	yes	no
gltr_batch	no	gltr_batch	yes	no
gltr_cc	no	gltr_ctr	yes	no
gltr_ctr	no	gltr_entity	yes	no
		gltr_ctr	yes	no
		gltr_acc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
gltr_doctype	no	gltr_eff_dt	yes	no
		gltr_doc_typ	yes	no
		gltr_eff_dt	yes	no
		gltr_doc	yes	no
gltr_dy_code	no	gltr_dy_code	yes	no
		gltr_dy_num	yes	no
gltr_eff_dt	no	gltr_eff_dt	yes	no
gltr_ent_dt	no	gltr_entity	yes	no
		gltr_ent_dt	yes	no
		gltr_ref	yes	no
		gltr_line	yes	no
gltr_export	no	gltr_entity	yes	no
		gltr_export	yes	no
gltr_ind1	no	gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_project	yes	no
gltr_ind2	no	gltr_eff_dt	yes	no
		gltr_entity	yes	no
		gltr_ref	yes	no
gltr_project	no	gltr_line	yes	no
		gltr_project	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
* gltr_ref	yes	gltr_entity	yes	no
		gltr_eff_dt	yes	no
		gltr_ref	yes	no
		gltr_rflag	yes	no
gltr_sub	no	gltr_line	yes	no
		gltr_sub	yes	no
		gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_ctr	yes	no
		gltr_eff_dt	yes	no

gltw_wkfl General Ledger Work File

Field Name	Label	Col-Label	Format	Dec
gltw_acct	Account		x(8)	
gltw_addr	Address		x(8)	
gltw_amt	Amount		->,>>>,>>>,>>9.99<<<<<<<<	10
gltw_batch	Batch		x(8)	
gltw_cc	Cost Ctr	CC	x(4)	
gltw_correction	Correction	Corr	yes/no	
gltw_curr	Currency	Cur	x(3)	
gltw_curramt	Currency Amount		->,>>>,>>>,>>9.99<<<<<<<<	10
gltw_date	Date		99/99/99	
gltw_desc	Description		x(24)	
gltw_doc	Document		x(16)	
gltw_doc_typ	Document Type	T	x(2)	
gltw_dy_code	Daybook		x(8)	
gltw_dy_num	Entry Num		x(40)	

216 glt_det

Field Name	Label	Col-Label	Format	Dec
gltw_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>, >>>, >>>, >>9.99	2
gltw_effdate	Effective	Eff Date	99/99/99	
gltw_entity	Entity		x(8)	
gltw_exru_seq	Sequence		>>>>>>>9	
gltw_ex_rate	Exchange Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
gltw_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
gltw_ex_ratetype	Rate Type		x(8)	
gltw_fx_ind	FX Conversion Index	FX	x(1)	
gltw_line	Line		>>>9	
gltw_project	Project		x(8)	
gltw_ref	Reference		x(18)	
gltw_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
gltw_sub	Sub-Account	Sub-Acct	x(8)	
gltw_tr_type	Transaction Type	t	x(2)	
gltw_user1	Ufld1		x(8)	
gltw_user2	Ufld2		x(8)	
gltw_userid	User ID		x(8)	
gltw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gltw_ref	yes	gltw_ref	yes	no
		gltw_line	yes	no
		gltw_rflag	yes	no
gltw_userid	no	gltw_userid	yes	no
		gltw_acct	yes	no
		gltw_cc	yes	no
		gltw_project	yes	no
		gltw_effdate	yes	no

glt_det

General Ledger Transactions (Unposted)

Field Name	Label	Col-Label	Format	Dec
glt_acct	Account		x(8)	
glt_addr	Address		x(8)	
glt_amt	Amount		->>, >>>, >>>, >>9.99	10
glt_batch	Batch		x(8)	
glt_cc	Cost Ctr	CC	x(4)	
glt_correction	Correction	Corr	yes/no	
glt_curr	Currency	Cur	x(3)	
glt_curr_amt	Currency Amount		->>, >>>, >>>, >>9.99	10
glt_date	Entered		99/99/99	
glt_desc	Description		x(24)	
glt_doc	Document		x(16)	
glt_doc_type	Document Type	T	x(2)	
glt_dy_code	Daybook		x(8)	
glt_dy_num	Entry Number		x(40)	
glt_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>, >>>, >>>, >>9.99	10
glt_effdate	Effective	Eff Date	99/99/99	
glt_entity	Entity	Enty	x(4)	
glt_entr_exrate	Entered Exchange Rate	Entered Ex Rate	>>, >>9.99999<<<<<	10
glt_en_exrate	Entity Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
glt_en_exrate2	Entity Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
glt_en_exru_seq	Sequence		>>>>>>>9	
glt_error	Error Message		x(16)	
glt_exru_seq	Sequence		>>>>>>>9	
glt_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
glt_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
glt_ex_ratetype	Rate Type		x(8)	
glt_fx_ind	FX Conversion Index	FX	x(1)	
glt_line	Line		>>>9	
glt_per	Period	Per	>>9	
glt_project	Project		x(8)	
glt_ref	GL Reference		x(14)	
glt_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
glt_sub	Sub-Account	Sub-Acct	x(8)	
glt_tr_type	Transaction Type	T	x(2)	
glt_unb	Unbalanced	Unb	yes/no	
glt_user1	Ufld1		x(8)	
glt_user2	Ufld2		x(8)	
glt_userid	User ID		x(8)	
glt_year	Year		9999	
glt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
glt_acc	no	glt_acct	yes	no
glt_batch	no	glt_batch	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_dy_code	no	glt_dy_code	yes	no
		glt_dy_num	yes	no
glt_index	no	glt_entity	yes	no
		glt_acct	yes	no
		glt_sub	yes	no
		glt_cc	yes	no
		glt_effdate	yes	no
		glt_project	yes	no
		glt_ref	yes	no
* glt_ref	yes	glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_tr_type	no	glt_tr_type	yes	no
		glt_ref	yes	no
		glt_line	yes	no
glt_unb	no	glt_unb	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no

gl_ctrl

System/Account Control File

Field Name	Label	Col-Label	Format	Dec
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apvr_x_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvr_x_cc	Expensed Items Rate Var CC	CC	x(4)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bk_val	Bank Acct Validation		x(2)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cog_acct	Cost of Goods	COGS	x(8)	
gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
gl_cop_acct	Cost Of Production	COP	x(8)	
gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
gl_covh_cc	COGS Overhead CC	CC	x(4)	
gl_crterms_acct	Credit Terms Interest Account		x(8)	
gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
gl_csub_cc	COGS Subcontract CC	CC	x(4)	
gl_cs_acct	Sales Cash	Cash	x(8)	
gl_cs_cc	Cash Cost Ctr	CC	X(4)	
gl_disc_acct	Sales Discount	Disc	x(8)	
gl_disc_cc	Disc Cost Ctr	CC	x(4)	
gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
gl_entity	Entity	Enty	x(4)	
gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
gl_ex_round	Round Factor		->9	
gl_fin_acct	Sales Finance	Finance	x(8)	
gl_fin_cc	Finance Cost Ctr	CC	x(4)	
gl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
gl_flr_cc	Floor Stock CC	CC	x(4)	
gl_frtacc_acct	Sales Freight Accrued Account	Frt Accr	x(8)	
gl_frtacc_cc	Cost Center		x(4)	
gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
gl_frtapp_cc	Cost Center		x(4)	
gl_frt_acct	Sales Freight	Freight	x(8)	
gl_frt_cc	Freight Cost Ctr	CC	x(4)	
gl_fsbdn_acct	Service Burden		X(8)	
gl_fsbdn_cc	Service Burden CC	CC	X(4)	
gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_lbr_acct	Labor		x(8)	
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvr_r_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvr_r_cc	Labor Rate Variance CC	CC	x(4)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
gl_rmar_acct	Service Returns	Returns	X(8)	
gl_rmar_cc	Service Returns CC	CC	X(4)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_serv_acct	Sales Service	Service	x(8)	
gl_serv_cc	Service Cost Ctr	CC	x(4)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_spec_acct	Sales Special	Special	x(8)	
gl_spec_cc	Sales Special Cost Ctr	CC	x(4)	
gl_sub_acct	Subcontract Acct	Subcntct	x(8)	
gl_sub_cc	Subcontract CC	CC	x(4)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_symbol	Symbol		x(1)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	
gl_tax_type	Tax Type		x(3)	
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
gl_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
gl_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
gl_uloss_cc	Unrealized Exchange Loss CC	CC	x(4)	
gl_user1	Ufld1		x(8)	
gl_user2	Ufld2		x(8)	
gl_user_acct	Exempt Sales Acct		x(8)	
gl_user_cc	Exempt Sales Cost Ctr	CC	x(4)	
gl_vat	Value Added Tax		yes/no	
gl_verify	Verify GL Accounts	Verify GL	yes/no	
gl_ver_proj	Verify Projects	Verify! Proj	yes/no	
gl_wip_acct	Work in Process	WIP	x(8)	
gl_wip_cc	Work in Process Cost Ctr	CC	x(4)	
gl_wvar_acct	Method Variance	Mthd Var	x(8)	
gl_wvar_cc	Method Variance CC	CC	x(4)	
gl_xfer_acct	Transfer Variance	Transfer	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
gl_xvar_acct	Mix Var	Mix	x(8)	
gl_xvar_cc	Mix Var CC	CC	x(4)	
gl_qad01			>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* gl_index1	yes	gl_index1	yes	no
gl_verify	no	gl_verify	yes	no
gl_ver_proj	no	gl_ver_proj	yes	no

grac_det GL Report Writer – Account Balances

Field Name	Label	Col-Label	Format	Dec
grac_acc	Account		x(8)	
grac_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
grac_beg_bal	Beginning Balance	Beginning Balance	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cbal	Beginning Bal - Foreign Curr	Beg Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_bal	Beginning CR Balance	Beginning CR Balance	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_cbal	Beginning CR Currency Bal	Beg CR Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_bal	Beginning DR Balance	Beginning DR Balance	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_cbal	Beginning DR Currency Bal	Beg DR Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_cc	Cost Ctr	CC	x(4)	
grac_cr_amt	CR Activity		->>, >>>, >>>, >>9.99<	10
grac_cr_curr_amt	CR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_curr_amt	Activity - Foreign Currency	Activity - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_dr_amt	DR Activity		->>, >>>, >>>, >>9.99<	10
grac_dr_curr_amt	DR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_entity	Entity	Enty	x(4)	
grac_per	Period	Per	>>9	
grac_per_bal	Period Balance	Period Balance	->>, >>>, >>>, >>>, >>9.99	10
grac_per_cbal	Period Balance - Foreign Curr	Per Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_project	Project		x(8)	
grac_sub	Sub-Account	Sub-Acct	x(8)	
grac_user1	Ufld1		x(8)	
grac_user2	Ufld2		x(8)	
grac_year	Year		9999	
grac_ytd_bal	Year to Date Balance	YTD Balance	->>, >>>, >>>, >>>, >>9.99	10
grac_ytd_cbal	Year to Date Bal - Foreign Curr	YTD Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_ytd_cr_amt	YTD CR Activity		->>, >>>, >>>, >>9.99<	10
grac_ytd_cr_curr_amt	YTD CR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_ytd_dr_amt	YTD DR Activity		->>, >>>, >>>, >>9.99<	10
grac_ytd_dr_curr_amt	YTD DR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypace	no	grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_cc	yes	no

222 grac_det

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypaes	no	grac_entity	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_entity	yes	no
* grac_ypascej	yes	grac_sub	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
grac_ypcej	no	grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
grac_ypcja	no	grac_project	yes	no
		grac_acc	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
grac_ypejas	no	grac_project	yes	no
		grac_acc	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_entity	yes	no
grac_ypjasc	no	grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_year	yes	no
		grac_per	yes	no
grac_ypscej	no	grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_per	yes	no
		grac_year	yes	no
grac_ypsej	no	grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no
grac_ypsje	no	grac_sub	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_year	yes	no
		grac_per	yes	no

grad_det Analysis Code Detail File

Field Name	Label	Col-Label	Format	Dec
grad_an_code	Analysis Code		x(8)	
grad_gl_code	G/L Code		x(8)	
grad_gl_type	G/L Type		x(1)	
grad_user1	Ufld1		x(8)	
grad_user2	Ufld2		x(8)	
grad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grad_an_code	no	grad_an_code	yes	no
		grad_gl_type	yes	no
		grad_gl_code	yes	no

224 gral_det

gral_det

Analysis Code Link-File Detail

Field Name	Label	Col-Label	Format	Dec
gral_an_code	Analysis Code	Code	x(8)	
gral_link_code	Linked Analysis Code	Link Code	x(8)	
gral_seq	Sequence	Seq	>>9.9<	2
gral_user1	Ufld1		x(8)	
gral_user2	Ufld2		x(8)	
gral__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gral_an_code	yes	gral_an_code	yes	no
		gral_link_code	yes	no
		gral_seq	yes	no
gral_link_code	no	gral_link_code	yes	no
gral_seq	yes	gral_an_code	yes	no
		gral_seq	yes	no

gras_det

Analysis Code and GL Code Selection Detail

Field Name	Label	Col-Label	Format	Dec
gras_an_code	Analysis Code	Code	x(8)	
gras_gl_type	G/L Type		x(1)	
gras_include	Include	Incl	yes/no	
gras_sel_high	To G/L Code	To Code	x(8)	
gras_sel_low	From G/L Code	From Code	x(8)	
gras_user1	Ufld1		x(8)	
gras_user2	Ufld2		x(8)	
gras__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gras_an_code	yes	gras_an_code	yes	no
		gras_gl_type	yes	no
		gras_include	yes	no
		gras_sel_low	yes	no
		gras_sel_high	yes	no

gra_mstr

Analysis Code Master File

Field Name	Label	Col-Label	Format	Dec
gra_add_date	Date Created		99/99/99	
gra_add_id	Originator		x(8)	
gra_an_code	Analysis Code	Code	x(8)	
gra_cmtindx	Comment Index		>>>>>>9	
gra_desc	Description		x(24)	
gra_gl_type	G/L Type		x(1)	
gra_group	Security Groups		x(72)	
gra_link	Link To		CODE/ITEM	
gra_mod_date	Date Modified		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* gra_an_code	yes	gra_an_code	yes	no
gra_desc	yes	gra_gl_type	yes	no
		gra_desc	yes	no
		gra_an_code	yes	no
gra_type	yes	gra_gl_type	yes	no
		gra_an_code	yes	no

grbg_det

GL Report Writer – Budgeted Account Balances

Field Name	Label	Col-Label	Format	Dec
grbg_acc	Account		x(8)	
grbg_amt	Budget Amount		->,>>>>>>>>>9.99	2
grbg_beg_bal	Beginning Balance		->,>>>>>>>>>9.99	2
grbg_cc	Cost Ctr	CC	x(4)	
grbg_code	Budget Code	Budget	x(8)	
grbg_entity	Entity	Enty	x(4)	
grbg_per	Period	Pd	>9	
grbg_per_bal	Period Budgeted Balance		->,>>>>>>>>>9.99<<<<<<<<<<	2
grbg_project	Project		x(8)	
grbg_sub	Sub-Account	Sub-Acct	x(8)	
grbg_user1	Ufld1		x(8)	
grbg_user2	Ufld2		x(8)	
grbg_year	Year		9999	
grbg_ytd_bal	Year to Date Budget	Year to Date Budget	->,>>>>>>>>>9.99<<<<<<<<<<	10
grbg_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypace	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
grbg_bypaes	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_entity	yes	no
		grbg_sub	yes	no
* grbg_bypascej	yes	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no

226 grbg_det

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypceja	no	grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
grbg_bypcja	no	grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
grbg_bypejas	no	grbg_per	yes	no
		grbg_cc	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
grbg_bypjasc	no	grbg_per	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_code	yes	no
grbg_bypscej	no	grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
grbg_bypsej	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
grbg_bypsje	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no

grcd_det

Column Group Detail File

Field Name	Label	Col-Label	Format	Dec
grcd_activity	Activity Type		x(1)	
grcd_bg_code	Budget Code		x(8)	
grcd_bg_roll	Roll Budgets Into Actuals		yes/no	
grcd_calc[5]	Formula		x(50)	
grcd_col	Column		9999	
grcd_col_group	Column Group		x(8)	
grcd_col_type	Column Type		x(1)	
grcd_currency	Currency		Foreign/Base	
grcd_desc	Description		x(24)	
grcd_format	Format		x(20)	
grcd_label[3]	Column Label		x(20)	
grcd_override	Allow Override		yes/no	
grcd_percent	Percentage		yes/no	
grcd_per_from	Period		x(4)	
grcd_per_to	To		x(4)	
grcd_print	Print		yes/no	
grcd_project	Project		x(8)	
grcd_quarter	Quarter		x(2)	
grcd_round	Rounding		x(3)	
grcd_rvpol	Reverse Polish Calculation		x(76)	
grcd_symbol	Currency Symbol	Sym	x(3)	
grcd_user1	Ufld1		x(8)	
grcd_user2	Ufld2		x(8)	
grcd_width	Column Width		>9	
grcd_year	Year		x(4)	
grcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grcd_col_group	yes	grcd_col_group	yes	no
		grcd_col	yes	no
grcd_col_type	yes	grcd_col_group	yes	no
		grcd_col_type	yes	no
		grcd_col	yes	no

grc_mstr

Column Group Master

Field Name	Label	Col-Label	Format	Dec
grc_add_date	Date Created		99/99/99	
grc_add_id	Originator		x(8)	
grc_cmtindx	Comment Index		>>>>>>>9	
grc_col_group	Column Group		x(8)	
grc_desc	Description		x(24)	
grc_group	Security Groups		x(72)	
grc_mod_date	Date Modified		99/99/99	
grc_mod_id	Modified By		x(8)	
grc_status	Status		Live/Test	
grc_user1	Ufld1		x(8)	
grc_user2	Ufld2		x(8)	
grc__qadc01			x(8)	

grhd_det Row/Column Sequence for Group

Field Name	Label	Col-Label	Format	Dec
grhd_code	Code		x(8)	
grhd_explode	Explode		yes/no	
grhd_group	Group		x(8)	
grhd_link	Link		CODE/ITEM	
grhd_link_type	Link Type	T	x(1)	
grhd_priority	Priority		z	
grhd_seq	Sequence	Seq	9999	
grhd_sub_indent	Sub Total Indent	SB Ind	zz	
grhd_type	Group Type	T	x(1)	
grhd_user1	Ufld1		x(8)	
grhd_user2	Ufld2		x(8)	
grhd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grhd_code	no	grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
* grhd_group	yes	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
grhd_link	yes	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_code	yes	no
grhd_link_type	no	grhd_group	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
grhd_priority	no	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_priority	yes	no
		grhd_explode	yes	no
		grhd_link	yes	no
grhd_type_link	no	grhd_type	yes	no
		grhd_link_type	yes	no

grib_det Break Group Detail File

Field Name	Label	Col-Label	Format	Dec
grib_an_code	Analysis Code		x(8)	
grib_basepage	Base Page	B Pg	>>>>9	
grib_desc	Description		x(24)	
grib_level	Level		999999	
grib_link_code	Link Code		x(8)	
grib_link_type	G/L Type		x(1)	

230 gric_det

Field Name	Label	Col-Label	Format	Dec
grib_pages	Group Pages	G Pgs	>>>>9	
grib_run_id	Report Run ID		>>>>>>>9	
grib_select	Sel	Sel	yes/no	
grib_user1	user1		x(8)	
grib_user2	user2		x(8)	
grib__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gric_an_code	no	grib_run_id	yes	no
		grib_link_type	yes	no
		grib_an_code	yes	no
		grib_link_code	yes	no
grib_level	no	grib_run_id	no	no
		grib_level	no	no
		grib_an_code	no	no
grib_link	no	grib_run_id	yes	no
		grib_link_type	yes	no
		grib_link_code	yes	no
		grib_an_code	yes	no

gric_det

Image Column Detail File

Field Name	Label	Col-Label	Format	Dec
gric_activity	Activity		x(1)	
gric_bg_code	Budget Code		x(8)	
gric_col	Column		>>>9	
gric_col_type	Column Type		x(1)	
gric_currency	Currency	Curr	Foreign/Base	
gric_label[3]	Column Label		x(20)	
gric_per_from	Period		>>9	
gric_per_to	To		>>9	
gric_print	Print Cell		yes/no	
gric_quarter	Quarter		9	
gric_run_id	Report Run ID		>>>>>>>9	
gric_select	Sel	Sel	yes/no	
gric_symbol	Currency Symbol	Sym	x(3)	
gric_user1	user1		x(8)	
gric_user2	user2		x(8)	
gric_width	Column Width		>9	
gric_year	Year		9999	
gric__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gric_col	yes	gric_run_id	yes	no
		gric_col	yes	no

grid_det

Report Image Detail File

Field Name	Label	Col-Label	Format	Dec
grid_allzero	AZ	AZ	yes/no	
grid_apply_sym	Apply Curr Symbol	Sym	yes/no	
grid_expl_line	Exploded Line	E Ln	-999	
grid_indent	Indent		zz	
grid_label	Row Label		x(36)	
grid_line	Exploded Line Number		999999	
grid_page	Page Break After Total		yes/no	
grid_post_und	Post-Underline Character		x(1)	
grid_pre_und	Pre-Underline Character		x(1)	
grid_print	Print Cell		yes/no	
grid_row	Row		9999	
grid_row_type	Row Type		x(1)	
grid_run_id	Report Run ID		>>>>>>9	
grid_select	Sel	Sel	yes/no	
grid_skips	Lines To Skip		zz	
grid_stl	Sub-Total Level		-999	
grid_text[5]	Text		x(48)	
grid_user1	user1		x(8)	
grid_user2	user2		x(8)	
grid_zero_suppress	Zero Suppress	Z	x(1)	
grid__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grid_row	yes	grid_run_id	yes	no
		grid_row	yes	no
		grid_line	yes	no
		grid_stl	yes	no

grig_mtx

Report Image Matrix

Field Name	Label	Col-Label	Format	Dec
grig_amt	Cell Amount - Data		->>, >>>, >>>, >>>, >>>9.99	2
grig_amt_txt	Cell Amount - Text		x(20)	
grig_brk_gp	Break Group Element		x(8)	
grig_col	Cell Column		999	
grig_line	Exploded Line Number		999999	
grig_print	Print Cell		yes/no	
grig_row	Cell Row		9999	
grig_run_id	Report Run ID		>>>>>>9	
grig_stl	Sub-Total Level		999	
grig_type	Type		x(1)	
grig_user1	user1		x(8)	
grig_user2	user2		x(8)	
grig__qadc01			x(8)	

232 gril_det

Index-Name	Uni	Field-Name	Asc	Abbr
* gril_row	no	grig_run_id	yes	no
		grig_col	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
	yes	grig_run_id	yes	no
		grig_brk_gp	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
		grig_col	yes	no

gril_det

Analysis Code Image Explosion Level

Field Name	Label	Col-Label	Format	Dec
gril_code	Analysis Code	An Code	x(8)	
gril_desc	Description		x(24)	
gril_level	Level		>>9	
gril_link	Link Type	Link	Code/Item	
gril_priority	Priority	P	9	
gril_roll_to	Roll To		x(8)	
gril_row	Row		9999	
gril_run_id	Run ID		>>>>>>9	
gril_type	Type	T	x(1)	
gril_user1	user1		x(8)	
gril_user2	user2		x(8)	
gril__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
gril_level	no	gril_run_id	yes	no
		gril_row	yes	no
		gril_level	yes	no
		gril_run_id	yes	no
gril_priority	no	gril_priority	yes	no
		gril_code	yes	no
		gril_run_id	yes	no
* gril_run_id	yes	gril_run_id	yes	no
		gril_row	yes	no
		gril_code	yes	no
		gril_level	yes	no
		gril_roll_to	yes	no

grit_wkf

Analysis Code and Item Type Workfile

Field Name	Label	Col-Label	Format	Dec
grit_an_code	Analysis Code		x(8)	
grit_desc	Description		x(28)	
grit_gl_code	G/L Code		x(8)	
grit_gl_type	GL Type	T	x(1)	

Field Name	Label	Col-Label	Format	Dec
gri_marker	Select	Sel	x(1)	
gri_runid	runid		x(18)	
gri_user1	user1		x(8)	
gri_user2	user2		x(8)	
gri__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
gri_desc	no	gri_desc	yes	no
		gri_gl_code	yes	no
		gri_runid	yes	no
* gri_gl_code	yes	gri_runid	yes	no
		gri_gl_code	yes	no

gri_mstr

Report Image Master File

Field Name	Label	Col-Label	Format	Dec
gri_cont_pg	Continuous Pages	CP	yes/no	
gri_date	Run Date		99/99/99	
gri_defprt	Default Printer	Def Prt	x(8)	
gri_desc	Description		x(24)	
gri_filtered	Filtered		yes/no	
gri_format	Format		x(20)	
gri_lab_bc	Row Labels Before Column		>>9	
gri_lab_width	Row Labels Width	RW	99	
gri_mrg_bot	Bottom Margin	BM	>9	
gri_mrg_left	Left Marging	LM	>9	
gri_mrg_right	Right Margin	RM	>9	
gri_mrg_top	Top Margin	TM	>9	
gri_ovr_code[5]	Override Code	Ovr Code	x(8)	
gri_ovr_type[5]	Override Type	T	x(1)	
gri_paginated	Paginated		yes/no	
gri_per	Period	Per	>>9	
gri_prt_wrk	Print Working Papers		yes/no	
gri_report	Report		x(8)	
gri_round	Rounding		x(3)	
gri_run_id	Report Run ID	Run ID	>>>>>9	
gri_status	Status		Live/Test	
gri_text_ix[3]	String Index	Strng Ix	>>>>>>9	
gri_time	Run Time		x(8)	
gri_user1	user1		x(8)	
gri_user2	user2		x(8)	
gri_userid	User ID		x(8)	
gri_year	Year		9999	
gri_zero_suppress	Zero Supression	ZS	x(1)	
gri__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gri_report	yes	gri_report	yes	no
		gri_run_id	yes	no
gri_run_id	yes	gri_run_id	yes	no

234 grqd_det

grqd_det

GL Report Writer – Fiscal Quarter Calendar

Field Name	Label	Col-Label	Format	Dec
grqd_per_end	Period End	Per! End	>>9	
grqd_per_start	Period Start	Per! Strt	>>9	
grqd_quarter	Quarter	Qtr	9	
grqd_user1	Ufld1		x(8)	
grqd_user2	Ufld2		x(8)	
grqd_year	Year		9999	
grqd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grqd_period	yes	grqd_year	yes	no
		grqd_per_start	yes	no
		grqd_per_end	yes	no
* grqd_quarter	yes	grqd_year	yes	no
		grqd_quarter	yes	no

grrd_det

Row Group Detail

Field Name	Label	Col-Label	Format	Dec
grrd_apply_sym	Apply Curr Symbol	Sym	yes/no	
grrd_calc[5]	Formula		x(50)	
grrd_format	Format		x(20)	
grrd_indent	Indent		zz	
grrd_label	Label		x(36)	
grrd_override	Allow Override		yes/no	
grrd_page	Page Break After Total		yes/no	
grrd_percent	Percentage		yes/no	
grrd_post_und	Post-Underline Character		x(1)	
grrd_precedence	Precedence		Row/Column	
grrd_pre_und	Pre-Underline Character		x(1)	
grrd_print	Print		yes/no	
grrd_reverse	Reverse Sign		yes/no	
grrd_round	Rounding		x(3)	
grrd_row	Row		9999	
grrd_row_group	Row Group		x(8)	
grrd_row_type	Row Type		x(1)	
grrd_rvpol	Reverse Polish Calculation		x(76)	
grrd_show	Show Codes		yes/no	
grrd_skips	Lines To Skip		>9	
grrd_start_col	Start Column		>>>9	
grrd_text[5]	Text		x(48)	
grrd_user1	Ufld1		x(8)	
grrd_user2	Ufld2		x(8)	
grrd_zero_suppress	Zero Suppression	ZS	x(1)	
grrd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grrd_row_group	yes	grrd_row_group	yes	no
		grrd_row	yes	no
grrd_row_type	yes	grrd_row_group	yes	no
		grrd_row_type	yes	no
		grrd_row	yes	no

grr_mstr Row Group Master

Field Name	Label	Col-Label	Format	Dec
grr_add_date	Date Created		99/99/99	
grr_add_id	Originator		x(8)	
grr_brk_ac	Using Analysis Code		x(8)	
grr_brk_gl	Control Report By		x(1)	
grr_cmtindx	Comment Index		>>>>>>9	
grr_cont_pg	Continuous Page Numbers		yes/no	
grr_desc	Description		x(24)	
grr_group	Security Groups		x(72)	
grr_mod_date	Date Modified		99/99/99	
grr_mod_id	Modified By		x(8)	
grr_row_group	Row Group		x(8)	
grr_status	Status		Live/Test	
grr_user1	Ufld1		x(8)	
grr_user2	Ufld2		x(8)	
grr_width	Row Width		>9	
grr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grr_brk_ac	no	grr_brk_ac	yes	no
		grr_brk_gl	yes	no
		grr_row_group	yes	no
* grr_row_group	yes	grr_row_group	yes	no

grtx_det GL Report Writer – Text String Detail

Field Name	Label	Col-Label	Format	Dec
grtx_fmt_txt	Formatted Text	Formatted Text	x(76)	
grtx_indx	Index	Index	>>>>>>9	
grtx_seq	Line	Line	>>>9	
grtx_text	Text	Text	x(76)	
grtx_user1	Ufld1	Ufld1	x(8)	
grtx_user2	Ufld2	Ufld2	x(8)	
grtx__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grtx_index	yes	grtx_indx	yes	no
		grtx_seq	yes	no

grv_det

GL Report Writer – Account Balances

Field Name	Label	Col-Label	Format	Dec
grv_acc	Account		x(8)	
grv_cc	Cost Ctr	CC	x(4)	
grv_entity	Entity	Enty	x(4)	
grv_project	Project		x(8)	
grv_sub	Sub-Account	Sub-Acct	x(8)	
grv_user1	user1		x(8)	
grv_user2	user2		x(8)	
grv__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grv_ace	no	grv_acc	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
grv_aes	no	grv_acc	yes	no
		grv_entity	yes	no
		grv_sub	yes	no
* grv_ascej	yes	grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_ceja	no	grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_cja	no	grv_cc	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_ejas	no	grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
grv_jasc	no	grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
grv_scej	no	grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sej	no	grv_sub	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sjc	no	grv_sub	yes	no
		grv_project	yes	no
		grv_cc	yes	no

grx1_wkfl Analysis Code Explosion Workfile

Field Name	Label	Col-Label	Format	Dec
grx1_an_code	Analysis Code		x(8)	
grx1_link_code	Link Code		x(8)	
grx1_link_type	G/L Type		x(1)	
grx1_run_id	Report Run ID		>>>>>>9	
grx1_user1	user1		x(8)	
grx1_user2	user2		x(8)	
grx1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grx1_an_code	no	grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_an_code	yes	no
		grx1_link_code	yes	no
grx1_link	no	grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_link_code	yes	no
		grx1_an_code	yes	no

grx2_wkfl Row/Column Explosion (Separate)

Field Name	Label	Col-Label	Format	Dec
grx2_acct	Account		x(8)	
grx2_actual	Actual/Budget		yes/no	
grx2_bg_code	Budget Code		x(8)	
grx2_cc	Cost Center		x(8)	
grx2_entity	Entity		x(8)	
grx2_level	Level		999	
grx2_nbr	Row or Column Number		9999	
grx2_project	Project		x(8)	
grx2_run_id	Report Run ID		>>>>>>9	
grx2_sub	Sub-Account		x(8)	
grx2_type	Type - Row or Column		Row/Col	
grx2_user1	user1		x(8)	
grx2_user2	user2		x(8)	
grx2__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* grx2_level	no	grx2_run_id	yes	no
		grx2_type	yes	no
		grx2_nbr	yes	no
		grx2_level	yes	no

grx3_wkfl Row/Column Explosion (Hierarchical)

Field Name	Label	Col-Label	Format	Dec
grx3_col	Column		999	
grx3_element1	Element 1		x(8)	
grx3_element2	Element 2		x(8)	
grx3_element3	Element 3		x(8)	
grx3_element4	Element 4		x(8)	
grx3_element5	Element 5		x(8)	
grx3_explode	Explode To Level		99	
grx3_line	Exploded Line Number		9999999	
grx3_priority	Element Priority		999999	
grx3_row	Row		9999	
grx3_run_id	Report Run ID		>>>>>>9	
grx3_user1	user1		x(8)	
grx3_user2	user2		x(8)	
grx3__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grx3_element	no	grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
grx3_line	no	grx3_element5	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_line	yes	no
* grx3_row	no	grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no

grx_mstr Report Content Master File

Field Name	Label	Col-Label	Format	Dec
grx_add_date	Date Created		99/99/99	
grx_add_id	Originator		x(8)	
grx_cmtindx	Comment Index		>>>>>>9	
grx_col_group	Column Group		x(8)	
grx_cont_pg	Continuous Page Numbers	C-Pg	yes/no	
grx_ctl_ac	Using Analysis Code	A-Code	x(8)	
grx_ctl_gl	Control Report By	C	x(1)	
grx_defprt	Printer Template		x(8)	
grx_desc	Description		x(24)	
grx_format	Format		x(20)	
grx_lab_bc	Row Labels Before Column		>>>9	

Field Name	Label	Col-Label	Format	Dec
grx_mod_date	Date Modified		99/99/99	
grx_mod_id	Modified By		x(8)	
grx_mrg_bot	Bottom Margin	BM	>9	
grx_mrg_left	Left Margin	LM	>9	
grx_mrg_right	Right Margin	RM	>9	
grx_mrg_top	Top Margin	TM	>9	
grx_mt_group	Maintenance Security Groups		x(72)	
grx_report	Report		x(8)	
grx_round	Rounding	RM	x(3)	
grx_row_group	Row Group		x(8)	
grx_rp_group	Report Security Groups		x(72)	
grx_status	Status		Live/Test	
grx_text_ix[3]	String Index	Strng lx	>>>>>>9	
grx_user1	Ufld1		x(8)	
grx_user2			Ufld2	
grx_zero_suppress	Zero Suppression	ZS	x(1)	
grx_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
grx_col_group	no	grx_col_group	yes	no
grx_ctl_ac	no	grx_ctl_ac	yes	no
		grx_ctl_gl	yes	no
		grx_report	yes	no
* grx_report	yes	grx_report	yes	no
grx_row_group	no	grx_row_group	yes	no

240 gr_ctrl

gr_ctrl

GL Report Writer Control File

Field Name	Label	Col-Label	Format	Dec
gr_ac_cmmts	Analysis Code Comments		yes/no	
gr_cg_cmmts	Column Group Comments		yes/no	
gr_col_width	Column Width		>9	
gr_cyis	Current Year Income Offset		x(8)	
gr_cyre	Current Year Retained Earnings		x(8)	
gr_format	Format		x(20)	
gr_index1	Index		>>>>9	
gr_per	Current Period	Per	>>9	
gr_precedence	Precedence		Row/Column	
gr_qtr_lbl[4]	Quarter		x(10)	
gr_rg_cmmts	Row Group Comments		yes/no	
gr_rg_width	Row Width		z9	
gr_round	Rounding		x(3)	
gr_rp_cmmts	Report Comments		yes/no	
gr_run_id	Next Report Run ID		>>>>>9	
gr_txt_ix	Text Index	Txt lx	>>>>>>9	
gr_user1	user1		x(8)	
gr_user2	user2		x(8)	
gr_year	Current Year		>>>9	
gr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* gr_index1	yes	gr_index1	yes	no

hd_mstr

Holiday Master

Field Name	Label	Col-Label	Format	Dec
hd_date	Date	Date	99/99/99	
hd_desc	Holiday		x(24)	
hd_site	Site		x(8)	
hd_user1	Ufld1		x(8)	
hd_user2	Ufld2		x(8)	
hd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* hd_mstr	yes	hd_site	yes	no
		hd_date	yes	no

hlp_mstr

Help Master

Field Name	Label	Col-Label	Format	Dec
hlp_context_nbr	Context Number	Context	>>>, >>>, >>9	
hlp_context_str	Context String		x(32)	0

Field Name	Label	Col-Label	Format	Dec
hlp_file	Help File		X(12)	0
hlp_user1	user1		x(8)	
hlp_user2	user2		x(8)	
hlp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* hlp_primary	no	hlp_context_str	yes	no

ibh_hist

Sales Order Configuration Bill History

Field Name	Label	Col-Label	Format	Dec
ibh_bo_chg	Qty B/O		->, >>>, >>>9.9<<<<<<<<<	10
ibh_cfg_type	Configuration	Config	x(1)	
ibh_cmtindx	Comment Index	Comment	>>>>>>9	
ibh_feature	Feature		x(12)	
ibh_inv_nbr	Invoice		x(8)	
ibh_iss_date	Issue Date	Iss Date	99/99/99	
ibh_line	Line		>>9	
ibh_loc	Location		x(8)	
ibh_nbr	Sales Order	Order	x(8)	
ibh_parent	Parent Item		x(18)	
ibh_part	Item Number		x(18)	
ibh_price	Price		>>>>, >>>, >>>9.99<<<	10
ibh_qty_all	Qty Allocated		->, >>>, >>>9.9<<<<<<<<	10
ibh_qty_chg	Qty to Issue		->, >>>, >>>9.9<<<<<<<<	10
ibh_qty_iss	Qty Issued		->, >>>, >>>9.9<<<<<<<<	10
ibh_qty_pick	Qty Picked		->, >>>, >>>9.9<<<<<<<<	10
ibh_qty_req	Qty Required		->, >>>, >>>9.9<<<<<<<<	10
ibh_serial	Lot/Serial		x(18)	
ibh_site	Site		x(8)	
ibh_tot_std	Std Cost		->>>>, >>>9.999	3
ibh_user1	Ufld1		x(8)	
ibh_user2	Ufld2		x(8)	
ibh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ibd_inv_nbr	yes	ibh_inv_nbr	yes	no
		ibh_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
		ibh_part	yes	no
ibh_part	yes	ibh_part	yes	no
		ibh_inv_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no

242 ib_det

ib_det

Service/Support Installed Configuration Detail

Field Name	Label	Col-Label	Format	Dec
ib_comp	Component	Comp Item	x(18)	
ib_comp_ref	Comp Ref	Ref	>>>>>>9	
ib_comp_ser	Component Serial	Comp Serial	x(18)	
ib_config			x(1)	
ib_contract	Contract		x(8)	
ib_cover			x(1)	
ib_desc	Description		x(24)	
ib_eu_nbr	End User		x(8)	
ib_int_level			>>9	
ib_level	Level		x(8)	
ib_sys_part	System Item		x(18)	
ib_sys_ref	System Ref		>>>>>>9	
ib_sys_seq	Sequence		>>>>>>9	
ib_sys_serial	System Serial		x(18)	
ib_tag			*/	
ib_user1	user1		x(8)	
ib_user2	user2		x(8)	
ib__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ib_compser	yes	ib_comp	yes	no
		ib_comp_ser	yes	no
		ib_comp_ref	yes	no
ib_eutag	no	ib_eu_nbr	yes	no
		ib_tag	yes	no
		ib_sys_seq	yes	no
ib_eu_comp	yes	ib_eu_nbr	yes	no
		ib_comp	yes	no
		ib_comp_ref	yes	no
		ib_comp_ser	yes	no
ib_serial	no	ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_eu_nbr	yes	no
* ib_sys_seq	yes	ib_config	yes	no
		ib_sys_part	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_sys_seq	yes	no
		ib_comp	yes	no

icc_ctrl

Inventory Control File

Field Name	Label	Col-Label	Format	Dec
icc_ascend	Ascending or Descending		Ascending/Descending	
icc_cogs	Sum LL Costs Into Matl Cost COGS		yes/no	
icc_cur_ap	Current Cost from AP		yes/no	
icc_cur_cost	Current Cost (AVG/LAST/ NONE)		x(4)	
icc_cur_set	Default Current Cost Set	Cur Set	x(8)	
icc_gl_set	Default GL Cost Set	GL Set	x(8)	

Field Name	Label	Col-Label	Format	Dec
icc_gl_sum	Summarized Journal		yes/no	
icc_gl_tran	Create GL Transactions		yes/no	
icc_ico_acct	Intercompany Acct		x(8)	
icc_ico_cc	Intercompany Cost Center	CC	x(4)	
icc_index1	Index		>>>>9	
icc_iss_days	Issue Days		->,>>>,>>9	
icc_jrnl	Next Journal		999999	
icc_mirror	Mirror Accounting	Mirror	yes/no	
icc_pk_ord	Picking Order		>	
icc_site	Default Site	Site	x(8)	
icc_tol_a	Class A		->>>,>>9.99	10
icc_tol_a%	Class A		->9.99%	2
icc_tol_b	Class B		->>>,>>9.99	10
icc_tol_b%	Class B		->9.99%	2
icc_tol_c	Class C		->>>,>>9.99	10
icc_tol_c%	Class C		->9.99%	2
icc_tol_flag	Tolerance Method		Qoh/Usage	
icc_tol_o	All Others		->>>,>>9.99	10
icc_tol_o%	All Others		->9.99%	2
icc_user1	Ufld1		x(8)	
icc_user2	Ufld2		x(8)	
icc_xclr_acct	Transfer Clearing Acct		x(8)	
icc_xclr_cc	Intercompany Cost Center	CC	x(4)	
icc__qad01			>>>>>9	
icc__qad02			9	
icc__qad03			9	
icc__qadi04			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* icc_index1	yes	icc_index1	yes	no

idhr_hist Invoice History Detail Relationships

Field Name	Label	Col-Label	Format	Dec
Δ idhr_div	Division		x(8)	
Δ idhr_group	Group		x(8)	
Δ idhr_inv_nbr	Invoice		x(8)	
Δ idhr_line	Line		>>9	
Δ idhr_nbr	Sales Order		x(8)	
Δ idhr_pricing	Pricing		>9	
Δ idhr_seq	Sequence		>>9	
Δ idhr_type	Type		>>>9	
Δ idhr_user1	Ufld1		x(8)	
Δ idhr_user2	Ufld2		x(8)	
idhr__qadc01			x(8)	
idhr__qadc02			x(8)	
idhr__qadc03			x(8)	
Δ idhr__qadd01			->>>>,>>>,>>9.9	10
Δ idhr__qadd02			->>>>,>>>,>>9.9	10
idhr__qadi01			->,>>>,>>9	
idhr__qadi02			->,>>>,>>9	

244 idh_hist

Field Name	Label	Col-Label	Format	Dec
idhr__qadl01			yes/no	
idhr__qadl02			yes/no	
idhr__qadt01			99/99/99	
idhr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* idhr_invl_nseq	yes	idhr_inv_nbr	yes	no
		idhr_nbr	yes	no
		idhr_line	yes	no
		idhr_seq	yes	no
Δ idhr_type	no	idhr_type	yes	no

idh_hist

Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>, >>>, >>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bonus	Bonus Stock Line		yes/no	
idh_bo_chg	Qty Backord		->, >>>, >>9.9<<<<<<<<	10
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>9	
idh_comment{5}	Comments		x(40)	
idh_comm_pct{4}	Commission	Comm%	>>9.99%	2
idh_conrep	Netting Logid	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
idh_cum_date{4}	Cum Start		99/99/99	
idh_cum_qty{4}	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<	10
idh_curr_rlse_id{3}	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	2
Δ idh_div	Division		x(8)	
idh_dock	Dock		X(8)	
idh_drp_ref	DRP Ref		X(8)	
idh_dsc_acct	Disc Acct		x(8)	
idh_dsc_cc	Disc CC	CC	x(4)	
idh_due_date	Due Date	Due	99/99/99	
idh_enduser	End User		x(8)	

Field Name	Label	Col-Label	Format	Dec
idh_end_eff[4]	End Effective		99/99/99	
idh_expire	Expires		99/99/99	
idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
idh_fab_days	Fab Auth Days		>,>9	
idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
idh_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
idh_fix_pr	Fixed Price		yes/no	
idh_for	For		x(18)	
idh_for_serial	Parent Item Serial		X(18)	
idh_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	2
idh_fr_class	Freight Class		x(8)	
idh_fr_list	Freight List	Frt List	x(8)	
idh_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
idh_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<<	6
idh_fr_wt_um	UM		x(2)	
idh_fsm_type	FSM Type		x(8)	
idh_fst_list	FST on List		yes/no	
idh_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
idh_inv_nbr	Invoice		x(8)	
idh_isb_loc	Installed Base Location		x(22)	
idh_isb_ref	ISB Ref		>>>>>9	
idh_line	Line	Ln	>>9	
idh_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
idh_ln_ref	Line Ref		X(8)	
idh_loc	Location		x(8)	
idh_lot	ID		x(8)	
idh_mod_date	Date Last Updated		99/99/99	
idh_mod_userid	Last Updated By		X(8)	
idh_nbr	Sales Order	Order	x(8)	
idh_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
idh_out_po	Display PO Number		X(30)	
idh_override_lmt	Override Limits	Lmt	yes/no	
idh_owner	Ownership		x(8)	
idh_part	Item Number		x(18)	
idh_partial	Partial OK	Partial	yes/no	
idh_pastdue	Past Due Logic		X(1)	
idh_per_date	Perform Date	Perform	99/99/99	
idh_pickdate	Pick Date		99/99/99	
idh_pkg_code	Pkg Code		x(18)	
Δ idh_pl_priority	P/L Priority		>9	
idh_price	Price		>>>>,>>>,>>9.99<<<	10
idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
idh_prig1	Pricing Group 1		x(8)	
idh_prig2	Pricing Group 2		x(8)	
idh_prodlne	Product Line	Line	x(4)	
idh_project	Project		x(8)	
idh_pr_list	Price List		X(8)	
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
idh_qty_chg	Qty To Ship		->,>>>,>>9.9<<<<<<<<	10
idh_qty_cons	Qty Consumed		->,>>>,>>9.9<<<	10
idh_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<	10
idh_qty_inv	Qty Invoiced		->,>>>,>>9.9<<<<<<<<	10
idh_qty_item	Item Quantity	Item Qty	>>,>>9.9<<<<	3
idh_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
idh_qty_pend	Qty Pending		->,>>>,>>9.9<<<	10
idh_qty_per	Duration		->>>9.9<<<	3

Field Name	Label	Col-Label	Format	Dec
idh_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
idh_qty_qote	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
idh_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
idh_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<	10
idh_raw_days	Raw Auth Days		>, >>9	
idh_rbkt_days	Req Schedule Days		>>9	
idh_rbkt_mths	Req Schedule Months		>>9	
idh_rbkt_weeks	Req Schedule Weeks		>>9	
idh_ref	Ref		>>>>>>>9	
idh_req_date	Required Date	Required	99/99/99	
idh_retro_price	Retro Invoice Price		>>>>, >>>, >>9.99<<<	10
idh_rlse_nbr	Next Release ID		999999999	
idh_rma_type	RMA Type		x(1)	
idh_sad_line	Service Contract Line		>>9	
idh_sa_nbr	Service Contract	Contract	x(8)	
idh_sched	Scheduled		yes/no	
idh_sched_chgd	Schedule Changed		yes/no	
idh_sch_data	Schedule Data		x(8)	
idh_sch_mrp	Sched MRP Req		yes/no	
idh_serial	Lot/Serial		x(18)	
idh_ship	Ship-To		x(8)	
idh_site	Site		x(8)	
idh_slspsn[4]	Salesperson	Salespsn	x(8)	
idh_sob_rev	Revised Date	Revised	99/99/99	
idh_sob_std	Standard Bill	Std BOM	yes/no	
idh_start_eff[4]	Start Effective		99/99/99	
idh_status	Status		x(8)	
idh_std_cost	Cost		->>>>, >>>, >>9.99<<<	10
idh_sv_code	Warranty Type		X(8)	
idh_taxable	Taxable	Tax	yes/no	
idh_taxc	Tax Class	TxC	x(3)	
idh_tax_env	Tax Environment	Tax Env	x(16)	
idh_tax_in	Tax In		yes/no	
idh_tax_max	Max Taxable Amount	Max Amount	->>>>, >>>, >>9.99	2
idh_tax_usage	Tax Usage	TaxUsage	x(8)	
idh_to_loc	Location		X(8)	
idh_to_ref	Kit Ref		X(8)	
idh_to_site	Site		X(8)	
idh_translt_hrs	Transport Hours		>>9.99	2
idh_trans_lt	Transport Leadtime		>>9.99	2
idh_type	Ship Type	T	x(1)	
idh_um	UM		x(2)	
idh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
idh_upd_isb	Update Installed Base		yes/no	
idh_user1	Ufld1		x(8)	
idh_user2	Ufld2		x(8)	
idh_warr_start	Warranty Start Date		99/99/99	
idh_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
idh_xslspsn[3]	Salesperson	Salespsn	x(8)	
idh__chr01			x(8)	
idh__chr02			x(8)	
idh__chr03			x(8)	
idh__chr04			x(8)	
idh__chr05			x(8)	
idh__chr06			x(8)	
idh__chr07			x(8)	
idh__chr08			x(8)	

Field Name	Label	Col-Label	Format	Dec
idh_chr09			x(8)	
idh_chr10			x(8)	
idh_dec01			>>>, >>>, >>9.99	10
idh_dec02			>>>, >>>, >>9.99	10
idh_dec03			>>>, >>>, >>9.99	10
idh_dec04			>>>, >>>, >>9.99	10
idh_dec05			>>>, >>>, >>9.99	10
idh_dte01			99/99/99	
idh_dte02			99/99/99	
idh_dte03			99/99/99	
idh_log01			yes/no	
idh_qad01			>	
idh_qad02			yes/no	
idh_qadc01	QAD Field		X(8)	0
idh_qadc02	QAD Field		X(8)	0
idh_qadc03	QAD field		X(8)	0
idh_qadc04	QAD field		X(8)	0
idh_qadc05	QAD field		X(8)	0
idh_qadc06	QAD field		X(8)	0
idh_qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
idh_qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
idh_qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
idh_qadd04	QAD Field		->>>>, >>>, >>9.99<<<	10
idh_qadd05	QAD Field		->>>>, >>>, >>9.99<<<	10
idh_qadi01	QAD Field		->, >>>, >>9	0
idh_qadi02	QAD Field		->, >>>, >>9	0
idh_qadi03	QAD Field		->, >>>, >>9	0
idh_qadi04	QAD Field		->, >>>, >>9	0
idh_qadl01	QAD Field		yes/no	0
idh_qadl02	QAD Field		yes/no	0
idh_qadl03	QAD Field		yes/no	0
idh_qadl04	QAD Field		yes/no	0
idh_qadl05	QAD Field		yes/no	0
idh_qadt01	QAD Field		99/99/99	0
idh_qadt02	QAD Field		99/99/99	0
idh_qadt03	QAD Field		99/99/99	0
idh_qadt04	QAD Field		99/99/99	0
idh_qadt05	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
* idh_invin	yes	idh_inv_nbr	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
idh_part	no	idh_part	yes	no
		idh_inv_nbr	yes	no
		idh_line	yes	no

248 iec_ctrl

iec_ctrl

Import/Export Control File

Field Name	Label	Col-Label	Format	Dec
iec_agent	Agent		x(8)	
iec_agent_id	Branch ID		x(3)	
iec_authority	Authority	Auth	x(8)	
iec_com_code	Commodity Code		x(20)	
iec_declarant	Declarant		x(8)	
iec_declarant_id	Branch ID		x(3)	
iec_declaration_id	Declaration ID		>>>>>>>>	
iec_flow_arr	Flow Indicator - Arrivals		x(2)	
iec_flow_disp	Flow Indicator - Dispatches		x(2)	
iec_impexp	Imp/Exp Default		yes/no	
iec_incl_memo	Include Memo Items		yes/no	
iec_index1	Index		>>>>>9	
iec_int_com_code	Intangible Items Commodity Code		x(20)	
iec_mode_transp	Mode of Transport		x(1)	
iec_mod_date	Modified Date	Mod Date	99/99/99	
iec_nat_trans	Nature of Transaction		x(2)	
iec_net_wt_min	Intrastat Net Weight Minimum		>>>,>>>,>>9.99	2
iec_net_wt_um	Intrastat Net Weight UM		x(2)	
iec_port_arrdisp	Port of Arr/Disp		x(8)	
iec_port_transh	Port of Transshipment		x(8)	
iec_ref_logic	Reference Date Logic		x(1)	
iec_region	Region of Origin/Dest		x(3)	
Δ iec_stat_proc	Statistical Procedure		x(8)	
iec_terms_deliv	Terms of Delivery		x(4)	
iec_user1	user1		x(8)	
iec_user2	user2		x(8)	
iec_userid	User ID		x(8)	
iec_use_instat	Use Intrastat		yes/no	
iec_chr01			x(8)	
iec_chr02			x(8)	
iec_chr03			x(8)	
iec_chr04			x(8)	
iec_dec01			->>>,>>>,>>9.99<	10
iec_log01			yes/no	
iec_log02			yes/no	
iec_qadc01			x(8)	
iec_qadc02			x(8)	
iec_qadc03			x(8)	
iec_qadc04			x(8)	
iec_qadd01			->>>,>>>,>>9.99<	10
iec_qadi01			>>>>>>>>	
iec_qadi01			yes/no	
iec_qadi02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* iec_index1	yes	iec_index1	yes	no

ied_det

Import/Export Detail

Field Name	Label	Col-Label	Format	Dec
ied_com_code	Commodity Code	Com Code	x(20)	
ied_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ied_etry_origin	Country of Origin	CO	x(3)	
ied_intrastat	Intrastat Item	Intrastat	yes/no	
ied_line	Order Line	Line	>>9	
ied_mode_transp	Mode of Transport	T	x(1)	
ied_mod_date	Modified Date	Mod Date	99/99/99	
ied_nat_trans	Nature of Transaction	NT	x(2)	
ied_nbr	Order Number	Order	x(8)	
ied_port_arrrdisp	Port of Arr/Disp	PAD	x(8)	
ied_port_transh	Port of Transshipment	PT	x(8)	
ied_region	Region of Origin/Dest	ROD	x(3)	
Δ ied_stat_proc	Statistical Procedure	SP	x(8)	
ied_terms_deliv	Terms of Delivery	TD	x(4)	
ied_type	Order Type	Type	x(2)	
ied_user1	user1		x(8)	
ied_user2	user2		x(8)	
ied_userid	User ID		x(8)	
ied_chr01			x(8)	
ied_chr02			x(8)	
ied_chr03			x(8)	
ied_chr04			x(8)	
ied_chr05			x(8)	
ied_dec01			->>>>,>>>,>>9.99<	10
ied_dec02			->>>,>>>,>>9.99<	10
ied_dec03			->>>,>>>,>>9.99<	10
ied_dec04			->>>,>>>,>>9.99<	10
ied_dec05			->>>,>>>,>>9.99<	10
ied_dte01			99/99/99	
ied_dte02			99/99/99	
ied_dte03			99/99/99	
ied_dte04			99/99/99	
ied_dte05			99/99/99	
ied_log01			yes/no	
ied_log02			yes/no	
ied_log03			yes/no	
ied_qadc01			x(8)	
ied_qadc02			x(8)	
ied_qadc03			x(8)	
ied_qadc04			x(8)	
ied_qadc05			x(8)	
ied_qadd01			->>>,>>>,>>9.99<	10
ied_qadd02			->>>,>>>,>>9.99<	10
ied_qadd03			->>>,>>>,>>9.99<	10
ied_qadd04			->>>,>>>,>>9.99<	10
ied_qadd05			->>>,>>>,>>9.99<	10
ied_qadl01			yes/no	
ied_qadl02			yes/no	
ied_qadl03			yes/no	
ied_qadl04			yes/no	
ied_qadl05			yes/no	
ied_qadt01			99/99/99	
ied_qadt02			99/99/99	

250 ieh_hist

Field Name	Label	Col-Label	Format	Dec
ied__qadt03			99/99/99	
ieh__log01			yes/no	
ieh__log02			yes/no	
ieh__log03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ied_nbr	yes	ied_type	yes	no
		ied_nbr	yes	no
		ied_line	yes	no

ieh_hist Import/Export History

Field Name	Label	Col-Label	Format	Dec
ieh_addr	Address		x(8)	
ieh_authority	Authority	Auth	x(8)	
ieh_com_code	Commodity Code	Com Code	x(20)	
ieh_ctr_desdisp	Country of Dest/Disp	CDD	x(3)	
ieh_ctr_origin	Country of Origin	CO	x(3)	
ieh_declarant	Declarant		x(8)	
ieh_declaration_id	Declaration ID		>>>>>>>	
ieh_decl_cur	Declaration Currency	Cur	x(3)	
ieh_decl_date	Submit Date		99/99/99	
ieh_decl_inv_amt	Reported Invoice Value		->>>, >>>, >>>9.99<	10
ieh_decl_period	Period		x(2)	
ieh_decl_statval	Reported Statistical Value		->>>, >>>, >>>9.99<	2
ieh_decl_year	Year		x(4)	
ieh_effdate	Effective	Eff Date	99/99/99	
ieh_flow	Flow Indicator	Flow	x(2)	
ieh_inv_amt_cur	Invoice Value Foreign		->>>, >>>, >>>9.99<	10
ieh_inv_amt_gl	Invoice Value		->>>, >>>, >>>9.99<	10
ieh_inv_cur	Invoice Currency	Inv! Cur	x(3)	
ieh_inv_date	Invoice Date	Inv! Date	99/99/99	
ieh_line	Order Line	Line	>>9	
ieh_mode_transp	Mode of Transport	T	x(1)	
ieh_mod_date	Modified Date		99/99/99	
ieh_nat_trans	Nature of Transaction	NT	x(2)	
ieh_nbr	Order Number	Order	x(8)	
ieh_net_wt	Net Weight		->>>, >>>, >>>9.99<	10
ieh_net_wt_um	UM	UM	x(2)	
ieh_part	Item Number		x(18)	
ieh_port_arrrdisp	Port of Arr/Disp	PAD	x(8)	
ieh_port_transh	Port of Transshipment	PT	x(8)	
ieh_program	Program		x(12)	
ieh_pst_id	Tax ID - State		x(18)	
ieh_qty	Quantity		->>>, >>>, >>>9.99<	10
ieh_qty_um	UM	UM	x(2)	
ieh_ref	Reference		x(8)	
ieh_ref_date	Reference Date	Ref! Date	99/99/99	
ieh_region	Region of Origin/Dest	ROD	x(3)	
ieh_reported	Reported		yes/no	
ieh_site	Site		x(8)	
Δ ieh_stat_proc	Statistical Procedure	SP	x(8)	

Field Name	Label	Col-Label	Format	Dec
ieh_stat_val	Statistical Value - Base		->>>, >>>, >>9.99<	2
ieh_suppl_um	UM		x(2)	
ieh_suppl_units	Suppl Units		->>>, >>>, >>9.99<	10
ieh_terms_deliv	Terms of Delivery	TD	x(4)	
ieh_trans_id	Trans id		>>>>>>>>	
ieh_type	Order Type	Type	x(2)	
ieh_user1	user1		x(8)	
ieh_user2	user2		x(8)	
ieh_userid	User ID		x(8)	
ieh_voucher	Voucher		x(8)	
ieh__chr01			x(8)	
ieh__chr02			x(8)	
ieh__chr03			x(8)	
ieh__chr04			x(8)	
ieh__chr05			x(8)	
ieh__dec01			->>>, >>>, >>9.99<	10
ieh__dec02			->>>, >>>, >>9.99<	10
ieh__dec03			->>>, >>>, >>9.99<	10
ieh__dec04			->>>, >>>, >>9.99<	10
ieh__dec05			->>>, >>>, >>9.99<	10
ieh__dte01			99/99/99	
ieh__dte02			99/99/99	
ieh__dte03			99/99/99	
ieh__dte04			99/99/99	
ieh__dte05			99/99/99	
ieh__qadc01			x(8)	
ieh__qadc02			x(8)	
ieh__qadc03			x(8)	
ieh__qadc04			x(8)	
ieh__qadc05			x(8)	
ieh__qadc06			x(8)	
ieh__qadc07			x(8)	
ieh__qadc08			x(8)	
ieh__qadc09			x(8)	
ieh__qadc10			x(8)	
ieh__qadd01			->>>, >>>, >>9.99<	10
ieh__qadd02			->>>, >>>, >>9.99<	10
ieh__qadd03			->>>, >>>, >>9.99<	10
ieh__qadd04			->>>, >>>, >>9.99<	10
ieh__qadd05			->>>, >>>, >>9.99<	10
ieh__qadd06			->>>, >>>, >>9.99<	10
ieh__qadi01			>>>>>>>>	
ieh__qadi01			yes/no	
ieh__qadi02			yes/no	
ieh__qadt01			99/99/99	
ieh__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_declaration_id	no	ieh_authority	yes	no
		ieh_declaration_id	yes	no
ieh_nbr	yes	ieh_authority	yes	no
		ieh_type	yes	no
		ieh_nbr	yes	no
		ieh_line	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no

252 ie_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_ref	yes	ieh_authority	yes	no
		ieh_type	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no
ieh_reported	no	ieh_authority	yes	no
		ieh_reported	yes	no
* ieh_trans	yes	ieh_trans_id	yes	no
ieh_voucher	yes	ieh_authority	yes	no
		ieh_voucher	yes	no
		ieh_trans_id	yes	no

ie_mstr Import/Export Master

Field Name	Label	Col-Label	Format	Dec
ie_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ie_incl_memo	Include Memo Items		yes/no	
ie_mode_transp	Mode of Transport	T	x(1)	
ie_mod_date	Modified Date	Mod Date	99/99/99	
ie_nat_trans	Nature of Transaction	NT	x(2)	
ie_nbr	Order	Order	x(8)	
ie_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ie_port_transh	Port of Transshipment	PT	x(8)	
ie_region	Region Of Origin/Dest	ROD	x(3)	
Δ ie_stat_proc	Statistical Procedure	SP	x(8)	
ie_terms_deliv	Terms of Delivery	TD	x(4)	
ie_type	Order Type	Type	x(2)	
ie_user1	user1		x(8)	
ie_user2	user2		x(8)	
ie_userid	User ID		x(8)	
ie__chr01			x(8)	
ie__chr02			x(8)	
ie__chr03			x(8)	
ie__chr04			x(8)	
ie__chr05			x(8)	
ie__log01			yes/no	
ie__log02			yes/no	
ie__qadc01			x(8)	
ie__qadc02			x(8)	
ie__qadc03			x(8)	
ie__qadc04			x(8)	
ie__qadc05			x(8)	
ie__qadl01			yes/no	
ie__qadl02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ie_nbr	yes	ie_type	yes	no
		ie_nbr	yes	no

◇ ifs_mstr Interface Session Master

Field Name	Label	Col-Label	Format	Dec
ifs_app_id	Application ID		x(12)	
ifs_doc_err_cnt	Document Error Count		>>>>>>9	
ifs_doc_tot_cnt	Total Document Count		>>>>>>9	
ifs_grp_id	Group ID		>>>>>>9	
ifs_lst_doc_proc	Last Document Processed		>>>>>>9	
ifs_lst_doc_rcvd	Last Document Received		>>>>>>9	
ifs_lst_doc_sent	Last Document Sent		>>>>>>9	
ifs_mod_date	Modified Date		99/99/99	
ifs_sess_hndl	Session Handle		x(16)	
ifs_sess_id	Session ID		>>>>>>9	
ifs_sess_stat	Session Status		x(1)	
ifs_sess_typ	Session Type		x(1)	
ifs_start_date	Start Date		99/99/9999	
ifs_start_time	Start Time		x(8)	
ifs_start_userid	Starting User		x(8)	
ifs_unit_wrk_typ	Unit of Work Type		x(1)	
ifs_user1			x(8)	
ifs_user2			x(8)	
ifs_userid	Last Updated By		x(8)	
ifs__dec01			->>>, >>>, >>9.99<	10
ifs__dec02			->>>, >>>, >>9.99<	10
ifs__dte01			99/99/99	
ifs__dte02			99/99/99	
ifs__int01			->>>, >>>, >>9	
ifs__int02			->>>, >>>, >>9	
ifs__log01			yes/no	
ifs__log02			yes/no	
ifs__qadc01			x(8)	
ifs__qadc02			x(8)	
ifs__qadc03			x(8)	
ifs__qadc04			x(8)	
ifs__qadd01			->>>, >>>, >>9.99<	10
ifs__qadd02			->>>, >>>, >>9.99<	10
ifs__qadi01			->>>, >>>, >>9	
ifs__qadi02			->>>, >>>, >>9	
ifs__qadi01			yes/no	
ifs__qadi02			yes/no	
ifs__qadt01			99/99/99	
ifs__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* SessionID	yes	ifs_sess_id	yes	no
		ifs_app_id	yes	no

254 ihr_hist

ihr_hist

Invoice History Master Relationships

Field Name	Label	Col-Label	Format	Dec
Δ ihr_div	Division		x(8)	
Δ ihr_group	Group		x(8)	
Δ ihr_inv_nbr	Invoice		x(8)	
Δ ihr_nbr	Sales Order		x(8)	
Δ ihr_pricing	Pricing		>9	
Δ ihr_seq	Sequence		>>9	
Δ ihr_type	Type		>>>9	
Δ ihr_user1	Ufld1		x(8)	
Δ ihr_user2	Ufld2		x(8)	
ihr_qadc01			x(8)	
ihr_qadc02			x(8)	
ihr_qadc03			x(8)	
Δ ihr_qadd01			->>>>, >>>, >>9.9	10
Δ ihr_qadd02			->>>>, >>>, >>9.9	10
ihr_qadi01			->, >>>, >>9	
ihr_qadi02			->, >>>, >>9	
ihr_qadi01			yes/no	
ihr_qadi02			yes/no	
ihr_qadt01			99/99/99	
ihr_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ihr_inv_seq	yes	ihr_inv_nbr	yes	no
		ihr_nbr	yes	no
		ihr_seq	yes	no
Δ ihr_type	no	ihr_type	yes	no

ih_hist

Invoice History Master File

Field Name	Label	Col-Label	Format	Dec
ih_ar_acct	AR Account	AR	x(8)	
ih_ar_cc	Cost Ctr	CC	x(4)	
ih_bank	Bank		x(2)	
ih_bill	Bill-To		x(8)	
ih_bol	BOL		x(18)	
ih_cartons	Cartons		->, >>>, >>9	
ih_ca_nbr	Call		X(8)	
ih_channel	Channel		x(8)	
ih_cmtindx	Comment Index	Comment	>>>>>>>9	
ih_cncl_date	Cancel Date		99/99/99	
ih_comm_pct[4]	Commission	Comm%	>>9.99%	2
ih_conf_date	Confirmed Date	Confirmed	99/99/99	
ih_conrep	Netting Logic		X(1)	
ih_credit	Credit	Cr	yes/no	
ih_crprlist	Credit Price List		X(8)	
ih_cr_card	Credit Card	Card	x(2)	
ih_cr_init	Cr Initials	Initials	x(2)	
ih_cr_terms	Credit Terms	Terms	x(8)	
ih_curr	Currency	Cur	x(3)	
ih_cust	Customer		x(8)	

Field Name	Label	Col-Label	Format	Dec
ih_cust_po	End Customer PO	End Cust PO	x(22)	
ih_disc_pct	Disc %		->9.99%	2
Δ ih_div	Division		x(8)	
ih_due_date	Due Date	Due	99/99/99	
ih_ent_ex	Exch Rate		>>, >>9.9999<<<<<	10
◇ ih_export_batch	Batch		>>>>>>>9	
◇ ih_export_date	Export Date		99/99/99	
◇ ih_export_time	Export Time		>>>>>>>9	
ih_exru_seq	Sequence		>>>>>>>9	
ih_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
ih_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
ih_ex_ratetype	Rate Type		x(8)	
ih_fcg_code	Charge Code		X(8)	
ih_fix_pr	Fixed Price		yes/no	
ih_fix_rate	Fixed Rate	Fixed	yes/no	
ih_fob	FOB Point		x(20)	
ih_fr_list	Freight List	Fr List	x(8)	
ih_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	2
ih_fr_terms	Freight Terms	Fr Terms	x(8)	
Δ ih_fsm_type	FSM Type		x(8)	
ih_fst_id	FST ID		x(18)	
ih_invoiced	Invoiced		yes/no	
ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ih_inv_date	Invoice Date	Inv Date	99/99/99	
ih_inv_mthd	Invoices Via		x(1)	
ih_inv_nbr	Invoice		x(8)	
ih_lang	Language		x(2)	
ih_mod_date	Date Last Updated		99/99/99	
ih_nbr	Sales Order	Order	x(8)	
ih_ord_date	Order Date	Ord Date	99/99/99	
ih_partial	Partial OK	Partial	yes/no	
ih_po	Purchase Order		x(22)	
ih_prepaid	Prepaid Amount		-z, zzz, zzz, zz9.99	10
ih_priced_dt	Last Price Dt	Last Pri	99/99/99	
ih_pricing_dt	Pricing Date	Price Dt	99/99/99	
ih_primary	Primary SO	Pr SO	yes/no	
ih_print_bl	Print Bill of Lading	Print BOL	yes/no	
ih_print_pl	Print Pack List	Print Pack	yes/no	
ih_print_so	Print Sales Order	Print SO	yes/no	
ih_project	Project		x(8)	
ih_pr_list	Price List	List	x(8)	
ih_pr_list2	List Price List	List	x(8)	
ih_pst	PST		yes/no	
ih_pst_id	PST ID		x(18)	
ih_pst_pct	PST Pct		->9.99<%	3
ih_quote	Quote		x(8)	
ih_req_date	Required Date	Required	99/99/99	
ih_rev	Revision	Rev	>>9	
ih_rmks	Remarks		x(40)	
ih_rstk_pct	Restocking Charge	Restock	->>9.99%	2
ih_sa_nbr	Contract		x(8)	
ih_sched	Scheduled		yes/no	
ih_sch_mthd	Schedules Via		X(1)	
ih_secondary	Secondary EMT Order	Sec EMT	yes/no	
ih_ship	Ship-To		x(8)	
ih_shipvia	Ship Via		x(20)	
ih_ship_date	Ship Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ih_ship_eng	Ship-To Engineer		yes/no	
ih_ship_po	Ship To PO	Ship To PO	x(22)	
ih_site	Site		x(8)	
ih_size	Size		->,>>>,>>9.9<<<<<<<<	10
ih_size_um	Size UM	UM	x(2)	
ih_slspsn[4]	Salesperson	Salespsn	x(8)	
ih_source	Order Source	Source	x(8)	
ih_stat	Action Status	St	x(2)	
ih_taxable	Taxable	Tax	yes/no	
ih_taxc	Tax Class	TxC	x(3)	
ih_tax_date	Tax Date		99/99/99	
ih_tax_env	Tax Environment	Tax Env	x(16)	
ih_tax_pct[3]	Tax		->9.99<%	3
ih_tax_usage	Tax Usage	TaxUsage	x(8)	
ih_to_inv	Ready to Invoice	Invoice	yes/no	
ih_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
ih_trl1_cd	Trailer 1	Trl1	x(2)	
ih_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
ih_trl2_cd	Trailer 2	Trl2	x(2)	
ih_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
ih_trl3_cd	Trailer 3	Trl3	x(2)	
ih_type	Type		x(8)	
ih_user1	Ufld1		x(8)	
ih_user2	Ufld2		x(8)	
ih_userid	User ID		x(8)	
ih_weight	Weight		->>>,>>>,>>9.9999	4
ih_weight_um	Weight UM	UM	x(2)	
ih_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
ih_xslspsn[2]	Salesperson	Salespsn	x(8)	
ih__chr01			x(8)	
ih__chr02			x(8)	
ih__chr03			x(8)	
ih__chr04			x(8)	
ih__chr05			x(8)	
ih__chr06			x(8)	
ih__chr07			x(8)	
ih__chr08			x(8)	
ih__chr09			x(8)	
ih__chr10			x(8)	
ih_dec01			>>>,>>>,>>9.99	10
ih_dec02			>>>,>>>,>>9.99	10
ih_dte01			99/99/99	
ih_dte02			99/99/99	
ih_log01			yes/no	
ih_qad01			-z,zzz,zzz,zz9.99	2
ih_qad02			-z,zzz,zzz,zz9.99	2
ih_qad03			-z,zzz,zzz,zz9.99	2
ih_qad04			>	
ih_qad05[2]			>>9.9<<	2
ih_qadc01	QAD Field		X(8)	0
ih_qadc02	QAD Field		X(8)	0
ih_qadc03	QAD Field		X(8)	0
ih_qadc04	QAD Field		X(8)	0
ih_qadc05	QAD Field		X(8)	0
ih_qadd01	QAD Field		->>>>,>>>,>>9.99	10
ih_qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
ih_qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
ih__qadi01	QAD Field		->, >>>, >>9	0
ih__qadi02	QAD Field		->, >>>, >>9	0
ih__qadi03	QAD Field		->, >>>, >>9	0
ih__qadi01	QAD Field		yes/no	0
ih__qadi02	QAD Field		yes/no	0
ih__qadi03	QAD Field		yes/no	0
ih__qadt01	QAD Field		99/99/99	0
ih__qadt02	QAD Field		99/99/99	0
ih__qadt03	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
ih_cust	no	ih_cust	yes	no
		ih_inv_date	yes	no
◊ ih_export_batch	no	ih_export_batch	yes	no
ih_inv_date	no	ih_inv_date	yes	no
		ih_inv_nbr	yes	no
* ih_inv_nbr	yes	ih_inv_nbr	yes	no
		ih_nbr	yes	no
ih_nbr	no	ih_nbr	yes	no
		ih_inv_date	yes	no
ih_po	no	ih_po	yes	no
		ih_cust	yes	no

ild_det

Item Location Detail

Field Name	Label	Col-Label	Format	Dec
ild_loc	Location		x(8)	
ild_mod_date	Modified Date	Mod Date	99/99/99	
ild_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
ild_part	Item Number		x(18)	
ild_rop	Reorder Point	ROP	>>>, >>>, >>9	0
ild_sfty_stk	Safety Stock	Safety Stk	>>>, >>>, >>9	0
ild_site	Site		x(8)	
ild_source_loc	Source Location	Source Loc	x(8)	
ild_user1	Ufld1		x(8)	
ild_user2	Ufld2		x(8)	
ild_userid	User ID		x(8)	
ild__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ild_part	yes	ild_part	yes	no
		ild_site	yes	no
		ild_loc	yes	no

258 ilg_hist

◇ ilg_hist Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_access_code	Access Code		x(60)	
ilg_ack_lv_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>, >>>, >>9	
ilg_ctrl_tot_2	Control Total 2		9	10
ilg_ctrl_tot_3	Control Total 3		9	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	
ilg_date_proc	Date Processed		99/99/9999	
ilg_date_rcvd	Date Received		99/99/9999	
ilg_dest_app_id	Destination Application ID		x(12)	
ilg_dest_app_ver	Destination Application Version		x(8)	
ilg_dest_doc_rev	Destination Document Revision		x(8)	
ilg_dest_doc_std	Destination Document Standard		x(8)	
ilg_dest_doc_typ	Destination Document Type		x(21)	
ilg_dest_proc	Destination Procedure		x(12)	
ilg_doc_id	Document ID		>>>>>>9	
ilg_doc_lng	Document Language		x(2)	
ilg_doc_rev	Document Revision		x(8)	
ilg_doc_std	Document Standard		x(8)	
ilg_doc_sufx	Document Suffix		>>	
ilg_doc_typ	Document Type		x(21)	
ilg_email_notlvl	E-mail Notification Level		x(1)	
ilg_email_userid	E-mail Recipient User ID		x(8)	
ilg_err_stat	Error Status		x(1)	
ilg_ext_doc_key	External Document Key		x(40)	
ilg_grp_id	Group ID		>>>>>>9	
ilg_grp_seq	Sequence		>, >>>, >>9	
ilg_map_doc_now	Map Document Now		yes/no	
ilg_map_log_file	Mapper Error Log File		x(60)	
ilg_map_spec	Map Specification		x(12)	
ilg_mfgpro_key	MFG/PRO Key		X(18)	
ilg_mfgpro_site	MFG/PRO Site		X(8)	
ilg_mod_date	Modified Date		99/99/99	
ilg_mod_userid	Last Updated By		x(8)	
ilg_num_form	Numeric Format		X(8)	
ilg_orig_doc_id	Original Document ID		>>>>>>9	
ilg_prcg_stage	Processing Stage		x(1)	
ilg_sess_id	Session ID		>>>>>>9	
ilg_src_comp	Source Component		x(10)	
ilg_src_proc	Source Procedure		x(12)	
ilg_src_task	Source Task		x(10)	
ilg_src_userid	Source User ID		x(16)	
ilg_timezone	Creation Timezone		X(5)	
ilg_time_ack	Time Acknowledged		x(8)	

Field Name	Label	Col-Label	Format	Dec
ilg_time_create	Time Created		X(8)	
ilg_time_map	Time Mapped		x(8)	
ilg_time_proc	Time Processed		x(8)	
ilg_time_rcvd	Time Received		x(8)	
ilg_tradptr_id	Trading Partner ID		x(32)	
ilg_unit_wrk_typ	Unit of Work Type		x(1)	
ilg_user1			x(8)	
ilg_user2			x(8)	
ilg_use_im_queue	Use Import Queue		yes/no	
ilg__dec01			-->>>, >>>, >>9.99<	10
ilg__dec02			-->>>, >>>, >>9.99<	10
ilg__dte01			99/99/99	
ilg__dte02			99/99/99	
ilg__int01			-->>>, >>>, >>9	
ilg__int02			-->>>, >>>, >>9	
ilg__log01			yes/no	
ilg__log02			yes/no	
ilg__qadc01			x(8)	
ilg__qadc02			x(8)	
ilg__qadc03			x(8)	
ilg__qadc04			x(8)	
ilg__qadd01			-->>>, >>>, >>9.99<	10
ilg__qadd02			-->>>, >>>, >>9.99<	10
ilg__qadi01			-->>>, >>>, >>9	
ilg__qadi02			-->>>, >>>, >>9	
ilg__qadi01			yes/no	
ilg__qadi02			yes/no	
ilg__qadt01			99/99/99	
ilg__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AppID	no	ilg_app_id	yes	no
		ilg_prcg_stage	yes	no
◇* DocIDSufx	yes	ilg_doc_id	yes	no
		ilg_doc_sufx	yes	no
◇ ExtDocKey	no	ilg_ext_doc_key	yes	no
◇ GroupID	no	ilg_grp_id	yes	no
◇ MfgProKey	no	ilg_mfgpro_key	yes	no
◇ Site	no	ilg_mfgpro_site	yes	no

◇ **imap_det** Mapped Import Document Detail

Field Name	Label	Col-Label	Format	Dec
imap_data	Mapped Import Document Data		x(255)	
imap_doc_id	Document ID		>>>>>>>9	
imap_doc_line	Document Line Number		>>9	
imap_doc_sufx	Document Suffix		>>	
imap_line_cont	Line Continued		yes/no	
imap_mod_date	Modified Date		99/99/99	
imap_mod_userid	Last Updated By		x(8)	
imap_user1			x(8)	
imap_user2			x(8)	

260 img_msg

Field Name	Label	Col-Label	Format	Dec
imap__dec01			-->>>, >>>, >>9.99<	10
imap__dec02			-->>>, >>>, >>9.99<	10
imap__dte01			99/99/99	
imap__dte02			99/99/99	
imap__int01			-->>>, >>>, >>9	
imap__int02			-->>>, >>>, >>9	
imap__log01			yes/no	
imap__log02			yes/no	
imap__qadc01			x(8)	
imap__qadc02			x(8)	
imap__qadc03			x(8)	
imap__qadc04			x(8)	
imap__qadd01			-->>>, >>>, >>9.99<	10
imap__qadd02			-->>>, >>>, >>9.99<	10
imap__qadi01			-->>>, >>>, >>9	
imap__qadi02			-->>>, >>>, >>9	
imap__qadi01			yes/no	
imap__qadi02			yes/no	
imap__qadt01			99/99/99	
imap__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* MappedImport	yes	imap__doc_id	yes	no
		imap__doc_sufx	yes	no
		imap__doc_line	yes	no

◇ img_msg Import Document Message

Field Name	Label	Col-Label	Format	Dec
img__app_id	Application ID		x(12)	
img__doc_id	Document ID		>>>>>>>9	
img__doc_sufx	Document Suffix		>>	
img__email_sent	Email Message Sent		yes/no	
img__mod_date	Modified Date		99/99/99	
img__mod_userid	Last Updated By		x(8)	
img__prcg_stage	Processing Stage		x(1)	
img__return_code	Return Code		x(8)	
img__return_txt	Message Text		x(160)	
img__sev_lvl	Severity Level		x(1)	
img__user1			x(8)	
img__user2			x(8)	
img__dec01			-->>>, >>>, >>9.99<	10
img__dec02			-->>>, >>>, >>9.99<	10
img__dte01			99/99/99	
img__dte02			99/99/99	
img__int01			-->>>, >>>, >>9	
img__int02			-->>>, >>>, >>9	
img__log01			yes/no	
img__log02			yes/no	
img__qadc01			x(8)	
img__qadc02			x(8)	
img__qadc03			x(8)	
img__qadc04			x(8)	

Field Name	Label	Col-Label	Format	Dec
img__qadd01			->>>, >>>, >>9.99<	10
img__qadd02			->>>, >>>, >>9.99<	10
img__qadi01			->>>, >>>, >>9	
img__qadi02			->>>, >>>, >>9	
img__qadi01			yes/no	
img__qadi02			yes/no	
img__qadt01			99/99/99	
img__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* ImpReturnCode	yes	img_doc_id	yes	no
		img_doc_sufx	yes	no
		img_prcg_stage	yes	no
		img_return_code	yes	no

im_mstr Inventory Movement Code Master

Field Name	Label	Col-Label	Format	Dec
im_desc	Description		x(30)	
im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
im_tr_type	Transaction Type	Tr Type	x(8)	
im_user1	user1		x(8)	
im_user2	user2		x(8)	
im__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* im_inv_mov	yes	im_inv_mov	yes	no

ind_det Independent Demand File

Field Name	Label	Col-Label	Format	Dec
ind_bo_chg	Qty B/O		->>>, >>>, >>9.9<<<<<<<<	10
ind_cmtindx	Comment Index	Comment	>>>>>>9	
ind_loc	Location		x(8)	
ind_mod_date	Modified Date	Mod Date	99/99/99	
ind_nbr	Order		x(8)	
ind_part	Item Number		x(18)	
ind_project	Project		x(8)	
ind_qty_all	Qty Allocated		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_chg	Qty to Issue		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_iss	Qty Issued		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_pick	Qty Picked		->>>, >>>, >>9.9<<<<<<<<	10
ind_qty_req	Qty Required		->>>, >>>, >>9.9<<<<<<<<	10
ind_remarks	Remarks		x(40)	
ind_request	Requested By	Req By	x(8)	
ind_req_date	Date Req		99/99/99	
ind_serial	Lot/Serial		x(18)	
ind_site	Site		x(8)	

262 in_mstr

Field Name	Label	Col-Label	Format	Dec
ind_type	Type	T	x(1)	
ind_um	UM		x(2)	
ind_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
ind_user1	Ufld1		x(8)	
ind_user2	Ufld2		x(8)	
ind_userid	User ID		x(8)	
ind_chr01			x(8)	
ind_chr02			x(8)	
ind_chr03			x(8)	
ind_chr04			x(8)	
ind_chr05			x(8)	
ind_dec01			>>>, >>>, >>9.99	10
ind_dec02			>>>, >>>, >>9.99	10
ind_dte01			99/99/99	
ind_dte02			99/99/99	
ind_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ind_det	yes	ind_site	yes	no
		ind_nbr	yes	no
		ind_part	yes	no
ind_nbr	yes	ind_nbr	yes	no
		ind_site	yes	no
		ind_part	yes	no
ind_part	yes	ind_part	yes	no
		ind_site	yes	no
		ind_nbr	yes	no

in_mstr Inventory Master

Field Name	Label	Col-Label	Format	Dec
in_abc	ABC Class	ABC	x(1)	
in_assay	Assay %		>>9.99%	2
in_avg_date	Last Average	Last Avg	99/99/99	
in_avg_int	Avg Int	Avg! Int	>>9	
in_avg_iss	Average Issues	Avg Iss	->, >>>, >>9.9<<<<<<<<	10
in_avg_sls	Average Sales	Avg Sales	->, >>>, >>9.9<<<<<<<<	10
in_cnt_date	Last Count	Last Cnt	99/99/99	
in_cur_set	Current Cost Set	Cur Set	x(8)	
in_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
in_gl_set	GL Cost Set	GL Set	x(8)	
in_grade	Grade		x(2)	
in_iss_chg	Qty Issue Change		->>, >>>, >>9.9<<<<<<<<	10
in_iss_date	Last Issue	Last Iss	99/99/99	
in_level	Level		->>>>>9	
in_loc	Location		x(8)	
in_loc_type	Location Type	Loc Type	x(8)	
in_mrp	MRP Required	MRP Req	yes/no	
in_part	Item Number		x(18)	
in_proj_use	Projected Use	Proj Usage	->>, >>>, >>9	
in_qty_all	Qty Allocated		->>, >>>, >>9.9<<<<<<<<	10
in_qty_avail	Avail Status Qty	Avail Status! Qty On Hand	->>, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
in_qty_chg	Qty Change		-->, >>>, >>9.9<<<<<<<<	10
in_qty_nonet	QOH Non-nettable		-->, >>>, >>9.9<<<<<<<<	10
in_qty_oh	Qty On Hand		-->, >>>, >>9.9<<<<<<<<	10
in_qty_ord	Qty On Order		-->, >>>, >>9.9<<<<<<<<	10
in_qty_req	Qty Required		-->, >>>, >>9.9<<<<<<<<	10
in_rctpo_active	Active	Act	yes/no	
in_rctpo_status	PO Rcpt Status	Status	x(8)	
in_rctwo_active	Active	Act	yes/no	
in_rctwo_status	WO Rcpt Status	Status	x(8)	
in_rec_date	Last Receipt	Last Rct	99/99/99	
in_rollup	Rollup Reqd		yes/no	
in_rollup_id	Rollup ID		x(8)	
in_rop	Reorder Point	ROP	>>>, >>9	0
in_sfty_stk	Safety Stk	Safety! Stock	>>>, >>9	0
in_site	Site		x(8)	
in_sls_chg	Qty Sales Change		-->, >>>, >>9.9<<<<<<<<	10
in_user1	Ufld1		x(8)	
in_user2	Ufld2		x(8)	
in_wh	Warehoused Item	WH	yes/no	
in__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
in_level	no	in_level	yes	no
		in_mrp	yes	no
		in_part	yes	no
		in_site	yes	no
		in_part	yes	no
* in_part	yes	in_part	yes	no
		in_site	yes	no
in_site	yes	in_site	yes	no
		in_part	yes	no

ipd_det

Item Specification Detail

Field Name	Label	Col-Label	Format	Dec
ipd_attribute	Attribute		X(8)	0
ipd_cmtindx	Comment Index	Comment	>>>>>>>9	
ipd_end	End Effective	End Eff	99/99/99	0
ipd_include	Include		yes/no	
ipd_label	Characteristic		x(24)	
ipd_nbr	Document		x(8)	
ipd_op	Operation	Op	>>>>9	
ipd_part	Item Number		x(18)	
ipd_routing	Routing/Procedure		x(18)	
ipd_start	Start Effective	Start Eff	99/99/99	0
ipd_test	Number		x(8)	
ipd_testmthd	Test Method		X(8)	0
ipd_tol	Specification		x(26)	
ipd_tol_type	Measure		x(12)	
ipd_user1	Ufld1		x(8)	
ipd_user2	Ufld2		x(8)	
ipd__chr01			x(8)	
ipd__chr02			x(8)	

264 iph_hist

Field Name	Label	Col-Label	Format	Dec
ipd_chr03			x(8)	
ipd_chr04			x(8)	
ipd_chr05			x(8)	
ipd_dec01			>>>, >>>, >>9.99	2
ipd_dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
ipd_itemtype	yes	ipd_part	yes	no
		ipd_routing	yes	no
		ipd_op	yes	no
		ipd_test	yes	no
		ipd_start	yes	no
* ipd_nbr	no	ipd_nbr	yes	no

iph_hist

Pricing History File

Field Name	Label	Col-Label	Format	Dec
iph_accr_acct	Accrual Acct		x(8)	
iph_accr_cc	Accrual CC		x(8)	
iph_accr_proj	Accrual Proj		x(8)	
iph_accr_sub	Accrual Sub		x(8)	
iph_amt	Amount		->>>>, >>>, >>9.99<<<	10
iph_amt_type	Amt Type		x(8)	
iph_bonus_line	Triggering Line Number		>>9	
iph_break_cat	Break Cat		x(18)	
iph_comb_type	Comb Type		x(24)	
iph_config_disc	Config Disc	Config	yes/no	
iph_cr_terms	Credit Terms	Terms	x(8)	
iph_disc_acct	Disc Acct		x(8)	
iph_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
iph_disc_cc	Cost Ctr		x(4)	
iph_disc_proj	Project		x(8)	
iph_disc_seq	Disc Sequence		>>, >>9. <<<<<<	5
iph_disc_sub	Sub Acct		x(8)	
iph_feature	Feature		x(12)	
iph_fr_list	Freight List	Frt List	x(8)	
iph_fr_terms	Freight Terms		x(8)	
iph_inv_nbr	Invoice		x(8)	
iph_line	Line		>>9	
iph_list	Price List	List	x(8)	
iph_list_id	List Id		x(8)	
iph_min_net	Min Net Ord		->>>>, >>>, >>9.99<	2
iph_mod_date	Modified Date		99/99/99	
iph_nbr	Order		x(8)	
iph_option	Item Number		x(18)	
iph_parent	Parent Item		x(18)	
iph_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<<	10
iph_pig_code	Price List Group		x(8)	
iph_print	Print		yes/no	
Δ iph_promo1	Promotion Code		x(8)	
Δ iph_promo2	Promotion Type		x(8)	
Δ iph_promo3	APM Code 3		x(8)	

Field Name	Label	Col-Label	Format	Dec
Δ iph_promo4	APM Code 4		x(8)	
iph_qty	Qty		->>, >>>, >>9.9<<<<<<<<	10
iph_qty_type	Qty Type		x(24)	
iph_source	Source		x(8)	
iph_time	Time		>>, >>>, >>9	
iph_um	UM		x(2)	
iph_user1	Ufld1		x(8)	
iph_user2	Ufld2		x(8)	
iph_userid	User Id		x(8)	
iph__chr01			x(8)	
iph__chr02			x(8)	
iph__chr03			x(8)	
iph__chr04			x(8)	
iph__chr05			x(8)	
iph__chr06			x(8)	
iph__chr07			x(8)	
iph__chr08			x(8)	
iph__chr09			x(8)	
iph__chr10			x(8)	
iph_dec01			>>>, >>>, >>9.99	10
iph_dec02			>>>, >>>, >>9.99	10
iph_dte01			99/99/99	
iph_dte02			99/99/99	
iph_log01			yes/no	
iph_qadc01			x(8)	
iph_qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
iph_comp	no	iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
iph_list	no	iph_list	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
iph_list_id	no	iph_list_id	yes	no
* iph_nbr	yes	iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_config_disc	yes	no
		iph_source	yes	no
		iph_list_id	yes	no
		iph_amt_type	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no

ip_mstr

QSpec Master Specification – Test Results

Field Name	Label	Col-Label	Format	Dec
ip_nbr	Document		x(8)	
ip_op	Operation	Op	>>>>9	
ip_part	Item Number		x(18)	
ip_routing	Routing/Procedure		x(18)	
ip_user1	Ufld1		x(8)	
ip_user2	Ufld2		x(8)	
ip__chr01			x(8)	
ip__chr02			x(8)	
ip__chr03			x(8)	
ip__chr04			x(8)	
ip__chr05			x(8)	
ip__dec01			>>>, >>>, >>9.99	2
ip__dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* ip_itemtest	yes	ip_part	yes	no
		ip_routing	yes	no
		ip_op	yes	no
ip_test	no	ip_nbr	yes	no

◇ **iraw_det**

Raw Import Document Detail

Field Name	Label	Col-Label	Format	Dec
iraw_data	Raw Import Document Data		x(255)	
iraw_doc_id	Document ID		>>>>>>9	
iraw_doc_line	Document Line Number		>>9	
iraw_line_cont	Line Continued		yes/no	
iraw_mod_date	Modified Date		99/99/99	
iraw_mod_userid	Last Updated By		x(8)	
iraw_user1			x(8)	
iraw_user2			x(8)	
iraw__dec01			->>>, >>>, >>9.99<	10
iraw__dec02			->>>, >>>, >>9.99<	10
iraw__dte01			99/99/99	
iraw__dte02			99/99/99	
iraw__int01			->>>, >>>, >>9	
iraw__int02			->>>, >>>, >>9	
iraw__log01			yes/no	
iraw__log02			yes/no	
iraw__qadc01			x(8)	
iraw__qadc02			x(8)	
iraw__qadc03			x(8)	
iraw__qadc04			x(8)	
iraw__qadd01			->>>, >>>, >>9.99<	10
iraw__qadd02			->>>, >>>, >>9.99<	10
iraw__qadi01			->>>, >>>, >>9	
iraw__qadi02			->>>, >>>, >>9	
iraw__qadi01			yes/no	
iraw__qadi02			yes/no	
iraw__qadt01			99/99/99	
iraw__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Rawlimport	yes	iraw_doc_id	yes	no
		iraw_doc_line	yes	no

iro_det

Item Routing Cost Detail

Field Name	Label	Col-Label	Format	Dec
iro_bdn_ll	Burden LL		->>>, >>>, >>9.99<<<	10
iro_bdn_tl	Burden		->>>, >>>, >>9.99<<<	10
iro_cost_set	Cost Set		x(8)	
iro_cost_tot	Cost Total		->>>, >>>, >>9.99<<<	10
iro_date	Updated		99/99/99	
iro_lbr_ll	Labor LL		->>>, >>>, >>9.99<<<	10
iro_lbr_tl	Labor		->>>, >>>, >>9.99<<<	10
iro_mtl_ll	Material LL		->>>, >>>, >>9.99<<<	10
iro_mtl_tl	Material		->>>, >>>, >>9.99<<<	10
iro_nrv	Net Realized Value	NR! Value	>>>>, >>>, >>9.99<<<	10
iro_op	Operation	Op	>>>>9	
iro_ovh_ll	Overhead LL		->>>, >>>, >>9.99<<<	10
iro_ovh_tl	Overhead		->>>, >>>, >>9.99<<<	10
iro_part	Item Number		x(18)	
iro_routing	Routing Code		x(18)	
iro_site	Site		x(8)	
iro_sub_ll	Subcontract LL		->>>, >>>, >>9.99<<<	10
iro_sub_tl	Subcontract		->>>, >>>, >>9.99<<<	10
iro_user1	Ufld1		x(8)	
iro_user2	Ufld2		x(8)	
iro_value01	Value 01		->>>, >>>, >>9.99<<<	10
iro_value02	Value 02		->>>, >>>, >>9.99<<<	10
iro_value03	Value 03		->>>, >>>, >>9.99<<<	10
iro_value04	Value 04		->>>, >>>, >>9.99<<<	10
iro_value05	Value 05		->>>, >>>, >>9.99<<<	10
iro__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* iro_det	yes	iro_part	yes	no
		iro_site	yes	no
		iro_cost_set	yes	no
		iro_routing	yes	no
		iro_op	yes	no

isb_mstr

Service/Support Installed Base Item Detail

Field Name	Label	Col-Label	Format	Dec
isb_article	Article Number		x(18)	
isb_calibration	Calibration		->, >>>, >>9.9<<<<<<<<<	10
isb_calib_date	Calibration Date		99/99/99	
isb_cmtindx	Comment Index	Comment	>>>>>>>9	

268 isb_mstr

Field Name	Label	Col-Label	Format	Dec
isb_comp	Component	Comp	yes/no	
isb_customer_id	Customer Id		x(18)	
isb_desc1	Description		x(24)	
isb_desc2	Description		x(24)	
isb_eco	ECO		x(8)	
isb_eng_code	Engineer		x(8)	
isb_eud_trnbr	End User ID		>>>>>>>9	
isb_eu_nbr	End User		x(8)	
isb_ic_ref	Inventory Ref		x(18)	
isb_ins_date	Install Date	Install	99/99/99	0
isb_inv_nbr	Invoice		x(8)	
isb_last_pm	Last PM date	Last PM	99/99/99	0
isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
isb_location	Location		x(24)	
isb_lst_upd	Last Updated		99/99/99	
isb_meter_date	Meter Reading Date		99/99/99	
isb_meter_interval	Meter Reading Interval	Interval	>>>>, >>>, >>9.99<<<	10
isb_meter_rdg	Latest Meter Reading	Meter	>>>>, >>>, >>9.99<<<	10
isb_meter_um	Meter Reading Units		X(2)	
isb_model	Model		x(18)	
isb_mod_date	Date Modified		99/99/99	
isb_mod_userid	Modified By		X(8)	
isb_next_pm	Next PM Date	Next PM	99/99/99	
isb_origin	Country of Origin		x(12)	
isb_orig_ins	Original Install		99/99/99	
isb_owner	Ownership		x(8)	
isb_parent	Parent		yes/no	
isb_part	Item Number	Item	x(18)	
isb_plant_maint	Internal Plant Maint		yes/no	
isb_pm_days	PM days		>>>>>9	0
isb_pm_um	UM		x(2)	
isb_price_sold	Price Sold		>>>>, >>>, >>9.99<<<	10
isb_qty	Qty		>, >>>, >>>, >>9.9<<	10
isb_rebuild	Rebuild ISB		yes/no	
isb_ref	Ref	Ref	>>>>>>>9	
isb_rev	Rev Level	Rev	x(10)	
isb_seq	Seq		>>>>>>>9	
isb_serial	Serial		x(18)	
isb_ship_date	Ship Date		99/99/99	
isb_sold_to	Sold to		x(8)	
isb_so_line	Sales Order Line	SO Line	>>>>9	
isb_so_nbr	Sales Order	Order	x(8)	
isb_status	Status		x(8)	
isb_sys_type	Item Type		x(2)	
isb_tarrif	Tariff		x(8)	
isb_updates	Updates		x(8)	
isb_user1	user1		x(8)	
isb_user2	user2		x(8)	
isb_warr_cd	Warranty Code	Warr Cd	x(8)	
isb_warr_dur	Warranty Duration	War Dur	>>>>>9	
isb_warr_exp	Warranty Expiration	Warr Exp	99/99/99	
isb_warr_override	Warranty Override		yes/no	0
isb_chr01			x(8)	
isb_chr02			x(8)	
isb_chr03			x(8)	
isb_chr04			x(8)	
isb_chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
isb_chr06			x(8)	
isb_chr07			x(8)	
isb_chr08			x(8)	
isb_chr09			x(8)	
isb_chr10			x(8)	
isb_dec01			->>>, >>>, >>9.99	10
isb_dec02			->>>, >>>, >>9.99	10
isb_dec03			->>>, >>>, >>9.99	10
isb_dte01			99/99/99	
isb_dte02			99/99/99	
isb_dte03			99/99/99	
isb_dte04			99/99/99	
isb_log01			yes/no	
isb_log02			yes/no	
isb_log03			yes/no	
isb_log04			yes/no	
isb_log05			yes/no	
isb_qadc01	QAD Character Field 1		X(8)	
isb_qadc02	QAD Character Field 2		X(8)	
isb_qadc03	QAD Character Field 3		X(8)	
isb_qadc04	QAD Character Field 4		x(8)	0
isb_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99	10
isb_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99	10
isb_qade03	QAD Decimal Field 3		->>>, >>>, >>9.99	10
isb_qadi01	QAD Integer Field 1		->, >>>, >>9	
isb_qadi02	QAD Integer Field 2		->, >>>, >>9	
isb_qadi03	QAD Field		>>>>>9	
isb_qadi04	QAD Integer Field 4		>>>>9	0
isb_qadi01	QAD Logical Field 1		yes/no	0
isb_qadi02	QAD Logical Field 2		yes/no	
isb_qadi03	QAD Logical Field 3		yes/no	
isb_qadt01	QAD Date Field 1		99/99/99	
isb_qadt02	QAD Date Field 2		99/99/99	
isb_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* isb_eupartsr	yes	isb_eu_nbr	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_eu_ser	no	isb_eu_nbr	yes	no
		isb_serial	yes	no
		isb_part	yes	no
isb_model	no	isb_eu_nbr	yes	no
		isb_model	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_part_ser	yes	isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_serial	no	isb_serial	yes	no
		isb_ref	yes	no
isb_ser_part	no	isb_serial	yes	no
		isb_part	yes	no

270 isd_det

Index-Name	Uni	Field-Name	Asc	Abbr
isb_sys_bld	no	isb_ref	yes	no
		isb_eu_nbr	yes	no
		isb_rebuild	yes	no
		isb_sys_type	yes	no

isd_det Inventory Status Detail

Field Name	Label	Col-Label	Format	Dec
isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
isd_status	Status		x(8)	
isd_tr_type	Restricted Trans		x(8)	
isd_type	Type		x(8)	
isd_user1	Ufld1		x(8)	
isd_user2	Ufld2		x(8)	
isd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* isd_status	yes	isd_status	yes	no
		isd_tr_type	yes	no
		isd_type	yes	no

◇ isp_mstr Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
isp_app_id	Application ID		x(12)	
isp_app_ver	Application Version		x(8)	
isp_cim_proc	CIM/API Process		yes/no	
isp_code_pg	Code Page		X(15)	
isp_date_form	Date Format		X(3)	
isp_del_err_det	Delete Error Detail		x(1)	
isp_desc	Description		x(60)	
isp_dest_app_id	Destination Application ID		x(12)	
isp_dest_app_ver	Destination Application Version		x(8)	
isp_dest_doc_rev	Destination Document Revision		x(8)	
isp_dest_doc_std	Destination Document Standard		x(8)	
isp_dest_doc_typ	Destination Document Type		x(21)	
isp_dest_proc	MFG/PRO Destination Procedure		x(12)	
isp_doc_lng	Document Language		x(2)	
isp_doc_rev	Document Revision		x(8)	
isp_doc_std	Document Standard		x(8)	
isp_doc_typ	Document Type		x(21)	

Field Name	Label	Col-Label	Format	Dec
isp_email_notvl	E-mail Level		x(1)	
isp_email_userid	Default E-mail User ID		x(8)	
isp_im_map_flg	Import Mapping Enabled		yes/no	
isp_mapper_proc	Data Mapper Procedure		x(12)	
isp_map_parm[10]	Mapper Parameter Codes		x(8)	
isp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
isp_map_spec	Mapping Specification ID		x(12)	
isp_mod_date	Modified Date		99/99/99	
isp_mod_userid	Last Updated By		x(8)	
isp_num_form	Numeric Format		X(8)	
isp_pause_sev	Pause Severity Level		9	
isp_proc_flg	Import Processing Enabled		yes/no	
isp_rcv_flg	Receiving Enabled		yes/no	
isp_src_comp	Source Component		x(10)	
isp_src_proc	Source Procedure		x(12)	
isp_src_task	Source Task		x(10)	
isp_src_userid	Source User ID		x(8)	
isp_tradptr_id	Trading Partner ID		x(32)	
isp_user1			x(8)	
isp_user2			x(8)	
isp_use_im_queue	Use Import Queue		yes/no	
isp__dec01			-->>>, >>>, >>>9.99<	10
isp__dec02			-->>>, >>>, >>>9.99<	10
isp__dte01			99/99/99	
isp__dte02			99/99/99	
isp__int01			-->>>, >>>, >>>9	
isp__int02			-->>>, >>>, >>>9	
isp__log01			yes/no	
isp__log02			yes/no	
isp__qadc01			x(8)	
isp__qadc02			x(8)	
isp__qadc03			x(8)	
isp__qadc04			x(8)	
isp__qadd01			-->>>, >>>, >>>9.99<	10
isp__qadd02			-->>>, >>>, >>>9.99<	10
isp__qadi01			-->>>, >>>, >>>9	
isp__qadi02			-->>>, >>>, >>>9	
isp__qadi01			yes/no	
isp__qadi02			yes/no	
isp__qadt01			99/99/99	
isp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ImportSpec	yes	isp_app_id	yes	no
		isp_doc_std	yes	no
		isp_doc_typ	yes	no
		isp_doc_rev	yes	no
		isp_tradptr_id	yes	no

272 iss_mstr

iss_mstr Service/Support Installed Base Structure

Field Name	Label	Col-Label	Format	Dec
iss_comp	Component Item	Comp Item	x(18)	
iss_comp_ref	Ref		>>>>>>9	
iss_comp_ser	Component Serial	Comp Serial	x(18)	
iss_eu_nbr	End User No	End User	x(8)	
iss_par	Parent Item	Parent	x(18)	
iss_par_ref	Ref		>>>>>>9	
iss_par_ser	Parent Serial	Par Serial	x(18)	
iss_user1	user1		x(8)	
iss_user2	user2		x(8)	
iss_chr01			x(8)	
iss_chr02			x(8)	
iss_chr03			x(8)	
iss_dec01			->>>, >>>, >>9.99	10
iss_dec02			->>>, >>>, >>9.99	10
iss_dte01			99/99/99	
iss_dte02			99/99/99	
iss_log01			yes/no	
iss_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
iss_comp	no	iss_comp	yes	no
iss_compref	yes	iss_eu_nbr	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
iss_par	no	iss_par	yes	no
* iss_par_comp	yes	iss_eu_nbr	yes	no
		iss_par	yes	no
		iss_par_ser	yes	no
		iss_par_ref	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no

is_mstr Inventory Status Master

Field Name	Label	Col-Label	Format	Dec
is_avail	Available	Avail	yes/no	
is_cmtindx	Comment Index	Comment	>>>>>>9	
is_desc	Description		x(24)	
is_frozen	Frozen		yes/no	
is_mod_date	Modified Date	Mod Date	99/99/99	
is_nettable	Nettable	Net	yes/no	
is_overissue	Overissue	Ovrls	yes/no	
is_status	Status Code	Status	x(8)	
is_user1	Ufld1		x(8)	
is_user2	Ufld2		x(8)	
is_userid	User ID		x(8)	
is_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
is_avail	yes	is_status	yes	no
		is_avail	yes	no
* is_status	yes	is_status	yes	no
		is_nettable	yes	no
is_status_unique	yes	is_status	yes	no

itmh_hist Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh_bill_detail	Bill Detail	Det	yes/no	0
itmh_bom_code	BOM code		x(18)	
itmh_bom_gen			yes/no	
itmh_ca_int_type	Work Code		x(8)	
itmh_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itmh_comp_date	Date Complete		99/99/99	
itmh_desc	Description		x(24)	
itmh_due_date	Due Date		99/99/99	
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date		99/99/99	
itmh_mod_userid	Modified By		X(8)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_pr_list	Price List		X(8)	
itmh_pst	PST Taxable		yes/no	0
itmh_qty_call	Qty		>,>>>9	10
itmh_qty_chg	To Receive		->>,>>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rec	Qty Received		->,>>9	2
itmh_qty_ship	Shipped		->,>>>9	2
itmh_recorded	Has Been thru CAR		yes/no	
itmh_rec_date	Received Date		99/99/99	
itmh_ref	Ref		>>>>>>9	
itmh_rev	Revision		x(8)	

274 itmh_hist

Field Name	Label	Col-Label	Format	Dec
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	
itmh_sad_line	Contract Line		>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	
itmh_svc_type			x(1)	
itmh_sv_code	Contract Type		x(8)	
itmh_tag	Tag		X(1)	
itmh_taxable	Taxable	Tax	yes/no	
itmh_taxc			x(3)	
itmh_tax_env	Tax Environment		X(16)	
itmh_tax_in	Tax In		yes/no	
itmh_tax_usage			x(8)	
itmh_type	Type		x(8)	
itmh_uninvoiced	Uninvoiced		yes/no	
itmh_unprocessed			yes/no	
itmh_upd_isb	Update ISB	ISB	yes/no	
itmh_user1	user1		x(8)	
itmh_user2	user2		x(8)	
itmh_warr_sv	Warranty Svc Type		x(8)	
itmh__chr01	User Field #1		x(8)	
itmh__chr02	User Field #2		x(8)	
itmh__chr03	User Field #3		x(8)	
itmh__chr04	User Field #4		x(8)	
itmh__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__dte01	User Date #1		99/99/99	
itmh__dte02	User Date #2		99/99/99	
itmh__dte03	User Date #3		99/99/99	
itmh__log01	User Logical #1		yes/no	
itmh__log02	User Logical #2		yes/no	
itmh__log03	User Logical #3		yes/no	
itmh__qadc01	Qad Field #1		x(8)	
itmh__qadc02	Qad Field #2		x(8)	
itmh__qadc03	Qad Field #3		x(8)	
itmh__qadc04	Qad Field #4		x(8)	0
itmh__qadc05			x(8)	
itmh__qadc06			x(8)	
itmh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__qadl01	QAD Logical Field		yes/no	0
itmh__qadl02	Qad Logical #2		yes/no	

Field Name	Label	Col-Label	Format	Dec
itmh__qadl03	Qad Logical #3		yes/no	
itmh__qadt01	Qad Date #1		99/99/99	
itmh__qadt02	Qad Date #2		99/99/99	
itmh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* itmh_nbr	yes	itmh_nbr	yes	no
		itmh_prefix	yes	no
		itmh_type	yes	no
		itmh_itm_line	yes	no
		itmh_line	yes	no
itmh_part	no	itmh_part	yes	no
		itmh_prefix	yes	no
		itmh_serial	yes	no
itmh_sa_nbr	no	itmh_sa_nbr	yes	no
		itmh_sad_line	yes	no
		itmh_nbr	yes	no
		itmh_line	yes	no
itmh_serial	no	itmh_serial	yes	no
		itmh_prefix	yes	no
		itmh_opn_date	yes	no

itm_det Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm_bill_detail	Bill Detail	Det	yes/no	
itm_bom_code	BOM Code		x(18)	
itm_bom_gen			yes/no	
itm_ca_int_type	Work Code	WK Code	x(8)	
itm_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Date Last Updated		99/99/99	
itm_mod_userid	Last Updated By		X(8)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	

Field Name	Label	Col-Label	Format	Dec
itm_part	Item		x(18)	
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0
itm_pr_list	Price List		X(8)	
itm_pst	PST Taxable		yes/no	0
itm_qty_call	Quantity	Call Qty	-->, >>9	10
itm_qty_chg	To Receive	To Recv	-->, >>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	-->, >>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	-->, >>9	10
itm_qty_rec	Qty Received	Recv	-->, >>9	2
itm_qty_ship	Shipped		->, >>>9	2
itm_recorded			yes/no	0
itm_rec_date	Received Date		99/99/99	
itm_ref	Ref		>>>>>>9	
itm_rev	Revision		x(8)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
itm_sad_line	Line		>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_status	Status		x(8)	
itm_stdwn_date	Start Down		99/99/99	
itm_stdwn_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_svc_type			x(1)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_tag			x(1)	
itm_taxable	Taxable	Tax	yes/no	
itm_taxc	Tax Class	TxC	x(3)	
itm_tax_env	Tax Environment	Tax Env	X(16)	
itm_tax_in	Tax In		yes/no	
itm_tax_usage	Tax Usage		x(8)	0
itm_type	Type		x(8)	0
itm_uninvoiced	Uninvoiced		yes/no	
itm_unprocessed			yes/no	
itm_upd_isb	Update Installed Base		yes/no	
itm_user1	user1		x(8)	
itm_user2	user2		x(8)	
itm_warr_sv	Warranty Svc Type		x(8)	
itm_chr01	User Field #1		x(8)	
itm_chr02	User Field #2		x(8)	
itm_chr03	User Field #3		x(8)	
itm_chr04	User Field #4		x(8)	
itm_dec01	User Decimal #1		-->>, >>>, >>9.99<<<<	10
itm_dec02	User Decimal #2		-->>, >>>, >>9.99<<<<	10
itm_dec03	User Decimal #3		-->>, >>>, >>9.99<<<<	10
itm_dte01	User Date #1		99/99/99	
itm_dte02	User Date #2		99/99/99	
itm_dte03	User Date #3		99/99/99	

Field Name	Label	Col-Label	Format	Dec
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	
itm__log03	User Logical #3		yes/no	
itm__qadc01	Qad Field #1		x(8)	
itm__qadc02	Qad Field #2		x(8)	
itm__qadc03	Qad Field #3		x(8)	
itm__qadc04	Qad Field #4		x(8)	
itm__qadc05			x(8)	
itm__qadc06			x(8)	
itm__qadd01	Qad Date #1		99/99/99	
itm__qadd02	Qad Date #2		99/99/99	
itm__qadd03	Qad Date #3		99/99/99	
itm__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itm__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itm__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itm__qadl01	QAD Logical Field		yes/no	0
itm__qadl02	Qad Logical #2		yes/no	
itm__qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
itm_eng_code	no	itm_eng_code	yes	no
		itm_nxt_date	yes	no
		itm_nxt_time	yes	no
itm_eu_nbr	no	itm_type	yes	no
		itm_eu_nbr	yes	no
		itm_serial	yes	no
* itm_nbr	yes	itm_nbr	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_itm_line	yes	no
		itm_line	yes	no
itm_part	no	itm_part	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
itm_sa_nbr	no	itm_sa_nbr	yes	no
		itm_sad_line	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
itm_serial	no	itm_line	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_serial	yes	no
		itm_nbr	yes	no
		itm_line	yes	no

itsd_det

Item Site Load Detail File

Field Name	Label	Col-Label	Format	Dec
itsd_date	Effective		99/99/99	
itsd_loaded	Loaded		yes/no	
itsd_part	Item Number		x(18)	
itsd_qty	Quantity		->>>, >>>, >>9.9<<<<<<<<<	10
itsd_ref	Reference		x(18)	
itsd_site	Site		x(8)	
itsd_type	Data Type	Type	x(1)	
itsd_user1	Ufld1		x(8)	
itsd_user2	Ufld2		x(8)	
itsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* itsd_det	yes	itsd_part	yes	no
		itsd_site	yes	no
		itsd_date	yes	no
		itsd_type	yes	no

its_mstr

Item Site Load Master

Field Name	Label	Col-Label	Format	Dec
its_date	Created Date		99/99/99	
its_part	Item Number		x(18)	
its_qty_oh	Quantity On Hand	QOH	->,>>>,>>9.9<<<<<<<<	10
its_site	Site		x(8)	
its_target	Weeks Cover		>>>>	
its_user1	UfId1		x(8)	
its_user2	UfId2		x(8)	
its_dec01			->,>>>,>>>9.99<<<<	10
its_dec02			->,>>>,>>9.99<<<	2
its_dec03			->,>>>,>>9.99<<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
* its_mstr	yes	its_part	yes	no
		its_site	yes	no

it_mstr

Item Status Master

Field Name	Label	Col-Label	Format	Dec
it_cmtindx	Comment Index	Comment	>>>>>>9	
it_desc	Description		x(24)	
it_mod_date	Modified Date	Mod Date	99/99/99	
it_status	Item Status	Status	x(8)	
it_user1	Ufld1		x(8)	
it_user2	Ufld2		x(8)	
it_userid	User ID		x(8)	
it_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* it_status	yes	it_status	yes	no

kbd_det

Kanban Card Details

Field Name	Label	Col-Label	Format	Dec
kbd_date	Date		99/99/99	
kbd_part	Item Number	Item	x(18)	
kbd_qty	Card Quantity		->>, >>>, >>9.99	2
kbd_ref	Reference	Ref	x(28)	
kbd_site	Site		x(8)	
kbd_type	Kanban Type		x(1)	
kbd_user1	user1		x(8)	
kbd_user2	user2		x(8)	
kbd_vend	Supplier		x(8)	
kbd__chr01			x(8)	
kbd__chr02			x(8)	
kbd__chr03			x(8)	
kbd__chr04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
kbd_ptvend	no	kbd_part	yes	no
		kbd_vend	yes	no
* kbd_ref	yes	kbd_site	yes	no
		kbd_part	yes	no
		kbd_vend	yes	no
		kbd_ref	yes	no
		kbd_type	yes	no
kbd_vendpt	no	kbd_vend	yes	no
		kbd_part	yes	no

kb_mstr

Kanban Card Master Details

Field Name	Label	Col-Label	Format	Dec
kb_con_loc	Consume Location		x(8)	
kb_date	Create Date		99/99/99	
kb_dly_doc	Delivery Dock		x(8)	
kb_lead_day	Leadtime (Days)	Lead	>>>>>>>>9	
kb_lead_hrs	Leadtime (Hours)		>>9.99	2
kb_part	Item Number	Item	x(18)	
kb_pck_std	Standard Pack		>>>>>>>>9	
kb_pck_typ	Pack Type		x(20)	
kb_prt_frm	Print Format		x(1)	
kb_rel	Release Method		x(1)	
kb_sd_pat	Ship/Dlvy Pattern		x(2)	
kb_sd_time	Ship/Dlvy Time		x(2)	
kb_site	Site		x(8)	
kb_sup_loc	Supply Location		x(8)	

280 lad_det

Field Name	Label	Col-Label	Format	Dec
kb_user1	user1		x(8)	
kb_user2	user2		x(8)	
kb_vend	Supplier		x(8)	
kb__chr01			x(8)	
kb__chr02			x(8)	
kb__chr03			x(8)	
kb__chr04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* kb_mstr	yes	kb_site	yes	no
		kb_part	yes	no
		kb_vend	yes	no
kb_vendpt	no	kb_site	yes	no
		kb_vend	yes	no
		kb_part	yes	no

lad_det Allocation Detail by Location

Field Name	Label	Col-Label	Format	Dec
lad_dataset	Data Set		x(12)	
lad_line	Line/ID		x(8)	
lad_loc	Location		x(8)	
lad_lot	Lot/Serial		x(18)	
lad_nbr	Order	Order Number	x(18)	
lad_ord_site	Order Site	Ord Site	x(8)	
lad_part	Item Number		x(18)	
lad_qty_all	Qty Allocated	Qty Alloc	-->>>, >>9.9<<<<<<	10
lad_qty_chg	Qty to Iss		-->>>, >>9.9<<<<<<	10
lad_qty_pick	Qty Picked		-->>>, >>9.9<<<<<<	10
lad_ref	Ref	Reference	x(8)	
lad_site	Site		x(8)	
lad_user1	Ufld1		x(8)	
lad_user2	Ufld2		x(8)	
lad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lad_det	yes	lad_dataset	yes	no
		lad_nbr	yes	no
		lad_line	yes	no
		lad_part	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
lad_site	no	lad_site	yes	no
		lad_loc	yes	no
		lad_part	yes	no
		lad_lot	yes	no
		lad_ref	yes	no

ld_det Inventory Detail by Location

Field Name	Label	Col-Label	Format	Dec
ld_assay	Assay %		>>9.99%	2
ld_cmtindx	Comment Index	Comment	>>>>>>9	
ld_cnt_date	Last Count	Last Cnt	99/99/99	
ld_cost			>>>>, >>>, >>9.99<<<	10
ld_date	Date Created	Created	99/99/99	
ld_date_frz	Freeze Date	Frz Date	99/99/99	
ld_expire	Expire Date	Expire	99/99/99	
ld_grade	Grade		x(2)	
ld_loc	Location		x(8)	
ld_lot	Lot/Serial		x(18)	
ld_part	Item Number		x(18)	
ld_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
ld_qty_frz	Freeze Qty		->, >>>, >>9.9<<<<<<<<	10
ld_qty_oh	Qty On Hand		->, >>>, >>9.9<<<<<<<<	10
ld_ref	Ref	Reference	x(8)	
ld_rev	Rev		x(4)	
ld_site	Site		x(8)	
ld_status	Inventory Status	Status	x(8)	
ld_user1	Ufld1		x(8)	
ld_user2	Ufld2		x(8)	
ld_vd_lot	Not Used		x(18)	
ld_work			->>>, >>>, >>9.9<<<<<<<<	10
ld__chr01			x(8)	
ld__chr02			x(8)	
ld__chr03			x(8)	
ld__chr04			x(8)	
ld__chr05			x(8)	
ld__dec01			>>>, >>>, >>9.99	10
ld__dec02			>>>, >>>, >>9.99	10
ld__dte01			99/99/99	
ld__dte02			99/99/99	
ld__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ld_loc_p_lot	yes	ld_site	yes	no
		ld_loc	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_loc	yes	ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_lot	yes	ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
		ld_site	yes	no
		ld_loc	yes	no
ld_serial	no	ld_ref	yes	no
		ld_part	yes	no
		ld_site	yes	no
ld_status	yes	ld_status	yes	no

282 lgc_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no

◇ lgc_mstr Logistics Application Charge Master

Field Name	Label	Col-Label	Format	Dec
lgc_acct	G/L Account		x(8)	
lgc_app_id	Application ID		x(12)	
lgc_charge	Charge ID		x(4)	
lgc_mod_date	Modified Date		99/99/99	
lgc_mod_userid	Last Updated By		x(8)	
lgc_user1			x(8)	
lgc_user2			x(8)	
lgc__dec01			-->>>, >>>, >>9.99<	10
lgc__dec02			-->>>, >>>, >>9.99<	10
lgc__dte01			99/99/99	
lgc__dte02			99/99/99	
lgc__int01			-->>>, >>>, >>9	
lgc__int02			-->>>, >>>, >>9	
lgc__log01			yes/no	
lgc__log02			yes/no	
lgc__qadc01			x(8)	
lgc__qadc02			x(8)	
lgc__qadc03			x(8)	
lgc__qadc04			x(8)	
lgc__qadd01			-->>>, >>>, >>9.99<	10
lgc__qadd02			-->>>, >>>, >>9.99<	10
lgc__qadi01			-->>>, >>>, >>9	
lgc__qadi02			-->>>, >>>, >>9	
lgc__qadi01			yes/no	
lgc__qadi02			yes/no	
lgc__qadt01			99/99/99	
lgc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ChargeID	yes	lgc_app_id	yes	no
		lgc_charge	yes	no

◇ lgsl_det Logistics Site Detail

Field Name	Label	Col-Label	Format	Dec
lgsl_app_id	Application ID		x(12)	
lgsl_mod_date	Modified Date		99/99/99	
lgsl_mod_userid	Last Updated By		x(8)	
lgsl_site	Site		x(8)	
lgsl_user1			x(8)	
lgsl_user2			x(8)	
lgsl__dec01			-->>>, >>>, >>9.99<	10

Field Name	Label	Col-Label	Format	Dec
lgsi__dec02			->>>, >>>, >>9.99<	10
lgsi__dte01			99/99/99	
lgsi__dte02			99/99/99	
lgsi__int01			->>>, >>>, >>9	
lgsi__int02			->>>, >>>, >>9	
lgsi__log01			yes/no	
lgsi__log02			yes/no	
lgsi__qadc01			x(8)	
lgsi__qadc02			x(8)	
lgsi__qadc03			x(8)	
lgsi__qadc04			x(8)	
lgsi__qadd01			->>>, >>>, >>9.99<	10
lgsi__qadd02			->>>, >>>, >>9.99<	10
lgsi__qadi01			->>>, >>>, >>9	
lgsi__qadi02			->>>, >>>, >>9	
lgsi__qadl01			yes/no	
lgsi__qadl02			yes/no	
lgsi__qadt01			99/99/99	
lgsi__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ApplDSite	yes	lgsi_app_id	yes	no
		lgsi_site	yes	no

◇ lgs_mstr Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs_act	Logistics Active		yes/no	
lgs_app_id	Application ID		x(12)	
lgs_ar_bal_exp	A/R Balance Exports		yes/no	
lgs_ar_imp	A/R Item Exports		yes/no	
lgs_cm_mnt	Customers		yes/no	
lgs_invc	Invoices		yes/no	
lgs_invc_exp	Invoice Data Exports		yes/no	
lgs_inv_exp	Inventory Balance Exports		yes/no	
lgs_lad_exp	Inventory Allocation Exports		yes/no	
lgs_lad_mnt	Detailed Allocations		yes/no	
lgs_mod_date	Modified Date		99/99/99	
lgs_mod_userid	Last Updated By		x(8)	
lgs_pick_exp	Picklist Exports		yes/no	
lgs_pt_cst_exp	Item Cost Exports		yes/no	
lgs_pt_mnt	Items		yes/no	
lgs_pymt_exp	Payment Exports		yes/no	
lgs_ship_exp	Sales Order Shipment Exports		yes/no	
lgs_so_imp	Sales Order Imports		yes/no	
lgs_so_mnt	Sales Orders		yes/no	
lgs_user1			x(8)	
lgs_user2			x(8)	
lgs__dec01			->>>, >>>, >>9.99<	10
lgs__dec02			->>>, >>>, >>9.99<	10
lgs__dte01			99/99/99	
lgs__dte02			99/99/99	

284 Ind_det

Field Name	Label	Col-Label	Format	Dec
lgs__int01			-->>>, >>>, >>9	
lgs__int02			-->>>, >>>, >>9	
lgs__log01			yes/no	
lgs__log02			yes/no	
lgs__qadc01			x(8)	
lgs__qadc02			x(8)	
lgs__qadc03			x(8)	
lgs__qadc04			x(8)	
lgs__qadd01			-->>>, >>>, >>9.99<	10
lgs__qadd02			-->>>, >>>, >>9.99<	10
lgs__qadi01			-->>>, >>>, >>9	
lgs__qadi02			-->>>, >>>, >>9	
lgs__qadi01			yes/no	
lgs__qadi02			yes/no	
lgs__qadt01			99/99/99	
lgs__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ApplicationID	yes	lgs_app_id	yes	no

Ind_det

Line Detail

Field Name	Label	Col-Label	Format	Dec
Ind_bom			x(18)	
Ind_cmtindx	Comment Index	Comment	>>>>>>>9	
Ind_expire	Expire		99/99/99	
Ind_line	Line		x(8)	
Ind_part	Part		x(18)	
Ind_primary	Primary Line	Primary	yes/no	
Ind_prod_um	Production UM	UM	x(2)	
Ind_rate			>>>, >>>, >>9.99<<<	2
Ind_run	Run Crew	Run	x(8)	
Ind_run_size	Size		>>>9	
Ind_sequence			>>>.99	2
Ind_setup	Setup Crew	Setup	x(8)	
Ind_set_size	Size		>>>9	
Ind_site	Site		x(8)	
Ind_start	Start		99/99/99	
Ind_tool	Tool ID	Tool	x(8)	
Ind_user1			x(50)	
Ind_user2			x(50)	
Ind__chr01			x(8)	
Ind__chr02			x(8)	
Ind__chr03			x(8)	
Ind__chr04			x(8)	
Ind__chr05			x(8)	
Ind__dec01			>>>, >>>, >>9.99	10
Ind__dec02			>>>, >>>, >>9.99	10
Ind__dec03			>>>, >>>, >>9.99	10
Ind__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* Ingd_line	yes	Ingd_line	yes	no
		Ingd_site	yes	no
		Ingd_part	yes	no
		Ingd_start	yes	no
		Ingd_line	yes	no
Ingd_linepart	no	Ingd_line	yes	no
		Ingd_part	yes	no

Ingd_det Language Detail

Field Name	Label	Col-Label	Format	Dec
Ingd_dataset	Data Set		x(12)	
Ingd_desc	Description		x(76)	
Ingd_field	Field		x(32)	
Ingd_key1	Key Value #1	Key #1	x(8)	
Ingd_key2	Key Value #2	Key #2	x(8)	
Ingd_key3	Key Value #3	Key #3	x(8)	
Ingd_key4	Key Value #4	Key #4	x(8)	
Ingd_lang	Language	Lang	x(2)	
Ingd_mnemonic	Mnemonic		x(8)	
Ingd_translate2	Translation 2		x(24)	
Ingd_translation	Label		x(24)	
Ingd_user1	user1		x(8)	
Ingd_user2	user2		x(8)	
Ingd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* Ingd_det	yes	Ingd_dataset	yes	no
		Ingd_key1	yes	no
		Ingd_key2	yes	no
		Ingd_key3	yes	no
		Ingd_key4	yes	no
		Ingd_field	yes	no
		Ingd_lang	yes	no
		Ingd_desc	yes	no
		Ingd_field	yes	no
		Ingd_lang	yes	no
Ingd_mnemonic	no	Ingd_mnemonic	yes	no
		Ingd_dataset	yes	no
		Ingd_field	yes	no
Ingd_trans	no	Ingd_lang	yes	no
		Ingd_translation	yes	no
		Ingd_dataset	yes	no
		Ingd_field	yes	no

286 lng_mstr

lng_mstr Language Master

Field Name	Label	Col-Label	Format	Dec
lng_desc	Description		x(24)	
lng_dir	Directory		x(32)	
lng_lang	Language ID	Lang	x(2)	
lng_nbr	Language Number		>>9	
lng_user1	Ufld1		x(8)	
lng_user2	Ufld2		x(8)	
lng__qad01			x(8)	
lng__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lng_lang	yes	lng_lang	yes	no
lng_nbr	yes	lng_nbr	yes	no

ln_mstr Line Master

Field Name	Label	Col-Label	Format	Dec
ln_desc	Description	Description	x(24)	
ln_line	Line		x(8)	
ln_rate	Units/Hour		>>>, >>>, >>9.99<<<	2
ln_rate_base	Line Sequenced		yes/no	
ln_shift1	Shift1		>>>9.99	2
ln_shift2	Shift2		>>>9.99	2
ln_shift3	Shift3		>>>9.99	2
ln_shift4	Shift4		>>>9.99	2
ln_site	Site		x(8)	
ln_user1			x(50)	
ln_user2			x(50)	
ln__chr01			x(8)	
ln__chr03			x(8)	
ln__chr04			x(8)	
ln__chr05			x(8)	
ln__dec01			>>>, >>>, >>9.99	2
ln__dec02			>>>, >>>, >>9.99	2
ln__dec03			>>>, >>>, >>9.99	2
ln__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ln_linesite	yes	ln_line	yes	no
		ln_site	yes	no

loc_mstr Location Master

Field Name	Label	Col-Label	Format	Dec
loc_acct	Location Account	Account	x(8)	
loc_cap	Capacity		>>>>,>>>,>>9.9<<<<<<<<<	10
loc_cap_um	Capacity UM		x(2)	
loc_cc	Location Cost Ctr	CC	x(4)	
loc_date	Date Created	Created	99/99/99	
loc_desc	Description		x(24)	
loc_loc	Location		x(8)	
loc_perm	Permanent	Perm	yes/no	
loc_project	Project		x(8)	
loc_single	Single Item	Single! Item	yes/no	
loc_site	Site		x(8)	
loc_status	Inventory Status	Status	x(8)	
loc_type	Type		x(8)	
loc_user1	Ufld1		x(8)	
loc_user2	Ufld2		x(8)	
loc__qad01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* loc_loc	yes	loc_site	yes	no
		loc_loc	yes	no

lotw_wkfl Lot Number Workfile

Field Name	Label	Col-Label	Format	Dec
lotw_lotser	Lot/Serial		x(18)	
lotw_mfguser			x(8)	
lotw_part	Item Number		x(18)	
lotw_user1	user1		x(8)	
lotw_user2	user2		x(8)	
lotw_userid	User ID		x(8)	
lotw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lotw_ser_part	yes	lotw_lotser	yes	no
		lotw_part	yes	no
lot_user_lot	yes	lotw_mfguser	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no

lot_mstr Lot Master File

Field Name	Label	Col-Label	Format	Dec
lot_cmtindx	Comment Index		>>>>>>9	
lot_create	Created		99/99/99	
lot_line	Line/ID		x(8)	
lot_nbr	Order Number		x(18)	
lot_part	Item Number		x(18)	
lot_pot_conv	Lot UM Conversion	Lot UM Conv	>>>>9.9999<<<<	2
lot_pot_um	Lot UM	UM	x(2)	
lot_serial	Lot/Serial		x(18)	
lot_trans	Expired Inv Trans	Trans	x(8)	
lot_user1	user1		x(8)	
lot_user2	user2		x(8)	
lot_userid	User ID		x(8)	
lot__chr01	Chrflid 1		x(8)	
lot__chr02	Chrflid 2		x(8)	
lot__chr03	Chrflid 3		x(8)	
lot__chr04	Chrflid 4		x(8)	
lot__chr05	Chrflid 5		x(8)	
lot__chr06	Chrflid 6		x(8)	
lot__dec01	Decfld 1		->>>>, >>>, >>9.99	2
lot__dec02	Decfld 2		->>>>, >>>, >>9.99	2
lot__dec03	Decfld 3		->>>>, >>>, >>9.99	2
lot__dec04	Decfld 4		->>>>, >>>, >>9.99	2
lot__dec05	Decfld 5		->>>>, >>>, >>9.99	2
lot__dec06	Decfld 6		->>>>, >>>, >>9.99	2
lot__dte01	Dtefld 1		99/99/99	
lot__dte02	Dtefld 2		99/99/99	
lot__dte03	Dtefld 3		99/99/99	
lot__dte04	Dtefld 4		99/99/99	
lot__dte05	Dtefld 5		99/99/99	
lot__dte06	Dtefld 6		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* lot_part_serial	yes	lot_part	yes	no
		lot_serial	yes	no
lot_serial_part	no	lot_serial	yes	no
		lot_part	yes	no

ls_mstr Address List Detail

Field Name	Label	Col-Label	Format	Dec
ls_addr	Address		x(8)	
◇ ls_app_owner	Owner Application		x(12)	
ls_type	List Type	List	x(8)	
ls_user1	Ufld1		x(8)	
ls_user2	Ufld2		x(8)	
◇ ls__dec01			->>>, >>>, >>9.99<	10
◇ ls__dec02			->>>, >>>, >>9.99<	10
◇ ls__dte01			99/99/9999	
◇ ls__dte02			99/99/9999	
◇ ls__int01			->>>, >>>, >>9	
◇ ls__int02			->>>, >>>, >>9	
◇ ls__log01			yes/no	
◇ ls__log02			yes/no	
ls__qadc01			x(8)	
◇ ls__qadc02			x(8)	
◇ ls__qadc03			x(8)	
◇ ls__qadc04			x(8)	
◇ ls__qadd01			->>>, >>>, >>9.99<	10
◇ ls__qadd02			->>>, >>>, >>9.99<	10
◇ ls__qadi01			->>>, >>>, >>9	
◇ ls__qadi02			->>>, >>>, >>9	
◇ ls__qadi01			yes/no	
◇ ls__qadi02			yes/no	
◇ ls__qadt01			99/99/9999	
◇ ls__qadt02			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* ls_addrtype	yes	ls_addr	yes	no
		ls_type	yes	no
ls_type	yes	ls_type	yes	no
		ls_addr	yes	no

maxt_det Maximum Table Detail

Field Name	Label	Col-Label	Format	Dec
maxt_amt	Amount		->>, >>>, >>>, >>9.99<	10
maxt_beg_date	Beginning Date	Beg Date	99/99/99	
maxt_book	Book		x(8)	
maxt_class	Class	Cls	x(3)	
maxt_end_date	Ending Date	End Date	99/99/99	

290 max_mstr

Field Name	Label	Col-Label	Format	Dec
maxt_entity	Entity	Enty	x(4)	
maxt_field	Field to Apply Maximum To		x(32)	
maxt_user1	user1		x(8)	
maxt_user2	user2		x(8)	
maxt__qad01			yes/no	
maxt__qad02			x(8)	
maxt__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* maxt_index	yes	maxt_field	yes	no
		maxt_book	yes	no
		maxt_entity	yes	no
		maxt_class	yes	no
		maxt_beg_date	yes	no
		maxt_end_date	yes	no

max_mstr Maximums Master

Field Name	Label	Col-Label	Format	Dec
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>, >>>, >>>, >>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>, >>>, >>>, >>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum by	Reduce Maximum by	->>, >>>, >>>, >>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>, >>>, >>>, >>9.99<	10
max_user1	user1		x(8)	
max_user2	user2		x(8)	
max_userid	User ID		x(8)	
max_yr_cost	Total Asset Cost		->>, >>>, >>>, >>9.99<	10
max_yr_max	Maximum		->>, >>>, >>>, >>9.99<	10
max__qad01			x(4)	
max__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* max_ind1	yes	max_field	yes	no
		max_book	yes	no
		max__qad01	yes	no
		max_class	yes	no

ma_mstr Mirror Account Master

Field Name	Label	Col-Label	Format	Dec
ma_acct1	Account 1		x(8)	
ma_acct2	Account 2		x(8)	
ma_all_cc	All Cost Centers	All CC	yes/no	
ma_cc1	Cost Ctr	CC	x(4)	
ma_cc2	Cost Ctr 2	CC 2	x(4)	
ma_entity	Entity		x(4)	
ma_mr_acct1	Mirror Account 1	Mir Acct1	x(8)	
ma_mr_acct2	Mirror Account 2	Mir Acct 2	x(8)	
ma_mr_cc1	Cost Ctr	CC	x(4)	
ma_mr_cc2	Mirror CC 2	Mir CC 2	x(4)	
ma_tr_type	Trans Type	T	x(2)	
ma_user1	user1		x(8)	
ma_user2	user2		x(8)	
ma__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ma_all_cc	yes	ma_entity	yes	no
		ma_tr_type	yes	no
		ma_acct1	yes	no
		ma_acct2	yes	no
		ma_cc1	yes	no
		ma_cc2	yes	no
		ma_all_cc	yes	no

mfc_ctrl Control File Data – Interim

Field Name	Label	Col-Label	Format	Dec
mfc_char	Character		x(24)	
mfc_date	Date		99/99/99	
mfc_decimal	Decimal		->>>,>>>,>>9.999999999	9
mfc_desc	Description		x(24)	
mfc_field	Field Name		x(32)	
mfc_integer	Integer		>>>>>>>9	
mfc_label	Label		x(24)	
mfc_logical	Logical		yes/no	
mfc_module	Module		x(4)	
mfc_seq	Sequence	Seq	>>9	
mfc_type	Type	T	x(2)	
mfc_user1	Ufld1		x(8)	
mfc_user2	Ufld2		x(8)	
mfc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfc_field	yes	mfc_field	yes	no
mfc_mod_seq	yes	mfc_module	yes	no
		mfc_seq	yes	no

292 mnd_det

mnd_det Menu Detail

Field Name	Label	Col-Label	Format	Dec
mnd_canrun	Access codes		x(60)	
mnd_exec	Execution File	Exec File	x(14)	
mnd_fkey	F Key	Key	>>9	
mnd_help	Help File		x(12)	
mnd_label	Selection Label		x(32)	
mnd_name	Name		x(8)	
mnd_nbr	Menu		x(16)	
mnd_select	Selection	Sel	>9	
mnd_user1	Ufld1		x(8)	
mnd_user2	Ufld2		x(8)	
mnd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
mnd_exec	no	mnd_exec	yes	no
mnd_name	no	mnd_name	yes	no
* mnd_nbr	yes	mnd_nbr	yes	no
		mnd_select	yes	no

mne_det Menu Program Execution Detail

Field Name	Label	Col-Label	Format	Dec
mne_canrun	Passwords / Groups		x(60)	
mne_exec	Execution File	Exec File	x(14)	
mne_name	Name		x(8)	
mne_user1	Ufld1		x(8)	
mne_user2	Ufld2		x(8)	
mne__qad01			x(8)	
mne__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mne_exec	yes	mne_exec	yes	no
mne_name	yes	mne_name	yes	no

mnp_det Service/Support Custom Program Detail

Field Name	Label	Col-Label	Format	Dec
mnp_exec	Program to Execute		x(12)	
mnp_menu	Menu		x(12)	
mnp_program	Program		x(12)	
mnp_prog_type	Program Type		x(8)	
mnp_repeat_group	Repeat Group		x(8)	
mnp_select	Selection		>>9	
mnp_sequence	Sequence	Seq	>>>9	

Field Name	Label	Col-Label	Format	Dec
mnt_user1	user1		x(8)	
mnt_user2	user2		x(8)	
mnt_userid	User		x(8)	
mnt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mnt_program	yes	mnt_program	yes	no
		mnt_userid	yes	no
		mnt_sequence	yes	no
		mnt_prog_type	yes	no

mnt_det Menu Title Detail

Field Name	Label	Col-Label	Format	Dec
mnt_label	Selection Label		x(32)	
mnt_lang	Language		x(2)	
mnt_nbr	Menu		x(16)	
mnt_select	Selection		>9	
mnt_user1	Ufld1		x(8)	
mnt_user2	Ufld2		x(8)	
mnt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mnt_nsl	yes	mnt_nbr	yes	no
		mnt_select	yes	no
		mnt_lang	yes	no

mpd_det Master Specification Detail

Field Name	Label	Col-Label	Format	Dec
mpd_cmtindx	Comment Index	Comment	>>>>>>9	
mpd_label	Characteristic		x(24)	
mpd_nbr	Document		x(8)	
mpd_tol	Specification		x(26)	
mpd_tol_type	Measure		x(12)	
mpd_type	Number		x(8)	
mpd_user1	Ufld1		x(8)	
mpd_user2	Ufld2		x(8)	
mpd_chr01			x(8)	
mpd_chr02			x(8)	
mpd_chr03			x(8)	
mpd_chr04			x(8)	
mpd_chr05			x(8)	
mpd_dec01			>>>, >>>, >>9.99	2
mpd_dec02			>>>, >>>, >>9.99	2

294 mph_hist

Index-Name	Uni	Field-Name	Asc	Abbr
* mpd_nbr	yes	mpd_nbr	yes	no
		mpd_type	yes	no

mph_hist Master Specification Test History

Field Name	Label	Col-Label	Format	Dec
mph_attribute	Attribute		X(8)	0
mph_cmtindx	Comment Index	Comment	>>>>>>9	
mph_date	Test Date		99/99/99	
mph_lot	ID/Batch		x(8)	
mph_mch	Machine		x(8)	
mph_op	Operation	Op	>>>>9	
mph_op_trnbr	Trans		>>>>9	
mph_part	Item Number		x(18)	
mph_pass	Pass		yes/no	
mph_procedure	Document		x(8)	
mph_routing	Routing/Procedure		x(18)	
mph_result	Results	Actual Results	x(25)	
mph_test	Characteristic		x(24)	
mph_testmthd	Test Method		X(8)	0
mph_user1	Ufld1		x(8)	
mph_user2	Ufld2		x(8)	
mph_wr_nbr	Order Number		x(18)	
mph__chr01			x(8)	
mph__chr02			x(8)	
mph__chr03			x(8)	
mph__chr04			x(8)	
mph__chr05			x(8)	
mph__dec01			>>>, >>>, >>9.99	2
mph__dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* mph_lot	yes	mph_lot	yes	no
		mph_part	yes	no
		mph_routing	yes	no
		mph_op	yes	no
		mph_test	yes	no

mpp_det Service/Support Custom Program Parameter File

Field Name	Label	Col-Label	Format	Dec
mpp_desc	Description		x(24)	
mpp_field_type	Field Type		x(16)	
mpp_line	Line		>>9	
mpp_mod_date	Date Modified		99/99/99	
mpp_mod_userid	Modified By		X(8)	0
mpp_parm	Field Name		x(18)	
mpp_program			x(18)	

Field Name	Label	Col-Label	Format	Dec
mpp_sequence			>>>9	
mpp_user1	User field 1		X(8)	
mpp_user2	User Field 2		X(8)	
mpp_chr01	User character Field 1		X(8)	
mpp_log01	User Logical Field 1		yes/no	
mpp_qadc01	QAD Character field 1		X(8)	
mpp_qade01	QAD Decimal Field 1		->>, >>9.99	2
mpp_qadl01	QAD Logical Field 1		yes/no	
mpp_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* mpp_program	yes	mpp_program	yes	no
		mpp_sequence	yes	no
		mpp_line	yes	no

mps_mstr Master Production Schedule

Field Name	Label	Col-Label	Format	Dec
mps_bom_code	BOM/Formula		x(18)	
mps_due_date	Due Date		99/99/99	
mps_line	Production Line	Line	x(8)	
mps_part	Item Number		x(18)	
mps_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<<	10
mps_qty_req	Qty Scheduled		->, >>>, >>9.9<<<<<<<<	10
mps_record			>>>>>>9	
mps_rel_date	Release	Rel Date	99/99/99	
mps_routing	Routing Code		x(18)	
mps_site	Site		x(8)	
mps_user1	Ufld1		x(8)	
mps_user2	Ufld2		x(8)	
mps_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mps_part	yes	mps_part	yes	no
		mps_site	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
mps_record	yes	mps_record	yes	no
mps_site	yes	mps_site	yes	no
		mps_part	yes	no
		mps_line	yes	no
		mps_due_date	yes	no

mp_mstr Master Specification Record

Field Name	Label	Col-Label	Format	Dec
mp_desc	Description		x(24)	
mp_expire	Expire Date		99/99/99	
mp_nbr	Document		x(8)	
mp_user1	Ufld1		x(8)	
mp_user2	Ufld2		x(8)	
mp_chr01			x(8)	
mp_chr02			x(8)	
mp_chr03			x(8)	
mp_chr04			x(8)	
mp_chr05			x(8)	
mp_dec01			>>>, >>>, >>9.99	2
mp_dec02			>>>, >>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* mp_nbr	yes	mp_nbr	yes	no

mrpc_ctrl MRP Control File

Field Name	Label	Col-Label	Format	Dec
mrpc_drp	MRP/DRP Combined	MRP/DRP	yes/no	
mrpc_horizon	MRP Horizon		->, >>>, >>9	
mrpc_index1	Index		>>>>>9	
mrpc_reldays	Order Release Horizon	Rel Horizon	>>9	
mrpc_sum_def	Summary Default	D	>	
mrpc_user1	Ufld1		x(8)	
mrpc_user2	Ufld2		x(8)	
mrpc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* mrpc_index1	yes	mrpc_index1	yes	no

mrp_det MRP Detail

Field Name	Label	Col-Label	Format	Dec
mrp_dataset	Data Set		x(12)	
mrp_detail	Detail		x(24)	
mrp_due_date	Due Date		99/99/99	
mrp_line	Line/ID		x(8)	
mrp_line2	Reference	Ref	x(8)	
mrp_nbr	Order	Order Number	x(18)	
mrp_ord_site	Order Site	Ord Site	x(8)	
mrp_part	Item Number		x(18)	
mrp_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
mrp_rel_date	Release Date		99/99/99	
mrp_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
mrp_type	Order Type		x(8)	
mrp_user1	Ufld1		x(8)	
mrp_user2	Ufld2		x(8)	
mrp__qad01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* mrp_det	yes	mrp_dataset	yes	no
		mrp_part	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
mrp_nbr	yes	mrp_dataset	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
		mrp_part	yes	no
mrp_partdate	no	mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	no	no
mrp_sitetype	no	mrp_site	yes	no
		mrp_part	yes	no
		mrp_type	yes	no
		mrp_due_date	yes	no
		mrp_qty	yes	no
mrp_site_due	no	mrp_site	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	yes	no

msg_mstr Message Master

Field Name	Label	Col-Label	Format	Dec
msg_desc	Message		x(64)	
msg_explanation[11]	Explanation		x(76)	
msg_lang	Language		x(2)	
msg_nbr	Message Number	Msg	>>>9	
msg_type	Type		x(8)	
msg_user1	Ufld1		x(8)	
msg_user2	Ufld2		x(8)	
msg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* msg_ln	yes	msg_lang	yes	no
		msg_nbr	yes	no

298 mu_mstr

mu_mstr Monetary Union Master

Field Name	Label	Col-Label	Format	Dec
mu_end_date	End		99/99/99	
mu_member_curr	Member Currency	Member	x(3)	
mu_mod_date	Modified Date		99/99/99	
mu_mod_userid	User ID		x(8)	
mu_start_date	Start		99/99/99	
mu_union_curr	Union Currency	Union	x(3)	
mu_user1	Ufld1		x(8)	
mu_user2	Ufld2		x(8)	
mu__qadc01			x(8)	
mu__qadd01			->>>>, >>>, >>9.99	10
mu__qadl01			yes/no	
mu__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* mu_member_curr	yes	mu_member_curr	yes	no
		mu_start_date	no	no

nrh_hist Sequence Number History Table

Field Name	Label	Col-Label	Format	Dec
nrh_action	Action		x(8)	
nrh_date	Date		99/99/99	
nrh_desc	Description		x(40)	
nrh_inc	Incrementing Value		x(40)	
nrh_line	Line		>, >>>, >>9	
nrh_non_inc	Non Incrementing Value		x(40)	
nrh_number	Sequence Value		x(40)	
nrh_seqid	Sequence ID	Id	x(8)	
nrh_time	Time		x(8)	
nrh_user1	Ufld 1		x(8)	
nrh_user2	Ufld 2		x(8)	
nrh_userid	User Id		x(8)	
nrh__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* nrh_index	yes	nrh_seqid	yes	no
		nrh_number	yes	no
		nrh_action	yes	no
		nrh_line	yes	no

nr_mstr Number Range Master

Field Name	Label	Col-Label	Format	Dec
nr_allow_discard	Allow Discarding		yes/no	
nr_allow_void	Allow Voiding		yes/no	
nr_archived	Archived		yes/no	
nr_curr_effdate	Value Effective Date		99/99/99	
nr_dataset	Target Dataset	Dataset	x(16)	
nr_desc	Description	Description	x(40)	
nr_effdate	Effective Date		99/99/99	
nr_exp_date	Expiration Date		99/99/99	
nr_internal	Internal		yes/no	
nr_next_set	Next Value Set		yes/no	
nr_segcount	Segment Count	Segs	>9	
nr_seg_format	Format		x(40)	
nr_seg_ini	Initial Value		x(40)	
nr_seg_max	Maximum Value		x(40)	
nr_seg_min	Minimum Value		x(40)	
nr_seg_nbr	Segment Number	Seg	x(40)	
nr_seg_rank	Segment rank		x(40)	
nr_seg_reset	Reset Value		x(40)	
nr_seg_type	Type		x(8)	
nr_seg_value	Next Value		x(40)	
nr_seqid	Sequence Id	Id	x(8)	
nr_user1	Ufld 1		x(8)	
nr_user2	Ufld 2		x(8)	
nr_valuemask	Valuemask		x(40)	
nr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* nr_seqid	yes	nr_seqid	yes	no

oa_det Action Message Detail

Field Name	Label	Col-Label	Format	Dec
oa_code	Action Code	Code	999999	
oa_detail	Action Message Detail		x(24)	
oa_fr_date	From Date	From	99/99/99	
oa_line	Line/ID		x(8)	
oa_nbr	Order	Order Number	x(18)	
oa_part	Item Number		x(18)	
oa_qty	Action Qty	Quantity	->,>>>,>>9.9<<<<<<<<<	10
oa_review	Reviewed By	By	x(2)	
oa_site	Site		x(8)	
oa_to_date	To Date	Date	99/99/99	
oa_user1	Ufld1		x(8)	
oa_user2	Ufld2		x(8)	
oa__qadc01			x(8)	

300 ocm_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* oa_part	yes	oa_part	yes	no
		oa_site	yes	no
		oa_code	yes	no
		oa_nbr	yes	no
		oa_line	yes	no
		oa_to_date	yes	no
oa_site	no	oa_site	yes	no
		oa_part	yes	no

ocm_mstr Service/Support On Call Master

Field Name	Label	Col-Label	Format	Dec
ocm_area	Area		x(8)	
ocm_end_eff	End Effective	End	99/99/99	
ocm_eng_code	Engineer Code	Eng Code	x(8)	
ocm_mod_date	Date Modified		99/99/99	
ocm_mod_userid	Modified By		X(8)	
ocm_page	Page		Call/Page	
ocm_schedule	On Call Schedule	Schedule	X(8)	
ocm_start_eff	Start Effective	Start	99/99/99	
ocm_user1	user1		x(8)	
ocm_user2	user2		x(8)	
ocm__chr01	User Character Field 1		X(8)	
ocm__dte01	User Date Field 1		99/99/99	
ocm__log01	User Logical Field 1		yes/no	
ocm__qadc01	QAD Character Field 1		X(8)	
ocm__qadl01	QAD Logical Field 1		yes/no	
ocm__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ocm_area	yes	ocm_area	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_code	no	ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_schedule	no	ocm_eng_code	yes	no
		ocm_schedule	yes	no
		ocm_start_eff	yes	no

opc_ctrl Shop Floor Operation History Control File

Field Name	Label	Col-Label	Format	Dec
opc_close_gl	Create GL		yes/no	
opc_index1	Index		>>>>9	
opc_move	Move Next Operation		yes/no	
opc_payroll	Interface Payroll		yes/no	
opc_std_hrs	Standard Hours		>>9.99	2
opc_std_per	Standard Period		x(1)	

Field Name	Label	Col-Label	Format	Dec
opc_time_ind	Time Indicator		x(1)	
opc_user1	Ufld1		x(8)	
opc_user2	Ufld2		x(8)	
opc__qad01			>>>>>9	
opc__qadi02			>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* opc_index1	yes	opc_index1	yes	no

opgl_det Shop Floor Operation – General Ledger Detail

Field Name	Label	Col-Label	Format	Dec
opgl_cr_acct	Cr Acct		x(8)	
opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
opgl_cr_line	Line		>>>9	
opgl_cr_proj	Cr Project	Project	x(8)	
opgl_dr_acct	Dr Acct		x(8)	
opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
opgl_dr_line	Line		>>>9	
opgl_dr_proj	Dr Project	Project	x(8)	
opgl_dy_code	Daybook		x(8)	
opgl_dy_num	Entry Number		x(40)	
opgl_gl_amt	Amount		->>>>>, >>9.99	2
opgl_gl_ref	GL Reference		x(14)	
opgl_sequence	Sequence		->, >>>, >>9	
opgl_trnbr	OP Transaction	Trans	>>>>>9	
opgl_type	Type		x(8)	
opgl_user1	user1		x(8)	
opgl_user2	user2		x(8)	
opgl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
opgl_dr_cr	no	opgl_dr_acct	yes	no
		opgl_dr_cc	yes	no
		opgl_cr_acct	yes	no
opgl_dy	no	opgl_dy_code	yes	no
		opgl_dy_num	yes	no
		opgl_sequence	yes	no
* opgl_nbr_ref	yes	opgl_trnbr	yes	no
		opgl_gl_ref	yes	no
		opgl_sequence	yes	no
opgl_ref_nbr	no	opgl_gl_ref	yes	no
		opgl_trnbr	yes	no
opgl_type_nbr_ref	no	opgl_type	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no

302 opm_mstr

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
opm_batch	Batch Size		>, >>>, >>9	
opm_bom_code	BOM Code		X(18)	
opm_cmtindx	Comment Index	Comment	>>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>, >>9.999	3
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>, >>>, >>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	3
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>, >>9.9<<	3
opm_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<<	9
opm_setup	Setup Time	Setup	>, >>9.9<<	3
opm_std_op	Standard Operation	Std Op	x(8)	
opm_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	2
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>, >>>, >>9.99	10
opm__dec02			>>>, >>>, >>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__qade01	QAD Decimal Field 1		->>, >>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
opm_desc	yes	opm_desc	yes	no
		opm_std_op	yes	no
* opm_std_op	yes	opm_std_op	yes	no

ops_ctrl

Operations Plan Control File

Field Name	Label	Col-Label	Format	Dec
ops_cover	Maximum Weeks Coverage	Max Wks	>9.99	2
ops_index1	Index		>>>>9	
ops_move	Move Holiday Production		yes/no	
ops_plan	Use Operations Plan	Ops Plan	yes/no	
ops_round	Use Rounding		yes/no	
ops_user1	Ufld1		x(8)	
ops_user2	Ufld2		x(8)	
ops__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ops_index1	yes	ops_index1	yes	no

op_hist

Shop Floor Operation History

Field Name	Label	Col-Label	Format	Dec
op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>>, >>9.999	3
Δ op_act_run	Act Run Time	Act Run	->, >>9.9<<	9
op_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	3
op_act_units	Actual Units/Cycle	Act U/C	>>>>9	0
op_bdn_cost	Burden Cost	Burden	->>>, >>9.99	10
op_bdn_std	Burden Cost Std	Std Burden	->>>, >>9.99	10
op_ca_int_type	Work Code		x(8)	
op_ca_opn_date			99/99/99	
op_cmtindx	Comment Index		>>>>>>9	
op_comment	Comment		x(40)	
op_covered_amt	Covered Amount		>>>, >>, >>9.99<<<	10
op_curr	Currency	Cur	x(3)	
op_date	Effective Date	Date	99/99/99	
op_dept	Department		x(8)	
op_earn	Earning Code		x(4)	
op_emp	Employee		x(8)	
op_eng_area	Service Area	Area	x(18)	
op_eng_code	Engineer Code	Eng Code	x(8)	
op_exru_seq	Sequence		>>>>>>>9	
op_ex_rate	Exch Rate		>>>, >>, >>9.9<<<<<<<<<	10
op_ex_rate2	Exch Rate 2		>>>, >>, >>9.9<<<<<<<<<	10
op_ex_ratetype	Rate Type		x(8)	
op_fcg_code	Charge Code		x(8)	
Δ op_flbr_cstd	Curr Cost		->>>, >>9.99	10
Δ op_flbr_std			->>>, >>9.99	10
Δ op_flvrte_accr			->>>, >>9.99	10
Δ op_flvrte_post			->>>, >>9.99	10
op_from_op	From Operation		>>>>99	
op_fsc_code	Service Category		x(8)	
op_fsm_type	FSM Type		x(8)	
op_itm_line			>>>>9	
op_lbr_cost	Labor Cost	Labor	->>>, >>9.99	10
Δ op_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
op_lbr_std	Labor Cost Std	Std Labor	->>>, >>9.99	10
op_line	Production Line	Line	x(8)	

304 op_hist

Field Name	Label	Col-Label	Format	Dec
op_mch	Machine		x(8)	
op_milestone	Milestone Operation	Milestone	yes/no	
op_part	Item Number		x(18)	
op_pay_calc	Payroll Calculated		yes/no	
op_po_nbr	Purchase Order	PO	x(8)	
op_price	Price		>>>>,>>>,>>9.99<<<<	10
op_program	Program		x(12)	
op_project	Project		x(8)	
op_pro_pct	Prorate Pct		->>9.99%	2
op_qty_adjust	Qty Adjusted		->,>>>,>>9.9<<<<<<<<	10
op_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
op_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
op_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<<	10
op_qty_scrap	Qty Scrapped		->,>>>,>>9.9<<<<<<<<	10
op_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_sad_line	Line	Ln	>>9	
op_sa_nbr	Service Contract		x(8)	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>,>>9.999	3
op_std_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<<	9
op_std_setup	Std Setup Time	Std Setup	>,>>9.9<<	3
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0
op_sub_cost	Subcontract Cost	Subcontract	->>>>,>>9.99	10
op_sub_std	Subcontract Std	Std Subcntrct	->>>>,>>9.99	10
op_svc_type			x(1)	
op_sv_code	Contract Type		x(8)	
op_time	Time		>>,>>>,>>9	
op_tool	Tool Code	Tool	x(8)	
op_to_op	To Operation		>>>>99	
op_tran_date	Tran Date	Tran! Date	99/99/99	
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userid	User ID		x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	
op__chr01			x(8)	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>,>>>,>>9.99	10
op__dec02			>>>,>>>,>>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	

Field Name	Label	Col-Label	Format	Dec
op__qad02			x(8)	
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
op_date	no	op_date	yes	no
		op_trnbr	yes	no
op_emp	no	op_emp	yes	no
		op_site	yes	no
		op_date	yes	no
op_lot_op	no	op_wo_lot	yes	no
		op_wo_op	yes	no
		op_date	yes	no
op_part	no	op_part	yes	no
		op_site	yes	no
		op_wo_op	yes	no
		op_date	yes	no
op_rsn	no	op_rsn	yes	no
		op_site	yes	no
		op_date	yes	no
op_rsn_rjct	no	op_rsn_rjct	yes	no
		op_site	yes	no
		op_date	yes	no
op_rsn_rwrk	no	op_rsn_rwrk	yes	no
		op_site	yes	no
		op_date	yes	no
* op_trnbr	yes	op_trnbr	yes	no
op_type	no	op_site	yes	no
		op_type	yes	no
		op_date	yes	no
op_wkctr	no	op_site	yes	no
		op_wkctr	yes	no
		op_mch	yes	no
		op_date	yes	no
op_wo_nbr	no	op_wo_nbr	yes	no
		op_wo_lot	yes	no
		op_date	yes	no

pac_mstr Purchase Approval Code Master

Field Name	Label	Col-Label	Format	Dec
pac_amt[4]	Minimum Amount		-->>>>, >>>, >>9.99	2
pac_apr_by[4]	Approver		x(8)	
pac_code	Approval Code	Apv Code	x(8)	
pac_desc	Description		x(24)	
pac_mod_date	Modified Date	Mod Date	99/99/99	
pac_pl	Product Line	Line	x(4)	
pac_pur_acct	Purchases Acct	Pur Acct	x(8)	

306 pald_det

Field Name	Label	Col-Label	Format	Dec
pac_pur_cc	Purchases CC	CC	x(4)	
pac_req_by	Requested By	Req By	x(8)	
pac_site	Site		x(8)	
pac_user1	User1		x(8)	
pac_user2	User2		x(8)	
pac_userid	User ID		x(8)	
pac__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pac_code	yes	pac_code	yes	no
pac_index1	no	pac_site	yes	no
		pac_pl	yes	no
		pac_pur_acct	yes	no
		pac_pur_cc	yes	no
		pac_req_by	yes	no

pald_det Pallet Detail

Field Name	Label	Col-Label	Format	Dec
pald_desc	Description		x(24)	
pald_height	Height		>>, >>9.99	2
pald_hght_um	UM		x(2)	
pald_nbr_lay	Number of Layers		>, >>>, >>9	
pald_pallet	Pallet Type	Type	x(8)	
pald_part	Item Number	Item	x(18)	
pald_um	UM		x(2)	
pald_unit_lay	Units per Layer		>, >>>, >>9	
pald_user1	Ufld1		x(8)	
pald_user2	Ufld2		x(8)	
pald_weight	Weight		>>, >>9.99	2
pald_wght_um	UM		x(2)	
pald__chr01			x(8)	
pald__chr02			x(8)	
pald__chr03			x(8)	
pald__chr04			x(8)	
pald__chr05			x(8)	
pald__dec01			->>>, >>>, >>9.99<	10
pald__dec02			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pald_pallet	yes	pald_pallet	yes	no
		pald_part	yes	no

pal_mstr

Pallet Master

Field Name	Label	Col-Label	Format	Dec
pal_desc	Description		x(24)	
pal_height	Height		>>, >>9.99	2
pal_hght_um	UM		x(2)	
pal_nbr_lay	Number of Layers		>, >>>, >>9	
pal_pallet	Pallet Type	Type	x(8)	
pal_um	UM		x(2)	
pal_unit_lay	Units per Layer		>, >>>, >>9	
pal_user1	Ufld1		x(8)	
pal_user2	Ufld2		x(8)	
pal_weight	Weight		>>, >>9.99	2
pal_wght_um	UM		x(2)	
pal__chr01			x(8)	
pal__chr02			x(8)	
pal__chr03			x(8)	
pal__chr04			x(8)	
pal__chr05			x(8)	
pal__dec01			->>>, >>>, >>9.99<	10
pal__dec02			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pal_pallet	yes	pal_pallet	yes	no

pcc_ctrl

Product Change Control – Control File

Field Name	Label	Col-Label	Format	Dec
pcc_auto_nbr	Auto Number	Auto	yes/no	
pcc_cmnt_type	Comment Type		X(2)	
pcc_comm_lang	Common Language		X(2)	
pcc_db_seq	Common DB Sequence		>>>9	
pcc_ecooff_date	ECO Off Date		99/99/99	
pcc_index1	Index	Index	>>>>>>>9	
pcc_initial_date	Initialization Date		99/99/99	
pcc_max_wkfl	Max Workfile		>>>9	
pcc_next_pco[12]	Next Change Number		>>>>>>>9	
pcc_pco_pre[12]	Prefix		X(3)	
pcc_qspec_ok	PSM OK		yes/no	
pcc_quality_ok	Quality OK		yes/no	
pcc_routing_ok	Routings OK		yes/no	
pcc_security_on	Security On		yes/no	
pcc_struct_ok	Structures OK		yes/no	
pcc_user1	user1		x(8)	
pcc_user2	user2		x(8)	
pcc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcc_index	yes	pcc_index1	yes	no

308 pcd_det

pcd_det Purchase Order Line – Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
pcd_amt	Amount		->>>, >>>, >>9.99<<<	10
pcd_curr	Currency	Cur	x(3)	
pcd_element	Cost Element	Element	x(8)	
pcd_line	Line	Ln	>>9	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1	user1		x(8)	
pcd_user2	user2		x(8)	
pcd__qad01			99/99/99	
pcd__qad02			x(8)	
pcd__qad03			yes/no	
pcd__qad04			->>>, >>>, >>9.99<<<<	10
pcd__qad05			->>>, >>>, >>9.99<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pcd_ele	yes	pcd_nbr	yes	no
		pcd_line	yes	no
		pcd_element	yes	no

pck_det Payroll Check Detail

Field Name	Label	Col-Label	Format	Dec
pck_addr	Employee		x(8)	
pck_bank	Bank	Bk	x(2)	
pck_ck_date	Check Date	Chk Date	99/99/99	
pck_ck_nbr	Check		999999	
pck_ded_othr	Deductions		-ZZZ,ZZZ.99	2
pck_fname	First Name		x(16)	
pck_gross	GROSS		-ZZZ,ZZZ.99	2
pck_lname	Last Name		x(16)	
pck_net	NET		-ZZZ,ZZZ.99	2
pck_pd_date	Period End	Per End	99/99/99	
pck_posted	Posted		yes/no	
pck_req_nbr	Paycheck Request	Pay Req	99999	
pck_status	Status		x(6)	
pck_user1	Ufld1		x(8)	
pck_user2	Ufld2		x(8)	
pck_wk_loc	Wk Loc		x(4)	
pck_xfed_tax			-ZZZ,ZZZ.99	2
pck_xfica			-ZZZ,ZZZ.99	2
pck_xlocal			-ZZZ,ZZZ.99	2
pck_xother			-ZZZ,ZZZ.99	2
pck_xovertime			-ZZZ,ZZZ.99	2
pck_xregular			-ZZZ,ZZZ.99	2
pck_xsdi			-ZZZ,ZZZ.99	2
pck_xsick			-ZZZ,ZZZ.99	2
pck_xst_tax			-ZZZ,ZZZ.99	2
pck_xvac			-ZZZ,ZZZ.99	2
pck__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
pck_ck_nbr	no	pck_ck_nbr	yes	no
		pck_bank	yes	no
pck_ind1	no	pck_addr	yes	no
		pck_ck_date	yes	no
		pck_bank	yes	no
		pck_req_nbr	yes	no
pck_ind2	no	pck_pd_date	yes	no
		pck_bank	yes	no
		pck_ck_nbr	yes	no
pck_ind3	yes	pck_pd_date	yes	no
		pck_bank	yes	no
		pck_lname	yes	no
		pck_fname	yes	no
		pck_req_nbr	yes	no
pck_ind4	yes	pck_pd_date	yes	no
		pck_bank	yes	no
		pck_req_nbr	yes	no
* pck_index	yes	pck_pd_date	yes	no
		pck_bank	yes	no
		pck_addr	yes	no
		pck_req_nbr	yes	no
pck_wk_loc	no	pck_wk_loc	yes	no

pcl_d_det Product Change Control – Group Detail

Field Name	Label	Col-Label	Format	Dec
pcl_d_copies	Copies	Cp	>>9	
pcl_d_dev	Output		x(8)	
pcl_d_expire	Expire Date		99/99/99	
pcl_d_group	Group		x(8)	
pcl_d_id	User Id		x(8)	
pcl_d_mod_date	Modified Date	Mod Date	99/99/99	
pcl_d_user1	Ufld1		x(8)	
pcl_d_user2	Ufld2		x(8)	
pcl_d_userid	User ID		x(8)	
pcl_d_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcl_d_groupid	yes	pcl_d_group	yes	no
		pcl_d_id	yes	no

pcl_mstr Product Change Control – Group Master

Field Name	Label	Col-Label	Format	Dec
pcl_bsn_unit	Business Unit		>>>>>>>9	
pcl_desc	Description		x(24)	
pcl_group	Group		x(8)	
pcl_index			>>>>>9	

310 pct_mstr

Field Name	Label	Col-Label	Format	Dec
pcl_mod_date	Modified Date	Mod Date	99/99/99	
pcl_type	Type	T	x(2)	
pcl_user1	Ufld1		x(8)	
pcl_user2	Ufld2		x(8)	
pcl_userid	User ID		x(8)	
pcl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pcl_group	yes	pcl_group	yes	no
		pcl_type	yes	no

pct_mstr Product Change Control – Type Master

Field Name	Label	Col-Label	Format	Dec
pct_approval	Approval Code	Approval	x(8)	
pct_dc_warn	Warning Type		>9	
pct_desc	Description		x(24)	
pct_distr	Distribution	Dstrbn	x(8)	
pct_doc_type	Document Type	Doc Type	X(8)	
pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pct_mod_date	Modified Date	Mod Date	99/99/99	
pct_prefix	Prefix	Pre	x(3)	
pct_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
pct_seqrev_off	Rev Level Off	Off	yes/no	
pct_type	Type		x(8)	
pct_user1	Ufld1		x(8)	
pct_user2	Ufld2		x(8)	
pct_userid	User ID		x(8)	
pct__qad01	ECR/ECN		yes/no	
pct__qad02			99/99/99	
pct__qad03			x(8)	
pct__qad04			x(8)	
pct__qad05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pct_type	yes	pct_type	yes	no
		pct_dsgn_grp	yes	no

pc_mstr Price List Master

Field Name	Label	Col-Label	Format	Dec
pc_amt[15]	Amount		->>>, >>>, >>9.99<<<	10
pc_amt_type	Amount Type	T	x(1)	
pc_curr	Currency	Cur	x(3)	
pc_expire	Expire		99/99/99	
pc_list	Price List	List	x(8)	
pc_max_price[10]	Maximum Price		->>>, >>>, >>9.99<<<	2
pc_min_price	Minimum Price		->>>, >>>, >>9.99<<<	10
pc_min_qty[15]	Min Qty		>>>>>>9	2
pc_mod_date	Modified Date	Mod Date	99/99/99	
pc_part	Item Number		x(18)	
pc_prod_line	Product Line	Line	x(4)	
pc_start	Start		99/99/99	
pc_tax_in	Tax In		yes/no	
pc_um	UM		x(2)	
pc_user1	Ufld1		x(8)	
pc_user2	Ufld2		x(8)	
pc_userid	User ID		x(8)	
pc__qad01			>>9.99%	2
pc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pc_list	yes	pc_list	yes	no
		pc_curr	yes	no
		pc_prod_line	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_start	yes	no
pc_part	no	pc_part	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no
pc_prod_line	no	pc_prod_line	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no

pfc_det Production Forecast

Field Name	Label	Col-Label	Format	Dec
pfc_date	Date	Date	99/99/99	
pfc_id_num			>>>>>>9	
pfc_part	Item Number		x(18)	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
pfc_site	Site		x(8)	
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	
pfc__qadc01			x(8)	

312 pfd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* pfc_part	yes	pfc_part	yes	no
		pfc_site	yes	no
		pfc_peg_part	yes	no
		pfc_date	yes	no
pfc_peg_part	no	pfc_peg_part	yes	no
		pfc_site	yes	no

pfd_det

Service/Support Item-Site Data

Field Name	Label	Col-Label	Format	Dec
pfd_bench_lead	Repair Lead Time	Rp Tm	>>>9	
pfd_cover	Subs Covered		yes/no	
pfd_cus_install	Customer Installable		yes/no	
pfd_field_lead	Field Repair Time		>,>>9.99<<	10
pfd_fru	FRU		yes/no	
pfd_inst_call	Install		yes/no	
pfd_ins_bom	Installation BOM		X(18)	
pfd_ins_route	Installation Routing		X(18)	
pfd_isb	Installed Base	Inst Base	yes/no	
pfd_life_cycle	Life Cycle		x(8)	
pfd_mfg_mtb	MFG MTBF		->>,>>9.99	2
pfd_mfg_mttr	MFG MTTR		->>,>>9.99	2
pfd_mod_date	Date Last Updated		99/99/99	
pfd_mod_userid	Last Updated By		X(8)	
pfd_mtb	MTBF		>>,>>9.99	2
pfd_mttr	MTTR		>>,>>9.99	2
pfd_obs_date	Obsolete Date		99/99/99	
pfd_origin	Country of Origin		x(12)	
pfd_part	Item		x(18)	
pfd_pm_mrp	Need PM MRP		yes/no	
pfd_pvm_bom	PM BOM		x(18)	
pfd_pvm_days	Days Between PM	PM Days	>>>>9	
pfd_pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd_pvm_limit	PM Limit		>>>>,>>>,>>9.99<<	2
pfd_pvm_replace	Always Replace on PM		yes/no	
pfd_pvm_route	PM Routing		x(18)	
pfd_pvm_safety	Safety Limit		>>>>,>>>,>99.99<<<	2
pfd_pvm_um	UM		x(8)	0
pfd_repairable	Repairable		yes/no	
pfd_rp_bom	Repair BOM		x(18)	
pfd_rp_route	Repair Routing		x(18)	
pfd_rp_site	Repair Site		x(8)	
pfd_rp_vendor	Repair Supplier	Supplier	x(8)	
pfd_site	Site		x(8)	
pfd_sttr	STTR		->>,>>9.99	2
pfd_svc_group	Service Group	Svc Grp	x(8)	
pfd_tariff	Tariff		x(8)	0
pfd_trace_active	Trace Active		yes/no	
pfd_unit_isb	Isb Unit Quantity		yes/no	
pfd_user1	user1		x(8)	
pfd_user2	user2		x(8)	

Field Name	Label	Col-Label	Format	Dec
pfd_ven_warr	Supplier Warranty	Supl Warr	yes/no	
pfd_warr_cd	Warranty Code	Warr Cd	x(8)	
pfd_chr01	Character Field 1		X(8)	
pfd_chr02	Character Field 2		X(8)	
pfd_dte01	Date Field 1		99/99/99	
pfd_dte02	Date Field 2		99/99/99	
pfd_int01	Integer Field 1		->,>>>,>>9	
pfd_int02	Integer Field 2		->,>>>,>>9	
pfd_log01	Logical Field 1		yes/no	
pfd_log02	Logical Field 2		yes/no	
pfd_qadc01	QAD Character Field 1		X(8)	
pfd_qadc02	QAD Character Field 2		X(8)	
pfd_qadd01	QAD Date Field 1		99/99/99	
pfd_qadi01	QAD Integer Field 1		->,>>>,>>9	
pfd_qadi02	QAD Integer Field 2		->,>>>,>>9	
pfd_qadl01	QAD Logical Field 1		yes/no	
pfd_qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pfd_pm_mrp	no	pfd_pm_mrp	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
* pfd_ptsite	yes	pfd_part	yes	no
		pfd_site	yes	no
pfd_sitept	no	pfd_site	yes	no
		pfd_part	yes	no

pgc_ctrl

Service/Support Pager Control File

Field Name	Label	Col-Label	Format	Dec
pgc_addr	Pager Company		x(8)	
pgc_append_ca	Append Call		yes/no	
pgc_index	Index		>>9	
pgc_paged_status	Paged Status		x(8)	
pgc_phone	Pager Number		x(20)	
pgc_port1	Program		x(32)	
pgc_port2	Parameter		x(32)	
pgc_port3	Port #3		x(32)	
pgc_port4	Port #4		x(32)	
pgc_post_control	After Phone Number		x(18)	
pgc_pre_control	Before Phone Number		x(18)	
pgc_program	Program		x(16)	
pgc_user1	user1		x(8)	
pgc_user2	user2		x(8)	
pgc_wait_status	Waiting for Page Status		x(8)	
pgc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pgc_index	yes	pgc_index	yes	no

314 pgh_hist

pgh_hist Service/Support Paging History

Field Name	Label	Col-Label	Format	Dec
pgh_ca_nbr	Call Number		x(8)	
pgh_date	Date		99/99/99	
pgh_eng_code	Engineer		x(8)	
pgh_phone	Phone		x(20)	
pgh_status	Status		x(8)	
pgh_time_init	Time	Time	99:99	
pgh_time_paged	Time Paged		99:99	
pgh_trnbr	Transaction		>>>>>>>>>9	
pgh_user1	user1		x(8)	
pgh_user2	user2		x(8)	
pgh_chr01	User Character Field 1		X(8)	
pgh_chr02	User Character Field 2		X(8)	
pgh_dte01	User Date Field 1		99/99/99	
pgh_log01	User Logical Field 1		yes/no	
pgh_qadc01	QAD Character Field 1		X(8)	
pgh_qadc02	QAD Character Field 2		X(8)	
pgh_qadl01	QAD Logical Field 1		yes/no	
pgh_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pgh_ca_nbr	no	pgh_ca_nbr	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_eng_code	no	pgh_eng_code	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_status	no	pgh_status	yes	no
* pgh_trnbr	yes	pgh_trnbr	no	no

pgm_det Program Detail File

Field Name	Label	Col-Label	Format	Dec
pgm_cmmt[20]	Program Data		x(76)	
pgm_desc	Description		x(24)	
pgm_eq	Equation Name	Eq Name	x(8)	
pgm_mod_date	Modified Date	Mod Date	99/99/99	
pgm_ref	Program Reference		x(40)	
pgm_seq	Page		>9	
pgm_type	Type	T	x(2)	
pgm_user1	Ufld1		x(8)	
pgm_user2	Ufld2		x(8)	
pgm_userid	User ID		x(8)	
pgm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pgm_ref_eq	yes	pgm_ref	yes	no
		pgm_eq	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pgm_type	yes	no
		pgm_seq	yes	no
pgm_type_eq	no	pgm_type	yes	no
		pgm_eq	yes	no

pic_ctrl Pricing Control File

Field Name	Label	Col-Label	Format	Dec
pic_cust_regen	Customers		yes/no	
pic_disc_comb	Discount Combination Type		x(24)	
pic_fs_date	FSM Default Pricing Date		x(24)	
pic_fs_fact	Display FSM Discounts as		yes/no	
pic_fs_linpri	Price Contracts by Line		yes/no	
pic_fs_rfact	FSM Factor Rounding		>>9	
pic_index1	Index		>>>>>9	
pic_item_regen	Items		yes/no	
pic_list_id	Next Price List ID		>>>>>>9	
pic_po_date	PO Default Price Date		x(24)	
pic_po_fact	Display PO Discounts as		yes/no	
pic_po_linpri	Price PO by Line		yes/no	
pic_po_rfact	PO Factor Rounding		>>9	
pic_promo_pre	Promotions Prefix		x(3)	
pic_qo_date	QO Default Price Date		x(24)	
pic_qo_fact	Display QO Discounts as		yes/no	
pic_qo_linpri	Price QO by Line		yes/no	
pic_qo_rfact	QO Factor Rounding		>>9	
pic_so_date	SO Default Pricing Date		x(24)	
pic_so_fact	Display SO Discounts as		yes/no	
pic_so_linpri	Price SO by Line		yes/no	
pic_so_rfact	SO Factor Rounding		>>9	
pic_user1	Ufld1		x(8)	
pic_user2	Ufld2		x(8)	
pic_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pic_index1	yes	pic_index1	yes	no

316 pid_det

pid_det

Price List Detail

Field Name	Label	Col-Label	Format	Dec
pid_amt	Amount		-->>>, >>>, >>9.9<<<	10
pid_cr_terms	Credit Terms	Terms	x(8)	
pid_fr_list	Freight List	Frt List	x(8)	
pid_fr_terms	Freight Terms		x(8)	
pid_list_id	List Id		x(8)	
pid_qty	Min Qty		-->, >>>, >>9.9<<<<<<<<<	10
pid_user1	Ufld1		x(8)	
pid_user2	Ufld2		x(8)	
pid__qadc01			x(8)	
pid__qadd01			-->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* pid_list_id	yes	pid_list_id	yes	no
		pid_qty	yes	no

pigc_det

Price List Group Customers

Field Name	Label	Col-Label	Format	Dec
Δ pigc_amt_type	Amount Type		x(24)	
Δ pigc_code	Price List Group		x(8)	
◇ pigc_curr	Currency	Cur	X(3)	
Δ pigc_div	Division		x(8)	
Δ pigc_expire	Expire		99/99/99	
Δ pigc_include	Include		yes/no	
Δ pigc_mem_ref	Member Reference		x(8)	
Δ pigc_mem_type	Member Type		>>>9	
◇ pigc_srch_type	Search Type		>>9	
Δ pigc_start	Start		99/99/99	
Δ pigc_user1	Ufld1		x(8)	
Δ pigc_user2	Ufld2		x(8)	
pidc__qadc01			x(8)	
pidc__qadc02			x(8)	
pidc__qadc03			x(8)	
Δ pigc__qadd01			-->>>>, >>>, >>9.9	10
Δ pigc__qadd02			-->>>>, >>>, >>9.9	10
pidc__qadi01			->, >>>, >>9	
pidc__qadi02			->, >>>, >>9	
pidc__qadi01			yes/no	
pidc__qadi02			yes/no	
pidc__qadt01			99/99/99	
pidc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pigc_code	yes	pidc_code	yes	no
		pidc_mem_type	yes	no
		pidc_mem_ref	yes	no
		pidc_amt_type	yes	no
Δ pigc_member	no	pidc_div	yes	no
		pidc_mem_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pigc_mem_ref	yes	no
		pigc_srch_type	yes	no
		pigc_curr	yes	no
		pigc_start	yes	no

pigp_det

Price List Group Items

Field Name	Label	Col-Label	Format	Dec
Δ pigp_amt_type	Amount Type		X(24)	
Δ pigp_code	Price List Group		x(8)	
◊ pigp_curr	Currency	Cur	X(3)	
Δ pigp_div	Division		X(8)	
Δ pigp_expire	Expire		99/99/9999	
Δ pigp_include	Include		yes/no	
Δ pigp_list_id	List ID		x(8)	
Δ pigp_prod_ref	Item Reference		X(18)	
Δ pigp_prod_type	Item Type		9	
◊ pigp_srch_type	Search Type		>>9	
Δ pigp_start	Start		99/99/99	
Δ pigp_user1	Ufld1		x(8)	
Δ pigp_user2	Ufld2		x(8)	
pigp__qadc01			x(8)	
pigp__qadc02			x(8)	
pigp__qadc03			x(8)	
Δ pigp_qadd01			->>>>,>>>,>>9.9	10
Δ pigp_qadd02			->>>>,>>>,>>9.9	10
pigp__qadi01			->,>>>,>>9	
pigp__qadi02			->,>>>,>>9	
pigp__qadi01			yes/no	
pigp__qadi02			yes/no	
pigp__qadt01			99/99/99	
pigp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* pigp_code	yes	pigp_code	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_amt_type	yes	no
Δ pigp_product	no	pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

318 pig_mstr

pig_mstr

Price List Groups

Field Name	Label	Col-Label	Format	Dec
Δ pig_all_custs	All Customers		yes/no	
Δ pig_all_items	All Items		yes/no	
Δ pig_amt_type	Amount Type		x(24)	
Δ pig_code	Price List Group		x(8)	
Δ pig_curr	Currency	Cur	x(3)	
Δ pig_desc	Description		x(24)	
Δ pig_div	Division		x(8)	
Δ pig_expire	Expire		99/99/99	
Δ pig_list	Price List		x(8)	
Δ pig_list_id	List ID		x(8)	
Δ pig_priority	Priority		>9	
Δ pig_ref_code	Reference		x(16)	
Δ pig_ref_type	Reference Type		99	
◊ pig_srch_type	Search Type		>>9	
Δ pig_start	Start		99/99/99	
Δ pig_user1	Ufld1		x(8)	
Δ pig_user2	Ufld2		x(8)	
Δ pig_val_type	Value Type		x(24)	
pig_qadc01			x(8)	
pig_qadc02			x(8)	
pig_qadc03			x(8)	
Δ pig_qadd01			->>>>, >>>, >>9.9	10
Δ pig_qadd02			->>>>, >>>, >>9.9	10
pig_qadi01			->, >>>, >>9	
pig_qadi02			->, >>>, >>9	
pig_qadi01			yes/no	
pig_qadi02			yes/no	
pig_qadt01			99/99/99	
pig_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ pig_all_custs	no	pig_div	yes	no
		pig_all_custs	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
◊ pig_all_items	no	pig_div	yes	no
		pig_all_items	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
* pig_code	yes	pig_code	yes	no
		pig_amt_type	yes	no
pig_div_code	yes	pig_div	yes	no
		pig_code	yes	no
		pig_amt_type	yes	no
pig_ref	no	pig_ref_type	yes	no
		pig_ref_code	yes	no

pih_hist Pricing History File

Field Name	Label	Col-Label	Format	Dec
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC		x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub		x(8)	
pih_amt	Amount		->>>>, >>>, >>>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_config_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>, >>>, >>>9.99<<<	10
pih_disc_cc	Cost Ctr		x(4)	
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>, >>9.<<<<<<	5
pih_disc_sub	Sub Acct		x(8)	
pih_doc_type	Doc Type		>>9	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frt List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>, >>>, >>>9.99<	2
pih_mod_date	Modified Date		99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	
pih_promo4	APM Code 4		x(8)	
pih_qty	Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_qty_type	Qty Type		x(24)	
pih_source	Source		x(8)	
pih_time	Time		>>, >>>, >>9	
pih_um	UM		x(2)	
pih_user1	Ufld1		x(8)	
pih_user2	Ufld2		x(8)	
pih_userid	User Id		x(8)	
pih__chr01			x(8)	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>, >>>, >>9.99	10

320 pi_mstr

Field Name	Label	Col-Label	Format	Dec
pih__dec02			>>>,>>>,>>9.99	10
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>,>>>,>>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pih_comp	no	pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
pih_list	no	pih_option	yes	no
		pih_list	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
pih_list_id	no	pih_list_id	yes	no
* pih_nbr	yes	pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_config_disc	yes	no
		pih_source	yes	no
		pih_list_id	yes	no
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

pi_mstr Price List Master

Field Name	Label	Col-Label	Format	Dec
pi_accr_acct	Accrual Acct		x(8)	
pi_accr_cc	Accrual CC		x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub		x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	
pi_cmtindx	Comments		>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_config_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr		x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>,>>9.9<<<<<	5
pi_disc_sub	Sub Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>>, >>>, >>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>, >>>, >>9.99<<<	10
pi_max_qty	Max Qty		->>, >>>, >>9.9<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>, >>>, >>9.99<	2
pi_min_price	Min Price		>>>>, >>>, >>9.99<<<	10
pi_mod_date	Modified Date		99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
Δ pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	
pi_promo1	Promotion Code		x(8)	
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	
pi_user2	Ufld2		x(8)	
pi_userid	User Id		x(8)	
pi__chr01			x(8)	
pi__chr02			x(8)	
pi__chr03			x(8)	
pi__chr04			x(8)	
pi__chr05			x(8)	
pi__chr06			x(8)	
pi__chr07			x(8)	
pi__chr08			x(8)	
pi__chr09			x(8)	
pi__chr10			x(8)	
pi__dec01			>>>, >>>, >>9.99	10
pi__dec02			>>>, >>>, >>9.99	10
pi__dte01			99/99/99	
pi__dte02			99/99/99	
pi__log01			yes/no	
pi__qadc01			x(8)	
pi__qadd01			->>>, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pi_cs_code	no	pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
* pi_list	yes	pi_list	yes	no

322 pj_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
pi_list_id	yes	pi_list_id	yes	no
pi_part_code	no	pi_part_type	yes	no
		pi_part_code	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no

pj_mstr

Project Master

Field Name	Label	Col-Label	Format	Dec
pj_active	Active	Act	yes/no	
pj_beg_dt	Begin Date	Beg Date	99/99/99	
pj_cmtindx	Comment Index	Cmmt Indx	>>>>>>9	
pj_comp	Actual Completion Date	Comp Dt	99/99/99	
pj_desc	Description		x(24)	
pj_findate	Original Completion Date	Org C Dt	99/99/99	
pj_project	Project		x(8)	
pj_revdate	Date Revised	Date Rev	99/99/99	
pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
pj_stat	Status Code	S	x(1)	
pj_type	Project Type	T	x(2)	
pj_user1	Ufld1		x(8)	
pj_user2	Ufld2		x(8)	
pj__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
pj_active	yes	pj_project	yes	no
		pj_active	yes	no
pj_desc	no	pj_desc	yes	no
		pj_project	yes	no
* pj_project	yes	pj_project	yes	no

pk_det

Pick List Detail

Field Name	Label	Col-Label	Format	Dec
pk_end	End		99/99/99	
pk_loc	Location		x(8)	
pk_lot	ID		x(8)	
pk_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
pk_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
pk_reference	Reference	Ref	x(8)	
pk_start	Start		99/99/99	
pk_user			x(8)	
pk_user1	Ufld1		x(8)	
pk_user2	Ufld2		x(8)	
pk__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pk_det	yes	pk_user	yes	no
		pk_part	yes	no
		pk_reference	yes	no
		pk_start	yes	no
		pk_end	yes	no

pld_det Product Line Detail

Field Name	Label	Col-Label	Format	Dec
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodlne	Product Line	Line	x(4)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	
pld__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pld_det	yes	pld_prodlne	yes	no
		pld_site	yes	no
		pld_loc	yes	no
pld_site	yes	pld_site	yes	no
		pld_loc	yes	no
		pld_prodlne	yes	no

324 plsd_det

plsd_det

Product Line Sales Detail

Field Name	Label	Col-Label	Format	Dec
plsd_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
plsd_cbdn_cc	COGS Burden CC	CC	x(4)	
plsd_channel	Channel		x(8)	
plsd_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
plsd_clbr_cc	COGS Labor CC	CC	x(4)	
plsd_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
plsd_cmtl_cc	COGS Material CC	CC	x(4)	
plsd_cmtype	Customer Type	Type	x(4)	
plsd_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
plsd_covh_cc	COGS Overhead CC	CC	x(4)	
plsd_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
plsd_csub_cc	COGS Subcontract CC	CC	x(4)	
plsd_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
plsd_dsc_cc	Sales Disc Ctr	CC	x(4)	
plsd_mod_date	Modified Date	Mod Date	99/99/99	
plsd_prodlne	Product Line	Line	x(4)	
plsd_site	Site		x(8)	
plsd_sls_acct	Sales Acct	Sales	x(8)	
plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
plsd_user1	Ufld1		x(8)	
plsd_user2	Ufld2		x(8)	
plsd_userid	User ID		x(8)	
plsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* plsd_prodlne	yes	plsd_prodlne	yes	no
		plsd_site	yes	no
		plsd_cmtype	yes	no
		plsd_channel	yes	no

plt_det

Product Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
plt_mod_date	Modified Date	Mod Date	99/99/99	
plt_prod_line	Product Line	Line	x(4)	
plt_taxable	Taxable		yes/no	
plt_taxc	Tax Class	TxC	x(3)	
plt_tax_type	Tax Type		x(3)	
plt_user1	User1		x(8)	
plt_user2	User2		x(8)	
plt_userid	User ID		x(8)	
plt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* plt_prod_line	yes	plt_prod_line	yes	no
		plt_tax_type	yes	no

pl_mstr

Product Line Master

Field Name	Label	Col-Label	Format	Dec
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_cvr_acct	Contract Coverage	Contract	x(8)	
pl_cvr_cc	Contract Coverage CC	CC	x(4)	
pl_def_acct	Deferred Contract		x(8)	
pl_def_cc	Deferred CC		x(4)	
pl_desc	Description		x(24)	
pl_division			x(8)	
pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
pl_esls_acct	Exempt Sales Acct		x(8)	
pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
pl_fiscal_class	Fiscal Class		x(18)	
pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
pl_flr_cc	Floor Stock CC	CC	x(4)	
pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
pl_fsexd_acct	Expense Due Employee		x(8)	
pl_fsexd_cc	Expenses Due CC	CC	x(4)	
pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
pl_fsexp_cc	Service Expenses CC	CC	x(4)	
pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
pl_fslbr_cc	Service Labor CC	CC	x(4)	
pl_fsmtl_acct	Service Material	Svc Mtl	x(8)	
pl_fsmtl_cc	Service Material	CC	x(4)	
pl_fsrc_inv_acct	Repair Center Inv		x(8)	
pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
pl_group			x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
pl_mvar_cc	Material Usage Variance CC	CC	x(4)	

326 pl_mstr

Field Name	Label	Col-Label	Format	Dec
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rtsr_acct	RTS Returns Acct	Revalue	x(8)	
pl_rtsr_cc	RTS Returns Cost Ctr	CC	x(4)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_srev_acct	Contract Revenue		x(8)	
pl_srev_cc	Contract CC		x(4)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl__chr01			x(8)	
pl__chr02			x(8)	
pl__chr03			x(8)	
pl__chr04			x(8)	
pl__chr05			x(8)	
pl__dec01			>>>, >>>, >>9.99	10
pl__dec02			>>>, >>>, >>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadd01	QAD Decimal Field 1		->>, >>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
pl_desc	yes	pl_desc	yes	no
		pl_prod_line	yes	no
* pl_prod_line	yes	pl_prod_line	yes	no

poc_ctrl

Purchase Order Control File

Field Name	Label	Col-Label	Format	Dec
poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
poc_apv_req	Approved Reqs Needed for POs		yes/no	
poc_bill	Bill-To		x(8)	
poc_crtacc_acct	PO Interest Accrued Acct		X(8)	
poc_crtacc_cc	PO Interest Accrued CC		X(4)	
poc_crtapp_acct	PO Interest Applied Acct		X(8)	
poc_crtapp_cc	PO Interest Applied CC		X(4)	
poc_ers_opt	ERS Option	ERS! Opt	x(1)	
poc_ers_proc	ERS Processing		yes/no	
poc_ex_ratetype	Rate Type		x(8)	
poc_fst_id	Company FST ID		x(18)	
poc_hcmmts	PO Header Comments		yes/no	
poc_ico_acct	Intercompany Acct		x(8)	
poc_ico_cc	Intercompany Cost Center	CC	x(4)	
poc_index1	Index		>>>>9	
poc_insp_loc	Inspection Location	Inspect	x(8)	
poc_lcmmts	PO Line Comments		yes/no	
poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	
poc_ln_stat	Cancel Backorders	Cancel	x(1)	
poc_next_batch	Next Fiscal Batch		>>>>>>9	
poc_pc_line	Price by PO Line Due Date		yes/no	
poc_pl_req	Price List Required		yes/no	
poc_po_hist	Keep Booking History	Book! Hst	yes/no	
poc_po_nbr	Next Purchase Order	Next PO	99999999	
poc_po_pre	PO Prefix	Pre	x(3)	
poc_pst_id	PST ID		x(18)	
poc_pt_req	Price Table Required		yes/no	
poc_rcv_all	Receive All		yes/no	
poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
poc_rcv_pre	Receiver Prefix	Pre	x(3)	
poc_rcv_type	Receiver Type	T	9	0
poc_req_nbr	Next Req		>>>>>>9	
poc_req_pre	Requisition Prefix	Pre	x(3)	
poc_ship	Ship-To		x(8)	
poc_sort_by	Sort PO By		Site/Line	
poc_tol_cst	Tolerance Cost	Tolerance \$	>>>>,>>>,>>9.99<<<	10
poc_tol_pct	Tolerance Percent	Tol %	>>>>.99	2
poc_user1	Ufld1		x(8)	
poc_user2	Ufld2		x(8)	
poc__qad01			99999	
poc__qadc01	QAD Field		X(8)	0
poc__qadc02	QAD Field		X(8)	0
poc__qadc03	QAD Field		X(8)	0

328 pod_det

Field Name	Label	Col-Label	Format	Dec
poc_qadd01	QAD Field		->>>>, >>>, >>9.99<<<	2
poc_qadd02	QAD Field		->>>>, >>>, >>9.99<<<	2
poc_qadi01	QAD Field		->, >>>, >>9	0
poc_qadi02	QAD Field		->, >>>, >>9	0
poc_qadi01	QAD Field		yes/no	0
poc_qadi02	QAD Field		yes/no	0
poc_qadi03	QAD Field		yes/no	0
poc_qadi04	QAD Field		yes/no	0
poc_qadi05	QAD Field		yes/no	0
poc_qadi06	QAD Field		yes/no	0
poc_qadt01	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
* poc_index1	yes	poc_index1	yes	no

pod_det

Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
pod_acct	Pur Acct		x(8)	
pod_approve	Approved By	Approved	x(8)	
pod_apr_code	Approval Code	Apr Code	x(8)	
pod_assay	Assay %		>>9.99%	2
pod_blanket	Blanket		x(8)	
pod_blnkt_ln	Blanket Line	Bl Ln	>>9	
pod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
pod_cc	Cost Ctr	CC	x(4)	
pod_cmtindx	Comment Index	Comment	>>>>>>>9	
pod_contract	Contract		x(8)	
pod_contr_id	Contract ID		x(30)	
pod_cost_chg	Receipt Cost		->>>, >>>, >>9.99<<<	10
pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
pod_cst_up	Update Current Cost		yes/no	
pod_cum_date[4]	Cum Start		99/99/99	
pod_cum_qty[4]	Cum Received		->>>>, >>>, >>9.9<<<<<<<<	10
pod_curr_rlse_id[3]	Active RLse ID		x(30)	
pod_desc	Description		x(40)	
pod_disc_pct	Disc%		->9.99%	2
pod_dock	Dock		x(8)	
pod_drp_ref	DRP Ref		x(8)	
pod_due_date	Due Date	Due	99/99/99	
pod_end_eff[4]	End Effective		99/99/99	
pod_ers_opt	ERS Option	ERS! Opt	>9	
pod_expire	Expire Date	Expire	99/99/99	
pod_fab_days	Fab Auth Days		>, >>9	
pod_fab_weeks	Fab Auth Weeks		>, >>9	
pod_firm_days	Firm Days		>, >>9	
pod_firm_weeks	Firm Weeks		>, >>9	
pod_fix_pr	Fixed Price		yes/no	
pod_fr_list	Freight List	Frt List	x(8)	
pod_fsm_type	FSM Type		x(8)	
pod_grade	Grade		x(2)	
pod_insp_rqd	Inspect Req	Insp	yes/no	

Field Name	Label	Col-Label	Format	Dec
pod_line	Line	Ln	>>9	
pod_loc	Location		x(8)	
pod_lot_next	Next Lot/Serial		x(18)	
pod_lot_rcpt	Single Lot		yes/no	
pod_mrp_pct	Supply Percent		>>9.99%	2
pod_nbr	Purchase Order	Order	x(8)	
pod_need	Need Date	Need	99/99/99	
pod_op	Operation	Op	>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pst	PST		yes/no	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<<	10
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>, >>>, >>9.99<<<	10
pod_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<<	10
pod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10
pod_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<<	10
pod_qty_rtn	Qty Returned		->, >>>, >>9.9<<<<<<<<<	10
pod_raw_days	Raw Auth Days		>, >>9	
pod_raw_weeks	Raw Auth Weeks		>, >>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->, >>>, >>9.9<<<<<<<<<	10
pod_request	Requested By	Req By	x(8)	
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_rev	Revision	Rev	x(4)	
pod_rlse_nbr	Next Release ID		99999999	
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sched	Scheduled		yes/no	
pod_sched_chgd	Scheduled		yes/no	
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sftytl_days	Safety Days		>>9.99	2
pod_sftytl_hrs	Safety Hours		>>9.99	2
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	

330 pod_det

Field Name	Label	Col-Label	Format	Dec
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>,>>>,>>9.99<<<	10
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	2
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_transit_days	Transport Days		>>9.99	2
pod_transit_hrs	Transport Hours		>>9.99	2
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufld1		x(8)	
pod_user2	Ufld2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod__chr01			x(8)	
pod__chr02			x(8)	
pod__chr03			x(8)	
pod__chr04			x(8)	
pod__chr05			x(8)	
pod__chr06			x(8)	
pod__chr07			x(8)	
pod__chr08			x(8)	
pod__chr09			x(8)	
pod__chr10			x(8)	
pod__dec01			>>>,>>>,>>9.99	10
pod__dec02			>>>,>>>,>>9.99	10
pod__dte01			99/99/99	
pod__dte02			99/99/99	
pod__log01			yes/no	
pod__qad01			99/99/99	
pod__qad02			->>>>>>>>>9	
pod__qad03			99:99:99	
pod__qad04[5]			x(40)	
pod__qad05			yes/no	
pod__qad06			x(1)	
pod__qad07			x(2)	
pod__qad08			99/99/99	
pod__qad09			->>>,>>>,>>9	
pod__qad10			x(8)	
pod__qad11			x(8)	
pod__qad12			yes/no	
pod__qad13			yes/no	
pod__qad14			99/99/99	
pod__qad15			yes/no	

Field Name	Label	Col-Label	Format	Dec
pod__qad16			x(8)	
pod__qadd01	QAD Field		-->>>>, >>>, >>9.99<<<	10
pod__qadd02	QAD Field		-->>>>, >>>, >>9.99	10
pod__qadd03	QAD Field		-->>>>, >>>, >>9.99<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
pod_fsm_type	no	pod_fsm_type	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
* pod_nbrln	yes	pod_nbr	yes	no
		pod_line	yes	no
pod_part	yes	pod_part	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_partdue	no	pod_part	yes	no
		pod_due_date	yes	no

pou_det

Point of Use Detail

Field Name	Label	Col-Label	Format	Dec
pou_cmtindx	Comment Index	Comment	>>>>>>>9	
pou_code	Point of Use Code	POU Code	x(18)	
pou_loc	Location		x(8)	
pou_mch	Machine		x(8)	
pou_site	Site		x(8)	
pou_user1	Ufld1		x(8)	
pou_user2	Ufld2		x(8)	
pou_wkctr	Work Center	Work Ctr	x(8)	
pou__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pou_code	yes	pou_code	yes	no
		pou_site	yes	no
		pou_wkctr	yes	no
		pou_mch	yes	no

po_mstr

Purchase Order Master

Field Name	Label	Col-Label	Format	Dec
po_ap_acct	AP Acct		x(8)	
po_ap_cc	Cost Ctr	CC	x(4)	
po_bank	Bank		x(2)	
po_bill	Bill-To		x(8)	
po_blanket	Blanket Order	Blanket	x(8)	
po_buyer	Buyer		x(8)	
po_cls_date	Close Date	Closed	99/99/99	
po_cmtindx	Comment Index	Comment	>>>>>>>9	
po_confirm	Confirming	Confirm	yes/no	

332 po_mstr

Field Name	Label	Col-Label	Format	Dec
po_contact	Contact		x(24)	
po_contract	Contract		x(18)	
po_cr_terms	Credit Terms	Terms	x(8)	
po_curr	Currency	Cur	x(3)	
po_cycl	Cycle Code	Cycl	x(2)	
po_del_to	Deliver To	Delv To	x(4)	
po_disc_pct	Disc %		->9.99%	2
po_due_date	Due Date		99/99/99	
po_duty_type	Duty Type	Dty	x(1)	
po_eff_strt	Blanket Start	Blanket St	99/99/99	
po_eff_to	Blanket End		99/99/99	
po_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
po_ers_opt	ERS Option	ERS! Opt	x(2)	
po_est_value	Est Value	Est Val	->>,>>>,>>9.99	10
po_exru_seq	Sequence		>>>>>>>9	
po_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
po_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
po_ex_ratetype	Rate Type		x(8)	
po_fix_pr	Fixed Price		yes/no	
po_fix_rate	Fixed Rate	Fixed	yes/no	
po_fob	FOB		x(20)	
po_frt	Freight		-z,zzz,zzz,zz9.99	10
po_fsm_type	FSM Type		x(8)	
po_fst_id	FST ID		x(18)	
po_inv_mthd	Invoices Via		x(1)	
po_is_btb	EMT PO		yes/no	
po_lang	Language		x(2)	
po_nbr	Purchase Order	Order	x(8)	
po_ord_date	Order Date	Date	99/99/99	
po_partial	Partial OK	Partial	yes/no	
po_prepaid	Amount Prepaid	Prepaid	->,>>>,>>>,>>9.99	10
po_priced_dt	Last Price Dt	Last Pri	99/99/99	
po_pricing_dt	Pricing Date	Price Dt	99/99/99	
po_print	Print PO	Print	yes/no	
po_project	Project		x(8)	
po_pr_list	Disc Tbl	Disc Tbl	x(8)	
po_pr_list2	Price Tbl	Pr Tbl	x(8)	
po_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_release	Release	Rel	yes/no	
po_rel_nbr	Rel		>>9	
po_req_id	Req By		x(8)	
po_rev	Revision	Rev	>>9	10
po_rmks	Remarks		x(40)	
po_sched	Scheduled		yes/no	
po_sch_mthd	Schedules Via		x(1)	
po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
po_ship	Ship-To		x(8)	
po_shipvia	Ship Via		x(20)	
po_site	Site		x(8)	
po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
po_so_nbr	Primary SO	Pr SO	x(8)	
po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
po_stat	Status	St	x(2)	
po_taxable	Taxable	Tax	yes/no	

Field Name	Label	Col-Label	Format	Dec
po_taxc	Tax Class	TxC	x(3)	
po_tax_date	Tax Date		99/99/99	
po_tax_env	Tax Environment	Tax Env	x(16)	
po_tax_pct[3]	Tax		->9.99<%	3
po_tax_usage	Tax Usage	TaxUsage	x(8)	
po_type	Type	Tp	x(1)	
po_user1	Ufld1		x(8)	
po_user2	Ufld2		x(8)	
po_user_id	Entered By	Ent By	x(8)	
po_vend	Supplier		x(8)	
po_xmit	Transm		X	
po__chr01			x(8)	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	
po__chr09			x(8)	
po__chr10			x(8)	
po__dec01			>>>, >>>, >>9.99	10
po__dec02			>>>, >>>, >>9.99	10
po__dte01			99/99/99	
po__dte02			99/99/99	
po__log01			yes/no	
po__qad01			99/99/99	
po__qad02			>>9	
po__qad03			99:99:99	
po__qad04			yes/no	
po__qad05			->>9.99%	2
po__qad06			yes/no	
po__qad07			x(8)	
po__qad08			x(4)	
po__qad09			->>, >>>, >>9.99	2
po__qadc01	QAD Field		X(8)	0
po__qadc02	QAD Field		X(8)	0
po__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadi01	QAD Field		->, >>>, >>9	0
po__qadi02	QAD Field		->, >>>, >>9	0

Index-Name	Uni	Field-Name	Asc	Abbr
po_buyer	no	po_buyer	yes	no
		po_vend	yes	no
		po_nbr	yes	no
po_fsm_type	no	po_fsm_type	yes	no
		po_nbr	yes	no
* po_nbr	yes	po_nbr	yes	no
po_type	yes	po_type	yes	no
		po_nbr	yes	no
po_vend	no	po_vend	yes	no
		po_nbr	yes	no

334 pp_plan

pp_plan

Product Line Plan

Field Name	Label	Col-Label	Format	Dec
pp_bklg_act[12]	Bklog Actual	Bklog Act	-->, >>9.9	2
pp_bklg_fcst	Bklog Plan		-->, >>9.9	2
pp_cost_act[12]	Cost Actual	Cost Act	-->, >>9.9	2
pp_cost_fcst[12]	Cost Plan		-->, >>9.9	2
pp_inv_act[12]	Inv Actual	Inv Act	-->, >>9.9	2
pp_inv_fcst	Inv Plan		-->, >>9.9	2
pp_ord_act[12]	Order Actual	Order Act	-->, >>9.9	2
pp_ord_fcst[12]	Order Plan		-->, >>9.9	2
pp_prod_act[12]	Prod Actual	Prod Act	-->, >>9.9	2
pp_prod_fcst[12]	Prod Plan		-->, >>9.9	2
pp_prod_line	Prod Line		x(4)	
pp_ship_act[12]	Ship Actual	Ship Act	-->, >>9.9	2
pp_ship_fcst[12]	Ship Plan		-->, >>9.9	2
pp_site	Site		x(8)	
pp_user1	Ufld1		x(8)	
pp_user2	Ufld2		x(8)	
pp_year	Year		>>>>	
pp__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pp_plan	yes	pp_site	yes	no
		pp_prod_line	yes	no
		pp_year	yes	no

pq_mstr

Product Line Requirements

Field Name	Label	Col-Label	Format	Dec
pq_end	End Date	End	99/99/99	
pq_lead	LT(Months)	LT	>>9	
pq_lt_off	Offset		-->9	
pq_prod_line	Product Line	Line	x(4)	
pq_qty_per	Quantity Per	Qty Per	-->>>, >>9.9<<<<<<<<	9
pq_ref	Reference		x(8)	
pq_rsc	Resource		x(8)	
pq_site	Site		x(8)	
pq_start	Start Date	Start	99/99/99	
pq_user1	Ufld1		x(8)	
pq_user2	Ufld2		x(8)	
pq__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pq_mstr	yes	pq_prod_line	yes	no
		pq_site	yes	no
		pq_rsc	yes	no
		pq_ref	yes	no
		pq_start	yes	no
pq_rsc	no	pq_rsc	yes	no
		pq_site	yes	no

prbd_det Service/Support Problem Detail

Field Name	Label	Col-Label	Format	Dec
prbd_cmtindx	Comment index		>>>>>>>>9	
prbd_comp_no	Comp to Take if No		x(18)	
prbd_comp_yes	Comp ID if Yes		x(18)	
prbd_gt_char	GT char		x(8)	
prbd_gt_dec	GE Decimal		->>, >>9.99	2
prbd_lt_char	Char Value		x(8)	
prbd_lt_dec	Less Than Decimal		->>, >>9.99	2
prbd_mod_date	Date Modified		99/99/99	
prbd_mod_userid	Modified By		X(8)	
prbd_parent	Parent		x(18)	
prbd_question[4]	Question		x(68)	
prbd_user1	User Field 1		X(8)	
prbd_user2	User Field 2		X(8)	
prbd_value_type	Value Type		x(8)	
prbd_chr01	User Character Field #1		x(8)	0
prbd_chr02	User Character Field #2		x(8)	0
prbd_chr03	User Character Field #3		x(8)	0
prbd_chr04	User Character Field #4		x(8)	0
prbd_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
prbd_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
prbd_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
prbd_dte01	User Date #1		99/99/99	
prbd_dte02	User Date #2		99/99/99	
prbd_dte03	User Date #3		99/99/99	
prbd_log01	User Logical #1		yes/no	
prbd_log02	User Logical #2		yes/no	
prbd_log03	User Logical #3		yes/no	
prbd_qadc01	Qad Field #1		x(8)	
prbd_qadc02	Qad Field #2		x(8)	
prbd_qadc03	Qad Field #3		x(8)	
prbd_qadc04	Qad Field #4		x(8)	
prbd_qadd01	Qad Date #1		99/99/99	
prbd_qadd02	Qad Date #2		99/99/99	
prbd_qadd03	Qad Date #3		99/99/99	
prbd_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
prbd_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
prbd_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
prbd_qadl01	Qad Logical #1		yes/no	
prbd_qadl02	Qad Logical #2		yes/no	
prbd_qadl03	Qad Logical #3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
prbd_par_no	yes	prbd_parent	yes	no
		prbd_comp_no	yes	no
* prbd_par_yes	yes	prbd_parent	yes	no
		prbd_comp_yes	yes	no

336 prb_mstr

prb_mstr Service/Support Problem Master

Field Name	Label	Col-Label	Format	Dec
prb_desc	Description		x(24)	
prb_mod_date	Date Modified		99/99/99	
prb_mod_userid	Modified By		99/99/99	
prb_parent	Parent		x(18)	
prb_part	Item		x(18)	
prb_problem	Problem		x(8)	
prb_svc_group	Service Group		x(8)	
prb_type	Type		x(8)	
prb_user1	User Field 1		X(8)	
prb_user2	User Field 2		X(8)	
prb__chr01	User Character Field 1		X(8)	
prb__chr02	User Character Field 2		X(8)	
prb__dec01	User Decimal Field 1		->>, >>9.99	2
prb__dte01	User Date Field 1		99/99/99	
prb__dte02	User Date Field 2		99/99/99	
prb__log01	User Logical Field 1		yes/no	
prb__qadc01	QAD Character Field 1		X(8)	
prb__qadc02	QAD Character Field 2		X(8)	
prb__qade01	QAD Decimal Field 1		->>, >>9.99	10
prb__qadl01	QAD Logical Field 1		yes/no	
prb__qadl02	QAD Logical Field 2		yes/no	
prb__qadt01	QAD Date Field 1		99/99/99	
prb__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* prb_itmgrp	yes	prb_part	yes	no
		prb_svc_group	yes	no
		prb_type	yes	no
		prb_problem	yes	no

prc_ctrl Payroll Control File

Field Name	Label	Col-Label	Format	Dec
prc_acct	Payroll Account	Account	x(8)	
prc_audit_dt	Print Detailed Audit Trail	Det Aud	yes/no	
prc_audit_su	Print PR-GL Report	PR-GL	yes/no	
prc_bank	Bank	Bk	x(2)	
prc_bk_desc	Bank Description		x(24)	
prc_cc	Payroll Cost Center	CC	x(4)	
prc_city	City		x(20)	
prc_ck_nbr	Next Check Number	Next Check	999999	
prc_country	Country		x(20)	
prc_co_name	Company Name		x(28)	
prc_ded_freq	Deduction Frequency	Freq	x(2)	
prc_earn	Regular Earnings Code	Earn	x(4)	
prc_entity	Entity	Enty	x(4)	
prc_freq[4]	Deduction Frequencies	Freq	x(2)	
prc_index1	Index		>>>>9	
prc_line1	Address 1		x(28)	
prc_line2	Address 2		x(28)	

Field Name	Label	Col-Label	Format	Dec
prc_ot_base	OT Premium includes Shift	Inc! Sft	yes/no	
prc_ot_earn	Overtime Earnings Code	OT	x(4)	
prc_pd_date	Current Period Ending Date	Per End	99/99/99	
prc_sick	Use Sick Leave Accrual	Sick	yes/no	
	Feature			
prc_state	State		x(4)	
prc_user1	Ufld1		x(8)	
prc_user2	Ufld2		x(8)	
prc_vac	Use Vacation Accrual	Vac	yes/no	
	Feature			
prc_year	Current Year	Year	9999	
prc_zip	Zip Code		x(10)	
prc__qad01			>>>>>9	
prc__qad02			yes/no	
prc__qad03			99999	

Index-Name	Uni	Field-Name	Asc	Abbr
* prc_bank	yes	prc_bank	yes	no

prd_det

Printer Detail

Field Name	Label	Col-Label	Format	Dec
prd_blank	Blank Lines/Page	BLPP	>>9	
prd_desc	Description		x(24)	
prd_dev	Output To		x(8)	
prd_end_bc	Bar Code End Ctrl		x(100)	
prd_init	Initialize Ctrl		x(100)	
prd_init_pro	Initialize Command		x(50)	
prd_length	Lines / Page	LPP	>>>9	
prd_mapterm	Map To		x(8)	
prd_max_page	Max Pages		>>>>9	
prd_neg_line	Neg Line Feed Ctrl		x(100)	
prd_page	Page Control		x(60)	
prd_path	Device Pathname		x(40)	
prd_reset	Reset Ctrl		x(100)	
prd_rset_pro	Reset Command		x(50)	
prd_scroll_only	Scroll Output	Scroll	yes/no	
prd_spooler	Spooler	Spool	yes/no	
prd_st_132	132-Column Start Ctrl		x(100)	
prd_st_80	80-Column Start Ctrl		x(100)	
prd_st_bc	Bar Code Start Ctrl		x(100)	
prd_type	Printer Type	Type	x(8)	
prd_user1	Ufld1		x(8)	
prd_user2	Ufld2		x(8)	
prd__qad01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* prd_dev	yes	prd_dev	yes	no

prh_hist Purchase Order Receipt History

Field Name	Label	Col-Label	Format	Dec
prh_acct	Account		x(8)	
prh_approve	Approved By	Approved	x(8)	
prh_bank	Bank		x(2)	
prh_bdn_std	Std Bdn Cost	Std Burden	->>>>, >>>, >>>9.99<<<	10
prh_bo_qty	Back Order Qty		->, >>>, >>>9.9<<<<<<<<<	10
prh_buyer	Buyer		x(8)	
prh_cc	Cost Ctr	CC	x(4)	
prh_crt_int	Credit Terms Int	CRT Int	->>>>9.99	2
prh_cst_up	Update Current Cost		yes/no	
prh_cum_rcvd	Cum Received		->, >>>, >>>9.9<<<<<<<<	10
prh_cum_req	Cum Qty Required		->, >>>, >>>9.9<<<<<<<<	10
prh_curr	Currency	Cur	x(3)	
prh_curr_amt	Currency Amt		->>>, >>>, >>>9.99<<<	10
prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
prh_element	Cost Element	Element	x(8)	
prh_ers_status	ERS Status	ERS! St	>9	
prh_exru_seq	Sequence		>>>>>>>9	
prh_ex_rate	Exch Rate		>>>>, >>>, >>>9.9<<<<<<<<	10
prh_ex_rate2	Exch Rate 2		>>>>, >>>, >>>9.9<<<<<<<<	10
prh_ex_ratetype	Rate Type		x(8)	
prh_fix_pr	Fixed Price		yes/no	
prh_fix_rate	Fixed Rate	Fixed	yes/no	
prh_fsm_type	FSM Type		x(8)	
prh_inv_qty	Invoice Qty		->, >>>, >>>9.9<<<<<<<<	10
prh_last_vo	Voucher		x(8)	
prh_lbr_std	Std Lbr Cost	Std Labor	->>>, >>>, >>>9.99<<<	10
prh_line	PO Line	Ln	>>9	
prh_lot	Work Order ID	WO ID	x(8)	
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>, >>>, >>>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Ovhead		>>>>, >>>, >>>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_project	Project		x(8)	
prh_ps_nbr	Packing Slip		x(12)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->, >>>, >>>9.9<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->, >>>, >>>, >>>9.99<<<	10
prh_pur_std	PO Std Cost		->>>, >>>, >>>9.99<<<	10
prh_qty_ord	Qty Ordered		->, >>>, >>>9.9<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->, >>>, >>>9.9<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>, >>>, >>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
prh_taxc	Tax Class	TxC	x(3)	
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinvoice	Not Used		x(12)	
prh_xinv_cst	Not Used		->, >>>, >>>, >>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	
prh__chr10			x(8)	
prh__dec01			>>>, >>>, >>9.99	10
prh__dec02			>>>, >>>, >>9.99	10
prh__dec03			>>>, >>>, >>9.99	10
prh__dec04			>>>, >>>, >>9.99	10
prh__dec05			>>>, >>>, >>9.99	10
prh__dte01			99/99/99	
prh__dte02			99/99/99	
prh__dte03			99/99/99	
prh__dte04			99/99/99	
prh__dte05			99/99/99	
prh__log01			yes/no	
prh__log02			yes/no	
prh__qad01			x(8)	
prh__qad02			x(8)	
prh__qad03			->, >>>, >>9.9<<<<<<<<<	10
prh__qad04			>>>>>>>>	

Index-Name	Uni	Field-Name	Asc	Abbr
prh_buyer	no	prh_buyer	yes	no
		prh_vend	yes	no
		prh_part	yes	no
prh_ers	no	prh_ers_status	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
* prh_nbr	yes	prh_nbr	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
		prh_element	yes	no
prh_part	no	prh_part	yes	no
		prh_rcp_date	yes	no
prh_ps_nbr	no	prh_vend	yes	no

340 pr_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		prh_ps_nbr	yes	no
		prh_part	yes	no
prh_rcp_date	no	prh_rcp_date	yes	no
prh_receiver	yes	prh_receiver	yes	no
		prh_line	yes	no
prh_vend	no	prh_vend	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no

pr_mstr Printer Master

Field Name	Label	Col-Label	Format	Dec
pr_blank	Blank Lines/Page	BLPP	>>9	
pr_desc	Description		x(24)	
pr_end_bc	Bar Code End		x(100)	
pr_init	Initialize		x(100)	
pr_length	Lines / page	LPP	>>>9	
pr_neg_line	Neg Line Feed		x(100)	
pr_page	Page Control		x(60)	
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	
pr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* pr_type	yes	pr_type	yes	no

ps_mstr

Product Structure Master

Field Name	Label	Col-Label	Format	Dec
ps_assay	Assay		>>9.99%	2
ps_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ps_cmtindx	Comment Index	Comment	>>>>>>9	
ps_comm_code	Commodity Code	Commodity	x(8)	
ps_comp	Component Item		x(18)	
ps_comp_um	UM		x(2)	
ps_cop_qty	Quantity	Qty	->, >>>, >>9.9<<<<<<<<	9
ps_critical	Critical		yes/no	
ps_cst_pct	Cost Allocation	Cost! Alloc	>>9.99%	2
ps_default	Default Option	Default	yes/no	
ps_end	End Effective	End Eff	99/99/99	
ps_end_ecn	End ECN		x(8)	
ps_exclusive	Exclusive		yes/no	
ps_fcst_pct	Forecast	Fcst	>>9.99%	2
ps_group	Option Group	Group	x(8)	
ps_item_no	Sequence Number	Seq Nbr	->>>>>>>	
ps_joint_type	Co/By Type	CT	x(1)	
ps_lt_off	LT Offset	LTO	->>	
ps_mandatory	Mandatory		yes/no	
ps_mod_date	Modified Date	Mod Date	99/99/99	
ps_non_bal	Non-Balanced	Non-Bal	yes/no	
ps_op	Op		>>>>>>	
ps_par	Parent Item		x(18)	
ps_process	Process		x(8)	
ps_prod_pct	Process	Process! Percent	>>9.99%	2
ps_ps_code	Structure Type	T	x(1)	
ps_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	9
ps_qty_diag	Qty Diagnose		->, >>>, >>9.9<<<<<<<<	9
ps_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	9
ps_qty_per	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ps_qty_per_b	Qty Per		->, >>>, >>9.9<<<<<<<<	9
ps_qty_type	Qty Type	T	x(1)	
ps_ref	Reference		x(12)	
ps_rmks	Remarks		x(24)	
ps_scrp_pct	Scrap		>>9.99%	2
ps_start	Start Effective	Start Eff	99/99/99	
ps_start_ecn	Start ECN		x(8)	
ps_um_conv	UM Conv		>>>>9.9999<<<<	10
ps_user1	Ufld1		x(8)	
ps_user2	Ufld2		x(8)	
ps_userid	User ID		x(8)	
ps__chr01	User Character Field 1		X(8)	
ps__chr02	User Character Field 2		X(8)	
ps__dec01	User Decimal Field 1		->>>, >>>, >>9.99<<	10
ps__dec02	User Decimal Field 2		->>>, >>>, >>9.99<<	10
ps__dte01	User Date Field 1		99/99/99	
ps__dte02	User Date Field 2		99/99/99	
ps__log01	User Logical Field 1		yes/no	
ps__log02	User Logical Field 2		yes/no	
ps__qad01			yes/no	
ps__qadc01	QAD Character Field 1		X(8)	
ps__qadc02	QAD Character Field 2		X(8)	
ps__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ps__qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ps__qadl01	QAD Logical Field 1		yes/no	

342 pta_det

Field Name	Label	Col-Label	Format	Dec
ps__qadl02	QAD Logical Field 2		yes/no	
ps__qadt01	QAD Date Field 1		99/99/99	
ps__qadt02	QAD Date Field 2		99/99/99	
ps__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ps_comp	no	ps_comp	yes	no
		ps_par	yes	no
ps_par	no	ps_par	yes	no
		ps_item_no	yes	no
		ps_comp	yes	no
* ps_parcomp	yes	ps_par	yes	no
		ps_comp	yes	no
		ps_ref	yes	no
		ps_start	yes	no
ps_parref	yes	ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

pta_det

Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
pta_assoc_item	Associated Item		x(18)	
pta_assoc_qty	Associated Qty		->>, >>>, >>9.9<<	10
pta_assoc_type	Association Type		x(24)	
pta_assoc_um	Associated UM	UM	x(2)	
pta_cmtindx	Comment Index	Comment	>>>>>>9	
pta_curr	Currency	Cur	x(3)	
pta_expire	Expire		99/99/99	
pta_extrec	External Entry	Ext	yes/no	
pta_item	Item		x(18)	
pta_max_qty	Max Quantity		->>, >>>, >>9.9<<<<<<<	10
pta_min_ord	Min Ord Qty		->>, >>>, >>9.9<<<<<<<	10
pta_net_price	Net Price		>>>>, >>>, >>9.99	10
pta_pri_type	Price Type		x(24)	
pta_qty_mult	Qty Multiple		->>, >>>, >>9.9<<<<<<<	10
pta_start	Start		99/99/99	
pta_um	UM		x(2)	
pta_user1	Ufld1		x(8)	
pta_user2	Ufld2		x(8)	
pta_chr01			x(8)	
pta_chr02			x(8)	
pta_chr03			x(8)	
pta_chr04			x(8)	
pta_chr05			x(8)	
pta_chr06			x(8)	
pta_chr07			x(8)	
pta_chr08			x(8)	
pta_chr09			x(8)	
pta_chr10			x(8)	
pta_dec01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
pta__dec02			>>>, >>>, >>9.99	10
pta__dte01			99/99/99	
pta__dte02			99/99/99	
pta__log01			yes/no	
pta__qadc01			x(8)	
pta__qadc02			x(8)	
pta__qadd01			->>>, >>>, >>9.9<<<	10
pta__qadd02			->>>, >>>, >>9.9<<<	10
pta__qadl01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pta__assoc_item	no	pta__assoc_item	yes	no
		pta__assoc_type	yes	no
		pta__item	yes	no
		pta__start	yes	no
* pta__item	yes	pta__item	yes	no
		pta__assoc_type	yes	no
		pta__um	yes	no
		pta__assoc_item	yes	no
		pta__curr	yes	no
		pta__start	yes	no

pth_hist Sales History – Products

Field Name	Label	Col-Label	Format	Dec
pth_for	For		x(18)	
pth_part	Item Number		x(18)	
pth_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
pth_tot_qty	YTD Qty		->>>, >>>, >>9	10
pth_tot_sale	YTD Sales		->, >>>, >>>, >>9	10
pth_type	Ship Type	T	x(1)	
pth_user1	Ufld1		x(8)	
pth_user2	Ufld2		x(8)	
pth_year	Year		9999	
pth__chr01			x(8)	
pth__chr02			x(8)	
pth__chr03			x(8)	
pth__chr04			x(8)	
pth__chr05			x(8)	
pth__dec01			>>>, >>>, >>9.99	10
pth__dec02			>>>, >>>, >>9.99	10
pth__dte01			99/99/99	
pth__dte02			99/99/99	
pth__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pth__partyyear	yes	pth__part	yes	no
		pth__year	yes	no
* pth__yearpart	yes	pth__year	yes	no
		pth__part	yes	no

344 ptls_det

ptls_det

Item and Lot/Serial Attribute Detail

Field Name	Label	Col-Label	Format	Dec
ptls_assay	Assay %		>>9.99%	2
ptls_cmtindx	Comment Index		>>>>>>9	
ptls_expire	Expire Date	Expire	99/99/99	
ptls_grade	Grade		x(2)	
ptls_lotser	Lot/Serial		x(18)	
ptls_part	Item Number		x(18)	
ptls_ref	Ref	Reference	x(8)	
ptls_status	Inventory Status	Status	x(8)	
ptls_user1			x(8)	
ptls_user2			x(8)	
ptls__chr01			x(8)	
ptls__chr02			x(8)	
ptls__chr03			x(8)	
ptls__chr04			x(8)	
ptls__chr05			x(8)	
ptls__dec01			->>, >>9.99	10
ptls__dec02			->>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ptls_partlotr	yes	ptls_part	yes	no
		ptls_lotser	yes	no
		ptls_ref	yes	no

ptp_det

Item Planning Data Detail

Field Name	Label	Col-Label	Format	Dec
ptp_added	Added		99/99/99	
ptp_assay	Assay %		>>9.99%	2
ptp_batch	Batch Qty	Batch! Qty	>>, >>>, >>9.9<<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	
ptp_btb_type	EMT Type		xx	
ptp_buyer	Buyer/Planner	Buy! PIn	x(8)	
ptp_cfg_type	Configuration	Config	x(1)	
ptp_cum_lead	Cum LT	Cum! LT	>>9	
ptp_draw	Drawing		x(18)	
ptp_drp_pct	DRP		>>9.9<%	2
ptp_eco_pend	ECO Pending	ECO	yes/no	
ptp_grade	Grade		x(2)	
ptp_ins_lead	Ins LT	Ins! LT	>>9	
ptp_ins_rq	Inspect	Ins! Req	yes/no	
ptp_iss_pol	Issue Policy	Iss	yes/no	
ptp_joint_type	Co/By Type	CT	x(1)	
ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	2
ptp_mod_date	Modified Date	Mod Date	99/99/99	
ptp_ms	Master Sched	MS	yes/no	
ptp_network	Network Code		x(18)	
ptp_ord_max	Max Ord		>>, >>>, >>9	0

Field Name	Label	Col-Label	Format	Dec
ptp_ord_min	Min Ord		>>, >>>, >>9	0
ptp_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
ptp_ord_per	Order Period	Ord! Per	>>9	
ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
ptp_ord_qty	Order Qty		>>, >>>, >>9	1
ptp_part	Item Number		x(18)	
ptp_phantom	Phantom		yes/no	
ptp_pick_logic	Pick Logic	Pick	-9	
ptp_plan_ord	Plan Orders	Pln	yes/no	
ptp_pm_code	Pur/Mfg	P/M	x(1)	
ptp_pou_code	Point of Use Code		x(18)	
ptp_po_site	PO Site		x(8)	
ptp_pur_lead	Pur LT	Pur! LT	>>9	
ptp_pur_pct	Purchased	Pur	>>9.9<%	2
ptp_rev	Rev		x(4)	
ptp_rollup	Rollup Reqd		yes/no	
ptp_rollup_id	Rollup ID		x(8)	
ptp_rop	Reorder Point	ROP	>>>, >>9	0
ptp_routing	Routing Code		x(18)	
ptp_run	Run Time	Run	>>>, >>9.999<<<<<<	9
ptp_run_ll	Run LL		>>>, >>9.999<<<<<<	9
ptp_setup	Setup Time	Setup	>>>, >>9.999<<<<<<	9
ptp_setup_ll	Setup LL		>>>, >>9.999<<<<<<	9
ptp_sfty_stk	Safety Stk	Safety! Stock	>>, >>>, >>9	0
ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
ptp_site	Site		x(8)	
ptp_timefnce	Time Fence		->>>9	
ptp_trantype	Transport Type	Tran Type	x(8)	
ptp_user1	Ufld1		x(8)	
ptp_user2	Ufld2		x(8)	
ptp_userid	User ID		x(8)	
ptp_vend	Supplier		x(8)	
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	1
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	1
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	1
ptp_yld_pct	Yield%		>>9.99%	3
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	
ptp__chr09			x(8)	
ptp__chr10			x(8)	
ptp__dec01			>>>, >>>, >>9.99	10
ptp__dec02			>>>, >>>, >>9.99	10
ptp__dte01			99/99/99	
ptp__dte02			99/99/99	
ptp__log01			yes/no	
ptp__log02			yes/no	
ptp__qad01			99/99/99	
ptp__qad02			>>>, >>9.9	0
ptp__qad03			>>9	
ptp__qad04			>>9	
ptp__qad05			>>9	

346 ptqa_det

Index-Name	Uni	Field-Name	Asc	Abbr
ptp_bom_code	no	ptp_bom_code	yes	no
		ptp_part	yes	no
ptp_network	no	ptp_network	yes	no
		ptp_site	yes	no
		ptp_part	yes	no
* ptp_part	yes	ptp_part	yes	no
		ptp_site	yes	no
ptp_routing	yes	ptp_routing	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_site	yes	ptp_site	yes	no
		ptp_part	yes	no

ptqa_det Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
ptqa_cmtindx	Comment Index		>>>>>>9	
ptqa_conf_pct	Confidence %	Conf %	>>9.9<%	2
ptqa_element	Analysis Element	Element	x(8)	
ptqa_interval	Confidence Interval	Conf Interval	>>>>, >>>, >>9.9<<<<<<<<<<	10
ptqa_part	Item Number		x(18)	
ptqa_qty	Quantity		>>>>, >>>, >>9.9<<<<<<<<<<	10
ptqa_um	UM		x(4)	
ptqa_user1			x(8)	
ptqa_user2			x(8)	
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	
ptqa_dec01			->>, >>9.99	10
ptqa_dec02			->>, >>9.99	10
ptqa_log01			yes/no	
ptqa_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ptqa_element	yes	ptqa_element	yes	no
		ptqa_part	yes	no
* ptqa_part	yes	ptqa_part	yes	no
		ptqa_element	yes	no

ptr_det Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
ptr_apprdate	Approved Date	Approved	99/99/99	
ptr_appr_id	Approved By	Appr ID	x(8)	
ptr_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ptr_bom_code	BOM/Formula		x(18)	
ptr_burden	Burden Cost		>>>>, >>>, >>9.99<<<	10
ptr_cmtindx	Comment Index	Comment	>>>>>>>9	
ptr_end	End Effective	End Eff	99/99/99	
ptr_labor	Labor Cost		>>>>, >>>, >>9.99<<<	10
ptr_material	Material Cost		>>>>, >>>, >>9.99<<<	10
ptr_mod_date	Modified Date	Mod Date	99/99/99	
ptr_overhead	Overhead		>>>>, >>>, >>9.99<<<	10
ptr_part	Item Number		x(18)	
ptr_routing	Routing Code		x(18)	
ptr_site	Site		x(8)	
ptr_start	Start Effective	Start Eff	99/99/99	
ptr_subcontract	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ptr_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
ptr_user1	Ufld1		x(8)	
ptr_user2	Ufld2		x(8)	
ptr_userid	User ID		x(8)	
ptr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ptr_bom_code	no	ptr_bom_code	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
* ptr_part	yes	ptr_routing	yes	no
		ptr_bom_code	yes	no
		ptr_start	yes	no
		ptr_routing	yes	no
		ptr_part	yes	no
ptr_routing	no	ptr_site	yes	no

pts_det Item Substitute Detail

Field Name	Label	Col-Label	Format	Dec
pts_cmtindx	Comment Index	Index	>>>>>>>9	
pts_mod_date	Modified Date	Mod Date	99/99/99	
pts_par	Parent Item		x(18)	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	->>>, >>9.9<<<<<<	10
pts_rmks	Remarks		x(12)	
pts_sub_part	Substitute Item		x(18)	
pts_user1	Ufld1		x(8)	
pts_user2	Ufld2		x(8)	
pts_userid	User ID		x(8)	
pts__qadc01			x(8)	

348 ptt_det

Index-Name	Uni	Field-Name	Asc	Abbr
* ptt_det	yes	pts_part	yes	no
		pts_par	yes	no
		pts_sub_part	yes	no
pts_par	yes	pts_par	yes	no
		pts_part	yes	no
		pts_sub_part	yes	no
pts_sub_part	yes	pts_sub_part	yes	no
		pts_par	yes	no
		pts_part	yes	no

ptt_det

Item Tax Detail

Field Name	Label	Col-Label	Format	Dec
ptt_mod_date	Modified Date	Mod Date	99/99/99	
ptt_part	Part		x(18)	
ptt_taxable	Taxable		yes/no	
ptt_taxc	Tax Class	TxC	x(3)	
ptt_tax_type	Tax Type		x(3)	
ptt_user1	User1		x(8)	
ptt_user2	User2		x(8)	
ptt_userid	User ID		x(8)	
ptt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptt_part	yes	ptt_part	yes	no
		ptt_tax_type	yes	no

ptv_det

Parts Statistical Value Detail

Field Name	Label	Col-Label	Format	Dec
ptv_ctr_exp	Export Country	ExC	x(3)	
ptv_ctr_imp	Import Country	ImC	x(3)	
ptv_part	Item Number		x(18)	
ptv_stat_value	Statistical Value	Stat Value	>>>>,>>>,>>9.99	2
ptv_user1	Ufld1		x(8)	
ptv_user2	Ufld2		x(8)	
ptv_chr01			x(8)	
ptv_dec01			->>>,>>>,>>9.99	2
ptv_log01			yes/no	
ptv_qad01			x(8)	
ptv_qad02			x(8)	
ptv_qad03			->>>,>>>,>>9.99	2
ptv_qad04			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* ptv_part	yes	ptv_part	yes	no
		ptv_ctry_exp	yes	no
		ptv_ctry_imp	yes	no

pt_mstr

Item Master

Field Name	Label	Col-Label	Format	Dec
pt_abc	ABC Class	ABC	x(1)	
pt_abc_amt	ABC Value		->,>>>,>>9.9<<<<<<<<	10
pt_abc_qty	ABC Quantity		->,>>>,>>9.9<<<<<<<<	10
pt_added	Added		99/99/99	
◊ pt_app_owner	Owner Application		x(12)	
pt_article	Article Number		x(18)	
pt_assay	Assay %		>>9.99%	2
pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
pt_avg_int	Avg Int	Avg! Int	>>9	
pt_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
pt_bom_code	BOM/Formula		x(18)	
pt_break_cat	Price Break Cat		x(18)	
pt_btb_type	EMT Type		xx	
pt_buyer	Buyer/Planner	Buy! Pln	x(8)	
pt_cfg_type	Configuration	Config	x(1)	
pt_comm_code	Commodity Code	Comm Code	x(8)	
pt_cover	Coverage	CV	x(1)	
pt_critical	Key Item	Key Item	yes/no	
pt_cum_lead	Cum LT	Cum! LT	>>9	
pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pt_dea	DEA Controlled	DEA	yes/no	
pt_desc1	Description		x(24)	
pt_desc2	Description		x(24)	
pt_dim_um	Dimensns UM		x(2)	
pt_draw	Drawing		x(18)	
pt_drp_pct	DRP		>>9.9<%	2
pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
pt_drwg_size	Drwg Size	DS	x(2)	
pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
pt_fiscal_class	Fiscal Class		x(18)	
pt_formula	Formula		yes/no	
pt_fru	FRU		yes/no	
pt_fr_class	Freight Class		x(8)	
pt_fsc_code	Service Category	Svc Cat	x(8)	
pt_group	Group		x(8)	
pt_hazard	Hazard		x(8)	
pt_height	Height		>>,>>>9.99	2
pt_insp_lead	Ins LT	Ins! LT	>>9	
pt_insp_rqd	Inspect	Ins! Req	yes/no	
pt_inst_call	Install		yes/no	
pt_ins_bom	Installation BOM	Ins BOM	X(18)	
pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
pt_ins_route	Installation Routing	Ins Route	X(18)	
pt_isb	Installed Base	Inst Base	yes/no	

Field Name	Label	Col-Label	Format	Dec
pt_iss_pol	Issue Policy	Iss	yes/no	
pt_joint_type	Co/By Type	CT	x(1)	
pt_last_eco	Last ECO		99/99/99	
pt_length	Length		>>, >>9.99	2
pt_ll_code	Low Level	Low Lvl	->>>>9	
pt_ll_drp	DRP Low Level	DRP LL	->>>>9	
pt_loc	Location		x(8)	
pt_loc_type	Location Type	Loc Type	x(8)	
pt_lot_grp	Lot Group		x(8)	
pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pt_meter_interval	Meter Interval		>>>>, >>>, >>9.99<<<	10
pt_meter_um	Meter UM		X(2)	
pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
pt_mfg_mtb	MFG MTBF		->>, >>9.99	2
pt_mfg_mttr	MFG MTTR		->>, >>9.99	2
pt_mfg_pct	Manufactured	Mfg	>>9.9<%	2
pt_model	Model		x(18)	0
pt_mod_date	Modified Date	Mod Date	99/99/99	
pt_mrp	MRP Required	MRP Req	yes/no	
pt_ms	Master Sched	MS	yes/no	
pt_mtb	MTBF		>>, >>9.99	2
pt_mttr	MTTR		>>, >>9.99	2
pt_network	Network Code		x(18)	
pt_net_wt	Net Weight		->>, >>9.99<<<<	6
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_obs_date	Obsolete Date		99/99/99	
pt_ord_max	Max Ord		>>, >>>, >>9	0
pt_ord_min	Min Ord		>>, >>>, >>9	0
pt_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>, >>>, >>9	1
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_pou_code	Point of Use Code		x(18)	
pt_po_site	PO Site		x(8)	
pt_price	Price		>>>>, >>>, >>9.99<<<	10
pt_prod_line	Prod Line	Line	x(4)	
Δ pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	2
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_rctpo_active	Active	Act	yes/no	
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	

Field Name	Label	Col-Label	Format	Dec
pt_repairable	Repairable		yes/no	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Req'd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>,>>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>,>>9.999<<<<<<	9
pt_run_ll	Run LL		>>>,>>9.999<<<<<<	9
pt_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	9
pt_setup_ll	Setup LL		>>>,>>9.999<<<<<<	9
pt_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelflife	Shelf Life		->,>>>,>>>	
pt_ship_wt	Ship Weight		->>,>>9.99<<<<	6
pt_ship_wt_um	Ship Weight UM	UM	x(2)	
pt_site	Site		x(8)	
pt_size	Size		->>,>>9.99	2
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>,>>9.9<<<	4
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_sttr	STTR		->>,>>9.99	2
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_vend	Supplier		x(8)	
pt_ven_warr	Supplier Warranty	Supp Warr	yes/no	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_width	Width		>>,>>9.99	2
pt_wks_avg	Average Weeks of Coverage Avg! Cover		>>9.9	1
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	1
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	1
pt_xbdn_ll	Cur Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pt_xbdn_tl	Cur Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdll	Std Mtl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_tl	Cur Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>, >>>, >>9.99<<<	10
pt_xtot_std	Std Total		>>>>, >>>, >>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	3
pt__chr01			x(8)	
pt__chr02			x(8)	
pt__chr03			x(8)	
pt__chr04			x(8)	
pt__chr05			x(8)	
pt__chr06			x(8)	
pt__chr07			x(8)	
pt__chr08			x(8)	
pt__chr09			x(8)	
pt__chr10			x(8)	
pt__dec01			>>>, >>>, >>9.99	10
pt__dec02			>>>, >>>, >>9.99	10
pt__dte01			99/99/99	
pt__dte02			99/99/99	
pt__log01			yes/no	
pt__log02			yes/no	
pt__qad01			->, >>>, >>9.9<<<<<<<<	10
pt__qad02			->, >>>, >>9.9<<<<<<<<	10
pt__qad03			->>>, >>9.999	3
pt__qad04			->>>, >>9.999	3
pt__qad05			99/99/99	
pt__qad06			99/99/99	
pt__qad07			99/99/99	
pt__qad08			99/99/99	
pt__qad09			->, >>>, >>9.9<<<<<<<<	10
pt__qad10			->, >>>, >>9.9<<<<<<<<	10
pt__qad11			->, >>>, >>9.9<<<<<<<<	10
pt__qad12			>>>>9.9999<<<<	10
pt__qad13	Incorp Rev	Inc! Rev	x(4)	
pt__qad14			99/99/99	
pt__qad15			yes/no	
pt__qad16			>>>, >>9.9	0
pt__qad17			yes/no	
pt__qad18			>>>>, >>>, >>9.99<<<	10
pt__qad19			>>>>, >>>, >>9.99<<<	10
pt__qad20			>>>>, >>>, >>9.99<<<	10
pt__qad21			>>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pt__qad22			yes/no	
pt__qad23			>>9	
pt__qad24			>>9	
pt__qad25			>>9	
pt__qad26			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
pt_bom_code	no	pt_bom_code	yes	no
		pt_part	yes	no
pt_desc	yes	pt_desc1	yes	no
		pt_desc2	yes	no
		pt_part	yes	no
pt_group	yes	pt_group	yes	no
		pt_part	yes	no
pt_ll_mrp_pt	yes	pt_ll_code	yes	no
		pt_mrp	yes	no
		pt_part	yes	no
pt_model	no	pt_model	yes	no
pt_network	no	pt_network	yes	no
		pt_part	yes	no
* pt_part	yes	pt_part	yes	no
pt_part_type	yes	pt_part_type	yes	no
		pt_part	yes	no
pt_pm_mrp	no	pt_pm_mrp	yes	no
		pt_part	yes	no
pt_prod_part	yes	pt_prod_line	yes	no
		pt_part	yes	no
pt_pvm_bom	no	pt_pvm_bom	yes	no
		pt_part	yes	no
pt_routing	yes	pt_routing	yes	no
		pt_part	yes	no

qad_wkfl Workfile, Reserved for QAD

Field Name	Label	Col-Label	Format	Dec
qad_charfld[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->>, >>9.99	10
qad_key1			x(8)	
qad_key2			x(8)	
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	
qad_key6			x(8)	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	
qad__qadc01			x(8)	

354 qcc_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
* qad_index1	yes	qad_key1	yes	no
		qad_key2	yes	no
qad_index2	no	qad_key3	yes	no
		qad_key4	yes	no
qad_index3	no	qad_key5	yes	no
		qad_key6	yes	no

qcc_ctrl

Quality Order Control File

Field Name	Label	Col-Label	Format	Dec
qcc_auto_nbr	Auto Order Numbers		yes/no	
qcc_index1	Index		>>>>>9	
qcc_inspect	Inspection Location		x(8)	
qcc_lot	Next Batch		>>>>>>>9	
qcc_nbr	Next Order Number		>>>>>>>9	
qcc_rcmmts	Procedure Comments		yes/no	
qcc_site	Inspection Site		x(8)	
qcc_user1	Ufld1		x(8)	
qcc_user2	Ufld2		x(8)	
qcc_wcmmts	Quality Order Comments		yes/no	
qcc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcc_index1	yes	qcc_index1	yes	no

qcd_det

Quality Control Order Detail

Field Name	Label	Col-Label	Format	Dec
qcd_cmtindx	Comment Index	Comment	>>>>>>>9	
qcd_iss_date	Issue Date	Iss Date	99/99/99	
qcd_lot	Batch		x(8)	
qcd_nbr	Quality Order		x(18)	
qcd_op	Operation	Op	>>>>>>	
qcd_part	Item Number		x(18)	
qcd_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<<	10
qcd_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<<	10
qcd_user1	Ufld1		x(8)	
qcd_user2	Ufld2		x(8)	
qcd__chr01			x(8)	
qcd__chr02			x(8)	
qcd__chr03			x(8)	
qcd__chr04			x(8)	
qcd__chr05			x(8)	
qcd__dec01			>>>, >>>, >>9.99	10
qcd__dec02			>>>, >>>, >>9.99	10
qcd__dte01			99/99/99	
qcd__dte02			99/99/99	
qcd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcd_det	yes	qcd_lot	yes	no
		qcd_part	yes	no
		qcd_op	yes	no
qcd_nbrpart	no	qcd_nbr	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
qcd_part	no	qcd_part	yes	no

qcs_mstr Quality Sampling Pattern Master

Field Name	Label	Col-Label	Format	Dec
qcs_days	Days to Expire	Expire	>>>9	
qcs_lot_int	Lot Interval	Interval	>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	
qcs__chr01			x(8)	
qcs__chr02			x(8)	
qcs__chr03			x(8)	
qcs__chr04			x(8)	
qcs__chr05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qcs_part	yes	qcs_part	yes	no

qc_mstr Quality Control Order Master

Field Name	Label	Col-Label	Format	Dec
qc_autoissue	Auto Issue		yes/no	
qc_cmtindx	Comment Index	Comment	>>>>>>9	
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->,>>>,>>9	2
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->,>>>,>>9.9<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->,>>>,>>9.9<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->,>>>,>>9.9<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	

356 qob_det

Field Name	Label	Col-Label	Format	Dec
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	
qc_chr01			x(8)	
qc_chr02			x(8)	
qc_chr03			x(8)	
qc_chr04			x(8)	
qc_chr05			x(8)	
qc_dec01			>>>, >>>, >>9.99	10
qc_dec02			>>>, >>>, >>9.99	10
qc_dte01			99/99/99	
qc_dte02			99/99/99	
qc_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
qc_due_part	no	qc_due_date	yes	no
		qc_part	yes	no
		qc_site	yes	no
qc_lot	yes	qc_lot	yes	no
* qc_nbr	yes	qc_nbr	yes	no
		qc_lot	yes	no
qc_part	no	qc_part	yes	no
		qc_site	yes	no
		qc_due_date	yes	no
qc_type_nbr	yes	qc_type	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no

qob_det

Sales Quotation Configuration Bill

Field Name	Label	Col-Label	Format	Dec
qob_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
qob_cfg_type	Configuration	Config	x(1)	
qob_cmtindx	Comment Index	Comment	>>>>>>9	
qob_feature	Feature		x(12)	
qob_iss_date	Issue Date	Iss Date	99/99/99	
qob_line	Line		>>9	
qob_loc	Location		x(8)	
qob_nbr	Quote		x(8)	
qob_parent	Parent Item		x(18)	
qob_part	Item Number		x(18)	
qob_price	Price		>>>>, >>>, >>9.99<<<	10
qob_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
qob_qty_chg	Qty to Issue		->, >>>, >>9.9<<<<<<<<	10
qob_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<	10
qob_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
qob_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
qob_serial	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
qob_site	Site		x(8)	
qob_tot_std	List Price		->>>,>>9.999	3
qob_user1	Ufld1		x(8)	
qob_user2	Ufld2		x(8)	
qob__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* qob_det	yes	qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no
		qob_part	yes	no
qob_part	yes	qob_part	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no

qoc_ctrl Sales Quotation Control File

Field Name	Label	Col-Label	Format	Dec
qoc_company	Company Address		x(8)	
qoc_days	Days Until Expire		>>>>9	
qoc_ex_ratetype	Rate Type		x(8)	
qoc_fob	F.O.B.		x(20)	
qoc_fr_by_site	Calculate Freight by Site		yes/no	
qoc_hcmmts	Quote Header Comments		yes/no	
qoc_index1	Index		>>>>9	
qoc_lcmmts	Quote Line Comments		yes/no	
qoc_ln_fmt	Ln Format S/M		single/multi	
qoc_pc_line	Price by QO Line Due Date		yes/no	
qoc_pl_req	Price List Required		yes/no	
qoc_print	Are Quotes Printed		yes/no	
qoc_pt_req	Price Table Required		yes/no	
qoc_qo	Next Quote		>>>>>>9	
qoc_qo_pre	Quote Prefix	Pre	x(3)	
qoc_user1	Ufld1		x(8)	
qoc_user2	Ufld2		x(8)	
qoc__qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* qoc_index1	yes	qoc_index1	yes	no

qodr_det Sales Quotation Detail Relationships

Field Name	Label	Col-Label	Format	Dec
Δ qodr_div	Division		X(8)	
Δ qodr_group	Group		X(8)	
Δ qodr_line	Line		>>9	
Δ qodr_nbr	Quote		X(8)	

358 qodr_det

Field Name	Label	Col-Label	Format	Dec
Δ qodr_pricing	Pricing		>9	
Δ qodr_seq	Sequence		>>9	
Δ qodr_type	Type		>>>9	
Δ qodr_user1	Ufld1		x(8)	
Δ qodr_user2	Ufld2		x(8)	
qodr__qadc01			x(8)	
qodr__qadc02			x(8)	
qodr__qadc03			x(8)	
Δ qodr__qadd01			-->>>>, >>>, >>9.9	10
Δ qodr__qadd02			-->>>>, >>>, >>9.9	10
qodr__qadi01			->, >>>, >>9	
qodr__qadi02			->, >>>, >>9	
qodr__qadi01			yes/no	
qodr__qadi02			yes/no	
qodr__qadt01			99/99/99	
qodr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* qodr_nbrln_seq	yes	qodr_nbr	yes	no
		qodr_line	yes	no
		qodr_seq	yes	no
qodr_type	no	qodr_type	yes	no

qodr_det Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
qodr_abnormal	Abnormal Demand	Abnormal	yes/no	
qodr_acct	Sales Acct	Sales	x(8)	
qodr_bonus	Bonus Stock Line		yes/no	
qodr_cc	Cost Ctr	CC	x(4)	
qodr_cfg_type	Configuration	Config	x(1)	
qodr_cmtindx	Comment Index	Comment	>>>>>>9	
qodr_comm_pct[2]	Commission	Comm%	>>9.99%	2
qodr_crt_int	Credit Terms Int	CRT Int	-->>>9.99	2
qodr_custpart	Customer Item		x(30)	
qodr_desc	Description		x(24)	
qodr_disc_pct	Disc %		-->>9.99%	2
Δ qodr_div	Division		x(8)	
qodr_dsc_acct	Disc Acct		x(8)	
qodr_dsc_cc	Disc CC	CC	x(4)	
qodr_due_date	Due Date	Due	99/99/99	
qodr_fa_nbr	Final Assy	FAS	x(8)	
qodr_fix_pr	Fixed Price		yes/no	
qodr_fr_chg	Unit Freight Charge		-->>>, >>>, >>9.99	10
qodr_fr_class	Freight Class		x(8)	
qodr_fr_list	Freight List	Frt List	x(8)	
qodr_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
qodr_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<	6
qodr_fr_wt_um	UM		x(2)	
qodr_fst_list	FST on List		yes/no	
qodr_fst_rate	FST Rate	Rate	-->>9%	2
qodr_fst_tax	FST Tax		-->, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
Δ qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>,>>>,>>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodlne	Product Line	Line	x(4)	
qod_project	Project		x(8)	
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->>,>>>,>>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->,>>>,>>9.9<<<<<<<<<	10
qod_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->,>>>,>>9.9<<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>>,>>>,>>9.99<<<	10
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>>,>>>,>>9.99	2
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	
qod__chr01	Price List	List	x(8)	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>,>>>,>>9.99	10
qod__dec02			>>>,>>>,>>9.99	10
qod__dte01			99/99/99	
qod__dte02			99/99/99	

360 qor_mstr

Field Name	Label	Col-Label	Format	Dec
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qod_nbrln	yes	qod_nbr	yes	no
		qod_line	yes	no
qod_part	yes	qod_part	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

qor_mstr Sales Quotation Master Relationships

Field Name	Label	Col-Label	Format	Dec
Δ qor_div	Division		X(8)	
Δ qor_group	Group		X(8)	
Δ qor_nbr	Quote		X(8)	
Δ qor_pricing	Pricing		>9	
Δ qor_seq	Sequence		>>9	
Δ qor_type	Type		>>>9	
Δ qor_user1	Ufld1		x(8)	
Δ qor_user2	Ufld2		x(8)	
Δ qor__qadc01			x(8)	
Δ qor__qadc02			x(8)	
Δ qor__qadc03			x(8)	
Δ qor__qadd01			->>>>, >>>, >>9.9	10
Δ qor__qadd02			->>>>, >>>, >>9.9	10
Δ qor__qadi01			->, >>>, >>9	
Δ qor__qadi02			->, >>>, >>9	
Δ qor__qadl01			yes/no	
Δ qor__qadl02			yes/no	
Δ qor__qadt01			99/99/99	
Δ qor__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* qor_nbr_seq	yes	qor_nbr	yes	no
		qor_seq	yes	no
qor_type	no	qor_type	yes	no

qo_mstr Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
qo_ar_acct	AR Account	AR	x(8)	
qo_ar_cc	Cost Ctr	CC	x(4)	
qo_bank	Bank		x(2)	
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	

Field Name	Label	Col-Label	Format	Dec
qo_cartons	Cartons		->,>>>,>>9	
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	2
qo_confirm	Confirm Date	Confirm	99/99/99	
qo_cr_card	Credit Card	Card	x(2)	
qo_cr_init	Cr Initials	Initials	x(3)	
qo_cr_terms	Credit Terms	Terms	x(8)	
qo_curr	Currency	Curr	x(3)	
qo_cust	Sold-To		x(8)	
qo_cycle	Cycle Code	Cy	x(2)	
qo_disc_pct	Disc %		->9.99%	2
Δ qo_div	Division		x(8)	
qo_due_date	Due Date	Due	99/99/99	
qo_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
qo_exp_date	Expires		99/99/99	
qo_exru_seq	Sequence		>>>>>>>9	
qo_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<	10
qo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<	10
qo_ex_ratetype	Rate Type		x(8)	
qo_fix_rate	Fixed Rate	Fixed	yes/no	
qo_flw_date	Follow-up		99/99/99	
qo_fob	FOB Point		x(20)	
qo_fr_list	Freight List	Frt List	x(8)	
qo_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	2
qo_fr_terms	Freight Terms	Fr Terms	x(8)	
qo_fst_id	FST ID		x(18)	
qo_inv_mthd	Invoicing Method		x(1)	
qo_lang	Language	Lang	x(2)	
qo_nbr	Quote		x(8)	
qo_ord_date	Quote Date	Quote	99/99/99	
qo_partial	Partial OK	Partial	yes/no	
qo_po	Purchase Order		x(20)	
qo_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
qo_print_pl	Print Pack List	Print Pack	yes/no	
qo_print_qo	Print Quote	Print QT	yes/no	
qo_project	Project		x(8)	
qo_pr_list	Manual	Disc Tbl	x(8)	
qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
qo_pst	PST		yes/no	
qo_pst_id	PST ID		x(18)	
qo_pst_pct	PST Pct		->9.99<%	3
qo_recur	Recurring	Rec	yes/no	
qo_release	Release	Rel	yes/no	
qo_rel_cnt	Release Count	Cnt	>>9	
qo_rel_date	Release Date	Release	99/99/99	
qo_req_date	Required Date	Required	99/99/99	
qo_rev	Revision	Rev	>>9	
qo_rmks	Remarks		x(40)	
qo_ship	Ship-To		x(8)	
qo_shipvia	Ship Via		x(20)	
qo_ship_date	Ship Date		99/99/99	
qo_site	Site		x(8)	
qo_size	Size		->,>>>,>>9<<<<<<<<	10

362 qo_mstr

Field Name	Label	Col-Label	Format	Dec
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_source	Order Source	Source	x(8)	
qo_so_nbr	Last Sales Order	Lst Ord	x(8)	
qo_stat	Action Status	St	x(2)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	3
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>, >>>, >>9.9999	4
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>, >>>, >>9.99	10
qo__dec02			>>>, >>>, >>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	2
qo__qad02			-z,zzz,zzz,zz9.99	2
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	2
qo__qad04			>	
qo__qad05[2]			>>9.9<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
qo_cust	no	qo_cust	yes	no
* qo_nbr	yes	qo_nbr	yes	no
qo_print_qo	no	qo_print_qo	yes	no
qo_release	no	qo_release	yes	no
		qo_nbr	yes	no

qps_det Quality Test Bill Detail

Field Name	Label	Col-Label	Format	Dec
qps_op	Operation	Op	>>>>>	
qps_part	Item Number	Item	x(18)	
qps_qty	Usage Quantity		->, >>>, >>9.9<<<<<<<<	9
qps_routing	Procedure		x(18)	
qps_user1	Ufld1		x(8)	
qps_user2	Ufld2		x(8)	
qps__chr01			x(8)	
qps__chr03			x(8)	
qps__chr04			x(8)	
qps__chr05			x(8)	
qps__dec01			>>>, >>>, >>9.99	10
qps__dec02			>>>, >>>, >>9.99	10
qps__dec03			>>>, >>>, >>9.99	10
qps__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qps_det	yes	qps_routing	yes	no
		qps_op	yes	no
		qps_part	yes	no

◇ **qqc_ctrl** Q/LinQ Control File

Field Name	Label	Col-Label	Format	Dec
qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
qqc_act	Active		yes/no	
qqc_code_pg	Code Page		X(15)	
qqc_date_form	Date Format		X(3)	
qqc_email_flg	E-mail Enabled		yes/no	
qqc_email_notlvl	E-mail Notification Level		x(1)	
qqc_email_userid	E-mail Recipient User ID		x(8)	
qqc_ex_map_flg	Export Mapping Enabled		yes/no	
qqc_im_map_flg	Import Mapping Enabled		yes/no	
qqc_index1	Index		>>>>>9	
qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
qqc_mod_date	Modified Date		99/99/99	
qqc_mod_userid	Last Updated By		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	
qqc_proc_flg	Import Processing Enabled		yes/no	

364 qro_det

Field Name	Label	Col-Label	Format	Dec
qqc_publ_flg	Publishing Enabled		yes/no	
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(12)	
qqc_start_proc	Session Startup Procedure		x(12)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1			x(8)	
qqc_user2			x(8)	
qqc__dec01			-->>>, >>>, >>9.99<	10
qqc__dec02			-->>>, >>>, >>9.99<	10
qqc__dte01			99/99/99	
qqc__dte02			99/99/99	
qqc__int01			-->>>, >>>, >>9	
qqc__int02			-->>>, >>>, >>9	
qqc__log01			yes/no	
qqc__log02			yes/no	
qqc__qadc01			x(8)	
qqc__qadc02			x(8)	
qqc__qadc03			x(8)	
qqc__qadc04			x(8)	
qqc__qadd01			-->>>, >>>, >>9.99<	10
qqc__qadd02			-->>>, >>>, >>9.99<	10
qqc__qadi01			-->>>, >>>, >>9	
qqc__qadi02			-->>>, >>>, >>9	
qqc__qadl01			yes/no	
qqc__qadl02			yes/no	
qqc__qadt01			99/99/99	
qqc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Index1	yes	qqc_index1	yes	no

qro_det

Quality Inspection Routing Detail

Field Name	Label	Col-Label	Format	Dec
qro_cmtindx	Comment Index	Comment	>>>>>>9	
qro_desc	Description		x(24)	
qro_mch	Machine		x(8)	
qro_mch_op	Machines per Op	Mach/Op	->, >>>, >>9	
qro_op	Operation	Op	>>>>9	
qro_queue	Operation Time	Op Time	>, >>9.9<<	3
qro_routing	Procedure		x(18)	
qro_tool	Tool Code	Tool	x(8)	
qro_user1	Ufld1		x(8)	
qro_user2	Ufld2		x(8)	
qro_wkctr	Work Center	Work Ctr	x(8)	
qro__chr01			x(8)	
qro__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
qro__chr03			x(8)	
qro__chr04			x(8)	
qro__chr05			x(8)	
qro__dec01			>>>, >>>, >>9.99	10
qro__dec02			>>>, >>>, >>9.99	10
qro__dte01			99/99/99	
qro__dte02			99/99/99	
qro__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* qro_routing	yes	qro_routing	yes	no
		qro_op	yes	no
qro_wkctr	no	qro_wkctr	yes	no
		qro_mch	yes	no

366 qr_test

qr_test

Quality Order Test Step File

Field Name	Label	Col-Label	Format	Dec
qr_act_op	Actual Operation Time	Act Op	->,>>9.9<<	3
qr_cmtindx	Comment Index	Comment	>>>>>>9	
qr_desc	Description		x(24)	
qr_due	Due Date	Due	99/99/99	
qr_lot	Batch		x(8)	
qr_mch	Machine		x(8)	
qr_nbr	Quality Order		x(18)	
qr_op	Operation	Op	>>>>>9	
qr_op_time	Operation Time	Op Time	->,>>9.9<<	3
qr_part	Item Number		x(18)	
qr_qty_accpt	Qty Accepted		->,>>,>>9.9<<<<<<<<	10
qr_qty_ord	Qty Pending		->,>>,>>9.9<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->,>>,>>9.9<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	
qr__chr01			x(8)	
qr__chr02			x(8)	
qr__chr03			x(8)	
qr__chr04			x(8)	
qr__chr05			x(8)	
qr__dec01			>>>,>>>,>>9.99	10
qr__dec02			>>>,>>>,>>9.99	10
qr__dte01			99/99/99	
qr__dte02			99/99/99	
qr_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
qr_lot	yes	qr_lot	yes	no
		qr_op	yes	no
* qr_nbr	yes	qr_nbr	yes	no
		qr_lot	yes	no
		qr_op	yes	no
qr_part	no	qr_part	yes	no
		qr_op	yes	no

rbm_mstr

Retrobill Master

Field Name	Label	Col-Label	Format	Dec
rbm_ar_nbr	A/R Reference		x(18)	
rbm_auth	Authorization Number		x(16)	
rbm_cmtindx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>,>>>,>>9.99<<<	10
rbm_rsn	Reason Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
rbm_status	Status		x(8)	
rbm_user1	user1		x(8)	
rbm_user2	user2		x(8)	
rbm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rbm_cust	yes	rbm_cust	yes	no
		rbm_auth	yes	no

rdf_mstr

Service/Support Returns Defaults

Field Name	Label	Col-Label	Format	Dec
rdf_addr	Address		x(8)	
rdf_area	Area		x(8)	
rdf_bom_code	Bill of Material		x(18)	
rdf_ca_int_type	Work Code	WK Code	x(8)	
rdf_ca_type	Call Type		x(8)	0
rdf_desc	Description		x(24)	
rdf_email	Email Address		x(48)	
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Date Modified		99/99/99	
rdf_mod_userid	Modified By		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	
rdf_prod_line	Prod Line	Line	x(4)	
rdf_repair_days	Repair Days		>, >>9.99	2
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_routing	Routing Code		x(18)	
rdf_rrts_loc	Return from RTS Location		x(8)	
rdf_rrts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	2
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtm_loc	Sales Return Location		x(8)	
rdf_srtm_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	user1		x(8)	
rdf_user2	user2		x(8)	
rdf__chr01			x(8)	
rdf__chr02			x(8)	
rdf__chr03			x(8)	

368 reg_mstr

Field Name	Label	Col-Label	Format	Dec
rdf_chr04			x(8)	
rdf_chr05			x(8)	
rdf_dec01			>>>, >>>, >>9.99	10
rdf_dec02			>>>, >>>, >>9.99	10
rdf_dte01			99/99/99	
rdf_dte02			99/99/99	
rdf_log01			yes/no	
rdf_log02			yes/no	
rdf_qadc01	QAD Character Field 1		X(8)	
rdf_qadc02	QAD Character Field 2		X(8)	
rdf_qadc03	QAD Character Field 3		X(8)	
rdf_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
rdf_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
rdf_qadl01	Qad Logical Field 1		yes/no	
rdf_qadl02	QAD Logical Field 2		yes/no	
rdf_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* rdf_part	yes	rdf_prod_line	yes	no
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

reg_mstr Service/Support Region Master

Field Name	Label	Col-Label	Format	Dec
reg_3rd_party	Third Party		yes/no	
reg_code	Area		x(18)	
reg_desc	Description		x(24)	
reg_lang	Language		x(2)	
reg_loc	Location		x(8)	
reg_loc_rtn	Defective Location	Df Loc	x(8)	
reg_mod_date	Date Modified		99/99/99	
reg_mod_userid	Modified By		X(8)	
reg_prod_line	Product Line	Prod	x(8)	
reg_project	Project		x(8)	
reg_repair	Repair Center		yes/no	
reg_sales_acct	Sales Acct	Sales	x(8)	
reg_sales_cc	Cost Ctr	CC	x(4)	
reg_site	Site		x(8)	
reg_site_rtn	Defective Site	Df Site	x(8)	
reg_time_zone	Hours from GMT		>>9	
reg_type	Type		x(8)	
reg_user1	user1		x(8)	
reg_user2	user2		x(8)	
reg_wkctr	Work Center	Work Ctr	x(8)	
reg_chr01			x(8)	
reg_chr02			x(8)	
reg_chr03			x(8)	
reg_dec01			->>>, >>>, >>9.99	10
reg_dec02			->>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
reg__dte01			99/99/99	
reg__dte02			99/99/99	
reg__log01			yes/no	
reg__log02			yes/no	
reg__qadc01	QAD Character Field 1		X(8)	
reg__qadc02	QAD Character Field 2		X(8)	
reg__qadc03	QAD Character Field 3		X(8)	
reg__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
reg__qadl01	QAD Logical Field 1		yes/no	
reg__qadl02	QAD Logical Field 2		yes/no	
reg__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* reg_code	yes	reg_code	yes	no

req_det Requisition Detail

Field Name	Label	Col-Label	Format	Dec
req_acct	Pur Acct		x(8)	
req_approved	Approved	Apr	yes/no	
req_apr_by	Approved By	Aprv By	x(8)	
req_apr_code	Approval Code	Apr Code	x(8)	
req_apr_ent	Approved Entered By	Aprv Ent	x(8)	
req_apr_pmt	Print Approval	Print Apr	yes/no	
req_cc	Cost Ctr	CC	x(4)	
req_cmtindx	Comment Index	Comment	>>>>>>9	
req_line	Line		>>>	
req_nbr	Requisition	Req	x(8)	
req_need	Need Date	Need	99/99/99	
req_part	Item Number		x(18)	
req_po_site	PO Site		x(8)	
req_print	Print Requisition	Print	yes/no	
req_project	Project		x(8)	
req_pur_cost	Unit Cost		->,>>>,>>>,>>9.99<<<	10
req_qty	Qty		->,>>>,>>9.9<<<<<<<<<	10
req_rel_date	Release Date	Release	99/99/99	
req_request	Requested By	Req By	x(8)	
req_site	Site		x(8)	
req_so_job	Sales/Job		x(8)	
req_um	UM		x(2)	
req_user1	Ufld1		x(8)	
req_user2	Ufld2		x(8)	
req_chr01			x(8)	
req_chr02			x(8)	
req_chr03			x(8)	
req_chr04			x(8)	
req_chr05			x(8)	
req_dec01			>>>,>>>,>>9.99	10
req_dec02			>>>,>>>,>>9.99	10
req_dte01			99/99/99	
req_dte02			99/99/99	
req_log01			yes/no	

370 rhd_hist

Index-Name	Uni	Field-Name	Asc	Abbr
req_apr_code	yes	req_apr_code	yes	no
		req_nbr	yes	no
		req_line	yes	no
* req_nbr	yes	req_nbr	yes	no
		req_line	yes	no
req_part	no	req_part	yes	no

rhd_hist

RMA Detail History

Field Name	Label	Col-Label	Format	Dec
rhd_chg_type	Charge Type		x(8)	
rhd_cmtindx	Comment Index		>>>>>>9	
rhd_covered	Covered Amount		>>>>, >>>, >>9.99<<<	10
rhd_cpl_date	Received Date	Rec Date	99/99/99	
rhd_cust	Customer		x(8)	
rhd_customs	Customs Value		>>>>, >>>, >>9.99	2
rhd_cvr_pct	Coverage Percent	Cvr Per	->>, >>9.99	2
rhd_desc	Description		X(24)	
rhd_done	Received		yes/no	
rhd_edit_isb	Edit Installed Base		yes/no	
rhd_end	End Time		99:99	
rhd_enduser	End User		x(8)	
rhd_eng_area	Eng Area		x(8)	
rhd_eng_code	Engineer Code	Eng Code	x(8)	
rhd_eu_area	End User Area		x(8)	
rhd_exp_date	Expected Date	Exp Date	99/99/99	
rhd_fault_cd	Fault Code	Fault	x(8)	
rhd_file_type			x(3)	
rhd_histype	History Type		x(4)	
rhd_ins_date	Install Date	Ins Date	99/99/99	
rhd_iss	Inv Iss		yes/no	
rhd_line	Line	Ln	>>9	
rhd_link	Line to Line		>>9	
rhd_loaner	Loaner Sent		yes/no	
rhd_loc	To Location		x(8)	
rhd_mod_date	Date Last Updated		99/99/99	
rhd_mod_userid	Last Updated By		X(8)	
rhd_nbr	Sales Order	Order	x(8)	
rhd_op_tran	Op Tran		X(8)	
rhd_part	Item		x(18)	
rhd_par_date	Parent Install Date	Par Ins	99/99/99	
rhd_par_part	Parent Item		x(18)	
rhd_par_ser	Parent Serial		x(18)	
rhd_prefix	Prefix		x(1)	
rhd_price	Price		>>>>, >>>, >>9.99<<<	10
rhd_process	Processing		x(2)	
rhd_prodlne	Product Line	Line	x(4)	
rhd_qty_acp	Qty Received		->, >>>, >>9.9<<<<<<<<	10
rhd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<	2
rhd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<	10
rhd_qty_rel	Qty Released		->, >>>, >>9.9<<<	2

Field Name	Label	Col-Label	Format	Dec
rhd_ref	Ref		>>>>>>9	
rhd_restock	Restock		>>>, >>9.99<<<	2
rhd_rev	Item Revision		x(8)	
rhd_rma_line	RMA Line	Ln	>>9	
rhd_rma_nbr	Return Id	Return	x(8)	
rhd_rma_rtrn	Parts Return		yes/no	
rhd_sa_nbr	Service Contract		x(8)	
rhd_serial	Serial		x(18)	
rhd_ser_lon	Loaner Serial		X(18)	
rhd_ship	Ship To		x(8)	
rhd_site	To Site		x(8)	
rhd_start	Start Time		99:99	
rhd_status	Status		x(8)	
rhd_sv_code	Contract Type		x(8)	
rhd_trans	Transaction	Tr	x(4)	
rhd_trnbr	Transaction		>>>>>>>9	
rhd_type	Type		x(2)	
rhd_um	UM		X(2)	
rhd_um_conv	UM Conv		>>>>9.9999<<<<	2
rhd_user1	Ufld1		x(8)	
rhd_user2	Ufld2		x(8)	
rhd_chr01			x(8)	
rhd_chr02			x(8)	
rhd_chr03			x(8)	
rhd_chr04			x(8)	
rhd_chr05			x(8)	
rhd_chr06			x(8)	
rhd_chr07			x(8)	
rhd_chr08			x(8)	
rhd_chr09			x(8)	
rhd_chr10			x(8)	
rhd_dec01			>>>, >>>, >>9.99	10
rhd_dec02			>>>, >>>, >>9.99	10
rhd_dte01			99/99/99	
rhd_dte02			99/99/99	
rhd_log01			yes/no	
rhd_qadc01	QAD Character Field 1		X(8)	
rhd_qadc02	QAD Character Field 2		X(8)	
rhd_qadc03	QAD Character Field 3		X(8)	
rhd_qadd01	QAD Date Field 1		99/99/99	
rhd_qadd02	QAD Date Field 2		99/99/99	
rhd_qadd03	QAD Date Field 3		99/99/99	
rhd_qadd04	QAD Date Field 4		99/99/99	
rhd_qadd05	QAD Date Field 5		99/99/99	
rhd_qadde01	QAD Decimal Field 1		->>, >>9.99	10
rhd_qadde02	QAD Decimal Field 2		->>, >>9.99	10
rhd_qadde03	QAD decimal Field 3		->>, >>9.99	10
rhd_qadi01	QAD Integer Field 1		->, >>>, >>9	
rhd_qadi02	QAD Integer Field 2		->, >>>, >>9	
rhd_qadi03	QAD Integer Field 3		->, >>>, >>9	
rhd_qadl01	QAD Logical Field 1		yes/no	
rhd_qadl02	QAD Logical Field 2		yes/no	
rhd_qadl03	QAD Logical Field 3		yes/no	

372 rma_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
rh�_nbr	no	rh�_nbr	yes	no
rh�_part	no	rh�_part	yes	no
		rh�_nbr	yes	no
		rh�_prefix	yes	no
		rh�_line	yes	no
* rh�_trnbr	yes	rh�_file_type	yes	no
		rh�_trnbr	yes	no

rma_mstr RMA Order Master

Field Name	Label	Col-Label	Format	Dec
rma_bill_to	Bill To		x(8)	
rma_ca_nbr	Call Id		x(8)	
rma_cmtindx	Comment Index	Comment	>>>>>>9	
rma_complete	Complete	Cmp	yes/no	
rma_contract	RMA Contract		x(8)	
rma_crprlist	Credit Price List	Cr Price	x(8)	
rma_cstmllist	Customs List	Customs	x(8)	
rma_ctype	Contract Type		x(8)	
rma_cust_ven	Customer		x(8)	
rma_enduser	End User		x(8)	
rma_eng_code	Engineer Code	Eng Code	x(8)	
rma_exp_date	Expected Date	Expected	99/99/99	
rma_loc_iss	Issue Location		x(8)	
rma_loc_rec	Receive Location		x(8)	
rma_mod_date	Date Last Updated		99/99/99	
rma_mod_userid	Last Updated By		X(8)	
rma_nbr	RMA		x(8)	
rma_ord_date	Order Date	Ord Date	99/99/99	
rma_prefix	Prefix		x(1)	
rma_prt_rec	Print Receiving Doc	Print Rec	yes/no	
rma_pr_list	Price List	List	x(8)	
rma_req_date	Required Date	Required	99/99/99	
rma_rstk_pct	Restocking Charge	Restock	->>9.99%	2
rma_ship	Ship-To		x(8)	
rma_shipdate	Ship Date		99/99/99	
rma_site_iss	Issue Site		x(8)	
rma_site_rec	Receive Site		x(8)	
rma_source	Order Source	Source	x(8)	
rma_stat	Action Status	St	x(2)	
rma_taxable	Taxable	Tax	yes/no	
rma_taxc	Tax Class	TxC	x(3)	
rma_type	Type		x(8)	
rma_user1	Ufld1		x(8)	
rma_user2	Ufld2		x(8)	
rma__chr01			x(8)	
rma__chr02			x(8)	
rma__chr03			x(8)	
rma__chr04			x(8)	
rma__chr05			x(8)	
rma__chr06			x(8)	
rma__chr07			x(8)	
rma__chr08			x(8)	

Field Name	Label	Col-Label	Format	Dec
rma_chr09			x(8)	
rma_chr10			x(8)	
rma_dec01	PST		>>>, >>>, >>9.99	10
rma_dec02			>>>, >>>, >>9.99	10
rma_dte01			99/99/99	
rma_dte02			99/99/99	
rma_log01			yes/no	
rma_qadc01	QAD Character Field 1		X(8)	
rma_qadc02	QAD Character Field 2		X(8)	
rma_qadc03	QAD Character Field 3		X(8)	
Δ rma_qadc04	QAD Character Field 4		x(8)	
Δ rma_qadc05	QAD Character Field 5		x(8)	
rma_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
rma_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99<<<	10
Δ rma_qadd03	QAD Decimal Field 3		->>>>, >>>, >>9.99<<<	10
Δ rma_qadd04	QAD Decimal Field 4		->>>>, >>>, >>9.99<<<	10
rma_qadi01	QAD Integer Field 1		->, >>>, >>9	
rma_qadi02	QAD Integer Field 2		->, >>>, >>9	
Δ rma_qadi03	QAD Integer Field 3		->, >>>, >>9	
rma_qadi01	QAD Logical Field 1		yes/no	
rma_qadi02	QAD Logical Field 2		yes/no	
rma_qadt01	QAD Date Field 1		99/99/99	
rma_qadt02	QAD Date Field 2		99/99/99	
rma_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
rma_ca_nbr	no	rma_ca_nbr	yes	no
		rma_nbr	yes	no
rma_cust_ven	yes	rma_cust_ven	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no
* rma_nbr	yes	rma_nbr	yes	no
		rma_prefix	yes	no

rmc_ctrl RMA Control File

Field Name	Label	Col-Label	Format	Dec
rmc_all_days	Allocate Days		>>>>>9	
rmc_consume	Consume Forecast	Consume Fcst	yes/no	
rmc_det_all	Detail Allocations		yes/no	
rmc_dflt_rma	Default RMA Contract		x(8)	
rmc_disp_trail	RMA Trailer Display		yes/no	
rmc_edit_isb	Edit Installed Base		yes/no	
rmc_hcmmts	RMA Header Comments		yes/no	
rmc_hist	Return History		yes/no	
rmc_history	Keep Booking History		yes/no	
rmc_index1	Index		>>>>>9	
rmc_issues	Issues First		yes/no	
rmc_lcmmts	RMA Line Comments		yes/no	
rmc_loc_is	Customer Return Location		x(8)	
rmc_loc_iv	Return From Supplier Loc		x(8)	
rmc_loc_os	Customer Spares Location		x(8)	

374 rmc_ctrl

Field Name	Label	Col-Label	Format	Dec
rmc_loc_ov	At Supplier Location		x(8)	
rmc_mod_date	Date Last Updated		99/99/99	
rmc_mod_userid	Last Updated By		X(8)	
rmc_node	Node		x(8)	
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>>9	
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_acct	Return Acct	Return	x(8)	
rmc_rtn_cc	Cost Ctr	CC	x(4)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	
rmc__chr01			x(8)	
rmc__chr02			x(8)	
rmc__chr03			x(8)	
rmc__chr04			x(8)	
rmc__chr05			x(8)	
rmc__chr06			x(8)	
rmc__chr07			x(8)	
rmc__chr08			x(8)	
rmc__chr09			x(8)	
rmc__chr10			x(8)	
rmc__dec01			->>>,>>>,>>9.99	10
rmc__dec02			->>>,>>>,>>9.99	10
rmc__dec03			->>>,>>>,>>9.99	10
rmc__dte01			99/99/99	
rmc__dte02			99/99/99	
rmc__dte03			99/99/99	
rmc__dte04			99/99/99	
rmc__log01			yes/no	
rmc__log02			yes/no	
rmc__log03			yes/no	
rmc__log04			yes/no	
rmc__log05			yes/no	
rmc__qadc01	QAD Character Field 1		X(8)	
rmc__qadc02	QAD Character Field 2		X(8)	
rmc__qadc03	QAD Character Field 3		X(8)	
rmc__qadc04			x(4)	
rmc__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
rmc__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
rmd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmd__qadi03			>>>>>>9	0
rmd__qadi01	QAD Logical Field 1		yes/no	
rmd__qadi02	QAD Logical Field 2		yes/no	
rmd__qadi03	QAD Logical Field 3		yes/no	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rmc_node	yes	rmc_node	yes	no

rmd_det RMA Detail Lines

Field Name	Label	Col-Label	Format	Dec
rmd_chg_type	Charge Type	CT	x(2)	
rmd_cmtindx	Comment Index	Comment	>>>>>>>9	
rmd_comment[5]	Comments		x(40)	
rmd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10
rmd_cpl_date	Received Date	Rec Date	99/99/99	
rmd_customs	Customs Value		>>>>,>>>,>>9.99<<<	10
rmd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	2
rmd_desc	Description		x(24)	
rmd_done	Received		yes/no	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	99:99	
rmd_eng_code	Engineer Code	Eng Code	x(8)	
rmd_exp_date	Expected Date	Exp Date	99/99/99	
rmd_fault_cd	Fault Code	Fault	x(8)	
rmd_ins_date	Install Date		99/99/99	
rmd_iss	Inv Iss		yes/no	
rmd_line	Line	Ln	>>9	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		yes/no	
rmd_loc	To Location		x(8)	
rmd_mod_date	Date Last Updated		99/99/99	
rmd_mod_userid	Last Updated By		X(8)	
rmd_nbr	Sales Order	Order	x(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_part	Item		x(18)	
rmd_par_date	Parent Install Date		99/99/99	
rmd_par_part	Parent Item		x(18)	
rmd_par_ser	Parent Serial		x(18)	
rmd_prefix	Prefix		x(1)	
rmd_price	Price		>>>>,>>>,>>9.99<<<	10
rmd_process	Processing		x(2)	
rmd_prodline	Product Line	Line	x(4)	
rmd_qty_acp	Qty Received		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_non	Qty Due Billed		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<	10
rmd_ref	Ref		>>>>>>>9	
rmd_restock	Restock		>>>,>>9.99<<<	10
rmd_rev	Item Revision		x(8)	

376 rmd_det

Field Name	Label	Col-Label	Format	Dec
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__chr05			x(8)	
rmd__chr06			x(8)	
rmd__chr07			x(8)	
rmd__chr08			x(8)	
rmd__chr09			x(8)	
rmd__chr10			x(8)	
rmd_dec01			>>>, >>>, >>9.99	10
rmd_dec02			>>>, >>>, >>9.99	10
rmd_dte01			99/99/99	
rmd_dte02			99/99/99	
rmd_log01			yes/no	
rmd_qadc01	QAD Character Field 1		X(8)	
rmd_qadc02	QAD Character Field 2		X(8)	
rmd_qadc03	QAD Character Field 3		X(8)	
rmd_qadc04			x(4)	
rmd_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
rmd_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99	10
rmd_qadd03	QAD Decimal Field 3		->>, >>9.99	10
rmd_qadi01	QAD Integer Field 1		->, >>>, >>9	
rmd_qadi02	QAD Integer Field 2		->, >>>, >>9	
rmd_qadi03	QAD Integer Field 3		->, >>>, >>9	
rmd_qadl01	QAD Logical Field 1		yes/no	
rmd_qadl02	QAD Logical Field 2		yes/no	
rmd_qadl03	QAD Logical Field 3		yes/no	
rmd_qadt01	QAD Date Field 1		99/99/99	
rmd_qadt02	QAD Date Field 2		99/99/99	
rmd_qadt03	QAD Date Field 3		99/99/99	
rmd_qadt04	QAD Date Field 4		99/99/99	
rmd_qadt05	QAD Date Field 5		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_link	no	rmd_rma_nbr	yes	no
		rmd_rma_line	yes	no
		rmd_prefix	yes	no
* rmd_nbrln	yes	rmd_nbr	yes	no
		rmd_prefix	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_part	no	rmd_line	yes	no
		rmd_part	yes	no
		rmd_exp_date	yes	no
		rmd_fault_cd	yes	no
rmd_type	no	rmd_prefix	yes	no
		rmd_type	yes	no
		rmd_nbr	yes	no
		rmd_line	yes	no

rmd_mstr Rounding Method Master

Field Name	Label	Col-Label	Format	Dec
rmd_dec_pt	Decimal Point	Dec! Pt.	x(1)	
rmd_desc	Description		x(24)	
rmd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rmd_thrshld	Rounding Threshold	Threshold	>, >>9.9999	4
rmd_unit	Rounding Unit	Rnd Unit	>, >>9.999	3
rmd_user1	user1		x(8)	
rmd_user2	user2		x(8)	
rmd_chr01			x(8)	
rmd_chr02			x(8)	
rmd_chr03			x(8)	
rmd_chr04			x(8)	
rmd_qad01			x(8)	
rmd_qad02			x(8)	
rmd_qad03			x(8)	
rmd_qad04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_desc	no	rmd_desc	yes	no
		rmd_rnd_mthd	yes	no
* rmd_rnd_mthd	yes	rmd_rnd_mthd	yes	no

ro_det Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
ro_auto_lbr	Auto Labor Report		yes/no	
ro_batch	Batch Qty	Batch! Qty	>, >>>, >>9.9<<<<<<<<	10
ro_bom_code	BOM Code		x(18)	
ro_cmtdindx	Comment Index	Comment	>>>>>>9	
ro_cost	Cost		>>>>, >>>, >>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>>, >>9.999	3
ro_cyc_unit	Units/Cycle		>>>>>9	2
ro_desc	Description		x(24)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
ro_end	End Date	End	99/99/99	
ro_end_ecn	End ECN		x(8)	

378 ro_det

Field Name	Label	Col-Label	Format	Dec
ro_fsc_code	Service Category		X(8)	
ro_fsm_type	FSM Type		x(8)	
ro_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	3
ro_mch	Machine		x(8)	
ro_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
ro_men_mch	Run Crew		->>,>>9.99	2
ro_milestone	Milestone Operation	Milestone	yes/no	
ro_mod_date	Date Modified		99/99/99	
ro_mod_userid	Modified By		X(8)	
ro_move	Move Time	Move	>,>>9.9<<	3
ro_mv_nxt_op	Move Next Op		yes/no	
ro_op	Operation	Op	>>>>9	
ro_po_line	Line	Ln	>>9	
ro_po_nbr	Purchase Order	PO	x(8)	
ro_price	Price		>>>>,>>>,>>9.99<<<	10
ro_queue	Queue Time	Queue	>,>>9.9<<	3
ro_rollup	Rollup Req'd		yes/no	
ro_rollup_id	Rollup ID		x(8)	
ro_routing	Routing Code		x(18)	
ro_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<<	9
ro_setup	Setup Time	Setup	>,>>9.9<<	3
ro_setup_men	Setup Crew		->>,>>9.99	2
ro_start	Start Date	Start	99/99/99	
ro_start_ecn	Start ECN		x(8)	
ro_std_batch	Standard Batch Size	Batch	>>>,>>9.9	2
ro_std_op	Standard Operation	Std Op	x(8)	
ro_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
ro_sub_lead	Subcontract LT	Sub LT	>>9	
ro_tool	Tool Code	Tool	x(8)	
ro_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
ro_user1	Ufld1		x(8)	
ro_user2	Ufld2		x(8)	
ro_vend	Supplier		x(8)	
ro_wait	Wait Time	Wait	>,>>9.9<<	3
ro_wipmtl_part	WIP Item		x(18)	
ro_wkctr	Work Center	Work Ctr	x(8)	
ro_yield_pct	Yield%		>>9.99%	2
ro__chr01			x(8)	
ro__chr02			x(8)	
ro__chr03			x(8)	
ro__chr04			x(8)	
ro__chr05			x(8)	
ro__dec01			>>>,>>>,>>9.99	10
ro__dec02			>>>,>>>,>>9.99	10
ro__dte01			99/99/99	
ro__dte02			99/99/99	
ro__log01			yes/no	
ro__qadc01	QAD Character Field 1		X(8)	
ro__qadc02	QAD Character Field 2		X(8)	
ro__qadc03	QAD Character Field 3		X(8)	
ro__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
ro__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
ro__qadl01	QAD Logical Field 1		yes/no	
ro__qadl02	QAD Logical Field 2		yes/no	
ro__qadt01	QAD Date Field 1		99/99/99	
ro__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ro_fsm_type	no	ro_fsm_type	yes	no
		ro_routing	yes	no
		ro_op	yes	no
* ro_routing	yes	ro_routing	yes	no
		ro_op	yes	no
		ro_start	yes	no
ro_wkctr	no	ro_wkctr	yes	no
		ro_mch	yes	no

rpc_ctrl Repetitive Control File

Field Name	Label	Col-Label	Format	Dec
rpc_eff_days	End Eff Days		>>9	
rpc_eff_dflt	End Eff Default Method		X(1)	
rpc_inc_yld	Include Yield		yes/no	
rpc_index1	Index		9	
rpc_nbr	Next Picklist	P/L Nbr	>>>>>>9	
rpc_nbr_pre	P/L Prefix	Pre	x(3)	
rpc_sch_bck	Consume Back	Back	->>9	
rpc_sch_fwd	Consume Forward	Fwd	->>9	
rpc_user1	user1		x(8)	
rpc_user2	user2		x(8)	
rpc_using_new	Enable New Repetitive		yes/no	
rpc_wk_start	Start Week	Week! Day	9	
rpc_wxfer_acct	WIP Transfer Acct		X(8)	
rpc_wxfer_cc	WIP Transfer CC		X(4)	
rpc_xfer_wip	Transfer WIP		yes/no	
rpc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rpc_index1	yes	rpc_index1	yes	no

rps_mstr Repetitive Production Schedule

Field Name	Label	Col-Label	Format	Dec
rps_bom_code	BOM/Formula		x(18)	
rps_due_date	Due Date		99/99/99	
rps_line	Production Line	Line	x(8)	
rps_part	Item Number		x(18)	
rps_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<<<	10
rps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<<<	10
rps_record			>>>>>>9	
rps_rel_date	Release	Rel Date	99/99/99	
rps_routing	Routing Code		x(18)	

380 rqa_mstr

Field Name	Label	Col-Label	Format	Dec
rps_site	Site		x(8)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	
rps__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rps_part	yes	rps_part	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_record	yes	rps_record	yes	no
rps_site	yes	rps_site	yes	no
		rps_part	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_site_line	no	rps_site	yes	no
		rps_line	yes	no
		rps_part	yes	no
		rps_due_date	yes	no

rqa_mstr Requisition Approver Master File

Field Name	Label	Col-Label	Format	Dec
rqa_admin_apr	Administrative Approver	Admin.	x(8)	
rqa_alt_apr[2]	Alternate Approver	Alt.	x(8)	
rqa_apr	User Id		x(8)	
rqa_apr_level	Approval Level	Approval! Level	99	
rqa_apr_req	Approval Required	Req	yes/no	
rqa_category	Category		x(8)	
rqa_cc_from	Cost Ctr From	From! CC	X(4)	
rqa_cc_to	Cost Ctr To	To! CC	X(4)	
rqa_end	End Effective	End	99/99/99	
rqa_entity	Entity		X(4)	
rqa_job	Job		X(8)	
rqa_prod_line	Product Line	Product! Line	x(8)	
rqa_rvw_level	Review Level	Review! Level	99	
rqa_rvw_req	Review Required	Req	yes/no	
rqa_site	Site		x(8)	
rqa_start	Start Effective	Start	99/99/99	
rqa_sub_from	Sub-Account From	From! Sub	X(8)	
rqa_sub_to	Sub-Account To	To! Sub	X(8)	
rqa_type	Type		>9	
rqa__chr01			x(8)	
rqa__chr02			x(8)	
rqa__chr03			x(8)	
rqa__chr04			x(8)	
rqa__qadc01	QAD Field		X(8)	
rqa__qadc02	QAD Field		X(8)	
rqa__qadc03	QAD Field		X(8)	
rqa__qadc04	QAD Field		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rqa_apr_type	yes	rqa_apr	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
rqa_type	yes	rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_apr	yes	no
		rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
rqa_type_apr	yes	rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_apr	yes	no
		rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no

rqcd_det Requisition Category Detail File

Field Name	Label	Col-Label	Format	Dec
rqcd_acct_from	Account From		x(8)	
rqcd_acct_to	Account To		x(8)	
rqcd_category	Category		x(8)	
rqcd__chr01			x(8)	
rqcd__chr02			x(8)	
rqcd__chr03			x(8)	
rqcd__chr04			x(8)	
rqcd__qadc01	QAD Field		X(8)	0
rqcd__qadc02	QAD Field		X(8)	0
rqcd__qadc03	QAD Field		X(8)	0
rqcd__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqcd_acct_from	no	rqcd_acct_from	yes	no
		rqcd_category	yes	no
* rqcd_category	yes	rqcd_category	yes	no
		rqcd_acct_from	yes	no

382 rqc_mstr

rqc_mstr Category Master File

Field Name	Label	Col-Label	Format	Dec
rqc_category	Category		x(8)	
rqc_desc	Description		x(24)	
rqc_chr01			x(8)	
rqc_chr02			x(8)	
rqc_chr03			x(8)	
rqc_chr04			x(8)	
rqc_qadc01	QAD Field		X(8)	0
rqc_qadc02	QAD Field		X(8)	0
rqc_qadc03	QAD Field		X(8)	0
rqc_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqc_category	yes	rqc_category	yes	no
rqc_desc	no	rqc_desc	yes	no

rqda_det Requisition Detail Approvals File

Field Name	Label	Col-Label	Format	Dec
rqda_action	Action		x(20)	
rqda_apr_userid	User Id		x(8)	
rqda_date	Date		99/99/99	
rqda_ent_userid	Entered By		x(8)	
rqda_nbr	Req Nbr		x(8)	
rqda_time	Time		>>>>>>9	
rqda_chr01			x(8)	
rqda_chr02			x(8)	
rqda_chr03			x(8)	
rqda_chr04			x(8)	
rqda_qadc01	QAD Field		X(8)	0
rqda_qadc02	QAD Field		X(8)	0
rqda_qadc03	QAD Field		X(8)	0
rqda_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqda_apr_userid	no	rqda_apr_userid	yes	no
		rqda_nbr	yes	no
* rqda_nbr	yes	rqda_nbr	yes	no
		rqda_apr_userid	yes	no

rqd_det Requisition Detail File

Field Name	Label	Col-Label	Format	Dec
rqd_acct	Pur Acct		x(8)	
rqd_aprv_stat	Aprvl Status		x(16)	
rqd_assay	Assay %		>>9.99%	2
rqd_category	Category		x(8)	

Field Name	Label	Col-Label	Format	Dec
rqd_cc	Cost Ctr	CC	x(4)	
rqd_cmtindx	Comment Index	Comment	>>>>>>9	
rqd_desc	Desc		x(30)	
rqd_disc_pct	Disc%		->9.99%	2
rqd_due_date	Due Date		99/99/99	
rqd_expire	Expire Date	Expire	99/99/99	
rqd_grade	Grade		x(2)	
rqd_insp_rq	Inspect Req	Insp	yes/no	
rqd_line	Line		>>>	
rqd_loc	Location		x(8)	
rqd_lot_rcpt	Single Lot		yes/no	
rqd_max_cost	Max Unit Cost		>>>,>>>,>9.99<<<	10
rqd_nbr	Req Nbr		x(8)	
rqd_need_date	Need Date	Need	99/99/99	
rqd_oot_extra[8]			x(16)	
rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>,>>>,>9.99<<<	10
rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>,>>>,>9.99<<<	10
rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
rqd_open	Open		yes/no	
rqd_part	Item Number		x(18)	
rqd_project	Project		x(8)	
rqd_pr_list	Disc Tbl		x(8)	
rqd_pr_list2	Pr Tbl		x(8)	
rqd_pur_cost	Unit Cost		>>>,>>>,>9.99<<<	10
rqd_rctstat	Receipt Status	Status	x(8)	
rqd_rel_date	Release Date	Release	99/99/99	
rqd_req_qty	Req Qty		>,>>>,>>9.9<<<<<<<<	10
rqd_rev	Revision	Rev	x(4)	
rqd_ship	Ship-to		x(8)	
rqd_site	Site		x(8)	
rqd_status	Status		x(1)	
rqd_taxable	Tax		yes/no	
rqd_type	Type		x(1)	
rqd_um	UM		x(2)	
rqd_um_conv	UM Conv		>>>>9.9999<<<<	10
rqd_vend	Supplier		x(8)	
rqd_vpart	Supplier Part		x(30)	
rqd_chr01			x(8)	
rqd_chr02			x(8)	
rqd_chr03			x(8)	
rqd_chr04			x(8)	
rqd_qadc01	QAD Field		X(8)	0
rqd_qadc02	QAD Field		X(8)	0
rqd_qadc03	QAD Field		X(8)	0
rqd_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqd_aprv_stat	no	rqd_aprv_stat	yes	no
		rqd_nbr	yes	no
* rqd_nbr	yes	rqd_nbr	yes	no
		rqd_line	yes	no
rqd_need_date	no	rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_part	no	rqd_part	yes	no

384 rqf_ctrl

Index-Name	Uni	Field-Name	Asc	Abbr
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_site	no	rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_vend	no	rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl

Requisition Control File

Field Name	Label	Col-Label	Format	Dec
rqf_appr_curr	Approval Currency		x(3)	
rqf_diraprs_req	Product Line Approvals Required		>9	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	
rqf_horaprs_req	Horizontal Approvals Required		>9	
rqf_index1	Index		>>>>9	
rqf_lcmmts	Line Comments		yes/no	
rqf_ln_fmt	Ln Format (S/M)		single/multi	
rqf_nbr	Next Requisition Number		99999999	
rqf_oot_rtg	Out Of Tolerance Routing		x(1)	
rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)		automatic/manual	
rqf_pre	Requisition Prefix		x(3)	
rqf_tol_pct	Tolerance Percent		>>9.99	2
rqf_tol_val	Tolerance Value		>>>>, >>9.99	2
rqf_use_tolpct	Use Tolerance Percent		yes/no	
rqf_use_tolval	Use Tolerance Value		yes/no	
rqf_vrtaprs_req	Vertical Approvals Required		>9	
rqf__chr01			x(8)	
rqf__chr02			x(8)	
rqf__chr03			x(8)	
rqf__chr04			x(8)	
rqf__dec01			->>, >>9.99	2
rqf__dte01			99/99/99	
rqf__log01			yes/no	
rqf__qadc01	QAD Field		X(8)	0
rqf__qadc02	QAD Field		X(8)	0
rqf__qadc03	QAD Field		X(8)	0
rqf__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqf_index1	yes	rqf_index1	yes	no

rqh_hist Requisition History File

Field Name	Label	Col-Label	Format	Dec
rqh_action	Action		x(20)	
rqh_apr_userid	User Id		x(8)	
rqh_date	Date		99/99/99	
rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
rqh_ent_userid	Entered By		x(8)	
rqh_line	Line		>>>	
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			99999999	
rqh_time	Time		>>>>>>>9	
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rqh_nbr	yes	rqh_nbr	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no
rqh_nbr_usr	no	rqh_nbr	yes	no
		rqh_apr_userid	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no

rqj_mstr Requisition Job Master File

Field Name	Label	Col-Label	Format	Dec
rqj_desc	Description		x(24)	
rqj_end	End Effective		99/99/99	
rqj_job	Job		x(8)	
rqj_start	Start Effective		99/99/99	
rqj__chr01			x(8)	
rqj__chr02			x(8)	
rqj__chr03			x(8)	
rqj__chr04			x(8)	
rqj__qadc01	QAD Field		X(8)	0
rqj__qadc02	QAD Field		X(8)	0
rqj__qadc03	QAD Field		X(8)	0
rqj__qadc04	QAD Field		X(8)	0

386 rql_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* rql_job	yes	rql_job	yes	no

rql_mstr Requisition Approval Level Master

Field Name	Label	Col-Label	Format	Dec
rql_amt	Amount		>>>, >>>, >>>, >>9	2
rql_desc	Description		x(34)	
rql_level	Approval Level		99	
rql_chr01			x(8)	
rql_chr02			x(8)	
rql_chr03			x(8)	
rql_chr04			x(8)	
rql_dec01			->>, >>9.99	2
rql_qadc01	QAD Field		X(8)	0
rql_qadc02	QAD Field		X(8)	0
rql_qadc03	QAD Field		X(8)	0
rql_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
* rql_lev	yes	rql_level	yes	no

rqm_det Requirement Detail

Field Name	Label	Col-Label	Format	Dec
rqm_cat	Category		x(10)	
rqm_date	Date		99/99/99	
rqm_interval	Interval		x(1)	
rqm_line	Line		>>9	
rqm_nbr	Order		x(8)	
rqm_reference	Reference	Ref	x(24)	
rqm_rlse_id	Rlse Id	Rlse! Id	x(30)	
rqm_time	Time		99:99	
rqm_type	Type		>9	
rqm_user1	user1		x(8)	
rqm_user2	user2		x(8)	
rqm_value	Value		x(24)	
rqm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rqm_schd	no	rqm_type	yes	no
		rqm_nbr	yes	no
		rqm_line	yes	no
		rqm_rlse_id	yes	no
		rqm_date	yes	no
		rqm_time	yes	no
		rqm_interval	yes	no
		rqm_reference	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rqm_value	no	rqm_cat	yes	no
		rqm_type	yes	no
		rqm_cat	yes	no
		rqm_date	yes	no
		rqm_value	yes	no

rqm_mstr Requisition Master File

Field Name	Label	Col-Label	Format	Dec
rqm_acct	Account		x(8)	
rqm_aprv_stat	Aprvl Status		x(16)	
rqm_apr_cmtindx	Approval Comments		>>>>>>9	
rqm_bill	Bill-To		x(8)	
rqm_buyer	Buyer		x(8)	
rqm_category	Category		x(8)	
rqm_cc	Cost Ctr	CC	x(4)	
rqm_cls_date	Close Date	Closed	99/99/99	
rqm_cmtindx	Comments		>>>>>>9	
rqm_contact	Contact		x(24)	
rqm_curr	Currency		x(3)	
rqm_direct	Direct Matls		yes/no	
rqm_disc_pct	Disc %		->9.99%	2
rqm_due_date	Due Date		99/99/99	
rqm_eby_userid	Entered By		x(8)	
rqm_email_opt	E-mail Option		x(1)	
rqm_end_userid	End User		x(8)	
rqm_entity	Entity	Ent	x(4)	
rqm_ent_date	Ent Date		99/99/99	
rqm_ent_ex	Exch Rate		>>, >>9.99999<<<<<	5
rqm_exru_seq	Sequence		>>>>>>>9	
rqm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_ratetype	Rate Type		x(8)	
rqm_fix_pr	Fixed Price		yes/no	
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_in_fmt	Single/Multi		single/multi	
rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	ZZZZ,ZZZ,ZZ9.99	2
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		x(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_pr_list	Disc Tbl	Disc Tbl	x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	

388 rqpo_ref

Field Name	Label	Col-Label	Format	Dec
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	ZZZZ,ZZZ,ZZ9.99	2
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	
rqm__chr01			x(8)	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->>, >>9.99	2
rqm__log01			yes/no	
rqm__qadc01	QAD Field		X(8)	0
rqm__qadc02	QAD Field		X(8)	0
rqm__qadc03	QAD Field		X(8)	0
rqm__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqm_buyer	no	rqm_buyer	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_job	no	rqm_job	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
* rqm_nbr	yes	rqm_nbr	yes	no
rqm_open	no	rqm_open	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rqby_userid	no	rqm_rqby_userid	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rtto	no	rqm_rtto_userid	yes	no
		rqm_open	yes	no
		rqm_nbr	yes	no

rqpo_ref

Requisition – PO Cross-Reference File

Field Name	Label	Col-Label	Format	Dec
rqpo_po_line	PO Line		>>>	
rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
rqpo_qty_ord	Qty Ord		->, >>>, >>9.9<<<<<<<<<	10
rqpo_req_line	Req Line		>>>	
rqpo_req_nbr	Requisition	Req Nbr	x(8)	
rqpo__chr01			x(8)	
rqpo__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqpo__chr03			x(8)	
rqpo__chr04			x(8)	
rqpo__qadc01	QAD Field		X(8)	0
rqpo__qadc02	QAD Field		X(8)	0
rqpo__qadc03	QAD Field		X(8)	0
rqpo__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqpo_po_nbr	no	rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
		rqpo_req_nbr	yes	no
* rqpo_req_nbr	yes	rqpo_req_line	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no
		rqpo_po_line	yes	no

390 rqr_mstr

rqr_mstr Role Master File

Field Name	Label	Col-Label	Format	Dec
rqr_role	Role		x(8)	
rqr_userid	User Id		x(8)	
rqr_chr01			x(8)	
rqr_chr02			x(8)	
rqr_chr03			x(8)	
rqr_chr04			x(8)	
rqr_qadc01	QAD Field		X(8)	0
rqr_qadc02	QAD Field		X(8)	0
rqr_qadc03	QAD Field		X(8)	0
rqr_qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
rqr_role	yes	rqr_role	yes	no
		rqr_userid	yes	no
* rqr_userid	yes	rqr_userid	yes	no
		rqr_role	yes	no

rq_mstr Requirements Master

Field Name	Label	Col-Label	Format	Dec
rq_end	End Date	End	99/99/99	
rq_lead	Lead Time (Days)	LT	>>9	
rq_lt_off	Offset (Days)	Offset	-->9	
rq_part	Item Number		x(18)	
rq_qty_per	Resource Qty Per	Qty Per	--,>>>,>>9.9<<<<<<<<	9
rq_ref	Reference		x(8)	
rq_rsc	Resource		x(8)	
rq_site	Site		x(8)	
rq_start	Start Date	Start	99/99/99	
rq_user1	Ufld1		x(8)	
rq_user2	Ufld2		x(8)	
rq_chr01			x(8)	
rq_chr02			x(8)	
rq_chr03			x(8)	
rq_chr04			x(8)	
rq_chr05			x(8)	
rq_dec01			>>>,>>>,>>9.99	10
rq_dec02			>>>,>>>,>>9.99	10
rq_dte01			99/99/99	
rq_dte02			99/99/99	
rq_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* rq_part	yes	rq_part	yes	no
		rq_site	yes	no
		rq_rsc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rq_rsc	no	rq_ref	yes	no
		rq_start	yes	no
		rq_rsc	yes	no
		rq_site	yes	no

◇ **rsc_ctrl** Shipping Schedule Control File

Field Name	Label	Col-Label	Format	Dec
rsc_active	Enable Shipping Schedule		yes/no	
rsc_auto_update	Auto Update Plan From Ship		yes/no	
rsc_fab_days	Fab Auth Days		>>9	
rsc_firm_days	Firm Days		>>9	
rsc_gen_ship	Generate Ship Sched From MRP		yes/no	
rsc_index1	Index		>>>>9	
rsc_raw_days	Raw Auth Days		>>9	
rsc_ship_days	Schedule Days		>>9	
rsc_ship_months	Schedule Months		>>9	
rsc_ship_weeks	Schedule Weeks		>>9	
rsc_user1	Ufld1		x(8)	
rsc_user2	Ufld2		x(8)	
rsc_zero_req	Send Zero Requirements		yes/no	
rsc__qadc01	QAD Field		x(8)	
rsc__qadc02	QAD Field		x(8)	
rsc__qadd01	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc__qadd02	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc__qadi01	QAD Field		->, >>>, >>9	
rsc__qadi02	QAD Field		->, >>>, >>9	
rsc__qadi01	QAD Field		yes/no	
rsc__qadi02	QAD Field		yes/no	
rsc__qadi03	QAD Field		yes/no	
rsc__qadi04	QAD Field		yes/no	
rsc__qadt01	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* rsc_index1	yes	rsc_index1	yes	no

rsd_det Resource Requirements Detail

Field Name	Label	Col-Label	Format	Dec
rsd_cap	Cap/Day		->>>, >>9.9	1
rsd_end	End Date		99/99/99	
rsd_ref	Reference		x(8)	
rsd_rsc	Resource		x(8)	
rsd_shift1	Shift1		->>, >>9.99	2
rsd_shift2	Shift2		->>, >>9.99	2
rsd_shift3	Shift3		->>, >>9.99	2
rsd_shift4	Shift4		->>, >>9.99	2
rsd_site	Site		x(8)	

392 rsn_ref

Field Name	Label	Col-Label	Format	Dec
rsd_start	Start Date	Start	99/99/99	
rsd_user1	Ufld1		x(8)	
rsd_user2	Ufld2		x(8)	
rsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsd_rsc	yes	rsd_rsc	yes	no
		rsd_site	yes	no
		rsd_ref	yes	no
rsd_site	yes	rsd_site	yes	no
		rsd_rsc	yes	no
		rsd_ref	yes	no

rsn_ref Reason Code Master

Field Name	Label	Col-Label	Format	Dec
rsn_code	Reason Code	Code	x(8)	
rsn_desc	Description		x(24)	
rsn_type	Reason Type	Type	x(8)	
rsn_user1	Ufld1		x(8)	
rsn_user2	Ufld2		x(8)	
rsn__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsn_code	yes	rsn_code	yes	no
		rsn_type	yes	no
rsn_type	yes	rsn_type	yes	no
		rsn_code	yes	no

rstd_det Product Change Control – Routing Slip Template Detail

Field Name	Label	Col-Label	Format	Dec
rstd_appr_code	Routing Slip		x(8)	
rstd_canreroute	Can Re-Route		yes/no	
rstd_group	Group		x(8)	
rstd_mod_date	Modified Date	Mod Date	99/99/99	
rstd_notify_nxt	Notify When Next	Nxt	yes/no	
rstd_sequence	Sequence	Seq	>>9	
rstd_svrty_lvl	Severity Level		>9	
rstd_user1	user1		x(8)	
rstd_user2	user2		x(8)	
rstd_userid	User ID		x(8)	
rstd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rstd_codegroup	yes	rstd_appr_code	yes	no
		rstd_group	yes	no

rst_mstr Product Change Control – Routing Slip Template Master

Field Name	Label	Col-Label	Format	Dec
rst_appr_code	Routing Slip		x(8)	
rst_desc	Description		X(24)	
rst_mod_date	Modified Date	Mod Date	99/99/99	
rst_notify1	Notification List 1		X(72)	
rst_notify1_mail	E-mail List 1		X(255)	
rst_notify2	Notification List 2		X(72)	
rst_notify2_mail	E-mail List 2		X(255)	
rst_svrty_list	Severity List	Severity	x(8)	
rst_user1	user1		x(8)	
rst_user2	user2		x(8)	
rst_userid	User ID		x(8)	
rst__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rst_code	yes	rst_appr_code	yes	no

rsud_det Product Change Control – Routing Slip Detail

Field Name	Label	Col-Label	Format	Dec
rsud_approved	Approved	Appr	yes/no	
rsud_approverid	Approver ID	ID	X(8)	
rsud_appr_date	Date Approved	AppDate	99/99/99	
rsud_canneroute	Can Re-Route	ReRoute	yes/no	
rsud_cmmtindx	Comment Index	CmtIndex	>>>>>>>9	
rsud_group	Group	Group	X(8)	
rsud_index	Index	Index	>>>>>>>9	
rsud_notify_nxt	Notify When Next	Nxt	yes/no	
rsud_reroute_date	Reroute Date		99/99/99	
rsud_sequence	Sequence	Seq	>>9	
rsud_svrty_lvl	Severity Level		99	
rsud_user1			X(8)	
rsud_user2			X(8)	
rsud__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* rsud_indexgroup	yes	rsud_index	yes	no
		rsud_group	yes	no
rsud_sequence	no	rsud_index	yes	no
		rsud_sequence	yes	no

394 rsu_mstr

rsu_mstr Product Change Control – Routing Slip Master

Field Name	Label	Col-Label	Format	Dec
rsu_appr_code	Approval Code	Code	X(8)	
rsu_appr_date	Approved Date	ApprDate	99/99/99	
rsu_doc_nbr	Document Number	DocNbr	X(40)	0
rsu_doc_type	Document Type	Doc Type	X(8)	0
rsu_index	Index	Index	>>>>>>>9	
rsu_notify2	Notification List 2	NotifyLst2	X(72)	
rsu_notify2_mail	E-mail List 2		X(255)	
rsu_route_date	Routed Date	RouteDate	99/99/99	
rsu_user1			X(8)	
rsu_user2			X(8)	
rsu__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rsu_doc_nbr	no	rsu_doc_nbr	yes	no
		rsu_doc_type	yes	no
* rsu_index	yes	rsu_index	yes	no

rs_mstr Resource Master

Field Name	Label	Col-Label	Format	Dec
rs_desc	Description		x(24)	
rs_rsc	Resource		x(8)	
rs_site	Site		x(8)	
rs_um	UM		x(2)	
rs_user1	Ufld1		x(8)	
rs_user2	Ufld2		x(8)	
rs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
rs_desc	yes	rs_desc	yes	no
		rs_rsc	yes	no
		rs_site	yes	no
* rs_rsc	yes	rs_rsc	yes	no
		rs_site	yes	no

sac_ctrl Service Contract Control File

Field Name	Label	Col-Label	Format	Dec
sac_auto_sa	Automatic Service Contract		yes/no	
	#			
sac_calls_mrp	PM Calls in MRP		yes/no	
sac_company	Company Address		x(8)	
sac_contract_pr	Contract Price Lists		yes/no	
sac_create_pm	Create PM Calls		yes/no	
sac_deferred	Use Deferred Accounting		yes/no	
sac_ex_ratetype	Rate Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
sac_fob	F.O.B.		x(20)	
sac_free_be	Begin or End of Contract		begin/end	
sac_free_gt	On Contracts >		>>,>>9	
sac_free_mth	No Months Free Coverage		>>9	
sac_gen_def	Generate Deferred Accounting		yes/no	
sac_hcmmts	Service Header Comments		yes/no	
sac_index1	Index		>>>>>9	
sac_lcmmts	Service Line Comments		yes/no	
sac_limits_wnd	Contract Limits		yes/no	
sac_limit_copy	Renew Limits From		X(1)	
sac_lim_hist	Record Limits History		yes/no	0
sac_ln_fmt	Ln Format S/M		single/multi	
sac_mod_date	Date Last Updated		99/99/99	
sac_mod_userid	Last Updated By		X(8)	
sac_pm_days	PM Days Scheduling		yes/no	
sac_print	Are Service Contracts Printed		yes/no	
sac_qo	Next Service Quote	Nxt Qte	>>>>>>9	
sac_qo_pre	Quote Prefix	Qte	x(1)	
sac_renewal_days	Renewal Days		->,>>>,>>9	
sac_renew_fmt	Renew Format		x(4)	
sac_reval_bill	Revaluate at Billing		yes/no	
sac_reval_wnd	Revaluation Window		yes/no	
sac_rvidx_nxtbl	Index at Next Bill		yes/no	
sac_sa	Next Service Contract		>>>>>>9	
sac_saqo_nbr	Same Number for Quote/Contract		yes/no	
sac_sa_multi	Multiple Contracts		yes/no	
sac_sa_pre	Contract Prefix	Ct	x(1)	
sac_sa_site	Contract Site		x(8)	
sac_so_hist	Keep Contract History		yes/no	
sac_so_nbr	Next Service Sales order		>>>>>>9	0
sac_so_pre	Service SO Prefix		x(3)	
sac_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
sac_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
sac_user1	Ufld1		x(8)	
sac_user2	Ufld2		x(8)	
sac_user_pricing	User Contract Pricing		yes/no	
sac__chr01			x(8)	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac__dec01			->>>,>>>,>>9.99	10
sac__dec02			->>>,>>>,>>9.99	10
sac__dec03			->>>,>>>,>>9.99	10
sac__dte01			99/99/99	
sac__dte02			99/99/99	
sac__dte03			99/99/99	
sac__dte04			99/99/99	
sac__log01			yes/no	

396 sadh_hist

Field Name	Label	Col-Label	Format	Dec
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->,>>>,>>9	
sac__qadi02	QAD Integer Field 2		->,>>>,>>9	
sac__qadl01	QAD Logical Field 1		yes/no	
sac__qadl02	QAD Logical Field 2		yes/no	
sac__qadl03	QAD Logical Field 3		yes/no	0
sac__qadl04	QAD Logical Field 4		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sac_index1	yes	sac_index1	yes	no

sadh_hist Service Contract Detail History

Field Name	Label	Col-Label	Format	Dec
sadh_acct	Sales Acct	Sales	x(8)	
sadh_amt_type	Amount Type	AT	x(1)	
sadh_area	Area		x(8)	
sadh_cancel	Cancel Date		99/99/99	
sadh_ca_nbr	Call		x(8)	
sadh_cc	Cost Ctr	CC	x(4)	
sadh_cmtindx	Comment Index	Comment	>>>>>>9	
sadh_comment[5]	Comments		x(40)	
sadh_comm_pct[4]	Commission	Comm%	>>9.99%	2
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_def_acct	Sales Acct	Sales	x(8)	
sadh_def_cc	Cost Ctr	CC	x(4)	
sadh_desc	Description		x(24)	
sadh_discount	Discountable		yes/no	
sadh_disc_pct	Disc %		->>9.99%	2
sadh_dsc_acct	Disc Acct		x(8)	
sadh_dsc_cc	CC		x(4)	
sadh_end_date	End Date	End	99/99/99	
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>,>>>,>>9.99<<	4
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_lst_bill	Last Bill		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sadh_mod_date	Date Last Updated		99/99/99	
sadh_mod_userid	Last Updated By		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>,>>>,>>9.99<<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlist_fnd	Price List Found		yes/no	
sadh_procline	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	
sadh_pvm_only	PM Only		yes/no	
sadh_pvm_route	Routing		x(18)	
sadh_qty_bld	Billed Count		->>>,>>9.9<<<<<<<<	10
sadh_qty_chg	Qty to Bill		->,>>>,>>9.9<<<<<<<<<<	10
sadh_qty_item	Item Quantity	Item Qty	>>,>>9.9	3
sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	3
sadh_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	3
sadh_qty_per	Duration		->>>9.9<<<	10
sadh_ref	Ref		>>>>>>>9	
sadh_serial	Lot/Serial		x(18)	
sadh_site	Site		x(8)	
sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
sadh_so_line	Sales Order Line		>>9	
sadh_so_ship	From Sales Order		x(8)	
sadh_so_shipln	From SO Line		>>9	
sadh_status	Status		x(8)	
sadh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sadh_st_cover	Coverage		99/99/99	
sadh_st_date	Start Date	Start	99/99/99	
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sadh_total_price	Total Price		>>>>,>>>,>>9.99<<<	10
sadh_trnbr	Transaction		>>>>>>>>>>9	
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	2
sadh_chr01	User Field #1		x(8)	
sadh_chr02	User Field #2		x(8)	
sadh_chr03	User Field #3		x(8)	
sadh_chr04	User Field #4		x(8)	
sadh_chr05	User Field #5		x(8)	

398 sad_det

Field Name	Label	Col-Label	Format	Dec
sadh_chr06	User Field #6		x(8)	
sadh_chr07	User Field #7		x(8)	
sadh_chr08	User Field #8		x(8)	
sadh_chr09	User Field #9		x(8)	
sadh_chr10	User Field #10		x(8)	
sadh_dec01	User Decimal Field #1		>>>, >>>, >>9.99	10
sadh_dec02	User Decimal Field #2		>>>, >>>, >>9.99	10
sadh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh_dte01	User Date Field #1		99/99/99	
sadh_dte02	User Date Field #2		99/99/99	
sadh_dte03	User Date #3		99/99/99	
sadh_log01	User Logical #1		yes/no	
sadh_log02	User Logical #2		yes/no	
sadh_log03	User Logical #3		yes/no	
sadh_qadc01	Qad Field #1		x(8)	
sadh_qadc02	Qad Field #2		x(8)	
sadh_qadc03	Qad Field #3		x(8)	
sadh_qadc04	Qad Field #4		x(8)	
sadh_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sadh_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sadh_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh_qadl01	QAD Logical Field		yes/no	0
sadh_qadl02	Qad Logical #2		yes/no	
sadh_qadl03	Qad Logical #3		yes/no	
sadh_qadt01	Qad Date #1		99/99/99	
sadh_qadt02	Qad Date #2		99/99/99	
sadh_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sadh_nbrln	no	sadh_nbr	yes	no
		sadh_prefix	yes	no
		sadh_line	yes	no
		sadh_end_date	yes	no
sadh_serial	no	sadh_serial	yes	no
		sadh_end_date	yes	no
* sadh_trnbr	yes	sadh_trnbr	yes	no

sad_det

Service Contract Detail

Field Name	Label	Col-Label	Format	Dec
sad_acct	Sales Acct	Sales	x(8)	
sad_amt_type	Amount Type	AT	x(1)	
sad_area	Area		x(8)	
sad_cancel	Cancel Date		99/99/99	
sad_ca_nbr	Call		x(8)	
sad_cc	Cost Ctr	CC	x(4)	
sad_cmtindx	Comment Index	Comment	>>>>>>9	
sad_comment[5]	Comments		x(40)	
sad_comm_pct[4]	Commission	Comm%	>>9.99%	2
sad_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
sad_custpart	Customer Item		x(18)	
sad_cycle	Billing Cycle	Cyc	x(2)	

Field Name	Label	Col-Label	Format	Dec
sad_def_acct	Sales Acct	Sales	x(8)	
sad_def_cc	Cost Ctr	CC	x(4)	
sad_desc	Description		x(24)	
sad_discount	Discountable		yes/no	
sad_disc_pct	Disc %		-->9.99%	2
sad_dsc_acct	Disc Acct		x(8)	
sad_dsc_cc	CC		x(4)	
sad_end_date	End Date	End	99/99/99	
sad_es_nbr	Escalation		x(8)	
sad_eu_nbr	End User		x(8)	
sad_expire	Expires		99/99/99	
sad_fix_pr	Fixed Price		yes/no	
sad_for	Supported Item	Item	x(18)	
sad_fst_list	FST on List		yes/no	
sad_lastbill	Date Last Billed		99/99/99	
sad_line	Line	Ln	>>9	
sad_list_pr	List Price	Lst Price	-->>>>,>>>,>>9.99<<<	10
sad_lstcover	Last Billed	Lst Bill	99/99/99	
sad_lst_bill	Last Bill		99/99/99	
sad_mod_date	Date Last Updated		99/99/99	
sad_mod_userid	Last Updated By		X(8)	
sad_mrp	Link Line to MRP		yes/no	
sad_nbr			x(10)	
sad_nxt_bill	Next Bill		99/99/99	
sad_part	Service Type	Svc Type	x(8)	
sad_pct_type	Percent Type	PT	x(1)	
sad_per_date	Perform Date	Perform	99/99/99	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>,>>>,>>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlst_fnd	Price List Found		yes/no	
sad_prodlne	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		-->>>,>>9.9<<<<<	10
sad_qty_chg	Qty To Bill		-,>,>>>,>>9.9<<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	-->>,>>9.9	3
sad_qty_litm	Last Item Qty	Last Item	-->>>9.9<<<	3
sad_qty_lst	Qty Last Billed	Last Qty	-,>,>>>,>>9.9<<	3
sad_qty_per	Duration		-->>>9.9<<<	10
sad_ref	Ref		>>>>>>9	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_so_line	Sales Order Line		>>9	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_status	Status		x(8)	
sad_std_cost	Cost		-->>>,>>>,>>9.99<<<	10
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	

400 sad_det

Field Name	Label	Col-Label	Format	Dec
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	
sad_total_bld	Total Billed		>>>>,>>>,>>9.99<<<<	10
sad_type	Ship Type	T	x(1)	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	2
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sad_xslspn[3]	Salesperson	Salespsn	x(8)	0
sad__chr01			x(8)	
sad__chr02			x(8)	
sad__chr03			x(8)	
sad__chr04			x(8)	
sad__chr05			x(8)	
sad__chr06			x(8)	
sad__chr07			x(8)	
sad__chr08			x(8)	
sad__chr09			x(8)	
sad__chr10			x(8)	
sad_dec01			>>>,>>>,>>9.99	10
sad_dec02			>>>,>>>,>>9.99	10
sad_dte01			99/99/99	
sad_dte02			99/99/99	
sad_log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	0
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	0
sad__qadt01	Qad Date #1		99/99/99	
sad__qadt02	Qad Date #2		99/99/99	
sad__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sad_enduser	yes	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line	yes	no
* sad_nbrln	yes	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line	yes	no
sad_part	no	sad_for	yes	no
		sad_serial	yes	no
		sad_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
sad_serial	no	sad_nbr	yes	no
		sad_prefix	yes	no
		sad_prefix	yes	no
		sad_serial	yes	no

sah_hist

Service Contract History Master

Field Name	Label	Col-Label	Format	Dec
sah_area	Area		x(8)	
sah_arrears	Bill Arrears	Arrear	yes/no	
sah_ar_acct	AR Account	AR	x(8)	
sah_ar_cc	Cost Ctr	CC	x(4)	
sah_autornew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		>>>9.99<<<	6
sah_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
sah_bill_to	Bill To		x(8)	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		yes/no	
sah_bol	BOL		x(18)	
sah_calls_allow	Calls Allowed		>>>,>>9	
sah_calls_total	Total Calls		>>>,>>9	
sah_cancel	Cancel Date		99/99/99	
sah_can_tax	PST Pct		->>9.99<<%	10
sah_channel	Channel		x(8)	
sah_cmtindx	Comment Index	Comment	>>>>>>9	
sah_comm_pct[4]	Commission	Comm%	>>9.99%	2
sah_complete	Complete	Cplt	yes/no	
sah_conf_date	Confirmed Date	Confirmed	99/99/99	
sah_cr_card	Credit Card	Card	x(2)	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(8)	
sah_curr	Currency	Cur	x(3)	
sah_cust	Customer		x(8)	
sah_cycle	Billing Cycle	Cyc	x(2)	
sah_date_printed	Date Printed		99/99/99	
sah_disc_pct	Disc %		->9.99%	2
sah_enduser	End User		x(8)	
sah_end_date	End Date		99/99/99	
sah_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
sah_exp_date	Expire Date	Exp Date	99/99/99	
sah_exru_seq	Sequence		>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0\$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_invoiced	Invoiced		yes/no	

402 sah_hist

Field Name	Label	Col-Label	Format	Dec
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Date Last Updated		99/99/99	
sah_mod_userid	Last Updated By		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	2
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_prodlne	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah prt_0itm	Print 0\$ Items		yes/no	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	3
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_release	Release to Contract	Rel	yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_reval_index	Revaluation Index Month		>>9	
sah_reval_period	Revaluation Period		>>9	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_schedule	Billing Schedule File		yes/no	
sah_sched_start	PM Start Date	Start	yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_shipvia	Ship Via		x(20)	
sah_ship_date	Ship Date		99/99/99	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_source	Order Source	Source	x(8)	
sah_so_nbr	Sales Order	Order	x(8)	
sah_stat	Action Status	St	x(2)	

Field Name	Label	Col-Label	Format	Dec
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_summarize	Summarize		yes/no	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	2
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sah_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>g	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	2
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sah_xslspn[2]	Salesperson	Salespsn	x(8)	0
sah_chr01	User Field #1		x(8)	
sah_chr02	User Field #1		x(8)	
sah_chr03	User Field #3		x(8)	
sah_chr04	User Field #4		x(8)	
sah_chr05	User Field #5		x(8)	
sah_chr06	User Field #6		x(8)	
sah_chr07	User Field #7		x(8)	
sah_chr08	User Field #8		x(8)	
sah_chr09	User Field #9		x(8)	
sah_chr10	User Field #10		x(8)	
sah_dec01	User Decimal #1		>>>,>>>,>>9.99	10
sah_dec02	User Decimal #2		>>>,>>>,>>9.99	10
sah_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sah_dte01	User Date #1		99/99/99	
sah_dte02	User Date #2		99/99/99	
sah_dte03	User Date #3		99/99/99	
sah_log01	User Logical #1		yes/no	
sah_log02	User Logical #2		yes/no	
sah_log03	User Logical #3		yes/no	
sah_qadc01	Qad Field #1		x(8)	
sah_qadc02	Qad Field #2		x(8)	
sah_qadc03	Qad Field #3		x(8)	
sah_qadc04	Qad Field #4		x(8)	
sah_qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sah_qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sah_qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sah_qadl01	Qad Logical #1		yes/no	
sah_qadl02	Qad Logical #2		yes/no	
sah_qadl03	Qad Logical #3		yes/no	

404 salh_hist

Field Name	Label	Col-Label	Format	Dec
sah__qadl04	QAD Logical Field		yes/no	0
sah__qadt01	Qad Date #1		99/99/99	
sah__qadt02	Qad Date #2		99/99/99	
sah__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sah_enduser	no	sah_enduser	yes	no
		sah_prefix	yes	no
		sah_nbr	yes	no
sah_nbr	no	sah_nbr	yes	no
		sah_prefix	yes	no
		sah_end_date	yes	no
* sah_trnbr	yes	sah_trnbr	yes	no

salh_hist Service/Support Contract Limit History

Field Name	Label	Col-Label	Format	Dec
salh_budget	Budget		>>>>, >>>, >>9.99<<<	10
salh_call	Call		X(8)	0
salh_calls_allow	Calls Allowed		>>9	0
salh_calls_total	Total Calls		>>9	
salh_category	Category		X(8)	0
salh_ca_int_type	Work Code		x(8)	
salh_code	Limit Code		x(8)	
salh_consumed_amt	Consumed Amount	Consumed	>>>>, >>>, >>9.99	2
salh_consumed_date	Activity Date		99/99/99	0
salh_days	Days of Coverage		>, >>>, >>9	
salh_end	End Date		99/99/99	
salh_fcg_code	Charge Code	Charge	x(8)	
salh_file	File		x(16)	
salh_first_activity	First Activity		99/99/99	
salh_fis_sort	Invoice Sort		x(18)	
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	0
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>, >>>, >>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>, >>>, >>9.99	10
salh_mod_date	Date Modified		99/99/99	
salh_mod_userid	Modified By		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	0
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	2
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	0
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>, >>>, >>9.99<<<	10
salh_trnbr	Trans		>>>>>>>	0

Field Name	Label	Col-Label	Format	Dec
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>, >>>, >>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	user1		x(8)	
salh_user2	user2		x(8)	
salh_chr01	User Field #1		x(8)	
salh_chr02	User Field #2		x(8)	
salh_chr03	User Field #3		x(8)	
salh_chr04	User Field #4		x(8)	
salh_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
salh_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
salh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
salh_dte01	User Date #1		99/99/99	
salh_dte02	User Date #2		99/99/99	
salh_dte03	User Date #3		99/99/99	
salh_log01	User Logical #1		yes/no	
salh_log02	User Logical #2		yes/no	
salh_log03	User Logical #3		yes/no	
salh_qadc01	Qad Field #1		x(8)	
salh_qadc02	Qad Field #2		x(8)	
salh_qadc03	Qad Field #3		x(8)	
salh_qadc04	Qad Field #4		x(8)	
salh_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
salh_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
salh_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
Δ salh_qadd04	Qad Decimal #4		->>>, >>>, >>9.99<<<<	10
salh_qadl01	Qad Logical #1		yes/no	
salh_qadl02	Qad Logical #2		yes/no	
salh_qadl03	Qad Logical #3		yes/no	
salh_qadl04	QAD Field		yes/no	0
salh_qadt01	Qad Date #1		99/99/99	
salh_qadt02	Qad Date #2		99/99/99	
salh_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
salh_call	no	salh_category	yes	no
		salh_call	yes	no
		salh_itm_line	yes	no
		salh_report	yes	no
		salh_op	yes	no
		salh_usage	yes	no
salh_days	no	salh_tmnbr	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_sequence	yes	no
salh_nbr	no	salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no

406 sal_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_start	yes	no
		salh_tmbr	yes	no
* salh_tmbr	yes	salh_tmbr	yes	no

sal_mstr Service/Support Contract Limits

Field Name	Label	Col-Label	Format	Dec
sal_budget	Budget		>>>>,>>>,>>9.99<<<	10
sal_calls_allow	Calls Allowed		>>9	
sal_calls_total	Total Calls		>>9	
sal_ca_int_type	Work Code	Wk Code	x(8)	
sal_code	Limit Code		x(8)	
sal_days	Days of Coverage	Days	>,>>>,>>9	
sal_end	End Date		99/99/99	
sal_fcg_code	Charge Code	Charge	x(8)	
sal_file	File		x(16)	
sal_first_activity	First Activity		99/99/99	
sal_fis_sort	Invoice Sort		x(18)	
sal_fsc_code	Service Category	Svc Cat	x(8)	
sal_last_activity	Last Activity		99/99/99	
sal_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
sal_line	Line		>>>	
sal_listpr_limit	List Price Limit		>>>>,>>>,>>9.99<<<	10
sal_mod_date	Date Modified		99/99/99	
sal_mod_userid	Modified By		X(8)	
sal_nbr	Number		x(36)	
sal_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
sal_pct_covered	Percent Covered	%Cv	>>9	2
sal_per_call	Per Call Limit	Call	yes/no	
sal_prefix			x(2)	
sal_sequence	Sequence	Seq	>>9	
sal_start	Start		99/99/99	
sal_total	Consumed		>>>>,>>>,>>9.99<<<	10
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	user1		x(8)	
sal_user2	user2		x(8)	
sal_chr01	User Field #1		x(8)	
sal_chr02	User Field #2		x(8)	
sal_chr03	User Field #3		x(8)	
sal_chr04	User Field #4		x(8)	
sal_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sal_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sal_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sal_dte01	User Date #1		99/99/99	
sal_dte02	User Date #2		99/99/99	
sal_dte03	User Date #3		99/99/99	
sal_log01	User Logical #1		yes/no	
sal_log02	User Logical #2		yes/no	
sal_log03	User Logical #3		yes/no	
sal_qadc01	Qad Field #1		x(8)	

Field Name	Label	Col-Label	Format	Dec
sal_qadc02	Qad Field #2		x(8)	
sal_qadc03	Qad Field #3		x(8)	
sal_qadc04	Qad Field #4		x(8)	
sal_qadd01	Qad Date #1		99/99/99	
sal_qadd02	Qad Date #2		99/99/99	
sal_qadd03	Qad Date #3		99/99/99	
sal_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sal_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sal_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sal_qadl01	Qad Logical #1		yes/no	
sal_qadl02	Qad Logical #2		yes/no	
sal_qadl03	Qad Logical #3		yes/no	
sal_qadl04	QAD Field		yes/no	0

Index-Name	Uni	Field-Name	Asc	Abbr
sal_days	no	sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_sequence	yes	no
* sal_nbr	yes	sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_start	yes	no

sap_det Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
sap_act_date	Actual Date	Actual	99/99/99	
sap_assign	Assigned		X(8)	
sap_bom_type	BOM Type		x(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		yes/no	
sap_desc	Comments		x(34)	
sap_group	Schedule Group		x(8)	
sap_line	Line		>>9	
sap_mod_date	Date Last Updated		99/99/99	
sap_mod_userid	Last Updated By		X(8)	
sap_mrp	Link to MRP		yes/no	
sap_nbr	Contract Number		x(10)	
sap_prefix	Prefix		x(2)	
sap_sched_date	Schedule Date	Schedule	99/99/99	
sap_user1	user1		x(8)	

408 sar_mstr

Field Name	Label	Col-Label	Format	Dec
sap_user2	user2		x(8)	
sap__qadc01	QAD Characater Field 1		X(8)	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		99/99/99	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		->,>>>,>>9	
sap__qadi02	QAD Integer Field 2		->,>>>,>>9	
sap__qadl01	QAD Logical Field 1		yes/no	
sap__qadl02	QAD Logical Field 2		yes/no	0

Index-Name	Uni	Field-Name	Asc	Abbr
sap_assign	no	sap_assign	yes	no
		sap_sched_date	yes	no
sap_grpsch	no	sap_nbr	yes	no
		sap_prefix	yes	no
		sap_group	yes	no
		sap_sched_date	yes	no
* sap_nbrln	yes	sap_nbr	yes	no
		sap_prefix	yes	no
		sap_line	yes	no
		sap_sched_date	yes	no
sap_sched	no	sap_group	yes	no
		sap_sched_date	yes	no
		sap_prefix	yes	no
		sap_nbr	yes	no
sap_sched_date	no	sap_sched_date	yes	no

sar_mstr Service Contract Serial Number Master

Field Name	Label	Col-Label	Format	Dec
sar_line	Line		x(8)	
sar_nbr	Service Contract	Contract	x(10)	
sar_part	Item		x(18)	
sar_prefix	Prefix	P	x(1)	
sar_ref	Ref		x(18)	
sar_serial	Lot/Serial		x(18)	
sar_user1	user1		x(8)	
sar_user2	user2		x(8)	
sar__chr01			x(8)	
sar__chr02			x(8)	
sar__chr03			x(8)	
sar__dec01			->>>,>>>,>>9.99	10
sar__dec02			->>>,>>>,>>9.99	10
sar__dte01			99/99/99	
sar__dte02			99/99/99	
sar__log01			yes/no	
sar__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sar_nbrln	yes	sar_nbr	yes	no
		sar_prefix	yes	no
		sar_line	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
sar_serial	no	sar_prefix	yes	no
		sar_serial	yes	no
		sar_part	yes	no
		sar_ref	yes	no
		sar_nbr	yes	no
		sar_line	yes	no
sar_serialref	yes	sar_part	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
		sar_prefix	yes	no
		sar_nbr	yes	no
		sar_line	yes	no

sa_mstr

Service Contract Master File

Field Name	Label	Col-Label	Format	Dec
sa_area	Area		x(8)	
sa_arrears	Bill Arrears	Arrear	yes/no	
sa_ar_acct	AR Account	AR	x(8)	
sa_ar_cc	Cost Ctr	CC	x(4)	
sa_autorenew	Auto Renew	A Renew	yes/no	
sa_base_pct	Contract Base		>>>9.99<<<	6
sa_bill_cnt	Bill Count	Bill Cnt	->, >>>, >>9	
sa_bill_to	Bill To		x(8)	
sa_bill_type	Billing Type		x(8)	
sa_blanket	Blanket Contract		yes/no	
sa_bol	BOL		x(18)	
sa_calls_allow	Calls Allowed		>>>, >>9	
sa_calls_total	Total Calls		>>>, >>9	
sa_cancel	Cancel Date		99/99/99	
sa_can_tax	PST Pct		->>9.99<<%	10
sa_channel	Channel		x(8)	
sa_cmtindx	Comment Index	Comment	>>>>>>9	
sa_comm_pct[4]	Commission	Comm%	>>9.99%	2
sa_complete	Complete	Cplt	yes/no	
sa_conf_date	Confirmed Date	Confirmed	99/99/99	
sa_cr_card	Credit Card	Card	x(2)	
sa_cr_init	Cr Initials	Initials	x(2)	
sa_cr_terms	Credit Terms	Terms	x(8)	
sa_curr	Currency	Cur	x(3)	
sa_cust	Customer		x(8)	
sa_cycle	Billing Cycle	Cyc	x(2)	
sa_date_printed	Date Printed		99/99/99	
sa_disc_pct	Disc %		->9.99%	2
sa_enduser	End User		x(8)	
sa_end_date	End Date		99/99/99	
sa_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
sa_exp_date	Expire Date	Exp Date	99/99/99	

410 sa_mstr

Field Name	Label	Col-Label	Format	Dec
sa_exru_seq	Sequence		>>>>>>>9	
sa_ext_date	Extend Date	Ext Date	99/99/9999	
sa_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_ratetype	Rate Type		x(8)	
sa_fix_pr	Fixed Price		yes/no	
sa_fix_rate	Fixed Rate	Fixed	yes/no	
sa_fob	FOB Point		x(20)	
sa_free_frm	Free Coverage From		99/99/99	
sa_free_to	Free Coverage To		99/99/99	
sa_fst_id	FST ID		x(18)	
sa_gen_0itm	Generate 0\$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_invoiced	Invoiced		yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Date Last Updated		99/99/99	
sa_mod_userid	Last Updated By		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>9.99	2
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_part	Service Type	Svc Type	x(8)	
sa_periodic	Periodic Billing		yes/no	
sa_po	Purchase Order		x(20)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodlne	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prt_0itm	Print 0\$ Items		yes/no	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	3
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_release	Release To Contract	Rel	yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_revalue_date	Revaluation Date		99/99/99	
sa_reval_index	Index Month		>>9	

Field Name	Label	Col-Label	Format	Dec
sa_reval_period	Revaluation Period		>>9	0
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_schedule	Billing Schedule File		yes/no	
sa_sched_start	PM Start Date	Start	yes/no	
sa_serial_det	Serial Detail		yes/no	
sa_shipvia	Ship Via		x(20)	
sa_ship_date	Ship Date		99/99/99	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_source	Order Source	Source	x(8)	
sa_so_nbr	Sales Order	Order	x(8)	
sa_stat	Action Status	St	x(2)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_summarize	Summarize		yes/no	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	2
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sa_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufld1		x(8)	
sa_user2	Ufld2		x(8)	
sa_visits	Visits		>>9	2
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sa_chr01			x(8)	
sa_chr02			x(8)	
sa_chr03			x(8)	
sa_chr04			x(8)	
sa_chr05			x(8)	
sa_chr06			x(8)	
sa_chr07			x(8)	
sa_chr08			x(8)	
sa_chr09			x(8)	
sa_chr10			x(8)	
sa_dec01			>>>, >>>, >>9.99	10
sa_dec02			>>>, >>>, >>9.99	10
sa_dec03	User Decimal Field		->>, >>9.99	10
sa_dte01			99/99/99	
sa_dte02			99/99/99	
sa_dte03	User Date Field		99/99/99	0
sa_log01			yes/no	
sa_log02	User Logical field		yes/no	0
sa_log03	User Logical Field		yes/no	0
sa_qadc01	Qad Field #1		x(8)	

412 sbc_mstr

Field Name	Label	Col-Label	Format	Dec
sa__qadc02	Qad Field #2		x(8)	
sa__qadc03	Qad Field #3		x(8)	
sa__qadc04	Qad Field #4		x(8)	
sa__qadc05[2]			x(8)	0
sa__qadd01	Qad Decimal #1		->>>>, >>>, >>9.99<<<<	10
sa__qadd02	Qad Decimal #2		->>>>, >>>, >>9.99<<<<	10
sa__qadd03	Qad Decimal #3		->>>>, >>>, >>9.99<<<<	10
sa__qadl01	Qad Logical #1		yes/no	
sa__qadl02	Qad Logical #2		yes/no	
sa__qadl03	Qad Logical #3		yes/no	0
sa__qadl04	QAD Logical Field		yes/no	0
sa__qadt01	Qad Date #1		99/99/99	
sa__qadt02	Qad Date #2		99/99/99	
sa__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sa_cust	yes	sa_cust	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_enduser	no	sa_enduser	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_end_date	no	sa_end_date	yes	no
* sa_nbr	yes	sa_nbr	yes	no
sa_po_nbr	no	sa_prefix	yes	no
		sa_po	yes	no
		sa_cust	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no

sbc_mstr Service/Support Billing Cycle

Field Name	Label	Col-Label	Format	Dec
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Date Modified		99/99/99	
sbc_mod_userid	Modified By		X(8)	
sbc_qty_bill	Qty to Bill		->, >>>>, >>9.9<<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	user1		x(8)	
sbc_user2	user2		x(8)	
sbc__chr01			x(8)	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc__qadc01	QAD Character Field 1		X(8)	
sbc__qadc02	QAD Character Field 2		X(8)	
sbc__qadc03	QAD Character Field 3		X(8)	
sbc__qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<	10
sbc__qadl01	QAD Logical Field 1		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	sbc_code	yes	sbc_code	yes	no

sbd_det

Sub-Account – Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
sbd_acc_beg	Range of Accounts	From! Account	x(8)	
sbd_acc_end	To	To! Account	x(8)	
sbd_line	Line		>>9	
sbd_sub	Sub-Account	Sub-Acct	x(8)	
sbd_user1	user1		x(8)	
sbd_user2	user2		x(8)	
sbd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sbd_index	yes	sbd_sub	yes	no
		sbd_line	yes	no

sbic_ctl

Self-Billing Control File

Field Name	Label	Col-Label	Format	Dec
sbic_active	Enable Self-Billing		yes/no	
sbic_index1	Index		>>>>>9	
sbic_next_sb	Next Self-Bill		>>>>>>>>>>>>>>>>>>>9	
sbic_prefix	Self-Bill Prefix		X(3)	
sbic_user1			X(8)	
sbic_user2			X(8)	
sbic_user3			X(8)	
sbic_user4			X(8)	
sbic__qadc01			X(8)	
sbic__qadc02			X(8)	
sbic__qadc03			X(8)	
sbic__qadc04			X(8)	
sbic__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadi01			>>>>>>9	
sbic__qadi02			>>>>>>9	
sbic__qadi03			>>>>>>9	
sbic__qadi04			>>>>>>9	
sbic__qadi01			yes/no	
sbic__qadi02			yes/no	
sbic__qadi03			yes/no	
sbic__qadi04			yes/no	

414 sbid_det

Field Name	Label	Col-Label	Format	Dec
sbic__qadt01			99/99/99	
sbic__qadt02			99/99/99	
sbic__qadt03			99/99/99	
sbic__qadt04			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sbic_index1	yes	sbic_index1	yes	no

sbid_det Self-Bill Detail

Field Name	Label	Col-Label	Format	Dec
sbid_amt	Paid Amount		->>, >>>, >>9.99	10
sbid_authorization	Authorization		x(24)	
sbid_bill	Bill-To		x(8)	
sbid_cust	Sold-To		x(8)	
sbid_inv_nbr	Invoice/Memo	Inv/Memo	x(8)	
sbid_line	Line		>>>, >>9	
sbid_mod_date	Last Modified		99/99/99	
sbid_mod_userid	User ID		X(8)	
sbid_nbr	Self-Bill		x(20)	
sbid_order	Sales Order	SO	x(8)	
sbid_origin	Origin	O	x(1)	
sbid_part	Self-Bill Item		x(30)	
sbid_po	Customer PO		x(22)	
sbid_price	Paid Price		>>, >>>, >>9.99<<<	10
sbid_qty	Paid Qty		->, >>>, >>9.9<<<<<<<<	10
sbid_remarks	Remarks		x(40)	
sbid_ship_id	Shipper		x(20)	
sbid_tax_amt	Tax Amt		->>, >>>, >>9.99	10
sbid_tax_pct	Tax Rate		->>9.99<<%	4
sbid_trnbr	Trans		>>>>>>>>	
sbid_type	Type	T	x(1)	
sbid_um	UM		x(2)	
sbid_user1			X(8)	
sbid_user2			X(8)	
sbid_user3			X(8)	
sbid_user4			X(8)	
sbid_user5			X(8)	
sbid_user6			X(8)	
sbid_user7			X(8)	
sbid__qadc01			X(8)	
sbid__qadc02			X(8)	
sbid__qadc03			X(8)	
sbid__qadc04			X(8)	
sbid__qadc05			X(8)	
sbid__qadc06			X(8)	
sbid__qadc07			X(8)	
sbid__qadc08			X(8)	
sbid__qadc09			X(8)	
sbid__qadc10			X(8)	
sbid__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
sbid__qadd02			->>>, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sbid__qadd03			->>>>, >>>, >>9.9<<<<<<<<<<	10
sbid__qadd04			->>>>, >>>, >>9.9<<<<<<<<<<	10
sbid__qadd05			->>>>, >>>, >>9.9<<<<<<<<<<	10
sbid__qadi01			>>>>>>9	
sbid__qadi02			>>>>>>9	
sbid__qadi03			>>>>>>9	
sbid__qadi04			>>>>>>9	
sbid__qadi05			>>>>>>9	
sbid__qadi01			yes/no	
sbid__qadi02			yes/no	
sbid__qadi03			yes/no	
sbid__qadi04			yes/no	
sbid__qadi05			yes/no	
sbid__qadt01			99/99/99	
sbid__qadt02			99/99/99	
sbid__qadt03			99/99/99	
sbid__qadt04			99/99/99	
sbid__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sbid_authorization	no	sbid_authorization	yes	no
sbid_inv_nbr	no	sbid_inv_nbr	yes	no
* sbid_nbr_line	yes	sbid_bill	yes	no
		sbid_nbr	yes	no
		sbid_line	yes	no
sbid_order	no	sbid_order	yes	no
sbid_part	no	sbid_part	yes	no
		sbid_type	yes	no
sbid_ship_id	no	sbid_ship_id	yes	no
sbid_tmbr	no	sbid_tmbr	yes	no

sbi_mstr Self-Bill Master

Field Name	Label	Col-Label	Format	Dec
sbi_amt	Amt Total		->>>>, >>>, >>9.99<<<	10
sbi_bill	Bill-To		x(8)	
sbi_check	Check		x(8)	
sbi_ctrl_amt	Amt Control Total		->>>>, >>>, >>9.99<<<	10
sbi_curr	Currency	Cur	x(3)	
sbi_lines	Lines		>>>>>9	
sbi_mod_date	Last Modified		99/99/99	
sbi_mod_userid	User ID		X(8)	
sbi_nbr	Self-Bill		x(20)	
sbi_resp_date	Response Date	Response	99/99/99	
sbi_user1			X(8)	
sbi_user2			X(8)	
sbi_user3			X(8)	
sbi_user4			X(8)	
sbi_user5			X(8)	
sbi_xmission	Transmission		x(20)	
sbi__qadc01			X(8)	
sbi__qadc02			X(8)	

416 sb_mstr

Field Name	Label	Col-Label	Format	Dec
sbi_qadc03			X(8)	
sbi_qadc04			X(8)	
sbi_qadc05			X(8)	
sbi_qadc06			X(8)	
sbi_qadc07			X(8)	
sbi_qadc08			X(8)	
sbi_qadc09			X(8)	
sbi_qadc10			X(8)	
sbi_qadd01			-->>>, >>>, >>9.9<<<<<<<<<<	10
sbi_qadd02			-->>>, >>>, >>9.9<<<<<<<<<<	10
sbi_qadd03			-->>>, >>>, >>9.9<<<<<<<<<<	10
sbi_qadd04			-->>>, >>>, >>9.9<<<<<<<<<<	10
sbi_qadd05			-->>>, >>>, >>9.9<<<<<<<<<<	10
sbi_qadi01			>>>>>>g	
sbi_qadi02			>>>>>>g	
sbi_qadi03			>>>>>>g	
sbi_qadi04			>>>>>>g	
sbi_qadi05			>>>>>>g	
sbi_qadi01			yes/no	
sbi_qadi02			yes/no	
sbi_qadi03			yes/no	
sbi_qadi04			yes/no	
sbi_qadi05			yes/no	
sbi_qadt01			99/99/99	
sbi_qadt02			99/99/99	
sbi_qadt03			99/99/99	
sbi_qadt04			99/99/99	
sbi_qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sbi_check	no	sbi_bill	yes	no
		sbi_check	yes	no
		sbi_nbr	yes	no
* sbi_nbr	yes	sbi_bill	yes	no
		sbi_nbr	yes	no
sbi_xmission	no	sbi_bill	yes	no
		sbi_xmission	yes	no
		sbi_nbr	yes	no

sb_mstr Sub-Account Master

Field Name	Label	Col-Label	Format	Dec
sb_active	Active	Act	yes/no	
sb_desc	Description		x(24)	
sb_sub	Sub-Account	Sub-Acct	x(8)	
sb_user1	Ufld1		x(8)	
sb_user2	Ufld2		x(8)	
sb_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sb_desc	no	sb_desc	yes	no
* sb_sub	yes	sb_sub	yes	no
		sb_active	yes	no

418 sca_mstr

sca_mstr Service Contract Additional Options

Field Name	Label	Col-Label	Format	Dec
sca_amount	Amount		>>>>, >>>, >>9.99<<<	10
sca_amt_type	Amount Type		x(1)	
sca_cycle	Billing Cycle		x(8)	
sca_desc	Description		x(40)	
sca_expire	Expire Date		99/99/99	
sca_mod_date	Date Modified		99/99/99	
sca_mod_userid	Modified By		X(8)	
sca_part	Item		x(18)	
sca_pct_type	Percent Type		x(8)	
sca_priority	Priority		>>9	
sca_prodlne	Product Line	Line	x(4)	
sca_service	Service Type		x(8)	
sca_start	Start Date		99/99/99	
sca_user1	user1		x(8)	
sca_user2	user2		x(8)	
sca__chr01	User Character Field 1		X(8)	
sca__chr02	User Character Field 2		X(8)	
sca__chr03	User Character Field 3		X(8)	
sca__dec01	User Decimal Field 1		->>>>, >>>, >>9.99	10
sca__dte01	User Date Field 1		99/99/99	
sca__dte02	User Date Field 2		99/99/99	
sca__qadc01	QAD Character Field 1		X(8)	
sca__qadc02	QAD Character Field 2		X(8)	
sca__qadc03	QAD Character Field 3		X(8)	
sca__qade01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
sca__qadt01	QAD Date Field 1		99/99/99	
sca__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
sca_part	no	sca_part	yes	no
		sca_service	yes	no
* sca_service	yes	sca_service	yes	no
		sca_part	yes	no

schd_det Schedule Detail – Release Management

Field Name	Label	Col-Label	Format	Dec
schd_all_qty	Qty Pegged		>, >>>, >>9.9<<<<	2
schd_cmtindx	Comment Index	Comment	>>>>>>9	
schd_cum_qty	Cumulative Qty		>>>, >>>, >>9.9<<<<<<	10
schd_date	Date		99/99/99	
schd_discr_qty	Discrete Qty		>>, >>>, >>9.9<<<<<<	10
schd_fc_qual	Q		x(1)	
schd_interval	Interval		x(1)	
schd_line	Line	Ln	>>9	
schd_nbr	Order	Sls Order	x(8)	
schd_reference	Reference		x(24)	
schd_rlse_id	Release ID		x(30)	
schd_ship_qty	Qty Shipped		>>, >>>, >>9.9<<<<<<	10
schd_time	Time		99:99	

Field Name	Label	Col-Label	Format	Dec
schd_type	Schedule Type		>9	
schd_upd_qty	Quantity		>>,>>>,>>9.9<<<<<<<	10
schd_user1	user1		x(8)	
schd_user2	user2		x(8)	
schd_chr01			x(8)	
schd_chr02			x(8)	
schd_chr03			x(8)	
schd_chr04			x(8)	
schd_chr05			x(8)	
schd_chr06			x(8)	
schd_chr07			x(8)	
schd_chr08			x(8)	
schd_chr09			x(8)	
schd_chr10			x(8)	
schd_dec01			>>>,>>>,>>9.99	10
schd_dec02			>>>,>>>,>>9.99	10
schd_dec03			>>>,>>>,>>9.99	10
schd_dec04			>>>,>>>,>>9.99	10
schd_dec05			>>>,>>>,>>9.99	10
schd_dec06			>>>,>>>,>>9.99	10
schd_dec07			>>>,>>>,>>9.99	10
schd_dec08			>>>,>>>,>>9.99	10
schd_dec09			>>>,>>>,>>9.99	10
schd_dec10			>>>,>>>,>>9.99	10
schd_dte01			99/99/99	
schd_dte02			99/99/99	
schd_log01			yes/no	
schd_log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* schd_dtr	yes	schd_type	yes	no
		schd_nbr	yes	no
		schd_line	yes	no
		schd_rlse_id	yes	no
		schd_date	yes	no
		schd_time	yes	no
		schd_interval	yes	no
		schd_reference	yes	no

sch_mstr Schedule Master – Release Management

Field Name	Label	Col-Label	Format	Dec
sch_cmtindx	Comment Index	Comment	>>>>>>>9	
sch_cr_date	Create Date		99/99/99	
sch_cr_time	Create Time		>>>>9	
sch_cumulative	Cumulative	Cum	yes/no	
sch_eff_end	Effective End		99/99/99	
sch_eff_start	Effective Start		99/99/99	
sch_fab_end	Fab End		99/99/99	
sch_fab_qty	Fab Qty		>>>,>>>,>>9.9<<<<<<<	10
sch_fab_strt	Fab Start		99/99/99	
sch_from_pid	From Plan Id		x(30)	

420 sch_mstr

Field Name	Label	Col-Label	Format	Dec
sch_from_sid	From Ship Id		x(30)	
sch_line	Line	Ln	>>9	
sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
sch_lr_cum_qty[10]	Cum Receipt Qty		>>>, >>>, >>9.9<<<<<<<<	10
sch_lr_date[10]	Receipt Date		99/99/99	
sch_lr_qty[10]	Receipt Qty		>>>, >>>, >>9.9<<<<<<<<	10
sch_lr_time[10]	Time		99:99	
sch_nbr	Order	Sls Order	x(8)	
sch_pcr_qty	Prior Cum Req		>>>, >>>, >>9.9<<<<<<	10
sch_pcs_date	Prior Cum Date		99/99/99	
sch_pdr_qty	Prior Discrete Req		>>>, >>>, >>9.9<<<<<<	10
sch_prp_ext	Ext Purpose Code		x(10)	
sch_prp_int	Int Purpose Code		x(10)	
sch_raw_end	Raw End		99/99/99	
sch_raw_qty	Raw Qty		>>>, >>>, >>9.9<<<<<<	10
sch_raw_strt	Raw Start		99/99/99	
sch_rlse_id	Release ID		x(30)	
sch_sd_dates	Schedule Date Type		Ship/Delivery	
sch_sd_pat	Ship/Dlvy Pattern		x(2)	
sch_sd_time	Ship/Dlvy Time		x(2)	
sch_ship	Ship To		x(8)	
sch_type	Schedule Type		>9	
sch_user1	user1		x(8)	
sch_user2	user2		x(8)	
sch__chr01			x(8)	
sch__chr02			x(8)	
sch__chr03			x(8)	
sch__chr04			x(8)	
sch__chr05			x(8)	
sch__chr06			x(8)	
sch__chr07			x(8)	
sch__chr08			x(8)	
sch__chr09			x(8)	
sch__chr10			x(8)	
sch__dec01			>>>, >>>, >>9.99	10
sch__dec02			>>>, >>>, >>9.99	10
sch__dec03			>>>, >>>, >>9.99	10
sch__dec04			>>>, >>>, >>9.99	10
sch__dec05			>>>, >>>, >>9.99	10
sch__dec06			>>>, >>>, >>9.99	10
sch__dec07			>>>, >>>, >>9.99	10
sch__dec08			>>>, >>>, >>9.99	10
sch__dec09			>>>, >>>, >>9.99	10
sch__dec10			>>>, >>>, >>9.99	10
sch__dte01			99/99/99	
sch__dte02			99/99/99	
sch__log01			yes/no	
sch__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sch_cr_date	no	sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_cr_date	yes	no
		sch_cr_time	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* sch_tnlr	yes	sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_rlse_id	yes	no

sct_det Cost Simulation Total Detail

Field Name	Label	Col-Label	Format	Dec
sct_bdn_ll	Burden LL		>>>>, >>>, >>9.99<<<	10
sct_bdn_tl	Burden		>>>>, >>>, >>9.99<<<	10
sct_cst_date	Cost Update	Updated	99/99/99	
sct_cst_tot	Cost Total		>>>>, >>>, >>9.99<<<	10
sct_lbr_ll	Labor LL		>>>>, >>>, >>9.99<<<	10
sct_lbr_tl	Labor		>>>>, >>>, >>9.99<<<	10
sct_mtl_ll	Material LL		>>>>, >>>, >>9.99<<<	10
sct_mtl_tl	Material		>>>>, >>>, >>9.99<<<	10
sct_nrv	Net Realized Value	NR! Value	>>>>, >>>, >>9.99<<<	10
sct_ovh_ll	Overhead LL		>>>>, >>>, >>9.99<<<	10
sct_ovh_tl	Overhead		>>>>, >>>, >>9.99<<<	10
sct_part	Item Number		x(18)	
sct_rollup	Freeze	Frz	yes/no	
sct_rollup_id	Rollup ID		x(18)	
sct_serial	Lot/Serial		x(18)	
sct_sim	Cost Set		x(8)	
sct_site	Site		x(8)	
sct_sub_ll	Subcontract LL		>>>>, >>>, >>9.99<<<	10
sct_sub_tl	Subcontract		>>>>, >>>, >>9.99<<<	10
sct_user1	Ufld1		x(8)	
sct_user2	Ufld2		x(8)	
sct_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sct_part_sim	no	sct_part	yes	no
		sct_sim	yes	no
* sct_sim_pt_site	yes	sct_sim	yes	no
		sct_part	yes	no
		sct_site	yes	no
sct_site_part	no	sct_site	yes	no
		sct_part	yes	no
sct_site_sim	no	sct_site	yes	no
		sct_sim	yes	no

422 scx_ref

scx_ref Scheduled Order Cross Reference

Field Name	Label	Col-Label	Format	Dec
scx_line	Line		scx_order	Order
x(8)				
scx_part	Item Number		x(18)	
scx_po	Purchase Order		x(22)	
scx_qkey	Quick Key		x(8)	
scx_shipfrom			x(8)	
scx_shipto			x(8)	
scx_type			9	
scx_user1	user1		x(8)	
scx_user2	user2		x(8)	
scx_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
scx_order	yes	scx_type	yes	no
		scx_order	yes	no
		scx_line	yes	no
scx_po	yes	scx_type	yes	no
		scx_po	yes	no
		scx_part	yes	no
		scx_shipto	yes	no
		scx_shipfrom	yes	no
* scx_shipfrom	yes	scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_part	yes	no
		scx_po	yes	no

sc_mstr Cost Simulation Master

Field Name	Label	Col-Label	Format	Dec
sc_category	Category		x(1)	
sc_desc	Description		x(24)	
sc_element	Cost Element	Element	x(8)	
sc_sim	Cost Set		x(8)	
sc_user1	Ufld1		x(8)	
sc_user2	Ufld2		x(8)	
sc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sc_sim_cat	no	sc_sim	yes	no
		sc_category	yes	no
* sc_sim_elem	yes	sc_sim	yes	no
		sc_element	yes	no

◇ **sdttd_det** Shipping Delivery Time Detail

Field Name	Label	Col-Label	Format	Dec
sdttd_code	SDT Code		x(3)	
sdttd_mod_date	Last Modified		99/99/99	
sdttd_mod_userid	User ID		x(8)	
sdttd_time	SDT Time		99:99	
sdttd_chr01			x(8)	
sdttd_chr02			x(8)	
sdttd_dec01			->>>,>>>,>>9.99<	10
sdttd_dec02			->>>,>>>,>>9.99<	10
sdttd_dte01			99/99/99	
sdttd_dte02			99/99/99	
sdttd_log01			yes/no	
sdttd_qadc01			x(8)	
sdttd_qadc02			x(8)	
sdttd_qadd01			->>>,>>>,>>9.99<	10
sdttd_qadd02			->>>,>>>,>>9.99<	10
sdttd_qadi01			>>>>>>9	
sdttd_qadi02			>>>>>>9	
sdttd_qadl01			yes/no	
sdttd_qadl02			yes/no	
sdttd_qadt01			99/99/99	
sdttd_qadt02			99/99/99	
sdttd_user1			x(8)	
sdttd_user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* sdttd_code	yes	sdttd_code	yes	no
		sdttd_time	yes	no

◇ **sdt_mstr** Shipping Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
sdt_code	SDT Code		X(3)	
sdt_desc	SDT Description		x(40)	
sdt_mod_date	Last Modified		99/99/99	
sdt_mod_userid	User ID		x(8)	
sdt_chr01			x(8)	
sdt_chr02			x(8)	
sdt_dec01			->>>,>>>,>>9.99<	10
sdt_dec02			->>>,>>>,>>9.99<	10
sdt_dte01			99/99/99	
sdt_dte02			99/99/99	
sdt_log01			yes/no	
sdt_log02			yes/no	
sdt_qadc01			x(8)	
sdt_qadc02			x(8)	
sdt_qadd01			->>>,>>>,>>9.99<	10
sdt_qadd02			->>>,>>>,>>9.99<	10
sdt_qadi01			>>>>>>9	
sdt_qadi02			>>>>>>9	
sdt_qadl01			yes/no	
sdt_qadl02			yes/no	

424 sd_mstr

Field Name	Label	Col-Label	Format	Dec
sdt__qadt01			99/99/99	
sdt__qadt02			99/99/99	
sdt__user1			x(8)	
sdt__user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sdt_code	yes	sdt_code	yes	no

sd_mstr Sales Order Discount Master

Field Name	Label	Col-Label	Format	Dec
sd_acct	Account		x(8)	
sd_amt	Amount		->,>>>,>>9.	0
sd_cc	Cost Ctr	CC	x(4)	
sd_curr	Currency	Cur	x(3)	
sd_cust	Customer		x(8)	
sd_disc_pct	Disc Percent	Disc%	->>9.<<	2
sd_expire	Expire		99/99/99	
sd_ls_type	Customer Type	Cust Typ	x(8)	
sd_prodlne	Product Line	Line	x(4)	
sd_start	Start		99/99/99	
sd_type	Type		x(8)	
sd_user1	user1		x(8)	
sd_user2	user2		x(8)	
sd__chr01			x(8)	
sd__chr02			x(8)	
sd__qadt01			x(8)	
sd__qadt02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sd_cust	no	sd_ls_type	yes	no
		sd_cust	yes	no
		sd_type	yes	no
		sd_amt	yes	no
* sd_type	yes	sd_type	yes	no
		sd_amt	yes	no
		sd_start	yes	no

seoc_ctrl Service Engineer Order Control File

Field Name	Label	Col-Label	Format	Dec
seoc_all_days	Allocate SEO Lines Due in Days		>>>>>9	
seoc_bo_advice	Next Back Order Advice		>>>>>>>9	
seoc_confirm	Confirmed Orders		yes/no	
seoc_consume	Consume Forecast	Consume Fcst	yes/no	
seoc_det_all	Detail Allocations		yes/no	
seoc_dnote	Next Delivery Note		>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
seoc_ex_ratetype	Rate Type		x(8)	
seoc_hcmmts	SEO Header Comments		yes/no	
seoc_immed_ship	Ship Immed		yes/no	
seoc_index1	Index		>>>>>9	
Δ seoc_int_cust	Internal Customer		X(8)	
seoc_kit_auto	Autonumbering for Kits		yes/no	0
seoc_kit_nbr	Next Kit Number		>>>>>>9	
seoc_kit_pre	Kit Prefix		X(8)	
seoc_lcmmts	SEO Line Comments		yes/no	
seoc_ln_fmt	Ln Format S/M		single/multi	
seoc_mod_date	Date Modified		99/99/99	
seoc_mod_userid	Modified By		X(8)	
seoc_req	Required Qty Reduces Qty Avail		yes/no	
seoc_ship_to	Ship To		User/Engineer	
seoc_shp_lead	Shipping Lead Time		>>>9	
seoc_so	Next Engineer Order		>>>>>>>9	
seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
seoc_so_pre	Engineer Order Prefix	Pre	x(3)	
seoc_user1	User Field 1		X(8)	
seoc_user2	User Field 2		X(8)	
seoc__chr01			x(8)	
seoc__chr02			x(8)	
seoc__chr03			x(8)	
seoc__chr04			x(8)	
seoc__chr05			x(8)	
seoc_dec01			>>>, >>>, >>9.99	10
seoc_dec02			>>>, >>>, >>9.99	10
seoc_dte01			99/99/99	
seoc_dte02			99/99/99	
seoc_log01			yes/no	
seoc_log02			yes/no	
seoc_qadc02	QAD Character Field 2		X(8)	
◇ seoc_qadc03	QAD Character Field 3		x(8)	
seoc_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
◇ seoc_qadd02	QAD Decimal Field 2		->>, >>9.99	10
seoc_qadi01	QAD Field		->, >>>, >>9	
◇ seoc_qadi02	QAD Integer Field 2		->, >>>, >>9	
seoc_qadi01	QAD Logical Field		yes/no	
seoc_qadi02	QAD Logical Field 2		yes/no	0
◇ seoc_qadt01	QAD Date Field 1		99/99/99	
◇ seoc_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* seoc_index1	yes	seoc_index1	yes	no

426 seq_mstr

seq_mstr Sequence Master – Line Scheduling

Field Name	Label	Col-Label	Format	Dec
seq_due_date	Due Date		99/99/99	
seq_line	Line		x(8)	
seq_mode	Mode		yes/no	
seq_mode_qty			->, >>>, >>9.99	2
seq_part			x(18)	
seq_priority			>>9.99	2
seq_qty_req	Qty Req		->, >>>, >>9.99	2
seq_release	Release Date		99/99/99	
seq_shift1	Shift1		>>>9.99	
seq_shift2	Shift2		>>>9.99	2
seq_shift3	Shift3		>>>9.99	2
seq_shift4	Shift4		>>>9.99	2
seq_site	Site		x(8)	
seq_start	Start Date		99/99/99	
seq_type	Type		Forward/Backward	
seq_user1	Ufld1		x(8)	
seq_user2	Ufld2		x(8)	
seq_chr01			x(8)	
seq_chr02			x(8)	
seq_chr03			x(8)	
seq_chr04			x(8)	
seq_chr05			x(8)	
seq_dec01			>>>, >>>, >>9.99	10
seq_dec02			>>>, >>>, >>9.99	10
seq_dec03			>>>, >>>, >>9.99	10
seq_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
seq_sequence	yes	seq_site	yes	no
		seq_line	yes	no
		seq_priority	yes	no
* seq_site	yes	seq_site	yes	no
		seq_line	yes	no
		seq_part	yes	no
		seq_due_date	yes	no

sfb_det Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>9	
sfb_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_exchange	Exchange		yes/no	0
sfb_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
sfb_fixed_price			-->>>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			-->>>, >>>, >>9.99<<<	10
sfb_line	Line		-->>9	
sfb_mod_date	Date Modified		99/99/99	
sfb_mod_userid	Modified By		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	-->>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		-->>>, >>>, >>9.99<<<	10
sfb_pst	PST Taxable		yes/no	0
sfb_pt_type			-->9	
sfb_qty_billed	Qty Billed		-->>>, >>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	-->>>, >>9.9<	10
sfb_qty_req	Qty Required		-->>>, >>9.9<<	10
sfb_qty_ret	Qty Returned		-->, >>>, >>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		-->>9	
sfb_taxable	Taxable		yes/no	0
sfb_taxc	Tax Class		x(8)	0
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	0
sfb_tax_usage	Tax Usage		x(8)	0
sfb_total_std	Total Cost		-->>>, >>>, >>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	User Field 1		X(8)	
sfb_user2	User Field 2		X(8)	
sfb_chr01	User Field #1		x(8)	
sfb_chr02	User Field #2		x(8)	
sfb_chr03	User Field #3		x(8)	
sfb_chr04	User Field #4		x(8)	
sfb_dec01	User Decimal #1		-->>>, >>>, >>9.99<<<<	10
sfb_dec02	User Decimal #2		-->>>, >>>, >>9.99<<<<	10
sfb_dec03	User Decimal #3		-->>>, >>>, >>9.99<<<<	10
sfb_dte01	User Date #1		99/99/99	
sfb_dte02	User Date #2		99/99/99	
sfb_dte03	User Date #3		99/99/99	
sfb_log01	User Logical #1		yes/no	
sfb_log02	User Logical #2		yes/no	
sfb_log03	User Logical #3		yes/no	
sfb_qadc01	QAD Character Field		x(8)	0
sfb_qadc02	Qad Field #2		x(8)	
sfb_qadc03	Qad Field #3		x(8)	
sfb_qadc04	QAD Character Field		x(8)	0
sfb_qadd01	Qad Date #1		99/99/99	
sfb_qadd02	Qad Date #2		99/99/99	
sfb_qadd03	Qad Date #3		99/99/99	
sfb_qadde01	Qad Decimal #1		-->>>, >>>, >>9.99<<<<	10
sfb_qadde02	Qad Decimal #2		-->>>, >>>, >>9.99<<<<	10
sfb_qadde03	Qad Decimal #3		-->>>, >>>, >>9.99<<<<	10
sfb_qadl01	QAD Logical Field		yes/no	0
sfb_qadl02	QAD Logical Field		yes/no	0
sfb_qadl03	QAD Logical Field		yes/no	0
sfb_qadl04	QAD Logical Field		yes/no	0

428 sfh_hist

Index-Name	Uni	Field-Name	Asc	Abbr
* sfh_line	yes	sfb_nbr	yes	no
		sfb_so_line	yes	no
		sfb_pt_type	yes	no
		sfb_fis_sort	yes	no
		sfb_line	yes	no
sfb_report	no	sfb_report	yes	no
		sfb_op	yes	no
		sfb_part	yes	no
		sfb_line	yes	no

sfh_hist

Service/Support Billing History

Field Name	Label	Col-Label	Format	Dec
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>9	
sfb_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_exchange	Exchange		yes/no	0
sfb_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfb_fixed_price			->>>>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfb_inv_nbr	Invoice		x(8)	
sfb_line	Line		>>>9	
sfb_mod_date	Date Modified		99/99/99	
sfb_mod_userid	Modified By		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	>>>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		->>>>, >>>, >>9.99<<<	10
sfb_pst	PST Taxable		yes/no	0
sfb_pt_type			>>9	
sfb_qty_billed	Qty Billed		->>>>, >>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>>, >>9.9<	10
sfb_qty_req	Qty Required		->>>>, >>9.9<<	10
sfb_qty_ret	Qty Returned		->, >>>>, >>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_taxable	Taxable		yes/no	0
sfb_taxc	Tax Class		x(8)	0
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	0
sfb_tax_usage	Tax Usage		x(8)	0
sfb_total_std	Total Cost		->>>>, >>>, >>9.99<<<	10
sfb_trnbr	Transaction		>>>>>>>>9	
sfb_um	UM		x(2)	

Field Name	Label	Col-Label	Format	Dec
sft_user1	User Field 1		X(8)	
sft_user2	User Field 2		X(8)	
sft_chr01	User Character Field #1		x(8)	0
sft_chr02	User Character Field #2		x(8)	0
sft_chr03	User Character Field #3		x(8)	0
sft_chr04	User Character Field #4		x(8)	0
sft_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
sft_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
sft_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sft_dte01	User Date #1		99/99/99	
sft_dte02	User Date #2		99/99/99	
sft_dte03	User Date #3		99/99/99	
sft_log01	User Logical #1		yes/no	
sft_log02	User Logical #2		yes/no	
sft_log03	User Logical #3		yes/no	
sft_qadc01	QAD Character Field		x(8)	0
sft_qadc02	Qad Field #2		x(8)	
sft_qadc03	Qad Field #3		x(8)	
sft_qadc04	QAD Character Field		x(8)	0
sft_qadd01	Qad Date #1		99/99/99	
sft_qadd02	Qad Date #2		99/99/99	
sft_qadd03	Qad Date #3		99/99/99	
sft_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sft_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sft_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sft_qadl01	QAD Logical Field		yes/no	0
sft_qadl02	QAD Logical Field		yes/no	0
sft_qadl03	QAD Logical Field		yes/no	0
sft_qadl04	QAD Logical Field		yes/no	0

Index-Name	Uni	Field-Name	Asc	Abbr
sft_inv_nbr	no	sft_inv_nbr	yes	no
		sft_so_line	yes	no
		sft_pt_type	yes	no
		sft_fis_sort	yes	no
		sft_line	yes	no
sft_line	no	sft_nbr	yes	no
		sft_so_line	yes	no
		sft_pt_type	yes	no
		sft_fis_sort	yes	no
		sft_line	yes	no
* sft_trnbr	yes	sft_trnbr	yes	no

sft_mstr

Shift Master

Field Name	Label	Col-Label	Format	Dec
sft_acct	Account		x(8)	
sft_amt	Differential Rate	Rate	->>>, >>9.999	2
sft_cc	Cost Center	CC	x(4)	
sft_desc	Description		x(24)	
sft_percent	Differential Percentage	Difftr'l %	->>, >>9.999	2

430 sgad_det

Field Name	Label	Col-Label	Format	Dec
sft_shift	Shift		x(2)	
sft_user1	user1		x(8)	
sft_user2	user2		x(8)	
sft__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sft_desc	no	sft_desc	yes	no
		sft_shift	yes	no
* sft_shift	yes	sft_shift	yes	no

sgad_det Shipping Group Address Detail

Field Name	Label	Col-Label	Format	Dec
sgad_addr	Address		x(8)	
sgad_cons_ship	Consolidate Ship		x(1)	
sgad_grp	Shipping Group	Ship Grp	x(8)	
sgad_is_src	Source/Dest		Source/Dest	
sgad_user1	user1		x(8)	
sgad_user2	user2		x(8)	
sgad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgad_addr	yes	sgad_addr	yes	no
		sgad_is_src	yes	no
		sgad_grp	yes	no
* sgad_grp	yes	sgad_grp	yes	no
		sgad_is_src	yes	no
		sgad_addr	yes	no

sgcd_det Shipping Group Carrier Detail

Field Name	Label	Col-Label	Format	Dec
sgcd_carrier	Carrier		x(8)	
sgcd_grp	Shipping Group	Ship Grp	x(8)	
sgcd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgcd_seq	Seq		>>9	
sgcd_user1	user1		x(8)	
sgcd_user2	user2		x(8)	
sgcd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgcd_carrier	no	sgcd_carrier	yes	no
* sgcd_grp	yes	sgcd_grp	yes	no
		sgcd_inv_mov	yes	no
		sgcd_seq	yes	no

sgid_det Shipping Group and Inventory Movement Code Detail

Field Name	Label	Col-Label	Format	Dec
sgid_default	Default		yes/no	
sgid_format	Document Format	Format	x(8)	
sgid_grp	Shipping Group	Ship Grp	x(8)	
sgid_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgid_user1	user1		x(8)	
sgid_user2	user2		x(8)	
sgid__qadc01			x(8)	
sgid__qadc02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sgid_default	yes	sgid_grp	yes	no
		sgid_default	yes	no
		sgid_inv_mov	yes	no
sgid_format	no	sgid_format	yes	no
* sgid_grp	yes	sgid_grp	yes	no
		sgid_inv_mov	yes	no
sgid_inv_mov	no	sgid_inv_mov	yes	no

sg_mstr Shipping Group Master

Field Name	Label	Col-Label	Format	Dec
sg_auto_tr	Auto Transfers	Auto Xfers	yes/no	
sg_desc	Description		x(30)	
sg_grp	Shipping Group	Ship Grp	x(8)	
sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
sg_user1	user1		x(8)	
sg_user2	user2		x(8)	
sg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sg_grp	yes	sg_grp	yes	no
sg_inv_mov	no	sg_inv_mov	yes	no

shc_ctrl Shipper Control File

Field Name	Label	Col-Label	Format	Dec
shc_format	Document Format	Format	x(8)	
shc_index1			>>>>>9	
shc_master_nr_id	Master Bill Sequence ID		x(8)	
shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
shc_ship_nr_id	Shipper Sequence ID		x(8)	

432 shd_det

Field Name	Label	Col-Label	Format	Dec
shc_ship_rcpt	Shipment Info For Receipts		yes/no	
shc_trl_amts	Maintain Trailer Amounts		yes/no	
shc_user1	user1		x(8)	
shc_user2	user2		x(8)	
shc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shc_index1	yes	shc_index1	yes	no

shd_det Shipping Schedule Detail

Field Name	Label	Col-Label	Format	Dec
shd_code	Transport ID	Trans ID	x(8)	
shd_departs	Ship Date		99/99/99	
shd_rec_site	Receiving Site	Rec Site	x(8)	
shd_src_site	Source Site	Source	x(8)	
shd_user1	user1		x(8)	
shd_user2	user2		x(8)	
shd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shd_code	yes	shd_code	yes	no
		shd_src_site	yes	no
		shd_rec_site	yes	no
		shd_departs	yes	no

shft_det Shift Detail File

Field Name	Label	Col-Label	Format	Dec
shft_day	Day of Week	Day	9	
shft_hour1	Hours		>,>>9.9<	2
shft_hour2	Hours		>,>>9.9<	2
shft_hour3	Hours		>,>>9.9<	2
shft_hour4	Hours		>,>>9.9<	2
shft_load1	Load		>>9.99%	2
shft_load2	Load		>>9.99%	2
shft_load3	Load		>>9.99%	2
shft_load4	Load		>>9.99%	2
shft_mch	Machine		x(8)	
shft_pat1	Pattern		x(8)	
shft_pat2	Pattern		x(8)	
shft_pat3	Pattern		x(8)	
shft_pat4	Pattern		x(8)	
shft_site	Site		x(8)	
shft_start1	Start Time	Start	>,>>9.9<<	3
shft_start2	Start Time	Start	>,>>9.9<<	3
shft_start3	Start Time	Start	>,>>9.9<<	3
shft_start4	Start Time	Start	>,>>9.9<<	3

Field Name	Label	Col-Label	Format	Dec
shft_user1	Ufld1		x(8)	
shft_user2	Ufld2		x(8)	
shft_wkctr	Work Center	Work Ctr	x(8)	
shft_chr01			x(8)	
shft_chr02			x(8)	
shft_chr03			x(8)	
shft_chr04			x(8)	
shft_chr05			x(8)	
shft_dec01			>>>, >>>, >>9.99	10
shft_dec02			>>>, >>>, >>9.99	10
shft_dec03			>>>, >>>, >>9.99	10
shft_dec04			>>>, >>>, >>9.99	10
shft_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* shft_day	yes	shft_site	yes	no
		shft_wkctr	yes	no
		shft_mch	yes	no
		shft_day	yes	no

shm_mstr Shipping Schedule Master

Field Name	Label	Col-Label	Format	Dec
shm_cmtindx	Comment Index	Comment	>>>, >>>, >>9	
shm_code	Transport ID	Trans ID	x(8)	
shm_end	End		99/99/99	
shm_load_lt	Load LT		->>9.9<	2
shm_no_units	Available Units	Units	->, >>>, >>9	
shm_rec_day[7]	Receive Days		yes/no	
shm_rec_site	Receiving Site	Rec Site	x(8)	
shm_ship_day[7]	Ship Days		yes/no	
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	->>9.9<	2
shm_unld_lt	Unload LT		->>9.9<	2
shm_user1	user1		x(8)	
shm_user2	user2		x(8)	
shm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shm_code	yes	shm_code	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_start	yes	no
shm_rec_site	yes	shm_rec_site	yes	no
		shm_src_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

434 shop_cal

Index-Name	Uni	Field-Name	Asc	Abbr
shm_src_site	yes	shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal Shop Calendar

Field Name	Label	Col-Label	Format	Dec
shop_hours[7]	Daily Hours	Hours	->>, >>9.99	2
shop_mch	Machine		x(8)	
shop_shifts[7]	Shifts	Shifts	yes/no	
shop_site	Site		x(8)	
shop_user1	Ufld1		x(8)	
shop_user2	Ufld2		x(8)	
shop_wdays[7]	Workdays		yes/no	
shop_wkctr	Work Center	Work Ctr	x(8)	
shop__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* shop_cal	yes	shop_site	yes	no
		shop_wkctr	yes	no
		shop_mch	yes	no

shtr_det Shipment Trailer Detail

Field Name	Label	Col-Label	Format	Dec
shtr_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	2
shtr_cd	Trailer 1	Trl1	x(2)	
shtr_curr	Currency	Cur	x(3)	
shtr_inv_nbr	Invoice Number	Invoice	x(8)	
shtr_nbr	Sales Order	Order	x(8)	
shtr_ship_date	Ship Date		99/99/99	
shtr_ship_id	Ship Id		x(8)	
shtr_site	Site		x(8)	
shtr_user1	user1		x(8)	
shtr_user2	user2		x(8)	
shtr__qad01			-z,zzz,zzz,zz9.99	2
shtr__qad02			-z,zzz,zzz,zz9.99	2
shtr__qad03			-z,zzz,zzz,zz9.99	2
shtr__qad04			>	
shtr__qad05[2]			>>9.9<<	2

Index-Name	Uni	Field-Name	Asc	Abbr
* shtr_nbrcd	yes	shtr_nbr	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no
shtr_shipcd	yes	shtr_ship_id	yes	no
		shtr_cd	yes	no

sim_det Inventory Movement Site Detail

Field Name	Label	Col-Label	Format	Dec
sim_canrun[15]	Groups		x(60)	
sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sim_site	Site		x(8)	
sim_user1	user1		x(8)	
sim_user2	user2		x(8)	
sim__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sim_site	yes	sim_inv_mov	yes	no
		sim_site	yes	no
		sim_site	yes	no
		sim_inv_mov	yes	no

436 six_ref

six_ref

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
six_amt	Ship Amt		-->, >>>, >>9.99	10
six_amt_appld	Amt Applied		-->, >>>, >>9.99	10
six_amt_paid	Paid Amt		-->, >>>, >>9.99	10
six_authorization	Authorization		x(24)	
six_bill	Bill-To		x(8)	
six_closed	Close Shipment Line	C	yes/no	
six_curr	Currency	Cur	x(3)	
six_cust	Sold-To		x(8)	
six_inv_nbr	Invoice		x(8)	
six_line	Line		>>>9	
six_mod_date	Last Modified		99/99/99	
six_mod_userid	User ID		X(8)	
six_order	Sales Order	Order	x(8)	
six_part	Item		x(18)	
six_po	Customer PO		x(22)	
six_price	Price		>>, >>>, >>9.99<<<	10
six_qty	Ship Qty		->, >>>, >>9.9<<<<<<<<	10
six_qty_paid	Paid Qty		->, >>>, >>9.9<<<<<<<<	10
six_ship	Ship-To		x(8)	
six_shipdt	Ship Date		99/99/99	
six_ship_id	Shipper		x(20)	
six_site	Ship-From		x(8)	
six_sopart	Self-Bill Item		x(30)	
six_trnbr	Trans		>>>>>>>>	
six_type	Type	T	x(1)	
six_um	UM		x(2)	
six_user1			X(8)	
six_user2			X(8)	
six_user3			X(8)	
six_user4			X(8)	
six_user5			X(8)	
six__qadc01			X(8)	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	
six__qadd01			-->, >>>, >>9.9<<<<<<<<	10
six__qadd02			-->, >>>, >>9.9<<<<<<<<	10
six__qadd03			-->, >>>, >>9.9<<<<<<<<	10
six__qadd04			-->, >>>, >>9.9<<<<<<<<	10
six__qadd05			-->, >>>, >>9.9<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadi01			yes/no	
six__qadi02			yes/no	
six__qadi03			yes/no	
six__qadi04			yes/no	

Field Name	Label	Col-Label	Format	Dec
six__qadt05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
six_auth_sopart	no	six_authorization	yes	no
		six_sopart	yes	no
six_bill_inv	no	six_bill	yes	no
		six_inv_nbr	yes	no
		six_type	yes	no
		six_order	yes	no
		six_line	yes	no
		six_ship_id	yes	no
		six_authorization	yes	no
six_order_sopart	no	six_order	yes	no
		six_sopart	yes	no
six_part	no	six_part	yes	no
six_po_sopart	no	six_po	yes	no
		six_sopart	yes	no
six_ship_sopart	no	six_ship_id	yes	no
		six_sopart	yes	no
six_sopart	no	six_sopart	yes	no
* six_trnbr	yes	six_trnbr	yes	no

si_mstr Site Master

Field Name	Label	Col-Label	Format	Dec
si_auto_loc	Automatic Locations	Auto Loc	yes/no	
si_btb_vend	EMT Supplier	EMT Supp	x(8)	
si_canrun	Groups		x(72)	
si_cur_set	Current Cost Set	Cur Set	x(8)	
si_db	Database		x(8)	
si_desc	Description		x(24)	
si_entity	Entity		x(4)	
si_ext_vd	External Supplier	Ext Supp	yes/no	
si_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
si_git_cc	Cost Center	CC	x(4)	
si_gl_set	GL Cost Set	GL Set	x(8)	
si_site	Site		x(8)	
si_status	Default Inventory Status	Status	x(8)	
si_user1	Ufld1		x(8)	
si_user2	Ufld2		x(8)	
si_xfer_acct	Transfer Variance Acct	Transfer	x(8)	
si_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
si__chr01			x(8)	
si__chr02			x(8)	
si__chr03			x(8)	
si__chr04			x(8)	
si__chr05			x(8)	

438 sm_mstr

Field Name	Label	Col-Label	Format	Dec
si_dec01			>>>, >>>, >>9.99	10
si_dec02			>>>, >>>, >>9.99	10
si_dte01			99/99/99	
si_dte02			99/99/99	
si_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* si_site	yes	si_site	yes	no

sm_mstr Source Matrix Master

Field Name	Label	Col-Label	Format	Dec
sm_end	End		99/99/99	
sm_lead	Lead Time		->, >>>	2
sm_mktg_site	Marketing Site	Marketing	x(8)	
sm_part	Item Number		x(18)	
sm_pct	Supply Percent	Percent	>>9.9<%	2
sm_start	Start		99/99/99	
sm_sup_site	Supply Site	Supply	x(8)	
sm_trans	Transport Code	Transport	x(8)	
sm_type	Type		x(1)	
sm_user1	Ufld1		x(8)	
sm_user2	Ufld2		x(8)	
sm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sm_mstr	yes	sm_part	yes	no
		sm_sup_site	yes	no
		sm_mktg_site	yes	no
		sm_start	yes	no
		sm_type	yes	no

sob_det Sales Order Configuration Bill

Field Name	Label	Col-Label	Format	Dec
sob_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
sob_cfg_type	Configuration	Config	x(1)	
sob_cmtindx	Comment Index	Comment	>>>>>>9	
sob_feature	Feature		x(12)	
sob_iss_date	Issue Date	Iss Date	99/99/99	
sob_line	Line		>>9	
sob_loc	Location		x(8)	
sob_nbr	Sales Order	Order	x(8)	
sob_parent	Parent Item		x(18)	
sob_part	Item Number		x(18)	
sob_price	Price		>>>, >>>, >>9.99<<<	10
sob_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
sob_qty_chg	Qty to Issue		->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sob_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<	10
sob_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
sob_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
sob_scrp_pct	Scrap		>>9.99%	2
sob_serial	Lot/Serial		x(18)	
sob_site	Site		x(8)	
sob_tot_std	List Price		->>>, >>9.999	3
sob_user1	Ufld1		x(8)	
sob_user2	Ufld2		x(8)	
sob__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* sob_det	yes	sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no
		sob_part	yes	no
sob_part	yes	sob_part	yes	no
		sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no

soc_ctrl

Sales Order Control File

Field Name	Label	Col-Label	Format	Dec
soc_all	Qty All reduce qty Available		yes/no	
soc_all_avl	Limit allocate to avail only		yes/no	
soc_all_days	Allocate Days into Future		>>>>>9	
soc_apm	Integrate with APM		yes/no	
soc_ar	Integrate with AR		yes/no	
soc_batch	Auto Batch Confirmation		yes/no	
soc_batch_id	Confirmation Batch ID		X(8)	
soc_btb_all	Direct Allocation	Dir All	yes/no	
soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
soc_btb_type	EMT Type		xx	
soc_company	Company Address		x(8)	
soc_confirm	Confirmed Orders		yes/no	
soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
soc_crtacc_cc	SO Interest Accrued CC		X(4)	
soc_crtapp_acct	SO Interest Applied Account		X(8)	
soc_crtapp_cc	SO Interest Applied Cost Center		X(4)	
soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
soc_det_all	Detail Allocations		yes/no	
soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
soc_dum_loc	Direct Shipment Location		x(8)	
soc_edit_isb	SO Edit ISB Defaults		yes/no	
soc_ex_ratetype	Rate Type		x(8)	
soc_fcst_bck	Consume Back	Fcst Back	->, >>>, >>9	
soc_fcst_fwd	Consume Fwd	Fcst Fwd	->, >>>, >>9	
soc_fob	F.O.B.		x(20)	

440 soc_ctrl

Field Name	Label	Col-Label	Format	Dec
soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
soc_fr_by_site	Calculate Freight by Site		yes/no	
soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
soc_fysm	Fiscal Start Month		>9	
soc_hcmmts	Sales Order Header Comments		yes/no	
soc_index1	Index		>>>>9	
soc_inv	Next Invoice		>>>>>>9	
soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	2
soc_inv_pre	Invoice Prefix	Pre	x(3)	
soc_jrnl	Next Journal		999999	
soc_lcmmts	Sales Order Line Comments		yes/no	
soc_ln_fmt	Ln Format S/M		single/multi	
soc_ln_inv	Print Only Lines to Invoice		yes/no	
soc_margin	Comm on Margin not Sales		yes/no	
soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	2
soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
soc_next_abl	Next ASN/BOL		>>>>>>9	
soc_next_cid	Next Cntnr Nbr		>>>>>>9	
soc_ntaxdesc[10]	Description		x(12)	
soc_on_ord	Qty avail include qty on order		yes/no	
soc_pc_line	Price by SO Line Due Date		yes/no	
soc_pick	Pick Only Allocated Lines		yes/no	
soc_pim_isb	Pend Inv Edit ISB		yes/no	0
soc_pl_req	Price List Required		yes/no	
soc_print	Are Sales Orders Printed		yes/no	
soc_print_id	Confirmation Printer		X(8)	
soc_pt_req	Price Table Required		yes/no	
soc_req	Required qty reduce qty avail		yes/no	
Δ soc_returns_isb	SO Returns Update ISB		yes/no	0
soc_sa	Integrate with SA	SA	yes/no	
soc_shp_lead	Shipping Lead Time		>>>9	
soc_so	Next Sales Order		>>>>>>9	
soc_so_hist	Keep Booking History	Book! Hst	yes/no	
soc_so_pre	Sales Order Prefix	Pre	x(3)	
soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
soc_user1	Ufld1		x(8)	
soc_user2	Ufld2		x(8)	
soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
soc__qad01			yes/no	
soc__qad02			yes/no	
soc__qad03			>>>>>>9	
soc__qadc01	QAD Field		X(8)	0
soc__qadc02	QAD Field		X(8)	0
soc__qadc03	QAD Field		X(8)	0
soc__qadi01	QAD Field		-,>,>>>,>>9	0
soc__qadi02	QAD Field		-,>,>>>,>>9	0
soc__qadi02	Check Customer Item Nbr First		yes/no	0
soc__qadi03	QAD Field		yes/no	0
◇ soc__qadi04	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* soc_index1	yes	soc_index1	yes	no

sod_det Sales Order Detail Relationships

Field Name	Label	Col-Label	Format	Dec
Δ sodr_div	Division		X(8)	
Δ sodr_group	Group		X(8)	
Δ sodr_line	Line		>>9	
Δ sodr_nbr	Sales Order		X(8)	
Δ sodr_pricing	Pricing		>9	
Δ sodr_seq	Sequence		>>9	
Δ sodr_type	Type		>>>9	
Δ sodr_user1	Ufld1		x(8)	
Δ sodr_user2	Ufld2		x(8)	
Δ sodr__qadc01			x(8)	
Δ sodr__qadc02			x(8)	
Δ sodr__qadc03			x(8)	
Δ sodr__qadd01			->>>>, >>>, >>9.9	10
Δ sodr__qadd02			->>>>, >>>, >>9.9	10
Δ sodr__qadi01			->, >>>, >>9	
Δ sodr__qadi02			->, >>>, >>9	
Δ sodr__qadi01			yes/no	
Δ sodr__qadi02			yes/no	
Δ sodr__qadt01			99/99/99	
Δ sodr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sodr_nbrln_seq	yes	sodr_nbr	yes	no
		sodr_line	yes	no
		sodr_seq	yes	no
sodr_type	no	sodr_type	yes	no

sod_det Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
sod_abnormal	Abnormal Demand	Abnormal	yes/no	
sod_acct	Sales Acct	Sales	x(8)	
sod_act_price	Total List Price		->>>>, >>>, >>9.99<<<	10
sod_alt_pkg	Alternates		yes/no	
sod_auto_ins	Installation Call		yes/no	
sod_bonus	Bonus Stock Line		yes/no	
sod_bo_chg	Qty Backord		->, >>>, >>9.9<<<<<<<<<	10
sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod_btb_type	EMT Type		xx	
sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
sod_calc_isb	Calculate Isb		yes/no	

442 sod_det

Field Name	Label	Col-Label	Format	Dec
sod_car_load	Call Act. Rec. Load		yes/no	
sod_ca_line	Call Line		>>9	
sod_ca_nbr	Call		x(8)	
sod_cc	Cost Ctr	CC	x(4)	
sod_cfg_type	Configuration	Config	x(1)	
sod_cmtindx	Comment Index	Comment	>>>>>>9	
sod_comment[5]	Comments		x(40)	
sod_comm_pct[4]	Commission	Comm%	>>9.99%	2
sod_confirm	Confirmed		yes/no	
sod_conrep	Netting Logic	C/R	x(1)	
sod_consume	Consume Forecast	Consume Fcst	yes/no	
sod_contr_id	PO Number		x(30)	
sod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sod_crt_int	Credit Terms Int	CRT Int	->>>9.99	2
sod_cum_date[4]	Cum Start		99/99/99	
sod_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<	10
sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
sod_custpart	Customer Item		x(30)	
sod_desc	Description		x(24)	
sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
sod_disc_pct	Disc %		->>9.99%	2
Δ sod_div	Division		x(8)	
sod_dock	Dock		x(8)	
sod_drp_ref	DRP Ref		x(8)	
sod_dsc_acct	Disc Acct		x(8)	
sod_dsc_cc	Disc CC	CC	x(4)	
sod_due_date	Due Date	Due	99/99/99	
sod_enduser	End User		x(8)	
sod_end_eff[4]	End Effective		99/99/99	
sod_expire	Expires		99/99/99	
sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
sod_fab_days	Fab Auth Days		>, >>9	
sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
sod_fixed_price	Fixed Price		>>>>, >>>, >>9.99<<<	10
sod_fix_pr	Fixed Price	Fix	yes/no	
sod_for	For		x(18)	
sod_for_serial	Parent Item Serial		X(18)	
sod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
sod_fr_class	Freight Class		x(8)	
sod_fr_list	Freight List	Frt List	x(8)	
sod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
sod_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<<	6
sod_fr_wt_um	UM		x(2)	
sod_fsm_type	FSM Type		x(8)	
sod_fst_list	FST on List		yes/no	
sod_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
sod_inv_nbr	Invoice		x(8)	
sod_isb_loc	Installed Base Location		x(22)	
sod_isb_ref	ISB Ref		>>>>>9	
sod_line	Line	Ln	>>9	
sod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
sod_ln_ref	Line Ref		x(8)	
sod_loc	Location		x(8)	
sod_lot	ID		x(8)	
sod_mod_date	Date Last Updated		99/99/99	
sod_mod_userid	Last Updated By		X(8)	
sod_nbr	Sales Order	Order	x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
sod_out_po	Display PO Number		x(30)	
sod_override_lmt	Override Limits	Lmt	yes/no	
sod_owner	Ownership		x(8)	
sod_part	Item Number		x(18)	
sod_partial	Partial OK	Partial	yes/no	
sod_pastdue	Past Due Logic	C/R	x(1)	
sod_per_date	Promised		99/99/99	
sod_pickdate	Pick Date		99/99/99	
sod_pkg_code	Pkg Code		x(18)	
Δ sod_pl_priority	P/L Priority		>9	
sod_price	Price		>>>>, >>>, >>9.99<<<	10
sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
sod_prig1	Pricing Group 1		x(8)	
sod_prig2	Pricing Group 2		x(8)	
sod_procline	Product Line	Line	x(4)	
sod_project	Project		x(8)	
sod_pr_list	Price List	List	x(8)	
sod_pst	PST Taxable		yes/no	
sod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_chg	Qty To Ship		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_inv	Qty to Invoice		->, >>>, >>9.9<<<<<<<<<	10
◊ sod_qty_invc	Quantity Invoiced		->, >>>, >>9.9<<<<<<<<<	
sod_qty_item	Item Quantity	Item Qty	->>, >>9.9<<<<	3
sod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_pend	Qty Pending		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_per	Duration		->>>>9.9<<<<	3
sod_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_qote	Qty Quoted		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_ret	Qty Returned		->, >>>, >>9.9<<<<<<<<<	10
sod_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<<	10
sod_raw_days	Raw Auth Days		>, >>9	
sod_rbkt_days	Req Schedule Days		>>9	
sod_rbkt_mths	Req Schedule Months		>>9	
sod_rbkt_weeks	Req Schedule Weeks		>>9	
sod_ref	Ref		>>>>>>>9	
sod_req_date	Required Date	Required	99/99/99	
sod_rlse_nbr	Next Release ID		99999999	
sod_rma_type	RMA Type		x(1)	
sod_sad_line	Line	Ln	>>9	
sod_sa_nbr	Service Contract		x(8)	
sod_sched	Scheduled		yes/no	
sod_sched_chgd	Schedule Changed		yes/no	
sod_sch_data	Schedule Data		x(8)	
sod_sch_mrp	Sched MRP Req		yes/no	
sod_serial	Lot/Serial		x(18)	
sod_ship	Ship-To		x(8)	
sod_site	Site		x(8)	
sod_slspsn[4]	Salesperson	Salespsn	x(8)	
sod_sob_rev	Revised Date	Revised	99/99/99	
sod_sob_std	Standard Bill	Std BOM	yes/no	
sod_start_eff[4]	Start Effective		99/99/99	
sod_status	Status		x(8)	
sod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sod_sv_code	Warranty Code		X(8)	

444 sod_det

Field Name	Label	Col-Label	Format	Dec
sod_taxable	Taxable	Tax	yes/no	
sod_taxc	Tax Class	TxC	x(3)	
sod_tax_env	Tax Environment	Tax Env	x(16)	
sod_tax_in	Tax In		yes/no	
sod_tax_max	Max Taxable Amount	Max Amount	-->>>, >>>, >>9.99	2
sod_tax_usage	Tax Usage	TaxUsage	x(8)	
sod_to_loc	Location		x(8)	
sod_to_ref	Kit Ref		x(8)	
sod_to_site	Site		x(8)	
sod_translt_days	Transport Days		>>9.99	2
sod_translt_hrs	Transport Hours		>>9.99	2
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
sod_xslspn[3]	Salesperson	Salespsn	x(8)	
sod__chr01			x(8)	
sod__chr02			x(8)	
sod__chr03			x(8)	
sod__chr04			x(8)	
sod__chr05			x(8)	
sod__chr06			x(8)	
sod__chr07			x(8)	
sod__chr08			x(8)	
sod__chr09			x(8)	
sod__chr10			x(8)	
sod__dec01			>>>, >>>, >>9.99	10
sod__dec02			>>>, >>>, >>9.99	10
sod__dte01			99/99/99	
sod__dte02			99/99/99	
sod__log01			yes/no	
sod__qad01			-->>>, >>>, >>9	
sod__qad02			yes/no	
sod__qadc01	QAD Field		X(8)	0
sod__qadc02	QAD Field		X(8)	0
sod__qadc03	QAD Field		X(8)	0
sod__qadc04	QAD Field		X(8)	0
sod__qadd01	QAD Field		-->>>, >>>, >>9.99<<<	10
sod__qadd02	QAD Field		-->>>, >>>, >>9.99<<<	10
sod__qadd03	QAD Field		-->>>, >>>, >>9.99<<<	10
sod__qadi01	QAD Field		->, >>>, >>9	0
sod__qadi02	QAD Field		->, >>>, >>9	0
sod__qadi01	QAD Field		yes/no	0
sod__qadi02	QAD Field		yes/no	0
sod__qadi03	QAD Field		yes/no	0
sod__qadt01	QAD Field		99/99/99	0
sod__qadt02	QAD Field		99/99/99	0
sod__qadt03	QAD Field		99/99/99	0
sod__qadt04	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
sod_call	no	sod_ca_nbr	yes	no
		sod_ca_line	yes	no
		sod_part	yes	no
		sod_serial	yes	no
sod_fsm_type	no	sod_fsm_type	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
* sod_nbrln	yes	sod_nbr	yes	no
		sod_line	yes	no
sod_part	yes	sod_part	yes	no
		sod_nbr	yes	no
		sod_line	yes	no

sop_det

Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
sop_batch	Batch Qty	Batch! Qty	>,>>>,>>9.9<<<<<<<<	10
sop_cost	Cost		>>>>,>>>,>>9.99<<<	10
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	-,>>>,>>9	
sop_men_mch	Run Crew		->>,>>9.99	2
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	9
sop_setup	Setup Time	Setup	>,>>9.9<<	3
sop_setup_men	Setup Crew		->>,>>9.99	2
sop_sim	Cost Set		x(8)	
sop_start	Start Date	Start	99/99/99	
sop_std_batch	Standard Batch Size	Batch	>>>,>>9.9	2
sop_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
sop_user1	Ufld1		x(8)	
sop_user2	Ufld2		x(8)	
sop_wkctr	Work Center	Work Ctr	x(8)	
sop_yield_pct	Yield%		>>9.99%	2
sop_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
sop_sim_elem	yes	sop_sim	yes	no
		sop_element	yes	no
		sop_routing	yes	no
		sop_op	yes	no
* sop_sim_part	yes	sop_sim	yes	no
		sop_routing	yes	no
		sop_op	yes	no
		sop_element	yes	no

446 sor_mstr

sor_mstr Sales Order Master Relationships

Field Name	Label	Col-Label	Format	Dec
Δ sor_div	Division		X(8)	
Δ sor_group	Group		X(8)	
Δ sor_nbr	Sales Order		X(8)	
Δ sor_pricing	Pricing		>9	
Δ sor_seq	Sequence		>>9	
Δ sor_type	Type		>>>9	
Δ sor_user1	Ufld1		x(8)	
Δ sor_user2	Ufld2		x(8)	
Δ sor_qadc01			x(8)	
Δ sor_qadc02			x(8)	
Δ sor_qadc03			x(8)	
Δ sor_qadd01			->>>>, >>>, >>9.9	10
Δ sor_qadd02			->>>>, >>>, >>9.9	10
Δ sor_qadi01			->, >>>, >>9	
Δ sor_qadi02			->, >>>, >>9	
Δ sor_qadi01			yes/no	
Δ sor_qadi02			yes/no	
Δ sor_qadt01			99/99/99	
Δ sor_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* sor_nbr_seq	yes	sor_nbr	yes	no
		sor_seq	yes	no
sor_type	no	sor_type	yes	no

so_mstr Sales Order Master

Field Name	Label	Col-Label	Format	Dec
◇ so_app_owner	Owner Application		x(12)	
so_ar_acct	AR Account	AR	x(8)	
so_ar_cc	Cost Ctr	CC	x(4)	
so_auth_days	AUTHNBR Unique Days		>>9	
so_bank	Bank		x(2)	
so_bill	Bill-To		x(8)	
so_bol	BOL		x(18)	
so_bump_all	Unpeg		yes/no	
so_cartons	Cartons		->, >>>, >>9	
so_ca_nbr	Call		x(8)	0
so_channel	Channel		x(8)	
so_cmtindx	Comment Index	Comment	>>>>>>9	
so_cncd_date	Cancel Date	Cancel	99/99/99	
so_comm_pct[4]	Commission	Comm%	>>9.99%	2
so_conf_date	Confirmed Date	Confirmed	99/99/99	
so_conrep	Netting Logic	C/R	x(1)	
so_credit	Credit	Cr	yes/no	
so_crprlist	Credit Price List		X(8)	
so_cr_card	Credit Card	Card	x(2)	
so_cr_init	Cr Initials	Initials	x(3)	
so_cr_terms	Credit Terms	Terms	x(8)	
so_cum_acct	Cumulative Accounting		Cum/Req	

Field Name	Label	Col-Label	Format	Dec
so_curr	Currency	Cur	x(3)	
so_cust	Sold-To		x(8)	
so_cust_po	End Customer PO	End Cust PO	x(22)	
so_disc_pct	Disc %		->9.99%	2
Δ so_div	Division		x(8)	
so_due_date	Due Date	Due	99/99/99	
so_eng_code	Engineer		x(8)	
so_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
so_exru_seq	Sequence		>>>>>>>9	
so_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_ratetype	Rate Type		x(8)	
so_fcg_code	Charge Code		x(8)	0
so_fix_pr	Fixed Price		yes/no	
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Fr List	x(8)	
so_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	2
so_fr_terms	Freight Terms	Fr Terms	x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_invoiced	Invoiced		yes/no	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(8)	
so_lang	Language		x(2)	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	
so_project	Project		x(8)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<%	3
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_rev	Revision	Rev	>>9	
so_rmks	Remarks		x(40)	
so_sa_nbr	Contract		x(8)	
so_sched	Scheduled		yes/no	
so_sch_mthd	Schedules Via		x(1)	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_ship	Ship-To		x(8)	
so_shipvia	Ship Via		x(20)	
so_ship_cmplt	Ship Complete		>>9	
so_ship_date	Ship Date		99/99/99	

448 so_mstr

Field Name	Label	Col-Label	Format	Dec
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO	Ship To PO	x(22)	
so_site	Site		x(8)	
so_size	Size		->,>>>,>>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	3
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_trl1_cd	Trailer 1	Trl1	x(2)	
so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_trl2_cd	Trailer 2	Trl2	x(2)	
so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_trl3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>,>>>,>>9.9999	4
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	2
so_xslspsn[2]	Salesperson	Salespsn	x(8)	
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so_dec01			>>>,>>>,>>9.99	10
so_dec02			>>>,>>>,>>9.99	10
so_dte01			99/99/99	
so_dte02			99/99/99	
so_log01			yes/no	
so_qad01			-z,zzz,zzz,zz9.99	2
so_qad02			-z,zzz,zzz,zz9.99	2
so_qad03			-z,zzz,zzz,zz9.99	2
so_qad04			>	
so_qad05[2]			>>9.9<<	2
so_qadc01	QAD Field		X(8)	0
so_qadc02	QAD Field		X(8)	0
so_qadc03	QAD Field		X(8)	0
so_qadc04	QAD Field		X(8)	0
so_qadc05	QAD Field		X(8)	0
so_qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
so_qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
so_qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
so__qadi01	QAD Field		->, >>>, >>9	0
so__qadi02	QAD Field		->, >>>, >>9	0
so__qadi03	QAD Field		->, >>>, >>9	0
so__qadi01	QAD Field		yes/no	0
so__qadi02	QAD Field		yes/no	0
so__qadi03	QAD Field		yes/no	0
so__qadt01	QAD Field		99/99/99	0
so__qadt02	QAD Field		99/99/99	0
so__qadt03	QAD Field		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
so_bill	no	so_bill	yes	no
		so_nbr	yes	no
		so_ord_date	yes	no
so_ca_nbr	no	so_ca_nbr	yes	no
so_cust	no	so_cust	yes	no
so_cust_po	no	so_cust_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
so_fsm_type	no	so_fsm_type	yes	no
		so_nbr	yes	no
so_invoice	no	so_inv_nbr	yes	no
* so_nbr	yes	so_nbr	yes	no
so_po_nbr	no	so_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
so_quote	no	so_quote	yes	no
		so_nbr	yes	no
so_to_inv	yes	so_to_inv	yes	no
		so_nbr	yes	no

spc_ctrl Salesperson Control File

Field Name	Label	Col-Label	Format	Dec
spc_index1	Index		>>>>>9	
spc_nbr	Next Salesperson		99999999	
spc_user1	Ufld1		x(8)	
spc_user2	Ufld2		x(8)	
spc_qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* spc_index1	yes	spc_index1	yes	no

450 spd_det

spd_det Salesperson Commission Detail File

Field Name	Label	Col-Label	Format	Dec
spd_addr	Salespsn		x(8)	
spd_comm_pct	Commission	Comm%	>>9.99%	2
spd_cust	Customer		x(8)	
spd_mod_date	Modified Date	Mod Date	99/99/99	
spd_part	Item Number		x(18)	
spd_prod_ln	Prod Line	Line	x(4)	
spd_user1	Ufld1		x(8)	
spd_user2	Ufld2		x(8)	
spd_userid	User ID		x(8)	
spd_chr01			x(8)	
spd_chr02			x(8)	
spd_chr03			x(8)	
spd_chr04			x(8)	
spd_chr05			x(8)	
spd_dec01			>>>, >>>, >>9.99	10
spd_dec02			>>>, >>>, >>9.99	10
spd_dte01			99/99/99	
spd_dte02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* spd_addr	yes	spd_addr	yes	no
		spd_prod_ln	yes	no
		spd_part	yes	no
		spd_cust	yes	no

sph_hist Sales History – Salesperson

Field Name	Label	Col-Label	Format	Dec
sph_cost[12]	Cost		->>>, >>>, >>9	10
sph_quota[12]	Quota		->>>, >>>, >>9	10
sph_sales[12]	Sales		->>>, >>>, >>9	10
sph_slspn1	Salespsn1		x(8)	
sph_smonth	Start Month		>9	
sph_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
sph_tot_sale	YTD Sales		->, >>>, >>>, >>9	10
sph_type	Ship Type	T	x(1)	
sph_user1	Ufld1		x(8)	
sph_user2	Ufld2		x(8)	
sph_year	Year		9999	
sph_chr01			x(8)	
sph_chr02			x(8)	
sph_chr03			x(8)	
sph_chr04			x(8)	
sph_chr05			x(8)	
sph_dec01[12]			>>>>, >>>, >>9.99	10
sph_dec02[12]			>>>>, >>>, >>9.99	10
sph_dte01			99/99/99	
sph_dte02			99/99/99	
sph_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
sph_slspsn1	yes	sph_slspsn1	yes	no
		sph_year	yes	no
* sph_year	yes	sph_year	yes	no
		sph_slspsn1	yes	no

spt_det Cost Simulation Item Detail

Field Name	Label	Col-Label	Format	Dec
spt_ao	Add On	A/O	yes/no	
spt_cst_ll	Cost LL		>>>>, >>>, >>9.99<<<	10
spt_cst_tl	Cost		>>>>, >>>, >>9.99<<<	10
spt_element	Cost Element	Element	x(8)	
spt_mod_date	Modified Date	Mod Date	99/99/99	
spt_part	Item Number		x(18)	
spt_pct_ll	Seq 1		>>9.99%	2
spt_pct_tl	Seq 2		>>9.99%	2
spt_sim	Cost Set		x(8)	
spt_site	Site		x(8)	
spt_user1	Ufld1		x(8)	
spt_user2	Ufld2		x(8)	
spt_userid	User ID		x(8)	
spt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
spt_sim_elem	yes	spt_sim	yes	no
		spt_element	yes	no
		spt_part	yes	no
		spt_site	yes	no
* spt_sim_part	yes	spt_site	yes	no
		spt_sim	yes	no
		spt_part	yes	no
		spt_element	yes	no

sp_mstr Salesperson Master

Field Name	Label	Col-Label	Format	Dec
sp_addr	Salespsn		x(8)	
sp_comm_pct	Commission	Comm%	>>9.99%	2
sp_sort	Sort Name		x(28)	
sp_territory	Territory	Trty	x(4)	
sp_user1	Ufld1		x(8)	
sp_user2	Ufld2		x(8)	
sp__chr01			x(8)	
sp__chr02			x(8)	
sp__chr03			x(8)	
sp__chr04			x(8)	
sp__chr05			x(8)	
sp__dec01			>>>, >>>, >>9.99	10

452 src_ctrl

Field Name	Label	Col-Label	Format	Dec
sp_dec02			>>>>>>>9.99	10
sp_dte01			99/99/99	
sp_dte02			99/99/99	
sp_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* sp_addr	yes	sp_addr	yes	no
sp_sort	no	sp_sort	yes	no

src_ctrl Service Request Control File

Field Name	Label	Col-Label	Format	Dec
src_index1	Index		>>>>>9	
src_nbr	SR Number		>>>>>>9	
src_user1	User1		x(8)	
src_user2	User2		x(8)	
src__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* src_index1	yes	src_index1	yes	no

sroc_ctrl Service/Repair Order Control File

Field Name	Label	Col-Label	Format	Dec
sroc_index1	Index		>>>>>9	
sroc_sro	Next SR/O Number	Next SRO	>>>>>>>9	
sroc_sro_pre	SRO Prefix	Pre	x(3)	
sroc_user1	Ufld1		x(8)	
sroc_user2	Ufld2		x(8)	
sroc__qad01			>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* sroc_index1	yes	sroc_index1	yes	no

sro_mstr Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
sro_ar_acct	AR Account	AR	x(8)	
sro_ar_cc	Cost Ctr	CC	x(4)	
sro_assign	Assigned To	Assigned	x(8)	
sro_author	Authorized By	Author	x(8)	
sro_closed	Closed		yes/no	
sro_cls_date	Closed		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sro_cmnt[16]			x(76)	
sro_cmtindx	Comment		>>>>>>9	
sro_cr_terms	Credit Terms	Terms	x(8)	
sro_cust	Customer		x(8)	
sro_desc	Description		x(24)	
sro_disc_pct	Disc %		->9.99%	2
sro_dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z,zzz,zzz,zz9.99	2
sro_invoiced	Invoiced		yes/no	
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	2
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z,zzz,zzz,zz9.99	2
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	2
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	2
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	
sro_chr01			x(8)	
sro_chr02			x(8)	
sro_chr03			x(8)	
sro_chr04			x(8)	
sro_chr05			x(8)	
sro_dec01			>>>, >>>, >>9.99	10
sro_dec02			>>>, >>>, >>9.99	10
sro_dte01			99/99/99	
sro_dte02			99/99/99	
sro_log01			yes/no	

454 srr_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
sro_assign	no	sro_closed	yes	no
		sro_assign	yes	no
		sro_ent_date	yes	no
sro_cust	no	sro_closed	yes	no
		sro_cust	yes	no
		sro_ent_date	yes	no
sro_desc	yes	sro_desc	yes	no
		sro_nbr	yes	no
sro_dspstn	no	sro_closed	yes	no
		sro_dspstn	yes	no
		sro_ent_date	yes	no
sro_ent_date	no	sro_closed	yes	no
		sro_ent_date	yes	no
		sro_nbr	yes	no
sro_failure1	no	sro_closed	yes	no
		sro_failure1	yes	no
		sro_ent_date	yes	no
* sro_nbr	yes	sro_nbr	yes	no
sro_part	no	sro_closed	yes	no
		sro_part	yes	no
		sro_ent_date	yes	no
sro_status	no	sro_closed	yes	no
		sro_status	yes	no
		sro_ent_date	yes	no
sro_type	no	sro_closed	yes	no
		sro_type	yes	no
		sro_ent_date	yes	no

srr_mstr Service Request Master

Field Name	Label	Col-Label	Format	Dec
srr_act_hrs	Actual Hours	Act Hours	->>, >>9.99	10
srr_assign	Assigned		x(8)	
srr_ca_nbr	Call		x(8)	
srr_cls_date	Close Date		99/99/99	
srr_date	Date Entered		99/99/99	
srr_desc	Description		x(60)	
srr_eco	ECO		x(8)	
srr_est_hrs	Estimated Hours	Est Hours	->>, >>9.99	10
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	

Field Name	Label	Col-Label	Format	Dec
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	user1		x(8)	
srr_user2	user2		x(8)	
srr_chr01			x(8)	
srr_chr02			x(8)	
srr_chr03			x(8)	
srr_chr04			x(8)	
srr_chr05			x(8)	
srr_chr06			x(8)	
srr_chr07			x(8)	
srr_chr08			x(8)	
srr_chr09			x(8)	
srr_chr10			x(8)	
srr_dec01			>>>, >>>, >>9.99	10
srr_dec02			>>>, >>>, >>9.99	10
srr_dte01			99/99/99	
srr_dte02			99/99/99	
srr_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
srr_assign	no	srr_assign	yes	no
srr_eco	no	srr_eco	yes	no
srr_eu_nbr	no	srr_eu_nbr	yes	no
* srr_nbr	yes	srr_nbr	yes	no
srr_part	yes	srr_part	yes	no
		srr_nbr	yes	no
srr_problem	no	srr_problem	yes	no

sr_wkfl Serial Number Workfile

Field Name	Label	Col-Label	Format	Dec
sr_assay	Assay %		>>9.99%	2
sr_expire	Expire Date	Expire	99/99/99	
sr_lineid			x(8)	
sr_loc	Location		x(8)	
sr_lotser	Lot/Serial		x(18)	
sr_qty	Quantity		->, >>>, >>9.9<<<<<<<<	10
sr_ref	Ref	Reference	x(8)	
sr_rev	Rev		x(4)	
sr_site	Site		x(8)	
sr_status	Status		x(8)	
sr_to_loc	Location		x(8)	
sr_to_site	Site		x(8)	
sr_user1	Ufld1		x(8)	
sr_user2	Ufld2		x(8)	
sr_userid			x(8)	
sr_vend_lot	Supplier Lot		x(18)	
sr_qadc01			x(8)	

456 ssd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* sr_id	yes	sr_userid	yes	no
		sr_lineid	yes	no
		sr_site	yes	no
		sr_loc	yes	no
		sr_lotser	yes	no
		sr_ref	yes	no

ssd_det Source of Supply Detail

Field Name	Label	Col-Label	Format	Dec
sdd_dec01			>>>, >>>, >>9.99	10
ssd_end	End		99/99/99	
ssd_leadtime	Lead Time	LT	->, >>>	
ssd_network	Network Code		x(18)	
ssd_percent	Supply Percent	Percent	->>9.9<<%	3
ssd_rec_site	Receiving Site	Rec Site	x(8)	
ssd_ref	Reference		x(12)	
ssd_src_site	Supply Site	Source	x(8)	
ssd_start	Start		99/99/99	
ssd_trans	Transportation Code	Ship Via	x(8)	
ssd_user1	user1		x(8)	
ssd_user2	user2		x(8)	
ssd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ssd_det	yes	ssd_network	yes	no
		ssd_rec_site	yes	no
		ssd_src_site	yes	no
		ssd_ref	yes	no
ssd_rec_site	no	ssd_rec_site	yes	no
		ssd_network	yes	no
		ssd_src_site	yes	no
ssd_src_site	no	ssd_src_site	yes	no
		ssd_network	yes	no
		ssd_rec_site	yes	no

ssm_mstr Source of Supply Master

Field Name	Label	Col-Label	Format	Dec
ssm_desc	Description		x(24)	
ssm_network	Network Code		x(18)	
ssm_planner	Planner		x(8)	
ssm_user1	user1		x(8)	
ssm_user2	user2		x(8)	
ssm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ssm_desc	no	ssm_desc	yes	no
		ssm_network	yes	no
* ssm_network	yes	ssm_network	yes	no

std1_det State Tax Detail – Type 1

Field Name	Label	Col-Label	Format	Dec
std1_fd_perc	Percentage of Federal W/H	Pct-F/H	-->9.999	3
std1_gs_perc	Percentage of Gross	Pct-Gross	-->9.999	3
std1_state	State Code	State	x(4)	
std1_user1	Ufld1		x(8)	
std1_user2	Ufld2		x(8)	
std1__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* std1_state	yes	std1_state	yes	no

std2_det State Tax Detail – Type 2

Field Name	Label	Col-Label	Format	Dec
std2_base[12]	Base Amount	Base	-->>>, >>9.99	2
std2_desc	Description		x(24)	
std2_est_ded[10]	Estimated Deductions	Est Ded	-->>>, >>9.99	2
std2_freq	Pay Frequency	Freq	x(2)	
std2_low_inc[2]	Low Income		-->>>, >>9.99	2
std2_marital	Marital Status	MS	x(2)	
std2_over[12]	Over Amount	Overage	-->>>, >>9.99	2
std2_perc[12]	Percentage	Percent	-->9.999	3
std2_state	State Code	State	x(4)	
std2_st_ded[2]	Standard Deductions	Std Ded	-->>>, >>9.99	2
std2_tax_cr[10]	Tax Credits		-->>>, >>9.99	2
std2_user1	Ufld1		x(8)	
std2_user2	Ufld2		x(8)	
std2__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* std2_index	yes	std2_state	yes	no
		std2_freq	yes	no
		std2_marital	yes	no

458 st_mstr

st_mstr State Tax Master

Field Name	Label	Col-Label	Format	Dec
st_acct	Account		x(8)	
st_cc	Cost Ctr	CC	x(4)	
st_desc	Description		x(16)	
st_id	State Employer I.Δ.	St Employer ID	x(16)	
st_mod_date	Modified Date	Mod Date	99/99/99	
st_state	State Code	State	x(4)	
st_type	Calculation Type	Type	x(2)	
st_user1	Ufld1		x(8)	
st_user2	Ufld2		x(8)	
st_userid	User ID		x(8)	
st_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* st_state	yes	st_state	yes	no

svc_ctrl Service/Support Management Control File

Field Name	Label	Col-Label	Format	Dec
svc_ack_letter	Acknowledge Letter		yes/no	
svc_arrears	Bill Arrears	Arrear	yes/no	
svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
svc_autorenew	Auto Renew		yes/no	
svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
svc_auto_tim	Total Call Time		yes/no	
svc_avoidance	Use Call Avoidance		yes/no	
svc_bill	Use Repair Structure		yes/no	
svc_call_pdev	Call Print Device		x(8)	
svc_call_pre	Call Prefix		x(3)	
svc_cancld_status	Cancel Status		x(8)	
svc_ca_allow_inv	Invoice From Recording		yes/no	
svc_ca_cor_type	Corrective Work Code		x(8)	
svc_ca_coverage	Coverage Window		yes/no	
svc_ca_est_time	Default Call Length		999:99	
svc_ca_est_trv	Travel Time		99:99	
svc_ca_ins_type	Install Work Code		x(8)	
svc_ca_inv_draft	Draft Invoice		yes/no	
svc_ca_model	Use Model		yes/no	
svc_ca_print0	Print zero dollar calls		yes/no	
svc_ca_pvm_type	PM Work Code		x(8)	
svc_ca_sys	System Level on Calls		yes/no	
svc_ca_tec_type	Technical Work Code		x(8)	
svc_ca_time_wnd	Call Time Window		yes/no	
svc_ca_upd_type	Update Work Code		x(8)	
svc_ca_wo_wnd	Call WO Window		yes/no	
svc_chg_cd	Chargeable Code		x(2)	
svc_chg_svcode	Charge Service Type		x(8)	
svc_close	Close Status	CI Sts	x(8)	
svc_close_record	Close on Recording		yes/no	
svc_cmmts	Call Comments	Cmmt	yes/no	
svc_code	Code		x(8)	
svc_comp_status	Complete Status		x(8)	
svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
svc_corr_est_time	Corrective Call Duration		999:99	
svc_cp_causer	Copy Call User Fields		yes/no	
svc_cp_sauser	Copy Contract User Fields		yes/no	
svc_create_cus	Create Customer		yes/no	
Δ svc_db_timezone	Database Time Zone		X(8)	
svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
svc_dflt_pri	Default Priority	Dflt Pri	>>>9	0
svc_dflt_que	Default Call Queue	Df Queue	x(8)	
svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
svc_dflt_warr	Default Warranty Type		x(8)	
svc_dispatch	Dispatcher		yes/no	
svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
svc_esc_dflt	Escalation Default		x(8)	
svc_esc_pause	Escalation Program Pause		>>, >>9	
svc_esc_prt	Escalation Printer		x(10)	
svc_esc_sch	Use Escalation		yes/no	
svc_esc_user	Esc User for Messages		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	

460 svc_ctrl

Field Name	Label	Col-Label	Format	Dec
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_0itm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold No Calls		>>9	
svc_hold_status	Hold Status		x(8)	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_ins_days	Installation Days Ahead		>>9	
svc_invoice_acct	Invoice Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	0
svc_isb_compbom	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_nsbom	Load Standard BOM		yes/no	0
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	0
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Date Last Updated		99/99/99	
svc_mod_userid	Last Updated By		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->>, >>9.99<<<<	6
svc_pm_est_time	PM Call Duration		999:99	
Δ svc_project_hndl	Project Code Handling		->, >>>, >>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	
svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
svc_pvm_cl	PM Calls		yes/no	
svc_que_paus	Queue Manager Pause		>>9	
svc_que_prog	Queue Manager		>>9	
svc_rc_transfer	Transfer Inventory		yes/no	
svc_return_sts	Return Status		x(8)	
svc_rma_hist	Rma History		yes/no	
svc_sap_bom_type	Default BOM for PM		x(8)	
svc_sa_account	Update Accounting		yes/no	
svc_sa_accounts	Display Contract Accounts		yes/no	
svc_sa_cd	Contract Code		x(2)	
svc_scheduler	Scheduler		>>9	
svc_schedule_ca	Schedule New Calls		yes/no	
svc_scrap_sts	Scrap Status		x(8)	
svc_serial	Installed Base Serials		x(1)	
Δ svc_server_timezone	Server Time Zone		X(8)	
svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
svc_site	Repair Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc_srr_close	SR Close Status	Cl Sts	x(8)	0
svc_srr_open	SR Open Status	Opn Sts	x(8)	0
svc_srstatus	SR Resolution		x(8)	
svc_sr_pre	Service Request Prefix		x(3)	
svc_sub_cvr	Subs Covered		yes/no	
svc_sv_cd	Service Contract Cd		x(2)	
svc_sys_type			x(2)	
svc_tax_environ	Tax Enviroment		x(8)	
svc_temp_close	Close Call with Temp		yes/no	
svc_temp_cus	Temporary Customer		x(8)	
svc_time_zone	Hours from GMT		>>9	
svc_tm_cd	Time and Materials CD		x(2)	
svc_trace	Enable Tracing		yes/no	
svc_travel_step	Travel Step		>>>>9	
svc_trvl_um	Travel UM		x(2)	0
svc_um	Contract UM	UM	x(2)	0
svc_upd_est_time	Update Call Duration		999:99	
svc_user1	user1		x(8)	
svc_user2	user2		x(8)	
svc_wait_status	Wait Status		x(8)	
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0
svc__chr01	usrfld1		x(8)	
svc__chr02	usrfld2		x(8)	
svc__chr03	usrfld3		x(8)	
svc__chr04	usrfld4		x(8)	
svc__chr05	usrfld5		x(8)	
svc__chr06	usrfld6		x(8)	
svc__chr07	usrfld7		x(8)	
svc__chr08	usrfld8		x(8)	
svc__chr09	usrfld9		x(8)	
svc__chr10	usrfld10		x(8)	
svc__dec01			-->, >>9.99<<<<	6
svc__dec02			-->, >>9.99<<<<	6
svc__dec03			-->, >>9.99<<<<	6
svc__dec04			-->, >>9.99<<<<	6
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
◊ svc__qadc04	QAD Character Field 4		x(8)	
◊ svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		-->, >>9.99	2
svc__qadd02	QAD Decimal Field 2		-->, >>9.99	2
svc__qadd03	QAD Decimal Field 3		-->, >>9.99	2
svc__qadi02	QAD Integer Field 2		->, >>>, >>9	
svc__qadi03	QAD Integer Field 3		->, >>>, >>9	
svc__qadi04	QAD Integer Field		>>>9	0

462 sv_mstr

Field Name	Label	Col-Label	Format	Dec
∇ svc__qadi05	QAD Integer Field 5		->,>>>,>>9	
svc__qadi01	QAD Logical Field 1		yes/no	0
svc__qadi02	QAD Logical Field 2		yes/no	0
svc__qadi03	QAD Logical Field 3		yes/no	0
svc__qadi04	QAD Logical Field		yes/no	0
svc__qadi06	QAD Logical Field		yes/no	0
svc__qadi07	QAD Logical Field		yes/no	0
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* svc_node	yes	svc_node	yes	no

sv_mstr Service Agreement Terms and Conditions Master

Field Name	Label	Col-Label	Format	Dec
sv_blanket	Blanket		yes/no	
sv_calls_allow	Calls Allowed		>>>9	0
sv_call_price	Call Price List		X(8)	
sv_cmtindx	Comment Index	Comment	>>>>>>9	
sv_code	Service Type	Svc Type	x(8)	
sv_cr_prlist	Credit Price List	Cr Price	x(8)	
sv_cstmlist	Customs List	Customs	x(8)	
sv_days[7]	Days	Days	yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_duration	Duration	Dur	>>>9	
sv_dur_um	Contract UM		x(1)	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	
sv_off_hours_pt	Off Hours Item		x(18)	
sv_onsite	Onsite		yes/no	
sv_prod_line	Prod Line	Line	x(4)	
sv_pr_list	Contract Price List	CPrice List	x(8)	
sv_qo_title	Quote Title	Qo Title	x(24)	
sv_rmaonly	RMA Only		yes/no	
sv_rmaprice	RMA Price List		x(8)	0
sv_rsp_time	Response	Rsp Time	>>>>>9	
sv_rsp_um	Response Time UM		x(1)	
sv_rstk_pct	Restocking Charge		->>9.99%	2
sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
sv_so_title	So title		x(24)	
sv_stime[8]	Start Time		99:99	
sv_st_time	Start Time	Start	99:99	
sv_svc_type	Contract Type	T	x(2)	
sv_taxable	Taxable		yes/no	
sv_taxc	Tax Class	TxC	x(3)	

Field Name	Label	Col-Label	Format	Dec
sv_tax_usage	Nature of Operation	Nature	x(8)	
sv_type	End User Type		x(8)	
sv_user1	user1		x(8)	
sv_user2	user2		x(8)	
sv_visits	Visits Per Year		>>9	2
sv__chr01			x(8)	
sv__chr02			x(8)	
sv__chr03			x(8)	
sv__chr04			x(8)	
sv__chr05			x(8)	
sv__qadc01	Qad Field #1		x(8)	0
sv__qadc02	Qad Field #2		x(8)	0
sv__qadc03	Qad Field #3		x(8)	0
sv__qadc04	Qad Field #4		x(8)	0
sv__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	0
sv__qadl02	Qad Logical #2		yes/no	0
sv__qadl03	Qad Logical #3		yes/no	0
sv__qadt01	Qad Date #1		99/99/99	0
sv__qadt02	Qad Date #2		99/99/99	0
sv__qadt03	Qad Date #3		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
* sv_code	yes	sv_code	yes	no
		sv_type	yes	no
sv_svc_type	no	sv_code	yes	no
		sv_svc_type	yes	no

swc_det Cost Simulation Work Center Detail

Field Name	Label	Col-Label	Format	Dec
swc_bdn_pct	Lbr Bdn %		>>9.99%	2
swc_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	2
swc_bdn_supct	Setup Bdn %		>>9.99%	2
swc_bdn_surate	Setup Bdn Rate		>>>, >>9.99	2
swc_cat	W/C Category		x(1)	
swc_element	Cost Element	Element	x(8)	
swc_lbr_rate	Labor Rate		>>>, >>9.99	2
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>, >>9.99	2
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>, >>9.99	2
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	3
swc_men_mch	Run Crew		>>9.999	3
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		->, >>9.999	3
swc_pct_util	Percent Utilization		->, >>9.999	2
swc_run_rate	Lbr/Bdn Rate		->, >>>, >>9.99999	5
swc_setup_men	Setup Crew		->>, >>9.99	2
swc_setup_rte	Setup Rate		>>>, >>9.99	2

464 tag_mstr

Field Name	Label	Col-Label	Format	Dec
swc_set_rate	Setup Rate		->, >>>, >>9.99999	5
swc_sim	Cost Set		x(8)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	
swc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* swc_sim_wc	yes	swc_sim	yes	no
		swc_element	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_sim	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_element	yes	no

tag_mstr Physical Inventory Tag Master

Field Name	Label	Col-Label	Format	Dec
tag_cnt_cnv	Count Conv		>>>>9.9999	4
tag_cnt_dt	Date Counted	Cnt Date	99/99/99	
tag_cnt_nam	Counted By	Cntd By	x(8)	
tag_cnt_qty	Qty Counted		>, >>>, >>9.9<<<<<<<<<	10
tag_cnt_um	Count UM	UM	x(2)	
tag_crt_dt	Create Date	Crt Date	99/99/99	
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	>>>>>>9	
tag_part	Item Number		x(18)	
tag_posted	Posted	Post	yes/no	
tag_prt_dt	Print Date	Prt Date	99/99/99	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	>>>>9.9999	4
tag_rcnt_dt	Date Recounted	RcntDate	99/99/99	
tag_rcnt_nam	Recounted By	Rcntd By	x(8)	
tag_rcnt_qty	Qty Recounted		>, >>>, >>9.9<<<<<<<<	10
tag_rcnt_um	Recount UM	UM	x(2)	
tag_ref	Ref	Reference	x(8)	
tag_rmks	Remarks		x(24)	
tag_serial	Lot/Serial		x(18)	
tag_site	Site		x(8)	
tag_type	Type	T	x(1)	
tag_user1	Ufld1		x(8)	
tag_user2	Ufld2		x(8)	
tag_void	Void		yes/no	
tag__qadc01			->>>, >>>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* tag_nbr	yes	tag_nbr	yes	no
tag_pslsn	yes	tag_part	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no
tag_pssln	yes	tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_nbr	yes	no
tag_slpsn	yes	tag_site	yes	no
		tag_loc	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no

taxd_det

Tax Details

Field Name	Label	Col-Label	Format	Dec
taxd_city	City		x(20)	
taxd_county	County		x(20)	
taxd_effdate	Effective		99/99/99	
taxd_ntaxamt[10]	Non Taxable Amount		-->,-->,-->9.99	10
taxd_state	State		x(4)	
taxd_taxamt[3]	Tax Amt		-->,-->,-->9.99	10
taxd_totamt	Total Amount		-->,-->,-->9.99	10
taxd_tottax	Taxable Sales	Taxable! Sales	-->,-->,-->9.99	10
taxd_user1	Ufld1		x(8)	
taxd_user2	Ufld2		x(8)	
taxd__qad01			x(8)	
taxd__qad02			x(8)	
taxd__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* taxd_stcocie	yes	taxd_state	yes	no
		taxd_county	yes	no
		taxd_city	yes	no
		taxd_effdate	yes	no

466 tax_mstr

tax_mstr Tax Master

Field Name	Label	Col-Label	Format	Dec
tax_acct[3]	Account	Account	x(8)	
tax_cc[3]	Cost Center	CC	x(4)	
tax_city	City		x(20)	
tax_county	County		x(20)	
tax_effdate	Effective		99/99/99	
tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	2
tax_mod_date	Modified Date	Mod Date	99/99/99	
tax_state	State		x(4)	
tax_tax_pct[3]	Tax	Tax	->>9.99<<%	4
tax_trl	Tax Trailer Amounts	Tax! Trl	yes/no	
tax_user1	Ufld1		x(8)	
tax_user2	Ufld2		x(8)	
tax_userid	User ID		x(8)	
tax__qad01			x(8)	
tax__qad02			x(8)	
tax__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* tax_state	yes	tax_state	yes	no
		tax_county	yes	no
		tax_city	yes	no
		tax_effdate	yes	no

tbl_mstr Service/Support – Parent/Child Relationship Master

Field Name	Label	Col-Label	Format	Dec
tbl_compcode	Component		x(18)	
tbl_comptype	Component Type	Comp Type	x(12)	
tbl_end	End Effective	End Eff	99/99/99	
tbl_mod_date	Date Last Updated		99/99/99	
tbl_mod_userid	Last Updated By		X(8)	
tbl_parcode	Parent		x(18)	
tbl_partype	Parent Type		x(12)	
tbl_ref	Reference		x(12)	
tbl_rmks	Remarks		x(24)	
tbl_start	Start Effective	Start Eff	99/99/99	
tbl_user1	Ufld1		x(8)	
tbl_user2	Ufld2		x(8)	
tbl__chr01	User Character Field 1		x(8)	
tbl__chr02	User Character Field 2		x(8)	
tbl__chr03	User Character Field 3		x(8)	
tbl__chr04	User Character Field 4		x(8)	
tbl__chr05	User Character Field 5		x(8)	
tbl__dec01	User Decimal Field 1		->>, >>9.99	2
tbl__dec02	User Decimal Field 2		->>, >>9.99	2
tbl__dte01	User Date Field 1		99/99/99	
tbl__dte02	User Date Field 2		99/99/99	
tbl__log01	User Logical Field 1		yes/no	
tbl__log02	User Logical Field 2		yes/no	
tbl__qadc01	QAD Character Field 1		x(8)	

Field Name	Label	Col-Label	Format	Dec
tbl__qadc02	QAD Character Field 2		x(8)	
tbl__qadd01	QAD Date Field 1		99/99/99	
tbl__qadd02	QAD Date Field 2		99/99/99	
tbl__qadde01	QAD Decimal Field 1		->>, >>9.99	2
tbl__qadde02	QAD Decimal Field 2		->>, >>9.99	2
tbl__qadl01	QAD Logical Field 1		yes/no	
tbl__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
tbl_comp	no	tbl_comptype	yes	no
		tbl_compcode	yes	no
* tbl_typecode	yes	tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

te_mstr Transaction Export Master

Field Name	Label	Col-Label	Format	Dec
te_data	DATA		X(255)	
te_date	Date Created		99/99/99	
te_date_deliv	Date Delivered		99/99/99	
te_date_exp	Date Exported		99/99/99	
te_dest	Dest ID		x(16)	
te_exp_type	Export Type		x(16)	
te_line	Line		9999	
te_nbr	Number		99999999	
te_pgm	Program		x(16)	
te_pgm_errs	Error Count		9999	
te_pgm_msgs[10]	Errors		x(40)	
te_pgm_warn	Warn Count		9999	
te_site	Site		x(8)	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(3)	
te_user1	Ufld1		X(8)	
te_user2	Ufld2		X(8)	
te_userid	Userid		x(8)	
te__chr01			X(8)	
te__chr02			X(8)	
te__dec01			999999999.99	2
te__dec02			999999999.99	2
te__dte01			99/99/99	
te__dte02			99/99/99	
te__log01			yes/no	
te__log02			yes/no	
te__qadc01			X(8)	
te__qadc02			X(8)	
te__qadc03			X(8)	
te__qadc04			X(8)	
te__qadd07			999999999.99	2

468 tm_mstr

Field Name	Label	Col-Label	Format	Dec
te__qadd08			999999999.99	2
te__qadi05			9999	
te__qadi06			9999	
te__qadi11			YES/NO	
te__qadi12			YES/NO	
te__qadt09			99/99/99	
te__qadt10			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
te_date	no	te_date	yes	no
te_date_deliv	no	te_date_deliv	yes	no
te_dest	no	te_dest	yes	no
te_exp_type	no	te_exp_type	yes	no
* te_mstr	yes	te_site	yes	no
		te_nbr	yes	no
		te_line	yes	no
te_nbr	yes	te_nbr	yes	no
		te_line	yes	no

tm_mstr Transportation Master

Field Name	Label	Col-Label	Format	Dec
tm_cmtindx	Comment Index	Comment	>>>>>>9	
tm_code	Transport ID	Trans ID	x(8)	
tm_cube_um	UM		x(2)	
tm_desc	Description		x(24)	
tm_gross_wt	Gross Vehicle Weight	GVW	->>, >>>, >>9.9<<<	10
tm_height	Height		>>>, >>>, >>9.9<<<	10
tm_length	Length		>>>, >>>, >>9.9<<<	10
tm_load_lt	Load LT		->>9.9<	2
tm_maxcube	Max Load Volume	Max Vol	>>>, >>>, >>9.9<<<	10
tm_maxweight	Max Load Weight	Max Load	>>>, >>>, >>9.9<<<	10
tm_no_units	Available Units	Units	->, >>>, >>9	
tm_pallets	Pallet Capacity	Pallets	>>>, >>>, >>9	
tm_rate_code	Rate Table	Rate	x(8)	
tm_type	Transport Type	Type	x(8)	
tm_unload_lt	Unload LT		->>9.9<	2
tm_user1	user1		x(8)	
tm_user2	user2		x(8)	
tm_weight_um	UM		x(2)	
tm_width	Width		>>>, >>>, >>9.9<<<	10
tm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* tm_code	yes	tm_code	yes	no
tm_desc	no	tm_desc	yes	no
		tm_code	yes	no
tm_rate	no	tm_rate_code	yes	no
		tm_code	yes	no

trcs_det

Transaction Cost Detail

Field Name	Label	Col-Label	Format	Dec
trcs_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
trcs_curr	Currency	Cur	x(3)	
trcs_ex_rate	Exch Rate		>>, >>9.99999<<<<<	10
trcs_lbr_std	Labor		->>>, >>>, >>9.99<<<	10
trcs_mtl_std	Material		->>>, >>>, >>9.99<<<	10
trcs_ovh_std	Overhead		>>>>, >>>, >>9.99<<<	10
trcs_price	Price		->>>, >>>, >>9.99<<<	10
trcs_set	Cost Set		x(8)	
trcs_sub_std	Subcontract		->>>, >>>, >>9.99<<<	10
trcs_trnbr	Trans		>>>>>>>>	
trcs_user1	Ufld1		x(8)	
trcs_user2	Ufld2		x(8)	
trcs_userid	User ID		x(8)	
trcs__qad01			x(8)	
trcs__qad02			x(8)	
trcs__qad03			x(8)	
trcs__qad04			>>>, >>>, >>9.99	10
trcs__qad05			>>>, >>>, >>9.99	10
trcs__qad06			>>>, >>>, >>9.99	10
trcs__qad07			99/99/99	
trcs__qad08			99/99/99	
trcs__qad09			99/99/99	
trcs__qad10			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* trcs_nbr_set	yes	trcs_trnbr	yes	no
		trcs_set	yes	no

trgl_det

Inventory Transaction and General Ledger Cross-Reference

Field Name	Label	Col-Label	Format	Dec
trgl_cr_acct	Cr Acct		x(8)	
trgl_cr_cc	Cr Cost Ctr	CC	x(4)	
trgl_cr_line	Line		>>>9	
trgl_cr_proj	Cr Project	Project	x(8)	
trgl_dr_acct	Dr Acct		x(8)	
trgl_dr_cc	Dr Cost Ctr	CC	x(4)	
trgl_dr_line	Line		>>>9	
trgl_dr_proj	Dr Project	Project	x(8)	
trgl_dy_code	Daybook		x(8)	
trgl_dy_num	Entry Number		x(40)	
trgl_gl_amt	Amount		->>>>>, >>9.99	10
trgl_gl_ref	GL Reference		x(14)	
trgl_sequence	Sequence		->, >>>, >>9	
trgl_trnbr	Transaction	Trans	>>>>>9	
trgl_type	Type		x(8)	
trgl_user1	user1		x(8)	
trgl_user2	user2		x(8)	
trgl__qadc01			x(8)	

470 trld_det

Index-Name	Uni	Field-Name	Asc	Abbr
trgl_dr_cr	no	trgl_dr_acct	yes	no
		trgl_dr_cc	yes	no
		trgl_cr_acct	yes	no
trgl_dy_code	no	trgl_dy_code	yes	no
		trgl_dy_num	yes	no
* trgl_nbr_ref	yes	trgl_trnbr	yes	no
		trgl_gl_ref	yes	no
		trgl_sequence	yes	no
trgl_ref_nbr	no	trgl_gl_ref	yes	no
		trgl_trnbr	yes	no
trgl_type_nbr_ref	no	trgl_type	yes	no
		trgl_trnbr	yes	no
		trgl_gl_ref	yes	no

trld_det

Trailer Tax Detail File

Field Name	Label	Col-Label	Format	Dec
trld_code	Trailer Code	Trl Code	x(4)	
trld_taxable	Taxable		yes/no	
trld_taxc	Tax Class	TxC	x(3)	
trld_tax_type	Tax Type		x(16)	
trld_user1	Ufld1		x(8)	
trld_user2	Ufld2		x(8)	
trld_chr01			x(8)	
trld_log01			yes/no	
trld_qad01			x(8)	
trld_qad02			x(8)	
trld_qad03			-->>>,>>>,>>9.99	2
trld_qad04			99/99/99	
trld_qad05			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* trld_code_type	yes	trld_code	yes	no
		trld_tax_type	yes	no

trl_mstr

Trailer Master

Field Name	Label	Col-Label	Format	Dec
trl_acct	Trailer Acct	Acct	x(8)	
trl_cc	Trailer CC	CC	x(4)	
trl_code	Trailer Code	Code	x(2)	
trl_desc	Description		x(24)	
trl_fst	FST		yes/no	
trl_project	Project		x(8)	
trl_pst	PST		yes/no	
trl_taxable	Taxable		yes/no	

Field Name	Label	Col-Label	Format	Dec
trl_taxc	Tax Class	TxC	x(3)	
trl_user1	Ufld1		x(8)	
trl_user2	Ufld2		x(8)	
trl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* trl_code	yes	trl_code	yes	no

trq_mstr Transmission Date Reference

Field Name	Label	Col-Label	Format	Dec
trq_add_ref	Add Ref		x(8)	
trq_doc_ref	Doc Ref		x(8)	
trq_doc_type	Doc Type		x(3)	
trq_id	Transmission Number	Transm	>>>>>>9	
trq_mod_date			99/99/99	
trq_mod_userid			x(16)	
trq_msg_type	Type		x(8)	
trq_user1			x(8)	
trq_user2			x(8)	
trq__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
trq_doc_type	yes	trq_doc_type	yes	no
		trq_doc_ref	yes	no
		trq_add_ref	yes	no
* trq_id	yes	trq_id	yes	no

tr_hist Inventory Transaction History

Field Name	Label	Col-Label	Format	Dec
tr_addr	Address		x(8)	
tr_assay	Assay %		>>9.99%	2
tr_auto_install	Auto Installed		yes/no	
tr_batch	Batch		x(18)	
tr_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
tr_begin_qoh	Begin Balance		->, >>>, >>9.9<<<<<<<<	10
tr_ca_int_type	Work Code		x(8)	
tr_ca_opn_date			99/99/99	
tr_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
tr_cprice	Price		>>>>, >>>, >>9.99<<<	10
tr_curr	Currency	Cur	x(3)	
tr_date	Date		99/99/99	
tr_daycode	Day Code		x(8)	
tr_effdate	Effective	Eff Date	99/99/99	
tr_enduser	End User		X(8)	
tr_eng_area	Service Area	Area	x(18)	
tr_eng_code	Engineer Code	Eng Code	x(8)	

472 tr_hist

Field Name	Label	Col-Label	Format	Dec
tr_expire	Expire Date		99/99/99	
tr_exru_seq	Sequence		>>>>>>>9	
tr_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
tr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
tr_ex_ratetype	Rate Type		x(8)	
tr_fcg_code	Charge Code		x(8)	
tr_for	Service Part		x(18)	
tr_fsc_code	Service Category		x(8)	
tr_fsm_type	FSM Type		x(8)	
tr_gl_amt	Amount		->>>>>, >>9.99	10
tr_gl_date	GL Date		99/99/99	
tr_grade	Grade		x(2)	
tr_last_date	Last Activity		99/99/99	
tr_lbr_std	Labor		->>>, >>>, >>9.99<<<	10
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->, >>>, >>9.9<<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>9	
tr_mtl_std	Material		->>>, >>>, >>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>, >>>, >>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>, >>>, >>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	
tr_program	Program		x(12)	
tr_qty_chg	Qty Change		->, >>>, >>9.9<<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->, >>>, >>9.9<<<<<<<<<	10
tr_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<<	10
tr_qty_short	Qty Short		->, >>>, >>9.9<<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>, >>>, >>9.99<<<	10
tr_svc_type			x(1)	
tr_sv_code	Contract Type		x(8)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>, >>>, >>9	
tr_trnbr	Trans		>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	
tr_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_user2	Ufid2		x(8)	
tr_userid	User ID		x(8)	
tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
tr_vend_lot	Supplier Lot		x(18)	
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspn1	Salesperson 1	Salespsn	x(8)	
tr_xslspn2	Salesperson 2	Salespsn	x(8)	
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>, >>>, >>9.99	10
tr__dec02			>>>, >>>, >>9.99	10
tr__dec03			>>>, >>>, >>9.99	10
tr__dec04			>>>, >>>, >>9.99	10
tr__dec05			>>>, >>>, >>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
tr_addr_eff	no	tr_addr	yes	no
		tr_effdate	yes	no
tr_batch	no	tr_batch	yes	no
tr_date_trn	yes	tr_date	yes	no
		tr_trnbr	yes	no
tr_eff_trnbr	no	tr_effdate	yes	no
		tr_trnbr	yes	no
tr_nbr_eff	no	tr_nbr	yes	no
		tr_effdate	yes	no
tr_part_eff	no	tr_part	yes	no
		tr_effdate	yes	no
tr_part_trn	no	tr_part	yes	no
		tr_trnbr	yes	no

474 tx2d_det

Index-Name	Uni	Field-Name	Asc	Abbr
tr_serial	no	tr_serial	yes	no
* tr_trnbr	yes	tr_trnbr	yes	no
tr_type	no	tr_type	yes	no
		tr_effdate	yes	no
tr_vend_lot	no	tr_vend_lot	yes	no

tx2d_det Tax Details

Field Name	Label	Col-Label	Format	Dec
tx2d_abs_ret_amt	Base Absorbed/Retained		-->, >>>, >>9.99	10
tx2d_by_line	Tax-By-Line	By! Line	yes/no	
tx2d_carrier	Carrier		x(8)	
tx2d_curr	Currency	Cur	x(3)	
tx2d_cur_abs_ret_amt	Absorbed/Retained		-->, >>>, >>9.99	10
tx2d_cur_nontax_amt	Non-taxable		-->, >>>, >>9.99	10
tx2d_cur_recov_amt	Recoverable		-->, >>>, >>9.99	10
tx2d_cur_tax_amt	Tax		-->, >>>, >>9.99	10
tx2d_edited	Edited	Ed	yes/no	
tx2d_effdate	Tax Date	Tax Date	99/99/99	
tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		-->, >>>, >>9.99	10
tx2d_ent_nontax_amt	Entity Non-Taxable		-->, >>>, >>9.99	10
tx2d_ent_recov_amt	Entity Recoverable		-->, >>>, >>9.99	10
tx2d_ent_tax_amt	Entity Tax		-->, >>>, >>9.99	10
tx2d_line	Line		>>>>9	
tx2d_line_site_ent	Line Site Entity		x(4)	
tx2d_nbr	Number		x(8)	
tx2d_nontax_amt	Base Non-Taxable		-->, >>>, >>9.99	10
tx2d_posted_date	Posted Date	Post! Date	99/99/99	
tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2d_recov_amt	Base Recoverable		-->, >>>, >>9.99	10
tx2d_ref	Reference	Ref	x(8)	
tx2d_taxable_amt	Base Taxable		-->, >>>, >>9.99	10
tx2d_taxc	Tax Class	Tax! Class	x(3)	
tx2d_tax_amt	Base Tax		-->, >>>, >>9.99	10
tx2d_tax_code	Tax Code		x(8)	
tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
tx2d_tax_in	Tax In	Tax! In	yes/no	
tx2d_tax_type	Tax Type		x(16)	
tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
tx2d_totamt	Total Amount		-->, >>>, >>9.99	10
tx2d_tottax	Taxable Sales	Taxable! Sales	-->, >>>, >>9.99	10
tx2d_trans_ent	Transaction Entity		x(4)	
tx2d_trl	Trailer	Trl	x(4)	
tx2d_tr_type	Transaction Type	TT	x(2)	
tx2d_user1	Ufld1		x(8)	
tx2d_user2	Ufld2		x(8)	
tx2d_zone_from	Ship-From Tax Zone		x(16)	
tx2d_zone_to	Ship-To Tax Zone		x(16)	
tx2d__chr01			x(8)	
tx2d__chr02			x(8)	
tx2d__dec01			-->>>, >>>, >>9.99	2
tx2d__dec02			-->>, >>>, >>9.99	2
tx2d__dte01			99/99/99	
tx2d__log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
tx2d__qad01			x(8)	
tx2d__qad02			x(8)	
tx2d__qad03			yes/no	
tx2d__qad04			->>>, >>>, >>9.99	2
tx2d__qad05			99/99/99	
tx2d__qadd01[3]			->>>, >>>, >>9.99<	10
tx2d__qadd02[10]			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
tx2d_carrier	no	tx2d_carrier	yes	no
* tx2d_ref_nbr	yes	tx2d_ref	yes	no
		tx2d_nbr	yes	no
		tx2d_line	yes	no
		tx2d_trl	yes	no
		tx2d_tr_type	yes	no
		tx2d_tax_code	yes	no
tx2d_tax_code	no	tx2d_tax_code	yes	no

tx2_mstr Tax Master

Field Name	Label	Col-Label	Format	Dec
tx2_apr_acct	AP Retained Tax Account		x(8)	
tx2_apr_cc	CC		x(4)	
tx2_apr_use			yes/no	
tx2_ap_acct	AP Tax Account		x(8)	
tx2_ap_cc	CC		x(4)	
tx2_ara_acct	AR Absorbed Tax Account		x(8)	
tx2_ara_cc	CC		x(4)	
tx2_ara_use			yes/no	
tx2_ar_acct	AR Sales Tax Account		x(8)	
tx2_ar_cc	CC		x(4)	
tx2_base	Taxable Base Code	Tax Base	x(8)	
tx2_by_line	Tax-By-Line	By! Line	yes/no	
tx2_cmtindx	Comment Index	Comment	>>>>>>9	
tx2_curr	Currency	Cur	x(3)	
tx2_desc	Description		x(24)	
tx2_ec_process_work	EC Process Work		yes/no	
tx2_ec_sales_list	EC Sales List		yes/no	
tx2_effdate	Effective		99/99/99	
tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
tx2_max	Maximum Taxable Amount	Max Amount	>>>, >>>, >>>9.99<	10
tx2_method	Tax Method	Tax! Meth	x(2)	
tx2_min	Minimum Taxable Amount	Min Taxable	>>>, >>>, >>>9.99<	10
tx2_mod_date	Modified Date	Mod Date	99/99/99	
tx2_pct_recv	Percent Recoverable	Pct Recov	->>9.99<<%	10
tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
tx2_pt_taxc	Item Tax Class	TxC	x(3)	
tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2_tax_code	Tax Code		x(8)	
tx2_tax_in	Allow Tax Included		yes/no	
tx2_tax_pct	Tax Rate	Tax Rate	->>9.99<<%	10

476 txbd_det

Field Name	Label	Col-Label	Format	Dec
tx2_tax_type	Tax Type		x(16)	
tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
tx2_user1			x(8)	
tx2_user2			x(8)	
tx2_userid	User ID		x(8)	
tx2__chr01			x(8)	
tx2__chr02			x(8)	
tx2__dec01			-->>>, >>>, >>9.99	10
tx2__dec02			-->>>, >>>, >>9.99	10
tx2__dte01			99/99/99	
tx2__log01			yes/no	
tx2__qad01			x(8)	
tx2__qad02			x(8)	
tx2__qad03			yes/no	
tx2__qad04			-->>>, >>>, >>9.99	10
tx2__qad05			99/99/99	
tx2__qadc01[2]			x(8)	
tx2__qadc02[2]			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
* tx2_tax_code	yes	tx2_tax_code	yes	no
tx2_type_taxc	yes	tx2_tax_type	yes	no
		tx2_pt_taxc	yes	no
		tx2_tax_usage	yes	no
		tx2_effdate	yes	no

txbd_det Tax Base Detail

Field Name	Label	Col-Label	Format	Dec
txbd_base	Tax Base		x(8)	
txbd_tax_type	Tax Type		x(16)	
txbd_user1	Ufld1		x(8)	
txbd_user2	Ufld2		x(8)	
txbd__qad01			x(8)	
txbd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* txbd_base_type	yes	txbd_base	yes	no
		txbd_tax_type	yes	no

txc_ctrl

Tax Control File

Field Name	Label	Col-Label	Format	Dec
txc_by_line	Tax-By-Line		yes/no	
txc_etry_code	Country Code	Ctry	x(3)	
txc_detrp	Display Detail on Reports		yes/no	
txc_edit_hist	Update History Allowed		yes/no	
txc_index1	Index		>>>>9	
txc_inv_disc	Discount Tax at Invoice		yes/no	
txc_inv_hist	Keep Tax History	Hist	yes/no	
txc_method	Tax Method		x(2)	
txc_pmt_disc	Discount Tax at Payment		yes/no	
txc_prt_vat_reg	Print VAT Registration	Prt! VAT	yes/no	
txc_rcpt_tax_point	Accrue Tax at Receipt	Accrue! Receipt	yes/no	
txc_round	Rounding Method	R	x(1)	
txc_tax_code	Last Tax Code		x(8)	
txc_tax_env	Tax Environment		x(16)	
txc_tax_zone	Tax Zone		x(16)	
txc_update_tax	Update Tax Allowed		yes/no	
txc_user1	Ufld1		x(8)	
txc_user2	Ufld2		x(8)	
txc_val_vat_reg	Validate VAT Registration	Val! VAT	yes/no	
txc_chr01			x(8)	
txc_chr02			x(8)	
txc_dec01			->>>,>>>,>>9.99	10
txc_dec02			->>>,>>>,>>9.99	10
txc_dte01			99/99/99	
txc_log01			yes/no	
txc_qad01			x(8)	
txc_qad02			x(8)	
txc_qad03			yes/no	
txc_qad04			->>>,>>>,>>9.99	2
txc_qad05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* txc_index1	yes	txc_index1	yes	no

txed_det

Tax Environment Detail

Field Name	Label	Col-Label	Format	Dec
txed_round	Rounding Method	R	x(1)	
txed_seq	Sequence	Sq	>9	
txed_tax_env	Tax Environment	Tax Env	x(16)	
txed_tax_type	Tax Type		x(16)	
txed_user1	Ufld1		x(8)	
txed_user2	Ufld2		x(8)	
txed_log01			yes/no	
txed_qad01			x(8)	
txed_qad02			x(8)	
txed_qad03			yes/no	

478 txe_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
txed_seq	no	txed_tax_env	yes	no
		txed_seq	yes	no
* txe_tax_env	yes	txed_tax_env	yes	no
		txed_tax_type	yes	no

txe_mstr Tax Environment Master

Field Name	Label	Col-Label	Format	Dec
txe_desc	Tax Environment	Tax Env	x(16)	
txe_tax_env	Tax Environment	Tax Env	x(16)	
txe_user1	Ufld1		x(8)	
txe_user2	Ufld2		x(8)	
txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(16)	
txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	
txe_log01			yes/no	
txe_qad01	Description		x(24)	
txe_qad02			x(8)	
txe_qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
txe_desc	no	txe_desc	yes	no
* txe_tax_env	yes	txe_tax_env	yes	no
txe_to_from	yes	txe_zone_to	yes	no
		txe_zone_from	yes	no

txhd_det Tax History Detail

Field Name	Label	Col-Label	Format	Dec
txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
txhd_comm_code	Commodity Code	Com Code	x(8)	
txhd_container	Container Indicator	C	x(1)	
txhd_curr	Currency	Cur	x(3)	
txhd_cust_etry	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
txhd_del_terms	Terms of Delivery	T Δ	x(3)	
txhd_desdis_etry	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_edit_hist	Editable Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>,>>>,>>>,>>9.99	10
txhd_line	Line		>>>>9	
txhd_nbr	Number		x(8)	

Field Name	Label	Col-Label	Format	Dec
txhd_net_wt	Net Weight	Net Wt	->>>>>>>9	
txhd_orig_ctry	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>, >>>, >>>, >>9.99	10
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_transh_port	Transshipment Port	T P	x(8)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>, >>>, >>>, >>9.99	10
txhd__chr01			x(8)	
txhd__chr02			x(8)	
txhd__dec01			->>>, >>>, >>9.99	2
txhd__dec02			->>>, >>>, >>9.99	2
txhd__dte01			99/99/99	
txhd__log01			yes/no	
txhd__qad01			x(8)	
txhd__qad02			x(8)	
txhd__qad03			yes/no	
txhd__qad04			->>>, >>>, >>9.99	2
txhd__qad05			->>>, >>>, >>9.99	2
txhd__qad06			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
txhd_fiscal_class	no	txhd_fiscal_class	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_post_type	no	txhd_posted	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_ref_nbr	yes	txhd_ref	yes	no

480 txz_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
		txhd_nbr	yes	no
		txhd_line	yes	no
		txhd_trl	yes	no
		txhd_tr_type	yes	no
		txhd_tax_code	yes	no
* txhd_tr_nbr	yes	txhd_tr_nbr	yes	no

txz_mstr Tax Zone Master

Field Name	Label	Col-Label	Format	Dec
txz_city	City		x(20)	
txz_county	County		x(20)	
txz_ctype_code	Country Code	Ctry	x(3)	
txz_desc	Description		x(24)	
txz_state	State	St	x(4)	
txz_tax_zone	Tax Zone		x(16)	
txz_user1	Ufld1		x(8)	
txz_user2	Ufld2		x(8)	
txz_zip	Post		x(10)	
txz_log01			yes/no	
txz__qad01	Sums-Into Tax Zone	Sums-Into! Tax Zone	x(16)	
txz__qad02	Use Sums-Into	Use! Sums	x(4)	
txz__qad03	Subtotal This Level	Sub	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
txz_ctype_state	yes	txz_ctype_code	yes	no
		txz_state	yes	no
		txz_county	yes	no
		txz_city	yes	no
		txz_zip	yes	no
txz_desc	no	txz_desc	yes	no
* txz_tax_zone	yes	txz_tax_zone	yes	no

typ_mstr Fixed Assets Type Master

Field Name	Label	Col-Label	Format	Dec
typ_desc	Description		x(24)	
typ_method	Depreciation Method	Depr! Method	x(8)	
typ_type	Type	T	x(2)	
typ_user1	user1		x(8)	
typ_user2	user2		x(8)	
typ__qad01			yes/no	
typ__qad02			x(8)	
typ__qad03			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* typ_type	yes	typ_type	yes	no

tzod_det Service/Support Time Zone Detail

Field Name	Label	Col-Label	Format	Dec
tzod_desc	Time Zone Description		X(60)	
tzod_eday	Ending Day		>9	
tzod_eyear	End Year		9999	
tzod_hour	Hours		>9	
tzod_min	Minutes		>9	
tzod_mod_date	Date Last Updated		99/99/99	
tzod_mod_userid	Last Updated By		X(8)	
tzod_month	Start Period Month		>9	
tzod_offset	GMT Offset		+99999	
tzod_sday	Start Period Day		>9	
tzod_std_day	Time Period		X(3)	
tzod_syear	Start Year		9999	
tzod_tzone	Time Zone		X(8)	
tzod_user1	User Field 1		X(8)	
tzod_user2	User Field 2		X(8)	
tzod_wday	Weekday		X	
tzod_chr01	Character Field 1		X(8)	
tzod_chr02	Character Field 2		X(8)	
tzod__dte01	Date Field 1		99/99/99	
tzod__dte02	Date Field 2		99/99/99	
tzod__int01	Integer Field 1		->,>>>,>>9	
tzod__int02	Integer Field 2		->,>>>,>>9	
tzod__log01	Logical Field 1		yes/no	
tzod__log02	Logical Field 2		yes/no	
tzod__qadc01	QAD Character Field 1		X(8)	
tzod__qadc02	QAD Character Field 2		X(8)	
tzod__qadi01	QAD Integer Field 1		->,>>>,>>9	
tzod__qadi02	QAD Integer Field 2		->,>>>,>>9	
tzod__qadi01	QAD Logical Field 1		yes/no	
tzod__qadi02	QAD Logical Field 2		yes/no	
tzod__qadt01	QAD Date Field 1		99/99/99	0
tzod__qadt02	QAD Date Field 2		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
* tzod_tzond	yes	tzod_tzone	yes	no
		tzod_std_day	yes	no
		tzod_syear	yes	no
		tzod_eyear	yes	no

482 tzo_mstr

tzo_mstr Service/Support Time Zone Master

Field Name	Label	Col-Label	Format	Dec
tzo_area	Area		X(8)	
tzo_auto_adj	Auto Period Adjust		yes/no	
tzo_desc	Description		X(40)	
tzo_label	Time Zone		X(8)	
tzo_mod_date	Date Last Updated		99/99/99	
tzo_mod_userid	Last Updated By		X(8)	
tzo_tzone	Time Zone Tindex		X(20)	
tzo_user1	User Field 1		X(8)	
tzo_user2	User Field 2		X(8)	
tzo_chr01	Character Field 1		X(8)	
tzo_dte01	Date Field 1		99/99/99	
tzo_int01	Integer Field 1		->,>>>,>>9	
tzo_log01	Logical Field 1		yes/no	
tzo_qadc01	QAD Character Field 1		X(8)	
tzo_qadi01	QAD Integer Field 1		->,>>>,>>9	
tzo_qadi01	QAD Logical Field 1		yes/no	
tzo_qadt01	QAD Date Field 1		99/99/99	0

Index-Name	Uni	Field-Name	Asc	Abbr
tzo_area	no	tzo_area	yes	no
* tzo_label	yes	tzo_label	yes	no
		tzo_area	yes	no

ufd_det Function Key and User Detail

Field Name	Label	Col-Label	Format	Dec
ufd_exec	Execution File		x(14)	
ufd_fkey	Function Key	Key	>>9	
ufd_label	Label		x(32)	
ufd_nbr	Menu		x(16)	
ufd_nbrsel	Menu/Sel		x(12)	
ufd_select	Selection	Select	>9	
ufd_seq	Sequence	Seq	>>9	
ufd_user1	Ufld1		x(8)	
ufd_user2	Ufld2		x(8)	
ufd_userid	User ID		x(8)	
ufd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ufd_label	no	ufd_userid	yes	no
		ufd_label	yes	no
ufd_nbrsel	no	ufd_userid	yes	no
		ufd_nbrsel	yes	no
* ufd_ufs	yes	ufd_userid	yes	no
		ufd_fkey	yes	no
		ufd_seq	yes	no

umsg_det User Message Detail

Field Name	Label	Col-Label	Format	Dec
umsg_addr	Address		x(8)	
umsg_call_pgm	Calling Program		x(14)	
umsg_exec_pgm	Execution File	Exec File	x(14)	
umsg_lang	Language		x(2)	
umsg_level	Severity		9	
umsg_nbr	Message Number	Msg	>>>9	
umsg_seq	Message Sequence		>>9	
umsg_site	Site		x(8)	
umsg_user1	user1		x(8)	
umsg_user2	user2		x(8)	
umsg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* umsg_cm	yes	umsg_call_pgm	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_call_pgm	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no

um_mstr Alternate Unit of Measure Master

Field Name	Label	Col-Label	Format	Dec
um_alt_qty	UM Qty		>>>>9.9<<<<	5
um_alt_um	Alternate UM	Alt	x(2)	
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	
um__chr01			x(8)	
um__chr02			x(8)	
um__chr03			x(8)	
um__chr04			x(8)	
um__chr05			x(8)	
um__chr06			x(8)	
um__dec01			>>>, >>>, >>9.99	10
um__dec02			>>>, >>>, >>9.99	10
um__dte01			99/99/99	
um__dte02			99/99/99	
um__log01			yes/no	
um__log02			yes/no	

484 upd_det

Index-Name	Uni	Field-Name	Asc	Abbr
um_part	yes	um_part	yes	no
		um_um	yes	no
		um_alt_um	yes	no
* um_um_alt_pt	yes	um_um	yes	no
		um_alt_um	yes	no
		um_part	yes	no

upd_det

Printer/User Detail

Field Name	Label	Col-Label	Format	Dec
upd_dev	Output To		x(8)	
upd_exec	Execution File		x(14)	
upd_nbr	Menu		x(16)	
upd_select	Selection	Select	>9	
upd_user1	Ufld1		x(8)	
upd_user2	Ufld2		x(8)	
upd_userid	User ID		x(8)	
upd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* upd_uns	yes	upd_userid	yes	no
		upd_nbr	yes	no
		upd_select	yes	no

url_mstr

URL Master Table

Field Name	Label	Col-Label	Format	Dec
url_addr	User ID		X(8)	
Δ url_call_pgm	Browse		X(14)	
url_desc	Description		x(50)	
◇ url_determine	Determine		yes/no	
url_exec	URL to execute		x(50)	
url_field	Field		X(32)	
Δ url_field_value	Value		x(50)	
url_image	GIF File Name		x(15)	
url_mod_date	Modified Date		99/99/99	
url_mod_userid	Modified By		X(8)	
◇ url_primary	Primary		yes/no	
◇ url_script	URL Script		x(60)	
◇ url_type	Type		x(8)	
url_user1	Ufld1		X(8)	
url_user2	Ufld2		X(8)	
url__qadc02			X(8)	
url__qadc03			x(8)	
url__qadd01			-->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
url__qadi01			->,>>>,>>9	
Δ url__qadi02			>>>>>>9	
url__qadi01			yes/no	
url__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
∅ url_type_call_pgm	no	url_type	yes	no
		url_call_pgm	yes	no
		url_addr	yes	no
		url_field	yes	no
		url_field_value	yes	no
∅* url_type_field	yes	url_type	yes	no
		url_field	yes	no
		url_field_value	yes	no
		url_addr	yes	no
		url_call_pgm	yes	no
		url_exec	yes	no
		url_script	yes	no

usrc_ctrl User Control File

Field Name	Label	Col-Label	Format	Dec
usrc_expire_days	Password Expiration Days		>>>>9	
usrc_index1	Index		>>>>>>9	
usrc_sec_opt	Security Option		x(1)	
usrc_sess_id	Session ID Prefix		x(3)	
usrc_timeout_min	Timeout Minutes		>>>>>>9	
usrc_user1	Ufld1		x(8)	
usrc_user2	Ufld2		x(8)	
usrc__qad01			x(8)	
usrc__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* usrc_index1	yes	usrc_index1	yes	no

usrw_wkfl Workfile (Available for Users)

Field Name	Label	Col-Label	Format	Dec
usrw_charfld[15]			x(8)	
usrw_datefld[4]			99/99/99	
usrw_decfld[15]			->>,>>9.99	10
usrw_key1			x(8)	
usrw_key2			x(8)	
usrw_key3			x(8)	
usrw_key4			x(8)	
usrw_key5			x(8)	

486 usr_mstr

Field Name	Label	Col-Label	Format	Dec
usrw_key6			x(8)	
usrw_user1	Ufld1		x(8)	
usrw_user2	Ufld2		x(8)	
usrw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* usrw_index1	yes	usrw_key1	yes	no
		usrw_key2	yes	no
usrw_index2	no	usrw_key3	yes	no
		usrw_key4	yes	no
usrw_index3	no	usrw_key5	yes	no
		usrw_key6	yes	no

usr_mstr User Master

Field Name	Label	Col-Label	Format	Dec
usr_addr	Address		x(8)	
usr_emp_cus	User Type		Employee/Customer	
usr_groups	Groups		x(72)	
usr_lang	Language	Lang	x(2)	
usr_last_date	Date Password Last Changed	Changed	99/99/99	
usr_mail_address	E-mail Address	E-mail	x(60)	
usr_name	User Name		x(35)	
usr_passwd	Password		x(16)	
usr_restrict	Restricted		yes/no	
usr_site	Site		x(8)	
usr_user1	Ufld1		x(8)	
usr_user2	Ufld2		x(8)	
usr_userid	User Id		x(8)	
usr__qad01			x(8)	
usr__qad02			x(8)	
usr__qadc01	QAD Character Field		X(8)	
usr__qadc02	QAD Character Field		X(8)	
usr__qadc03	QAD Character Field		x(8)	
usr__qadc04	QAD Character Field		X(8)	
usr__qadi01	QAD Integer Field		>>>9	0
usr__qadi02	QAD Integer Field		>>9	0
usr__qadi01	QAD Logical Field		yes/no	
usr__qadi02	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* usr_userid	yes	usr_userid	yes	no

vd_crtl Vendor Control File

Field Name	Label	Col-Label	Format	Dec
vd_index1	Index		>>>>9	
vd_nbr	Next Supplier		99999999	
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vdc_index1	yes	vdc_index1	yes	no

vd_mstr Vendor Master

Field Name	Label	Col-Label	Format	Dec
vd_1099	Tax Report	Tax Rpt	yes/no	
vd_addr	Supplier		x(8)	
vd_ap_acct	AP Account	AP Acct	x(8)	
vd_ap_cc	AP Cost Ctr	CC	x(4)	
vd_ap_cntct	AP Contact		x(24)	
vd_balance	Balance		->>>, >>>, >>9.99	10
vd_bank	Bank		x(2)	
vd_buyer	Buyer		x(8)	
vd_ckfrm	Check Form	Ck	x(2)	
vd_conrep_logic	Consume/Replace Logic		x(1)	
vd_cr_terms	Cr Terms		x(8)	
vd_curr	Currency	Cur	x(3)	
vd_db	DB Number		x(16)	
vd_debtor	Debtor Number	Debtor	x(10)	
vd_disc_pct	Disc %		->9.99%	2
vd_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	10
vd_ex_ratetype	Rate Type		x(8)	
vd_fix_pr	Fixed Price		yes/no	
vd_fob	FOB		x(20)	
vd_fr_list	Freight List	Frt List	x(8)	
vd_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
vd_fr_terms	Freight Terms	Fr Terms	x(8)	
vd_hold	Payment Hold	Hold	yes/no	
vd_lang	Language		x(2)	
vd_last_ck	Last Check		99/99/99	
vd_lc_bal	LC Balance		->>, >>>, >>>, >>9.99	10
vd_misc_cr	Miscellaneous Creditor		yes/no	
vd_mod_date	Modified Date	Mod Date	99/99/99	
vd_partial	Partial OK	Partial	yes/no	
vd_pay_spec	Pay Specification	Pay Spec	yes/no	
vd_prepay	Prepayment Balance		->>, >>>, >>>, >>9.99	10
vd_promo	Promotion Group		x(8)	
vd_pr_list	Disc Tbl	Disc Tbl	x(8)	
vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
vd_pur_acct	Pur Acct		x(8)	
vd_pur_cc	Pur Cost Ctr	CC	x(4)	
vd_pur_cntct	Purchase Contact		x(24)	
vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	

488 vd_mstr

Field Name	Label	Col-Label	Format	Dec
vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
vd_remit	Remit-to		x(8)	
vd_rmks	Remarks		x(40)	
vd_shipvia	Ship Via		x(20)	
vd_sort	Sort Name		x(28)	
vd_taxable	Taxable	Tax	yes/no	
vd_tax_id	Tax ID		x(18)	
vd_tid_notice	TID Notice	T! N	x(1)	
vd_tp_pct	SO Price Reduction	Ext %	>>9.99%	2
vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vd_type	Type		x(4)	
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	
vd__chr01			x(8)	
vd__chr02			x(8)	
vd__chr03			x(8)	
vd__chr04			x(8)	
vd__chr05			x(8)	
vd__chr06			x(8)	
vd__chr07			x(8)	
vd__chr08			x(8)	
vd__chr09			x(8)	
vd__chr10			x(8)	
vd__dec01			>>>, >>>, >>9.99	10
vd__dec02			>>>, >>>, >>9.99	10
vd__dte01			99/99/99	
vd__dte02			99/99/99	
vd__log01			yes/no	
vd__qadc01	QAD Field		X(8)	0
vd__qadc02	QAD Field		X(8)	0
vd__qadc03	QAD Field		X(8)	0
vd__qadc04	QAD Field		X(8)	0
vd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadi01			>>>>>>9	
vd__qadi02			>>>>>>9	
vd__qadi01			yes/no	
vd__qadi02			yes/no	
vd__qadt01			99/99/99	
vd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vd_addr	yes	vd_addr	yes	no
vd_remit	no	vd_remit	yes	no
		vd_addr	yes	no
vd_sort	no	vd_sort	yes	no

vecd_det Supplier Performance Category Detail File

Field Name	Label	Col-Label	Format	Dec
vecd_category	Category		x(8)	
vecd_mod_date	Last Modified		99/99/99	
vecd_mod_userid	User ID		x(8)	
vecd_percent	Percent		>>9.99	2
vecd_user1			x(8)	
vecd_user2			x(8)	
vecd_user3			x(8)	
vecd_user4			x(8)	
vecd_value_from	Value From		->>>>, >>9.99	2
vecd_value_to	Value To		->>>>, >>9.99	2
vecd_qadc01	QAD Field		X(8)	0
vecd_qadc02	QAD Field		X(8)	0
vecd_qadc03	QAD Field		X(8)	0
vecd_qadc04	QAD Field		X(8)	0
vecd_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vecd_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vecd_qadi01			>>>>>>9	
vecd_qadi02			>>>>>>9	
vecd_qadi01			yes/no	
vecd_qadi02			yes/no	
vecd_qadt01			99/99/99	
vecd_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vecd_category	yes	vecd_category	yes	no
		vecd_value_from	yes	no

vec_mstr Supplier Performance Category Master

Field Name	Label	Col-Label	Format	Dec
vec_active_flag	Use Category		yes/no	
vec_category	Category		x(8)	
vec_comp_method	Computation Method		X(12)	
vec_desc	Description		x(24)	
vec_discrete_type	Discrete Type		Add/Deduct	
vec_max_points	Maximum Points		->, >>>, >>9	
vec_mod_date	Last Modified		99/99/99	
vec_mod_userid	User ID		x(8)	
vec_name	Name		x(12)	
vec_pp_counter	Parts-Per Counter		Events/Quantity	
vec_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vec_table_lookup_flag	Use Lookup Table		yes/no	
vec_threshold_points	Threshold Points		->, >>>, >>9	
vec_user1			x(8)	
vec_user2			x(8)	
vec_user3			x(8)	
vec_user4			x(8)	
vec__qadc01	QAD Field		X(8)	0
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0

vef_ctrl

Supplier Performance Control File

Field Name	Label	Col-Label	Format	Dec
vef_asn_data	ASN Information		X(8)	
vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
vef_days_early	Acceptable Days Early		>>9	
vef_days_late	Acceptable Days Late		>>9	
vef_do_only_flag	Include DO Orders Only		yes/no	
vef_do_receipts	DO Receipts		X(8)	
vef_dup_asn	Duplicate ASN		X(8)	
vef_early_rcpt	Early Receipt		X(8)	
vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
vef_enable_po_rtn	Enable PO Return		yes/no	
vef_fifth_level_max	Maximum Value		>>>	
vef_fifth_level_title	Fifth Interval Title		x(12)	
vef_first_level_max	Maximum Value		>>>	
vef_first_level_title	First Interval Title		x(12)	
vef_fourth_level_max	Maximum Value		>>>	
vef_fourth_level_title	Fourth Interval Title		x(12)	
vef_index1	Index		>>>>9	
vef_late_asn	Late ASN		X(8)	
vef_late_rcpt	Late Receipt		X(8)	
vef_matl_quality	Material Quality		X(8)	
vef_missed_ship	Missed Shipment		X(8)	
vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
vef_mod_date	Last Modified		99/99/99	
vef_mod_userid	User ID		x(8)	
vef_overship_pct	Acceptable Over Shipment		>>9.99	2
vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	2
vef_overship_qty	Acceptable Over Shipment		>>, >>9	
vef_overship_qty_cost	Acceptable Over Shipment		>>>>, >>>, >>9.99<<<<<<<<<	10
vef_over_ship	Over Shipment		X(8)	
vef_points	Default Points		>>>>, >>9.99	10
vef_po_only_flag	Include PO Orders Only		yes/no	
vef_po_receipts	PO Receipts		X(8)	
vef_pp_counter	Parts-Per Counter		Events/Quantity	
vef_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vef_rts_receipts	RTS Receipts		X(8)	
vef_same_day_receipts	Net Same Day Receipts		yes/no	
vef_second_level_max	Maximum Value		>>>	
vef_second_level_title	Second Interval Title		x(12)	
vef_third_level_max	Maximum Value		>>>	
vef_third_level_title	Third Interval Title		x(12)	
vef_undership_pct	Acceptable Under Shipment		>>9.99	2
vef_undership_qty	Acceptable Under Shipment		>>, >>9	
vef_under_ship	Under Shipment		X(8)	
vef_user1			x(8)	
vef_user2			x(8)	
vef_user3			x(8)	
vef_user4			x(8)	
vef_use_shippct	Use Shipment Percent		yes/no	
vef_use_shippct_cost	Use Shipment Percent Cost		yes/no	
vef_use_shipqty	Use Shipment Quantity		yes/no	
vef_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
vef_using_sup_perf	Use Supplier Performance		yes/no	
vef__qadc01	QAD Field		X(8)	0
vef__qadc02	QAD Field		X(8)	0

492 vepd_det

Field Name	Label	Col-Label	Format	Dec
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			-->>>, >>>, >>9.9<<<<<<<<<<	10
vef__qadd02			-->>>, >>>, >>9.9<<<<<<<<<<	10
vef__qadi01			>>>>>>9	
vef__qadi02			>>>>>>9	
vef__qadi01			yes/no	
vef__qadi02			yes/no	
vef__qadt01			99/99/99	
vef__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vef_index1	yes	vef_index1	yes	no

vepd_det Supplier Performance Detail

Field Name	Label	Col-Label	Format	Dec
vepd_category	Category		x(8)	
vepd_cmtdindx	Comments		>>>>>>>9	
vepd_doc_nbr	Doc Nbr	Doc	x(16)	
vepd_event	Event		x(8)	
vepd_event_qty	Qty		->, >>>, >>9.9<<<<<<<<<<	2
vepd_mod_date	Last Modified		99/99/99	
vepd_mod_userid	User ID		x(8)	
vepd_reason_code	Reason		x(8)	
vepd_seq_nbr	Sequence	Seq	>>>>>>>>	
◇ vepd_site	Site		x(8)	
vepd_temp_missed_flag	Missed		yes/no	
vepd_tran_date	Transaction Date	Tran Date	99/99/99	
vepd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vepd_user1			x(8)	
vepd_user2			x(8)	
vepd_user3			x(8)	
vepd_user4			x(8)	
vepd_vendor	Supplier		x(8)	
vepd_vendor_source	Supplier Source	Source	x(3)	
vepd_vep_tran_date	Receipt Transaction Date		99/99/99	
vepd_vep_tran_id	Receipt Transaction ID		>>>>>>>>	
vepd_weight_code	Weight Code	Weight	x(8)	
vepd__qadc01	QAD Field		X(8)	0
vepd__qadc02	QAD Field		X(8)	0
vepd__qadc03	QAD Field		X(8)	0
vepd__qadc04	QAD Field		X(8)	0
vepd__qadd01			-->, >>>, >>9.9<<<<<<<<<<	10
vepd__qadd02			-->, >>>, >>9.9<<<<<<<<<<	10
vepd__qadi01			>>>>>>9	
vepd__qadi02			>>>>>>9	
vepd__qadi01			yes/no	
vepd__qadi02			yes/no	
vepd__qadt01			99/99/99	
vepd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vepd_temp_missed_flag	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
◇* transaction_order	yes	vepd_tran_id	yes	no
		vepd_tran_date	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
◇ vendor_event_order	no	vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_category	yes	no
		vepd_event	yes	no
		vepd_site	yes	no
◇ vepd_vendor_order	yes	vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_vep_tran_date	yes	no
		vepd_vep_tran_id	yes	no
		vepd_category	yes	no
		vepd_seq_nbr	yes	no
		vepd_site	yes	no

vep_mstr Supplier Performance Data Master

Field Name	Label	Col-Label	Format	Dec
Δ vep_abs_id	Shipper ID	Shipper	x(20)	
vep_acct	Pur Acct		x(8)	
vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	
vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>9	
vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>9	
vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vep_asn_ship_qty	ASN Ship Qty		->,>>>,>>9<<<<<<<<	2
vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>9	
vep_buyer	Buyer		x(8)	
vep_cc	Cost Ctr		x(4)	
Δ vep_comm_code	Commodity Code	Commodity	x(20)	
vep_db	DB Number	DB	x(16)	
vep_disc_pct	Disc%		->9.99%	2
vep_fsm_type	FSM Type		x(1)	
vep_line	Line	Ln	>>>	
vep_loc	Loc		x(8)	
vep_lotser	Lot/Serial	L/S	x(18)	
vep_mod_date	Last Modified		99/99/99	
vep_mod_userid	User ID		x(8)	
vep_nbr	Order Nbr	Order	x(8)	
vep_open_qty	Open Qty	Qty! Open	->,>>>,>>9<<<<<<<<	2
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>,>>>,>>9.99	2
vep_qty_ord	Qty Ordered	Qty! Ordered	->,>>>,>>9<<<<<<<<	2

494 vep_mstr

Field Name	Label	Col-Label	Format	Dec
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->, >>>, >>9.9<<<<<<<<	2
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1			x(8)	
vep_user2			x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep_vendor_source	Supplier Source	Source	x(3)	
vep__qadc01	QAD Field		X(8)	0
vep__qadc02	QAD Field		X(8)	0
vep__qadc03	QAD Field		X(8)	0
vep__qadc04	QAD Field		X(8)	0
vep__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
vep__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
vep__qadi01			>>>>>>9	
vep__qadi02			>>>>>>9	
vep__qadi01			yes/no	
vep__qadi02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vep_temp_missed_flag	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
◇ vendor_date_order	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_line	yes	no
		vep_tran_date	yes	no
		vep_receiver	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
◇* vendor_site_order	yes	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
◇ vep_vendor_nbr_order	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
vep_vendor_part	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

verd_det

Supplier Performance Registration Detail

Field Name	Label	Col-Label	Format	Dec
verd_active_flag	Use Category		yes/no	
verd_category	Category		x(8)	
verd_mod_date	Last Modified		99/99/99	
verd_mod_userid	User ID		x(8)	
verd_site	Site		x(8)	
verd_user1			x(8)	
verd_user2			x(8)	
verd_user3			x(8)	
verd_user4			x(8)	
verd_vendor	Supplier		x(8)	
verd_vendor_source	Supplier Source		x(3)	
verd__qadc01	QAD Field		X(8)	0
verd__qadc02	QAD Field		X(8)	0
verd__qadc03	QAD Field		X(8)	0
verd__qadc04	QAD Field		X(8)	0
verd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
verd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
verd__qadi01			>>>>>>9	
verd__qadi02			>>>>>>9	
verd__qadi01			yes/no	
verd__qadi02			yes/no	
verd__qadt01			99/99/99	
verd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* verd_vendor	yes	verd_vendor	yes	no
		verd_vendor_source	yes	no
		verd_site	yes	no
		verd_category	yes	no

ver_mstr Supplier Performance Registration Master

Field Name	Label	Col-Label	Format	Dec
ver_active_flag	Use Supplier Performance		yes/no	
ver_asn_leadtime	Maximum ASN Lead-Time		99:99	
Δ ver_comm_code	Commodity Code		x(20)	
ver_contact	Contact		X(24)	
ver_days_early	Acceptable Days Early		>>9	
ver_days_late	Acceptable Days Late		>>9	
ver_email_address	E-mail Address		X(60)	
ver_end	End Effective		99/99/99	
ver_mod_date	Last Modified		99/99/99	
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	2
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	2
ver_overship_qty	Acceptable Over Shipment		>>, >>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>, >>>, >>9.99<<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	2
ver_undership_qty	Acceptable Under Shipment		>>, >>9	
ver_user1			x(8)	
ver_user2			x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver_use_shipqty	Use Shipment Quantity		yes/no	
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	
ver__qadc01	QAD Field		X(8)	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadi01			yes/no	
ver__qadi02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ver_comm_code	no	ver_comm_code	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
ver_part	no	ver_part	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_comm_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* ver_vendor	no	ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no
	yes	ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no

vesd_det Supplier Performance Summary Detail

Field Name	Label	Col-Label	Format	Dec
vesd_category	Category		x(8)	
vesd_event	Event		x(8)	
vesd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<<	2
vesd_mod_date	Last Modified		99/99/99	
vesd_mod_userid	User ID		x(8)	
vesd_part	Item Number	Item	x(18)	
vesd_rec_type	Rec Type		x(8)	
vesd_site	Site		x(8)	
vesd_sub_type	Subcontract Type	Sub Type	x(12)	
vesd_tran_date	Transaction Date	Tran Date	99/99/99	
vesd_tran_id	Transaction ID	Tran ID	>>>>>>>	
vesd_type	Type		x(1)	
vesd_user1			x(8)	
vesd_user2			x(8)	
vesd_user3			x(8)	
vesd_user4			x(8)	
vesd_vendor	Supplier		x(8)	
vesd_vendor_source	Supplier Source	Source	x(3)	
vesd_ves_from_date	From Date		99/99/99	
vesd_ves_to_date	To Date		99/99/99	
vesd_weight_code	Weight Code	Weight	x(8)	
vesd__qadc01	QAD Field		X(8)	0
vesd__qadc02	QAD Field		X(8)	0
vesd__qadc03	QAD Field		X(8)	0
vesd__qadc04	QAD Field		X(8)	0
vesd__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
vesd__qadd02			->>,>>>,>>9.9<<<<<<<<<	10
vesd__qadi01			>>>>>>9	
vesd__qadi02			>>>>>>9	
vesd__qadi01			yes/no	
vesd__qadi02			yes/no	
vesd__qadt01			99/99/99	
vesd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
0* vesd_vendor_order	yes	vesd_vendor	yes	no
		vesd_vendor_source	yes	no
		vesd_ves_from_date	yes	no
		vesd_ves_to_date	yes	no
		vesd_site	yes	no

view_mstr Supplier Performance Weighting Factor Master

Field Name	Label	Col-Label	Format	Dec
vew_desc	Description		x(24)	
vew_mod_date	Last Modified		99/99/99	
vew_mod_userid	User ID		x(8)	
vew_name	Name		x(12)	
vew_user1			x(8)	
vew_user2			x(8)	
vew_user3			x(8)	
vew_user4			x(8)	
vew_weight_code	Weight Code		x(8)	
vew_weight_factor	Weight Factor		>,>>9.99	2
vew__qadc01	QAD Field		X(8)	0
vew__qadc02	QAD Field		X(8)	0
vew__qadc03	QAD Field		X(8)	0
vew__qadc04	QAD Field		X(8)	0
vew__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vew__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vew__qadi01			>>>>>>9	
vew__qadi02			>>>>>>9	
vew__qadi01			yes/no	
vew__qadi02			yes/no	
vew__qadt01			99/99/99	
vew__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	view_weight_code	yes	view_weight_code	yes	no

vex_mstr Supplier Performance Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
vex_mod_date	Last Modified		99/99/99	
vex_mod_userid	User ID		x(8)	
vex_site	Site		x(8)	
vex_to_site	To-Site		x(8)	
vex_to_vendor	To-Supplier		x(8)	
vex_to_vendor_source	To-Supplier Source		x(3)	
vex_user1			x(8)	
vex_user2			x(8)	
vex_user3			x(8)	
vex_user4			x(8)	
vex_vendor	Supplier		x(8)	
vex_vendor_source	Supplier Source		x(3)	
vex__qadc01	QAD Field		X(8)	0
vex__qadc02	QAD Field		X(8)	0
vex__qadc03	QAD Field		X(8)	0
vex__qadc04	QAD Field		X(8)	0
vex__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadi01			>>>>>>9	
vex__qadi02			>>>>>>9	

500 vod_det

Field Name	Label	Col-Label	Format	Dec
vex__qadl01			yes/no	
vex__qadl02			yes/no	
vex__qadt01			99/99/99	
vex__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* vex_site	yes	vex_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no
vex_to_site	no	vex_to_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no

vod_det Voucher Detail

Field Name	Label	Col-Label	Format	Dec
vod_acct	Account		x(8)	
vod_amt	Amount		->>>>, >>>, >>9.99	10
vod_base_amt	Base Amount		->>>>, >>>, >>9.99	10
vod_cc	Cost Ctr	CC	x(4)	
vod_desc	Description		x(24)	
vod_dy_code	Daybook		x(8)	
vod_dy_num	Entry Number		x(40)	
vod_entity	Entity	Enty	x(4)	
vod_exp_acct	Expense Acct	Exp Acct	x(8)	
vod_exp_cc	Expense CC	Exp CC	x(4)	
vod_ln	Line	Ln	>>9	
vod_project	Project		x(8)	
vod_ref	Voucher		x(8)	
vod_tax	Tax		x(1)	
vod_taxable	Taxable	Tax	yes/no	
vod_taxc	Tax Class	TxC	x(3)	
vod_tax_at	Tax	T	x(3)	
vod_tax_env	Tax Environment	Tax Env	x(16)	
vod_tax_in	Tax In		yes/no	
vod_tax_usage	Tax Usage	TaxUsage	x(8)	
vod_type	Type	T	x(1)	
vod_user1	Ufld1		x(8)	
vod_user2	Ufld2		x(8)	
vod__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
vod_dy	no	vod_dy_code	yes	no
		vod_dy_num	yes	no
		vod_ln	yes	no
* vod_ref	yes	vod_ref	yes	no
		vod_ln	yes	no
vod_tax	no	vod_ref	yes	no
		vod_tax_at	yes	no

vo_mstr

Voucher Master

Field Name	Label	Col-Label	Format	Dec
vo_amt_chg	Amount to Pay		->>>>, >>>, >>9.99	10
vo_applied	Amount Applied		->>>>, >>>, >>9.99	10
vo_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
vo_base_applied	Base Amount Applied		->>>>, >>>, >>9.99	10
vo_base_disc_chg	Base Disc to Take		->>>>, >>>, >>9.99	10
vo_base_hold_amt	Base Hold Amt		->>>>, >>>, >>9.99	10
vo_base_ndisc	Base Non-Disc Amt		->>>>, >>>, >>9.99	10
vo_cmtindx	Comment Index	Comment	>>>>>>9	
vo_confirmed	Confirmed	Cnf	yes/no	
vo_conf_by	Confirmed By	Conf By	x(8)	
vo_cr_terms	Credit Terms	Terms	x(8)	
vo_curr	Currency	Cur	x(3)	
vo_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
vo_disc_date	Disc Date		99/99/99	
vo_due_date	Due Date	Due	99/99/99	
vo_exru_seq	Sequence		>>>>>>9	
vo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<	10
vo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
vo_ex_ratetype	Rate Type		x(8)	
vo_hold	Hold		yes/no	
vo_hold_amt	Hold Amt		->>>>, >>>, >>9.99	10
vo_invoice	Invoice		x(12)	
vo_is_ers	ERS Voucher		yes/no	
vo_lc_amt	LC Amt		->>, >>>, >>>, >>9.99	10
vo_modok	Modification Allowed	Mod	yes/no	
vo_ndisc_amt	Non-Disc Amt		->>>>, >>>, >>9.99	10
vo_paid_date	Last Paid		99/99/99	
vo_po	PO Number	PO	x(8)	
vo_po_rcvd	Goods Received		yes/no	
vo_prepay	Prepayment Amt		->>, >>>, >>>, >>9.99	10
vo_rcycle	Interval	Int	x(1)	
vo_receiver	Receiver		x(8)	
vo_recur	Recurring Voucher	RV	yes/no	
vo_ref	Voucher		x(8)	
vo_rel_date	Last Release	Release	99/99/99	
vo_rexpire	Expire		99/99/99	
vo_rnbr_cyc	Nbr Per Voucher	Nbr	>>9	
vo_rstart	Start		99/99/99	
vo_rv_nbr	Recur Voucher	Recur VO	x(8)	
vo_separate	Separate Check	Separate! Check	yes/no	
vo_ship	Ship-To		x(8)	
vo_taxable	Taxable	Tax	yes/no	
vo_taxc	Tax Class	TxC	x(3)	
vo_tax_date	Tax Date		99/99/99	
vo_tax_env	Tax Environment	Tax Env	x(16)	
vo_tax_pct[3]	Tax		->9.99<%	3
vo_tax_usage	Tax Usage	TaxUsage	x(8)	
vo_type	Type		x(4)	
vo_user1	Ufld1		x(8)	
vo_user2	user2		x(8)	
vo__chr01			x(8)	
vo__chr02			x(8)	
vo__chr03			x(8)	
vo__chr04			x(8)	
vo__chr05			x(8)	

502 vo_mstr

Field Name	Label	Col-Label	Format	Dec
vo__dec01			>>>, >>>, >>9.99	10
vo__dec02			>>>, >>>, >>9.99	10
vo__dte01			99/99/99	
vo__dte02			99/99/99	
vo__log01			yes/no	
vo__qad01	Assigned-To		x(8)	
vo__qad02			x(8)	
vo__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
vo_invoice	no	vo_invoice	yes	no
* vo_ref	yes	vo_ref	yes	no

vph_hist Voucher/Purchase Receipts History

Field Name	Label	Col-Label	Format	Dec
vph_acct	Account		x(8)	
vph_amt	Amount		->>>>, >>>, >>9.99	10
vph_avg_post	Post To		x(4)	
vph_cc	Cost Ctr	CC	x(4)	
vph_curr_amt	Currency Amount	Curr Amt	->, >>>, >>>, >>9.99<<<	10
vph_element	Cost Element	Element	x(8)	
vph_inv_cost	Invoice Cost		->, >>>, >>>, >>9.99<<<	10
vph_inv_date	Invoice Date	Inv Date	99/99/99	
vph_inv_qty	Invoice Qty		->, >>>, >>9.9<<<<<<<<	10
vph_line	PO line	Ln	>>9	
vph_nbr	PO Nbr		x(8)	
vph_receiver	Receiver		x(8)	
vph_ref	Voucher		x(8)	
vph_user1	User1		x(8)	
vph_user2	User2		x(8)	
vph__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
vph_nbr	no	vph_nbr	yes	no
* vph_ref	yes	vph_ref	yes	no
		vph_receiver	yes	no
		vph_line	yes	no
		vph_element	yes	no
vph_refnbr	no	vph_ref	yes	no
		vph_nbr	yes	no

vpo_det Voucher Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
vpo_po	PO Number	PO	x(8)	
vpo_ref	Voucher		x(8)	
vpo_user1	user1		x(8)	
vpo_user2	user2		x(8)	
vpo__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vpo_refpo	yes	vpo_ref	yes	no
		vpo_po	yes	no

vp_mstr Vendor Item Master

Field Name	Label	Col-Label	Format	Dec
vp_appr_date	Approve Date	Approve	99/99/99	
vp_bkage_amt	Brokerage Amt		->>, >>>, >>9.99	2
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	

504 vrc_ctrl

Field Name	Label	Col-Label	Format	Dec
vp_duty_amt	Duty Amt		->>, >>>, >>9.99	2
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->>, >>>, >>9.99	2
vp_ins_rq	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>>, >>>, >>9.99<<<	10
vp_q_qty	Quote Qty		->, >>>, >>9.9<<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	2
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	2
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufid1		x(8)	
vp_user2	Ufid2		x(8)	
vp_userid	User ID		x(8)	
vp_vend	Supplier		x(8)	
vp_vend_lead	Supplier Lead Time	LT	>>9	
vp_vend_part	Supplier Item		x(30)	
vp__chr01			x(8)	
vp__chr02			x(8)	
vp__chr03			x(8)	
vp__chr04			x(8)	
vp__chr05			x(8)	
vp__dec01			>>>, >>>, >>9.99	10
vp__dec02			>>>, >>>, >>9.99	10
vp__dte01			99/99/99	
vp__dte02			99/99/99	
vp__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* vp_partvend	yes	vp_part	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no
vp_vend_part	no	vp_vend	yes	no
		vp_vend_part	yes	no

vrc_ctrl Version Control Table

Field Name	Label	Col-Label	Format	Dec
vrc_user1			x(8)	
vrc_user2			x(8)	
Δ vrc_v86			x(50)	
vrc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* vrc_id	yes	vrc_v86	yes	no

vtc_ctrl VAT Control File

Field Name	Label	Col-Label	Format	Dec
vtc_disc	Discount VAT at Invoice		yes/no	
vtc_index1	Index		>>>>9	
vtc_pmt_disc	Discount VAT at Payment		yes/no	
vtc_round	Rounding Method		x(1)	
vtc_user1	Ufld1		x(8)	
vtc_user2	Ufld2		x(8)	
vtc_val_reg	Validate VAT Reg. No.		yes/no	
vtc_vt_class	Default Tax Class		x(3)	
vtc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vtc_index1	yes	vtc_index1	yes	no

vt_mstr Value Added Taxes Master

Field Name	Label	Col-Label	Format	Dec
vt_ap_acct	AP VAT Acct		x(8)	
vt_ap_cc	AP VAT CC	CC	x(4)	
vt_ar_acct	AR VAT Acct		x(8)	
vt_ar_cc	AR VAT CC	CC	x(4)	
vt_class	VAT Class		x(1)	
vt_desc	Description		x(24)	
vt_end	End Eff		99/99/99	
vt_project	Project		x(8)	
vt_start	Start Eff		99/99/99	
vt_tax_pct	VAT Tax		->>9.99<<%	2
vt_user1	Ufld1		x(8)	
vt_user2	Ufld2		x(8)	
vt__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* vt_class	yes	vt_class	yes	no
		vt_start	yes	no

506 wcr_route

wcr_route Work Center Routing Standards

Field Name	Label	Col-Label	Format	Dec
wcr_mch	Machine		x(8)	
wcr_op	Op		>>>>>9	
wcr_part	Routing Code		x(18)	
wcr_rate	Std Prod Rate	Std Rate	->,>>>,>>9	
wcr_user1	Ufld1		x(8)	
wcr_user2	Ufld2		x(8)	
wcr_wkctr	Work Center	Work Ctr	x(8)	
wcr__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
wcr_part	yes	wcr_part	yes	no
		wcr_op	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
* wcr_route	yes	wcr_wkctr	yes	no
		wcr_mch	yes	no
		wcr_part	yes	no
		wcr_op	yes	no

wc_mstr Work Center Master

Field Name	Label	Col-Label	Format	Dec
wc_bdn_pct	Lbr Bdn %		>>9.99%	2
wc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
wc_bdn_supct	Setup Bdn %		>>9.99%	2
wc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
wc_dept	Department	Dept	x(8)	
wc_desc	Description		x(24)	
wc_fsm_type	FSM Type		x(8)	
wc_lbr_rate	Labor Rate		>>>,>>9.99	10
wc_mch	Machine		x(8)	
wc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_op	Mach/Op		>>9	
wc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_wkctr	Mach/Wk Ctr		>>9.999	3
wc_men_mch	Run Crew		>>9.999	3
wc_mod_date	Modified Date	Mod Date	99/99/99	
wc_pct_eff	Percent Efficiency		->,>>9.999	3
wc_pct_util	Percent Utilization		->,>>9.999	2
wc_queue	Queue Time	Queue	>,>>9.9<<	3
wc_setup_men	Setup Crew		->>,>>9.99	2
wc_setup_rte	Setup Rate		>>>,>>9.99	10
wc_user1	Ufld1		x(8)	
wc_user2	Ufld2		x(8)	
wc_userid	User ID		x(8)	
wc_wait	Wait Time	Wait	>,>>9.9<<	3
wc_wkctr	Work Center	Work Ctr	x(8)	
wc_wk_loc	Work Location		x(4)	
wc__chr01	User Character Field 1		X(8)	
wc__chr02	User Character Field 2		X(8)	

Field Name	Label	Col-Label	Format	Dec
wc_chr03	User character Field 3		X(8)	
wc_dec01	User Decimal Field 1		->>>, >>9.99<	10
wc_dec02	User Decimal Field 2		->>>, >>9.99<	10
wc_log01	User Logical Field 1		yes/no	
wc_qad01			>, >>9.9	1
wc_qad02			>>, >>9.999	3
wc_qadc01	QAD Character Field 1		X(8)	
wc_qadc02	QAD Character Field 2		X(8)	
wc_qadc03	QAD Character Field 3		X(8)	
wc_qade01	QAD Decimal Field 1		->>>, >>9.99<<	10
wc_qade02	QAD Decimal Field 2		->>>, >>9.99<<	10
wc_qadl01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
wc_dept	no	wc_dept	yes	no
wc_desc	yes	wc_desc	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no
wc_fsm_type	no	wc_fsm_type	yes	no
		wc_wkctr	yes	no
* wc_wkctr	yes	wc_wkctr	yes	no
		wc_mch	yes	no

whl_mstr Warehouse Location Master

Field Name	Label	Col-Label	Format	Dec
whl_act	Active		yes/no	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_loc	Location		x(8)	
whl_po_cmt_exp	Comments		yes/no	
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
◇ whl_wo_rcpt_exp	Work Order Receipt		yes/no	
whl_chr01	Reserved		x(8)	

508 wkc_mstr

Field Name	Label	Col-Label	Format	Dec
whl__dec01			9.99	2
whl__dte01			99/99/99	
whl__log01			yes/no	
whl__qadc01			x(8)	
whl__qadc02			x(8)	
whl__qadd03			9.99	2
whl__qadl05			yes/no	
whl__qadt04			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
whl_dest	no	whl_src_dest_id	yes	no
* whl_site	yes	whl_site	yes	no
		whl_loc	yes	no

wkc_mstr Workers Compensation Master

Field Name	Label	Col-Label	Format	Dec
wkc_desc	Description		x(24)	
wkc_percent	Comp Percent	Percent	->>9.999	3
wkc_user1	Ufld1		x(8)	
wkc_user2	Ufld2		x(8)	
wkc_wc_class	Worker Comp Class	W/C	x(2)	
wkc_wk_loc	Work Location	Wk Loc	x(4)	
wkc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* wkc_index	yes	wkc_wc_class	yes	no
		wkc_wk_loc	yes	no

wk_mstr Work Location Master

Field Name	Label	Col-Label	Format	Dec
wk_desc	Description		x(16)	
wk_local1	Local Tax Code 1	Local 1	x(8)	
wk_local2	Local Tax Code 2	Local 2	x(8)	
wk_local3	Local Tax Code 3	Local 3	x(8)	
wk_local4	Local Tax Code 4	Local 4	x(8)	
wk_state	State Code	State	x(4)	
wk_user1	Ufld1		x(8)	
wk_user2	Ufld2		x(8)	
wk_wk_loc	Work Location Code	Wk Loc	x(4)	
wk_chr01			x(8)	
wk_chr02			x(8)	
wk_chr03			x(8)	
wk_chr04			x(8)	
wk_chr05			x(8)	
wk_dec01			>>>, >>>, >>9.99	10
wk_dec02			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
wk__dte01			99/99/99	
wk__dte02			99/99/99	
wk__log01			yes/no	
wk__qad01			yes/no	
wk__qad02			yes/no	
wk__qad03			yes/no	
wk__qad04			yes/no	
wk__qad05			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
wk_desc	yes	wk_desc	yes	no
		wk_wk_loc	yes	no
wk_state	no	wk_state	yes	no
* wk_wk_loc	yes	wk_wk_loc	yes	no

woc_ctrl Work Order Control File

Field Name	Label	Col-Label	Format	Dec
woc_auto_nbr	Auto W/O Numbers		yes/no	
woc_bdn_up	Update Current Burden Cost		yes/no	
woc_gl_bdn	Create GL for Burden Variance		yes/no	
woc_gl_lbr	Create GL for Labor Variance		yes/no	
woc_index1	Index		>>>>>9	
woc_lbr_up	Update Current Labor Cost		yes/no	
woc_move	Move First Operation		yes/no	
woc_nbr	Next W/O Nbr	Next WO	>>>>>>9	
woc_nbr_pre	WO Prefix	Pre	x(3)	
woc_paper_lt	Paperwork LT	Paper LT	>>9	
woc_rcmmts	Routing Comments		yes/no	
woc_sched	Oper Sched Method (Back/ Fwd)	Sched	x(1)	
woc_time_ind	Time Indicator	Time	x(1)	
woc_user1	Ufld1		x(8)	
woc_user2	Ufld2		x(8)	
woc_var	Post variances at SFC		yes/no	
woc_wcmmts	Work Order Comments		yes/no	
woc__qadi01			>>>>>>>9	
woc__qadi01			yes/no	
woc__qadi02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* woc_index1	yes	woc_index1	yes	no

wod_det Work Order Detail

Field Name	Label	Col-Label	Format	Dec
wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>, >>9.999	10
wod_bom_qty	Frozen BOM Qty	BOM Qty	->, >>>, >>9.9<<<<<<<<<	10
wod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
wod_ca_int_type	Work Code		x(8)	0
wod_cmtindx	Comment Index	Comment	>>>>>>9	
wod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wod_covered_post			>>>>, >>>, >>9.99<<<	10
wod_critical	Critical		yes/no	
wod_deliver	Deliver To		x(8)	
wod_eng_code	Engineer		x(8)	
wod_exg_price	Exchange Price		>>>>, >>>, >>9.99<<<	10
wod_fcg_code	Charge Code	Charge	x(8)	
wod_fcg_index			->, >>>, >>9	
wod_fis_column			>>9	
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>, >>>, >>9.99<<<	10
wod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>, >>>, >>9.99<<<	10
wod_mvrte_accr	Mtl Rate Accrued	Accrued	->>>>, >>9.99	2
wod_mvrte_post	Mtl Rate Posted	Posted	->>>>, >>9.99	2
wod_mvrte_rval	Mtl Rate Revalued	Revalued	->>>>, >>9.99	2
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>, >>9.99	2
wod_mvuse_post	Mtl Use Posted	Posted	->>>>, >>9.99	2
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>, >>9.99	2
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>, >>>, >>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	
wod_project	Project		x(8)	
wod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<<	10
wod_qty_chg	Qty to Issue		->, >>>, >>9.9<<<<<<<<<	10
wod_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<<	10
wod_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<<	10
wod_qty_posted			->, >>>, >>9.9<	10
wod_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<<	10
wod_qty_ret	Qty Returned	Qty Ret	->, >>9.9	2
wod_ref	Ref	Reference	x(8)	
wod_ret_iss			->, >>9.9	2
wod_ret_loc	Return Location		x(8)	
wod_ret_ref	Inventory Reference	Inv Ref	X(8)	
wod_ret_serial	Return Lot/Serial		x(18)	
wod_ret_site	Return Site		x(8)	
wod_seo_load	Loaded from SEO		yes/no	
wod_serial	Lot/Serial		x(18)	
wod_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
wod_sod_line	Line	Ln	>>9	
wod_sod_nbr	Sales Order	Order	x(8)	
wod_status	Status		x(8)	
wod_std_cost	Unit Cost		->>>, >>9.999	3
wod_sv_code			x(8)	
wod_tot_std	Std Cost		->>>, >>9.999	3
wod_user1	Ufid1		x(8)	
wod_user2	Ufid2		x(8)	
wod_chr01			x(8)	
wod_chr02			x(8)	
wod_chr03			x(8)	
wod_chr04			x(8)	
wod_chr05			x(8)	
wod_dec01			>>>, >>>, >>9.99	10
wod_dec02			>>>, >>>, >>9.99	10
wod_dte01			99/99/99	
wod_dte02			99/99/99	
wod_log01			yes/no	
wod_qadc01	QAD Character Field 1		X(8)	
wod_qadc02	QAD Character Field 2		X(8)	
wod_qadc03	QAD Character Field 3		X(8)	
wod_qade01	QAD Decimal Field 1		->>>, >>9.99<	10
wod_qade02	QAD Decimal Field 2		->>>, >>9.99<	10
wod_qadl01	QAD Logical Field 1		yes/no	
wod_qadl02	QAD Logical Field 2		yes/no	
wod_qadt01	QAD Date Field 1		99/99/99	
wod_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* wod_det	yes	wod_lot	yes	no
		wod_part	yes	no
		wod_op	yes	no
wod_iss_part	no	wod_iss_date	yes	no
		wod_part	yes	no
wod_nbrpart	no	wod_nbr	yes	no
		wod_lot	yes	no
		wod_part	yes	no
wod_op	yes	wod_lot	yes	no
		wod_op	yes	no
		wod_part	yes	no
wod_part	no	wod_part	yes	no

wo_mstr Work Order Master

Field Name	Label	Col-Label	Format	Dec
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	Cls	yes/no	
wo_assay	Assay %		>>9.99%	2
wo_base_id	Base ID	Base ID	x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>, >>>, >>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>, >>>, >>9.99<<<	10

512 wo_mstr

Field Name	Label	Col-Label	Format	Dec
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>, >>9.99	10
wo_bom_code	BOM/Formula		x(18)	
wo_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	
wo_close_date	Close Date	Closed	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>9	
wo_date_posted			99/99/99	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	
wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
wo_flr_cc	Floor Stock CC	CC	x(4)	
wo_fsm_type			x(8)	
wo_gl_bdn	Create GL for Burden Variance		yes/no	
wo_gl_lbr	Create GL for Labor Variance		yes/no	
wo_grade	Grade	Grd	x(2)	
wo_iss_site	Issue Site		x(8)	
wo_itm_line	Item Line		>>>>>>>9	
wo_joint_type	Co/By Type	CT	x(1)	
wo_lbr_tot	Labor Cost		->>>, >>9.99	10
wo_lbr_totx	Labor Cost		->>>, >>9.99	2
wo_lbr_up	Update Current Labor Cost		yes/no	
wo_lbr_var	Lbr Variance		->>>>, >>9.99	10
wo_lead_time	W/O Lead Time	W/O Lead	->, >>>, >>9	
wo_line	Production Line	Line	x(8)	
wo_loc	Location		x(8)	
wo_lot	ID		x(8)	
wo_lot_next	Lot/Serial		x(18)	
wo_lot_prev	Previous ID	Prev ID	x(8)	
wo_lot_rcpt	Single Lot		yes/no	
wo_mix_var	Mix Variance		->>>>, >>9.99	2
wo_mthd_var	Mthd Chg Var		->>>>, >>9.99	10
wo_mtl_tot	Material Cost		->>>, >>>, >>9.99<<<	10
wo_mtl_totx	Material Cost		->>>, >>>, >>9.99<<<	10
wo_mtl_var	Mtl Variance		->>>>, >>9.99	10
wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
wo_myld_var	Mix & Yield Var	M&Y Var	->>>>, >>9.99	2
wo_nbr	Work Order		x(18)	
wo_ord_date	Order Date		99/99/99	
wo_ovh_tot	Ovhead Cost		->>>, >>9.999	10
wo_ovh_totx	Ovhead Cost		->>>, >>9.999	3
wo_part	Item Number		x(18)	
wo_per_date	Performance Date	Perform	99/99/99	
wo_prod_pct	Process		>>9.99%	2
wo_project	Project		x(8)	
wo_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
wo_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
wo_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
wo_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
wo_qty_type	Qty Type	QT	x(1)	
wo_queue_eff	Queue Pct		>>9.9<	2
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->, >>>, >>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>, >>>, >>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_rval_tot	Revalued Total		->>>, >>>, >>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_serial	Lot/Serial		x(18)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_status	Status	St	x(1)	
wo_sub_tot	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_var	Sub Variance		->>>>, >>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance	CC	x(4)	
wo_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svrr_cc	Subcontract Rate Variance	CC	x(4)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>, >>>, >>9.99<<<	2
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>, >>>, >>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_yield_pct	Yield		>>9.99%	2
wo_chr01			x(8)	
wo_chr02			x(8)	
wo_chr03			x(8)	
wo_chr04			x(8)	
wo_chr05			x(8)	
wo_dec01			>>>, >>>, >>9.99	10
wo_dec02			>>>, >>>, >>9.99	10
wo_dec03			->>>, >>>, >>9.99	2
wo_dec04			->>>, >>>, >>9.99	2
wo_dte01			99/99/99	
wo_dte02			99/99/99	
wo_log01			yes/no	
wo_qad01			x(8)	
wo_qadc01	QAD Character Field 1		X(8)	
wo_qadc02	QAD Character Field 2		X(8)	
wo_qadc03	QAD Character Field 3		X(8)	
wo_qade01	QAD Decimal Field 1		->, >>>, >>9.9<<<	10
wo_qade02	QAD Decimal Field 2		->, >>>, >>9.9<<<	10
wo_qade03	QAD Decimal Field 3		->, >>>, >>9.9<<<	10
wo_qadi01	QAD Integer Field 1		->, >>>, >>9	
wo_qadi02	QAD Integer Field 2		->, >>>, >>9	

514 wr_route

Field Name	Label	Col-Label	Format	Dec
wo__qadl01	QAD Logical Field 1		yes/no	
wo__qadl02	QAD Logical Field 2		yes/no	
wo__qadt01	QAD Date Field 1		99/99/99	
wo__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
wo_due_part	no	wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
wo_fsm_type	no	wo_fsm_type	yes	no
		wo_nbr	yes	no
		wo_itm_line	yes	no
wo_lot	yes	wo_lot	yes	no
* wo_nbr	yes	wo_nbr	yes	no
		wo_lot	yes	no
wo_part	no	wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no
wo_part_rel	no	wo_part	yes	no
		wo_site	yes	no
		wo_rel_date	yes	no
wo_type_nbr	yes	wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_type_part	no	wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

wr_route Work Order Routing

Field Name	Label	Col-Label	Format	Dec
wr_act_posted	Quantity Posted		>>>, >>>, >>9.9<<<	9
Δ wr_act_run	Act Run Time		->, >>9.9<<	9
wr_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	3
wr_auto_lbr	Auto Labor Report		yes/no	
wr_bdn_act	Burden Act	Act Burden	->>>>, >>9.99	10
Δ wr_bdn_ll_act	Burden LL Act		->>>>, >>9.99	10
wr_bdn_ll_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bdn_pct	Lbr Bdn %		>>9.99%	2
wr_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	2
wr_bdn_std	Burden Std	Std Burden	->>>>, >>9.99	10
wr_bdn_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>, >>9.99	10
wr_bvrte_post	Bdn Rate Posted	Posted	->>>>, >>9.99	10
wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>, >>9.99	10
wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>, >>9.99	10
wr_bvuse_post	Bdn Use Posted	Posted	->>>>, >>9.99	10
wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>, >>9.99	10
wr_ca_int_type	Work Code		x(8)	
wr_cmtindx	Comment Index	Comment	>>>>>>9	
wr_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
wr_covered_post			>>>>,>>>,>>9.99<<<	10
wr_curr	Currency	Cur	x(3)	
wr_desc	Description		x(24)	
wr_due	Due Date	Due	99/99/99	
wr_end_time	End		99:99	
wr_eng_code	Engineer		x(8)	
wr_expense			yes/no	
Δ wr_fbdn_std			->>>>,>>9.99	10
wr_fcg_code	Charge Code	Charge	x(8)	
wr_fcg_index			->,>>>,>>9	
wr_fis_column			>>9	
wr_fis_sort			x(18)	
Δ wr_flbr_cstd	Standard Cost		->>>>,>>9.99	10
Δ wr_flbr_std	Standard Cost		->>>>,>>9.99	10
wr_fsc_code	Service Category	Svc Cat	x(8)	
wr_fsm_type	FSM Type		x(8)	
wr_itm_line			>>>9	
wr_lbr_act	Labor Act	Act Labor	->>>>,>>9.99	10
wr_lbr_ll_act	Labor LL Act		->>>>,>>9.99	2
wr_lbr_ll_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
wr_lbr_rate	Labor Rate		>>>,>>9.99	2
wr_lbr_std	Labor Std	Std Labor	->>>>,>>9.99	10
wr_lbr_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wr_lot	ID		x(8)	
wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>,>>9.99	10
wr_lvrte_post	Lbr Rate Posted	Posted	->>>>,>>9.99	10
wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>,>>9.99	10
wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>,>>9.99	10
wr_lvuse_post	Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>,>>9.99	10
wr_mch	Machine		x(8)	
Δ wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	3
wr_men_mch	Run Crew		->,>>9.99	2
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>,>>9.9<<	3
Δ wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10
Δ wr_mtl_ll_act	Mtl LL Act		->>>>,>>9.99	10
wr_mtl_ll_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
Δ wr_ovh_act	Ovh Act		->>>>,>>9.99	10
Δ wr_ovh_ll_act	Ovh LL Act		->>>>,>>9.99	10
wr_ovh_ll_totx	Overhead		->>>,>>>,>>9.99<<<	10
wr_ovh_totx	Overhead		>>>>,>>>,>>9.99<<<	10
wr_part	Item Number		x(18)	
wr_posted_run			>>>,>>>,>>9.9<<<<<<<<	9
wr_po_line	Line	Ln	>>9	
wr_po_nbr	Purchase Order	PO	x(8)	
wr_price	Price		>>>>,>>>,>>9.99<<<	10
wr_prod_line	Product Line	Line	x(4)	
wr_project	Project		x(8)	
wr_qty_comp	Qty Complete		->,>>>,>>9.9<<<<<<<<	10

516 wr_route

Field Name	Label	Col-Label	Format	Dec
wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumnrwk	Cum Reworked	Cum! Reworked Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_inque	In Queue	Input! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_move	Qty Moved		->, >>>, >>9.9<<<<<<<<	10
wr_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
wr_qty_outque	Out Queue	Output! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
wr_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<	10
wr_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<	10
wr_queue	Queue Time	Queue	>, >>9.9<<	3
wr_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<	9
Δ wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>, >>9.99	10
wr_setup	Std Setup Time	Std Setup	>, >>9.9<<	3
wr_setup_men	Setup Crew		->>, >>9.99	2
wr_setup_rte	Setup Rate		>>>, >>9.99	2
Δ wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>, >>9.99	10
wr_start	Start Date	Start	99/99/99	
wr_status	Status	St	x(1)	
wr_std_op	Standard Operation	Std Op	x(8)	
wr_st_time	Start		99:99	
wr_sub_act	Subcontract Act	Act Sub	->>>>, >>9.99	10
wr_sub_comp	Sub Qty Comp		->, >>>, >>9.9<<<<<<<<	10
wr_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
wr_sub_lead	Subcontract LT	Sub! LT	>>9	
Δ wr_sub_ll_act	Subcontract LL Act		->>>>, >>9.99	10
wr_sub_ll_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_sub_std	Subcontract Std	Std Sub	->>>>, >>9.99	10
wr_sub_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>, >>9.99	10
wr_svrte_post	Sub Rate Posted	Posted	->>>>, >>9.99	10
wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>, >>9.99	10
wr_svuse_accr	Sub Use Accrued	Accrued	->>>>, >>9.99	10
wr_svuse_post	Sub Usage Posted	Posted	->>>>, >>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>, >>9.99	10
wr_sv_code			x(8)	
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->, >>9.9<<	3
wr_user1	Ufid1		x(8)	
wr_user2	Ufid2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>, >>9.9<<	3

Field Name	Label	Col-Label	Format	Dec
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	2
wr_chr01			x(8)	
wr_chr02			x(8)	
wr_chr03			x(8)	
wr_chr04			x(8)	
wr_chr05			x(8)	
wr_dec01			>>>, >>>, >>9.99	10
wr_dec02			>>>, >>>, >>9.99	10
wr_dte01			99/99/99	
wr_dte02			99/99/99	
wr_log01			yes/no	
wr_qadc01	QAD Character Field 1		X(8)	
wr_qadc02	QAD Character Field 2		X(8)	
wr_qadc03	QAD Character Field 3		X(8)	
wr_qadc04	QAD Character Field 4		X(8)	
Δ wr_qadd05	QAD Decimal Field 5		->, >>>, >>9.99<<<	10
wr_qade01	QAD Decimal Field 1		->, >>>, >>9.99<<<	10
wr_qade02	QAD Decimal Field 2		->, >>>, >>9.99<<<	10
wr_qade03	QAD Decimal Field 3		->, >>>, >>9.99<<<	10
wr_qade04	QAD Decimal Field 4		->, >>>, >>9.99<<<	10
wr_qadi01	QAD Integer Field 1		->, >>>, >>9	
wr_qadi02	QAD Integer Field 2		->, >>>, >>9	
wr_qadi01	QAD Logical Field 1		yes/no	
wr_qadi02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
wr_lot	yes	wr_lot	yes	no
		wr_op	yes	no
* wr_nbropt	yes	wr_nbr	yes	no
		wr_lot	yes	no
		wr_op	yes	no
wr_part	no	wr_part	yes	no
		wr_op	yes	no
wr_wkctr	no	wr_wkctr	yes	no
		wr_mch	yes	no
		wr_start	yes	no

ytd_det

Employee Year-To-Date Totals Detail

Field Name	Label	Col-Label	Format	
ytd_addr	Employee		x(8)	
ytd_amt	YTD Amount		->>, >>>, >>9.99	2
ytd_bank	Bank	Bk	x(2)	
ytd_ded	Deduction Code	Deductn	x(8)	
ytd_earn	Earnings Code	Earn	x(4)	
ytd_state	State Code	State	x(4)	
ytd_type	Deduction Type	T	x(1)	
ytd_units	Hours/Units	Hrs/Uts	->>, >>9.999	3

518 ytd_det

Field Name	Label	Col-Label	Format
ytd_user1	user1		x(8)
ytd_user2	user2		x(8)
ytd_wk_loc	Work Location	Wk Loc	x(4)
ytd_year	Calendar Year	Year	9999

Index-Name	Uni	Field-Name	Asc	Abbr
ytd_earn	no	ytd_addr	yes	no
		ytd_state	yes	no
		ytd_earn	yes	no
* ytd_index	yes	ytd_addr	yes	no
		ytd_year	yes	no
		ytd_bank	yes	no
		ytd_wk_loc	yes	no
		ytd_ded	yes	no
		ytd_earn	yes	no

Quality Products Corp.

User Menu Edit Queue Options Help

Distribution

Master Files

Manufacturing

Custom

Financials

Inventory

Manufacturing

- 14 Product Structures
- 15 Routings / Work Centers
- 16 Formulas / Process
- 16 Work Orders
- 17 Shop Floor Control
- 18 Repetitive
- 19 Quality Management
- 20 Forecast / Master Plan
- 21 Material Requirements
- 21 Supply Chain Plan

Summary of

Quality Products Corp.

User Menu Edit Queue Options Help

Distribution

Master Files

Manufacturing

Custom

Financials

Inventory

Manufacturing

- 14 - Product Structures
- 15 - Routings / Work Centers
- 16 - Formulas / Processes
- 16 - Work Orders
- 17 - Shop Floor Control
- 18 - Repetitive
- 19 - Quality Management
- 20 - Forecast / Master Plan
- 21 - Material Requirements
- 21 - Supply Chain Plan
- 22 - Inventory Control

Summary of

Quality Products Corp.

User Menu Edit Queue Options Help

Distribution

Master Files

Manufacturing

Custom

Financials

Inventory

Manufacturing

- 14 - Product Structures
- 15 - Routings / Work Centers
- 16 - Formulas / Process
- 16 - Work Orders
- 17 - Shop Floor Control
- 18 - Repetitive
- 19 - Quality Management
- 20 - Forecast / Master Plan
- 21 - Material Requirements
- 21 - Supply Chain Plan
- 22 - Inventory Control

Summary of

Quality Products Corp.

User Menu Edit Queue Options Help

Distribution Master Files Manufacturing Custom Financials Supply Chain

13- Product Structures
14- Routings / Work Centers
15- Formula / Process
16- Work Orders
17- Shop Floor Control
18- Repetitive
19- Quality Management
20- Forecast / Master Plan
21- Material Requirements
22- Supply Chain Plan
23- Inventory Control

Summary of



Quality Products Corp.

User Menu Edit Queue Options Help

Distribution

Master Files

Manufacturing

Custom

Financials

Inventory

Manufacturing

- 14 - Product Structures
- 15 - Routings / Work Centers
- 16 - Formulas / Process
- 16 - Work Orders
- 17 - Shop Floor Control
- 18 - Repetitive
- 19 - Quality Management
- 20 - Forecast / Master Plan
- 21 - Material Requirements
- 21 - Supply Chain Plan
- 22 - Inventory Control

Summary of

Changed Fields

For each field, current values are given in the top line, old values underneath in italics.

Field Name	Label	Col-Label	Format	Dec
apmr_pricing	Pricing	? <i>Pricing</i>	>9	?
apmr_rule	Rule	? <i>Rule</i>	>9 9	?
apmr_seq	Sequence	? <i>Sequence</i>	>>9	?
apmr_type	Type	? <i>Type</i>	>>>9	?
apmr_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
apmr_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
apmr__qadc01	?	?	x(8)	?
apm_div	Default Division	? <i>Division</i>	x(8)	?
apm_index1	Index	? <i>Index</i>	>>>>9	?
apm_line_rel	Line Relationships	? <i>Line Relationships</i>	yes/no	?
apm_manual	Manual P/L Selection	? <i>Manual Selection</i>	yes/no	?
apm_multi_div	Multiple Divisions	? <i>Multiple Divisions</i>	yes/no	?
apm_plpri	P/L Priorities <i>P/L Priority in use</i>	? <i>Priority</i>	yes/no	?
apm_plpri_dseq	P/L Display Seq	? <i>Display Seq</i>	x(20)	?
apm_plpri_sseq	P/L Select Seq	? <i>Select Seq</i>	x(20)	?
apm_prig1	Pricing Group 1 <i>Pricing Group 1 Used</i>	? <i>Pricing Group</i>	yes/no	?
apm_prig2	Pricing Group 2	?	yes/no	?

Field Name	Label	Col-Label	Format	Dec
	<i>Pricing Group 2 Used</i>	<i>Pricing Group</i>		
apm_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
apm_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
ard_ded_nbr	Deduction Nbr	? <i>Deduction Nbr</i>	>>, >>>, >>9	?
cm_disc_comb	Discount Combination Type <i>Discount Combination Group</i>	?	x(24)	?
cm_promo	Promotion Group	? <i>Promotion!Group</i>	x(10)	?
cnt__qadt01	?	?	99/99/99 99/99/9999	?
comd_comm_code	Commodity Code	?	x(20) x(8)	?
com_comm_code	Commodity Code	Com Code	x(20) x(8)	?
idhr_div	Division	? <i>Division</i>	x(8)	?
idhr_group	Group	? <i>Group</i>	x(8)	?
idhr_inv_nbr	Invoice	? <i>Invoice</i>	x(8)	?
idhr_line	Line	? <i>Line</i>	>>9	?
idhr_nbr	Sales Order	? <i>sales Order</i>	x(8)	?
idhr_pricing	Pricing	? <i>Pricing</i>	>9	?
idhr_seq	Sequence	? <i>Sequence</i>	>>9	?
idhr_type	Type	? <i>Type</i>	>>>9	?
idhr_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
idhr_user2	Ufld2	? <i>Ufld2</i>	x(8)	?

522 MFG/PRO DATABASE DEFINITIONS

Field Name	Label	Col-Label	Format	Dec
idhr__qadd01	?	?	->>>>, >>>, >>9.9	10 1
idhr__qadd02	?	?	->>>>, >>>, >>9.9	10 1
idh_div	Division	? <i>Division</i>	x(8)	?
idh_pl_priority	P/L Priority <i>Pricing Priority</i>	? <i>Pricing!Priority</i>	>9	?
iec_stat_proc	Statistical Procedure	?	x(8) x(2)	?
ied_stat_proc	Statistical Procedure	SP	x(8) x(2)	?
ieh_stat_proc	Statistical Procedure	SP	x(8) x(2)	?
ie_stat_proc	Statistical Procedure	SP	x(8) x(2)	?
ihr_div	Division	? <i>Division</i>	x(8)	?
ihr_group	Group	? <i>Group</i>	x(8)	?
ihr_inv_nbr	Invoice	? <i>Invoice</i>	x(8)	?
ihr_nbr	Sales Order	? <i>sales Order</i>	x(8)	?
ihr_pricing	Pricing	? <i>Pricing</i>	>9	?
ihr_seq	Sequence	? <i>Sequence</i>	>>9	?
ihr_type	Type	? <i>Type</i>	>>>9	?
ihr_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
ihr_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
ihr__qadd01	?	?	->>>>, >>>, >>9.9	10 1
ihr__qadd02	?	?	->>>>, >>>, >>9.9	10 1

Field Name	Label	Col-Label	Format	Dec
ih_div	Division	? <i>Division</i>	x(8)	?
ih_fsm_type	FSM Type	?	x(8) x(83)	?
iph_promo1	Promotion Code	? <i>Promotion!Code</i>	x(8)	?
iph_promo2	Promotion Type	? <i>Promotion!Type</i>	x(8)	?
iph_promo3	APM Code 3	? <i>APM Code3</i>	x(8)	?
iph_promo4	APM Code 4	? <i>APM Code4</i>	x(8)	?
lvr__qadt01	?	?	99/99/99 99/99/9999	?
mof__qadt01	?	?	99/99/99 99/99/9999	?
moh__qadt01	?	?	99/99/99 99/99/9999	?
mon__qadt01	?	?	99/99/99 99/99/9999	?
op_act_run	Act Run Time	Act Run	->,>>9.9<<	9 3
op_flbr_cstd	Curr Cost	?	->>>>,>>9.99	10 2
op_flbr_std	?	?	->>>>,>>9.99	10 2
op_flvrte_accr	?	?	->>>>,>>9.99	10 2
op_flvrte_post	?	?	->>>>,>>9.99	10 2
op_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10 3
pex_inst_date	?	?	99/99/99 99/99/9999	?
pex__qadt01	?	?	99/99/99 99/99/9999	?
pigc_amt_type	Amount Type	? <i>Amount Type</i>	x(24)	?

524 MFG/PRO DATABASE DEFINITIONS

Field Name	Label	Col-Label	Format	Dec
pigc_code	Price List Group	? <i>Price List Group</i>	x(8)	?
pigc_div	Division	? <i>Division</i>	x(8)	?
pigc_expire	Expire	? <i>Expire</i>	99/99/99	?
pigc_include	Include	? <i>Include</i>	yes/no	?
pigc_mem_ref	Member Reference	? <i>Member Reference</i>	x(8)	?
pigc_mem_type	Member Type	? <i>Member Type</i>	>>>9	?
pigc_start	Start	? <i>Start</i>	99/99/99	?
pigc_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
pigc_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
pigc__qadd01	?	?	->>>>, >>>, >>9.9	10 1
pigc__qadd02	?	?	->>>>, >>>, >>9.9	10 1
pigp_amt_type	Amount Type	? <i>Amount Type</i>	X(24)	?
pigp_code	Price List Group	? <i>Price List Group</i>	x(8)	?
pigp_div	Division	? <i>Division</i>	X(8)	?
pigp_expire	Expire	? <i>Expire</i>	99/99/9999	?
pigp_include	Include	? <i>Include</i>	yes/no	?
pigp_list_id	List ID	? <i>List ID</i>	x(8)	?
pigp_prod_ref	Item Reference	? <i>Item Reference</i>	X(18)	?
pigp_prod_type	Item Type	? <i>Item Type</i>	9	?

Field Name	Label	Col-Label	Format	Dec
pigp_start	Start	? Start	99/99/99	?
pigp_user1	Ufld1	? Ufld1	x(8)	?
pigp_user2	Ufld2	? Ufld2	x(8)	?
pigp__qadd01	?	?	->>>>, >>>, >>9.9	10 1
pigp__qadd02	?	?	->>>>, >>>, >>9.9	10 1
pig_all_custs	All Customers	? All customers	yes/no	?
pig_all_items	All Items	? All Items	yes/no	?
pig_amt_type	Amount Type	? Amount Type	x(24)	?
pig_code	Price List Group	? Price List Group	x(8)	?
pig_curr	Currency	Cur Currency	x(3)	?
pig_desc	Description	? Description	x(24)	?
pig_div	Division	? Division	x(8)	?
pig_expire	Expire	? Expire	99/99/99	?
pig_list	Price List	? Price List	x(8)	?
pig_list_id	List ID	? Dist ID	x(8)	?
pig_priority	Priority	? Priority	>9	?
pig_ref_code	Reference	? Reference	x(16)	?
pig_ref_type	Reference Type	? Reference Type	99	?
pig_start	Start	? Start	99/99/99	?

526 MFG/PRO DATABASE DEFINITIONS

Field Name	Label	Col-Label	Format	Dec
pig_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
pig_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
pig_val_type	Value Type	? <i>Value Type</i>	x(24)	?
pig__qadd01	?	?	->>>>,>>>,>>9.9	10 1
pig__qadd02	?	?	->>>>,>>>,>>9.9	10 1
pin_inst_date	?	?	99/99/99 <i>99/99/9999</i>	?
pin__qadt01	?	?	99/99/99 <i>99/99/9999</i>	?
pi_pig_code	Price List Group	? <i>Price List Group</i>	x(8)	?
pt_promo	Promotion Group	? <i>Promotion!Group</i>	x(10)	?
qodr_div	Division	? <i>Division</i>	X(8)	?
qodr_group	Group	? <i>Group</i>	X(8)	?
qodr_line	Line	? <i>Line</i>	>>9	?
qodr_nbr	Quote	? <i>Quote</i>	X(8)	?
qodr_pricing	Pricing	? <i>Pricing</i>	>9	?
qodr_seq	Sequence	? <i>Sequence</i>	>>9	?
qodr_type	Type	? <i>Type</i>	>>>9	?
qodr_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
qodr_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
qodr__qadd01	?	?	->>>>,>>>,>>9.9	10 1

Field Name	Label	Col-Label	Format	Dec
qodr__qadd02	?	?	->>>>,>>>,>>9.9	10 1
qod_div	Division	? <i>Division</i>	x(8)	?
qod_pl_priority	P/L Priority	? <i>P/L Priority</i>	>9	?
qor_div	Division	? <i>Division</i>	X(8)	?
qor_group	Group	? <i>Group</i>	X(8)	?
qor_nbr	Quote	? <i>Quote</i>	X(8)	?
qor_pricing	Pricing	? <i>Pricing</i>	>9	?
qor_seq	Sequence	? <i>Sequence</i>	>>9	?
qor_type	Type	? <i>Type</i>	>>>9	?
qor_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
qor_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
qor__qadc01	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
qor__qadc02	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
qor__qadc03	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
qor__qadd01	? <i>QAD Field</i>	? <i>QAD Field</i>	->>>>,>>>,>>9.9	10 1
qor__qadd02	? <i>QAD Field</i>	? <i>QAD Field</i>	->>>>,>>>,>>9.9	10 1
qor__qadi01	? <i>QAD Field</i>	? <i>QAD Field</i>	->,>>>,>>9	?
qor__qadi02	? <i>QAD Field</i>	? <i>QAD Field</i>	->,>>>,>>9	?
qor__qadi01	? <i>QAD Field</i>	? <i>QAD Field</i>	yes/no	?

528 MFG/PRO DATABASE DEFINITIONS

Field Name	Label	Col-Label	Format	Dec
qor__qadl02	? <i>QAD Field</i>	? <i>QAD Field</i>	yes/no	?
qor__qadt01	? <i>QAD Field</i>	? <i>QAD Field</i>	99/99/99	?
qor__qadt02	? <i>QAD Field</i>	? <i>QAD Field</i>	99/99/99	?
qo_div	Division	? <i>Division</i>	x(8)	?
sodr_div	Division	? <i>Division</i>	X(8)	?
sodr_group	Group	? <i>Group</i>	X(8)	?
sodr_line	Line	? <i>Line</i>	>>9	?
sodr_nbr	Sales Order	? <i>Sales Order</i>	X(8)	?
sodr_pricing	Pricing	? <i>Pricing</i>	>9	?
sodr_seq	Sequence	? <i>Sequence</i>	>>9	?
sodr_type	Type	? <i>Type</i>	>>>9	?
sodr_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
sodr_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
sodr__qadc01	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sodr__qadc02	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sodr__qadc03	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sodr__qadd01	? <i>QAD Field</i>	? <i>QAD Field</i>	->>>>,>>>,>>9.9	10 1
sodr__qadd02	? <i>QAD Field</i>	? <i>QAD Field</i>	->>>>,>>>,>>9.9	10 1
sodr__qadi01	? <i>QAD Field</i>	? <i>QAD Field</i>	->,>>>,>>9	?

Field Name	Label	Col-Label	Format	Dec
sodr__qadi02	? <i>QAD Field</i>	? <i>QAD Field</i>	->,>>>,>>9	?
sodr__qadi01	? <i>QAD Field</i>	? <i>QAD Field</i>	yes/no	?
sodr__qadi02	? <i>QAD Field</i>	? <i>QAD Field</i>	yes/no	?
sodr__qadi01	? <i>QAD Field</i>	? <i>QAD Field</i>	99/99/99	?
sodr__qadi02	? <i>QAD Field</i>	? <i>QAD Field</i>	99/99/99	?
sod_div	Division	? <i>Division</i>	x(8)	?
sod_pl_priority	P/L Priority <i>Pricing Priority</i>	? <i>Pricing!Priority</i>	>9	?
sor_div	Division	? <i>Division</i>	X(8)	?
sor_group	Group	? <i>Group</i>	X(8)	?
sor_nbr	Sales Order	? <i>Sales Order</i>	X(8)	?
sor_pricing	Pricing	? <i>Pricing</i>	>9	?
sor_seq	Sequence <i>Sequence</i>	? <i>Sequence</i>	>>9	?
sor_type	Type	? <i>Type</i>	>>>9	?
sor_user1	Ufld1	? <i>Ufld1</i>	x(8)	?
sor_user2	Ufld2	? <i>Ufld2</i>	x(8)	?
sor__qadc01	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sor__qadc02	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sor__qadc03	? <i>QAD Field</i>	? <i>QAD Field</i>	x(8)	?
sor__qadd01	? <i>QAD Field</i>	? <i>QAD Field</i>	->>>>,>>>,>>9.9	10 1

530 MFG/PRO DATABASE DEFINITIONS

Field Name	Label	Col-Label	Format	Dec
sor__qadd02	? QAD Field	? QAD Field	->>>>,>>>,>>9.9	10 1
sor__qadi01	? QAD Field	? QAD Field	->,>>>,>>9	?
sor__qadi02	? QAD Field	? QAD Field	->,>>>,>>9	?
sor__qadi01	? QAD Field	? QAD Field	yes/no	?
sor__qadi02	? QAD Field	? QAD Field	yes/no	?
sor__qadt01	? QAD Field	? QAD Field	99/99/99	?
sor__qadt02	? QAD Field	? QAD Field	99/99/99	?
so_div	Division	? Division	x(8)	?
url_call_pgm	Browse Calling Procedure	? Calling!Procedure	X(14)	?
url_field_value	Value Field Value	? Field!Value	x(50)	?
vep_abs_id	Shipper ID	Shipper	x(20) x(8)	?
vep_comm_code	Commodity Code	Commodity	x(20) x(8)	?
ver_comm_code	Commodity Code	?	x(20) x(8)	?
ves_comm_code	Commodity Code	Commodity	x(20) x(8)	?
wr_act_run	Act Run Time	?	->,>>9.9<<	9 3
wr_bdn_ll_act	Burden LL Act	?	->>>>,>>9.99	10 2
wr_fbdn_std	?	?	->>>>,>>9.99	10 2
wr_flbr_cstd	Standard Cost	?	->>>>,>>9.99	10 2
wr_flbr_std	Standard Cost	?	->>>>,>>9.99	10 2

Field Name	Label	Col-Label	Format	Dec
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10 2
wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10 2
wr_mtl_ll_act	Mtl LL Act	?	->>>>,>>9.99	10 2
wr_ovh_act	Ovh Act	?	->>>>,>>9.99	10 2
wr_ovh_ll_act	Ovh LL Act	?	->>>>,>>9.99	10 2
wr_sbvuse_post	Setup Bdn Usage Posted Posted		->>>>,>>9.99	10 2
wr_slvuse_post	Setup Lbr Usage Posted Posted		->>>>,>>9.99	10 2
wr_sub_ll_act	Subcontract LL Act	?	->>>>,>>9.99	10 2

Deleted Fields

Table Name	Field Name	Label
ca_mstr	ca_escalate	Escalate
	ca__qadc01	Qad Field 1
	ca__qadc02	Qad Field 2
	ca__qadl01	QAD Logical Field 1
chm_mstr	chm__qadc01	QAD Character Field 1
	chm__qadc02	QAD Character Field 2
	chm__qadl01	QAD Logical Field 1
egc_ctrl	egc__qadc01	Range of Hours to Consider
	egc__qadc02	Limit by Availability
	egc__qadi02	Time Zone Points
	egc__qadl01	Limit by Time Zone
	egc__qadl02	Limit by Service Area
	egc__qadl03	Limit by Problem/Skill
egw_wkfl	egw__qadc01	Override Scheduling Options
et_ctrl	et_intro_dt	Schedule
	et_locked	Euro Currency Intro Date
	et_second_curr	DB Locked For Conversion
	et_tk_active	Improved Settlement 2nd Cur
fnh_hist	fnh__qadl02	Activate Euro Toolkit
fn_mstr	fn__qadl02	Top Level Only
fsu_mstr	fsu__qadc01	Top Level Only
ftch_hist	ftch__qadc01	Time Zone
rma_mstr	rma_curr	Qad Field #1
	rma_exru_seq	
	rma_ex_rate	Currency
	rma_ex_rate2	Sequence
	rma_ex_ratetype	Exch Rate
salh_hist	salh_ex_rate	Exch Rate 2
		Rate Type
seoc_ctrl	seoc__qadc01	Exch Rate
soc_ctrl	soc__qadl01	QAD Field
svc_ctrl	svc__qadc01	SO Returns Update ISB
	svc__qadc02	
	svc__qadi01	Server Time Zone
url_mstr	url_seq	Database Time Zone
		QAD Integer Field 1
vrc_ctrl	vrc_v87	Sequence

Table Name	Field Name	Label
wr_route	wr_ex_rate	Exch Rate

New Fields

Table Name	Field Name	Label
abs_mstr	abs_export_batch	Batch
	abs_export_date	Export Date
	abs_export_time	Export Time
ar_mstr	ar_app_owner	Owner Application
cah_hist	cah__qadc01	?
	cah__qadc02	?
	cah__qadc03	?
	cah__qadd01	?
	cah__qadd02	?
	cah__qadd03	?
	cah__qadi01	?
	cah__qadi02	?
	cah__qadi03	?
	cah__qadi01	?
	cah__qadi02	?
	cah__qadi03	?
	cah__qadt01	?
	cah__qadt02	?
	cah__qadt03	?
ca_mstr	ca__qadi04	QAD Logical Field 4
chm_mstr	chm__qadc04	QAD Character Field 4
	chm__qadc05	QAD Character Field 5
	chm__qadc06	QAD Character Field 6
egc_ctrl	egc__qadc07	QAD Character Field 7
	egc__qadd01	QAD Decimal Field 1
	egc__qadd02	QAD Decimal Field 2
	egc__qadd03	QAD Decimal Field 3
	egc__qadi04	QAD Integer Field 4
	egc__qadi05	QAD Integer Field 5
	egc__qadi05	QAD Logical Field 5
	egc__qadi06	QAD Logical Field 6
	egc__qadi07	QAD Logical Field 7
	egc__qadt01	QAD Date Field 1
	egc__qadt02	QAD Date Field 2
	egc__qadt03	QAD Date Field 3
egw_wkfl	egw__qadc03	QAD Field
fnh_hist	fnh__qadi04	Qad Logical #4
fn_mstr	fn__qadi04	QAD Logical Field 4
fsu_mstr	fsu__qadc06	?
	fsu__qadt01	?
	fsu__qadt02	?

Table Name	Field Name	Label
ftch_hist	ftch__qadc02	Qad Field #2
	ftch__qadd01	Qad Decimal #1
ih_hist	ih_export_batch	Batch
	ih_export_date	Export Date
	ih_export_time	Export Time
ls_mstr	ls_app_owner	Owner Application
	ls__dec01	
	ls__dec02	
	ls__dte01	
	ls__dte02	
	ls__int01	
	ls__int02	
	ls__log01	
	ls__log02	
	ls__qadc02	
	ls__qadc03	
	ls__qadc04	
	ls__qadd01	
	ls__qadd02	
	ls__qadi01	
	ls__qadi02	
	ls__qadi01	
	ls__qadi02	
	ls__qadt01	
	ls__qadt02	
pigg_det	pigg_curr	Currency
	pigg_srch_type	Search Type
pign_det	pign_curr	Currency
	pign_srch_type	Search Type
pig_mstr	pig_srch_type	Search Type
pt_mstr	pt_app_owner	Owner Application
seoc_ctrl	seoc__qadc03	QAD Character Field 3
	seoc__qadd02	QAD Decimal Field 2
	seoc__qadi02	QAD Integer Field 2
	seoc__qadt01	QAD Date Field 1
	seoc__qadt02	QAD Date Field 2
soc_ctrl	soc__qadi04	QAD Field
sod_det	sod_qty_invcd	Quantity Invoiced
so_mstr	so_app_owner	Owner Application
svc_ctrl	svc__qadc04	QAD Character Field 4
	svc__qadc05	QAD Character Field 5
	svc__qadi05	QAD Integer Field 5
url_mstr	url_determine	Determine
	url_primary	Primary
	url_script	URL Script

536 MFG/PRO DATABASE DEFINITIONS

Table Name	Field Name	Label
	url_type	Type
vepd_det	vepd_site	Site
vesd_det	vesd_site	Site
whl_mstr	whl_wo_rcpt_exp	Work Order Receipt

Changed Indexes

The left side for each index lists the current values of the various items; the right side lists the previous values.

Table Name	Unique	Current Values				Previous Values		
		Old Field Name	Asc	Abr	Unique	Field Name	Asc	Abr
idhr_type	no	idhr_type	yes	no	yes	idhr_type	yes	no
ihr_type	no	ihr_type	yes	no	yes	ihr_type	yes	no
pigc_member	no	pigc_div	yes	no	yes	pigc_div	yes	no
		pigc_mem_type	yes	no		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no		pigc_mem_ref	yes	no
		pigc_srch_type	yes	no		pigc_start	yes	no
		pigc_curr	yes	no		pigc_amt_type	yes	no
		pigc_start	yes	no				
pigp_product	no	pigp_div	yes	no	yes	pigp_div	yes	no
		pigp_prod_type	yes	no		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no		pigp_start	yes	no
		pigp_curr	yes	no		pigp_amt_type	yes	no
		pigp_start	yes	no				
vrc_id	yes	vrc_v86	yes	no	yes	vrc_v87	yes	no

Deleted Indexes

Index	Index
exd_curr	url_addr_pgm
ex_curr	usro_addr
pgmi_exec	usrp_addr_pref
scon_constant	vepd_missed_event
sec_index1	vepd_transaction
sess_mfguser	vepd_vendor
sgcon_grp_con	vepd_vendor_event
sgrp_group	vep_missed_event
sppg_prf_exec	vep_vendor
sprf_profile	vep_vendor_date
spri_profile	vep_vendor_order
srul_rule_type	vesd_vendor
ssbuf_exec	ves_vendor
sucon_addr_con	web_index1

New Indexes for Existing Tables

Index	Index
abs_export_batch	url_type_field
ih_export_batch	vendor_date_order
missed_event_order	vendor_event_order
missed_event_order	vendor_site_order
pig_all_custs	vepd_vendor_order
pig_all_items	vep_vendor_nbr_order
transaction_order	vesd_vendor_order
url_type_call_pgm	ves_vendor_order

Deleted Tables

Table Name	Description
exd_det	Exchange Rate Detail
ex_mstr	Currency Exchange Master
pgmi_mstr	Program Information Master
scon_mstr	Security Constant Master
sec_ctrl	Security Control File
sess_mstr	Session Master
sgcon_det	Security Group Constant
sgrp_mstr	Security Group Master
sppg_det	Security Profile Program
sprf_mstr	Security Profile Master
sprl_det	Security Rule Detail
srul_mstr	Security Rule Master
ssbuf_det	Security Secondary Buffer
sucon_det	Security User Constant
usro_mstr	User Options Master
usrp_det	User Preference Detail
web_ctrl	

New Tables

Table Name	Table Description
aprm_mstr	Application Parameter Master
apr_mstr	Application Registry
art_mstr	Application Return Code Master
edc_ctrl	MFG/EC Control File
edmfdd_det	MFG/PRO Document Field Detail
edmfdd_det	MFG/PRO Document Record Detail
edmfdd_det	MFG/PRO Document Repository Detail
edmfdd_mstr	MFG/PRO Document Repository Master
edmfdd_det	MFG/PRO Document Status Message Detail
edmfdd_det	MFG/PRO Document Status History Detail
edmfdd_mstr	MFG/PRO Document Status Master
edmfdd_mstr	MFG/PRO Document Master
edmfdd_det	MFG/PRO Document Implementation Field Detail
edmfdd_det	MFG/PRO Document Implementation Record Detail
edmfdd_mstr	MFG/PRO Document Implementation Master
edmsg_mstr	Message Master
edrrx_ref	Document Status Join Cross-Reference
edsdd_det	EC Subsystem Control Record Field Detail
edsd_det	EC Subsystem Control Record Detail
edss_mstr	EC Subsystem Master
edsxx_ref	EC Subsystem to Exchange File Record Cross-Reference
edtadm_mstr	Turnaround Data Mapping Master
edtarf_mstr	Turnaround Retrieval Function Master
edtar_mstr	Turnaround Data Repository Master
edta_mstr	Turnaround Data Item Master
edtg_mstr	Document Transmission Group Master
edtmx_ref	Trading Partner MFG/PRO Document Cross-Reference
edtpd_det	Trading Partner Document Detail
edtparm_mstr	Trading Partner Parameters Master
edtp_mstr	Trading Partner Master
edtrd_det	Transformation Actions Detail
edtrf_mstr	Transformation Function Definitions Master
edtrp_mstr	Transformation Map Function Parameters Master
edtrv_mstr	Transformation Variables Master
edtr_mstr	Transformation Definitions Master
edval_mstr	Validation Codes Master
edxfdd_det	Exchange File Field Detail
edxfd_det	Exchange File Record Detail
edxfdd_det	Exchange File Status Message Detail
edxfdd_det	Exchange File Status History Detail
edxf_mstr	Exchange File Status Master
edxf_mstr	Exchange File Master
edxrd_det	Exchange File Repository Detail
edxref_mstr	EC Data Cross-Reference Master
edxr_mstr	Exchange File Repository Master
elg_hist	Export Document Log
emap_det	Mapped Export Document Detail
emg_msg	Export Document Message
eraw_det	Raw Export Document Detail
esp_mstr	Export Document Specification Master
ifs_mstr	Interface Session Master

542 MFG/PRO DATABASE DEFINITIONS

Table Name	Table Description
ilg_hist	Import Document Log
imap_det	Mapped Import Document Detail
img_msg	Import Document Message
iraw_det	Raw Import Document Detail
isp_mstr	Import Document Specification Master
lgc_mstr	Logistics Application Charge Master
lgsi_det	Logistics Site Detail
lgs_mstr	Logistics Master
qqc_ctrl	Q/LinQ Control File
rsc_ctrl	Shipping Schedule Control File
sdt_d_det	Shipping Delivery Time Detail
sdt_mstr	Shipping Delivery Time Master

Index of Table Descriptions

A

Account Cross-Reference Master 12
Account Master 13
Account Sub-Account Cost Center Master 30
Account Total Detail 11
Accounts Payable Control File 19
Accounts Payable Master 25
Accounts Receivable Control File 26
Accounts Receivable Detail 26
Accounts Receivable Master 28
Action Message Detail 299
Address Control File 14
Address List Detail 289
Address Master 15
Advanced Pricing Management Control File 21
Allocation Account Detail 16
Allocation Account Master 17
Allocation Detail by Location 280
Alternate Container Master 12
Alternate Unit of Measure Master 483
Analysis Code and GL Code Selection Detail 224
Analysis Code and Item Type Workfile 232
Analysis Code Detail File 223
Analysis Code Exploded Detail 18
Analysis Code Explosion Workfile 237
Analysis Code Image Explosion Level 232
Analysis Code Link Detail 18
Analysis Code Link-File Detail 224
Analysis Code Master 19
Analysis Code Master File 224
Analysis Code Selection Detail 18
APM Customer Relationships 20
Application Parameter Master 21
Application Registry 22
Application Return Code Master 27

Application Server Master 32
ASN/BOL/Shipper Master 8
Asset Book Detail 6
Asset Cost Change Detail 10
Asset Master 31
Associated Item Detail 342
Audit Detail 33
Auto Deposit Detail 14
Auto Lot Master File 17
Available-to-Promise Detail 33

B

Bank Master 38
Batch Control Detail 35
Batch Control Master 35
Batch Data Load Detail 36
Batch Data Load Master 36
Batch Master 34
Break Group Detail File 229
Budget Detail 36
Budget Master 37

C

Calendar Detail 44
Carrier Control File 71
Cash Book Master 50
Cash Flow Control File 54
Cash Flow Master 54
Category Master File 382
Check Detail – Accounts Payable 59
Check Master – Accounts Payable 60
Check Status Detail 60
Class Master 61
Code Master 66
Column Group Detail File 227

Column Group Master 227
 Commodity Code Detail File 66
 Commodity Code Master 67
 Compliance Control File 61
 Consolidated Exchange Rate Detail 176
 Consolidation Currency Exchange Master 177
 Control File Data – Interim 291
 Controlled Substance Authority File 71
 Controlled Substance Customer File 73
 Controlled Substance Item Detail File 73
 Controlled Substance Item Master 74
 Controlled Substance Site File 76
 Co-product/By-product Average Cost Master 11
 Cost Center – Account Validation Detail 50
 Cost Center – Sub-Account Validation Detail 51
 Cost Center Master 52
 Cost Element Defaults 158
 Cost Set Calendar 67
 Cost Set Master 78
 Cost Simulation Item Detail 451
 Cost Simulation Master 422
 Cost Simulation Operation Detail 445
 Cost Simulation Total Detail 421
 Cost Simulation Work Center Detail 463
 Cost-Site Detail 76
 Country Master 78
 Credit Terms Detail 78
 Credit Terms Master 79
 Currency Master 80
 Customer Control File 61
 Customer Item Master 70
 Customer Master 64
 Customer Period Calendar Detail File 68
 Customer Period Calendar Master File 69
 Customer/Supplier Bank Detail 72

D

Database Connection Master 81
 Database Revision Control File 81
 Deduction Master 82
 Definition Matrix 228
 Department Master 87
 Depreciation Book Master 80
 Depreciation Convention Master 84
 Depreciation Detail 85
 Depreciation Method Master 86
 Depreciation Method Table Detail 86

Distributed Site Order Detail 91
 Distributed Site Order Master 90
 Distributed Site Requisition Detail 88
 Distributed Site Requisition Master 90
 Document Print Format Master 83
 Document Status Join Cross-Reference 119
 Document Transmission Group Master 128
 Draft Management Workfile 83
 Drafts Management 84
 DRP Control File 88

E

Earnings Master 94
 EC Data Cross-Reference Master 148
 EC Subsystem Control Record Detail 121
 EC Subsystem Control Record Field Detail 120
 EC Subsystem Master 122
 EC Subsystem to Exchange File Record Cross-Reference 123
 Electronic Data Interchange Workfile 105
 E-mail Master File 163
 Employee Control File 160
 Employee Deduction Detail 104
 Employee Deduction Master 150
 Employee Earnings Detail 150
 Employee Master 161
 Employee Year-To-Date Totals Detail 517
 Employer Paid Deduction Detail 167
 EMU Control 173
 Engineering Change – Master Lists 101
 Engineering Change Approval Master 94
 Engineering Change Control File 95
 Engineering Change Detail – Approvals 100
 Engineering Change Detail – Item Masters 100
 Engineering Change Detail – Product Structures 95
 Engineering Change Detail – Routings 96
 Engineering Change Detail – Text Files 97
 Engineering Change Master 101
 Engineering Change Type Master 103
 Enterprise Material Transfer – Change Management Detail 62
 Enterprise Material Transfer – Change Management Master 62
 Enterprise Material Transfer – Primary Business Unit Data 41
 Entity Master 166
 Evaluated Receipts Settlement Table 167

Exchange File Field Detail 140
 Exchange File Master 146
 Exchange File Record Detail 142
 Exchange File Repository Detail 147
 Exchange File Repository Master 149
 Exchange File Status History Detail 144
 Exchange File Status Master 145
 Exchange File Status Message Detail 143
 Exchange Rate 178
 Exchange Rate Usage 177
 Export Document Log 156
 Export Document Message 160
 Export Document Specification Master 169

F

Family Hierarchy Master 185
 Family Item Cost File 198
 Family Line Planning File 189
 Family Plan – Production and Shipment 195
 Family Plan – Production Backlog and Cost 194
 Family Plan – Production Inventory and Order 194
 Family Plan – Simulation Backlog and Cost 205
 Family Plan – Simulation Inventory and Order 206
 Family Plan – Simulation Production and Shipment 206
 Federal Income Tax Tables Detail 210
 Field Default Master 187
 Field Help Program Master 188
 Field Security Master 188
 Final Assembly Control File 178
 Fixed Asset Custodian Master 77
 Fixed Asset Location Master 179
 Fixed Asset System Control File 179
 Fixed Assets Type Master 480
 Forecast Calculation Control File 184
 Forecast Summary 183
 Forecasting Master File 184
 Format Position Master 189
 Freight Charge Detail 199
 Freight List Master 202
 Freight Rate Detail 200
 Freight Rate Master 200
 Freight Terms Master 210
 Freight Zone Detail 201
 Function Key and User Detail 482

G

General Ledger (Company) Control File 68
 General Ledger Calendar 212
 General Ledger Calendar Detail 212
 General Ledger Daybook Master 93
 General Ledger Default Daybook Master 92
 General Ledger Report Detail 213
 General Ledger Report Master 213
 General Ledger Transaction History 214
 General Ledger Transactions (Unposted) 216
 General Ledger Work File 215
 General License Master File 75
 GL Report Writer – Account Balances 221, 236
 GL Report Writer – Budgeted Account Balances 225
 GL Report Writer – Fiscal Quarter Calendar 234
 GL Report Writer – Function Master 228
 GL Report Writer – Text String Detail 235
 GL Report Writer Control File 240

H

Help Master 240
 Holiday Master 240

I

Image Column Detail File 230
 Import Document Log 258
 Import Document Message 260
 Import Document Specification Master 270
 Import/Export Control File 248
 Import/Export Detail 249
 Import/Export History 250
 Import/Export Master 252
 Independent Demand File 261
 Individual License Detail File 75
 Individual License Master File 74
 Interface Session Master 253
 Inventory Control File 242
 Inventory Detail by Location 281
 Inventory Master 262
 Inventory Movement Code Master 261
 Inventory Movement Site Detail 435
 Inventory Status Detail 270
 Inventory Status Master 272
 Inventory Transaction and General Ledger Cross-Reference 469
 Inventory Transaction History 471
 Invoice History Detail 244

Invoice History Detail Relationships 243
 Invoice History Master File 254
 Invoice History Master Relationships 254
 Invoice Sort Categories 186
 Item and Lot/Serial Attribute Detail 344
 Item Location Detail 257
 Item Master 349
 Item Planning Data Detail 344
 Item Quantitative Analysis Detail 346
 Item Routing Cost Detail 267
 Item Routing Detail 347
 Item Site Load Detail File 278
 Item Site Load Master 278
 Item Specification Detail 263
 Item Status Master 278
 Item Substitute Detail 347
 Item Tax Detail 348

K

Kanban Card Details 279
 Kanban Card Master Details 279

L

Language Detail 285
 Language Master 286
 Line Changeover Master 55
 Line Detail 284
 Line Master 286
 Location Master 287
 Logistics Application Charge Master 282
 Logistics Master 283
 Logistics Site Detail 282
 Lot Master File 288
 Lot Number Workfile 288

M

Mapped Export Document Detail 159
 Mapped Import Document Detail 259
 Master Bill of Lading Control File 39
 Master Comments 53
 Master Production Schedule 295
 Master Specification Detail 293
 Master Specification Record 296
 Master Specification Test History 294
 Maximum Table Detail 289
 Maximums Master 290
 Menu Detail 292

Menu Program Execution Detail 292
 Menu Title Detail 293
 Message Master 118, 297
 MFG/EC Control File 103
 MFG/PRO Document Field Detail 106
 MFG/PRO Document Implementation Field
 Detail 115
 MFG/PRO Document Implementation Master 117
 MFG/PRO Document Implementation Record
 Detail 116
 MFG/PRO Document Master 113
 MFG/PRO Document Record Detail 107
 MFG/PRO Document Repository Detail 108
 MFG/PRO Document Repository Master 109
 MFG/PRO Document Status History Detail 111
 MFG/PRO Document Status Master 112
 MFG/PRO Document Status Message Detail 110
 Mirror Account Master 291
 Monetary Union Master 298
 MRP Control File 296
 MRP Detail 296

N

Number Range Master 299

O

Operations Plan Control File 303

P

Pallet Detail 306
 Pallet Master 307
 Parts Statistical Value Detail 348
 Payroll Check Detail 308
 Payroll Control File 336
 Payroll Deduction Base Type Detail 41
 Payroll Deduction Base Type Master 41
 Payroll Department Detail 87
 Physical Inventory Tag Master 464
 Pick List Detail 322
 Point of Use Detail 331
 Price List Detail 316
 Price List Group Customers 316
 Price List Group Items 317
 Price List Groups 318
 Price List Master 320
 Pricing Control File 315
 Pricing History File 264, 319

Printer Detail 337
 Printer Master 340
 Printer/User Detail 484
 Product Change Control – Control File 307
 Product Change Control – Group Detail 309
 Product Change Control – Group Master 309
 Product Change Control – Item Routing Data 98
 Product Change Control – Item Substitution Data 99
 Product Change Control – Routing Slip Detail 393
 Product Change Control – Routing Slip Master 394
 Product Change Control – Routing Slip Template Detail 392
 Product Change Control – Routing Slip Template Master 393
 Product Change Control – Test Results Data 97
 Product Change Control – Type Master 310
 Product Line Detail 323
 Product Line Master 325
 Product Line Plan 334
 Product Line Requirements 334
 Product Line Sales Detail 324
 Product Line Tax Detail 324
 Product Structure (Bill of Material) Master 40
 Product Structure Master 341
 Production Forecast 311
 Program Detail File 314
 Project Master 322
 Purchase Approval Code Master 305
 Purchase Order Control File 327
 Purchase Order Detail 328
 Purchase Order Line – Cost Element Detail 308
 Purchase Order Master 331
 Purchase Order Receipt History 338

Q

Q/LinQ Control File 363
 QSpec Master Specification – Test Results 266
 Quality Control Order Detail 354
 Quality Control Order Master 355
 Quality Inspection Routing Detail 364
 Quality Order Control File 354
 Quality Order Test Step File 366
 Quality Sampling Pattern Master 355
 Quality Test Bill Detail 363

R

Raw Export Document Detail 166

Raw Import Document Detail 266
 Reason Code Master 392
 Repetitive Control File 379
 Repetitive Production Schedule 379
 Report Content Master File 238
 Report Image Detail File 231
 Report Image Master File 233
 Report Image Matrix 231
 Requirement Detail 386
 Requirements Master 390
 Requisition – PO Cross-Reference File 388
 Requisition Approval Level Master 386
 Requisition Approver Master File 380
 Requisition Category Detail File 381
 Requisition Control File 384
 Requisition Detail 369
 Requisition Detail Approvals File 382
 Requisition Detail File 382
 Requisition History File 385
 Requisition Job Master File 385
 Requisition Master File 387
 Resource Master 394
 Resource Requirements Detail 391
 Retrobill Master 366
 Return Status Master 199
 RMA Control File 373
 RMA Detail History 370
 RMA Detail Lines 375
 RMA Order Master 372
 Role Master File 390
 Rounding Method Master 377
 Routing Operation Detail 377
 Row Group Detail 234
 Row Group Master 235
 Row/Column Explosion (Hierarchical) 238
 Row/Column Explosion (Separate) 237
 Row/Column Sequence for Group 229

S

Sales History – Customer 63
 Sales History – Customer-Item 69
 Sales History – Products 343
 Sales History – Salesperson 450
 Sales Order Configuration Bill 438
 Sales Order Configuration Bill History 241
 Sales Order Control File 439
 Sales Order Detail 441

Sales Order Detail Relationships	441	Service/Support Call Item Detail	275
Sales Order Discount Master	424	Service/Support Call Item History	273
Sales Order Master	446	Service/Support Call Master	46
Sales Order Master Relationships	446	Service/Support Call Master Control	42
Sales Quotation Configuration Bill	356	Service/Support Call Queue Master	45
Sales Quotation Control File	357	Service/Support Call Status Master	46
Sales Quotation Detail	358	Service/Support Call Types	183
Sales Quotation Detail Relationships	357	Service/Support Charge Code Defaults	181
Sales Quotation Master	360	Service/Support Charge Code Master	182
Sales Quotation Master Relationships	360	Service/Support Charge Code Product Line	180
Salesperson Commission Detail File	450	Service/Support Contract Billing Control	38
Salesperson Control File	449	Service/Support Contract Limit History	404
Salesperson Master	451	Service/Support Contract Limits	406
Schedule Detail – Release Management	418	Service/Support Contract Price Indexing	207
Schedule Master – Release Management	419	Service/Support Contract/Repair Pricing	197
Scheduled Order Cross Reference	422	Service/Support Cross-Reference Master	71
Seasonal Build Detail	184	Service/Support Custom Program Detail	292
Self-Bill Detail	414	Service/Support Custom Program Parameter File	294
Self-Bill Master	415	Service/Support End User Detail	174
Self-Billing Control File	413	Service/Support End User Master	175
Sequence Master – Line Scheduling	426	Service/Support End User Number Control	173
Sequence Number History Table	298	Service/Support Engineer Availability Master	151
Serial Number Workfile	455	Service/Support Engineer Master	164
Service Agreement Terms and Conditions Master	462	Service/Support Engineer Message Master	162
Service Category Master	202	Service/Support Engineer Problem/Skills Detail	154
Service Contract Additional Options	418	Service/Support Engineer Schedule Control File	152
Service Contract Control File	394	Service/Support Engineer Schedule Detail	153
Service Contract Detail	398	Service/Support Engineer Schedule Master	168
Service Contract Detail History	396	Service/Support Engineer Selection Work File	156
Service Contract History Master	401	Service/Support Engineer Status Master	171
Service Contract Master File	409	Service/Support Engineer Tracking Master	154
Service Contract Preventive Maintenance Detail	407	Service/Support Escalation and Repair Master	171
Service Contract Serial Number Master	408	Service/Support Escalation Control File	168
Service Engineer Order Control File	424	Service/Support Field Notification Detail	190
Service Request Control File	452	Service/Support Field Notification History	191
Service Request Master	454	Service/Support Field Notification Master	192
Service Support Call Defaults	52	Service/Support Holiday Master	204
Service/Repair Order Control File	452	Service/Support Installed Base Item Detail	267
Service/Repair Order Master	452	Service/Support Installed Base Structure	272
Service/Support – Parent/Child Relationship Master	466	Service/Support Installed Configuration Detail	242
Service/Support Billing Cycle	412	Service/Support Item-Site Data	312
Service/Support Billing Detail	426	Service/Support Kit Master	186
Service/Support Billing History	428	Service/Support Management Control File	459
Service/Support Call Fault Code Detail	51	Service/Support On Call Master	300
Service/Support Call History	43	Service/Support Pager Control File	313
Service/Support Call History Master	56	Service/Support Paging History	314
		Service/Support Price Indexing Master	196

Service/Support Problem Detail 335
 Service/Support Problem Master 336
 Service/Support Region Master 368
 Service/Support Returns Defaults 367
 Service/Support Time Zone Detail 481
 Service/Support Time Zone Master 482
 Service/Support Trace History File 209
 Service/Support Trace Master 209
 Service/Support User Preferences 208
 Service/Support Work Code Master 211
 Service/Support Work Order Serial Number
 Workfile 203
 Shift Detail File 432
 Shift Master 429
 Shipment Carrier Detail 7
 Shipment Detail/Invoice Number Cross-
 Reference 436
 Shipment Requirement Detail 7
 Shipment Trailer Detail 434
 Shipper Control File 431
 Shipping Delivery Time Detail 423
 Shipping Delivery Time Master 423
 Shipping Group Address Detail 430
 Shipping Group and Inventory Movement Code
 Detail 431
 Shipping Group Carrier Detail 430
 Shipping Group Master 431
 Shipping Schedule Control File 391
 Shipping Schedule Detail 432
 Shipping Schedule Master 433
 Shop Calendar 434
 Shop Floor Operation – General Ledger Detail 301
 Shop Floor Operation History 303
 Shop Floor Operation History Control File 300
 Simulation Line Planning File 205
 Site Master 437
 Source Matrix Master 438
 Source of Supply Detail 456
 Source of Supply Master 456
 Standard Operation Master 302
 State Tax Detail – Type 1 457
 State Tax Detail – Type 2 457
 State Tax Master 458
 Sub-Account – Account Validation Detail 413
 Sub-Account Master 416
 Supplier Performance Category Detail File 489
 Supplier Performance Category Master 489

Supplier Performance Control File 491
 Supplier Performance Cross-Reference Master 499
 Supplier Performance Data Master 493
 Supplier Performance Detail 492
 Supplier Performance Event Master 490
 Supplier Performance Registration Detail 495
 Supplier Performance Registration Master 496
 Supplier Performance Summary Detail 497
 Supplier Performance Summary Master 498
 Supplier Performance Weighting Factor Master 499
 System/Account Control File 218

T

Tax Base Detail 476
 Tax Control File 477
 Tax Details 465, 474
 Tax Environment Detail 477
 Tax Environment Master 478
 Tax History Detail 478
 Tax Master 466, 475
 Tax Zone Master 480
 Trading Partner Document Detail 130
 Trading Partner Master 132
 Trading Partner MFG/PRO Document Cross-
 Reference 129
 Trading Partner Parameters Master 131
 Trailer Master 470
 Trailer Tax Detail File 470
 Transaction Comments 64
 Transaction Cost Detail 469
 Transaction Export Master 467
 Transformation Definitions Master 137
 Transformation Function Definitions Master 134
 Transformation Map Function Parameters Master 135
 Transformation Variables Master 136
 Transmission Date Reference 471
 Transportation Master 468
 Turnaround Data Item Master 127
 Turnaround Data Mapping Master 124
 Turnaround Data Repository Master 126
 Turnaround Retrieval Function Master 125

U

URL Master Table 484
 User Control File 485
 User Master 486
 User Message Detail 483

V

Validation Codes Master 138
Value Added Taxes Master 505
VAT Control File 505
Vendor Control File 487
Vendor Item Master 503
Vendor Master 487
Version Control Table 504
Voucher Detail 500
Voucher Master 501
Voucher Purchase Order Detail 503
Voucher/Purchase Receipts History 503

W

Warehouse Location Master 507
Work Center Master 506
Work Center Routing Standards 506
Work Location Master 508
Work Order Control File 509
Work Order Detail 510
Work Order Master 511
Work Order Routing 514
Workers Compensation Master 508
Workfile (Available for Users) 485
Workfile, Reserved for QAD 353