



QAD Enterprise Applications
Enterprise Edition

Training Guide QAD Customer Schedules

70-3205-2016EE
QAD 2016 Enterprise Edition
Workspace: 10USA > 10USACO
April 2016

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright ©2016 by QAD Inc.

CustomerSchedules_TG_v2016 EE.pdf/c6s/mdf

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<http://www.qad.com>

Contents

QAD Customer Schedules	
Change Summary	v
About This Course	1
Course Description	1
Course Objectives	1
Audience	1
Prerequisites	1
Course Credit and Scheduling	2
Virtual Environment Information	2
QAD Web Resources	2
QAD Learning Center	2
QAD Document Library	2
QAD Support	2
Chapter 1 Introduction to Customer Schedules	3
Course Overview	4
Customer Schedules	5
Key Events	6
Terminology	7
Incoming Information Flow	9
Outgoing Information Flow	10
Customer Schedules Life Cycle	11
Chapter 2 Business Considerations	15
Netting Logic	17
Tracking – Cumulative Example	18
Tracking Terminology	20
EDI eCommerce	21
Containerization	23
Price Lists	25
Review	26
Course Overview	27

Chapter 3 Customer Schedules Setup29

- Customer Schedules Business Process 31
- Item Records 32
 - Customer Item Maintenance 33
 - Exercise: Maintain Customer Items 34
- Customer Calendars 35
 - Customer Calendar Maintenance 36
 - Exercise: Set Up Customer Calendar 36
- Customer Order Periods 37
 - Customer Order Period Maintenance 38
- Dock Addresses 39
 - Dock Maintenance 40
 - Exercise: Create Customer Ship-To and Dock Addresses 41
- Shipping Label Templates 42
 - Shipping Label Definition Maintenance 44
- Control Setting 45
 - Customer Schedules Control 46
 - Container/Shipper Control 49
 - Exercise: Set Up Cust Sched/Shipper Acct Control 49
- Requirement Detail Categories 50
 - Generalized Codes Maintenance 51
 - Customer Plan Schedule Maintenance 52
- Configured Messages 53
 - Configured Message Maintenance 54
- Scheduled Orders 56
 - Header 57
 - Tax Data Frame 60
 - The Non-Cumulative Quantity Account Data frame 61
 - Line Item Data 62
 - Order Line Item Data: First Frame 63
 - Order Line Item Data: Second Frame 65
 - Exercise: Create a Scheduled Order 67

Chapter 4 Customer Schedules Processing69

- Receive Schedule Release 71
 - Document Import 73
- Enter or Verify the Schedule 75
 - Customer Plan Schedule Maintenance 76
 - Exercise: Create a Planning Schedule 80
 - Customer Ship Schedule Maintenance 81
 - Exercise: Create a Shipping Schedule 82
- Create Required Ship Schedule 83

Required Ship Schedule Update 84
 Customer Schedule Calculation 86
 Exercise: Create a Required Ship Schedule 88
 Selective Required Ship Schedule Update 89
 Required Ship Schedule Maintenance 90
 Run MRP 91
 Net Change MRP 92
 Regenerate Materials Plan 93
 Selective Materials Plan 94
 Customer Schedules Processing Summary 95
 Course Overview 96

Chapter 5 Customer Schedule Shipment Processing 97

 Shipment Processing 99
 Create Containers 100
 Container Workbench 101
 Container Information Frame 102
 Issue Detail Frame 104
 Item Information Frame 105
 Container Workbench Frame 107
 Adding a New Item/Container Record 108
 Deleting an Existing Item/Container Record 109
 Create Shipper 110
 Picklist/Pre-Shipper - Automatic 111
 Exercise: Create a Shipper 114
 Pre-Shipper/Shipper Workbench 115
 Exercise: Add Item to the Shipper 125
 Shipper Gateway 126
 Verify Shipper 127
 Manual Shipper Verification 128
 Print Shipping Labels 129
 Shipping Label Print 130
 Sales Order Shipping Label Print 131
 Print Bill of Lading 132
 Bill of Lading Print 133
 Confirm Shipper 134
 Pre-Shipper/Shipper Confirm 135
 Invoice Options 137
 Exercise: Confirm the Shipper 139
 Send Shipper 140
 Pre-Shipper/Shipper Print 141
 Shipment ASN Export 142
 Print Invoice 143

Preview Invoice Print	144
Invoice Print or Reprint	145
Invoice Export	146
Customer Schedule Shipment Processing Summary	147
Course Overview	148
Chapter 6 Special Processes	149
Unconfirm Shipper	151
Shipper Unconfirm	152
Cumulative Totals	154
Adjust Cumulative Line Item Totals	155
Cumulative Shipped Maintenance	156
Reset Cumulative Totals To Zero	158
Cum Shipped Reset	159
Retobilling	161
Retobilling	162
Retobill Process	163
Retobill Maintenance	164
Retobill Maintenance 2nd Frame	165
Retobill Inquiry	166
Retobill Report	167
Retobill Process	169
Product Information Resources	171

QAD Customer Schedules Change Summary

The following table summarizes significant differences between this document and the last published version.

Date/Version	Description	Reference
April 2016/v2016 EE	Rebranded for QAD 2016 EE, added link to Preface	--
April 2015/v2015 EE	Rebranded for QAD 2015 EE	--
March 2014/v2014 EE	Rebranded for QAD 2014 EE	--
September 2013/v2013.1 EE	Rebranded for QAD 2013.1 EE	--
March 2013v/2013 EE	Rebranded for QAD 2013 EE	--
September 2012/v2012.1 EE	Rebranded for QAD 2012 EE; Consistency edit	--
April 2012/v2012 EE	Rebranded for QAD 2012 EE	--
March 2012/v2012 EE	Fixed some typos in the documentation	--
March 2012/v2012 EE	Redesigned the exercise of creating customer ship-to and dock addresses	Page 41
September 2011/2011.1 EE	Rebranded for QAD 2011.1 EE	--

About This Course

Course Description

QAD designed this course to cover the basics of preparing to implement customer schedules in QAD Enterprise Applications Enterprise Edition (EE).

The course includes:

- An introduction to customer schedules
- An overview of key business considerations
- Setting up customer schedules
- Operating customer schedules
- References to other QAD materials
- Activities and exercises throughout the course that let students practice key concepts and processes in customer schedules

Course Objectives

By the end of this class, students will:

- Analyze some key business decisions before setting up customer schedules
- Set up and operate customer schedules

Audience

- Implementation consultants
- Members of implementation teams
- Key users
- Information Systems (IS staff who support the EDI/EDI eCommerce interfaces)

Prerequisites

- Basic knowledge of:
 - Hardware and network configurations
 - QAD Enterprise Applications as it is used in the business
- Working knowledge of the manufacturing industry in general

Note Students unfamiliar with QAD Enterprise Applications should read *User Guide: Introduction to QAD Enterprise Applications* before attending this class.

Course Credit and Scheduling

This course is designed to be taught in two days.

Virtual Environment Information

The hands-on exercises in this book should be used with the latest Enterprise Edition learning environment in the 10USA > 10USACO workspace. When prompted to log in, specify *demo* for user ID and *qad* for password.

QAD Web Resources

If you encounter questions on QAD software that are not addressed in this book, several resources are available. The QAD corporate Web site provides product and company overviews. From the main site, you can access the QAD Learning or Support site and the QAD Document Library. Access to some portions of these sites depends on having a registered account.

<http://www.qad.com/>

QAD Learning Center

To view available training courses, locations, and materials, use the QAD Learning Center. Choose Education under the Services tab to access this resource. In the Learning Center, you can reserve a learning environment if you want to perform self-study and follow a training guide on your own.

QAD Document Library

To access release notes, user guides, training guides, and installation and conversion guides by product and release, visit the QAD Document Library. Choose Document Library under the Support tab. In the QAD Document Library, you can view HTML pages online, print specific pages, or download a PDF of an entire book.

For more information, see *QAD Scheduled Order Management User Guide*.

To find a resource, you can use the navigation tree on the left or use a powerful cross-document search, which finds all documents with your search terms and lets you refine the search by book type, product suite or module, and date published.

QAD Support

Support also offers an array of tools depending on your company's maintenance agreement with QAD. These include the Knowledgebase and QAD Forums, where you can post questions and search for topics of interest. To access these, choose Visit Online Support Center under the Support tab.

Chapter 1

Introduction to Customer Schedules

Course Overview


Course Overview

- Introduction to Customer Schedules
- Business Considerations
- Set up Customer Schedules
- Process Customer Schedules
- Process Customer Schedule Shipments



CS-IN-040

Customer Schedules



Customer schedules are cumulative, schedule-driven sales orders with multiple line items from which shipments are released. They are rooted in practices developed by the automotive industry.

- The automotive industry requires the communication of releases and the sending of Advanced Ship Notices (ASNs); some companies pay from the ASN
- Customer schedules allow automotive companies to maintain an uninterrupted flow of work through manufacturing, while maintaining minimum levels of inventory

Today many businesses and industries use customer schedules. Companies using customer scheduling share a common profile:

- High production volumes
- Long term commitments with suppliers
- Frequent shipments from suppliers
- Normally use EDI or eCommerce

When using customer schedules, the customer sends demand using shipping (862) and/or planning (830) schedules instead of a separate sales order for every date required. The schedules provide a long-term forecast of planned requirements plus the short-term or immediate shipping requirements. Schedules can also include information such as authorization quantities, recent customer receipt quantities, and special delivery requirements.

Planning schedules usually cover a time period of 2 to 6 months. Shipping schedules cover a shorter time period, usually 5 to 10 days.

Key Events

Key Events

- Customer
 - Demand
- Supplier
 - Allocation
 - Picking
 - Shipping
 - Invoicing




CS-IN-070

- Customer places an order with the supplier
- Supplier creates a scheduled order
- Customer sends demand
 - Shipping schedule (short-term demand)
 - Planning schedule (long-term demand)
- Supplier
 - Determines requirements
 - Allocates and picks materials
 - Ships order
 - Invoices customer

Terminology

Terminology

- Advance Ship Notice (ASN)
- ANSI
- ASC X12
- Bill of Lading (BOL)
- cumulative accounting
- Electronic Data Interchange (EDI)
- EDI eCommerce
- firm days
- netting
- netting logic
- ODETTE
- planning schedule
- Release
- Required Ship Schedule (RSS)
- retrobilling
- scheduled order
- shipping schedule
- trading partner



CS-IN-080

Advance Ship Notice (ASN). An electronic document derived from a shipper document and sent by a supplier to a customer when a shipment leaves the supplier site, informing the customer that the shipment is on the way. ASN formats are defined for various international standards; for example, an 856 Transaction Set per ANSI ASC X12. An ASN takes the place of an invoice in some supplier-customer arrangements. See Electronic Data Interchange (EDI).

ANSI and ASC X12 (American National Standards Institute Accredited Standards Committee X12). This committee develops and maintains U.S. generic standards for electronic data interchange. Generically, X12 refers to any of the standards that have been published by the ANSI ASC X12 committee as well as any of the industry-specific standards that are a subset of any ANSI X12 standard.

Bill of Lading (BOL). Detailed breakdown of a shipment; for example, products shipped, total weight of product, and containers used for packing. Typically, this is a third-party carrier's contract and receipt for goods transported between two points and deliverable to a specified individual.

Cumulative accounting. A method of tracking shipments and receipts in which trading partners maintain running totals of required and shipped/received quantities.

Electronic Data Interchange (EDI). An international protocol for electronically transmitting documents such as customer schedules, invoices, and ASNs between trading partners.

EDI eCommerce. The EDI component of QAD Enterprise Applications.

Firm days. The number of days in a schedule firm interval. The schedule firm interval begins with the first day of a schedule release.

Netting. Calculating net requirements by subtracting quantity-on-hand from gross requirements.

Netting logic. Indicates how the system calculates a required shipping schedule. There are four options.

- If 1, only shipping schedules are used.
- If 2, only planning schedules are used.
- If 3, planning and shipping schedules are combined, with the shipping schedule taking precedence where schedules overlap (replace logic).
- If 4, planning and shipping schedules are combined, with the greater of the shipping or planning schedule taking precedence where schedules overlap (consume logic).

ODETTE (Organization for Data Exchange by Teletransmission in Europe). The primary standards organization for automotive EDI in Europe.

Planning schedule. A schedule used for moderate or long-term planning of production, materials, and resources. Shows weekly/monthly quantities and dates, and covers a time horizon from the present out 2–6 months.

Release. A schedule based on a scheduled order.

Required Ship Schedule (RSS). A schedule containing customer requirements as derived from a customer's planning and ship schedule transmissions.


Retrobilling. The process of determining a net amount due by applying a price change to a range of historical invoices.

Scheduled Order. A specialized sales or purchase order that has schedules attached to it for the suppliers to ship against. The scheduled order can have an indefinite term. The scheduled order serves as the basis for creating the customer and supplier schedules.

Shipping Schedule. Used for short-term planning of products, materials, and resources. Lists exact quantities with exact dates, usually covering a few days or weeks.

Trading Partner. A company with which another company engages in buying or selling.

Incoming Information Flow



Customers communicate period-oriented demand by sending statements called releases.


Releases are generally received using EDI or eCommerce. EDI or eCommerce enabling software is used to pull the releases from a customer's computer or electronic mailbox. Release information is then mapped through the QAD Enterprise Applications gateway programs into the customer schedule maintenance programs.

Note Customers may have their own EDI or eCommerce requirements and signal standards, which are handled by the EDI or eCommerce enabling software. Only the required information is passed to QAD Enterprise Applications.


After the releases are entered into the customer schedule maintenance programs an RSS is generated to formulate the input for MRP.

Outgoing Information Flow

Outgoing Information Flow



- Shipment Entry
- QAD Gateway Programs
- EDI/Ecommerce Enabling Software
- ASNs or Invoice
 - If entering an ASN manually in a back-up system, the QAD Gateway programs will not be used

CS-IN-100


Customers can require that an ASN is communicated by EDI or eCommerce when a shipment is made. This situation can occur:

- When there is significant transportation lead time
- Where the customer has software that can significantly reduce the keying input for receipt of goods

ASNs reduce the need for expediting at the customer end.

- The customer can see when goods are on the road
- If the customer's software allows, an ASN merely needs to be confirmed for items and quantities to make a receipt, rather than keying in all the details again
- Some customers pay from the ASN
- Some customers also require invoices be sent via EDI or eCommerce

Customer Schedules Life Cycle



- Customer's schedule release initiates the process
 - Planning schedule
 - Shipping schedule
- Supplier generates an RSS and runs MRP
- The shipment is processed
 - Create pre-shippers/shippers
 - Confirm
- Supplier sends shipment
 - Sends an ASN or an invoice
- Customer receives shipment

Chapter 2

Business Considerations

Business Considerations


- Netting Logic
- Tracking
- EDI ECommerce
- Containerization
- Price Lists



CS-BU-020

There are several business considerations to look at before setting up QAD Enterprise Applications. This section does not discuss all potential considerations, but presents several to generate thought and discussion.

Netting Logic



Definition

The method QAD Enterprise Applications uses to calculate the required ship schedule (RSS). Required Ship Schedule Update (7.5.5) uses netting logic to interpret quantities from the planning and shipping schedules and arrive at the correct input for MRP.

Why Consider?

- Customer sends both a planning and a shipping schedule
- Need to tell system how to handle the schedules when calculating the RSS

Functionality in QAD Enterprise Applications

- Determines which schedule to use to calculate the RSS
- Determines how to handle overlap in planning and shipping schedules, if customer sends both

Setup Implications

- Scheduled Order Maintenance (7.3.13) needs to reflect the netting logic used for this customer's scheduled order
- Each schedule can have a different netting logic

Tracking – Cumulative Example

	January	February	March	April	May	June
Net Demand	1,000	1,000	1,000	1,000	1,000	1,000
Cumulative	1,000	2,000	3,000	4,000	5,000	6,000
	Cum Start					
Cum shipped = 2,500						
Net Required Qty.	0	0	500	1,000	1,000	1,000



CS-BU-040

Definition

Accounting method in which trading partners maintain totals of required and shipped/received quantities. There are two methods:

- Cumulative
- Non-Cumulative (based on net requirements)

Why Consider?

- Traditionally schedules in the automotive industry have been based on cumulative accounting
 - Total schedule quantity determined for a period, often a year
 - Effect of each shipment to a customer was calculated based on a cumulative total
- Today many businesses use release management to ship against specific requirements
 - Original equipment manufacturers (OEMs) in the automotive industry use a schedule releasing method that does not rely on cumulative quantities

Functionality in QAD Enterprise Applications

- Monitor received/shipped quantities
- Quantities can be adjusted


Setup Implications

- Scheduled Order Maintenance (7.3.13) needs to be set up to reflect the accounting method

Tracking Terminology

Tracking Terminology

- Cum Received
- Cum Required
- Cum Shipped
- Cum Start Date
- Cumulative Accounting
- Prior Cum Date
- Prior Cum Required



CS-BU-050

Cum Received. The cumulative total received by the customer. Basically, the difference between Cum Shipped and Cum Received is the quantity of goods in transit at the time of schedule release creation. This can also cover goods that are the subject of a quality dispute or other disagreement.

QAD Enterprise Applications works from the viewpoint of Cum Shipped in demand calculations so that in-transit goods are not manufactured twice.

Cum Required. The gross cumulative quantity on order at any point in a customer schedule.

Cum Shipped. The cumulative total shipped by the supplier.


Cum Start Date. The date a scheduled order shipment began accumulating quantities.

Cumulative Accounting. A method of tracking shipments and receipts in which trading partners maintain running totals of required and shipped/received quantities.

Prior Cum Date. The up to and through date of a prior cumulative required quantity.

Prior Cum Required. The total quantity required prior to the date of release.

EDI eCommerce



Definition of EDI

An international protocol defining the means and methods for electronic transmission of documents between trading partners. Documents are transmitted in a highly structured format that can be processed by computer software.

Definition of eCommerce

ECCommerce is the interface between QAD Enterprise Applications and third-party EDI communications or translator products called EC subsystems. ECommerce enhances the system's ability to manipulate, analyze, edit, and reprocess EDI data.

Why Consider?

- Time saving
 - Information processed faster
 - Shortened response time
- Reduced data input
 - Reduces errors
- Saves labor costs

22 Training Guide — Customer Schedules

- Reduces/eliminates paperwork, fewer people are needed
- Lower inventory levels

Functionality in QAD Enterprise Applications


- Support import of customer sequence schedules
- Support export of invoices or ASNs

Setup Implications

- EDI/eCommerce software and files need to be set up

Discussed in *Training Guide: EDI eCommerce*

Containerization



Definition

A shipment method in which commodities are placed in containers, and after initial loading, are not rehandled until unloaded at the destination.

Why Consider?

Many businesses with fast paced, high volume shipping docks place finished goods into containers and warehouse the containers on-site. The containers and their contents are uniquely identified by a number assigned by the company.

For many automotive suppliers, an additional requirement is the ability to define the containers comprising a shipment. This is typically done at the end of the production sequence by attaching products to the containers. The containers are visible within the picking process and attached to the shipper document to satisfy requirements.

At the end of the production line, you can put the finished goods in containers and store them before shipping. At this point you can ship them to your customers by container or by a larger unit, such as a pallet of containers or a truckload.

You can track container to finished goods relationships throughout the shipping process

Functionality in QAD Enterprise Applications

- Package and store finished goods at the end of a production line and warehouse them in single-level containers before shipping
- Consolidate goods going to the same location
- Use shipping labels

Setup Implications

- Container item numbers need to be set up in Item Master Maintenance (1.4.1)
- Shipping label templates can be set up
- Single level containers set up in Container Workbench (7.7.1)
- Hierarchical containers set up in Pre-Shipper/Shipper Workbench (7.9.2)

Price Lists



Definition

A price structure defining specific prices, discounts, and markups at different quantity levels. Can be stated in terms of company base currency or any other currency.

Why Consider?

- Provide a convenient tool for inputting item prices for customers, without having to perpetually maintain the scheduled order.
- Scheduled order references a price list

Functionality in QAD Enterprise Applications

- The price list is maintained separately, letting other departments maintain prices, without having to access the scheduled order line
- Each item needs to be input on the price list with its relevant price

Setup Implications

- Price lists need to be set up in Cust Schedule Price List Maint (1.10.3.1) with an amount type set to P (Price) to be used with customer schedules; there are no price breaks
- Scheduled Order Maintenance (7.3.13) needs to be set up to reflect the price list

Review

Review

- Processes and Procedures
- Reporting Requirements
- Customer Expectations
- Product Configuration



CS-BU-090

Course Overview

Course Overview

- Introduction to Customer Schedules
- Business Considerations
- Set up Customer Schedules
- Process Customer Schedules
- Process Customer Schedule Shipments




CS-BU-100

Chapter 3


Customer Schedules Setup

Customer Schedules Setup




- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

* (Optional)

 QAD CS-SU-020


This slide shows the typical order for setting up data for customer schedules, ensuring that data required at a later step has already been defined. Some steps are optional.

Customer Schedules Business Process




Item Records

Customer Schedules Setup



- **Item Records**
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- Control Files
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

* (Optional)

 CS-SU-030

Before creating a scheduled order, item records must exist for all items and products stored in inventory that you will be shipping. The Item Master contains records for all items, regardless of site. Item records hold the default information about items.

If you are using shipping containers, you must also set up container item numbers.

To add item records, use one of the following:

- Item Master Maintenance (1.4.1)
- Item Data Maintenance (1.4.3)

Customer Item Maintenance

Use Customer Item Maintenance (1.16) to set up cross-references between:

- Your internal item numbers and your customer's item numbers.
 - Note** On sales quotes and sales orders the item number can only be 18 characters long.
- Internal numbering systems, industry standard (UPC), or marketing catalog numbers

You can choose to have one or both item numbers appear on all sales and shipping paperwork. By leaving the Customer field blank, the cross-reference will apply to all customers

Field Definitions

Customer. The customer code or ship-to code.

Customer Item. The item number used by the customer.

Note When EDI imports documents containing the customer's item number, if they use spaces in the item number, the spaces are removed. For example, if the customer's item number is XZY 1234 AAC, you would enter XZY1234AAC.

Item Number. Your internal item number. This is the item number being cross-referenced to the customer's item number.

Comment. Used for reference only.

Display Item. This shows how the customer wants their item number to print, for example, on bar code labels. If the customer uses spaces in their item number, you would enter the item number, with spaces. For example, using the same item number as entered in the Customer Item field, you would enter XZY 1234 AAC.

ECO. The customer's engineering change number (ECO). This prints on the shipper.

Note Customer item numbers cannot be the same as your internal item numbers.

Exercise: Maintain Customer Items


Customer Pacific Health Care Systems (10C1003) has its own internal item numbering system. Use Customer Item Maintenance (1.16) to create a cross-reference of the customer's item numbers to your internal item numbers. There are three item numbers to be cross-referenced.

Customer Item	Your Item	Customer Display Item
Pump	03011	Pump
2.5LBottles	03012	2.5LBottles
4.5LBottles	03013	4.5LBottles

Use Customer Item Browse (1.17) to review the cross-references for each item.


Customer Calendars

Customer Schedules Setup



- Item Records
- **Customer Calendars ***
- Customer Order Periods *
- Dock Addresses
- Site Ship-From IDs *
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders


• * (Optional)

 CS-SU-160

QAD Enterprise Applications allows you to define calendars matching your customer's work schedule (for the ship-to location). The system uses this calendar when calculating shipments for the customer. This calendar:

- Identifies the customer's holidays
- Lets you calculate a ship date acceptable to you and your customer

Customer Calendar Maintenance



Use Customer Calendar Maintenance (7.3.1) to set up a customer calendar.

- Useful when a customer has a work schedule different from your company's work schedule
- Can specify exceptions to the customer's calendar

The system checks the calendar when calculating the required ship schedule for the customer so releases do not occur on the customer's non-working days. If you do not set up a customer calendar, system uses your shop calendar set up in Calendar Maintenance (36.2.5).

Two additional frames let you specify exceptions to your customer's regular work week:


- Operating Day Hour Exceptions
 - Specify exceptions to the regular work week such as shutdown periods
 - Specify a start and end date
 - Reference only, not used in schedule calculations
- Non-Operating Days
 - Specify a date

Exercise: Set Up Customer Calendar

Use Customer Calendar Maintenance (7.3.1) to set up a customer calendar for the customer 10C1003. The customer works from Monday to Friday. Use Customer Calendar Browse (7.3.2) to review the customer calendar.


Customer Order Periods

Customer Schedules Setup



- Item Records
- Customer Calendars *
- **Customer Order Periods ***
- Dock Addresses
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

• * (Optional)

 CS-SU-190

Some customers divide their working year into periods, instead of using days, weeks, and so forth. QAD Enterprise Applications lets you set up order period numbers that correspond to your customer's period numbers and are cross-referenced to dates you define.

- Once you set up order periods, you can match your shipment planning calendar to your customer's order periods
- Order periods can be defined per customer and can be defined as Type W (weeks) or M (months)

Customer Order Period Maintenance

Customer Order Period Maintenance

Customer: 10C1000 Wal-Mart

Year: 2010

Period Type: M
Description: Monthly

Period	Start	Expire
1	1/1/2010	1/31/2010
2	2/1/2010	2/28/2010
3	3/1/2010	3/31/2010
4	4/1/2010	4/30/2010
5	5/1/2010	5/31/2010
6	6/1/2010	6/30/2010
7	7/1/2010	7/31/2010
8	8/1/2010	8/31/2010
9	9/1/2010	9/30/2010
10	10/1/2010	10/31/2010

Can be weekly or monthly


QAD CS-SU-200

Use Customer Order Period Maintenance (7.3.3) to set up order periods.

- In the first frame you link the period type to a customer
- In the second frame, you specify a period number and a corresponding time frame by entering a start date and an end (expire) date


Dock Addresses

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- **Dock Addresses**
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

* (Optional)

 CS-SU-210

Sometimes a customer will have multiple delivery sites (such as stores, gates, or docks) at their ship-to location and request you ship to a specific dock. They may even have special docks set up to receive certain types of deliveries. QAD Enterprise Applications gives you the ability to set up one or more customer dock addresses.

The dock address is used as an alternate to the customer's ship-to address.

Dock Maintenance

Dock Maintenance

Dock Maintenance X

Go To Actions Copy Print Preview

Customer/Ship-To Address

Cust/Ship: 10c1000 ← Customer Business Relation: 10-C1000

Name: Wal-Mart County: Bentonville

Address: 702 S.W. 8th Street State: AR USA

Address: Waterfront

Country: USA - TAX PURPOSE

Format: Alter

Ship-To / Dock Relationship

Customer/Ship-To/Dock

Dock: 1001000 ← Temporary: Dock Address: 0000441676

Name: Wal-Mart

Sort Name: Wal-Mart

Address: 702 S.W. 8th Street

Address: Waterfront

Address:


City: Bentonville State: AR Post: 72716 Format: Alter

Country: UNITED STATES - TAX PURPOSES #US County:

Attention: [2]

Telephone: [2]

Fax: [2] Language: us


CS-SU-220

Use Dock Maintenance (7.3.6) to set up individual dock addresses.

- Before defining a dock address, the ship-to address must exist
- A dock address on an order supersedes a ship-to address
- A ship-to address can have more than one dock address
- Tax calculations uses the ship-to address, not the dock address
- The dock address can be temporary or permanent
 - Set the Temporary field to Yes to make it a temporary address
 - Temporary addresses are deleted automatically by Closed AR Delete/Archive (27.23) when no other open records for that address exist
 - Temporary dock addresses can be changed to permanent by changing the Temporary field to No

Note Dock addresses must be unique throughout the system. That means you cannot use the same dock address for more than one customer.

You can use the dock address as the default ship-to for the order in Scheduled Order Maintenance (7.3.13).

Exercise: Create Customer Ship-To and Dock Addresses

- 1 Use Customer Ship-To Create (27.20.2.1) to create a ship-to address for the customer 10C1003.

Specify the Ship-to Code as 10C1003S and enter the following address information.

Address	500 Windsor Way
Zip/City	90802/Long Beach
State	CA
Country Code	USA
Language Code	US

- 2 Create a dock for the customer's ship-to address.

- a Use Business Relation Modify (36.1.4.3.2) to create a permanent dock address.


Business Relation	10-C1003
Address Type	Dock
Address	518 Windsor Way
Zip/City	90802/Long Beach
State	CA
Country Code	USA
Language Code	US

- b Use Dock Maintenance (7.3.6) to create a dock named LB for the customer's ship-to address.

Cust/Ship	10C1003S
Dock	LB
Dock Address	Select the one with the above dock address


Shipping Label Templates

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- **Shipping Label Templates ***
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

* (Optional)


CS-SU-260

QAD Enterprise Applications gives you the ability to print shipping labels (bar code labels). Shipping labels enable shipments to be received with bar code readers. In some supplier-customer relationships, shipping labels can replace shipper documents used as packing lists.

You can print shipping labels for:

- Single-item number containers (contains a single item)
- Master containers (for example, pallets) of single-item number sub-containers (each containing all the same item)
- Mixed content containers (different items on the same pallet)

Creating shipping labels involves:

- 1 Creating the template files.
- 2 Assigning data prefixes and specifying the location of the template files.
- 3 Printing the shipping labels.

Creating the Template Files

To use bar code labels for shipments, you first need to set up a shipping label template file for each type of label required by each customer. The template files control:

- Data format

- Bar size
- Printed boundary lines
- Other label printing information

The template files are specific to your:

- Operation
- Customer's bar code reading equipment
- Industry

To create the template files you can select from a wide array of bar code label design software. The software package provides its own requirements for creating the template.

Assign Data Prefixes and Template Files

You assign data prefixes and specify the location of the template files in Shipping Label Definition Maintenance (7.3.11).

Printing

Printing bar code labels requires you have either a bar code label design package (which converts data inputs and controls the printed output) or that you enter the printer control codes in the Bar Code Control frame of Printer Setup Maintenance (36.13.2).

Shipping Label Definition Maintenance


Note Shipping Label Setup is a technical setup handled by local IT staff. The following is provided as general background information.

Use Shipping Label Definition Maintenance (7.3.11) to enter data prefixes and to specify the location of the template files. There are three frames you use to enter data:

- **Barcode Data Prefixes**
Enter alphanumeric values for the system to use to create the correct bar code prefix for the customer's bar code receiving readers
- **Special Text Fields**
Enter text for the system to print on the label such as shipment or receiving instructions
- **Template Files**
Specify a template file containing the template values and link it to a label type (mixed, master, or single)
 - Template values correspond to an order's field values. (For example, template value 000003 corresponds to customer item number.)
 - The system converts these template values to bar code label formats in Shipping Label Print (7.7.7)


Control Setting

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- **Control Settings**
- Requirement Detail Categories *
- Configured Messages *
- Scheduled Orders

* (Optional)


CS-SU-280

Before you begin processing customer schedules, you need to set up certain default information for the system to use during processing. You use the control program to set up default information for:

- Pre-shipper sequence numbers
- Shipper sequence numbers
- Master billing of lading sequence ID
- Document formats
- Invoice processing
- Shipping labels

Also, it is in the control programs that you indicate if inventory movement codes are required and if maintenance of SO trailer amounts are allowed.

Note In QAD Enterprise Edition, financial control settings are updated separately from operational settings. This supports detailed segregation of duties assigned with role-based security. So for customer schedules, you update operational setting in Customer Schedules Control and financial settings in Cust Sched/Shipper Acct Control.

Customer Schedules Control

Customer Schedules Control

Customer Schedules Control X
 Go To Actions Copy Print Preview

Next Container:

Pre-Shipper Sequence ID: PRE	Pre Shipper Sequence ID
Shipper Sequence ID: SHIP	Shipper Sequence ID
Master Bill Sequence ID: MBOL	Master Bill of Lading Sequence
Shipper Document Format: 01	Shipper Document Format
Master Bill Document Format: 01	Master Bill of Lading Format
Max Lines on a Pre-Shipper: 0	

Shipping Label Templates

Mixed Load Label:

Master Load Label:

Single Load Label:

Shipment Info For Receipts: Automatic Cum Pegging:

Use Ship/Plan PCR: Customer Ref Is Customer Item:

RSS Calendar Option: Customer/Shop

Separate Invoices for Each Shipment:

NRM
Sequence
Code

Pre-Shipper Sequence ID: PRE
 Shipper Sequence ID: SHIP
 Master Bill Sequence ID: MBOL

Use Customer Schedules Control (7.3.24) to set up default customer schedule information.

Next Container. Container IDs are assigned to individual containers when preparing a shipment. Each ID is unique, giving each pallet, box, or returnable package a specific identifier. This information is often required by customer's on the ASN.

Pre-Shipper Sequence ID and Shipper Sequence ID. Number Range Management (NRM) sequence codes the system uses to generate sequence numbers for all pre-shippers (or shippers) that do not use inventory movement codes or have no available shipping group.

Master Bill Sequence ID. NRM sequence code the system uses to generate sequence numbers for all master bills of lading with no available shipping group. Before you specify the sequence numbers for pre-shippers, shippers, and bills of lading, you must define them using the NRM feature

Shipper Document Format. Document format code applicable to pre-shippers/shippers. Default for all pre-shippers/shippers that do not use inventory movement codes

Master Bill Document Format. Valid document format code applicable to master bills of lading. Default for all master bills of lading that do not use inventory movement codes or having an available shipping group

Max Lines on a Pre-Shipper. Determines the maximum number of lines printed on a pre-shipper.

Mixed Load Label, Master Load Label, Single Load Label. You use these fields to enter the name of the template files to be used for shipping labels

Use Ship/Plan PCR. Determines if prior cumulative required quantities are considered by Required Ship Schedule Update (7.5.5) or Selective Required Ship Schedule Update (7.5.6).

- If Yes, the beginning of the planning schedule is replaced by the shipping schedule and the remaining planning schedule quantities are adjusted by prior cumulative quantities
- If No, the beginning of the planning schedule is replaced by the shipping schedule and no prior cumulative quantities are considered

Note This field only affects customer scheduled orders with netting logic set to 3.

Use Cust Sched/Shipper Acct Control (36.9.7) to define accounting-related settings.

Auto Invoice Post. Determines if the invoice created at the time the shipper is confirmed is automatically posted and whether or not to update the Ship Via and FOB Point on the original scheduled order to match the shipper's.

- If Yes, invoice is automatically posted. The Ship Via and FOB Point remain unchanged
- If No, invoice is not posted. The Ship Via and FOB Point can change when confirming the shipper

Note Becomes the default setting in Pre-Shipper/Shipper Confirm (7.9.5). Also defaults in Customer Scheduled Order Maintenance (7.3.13).

Consolidate Invoices. Determines if a single invoice is generated for a specified range of orders, or if one invoice is generated for each order.

- If Yes, all referenced orders are consolidated into a single invoice
- If No, one invoice per order is generated

Note Becomes the default setting in Pre-Shipper/Shipper Confirm (7.9.5) and can be changed as needed.

Print Invoice. Determines if invoice is printed at the time the shipper is confirmed.

- If Yes, invoice is printed at confirmation. Set to Yes if you need a paper record of the invoice
- If No, invoice is not printed at confirmation

Note Becomes the default setting in Pre-Shipper/Shipper Confirm (7.9.5).

Require Inventory Movement Codes. Determines if inventory movement codes are required for newly created pre-shippers/shippers.

- If Yes, inventory movement codes will be required
- If No, inventory movement codes are not required. No is the Default. Set to No if you are not using advanced shipping features

Sum history - Items, Sum history - Containers. Determines if the Pre-Shipper/Shipper Confirm generates a separate transaction history record for each item or container detail record on a shipper or summarizes transaction history by item or container.

- If Yes, system generates a transaction history record for each unique combination of the following shipper detail data:
 - Sales order number

- Line number
- Item or container number
- Ship-from site and location
- Lot or serial number
- Reference number
- If No, system generates a separate transaction history record for each detail record on the shipper

Maintain Trailer Amounts. Determines if you can maintain sales order trailer amounts during shipper maintenance and confirmation.

- If Yes, you can maintain trailer amounts
- If No, you can specify trailer amounts

Note Applies only when the shipper document format is used as an invoice.

Shipment Info For Receipts. Determine if the system prompts you for shipment information during material receipt entry.

- If Yes, when entering receipts, you can specify shipment number, ship date, and inventory movement codes
- If No, system does not prompt you for entry

Container/Shipper Control

Container/Shipper Control

Container/Shipper Control x
 Go To Actions Copy Print Preview

Next Container:

Pre-Shipper Sequence ID: Pre Shipper Sequence ID

Shipper Sequence ID: Shipper Sequence ID

Master Bill Sequence ID: Master Bill of Lading Sequence

Shipper Document F

Master Bill Document F

Max Lines on a Pre-Sh

Identifies location of template files
for shipping labels

Shipping Label Templates


Mixed Load Label:	<input type="text" value="/USERS/ID001/DEFAULTMIXED"/>
Master Load Label:	<input type="text" value="/USERS/ID001/DEFAULTMASTER"/>
Single Load Label:	<input type="text" value="/USERS/ID001/DEFAULTSINGLE"/>

Shipment Info For Receipts: Automatic Cum Pegging:

Use Ship/Plan PCR: Customer Ref Is Customer Item:

RSS Calendar Option: Customer/Shop

Separate Invoices for Each Shipment:


CS-SU-300

Any changes you make to Container/Shipper Control (7.9.24) are automatically made to Customer Schedules Control (7.3.24). These two screens are the same program called from two different menu locations.


Exercise: Set Up Cust Sched/Shipper Acct Control

Use Cust Sched/Shipper Acct Control (36.9.7) to define operational accounting settings so that:

- The system will automatically post the invoice.
- You can print the invoice.


Requirement Detail Categories

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- Control Settings
- **Requirement Detail Categories ***
- Configured Messages *
- Scheduled Orders

* (Optional)


CS-SU-320

You can create requirement detail categories that contain special information associated with the schedules such as:

- Special markings required by the customer for items shipped
- Specific information needed on bar code labels for packaging
- Requirements tied to authorization numbers such as release authorization number (RAN), kanban number, pull signal with a number


Each schedule can have multiple sets of requirement detail categories. You add requirement detail categories to a schedule in:

- Customer Plan Schedule Maintenance (7.5.1)
- Customer Ship Schedule Maintenance (7.5.2)

Note If you use a noncumulative accounting procedure for Release Management, you need to set up categories to use for requirement detail pegging.

Generalized Codes Maintenance

Generalized Codes Maintenance



Generalized Codes Maintenance

Field Name: rqm_cat
Value: AUTHNBR

Comments: Scheduled Order Authorization

Group: APP

QAD CS-SU-330

Use Generalized Codes Maintenance (36.2.13) to set up requirement detail categories.

- The field name is rqm_cat
- You create the categories based on the type of requirement detail you receive; for example, packaging information

Customer Plan Schedule Maintenance

Requirement Detail Maintenance Frame

Customer Plan Schedule Maint X

Go To Actions Copy Print Preview Attach

Ship-From: 10-200 Order: TRANS2 Line: 1
 Ship-To: 20C1000 Autoliv France SNC
 Item Number: 02200 Motor Asm 8 Way Seat Adj UM: EA
 PO Number: CPO2001 Master Line:

Customer Ref: Requirement Detail Maintenance

Model Year:	Category	Value
Release ID:	AUTHNBR	100011110

Schedule Detail Data

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
7/5/2010				500.00000000	F	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7/12/2010				600.0	F	<input type="checkbox"/>	<input type="checkbox"/>
7/19/2010				650.0	F	<input type="checkbox"/>	<input type="checkbox"/>
7/26/2010				635.0	F	<input type="checkbox"/>	<input type="checkbox"/>
8/2/2010				725.0	F	<input type="checkbox"/>	<input type="checkbox"/>
8/9/2010							

Rqm Det is checked

QAD CS-SU-340

You attach requirement details to a schedule in the Requirement Detail Maintenance frame of:

- Customer Plan Schedule Maintenance (7.5.1)
- Customer Ship Schedule Maintenance (7.5.2)

This frame displays when Rqm Det is checked in Schedule Detail Data, as shown in this slide.


The category AUTHNBR (authorization number) is significant to the system.

- During document import, if it does not exist the system creates it
- If authorization numbers are received during import, the system checks the database to verify that the numbers are unique, based on business rules

All other categories are for your reference.


Configured Messages

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- **Configured Messages ***
- Scheduled Orders

* (Optional)


CS-SU-350

QAD Enterprise Applications configured message functionality lets you verify the structure and content of newly created shippers.

- Able to verify both automatically created shippers and manually created shippers
- Alerts you to potential shipping problems that need to be corrected before shipment
- Able to tailor conditional error processing to meet specific business rules


Note Configured messages are currently only implemented for shippers.

When defining configured messages, you determine:

- The error conditions and assign the level of severity
- The sequence in which the system checks for errors
- Which conditions require a message to display and the type of message (informational, warning, or error)
- Which conditions do not need to display a message
- If the message is to be a generic message (all shippers) or customer specific

Even though shipper verification with configured messages is optional, its use is recommended since the verification process gives you the ability to identify initial problems with shippers. The shipper is typically used to create an ASN. Since transmission of the ASN is often time critical, being aware of a problem with the shipper before shipment is vital.

Configured Message Maintenance



Use Configured Message Maintenance (36.4.6.13) to define the:

- Customer
- External execution file that contains the verification process used to confirm that the shipper's structure and content are valid
- Calling program
- The message to display if the shipper fails verification
- Sequence to have the system check for errors

You set up configured messages based on the language code (Language ID), site, and/or address.

Field Definitions

Language ID. Enter a valid, active language code for selecting the appropriate message language.

Site. Optionally enter a site to be associated with the messages.

Address. Optionally enter a customer defined in Customer Create (27.20.1.1) or ship-to code defined for a customer in Customer Ship-to Create (27.20.2.1).

Calling Program. Currently, the only valid entry is `rcvrfsh1.p`, the shipper verification program.

Message Number. Enter the appropriate system message number identifying specific message text.

Execution File. You can use one of the five sample verification programs that come with QAD Enterprise Applications

Execution File	Description
rcvrfc01.p	Sample container quantity verification program,
rcvrfi01.p	Sample item containerization verification program.
rcvrfc02.p	Sample container empty verification program.
rcvrfc03.p	Sample containerization level verification program.
rcvrfi02.p	Sample container has same order/line verification program.

You can also use custom, user-defined programs

- For consistency, standard messages should be used when writing your own custom Progress programs
- These are accessed using the include file mfmsg.i
- Pass the message number and a severity indicator to display the message


Severity Level. You have five options:

Option	Explanation
0	No message displays.
1	An informational message displays.
2	A warning message displays.
3	An error message displays, along with “Please re-enter”, and processing stops.
4	An error message displays, and processing stops.

Important When verifying shippers, do not use severity level 3. Verification is a noninteractive process run after the shipper is created, without opportunity to re-enter data. Use severity level 4, which does not include “Please re-enter.”


Scheduled Orders

Customer Schedules Setup



- Item Records
- Customer Calendars *
- Customer Order Periods *
- Dock Addresses
- Shipping Label Templates *
- Control Settings
- Requirement Detail Categories *
- Configured Messages *
- **Scheduled Orders**

* (Optional)

 CS-SU-370

A scheduled order is like a sales order, you create it in response to a customer demand and shipments are made against it. However, it differs from a sales order in that each line item has multiple delivery dates and quantities.

A scheduled order is a combination of sales order header and trailer fields and line item planning fields.

Discussed in *Training Guide: Sales Orders*.

Header

Customer Scheduled Order Maintenance: Header

The screenshot shows the 'Customer Scheduled Order Maintenance: Header' form. It includes fields for 'Ship-From: 12-200', 'Ship-To: 22C1000', 'Order: AUT02', and 'Auto-Plus International'. The 'Order Data' section contains 'Ship Via: FEDX'. Callouts point to various fields: 'Defaults from Trading Partner Parameters Maintenance' points to 'Print Invoice History' and 'Print Pack List'; 'Defaults from Customer Sched/Shipper Acct Control' points to 'Dynamic Unpeg'; 'Controls noncumulative schedules' points to 'Ship to Cum/Req: Cum'. Other fields include 'Transport Days: 0.00', 'Trade Sales', 'Customer Ref Is Customer Item', 'Print Invoice History', 'EDI Invoice History', 'Print Pack List', 'Comments', 'Channel', 'Ship to Cum/Req: Cum', 'RSS Calendar Op', 'Entered By: rgk', and 'Daybook Set: 12-SALES'.

Use Customer Scheduled Order Maint (7.3.13) to create a new scheduled order, review, or modify an existing scheduled order.

Scheduled order numbers must be unique. When creating a new scheduled order, you can:

- Leave the Order field blank and have the system assign an order number
- Enter an order number of your own choosing

Order Data Frame

Much of the Order Data information defaults from Customer Maintenance (2.1.1) and Trading Partner Parameters Maintenance (35.1).

Field Definitions

Ship Via. Indicates the carrier normally used between the ship-from site and the customer. Can validate using generalized codes set up in Generalized Codes Maintenance (36.2.13)

Taxable. Determines if the items on the scheduled order are subject to tax; Defaults from the customer's ship-to address if specified

- If Yes, the items are subject to tax
- If No, the items are not subject to tax

Week Offset. Use to set the weekly starting date of the scheduled order to match the customer's work week. Bucketing requirements are allocated using this value.

- Defaults to 0 (zero), Monday; Monday is 0, Tuesday is 1, and so forth.
- For example, if your customer's work week starts on Tuesday, set the week offset to 1.

Inv by Auth. Indicate how invoice totals should be calculated and displayed for this scheduled order.

No: Invoice totals are calculated by line. This is the typical method for calculating totals unless the customer is using AR Self-Billing.

Yes: Invoice totals are calculated by authorization number. The printed invoice includes the price and amount for each authorization line as well as the total for all authorization lines. The extended price for each invoice line item is not displayed.

This field is important for customers using the optional Self-Billing Menu (27.6.12) and ensures that rounding errors do not occur between the accounts receivable (AR) amount calculated by Self-Bill Payment Application (27.6.12.7) and the invoice amount. Rounding errors can prevent invoices from being closed or create unapplied payments.

Cumulative. Determines how requirements are entered on scheduled releases and displayed in reports and inquiries.

No: Net quantities are entered.

Yes: All quantities are entered as cumulative, meaning that the discrete quantity is added to the cumulative quantity of the previous requirement.

Bill-To. The address code of the customer's bill-to address. Defaults to the customer's sold-to address if a bill-to address was not specified in Customer Maintenance

Auto Inv Post. This field sets the default value for the Post Invoice field in Pre-Shipper/Shipper Confirm (7.9.5).

- When Post Invoice is No, invoices are not posted during shipper confirmation. You must post them manually using Invoice Post and Print (7.13.4).
- When Post Invoice is Yes, invoices are automatically posted during shipper confirmation to the general ledger Accounts Receivable (AR) account specified for the customer. You can print accumulated invoices using Invoice Print or Reprint (7.13.12).

This value defaults from the Auto Invoice Post field in Customer Schedules/Shipper Acct Control (36.9.7).

Imp/Exp. Determines if import/export data is maintained for the order.

- If Yes, you are able to enter or maintain import/export data for the order
- If No, you are not able to enter or maintain import/export data for the order

Note If European Intrastat statistics are required for this order, denoting the movement of goods within the EU, this field must be set to Yes. Intrastat Control (2.22.24) and valid inputs for Despatch, Country of origin on the bill-to/sold-to and ship-to must also be set up.

Sequenced. This field is available only when using the optional Customer Sequence Schedules (7.5.4) module. It indicates whether the scheduled order is a sequenced scheduled order. If Yes, enter sequence information in the Sequence Delivery Data frame.

Discussed in *Training Guide: Customer Sequence Schedules*

Dynamic Unpeg. Determines if dynamic de-allocation is initiated or not. If initiated, affects the open quantity by letting pegged requirement quantities on unconfirmed shippers or pre-shippers for the same order line number be included in the calculation.

- If Yes, Picklist/PreShipper–Automatic (7.9.1) removes pegging information from any existing unconfirmed shippers or pre-shippers before building new pre-shippers
- If No, new pre-shippers are built using open demand not already pegged to other shippers or pre-shippers

Entered By. The initials of the user entering the scheduled order.

FOB Point. The point at which the ownership of the goods transfers to the customer.

- For example, FOB Destination means that ownership transfers at the point of delivery
- Can validate using generalized codes set up in Generalized Codes Maintenance (36.2.13)
- If Auto Invoice is set to Yes, system picks up the FOB Point from this entry

Transport Days. Enter the number of calendar days it takes for a shipment to arrive at the customer site. Specify a value only if your customer gives you a receipt schedule, specifying the date they want the product in-house. If your customer gives you a shipping schedule, they have already factored in the transportation time.

The schedule update functions uses this to set shipment dates.

$Shipment\ Date = Requirement\ Date - Transport\ Days$

Print Inv Hist. Determines if an invoice history record created by this order can be printed using Invoice Print or Reprint (7.13.12). If you are using EDI or eCommerce, and you set this field to Yes, you can print the invoice in addition to exporting it electronically

EDI Inv Hist. Determines if the invoice history record created for this order can be transmitted via EDI or eCommerce using Invoice Export (35.8). If Yes, EDI or eCommerce is enabled

Print Pack List. Determines if you can print a packing list/picklist for this order.

Note There are other factors which can prevent a packing list from being printed. Factors such as partial shipments being set to No, if the order line is not confirmed, if there is a requirement for allocated quantities, or if the customer has an active status of hold due to a credit problem.

Comments. Set to Yes if you want to make comments or notes about this scheduled order. Comments made here print out below the order header, but above the line items

AR Site. Enter the site where the scheduled order was recorded. This can be the same as the ship-from site, but does not have to be. You can change this site for each line item.

In multisite transactions where the AR site is different from the ship-from site, you can make shipments and let a separate AR site collect the revenues. Also, the AR site can exist in a different entity or different database, or both.

Ship to Cum/Req. Cum(ulative) indicates this is a cumulative schedule; Req(uirement) indicates this is a noncumulative (net) schedule. If Req, the Non-Cumulative Quantity Account Data frame displays

Currency. The currency being used for the scheduled order.

Tax Data Frame

Customer Scheduled Order Maintenance: Tax Data Frame

Customer Scheduled Order Ma... X

Go To Actions Copy Print Preview Attach

Ship-From: 12:200 Bill To: 22C1000 AR Site: 12:200

Ship-From: 12:200 Order: AUT02
Ship-To: 22C1000 Auto-Plas International


Order Data

Ship Via: FEDX
Taxable:
Week Offset: 0
Inv by Auth:
Include Sat/Sun:
Cumulative:
Consignment:
Bill To: 22C1000
Auto Inv Post:
Import/Export:
Sequenced:
Dynamic Unpeg:
Entered By: rgk
Remarks:

Tax Usage: IE 0.00
Tax Environment: USA
Tax Class:
Taxable:
Tax In:

AR Site: 12:200 Channel:
Ship to Cum/Req: Cum
RSS Calendar Option: 1 Customer/Shop
Currency: GBP

Customer Scheduled Order Maintenance (7.3.13)

 CS-SU-390

The order tax data frame displays for the input of Global Tax Management data.

The Non-Cumulative Quantity Account Data frame

The screenshot shows the 'Non-Cumulative Quantity Accounting Data' frame within the 'Customer Scheduled Order Management' application. The frame is titled 'Non-Cumulative Quantity Accounting Data' and contains the following fields and options:

- Ship Complete:
- Merge RSS:
- AUTHNBR Unique Days:
- Exclude Planning Data:
- Ship to Cum/Req:

A callout box with the text 'Displays if Set to Req' points to the 'Ship to Cum/Req' dropdown menu.

The Non-Cumulative Quantity Account Data frame only displays if the Ship to Cum/Req field (found in the Order Data header frame) is set to Req.

Field Definitions

Ship Complete. The percentage of a requirement quantity that must be shipped to be considered complete

Merge RSS. Affects the generation of required ship schedules. Set to Yes if your trading partner does not re-transmit requirements that have not yet been shipped

AUTHNBR Unique Days. If not zero (0), system verifies that duplicate authorization numbers are not reused within the time period

Exclude Planning Data. Determines how system manages planning data when open requirements are being merged.

- If Yes, system does not merge planning data from the active required ship scheduled (RSS) into the newly generated schedule
- If No, system merges planning data from the active RSS into the newly generated schedule

Note You can only update this field if Merge RSS is set to Yes.

Line Item Data

Customer Scheduled Order Maintenance: Line Item Data

Customer Scheduled Order Ma... X

Go To Actions Copy Print Preview Attach

Ship-From: 12-200
Line: 1
Customer Item:

Ship-From: 12-200
Order: AUT02

Ship-To: 22C1000
Auto-Plus International

Item Number:


PO Number:

Customer Ref:

Model Year:

UM:

Line:


Customer Scheduled Order Maintenance (7.3.13)
CS-SU-410

In the line item data frame you identify the item being shipped and the line number.

- Item number
- Customer purchase order number (optional)
- Unit of measure (UM)
- Scheduled order line number
 - Sequential number
 - Can be system assigned or user assigned
 - You can have multiple lines on one scheduled order
 - Must have same ship-to

Note If your customer has multiple docks, with requirements coming on the same scheduled order, you should create a line for each dock, with the same item number and different purchase orders.

The system asks you if you want to copy order details from another purchase order for the same item.

- If Yes, the system prompts you through the copy
- You need the purchase order number and the sequential line number you are copying from

Order Line Item Data: First Frame

Order Line Item Data: First Frame

Customer Scheduled Order Ma... X

Go To Actions Copy Print Preview Attach

Ship-From: 12-200 Line: 3 Customer Item:

Ship-From: 12-200 Order: AUTO2
Ship-To: 22C1000 Auto-Plus International

Item Number: 02200 Motor Asm 8 Way Seat Adj UM: EA
PO Number: P0001
Customer Ref: po001
Model Year: Line: 3

Order Line Item Data

Discount Tbl: Consume Forecast:

List Price: 2.39171 Type:

Net Price: 2.39171 Location: 010

Sales Account: 4010 mech adm Taxable:

Discount Acct: 4200 mech Category:

Consignment:

QAD Customer Scheduled Order Maintenance (7.3.13) CS-SU-420

There are two Order Line Item Data frames. The first frame contains pricing and inventory information.

Field Definitions

Discount Tbl. The price list to use in pricing this item. Customer schedules only use the “P” type price list.

List Price. The unit price before applicable discounts or mark-ups are applied

Net Price. The price the customer pays for the item

- Updated once the shipper is confirmed
- If the price is different at the time of shipment (determined by the start and end effective dates of the price list), this field is updated at the time of shipment

Sales Acct. The GL account used to track the sales amount for this line item

Disc Acct. The GL account used to track discounts for this line item

Consume Forecast. Use to specify if quantities in the active RSS should consume available forecast.

- If you use the forecasting module to give early warning of future plant load (beyond the schedule horizons), you may want the actual RSS to consume the predicted load. If the schedule you are creating forms part of that forecast, then set to Yes or you will have double-counted the load
- If this schedule order has not been predicted and forms additional load, set to No

Type. Determines if shipments of this item are to affect inventory. Defaults from the item definition.

- If left blank, line item is to be shipped from inventory
- If any value other than blank such as M for Memo, D for Drop Shipments, the shipment does not affect inventory
- Can validate using generalized codes set up in Generalized Codes Maintenance (36.2.13)

Location. Location where this line item is stored in inventory. Defaults from Item Master

Taxable. Indicates if this item is taxable (Yes) or not (No). An item can have a different taxable status from other items on the order

Order Line Item Data: Second Frame

Order Line Item Data: Second Frame

The screenshot displays the 'Order Line Item Data' section of the QAD Customer Scheduled Order Maintenance interface. The interface includes the following fields and callouts:

- Callout 1:** "Must be set up in Dock Maintenance (7.3.6)" points to the **Dock** field.
- Callout 2:** "Must exist in Item Master" points to the **Customer Item** field.
- Callout 3:** "Date shipment quantities started to accumulate" points to the **Cum Start** field.

Other visible fields include: Ship-From: 12:200, Ship-To: 22C1000, Order: AUT02, Auto-Plas International, Item Number: 02200, PD Number: P0001, Motor Asm 8 Way Seat Adj, UM: EA, and various scheduling fields like Req Sched Days, Weeks, Months, Fab Auth Days, Raw Auth Days, Max Order Qty, and Std Pack Qty.

CS-SU-430

This is where you enter the specific order information. Some of this data determines how the system builds the shipping schedule.

Field Definitions

Req Sched Days, Req Sched Weeks, Req Sched Months. These fields rebucket customer requirements into a sequential horizon of days, then weeks, then months.

Entering values in these fields has an impact on MRP. The weekly and monthly quantities are seen by MRP as requirements on the first day of the period, and MRP plans accordingly. This can result in excessive and unnecessary action messages.

Set these fields to zero to maintain the customer's date and quantity requirements. Also leave these fields set to zero if you are using noncumulative accounting procedures and pegging requirements through authorization numbers.

Fab Auth Days/Raw Auth Days. The number of days the customer agrees to cover you for the manufacturing or ordering of the raw materials used in the manufacture of the ordered item.

- Normally a contractually agreed set of time
- When you first set up the scheduled order, these are usually left at zero (0) until a steady state of supply and demand exists
- Raw quantity is the quantity of product for which the customer commits to cover component costs

- Fab quantity is the quantity of product for which the customer commits to cover manufacturing costs

Customer Item. Customer's internal item number.

- Appears on the ASNs and invoices
- Must be set up using Customer Item Maintenance (1.16)

Container Item. The item number of the normal or primary container used to ship this item. If using, the item number must be an existing item number in the Item Master

Alternates. Determines if the item can be shipped in a container other than the primary container.

- If Yes, a pop-up window appears allowing you to enter alternate container item numbers
- If No, only the primary container item is allowed

Dock. Customer's dock address.

- If using, the dock address must be set up in Dock Maintenance (7.3.6)
- Items will be delivered to this ship-to location

Start Effective/End Effective. The beginning and ending dates defining the period of time you and your customer have agreed for you to supply the item.

For example, you may have to deliver to a different dock or location for a set period of time. Also, some customers prefer to make a new scheduled order after a certain period of time, allowing them to close off the schedule order and account against it

Max Order Qty. Enter the maximum, cumulative quantity for the life of this order. When this quantity has been exceeded, the system displays warning messages at order updates, maintenance functions, inquiries, and reports.

Std Pack Qty. Multiple in which orders for this item are to be shipped such as 5, 10, 12.

- Schedule update rounds order quantities up to this number
- Often related to the container being used to ship the item

Plan SDP, Ship SDP. A code specifying the default ship/delivery pattern. Indicates the days of the week or month that shipments or deliveries are required. Required Ship Schedule Update (7.5.5) uses this code to determine the due dates for shipping the order.

The SDP codes can be different for shipping and planning schedules.

- If you do not use planning schedules, leave both fields blank to avoid any rescheduling of the planning dates
- Ship schedule is rescheduled based on your shipping days
Codes support both ODETTE and Automotive Industry Action Group (AIAG) ship/delivery patterns.
- Translated to the appropriate industry standard code during EDI conversion and transmission

Netting Logic. Enter one of the following codes that specify how the system uses planning and shipping schedules when it creates the RSS in Required Ship Schedule Update (7.5.5) or Selective Required Ship Schedule Update (7.5.6):

1: Use the shipping schedule only.

- 2: Use the planning schedule only.
- 3: Replace beginning of the planning schedule with the shipping schedule (replace logic).
- 4: Replace beginning of the planning schedule with the shipping schedule, then adjust the last quantity in each week of the shipping schedule data upward so the cumulative of the shipping schedule requirements is not less than the cumulative of the planning schedule requirements (consume logic).
- 5: Replace the beginning of the planning schedule with the shipping schedule. Determine the excess planning quantity in the last overlap week (the last week with both planning and shipping schedules) and spread the excess planning quantity over the open work days in the last overlap week.

Cum Start. Date on which shipment quantities start to accumulate.

- Defaults to the current date
- Date you and your customer have agreed upon

Comments. Set to Yes if you want to make comments or notes about this line item. Comments made here print out below each line item

Exercise: Create a Scheduled Order

Use Customer Scheduled Order Maint (7.3.13) to create a customer scheduled order.

Field	Data
Ship-From	10-300
Ship-To	10C1003S
Order	[Record the system-generated order number]
Transport Days	0
Item Number	03011
Customer Ref	Pump

Select No at the prompt to copy data from another order line for this item.

Enter the following in the Order Line Item Data frame.


Field	Data
Req Sched Days	0
Req Sched Weeks	0
Req Sched Months	0
Customer Item	Pump
Dock	LB
Std Pack Qty	1
Netting Logic	3

Save the customer scheduled order.


Chapter 4

Customer Schedules Processing

Customer Schedules Processing




- Receive Schedule Release
- Enter or Verify the Schedule
- Create Required Ship Schedule
- Run MRP

 QAD CS-PR-020


This slide indicates the typical sequence followed for processing a customer scheduled order.

Receive Schedule Release

Customer Schedules Processing



- Receive Schedule Release
- Enter or Verify the Schedule
- Create Required Ship Schedule
- Run MRP


CS-PR-030

Once you set up a customer's scheduled order, you are ready to receive a schedule releases. The most recently received schedule release normally supersedes all previous schedule releases.

Note Raw and fabrication authorization are an exception to this. The longest authorizations, calculated by end date, are the valid ones.

The system supports two types of schedule releases: each states how much of a certain item a customer expects to need and when. The difference between the two is the planning horizon.

- Planning Schedule (830, Delfor) shows long-term planning, such as weekly, monthly buckets
- Shipping Schedule (862, Deljit) shows short-term planning such as daily buckets and is usually the more accurate

When both schedules exist, the scheduled order's netting logic set up in Scheduled Order Maintenance (7.3.13) determines how to combine the schedules to obtain a RSS.

Note QAD Enterprise Applications retains every schedule the customer sends until you delete them from the system using Schedule Delete/Archive (7.5.23).

There are two ways to receive a schedule release:

- Import EDI or eCommerce using Document Import (35.13)
- Enter manually using Customer Plan Schedule Maintenance (7.5.1) or Customer Ship Schedule Maintenance (7.5.2), depending on the type of schedule

Note This course uses manual schedule transactions since the learning environment is not set up for EDI communication.

Document Import

Document Import

Document Import x
Go To Actions Copy Print Preview

File Type (New/Error):

Pre-Select All:

Print Fail/Pass/Both: Both

Direction:

Print Details:

Input Directory:


File Mask:

Files:

Sessions:

Output:

Batch ID:


CS-PR-040

Use Document Import (35.1) to electronically import all schedule releases. The system processes the schedule based on the schedule's purpose code such as add, change.

When importing a schedule, the system follows the following steps:

- 1 Verifies that the trading partner exists in the system.
- 2 Verifies that your site code matches that referenced on the release.
- 3 Cross-references item numbers to your internal item numbers.
- 4 Checks and opens the order record and line number in QAD Enterprise Applications.
- 5 Determines if quantities are discrete or cumulative based on the EDI indicator.
- 6 Checks that the cumulative quantities appear in ascending order.
- 7 Deletes this specific release if it already exists in the system.
- 8 Sets the effective end date of the prior release.
- 9 Adds any comments and the detail schedule data.
- 10 Creates requirement detail records if they are received.


If authorization numbers are received, verifies that they are unique based on the AUTHNBR Unique Days setting in the schedule (set in Schedule Order Maintenance)

- 11 Updates the cumulative requirements.
- 12 Updates last receipt information from attached ASNs.
- 13 Updates the fabrication and raw materials authorizations.
- 14 Creates a new schedule release, incrementing the release ID.


If you make the imported schedule the active schedule (Update set to Yes), then update the schedule in Required Ship Schedule Update (7.5.5). If it is not the active schedule (Update set to No), then edit the schedule using Customer Plan Schedule Maintenance (7.5.1) or Customer Ship Schedule Maintenance (7.5.2) and make it the active schedule. Then run Required Ship Schedule Update to create the RSS.

Enter or Verify the Schedule

Customer Schedules Processing



- Receive Schedule Release
- **Enter or Verify the Schedule**
- Create Required Ship Schedule
- Run MRP

 CS-PR-050

If you do not import schedules using EDI or eCommerce, you need to manually enter the schedule release into the system. You need to verify that the schedule release receipt was successful and that past customer receipts match your shipment records. Depending on the type of schedule release sent by the customer, you would use one of the following:

- Customer Plan Schedule Maintenance (7.5.1)
- Customer Ship Schedule Maintenance (7.5.2)

Customer Plan Schedule Maintenance

Use Customer Plan Schedule Maintenance (7.5.1) to enter or modify a planning schedule. A planning schedule gives you visibility into the future so you can plan materials, work-in-process, and resources to meet the customer's demands. Typically a planning schedule shows medium to long range requirements, usually by week or month.

There are five frames of data.

Header Frames

There are two header frames. In the first frame you identify the scheduled order (ship-from, ship-to, item number, order number) and assign a release number.

Release ID. Number identifying a specific release (version) of a customer schedule. Customers can send schedule releases on a weekly or daily basis. When this occurs, you record each schedule release in the system with a different release ID.

Pressing Go selects the active release. You can enter a number and select another release

The second header frame contains the order detail information.

Ship/Delv Pattern. Enter the ship/delivery pattern that the customer used in creating this release. Your order header takes precedence over the customer's SDP code.

Ship/Delv Time. Specify the code indicating the time of day when shipments or deliveries are accepted.

Internal and External Purpose Code. These fields are not currently used. Their values have no effect on processing.

Prior Cum Req. Prior cumulative requirement represents the total customer cumulative requirement on this scheduled order up to the Prior Cum Date.

MRP compares this quantity with the cumulative shipped quantity before determining the net demand. For example, if the total you have shipped against an order is less than the Prior Cum Req value by the Prior Cum Date, this shortfall appears as a demand requirement on MRP, with a due date equal to the Prior Cum Date. However, if you are ahead of demand, the difference is deducted from the schedule release demand.

Prior Cum Date. The date through which the prior cumulative requirement amount includes. The Prior Cum Req and Prior Cum Date are required fields for cum (cumulative) schedules. They are not required fields for req (required) schedules

Cumulative. Indicates if quantities in the schedule are stated in cumulative terms.

- If Yes, the plan is entered with cumulative quantities. For example, if the plan is for 100 per week, then it is entered as 100 in the first week, 200 in the second week, 300 in the third week, and so on
- If No, The plan is entered with discrete quantities per period. For example, if the plan is for 100 per week, then it is entered as 100 in the first week, 100 in the second week, 100 in the third week, and so on

Schedule Date Type. Determines how the requirement dates are calculated by the Required Ship Schedule Update. You have two options:

- Ship
- Delivery

If Ship, schedule dates are shipment based and requirement dates are not adjusted. If Delivery, schedule dates are delivery based. Requirement dates are adjusted by the number of days specified in the Transport Days field set in Scheduled Order Maintenance (7.3.13).

Active Start. Start date of this schedule release. Defaults to the system date.

Active End. End date of this schedule release; typically left blank. When a new release is made active, the system inputs the current system date into this field of the previously active release

Customer Receipts Frame

The third frame displays up to the last ten ASN's sent to the customer. Frequently they have been appended to the release to enable tracking of the shipments and to help maintain accurate cumulative totals.

You can use the information in this frame to resolve discrepancies between your cum ship number and the customer's cum receipt number

You can perform data entry on this frame. However, the fields are normally populated by EDI import of the release, if given by the customer.

ASN/Shipper Nbr. A number identifying the receipt document or ASN.

Receipt Date, Time. The delivery date and time of the shipment.

Receipt Qty. The discrete quantity the customer received in the shipment.

Cum Receipt Qty. The cumulative quantity for this item, including this ASN/shipper receipt.

Schedule Detail Data Frame

The Schedule Detail Data frame shows the requirements by date. This frame allows you to view or edit the requirements sent by the customer on this release. It shows the quantity required, date, and bucket intervals this quantity relates to (day, week, month). Quantities can be firm or planned.

Note To add a new line, type over the existing line.

Date. The beginning date of the bucket period being considered.

Note The date depends on the start of the customer's work week.

For example:

- With a weekly interval, the date should be the start of the week (usually a Monday)
- With a monthly interval, the date is usually the first Monday of the month

Note When the interval involved is a monthly interval, where there are weekly quantities for that month as well, QAD Enterprise Applications is expecting a date of the week commencing after the weekly quantities with a quantity for the remainder of the month. For example, if a customer normally demands 1,000 per week, the input would be:

Date	Interval	Quantity
MM/02/YY	W	1000
MM/08/YY	W	1000
MM/15/YY	M	1000

The RSS update process will then bucket the quantities correctly at 1,000 per week (in conjunction with the appropriate ship/delivery pattern).

Time. The time the shipment is to be delivered to the customer.

Note MRP does not schedule by hours. However, a customer can specify a time when they want the shipment to arrive.

Int(erval). Indicate the interval this quantity requirement covers. Values are D (daily), W (weekly), M (monthly), Q (quarterly), H (half-yearly), Y (yearly).

Weekly intervals bucket requirements into the first day of the week, Monthly intervals bucket all requirements for the next month into the first Monday of the month.

Reference. If the customer uses authorization numbers such as release authorization numbers (RANs), kanban number, or a pull signal with a number, they display in this field.

Note Some customers use authorization numbers on their releases and require you reference them on ASNs, invoices, and other documents.

Quantity. The amount of this item required at this date (and time).

Q. A one-character forecast qualifier, communicated by the customer in plan and ship schedules.

This value normally defines whether the requirement quantity is firm or still in the planning stages. It can also be used for any special purpose specified by the customer communicating the schedule.

Since all quantities in a required ship schedule are firm, Required Ship Schedule Update sets this field to indicate the source of the requirement:

- 1: The requirement originated from a planning schedule.
- 2: The requirement originated from a shipping schedule.

However, if the scheduled order defines bucketing quantities and the schedule does not have any detailed requirements, the Q column still displays F after bucketing processing.

Rqm Det. Enter Yes to display an additional frame for adding or modifying requirement detail. Requirement detail is typically updated only if you are using noncumulative accounting procedures.

Requirement Detail Maintenance Frame

This frame only displays if the Rqm Det field (set in the previous frame) is Yes.

Category. Enter a valid requirement detail category. If you specify an authorization number (AUTHNBR), the system verifies that it is unique, based on the setting of the AUTHNBR Unique Days field set in Scheduled Order Maintenance

Value. The requirement detail.

Resource Authorization Data Frame

Resource authorization data for this scheduled line shows the maximum amount of raw materials and semi-finished items the customer has committed to purchase during a specific time period. This does not limit you to that quantity. It simply means this is the maximum quantity the customer has agreed to pay for.

The quantity and dates are used by the Schedule Authorization Report (7.5.12), which calculates the largest fab and raw authorizations by item and order.

Fab Qty, Raw Qty. The quantity of this item, in end-item terms, that the customer authorizes you to fabricate/manufacture (Fab Qty) or purchase materials for (Raw Qty), as of this scheduled release.

Fab Start/End, Raw Start/End. Start and end date defining the authorization horizon.

After completing this frame, the system prompts you to make this schedule active. There can only be one active planning schedule at a time. If you already have an active planning schedule, the system puts an end date on the currently active planning schedule and the new planning schedule coming in becomes the active planning schedule.

If you are receiving both a planning and a shipping schedule, you will have an active schedule for both. The RSS calculation will then use the netting logic to determine how to combine the two schedules to get the RSS.

Exercise: Create a Planning Schedule

Use Customer Plan Schedule Maint (7.5.1) to create a planning schedule for the customer Pacific Health Care Systems (10C1003).

Field	Data
Ship-From	10-300
Ship-To	10C1003S
Item Number	03011
Order	[The customer scheduled order number created earlier]
Line	1
Release ID	001
Prior Cum Date	[Last Friday]

Advance to the Schedule Detail Data frame. Enter the following information:

- Shipments start next Monday and run for 8 weeks
- Shipments are at weekly intervals
- Each shipment is for 500 units

In the Resource Authorization Data frame, enter the following:

Field	Data
Fab Qty	500
Fab Start	[Today's date]
Fab End	[The last ship date]
Raw Qty	500
Raw Start	[Today's date]
Raw End	[Last ship date]

Select Yes when the system asks you to make this schedule active.

Customer Ship Schedule Maintenance

Customer Ship Schedule Maintenance

Customer Ship Schedule Maint
Go To Actions Copy Print Preview Attach

Ship-From: 12:200 Order: TRANS2 Line: 1

Ship-To: 20C1000 Autoliv France SNC


Item Number: Q2200 Motor Asm 8 Way Seat Adj UM: EA

PO Number: CPD2001

Customer Ref:

Model Year:

Release ID:


CS-PR-120

Use Customer Ship Schedule Maintenance (7.5.2) to enter or modify a shipping schedule. A shipping schedule lets you plan materials, work-in-process, and resources to meet the customer's demands. Usually, a shipping schedule shows short range requirements, in daily buckets.

There are four frames and they are identical to the first four frames in Customer Plan Schedule Maintenance (7.5.1). A shipping schedule does not include resource authorizations.

After completing all four frames, the system prompts you to make this schedule active. There can only be one active shipping schedule at a time. If you already have an active shipping schedule, the system puts an end date on the currently active shipping schedule and the new shipping schedule coming in becomes the active shipping schedule.

If you are receiving both a planning and a shipping schedule, you will have an active schedule for both. The RSS calculation will then use the netting logic to determine how to combine the two schedules to get the RSS.

Exercise: Create a Shipping Schedule

Use Customer Ship Schedule Maint (7.5.2) to create a shipping schedule for the customer Pacific Health Care Systems (10C1003).

Field	Data
Ship-From	10-300
Ship-To	10C1003S
Item Number	03011
Order	[The customer scheduled order number created earlier]
Line	1
Release ID	001
Prior Cum Date	[Last Friday]


Advance to the Schedule Detail Data frame. Enter a shipping schedule using the following information:

- Shipments start next Monday and run for 2 weeks
- Shipments are at daily intervals, Monday through Friday
- Each shipment is for 100 units


Select Yes when the system asks you to make this schedule active.

Create Required Ship Schedule

Customer Schedules Processing



- Receive Schedule Release
- Enter or Verify the Schedule
- **Create Required Ship Schedule**
- Run MRP

 2008CS-PR-140

The RSS identifies for a particular customer and scheduled order, the item quantities they need you to ship, on what dates, and at what time.

You create an RSS using one of the following:

- Required Ship Schedule Update (7.5.5)
- Selective Required Ship Schedule Update (7.5.6)

Required Ship Schedule Update

Required Ship Schedule Update

Required Ship Schedule Update x

Ship-From: <u>12-200</u>	To: <u>12-300</u>
Sold-To: <u>10c1000</u>	To: _____
Ship-To: _____	To: _____
Dock: _____	To: _____
Item Number: <u>02200</u>	To: <u>02200</u>
PO Number: _____	To: _____
Customer Ref: _____	To: _____
Model Year: _____	To: _____
Order: _____	To: _____

Report Detail/Summary: Summary

Update: No

Output:
Batch ID:


CS-PR-150

Use Required Ship Schedule Update (7.5.5) to create an RSS using either or both active planning and shipping schedules. Which schedule the system uses and how depends on the schedule order's Netting Logic (set in Scheduled Order Maintenance). The system records the source of the requirement (shipping or planning schedule) and displays this information in the report generated at the end of the update process.

Basically, the RSS turns the customer's need dates into due dates which you can then use for planning and production.

The update first selects the most recent release for each schedule type. It then uses the following information to create the RSS:

- Scheduled order data (Week Offset, Cumulative, Transport Days, Req Sched Days, Weeks, Months, standard pack quantity, Netting Logic, and SDP codes)
- Your calendar
- Your customer's calendar, if necessary.
 - System uses this to adjust dates or quantities if your customer does not schedule their requirements to coordinate with your open days, ship schedule, or shipment multiples
 - QAD Enterprise Applications back-schedules all date adjustments

Field Definitions

Report Detail/Summary. You have two report options: Detail and Summary

If Detail, a complete audit report prints. This report shows:

- Order details such as the ship-from, ship-to, item number, order number, line number, and PO Number
- The planning and shipping schedule details, including the Release ID for each
- If there is a customer or ship-to calendar
- What the transportation leadtime is for each schedule
- Resource authorization data
- If bucketing was used, and if so, the what is being used
- The new active RSS

If Summary, only the Sold-To, Ship-To, Item Number, PO Number, Plan Release ID, and Ship Release ID print as the system processes each order detail record.

Update. The system uses this setting to determine if it is to create a new schedule release for the order detail records selected.

- If Yes, the system calculates and creates a new schedule release
- If No, the system does the calculations and generates report, but does not do any actual updating to the database

Note It is a good idea when first running this process to set Update to No. This gives you the ability to review the new schedule release prior to actually creating it.

Customer Schedule Calculation

Customer Schedule Calculation

Ship Date and Quantity Logic

	4/12	4/13	4/14	4/15	4/16	4/19	4/20	4/21	4/22	4/23
	M	T	W	Th	F	M	T	W	Th	F
1. Incoming Ship/Plan Schedule Qty: 750 Due: 4/22									750	
2. Ship/Delivery Pattern 1/2 MW					375	375				
3. Ship-To Calendar Closed 4/19 - 4/23					375/ 375					
4. Transport Lead Time 2 days			375/ 375							
5. Standard Pack 500			1000							

QAD CS-PR-160

In creating the RSS, the update program performs the following calculations:

- Back-schedules for ship/delivery pattern.
 - This has the effect of bucketing the required quantity over the interval specified according to the SDP
 - In the example above, a weekly quantity of 750 is divided into 375 Monday and 375 on Wednesday for delivery
- Combines schedules using netting logic specified in Scheduled Order Maintenance
- Back-schedules for customer calendar from ship/delivery schedule. If one of the delivery days calculated above is a non-operating day for the customer (indicated in the customer calendar), the program will bring the delivery date forward to the next available day for that quantity
- Back-schedules for transport lead time from calendar-adjusted schedule.
 - Set in Scheduled Order Maintenance
 - All delivery dates are adjusted by the number of calendar days entered in the Transport Days field shown in line 4 above.
- Revises quantities to standard packing quantity multiple defined in Scheduled Order Maintenance

- 6 Rebuckets quantities from month and week quantities into dates and quantities. Rebucketing is carried out according to the values entered in the Req Sched Days, Req Sched Weeks, Req Sched Months fields (set in Scheduled Order Maintenance)
- 7 Creates a new active RSS.
 - a Assigns a release ID.
 - b Displays quantities and dates.

Managing Requirement Detail

If you are using non-cumulative accounting procedures, the system manages requirement detail using the settings you define in the Non-Cumulative Quantity Accounting Data frame of Scheduled Order Maintenance.

If requirement detail exists, during the update process the system:

- 1 Copies requirement detail to the RSS.
- 2 Creates a schedule detail record for each requirement detail record.

If the Merge RSS field is Yes (in the Non-Cumulative Quantity Accounting Data frame), open requirements from the previous active RSS can be carried to the new RSS.

Exercise: Create a Required Ship Schedule

- 1 Use Required Ship Schedule Update (7.5.5) to run the update for the required ship schedule (RSS) release for the customer Pacific Health Care Systems (10C1003).

Field	Data
Ship-From	10-300
Ship-To	10C1003S
Item Number	03011
Order	[The customer scheduled order number created earlier]

Select the Detail report option and set Update to No.

- 2 Run the program again, this time selecting the Summary report option. Leave Update set to No.
- 3 Review both reports to see what information each provides.
- 4 Run the program again, selecting either report option, and set Update to Yes.

Selective Required Ship Schedule Update

Selective Required Ship Schedule Update

Go To Actions Copy Print Preview Attach

Ship-From: 12-200

Ship-From: <input type="text" value="12-200"/>	Order: <input type="text"/>	Line: <input type="text"/>
Ship-To: <input type="text" value="22C1000"/>		
Item Number: <input type="text" value="02200"/>		UM: <input type="text"/>
PO Number: <input type="text"/>		
Customer Ref: <input type="text"/>		
Model Year: <input type="text"/>		

Ship Schedule Release ID:

Plan Schedule Release ID:


Sequence Schedule Release ID:

Report:

Update:

Output:

Set to No to
preview changes


CS-PR-180

Use Selective Required Ship Schedule Update (7.5.6) to create an RSS using a specific release (not necessarily the active one). The method for calculating the RSS is the same as used in Required Ship Schedule Update.

Selection Criteria. Ship-From/Ship-To/Item/PO Number/Order/Line. Use one or more of these criteria to select the scheduled orders. To select all, leave the field blank.

Ship Schedule Release ID/Plan Schedule Release ID/Sequence Schedule Release ID.

Specify the release ID of the specific version of the customer schedule.

Report. You have the option of generating an audit report (Yes) or not generating a report (No). The report shows the records that are being changed.

Update.


- If Yes, the system makes the changes to the database
- If No, no changes are made

Required Ship Schedule Maintenance

Required Ship Schedule Maintenance

To call up active RSS:

1. Enter order number
2. Enter line number (if multiple lines)
3. Press Next twice


CS-PR-190

Use Required Ship Schedule Maintenance (7.5.3) to modify an RSS release (does not have to be an active RSS). You can do this at any point during the schedule processing. There are three frames.

- In the first frame you identify the RSS. To call up the active RSS, enter the order number and line number (if the order has multiple lines) and press Go. In the Release ID field, press Go and the system opens the active release.
- The second frame shows:
 - Total customer requested quantity (Prior Cum Req) as of a certain date (Prior Cum Date)
 - If this release is cumulative (Cumulative)
 - Dates showing when this release was active (Active Start/Active End). The Active End field is blank for the currently active release
- The third frame is the Schedule Detail Data frame. It shows the dates and quantities in the RSS, which were generated using the customer's requirements.


Field Definitions

Reference. The value of Reference is linked to the value for AUTHNBR. If you modify the Reference values, a new schedule detail record is created. Only one authorization number can exist for each entry. If you attempt to add a second authorization number, an error displays.


After completing all the frames, if this was not the active schedule, the system prompts you to make it the active schedule.

Run MRP

Customer Schedules Processing




- Receive Schedule Release
- Enter or Verify the Schedule
- Create Required Ship Schedule
- **Run MRP**

 2008CS-PR-200

Once you have the active RSS, you are ready to run MRP to explode demand and schedule component orders. The dates in the RSS drive MRP. Sometimes a customer includes a time as well as the date. Although, MRP does not schedule by hours, you can use the times specified on the RSS to be more precise about when the customer wants the shipment to arrive.

MRP does not look at the customer's planning or shipping schedules, only at the active RSS.

Net Change MRP




Use Net Change MRP (23.1) to plan for items that have had changes in supply or demand since the last MRP run.

Discussed in *Training Guide: Materials Requirements Planning*

Regenerate Materials Plan

Regenerate Materials Plan

Regenerate Materials Plan x
Go To Actions Copy Print Preview
Site: To:
Synchronized Calculation:
Synchronization Code:
Number of AppServer Threads:
Output: page
Batch ID:

 QAD CS-PR-220

Use Regenerative MRP (23.2) to look at all MRP-planned items and to create a completely new material plan.

Discussed in *Training Guide: Materials Requirements Planning*

Selective Materials Plan

Selective Materials Plan

Selective Materials Plan X
Go To Actions Copy Print Preview

Item Number:

Site:

Master Scheduled Items:

Non Master Scheduled Items:

MRP Items:

DRP Items:

Required Items Only:

Resolve Low Level Codes:

Synchronized Calculation:

Synchronization Code:

Number of AppServer Threads:

To:

To:

Buyer/Planner:

Product Line:

Group:


Item Type:

Supplier:

Pur/Mfg:

Output:

Batch ID:


CS-PR-230

Use Selective Materials Plan (23.3) to run MRP on selective items only.

- It can be run in net change mode by setting the Required Items Only field to Yes, or in regenerative mode by setting Required Items Only to No
- You can use Selective Materials Plan to plan master schedule items separately from other items, or to plan small groups of items by using buyer/planner, product line, group, type, supplier, or any combination of these, as selection criteria

Discussed in *Training Guide: Material Requirements Planning*

Customer Schedules Processing Summary

Customer Schedules Processing Summary

- Receive Schedule Release
- Enter or Verify the Schedule
- Create Required Ship Schedule
- Run MRP

Course Overview

Course Overview

- ✓ Introduction to Customer Schedules
- ✓ Business Considerations
- ✓ Set up Customer Schedules
- ✓ Process Customer Schedules
- Process Customer Schedules Shipments



CS-PR-250

Chapter 5

Customer Schedule Shipment Processing

Customer Schedule Shipment Processing


- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice



CS-SH-020

This illustration is a suggested processing sequence of data for customer schedule shipments based on information that flows from one type of data to another and prerequisites that need to be accomplished before setting up a type of data.


Shipment Processing




A shipment consists of multiple items, which can be end items or containers holding other containers and/or end items. Each shipper has a unique ID. A shipper is defined for the entire shipment, which contains all containers as well as any items that are not in containers.

Create Containers

Customer Schedule Shipment Processing



- **Create Containers**
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice


CS-SH-040

Shipment maintenance relies on a structural relationship between items and containers. Containers are similar to parent items and can include any number of items or other containers. You use containers to:

- Package and store finished goods at the end of a production line
- Warehouse finished goods in single level containers before shipping
- Consolidate finished goods going to the same location

QAD Enterprise Applications does not require that you use containers; you can list items directly under the shipper. However, if you use shipping labels, typically items must be in a container.


You can create containers in two places:

- Container Workbench (7.7.1) for single level containers
- Pre-Shipper/Shipper Workbench (7.9.2) for hierarchical containers

If you want to track container inventory, you need to assign a nonzero GL cost to container item numbers. This ensures that the system creates inventory transactions of type ISS-UNP when you confirm shippers referencing the container items

If you do not want to track container inventory, create dummy item numbers for containers that have zero GL costs.

Container Workbench



Use Container Workbench (7.7.1) to containerize the shipment by creating or maintaining item/container records. First create the containers, then add the items to the containers

Since containers can be nested, start the setup with those containers that hold the shipped items—those at the bottom of the structure.

Note Container item numbers need to be set up before you can create a item/container record. You set up the container item numbers in Item Master Maintenance (1.4.1).

You start by entering the identifying information in the header frame. What displays next depends on if you are adding a new item/container record or if you are modifying an existing item/container record.

- If you are adding a new item/container record, there are three additional frames
- If you are modifying an existing item/container record, the next frame to display is the Container Workbench frame

Field Definitions

Site, Container. These fields uniquely identify a container. The Site is the ship-from site code. Container is the container ID number. If you are creating a new container, leave the Container field blank. If you are modifying an existing container, enter the container ID number.

Container Information Frame

The screenshot shows the 'Container Information' section of the 'Container Workbench' application. The 'Next Container' field is empty and highlighted with a blue arrow pointing to a callout box that says 'Can leave blank to have system assign'. Other fields include 'Container Item', 'Quantity' (1), 'Unit of Measure', 'Tare Weight', 'Volume', 'Sales Order', 'Site', 'Location', 'Lot/Serial', 'Reference', 'Multi Entry' (checkbox), and 'Order Line'.

This frame contains information about the container you are using. The quantity you enter here is distributed equally over all containers. For example, if you enter 6 containers in this frame and you enter 120 items in the Item Information frame, the system creates a container structure of 6 containers holding 20 items each.

Any remainder is added to the first container.

Field Definitions

Next Container. The container number to be assigned to the first container in the set of containers you are creating. You cannot use a container number that is already being used. If you leave this field blank, the next container number defaults from Container/Shipper Control.

Note Each container in the shipment must have a unique ID.

Container Item. The item number of the container you are using for this shipment.

Quantity. The number of containers you are using. Defaults to one. The system creates as many container records as you specify here and assigns sequential container numbers to each

Note Each container record you create shares the same values that you enter in the container information field. If you set Multi Entry to Yes, you can assign different site, location, lot/serial, and reference codes for each record.

UM. The volume unit of measure of this container.

Tare Weight. The weight of the container deducted from the gross weight to obtain the net weight.

UM Tare Weight. The tare weight unit of measure for this container.

Volume. The volume of the container before packing or loading. Defaults from the Item Master

UM Volume. The volume unit of measure. Defaults from the Item Master

Site. Site code for the container. Defaults to the site entered in the header. You can assign a different site by setting Multi Entry to Yes

Location. Location code for the container. Defaults to the location associated with the item number entered in the Container Item field. You can assign a different location by setting Multi Entry to Yes

Lot/Serial. The lot/serial number for the container. You can assign a different lot/serial number by setting Multi Entry to Yes


Note If Lot/Serial is Yes in the item master record of this container item, you must set Multi Entry to Yes and enter each lot/serial number separately.

Ref. The lot reference number for the container. You can assign a different lot reference number by setting Multi Entry to Yes

Multi Entry. Indicates if the container records being created reference multiple sites, locations, lot/serial, nd/or lot reference numbers.

- If Yes, the Issue Detail frame displays allowing you to add the additional information
- If No, the information you enter on this screen is used

Issue Detail Frame



Use the Issue Detail frame to assign for each container item different:

- Sites
- Locations
- Lot/serial numbers
- Lot reference numbers

Item Information Frame

You use this frame to enter information about the items being placed in the container.

Item Number. The item number of the item you are adding to the container.

Quantity. The number of items being added to the container.

UM. The unit of measure of the item. Defaults from the Item Master

Conversion. The conversion factor for the system to use if you specify an alternate unit of measure.

Net Weight. The net weight per unit of the item. Defaults from the Item Master

UM Net Weight. The net weight unit of measure of the item. Defaults from the Item Master

Volume. The volume of the item. Defaults from the Item Master

UM Volume. The volume unit of measure of the item. Defaults from the Item Master

Site. The site code for the item.

Location. The location of the item.

Lot/Serial. The lot/serial number of the item.

Ref. The reference number of the item.

Multi Entry. Indicates if the items being added reference multiple sites, locations, lot/serial, and/or lot reference numbers.

- If Yes, the Issue Detail frame displays allowing you to add the additional information
- If No, the information you enter on this screen is used

Comments. Comments or remarks associated with the item.

- If Yes, you can enter new comments or edit existing comments
- If No, you cannot enter or edit comments

Container Workbench Frame

Container Workbench Frame

Level	Container	Item Number	Quantity	UM
0	0001	01010	1.0	EA
1	0001	01010	1.0	EA

Container: 0001	Volume: 9.0 CF
Item Number: 01010	Site: 10-100 Loc: 010
Quantity: 1.0 UM: EA	Lot/Serial: 123
Net Weight: 5.58 KG	Reference: Comments: <input type="checkbox"/>
Tare Weight: 5.61 KG	Kanban:
Gross Weight: 11.22 KG	Description: Medical Ultrasound
Order:	Order Line:

There are two frames. The Container Workbench frame displays the containers in a hierarchical level, showing each container and the items contained in each container. The container detail frame displays detailed item/container information. Using these frames, you can:

- Modify detail for a container
- Add another container to the master container
- Add an item to a container
- Delete an item from a container

To select a container or item, position your cursor at the line (use the arrow keys to move up and down), then press Enter. Your cursor moves to the lower frame that displays detail information for the selected item or container.

Field Definitions

Container. The container number of this container item.

Item Number. The item number of the container or item.

Quantity. The number of items (Item Number) being added to the container.

UM. The unit of measure of the item.

Net Weight. The net weight per unit of the item or container

UM Net Weight. The net weight unit of measure of the item or container.

Gross Weight. The gross weight of the item or container.

- If a container item number, it is the sum of the net weight of the container item number plus the net weight of the item numbers added to the container
- If an item number, it is the net weight of the item

UM Gross Weight. The gross weight unit of measure of the item or container.

Volume. The volume of the item or container.

UM Volume. The volume unit of measure of the item or container.

Site. The site code for the item or container.

Lot/Serial. The lot/serial number of the item or container.

Ref. The reference number of the item or container.

Kanban. The kanban number of the container. Reference only

Description. The description of the item or container.

Comments. Comments or remarks associated with the item.

- If Yes, you can enter new comments or edit existing comments
- If No, you cannot enter or edit comments

Adding a New Item/Container Record

To add a container:

- 1 From the container detail frame, select from the actions menu insert. You can also right-click to get the same menu. The Add Options pop-up box appears.
- 2 Choose option 2, Add Container. The Container Information frame appears.
- 3 Enter the container item number you are adding and complete the remaining container information.

To add an item to an existing container:

- 1 In the Container Workbench frame, using your cursor, select the container to which you are adding the item.
- 2 From the actions menu select insert, or right mouse click.
The Add Options pop-up box appears.
- 3 Choose option 1, Add Item.
The Item Information frame appears.
- 4 Enter the item number you are adding and complete the remaining item information.


When all item/container information has been entered, the Container Workbench frame displays all item/container information in hierarchical order. It shows all the containers and the items contained in each container. If you want to modify any of the information, move your cursor to the record you want and press Enter. The item/container information displays in the lower frame where you can make the modifications.

Deleting an Existing Item/Container Record


- 1 In the Container Workbench frame, select the item or container.
- 2 From the actions menu select delete
- 3 From the delete options pop up window choose one of the following options:
 - a **Delete Pre-Shipper/Shipper**
Delete the entire container from the database.
 - b **Delete Item/Container Line**
Delete a container or item line from the database. Any container or item belonging to the deleted container or item line is moved up one level. You cannot delete a container line if it results in an item that does not have a container item.
 - c **Delete Container (plus contents)**
Delete a container and all containers or items belonging to it.
 - d **Remove Container**
Remove a next level container from a container. The container can still be accessed under its own container number.
 - e **Remove Container (plus contents)**
Remove a next level container and all containers or items belonging to it from a container. The container can still be accessed under its own container number.
- 4 The system prompts you to confirm the deletion. Choose one of the following:
 - Yes to confirm the deletion
 - No to cancel the deletion

Create Shipper

Customer Schedule Shipment Processing



- Create Containers
- **Create Shipper**
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice

 CS-SH-120

.A shipper is a document that records what is being shipped. You can send the shipper:

- Electronically as an ASN
- With the shipment

The pre-shipper is used to select the containers and items that make up the shipment. The terms picklist and pre-shipper are synonymous. A pre-shipper is the basis for a shipper

The system uses the shipper to select and ship inventory. You can create a shipper automatically using Picklist/Pre-Shipper – Automatic (7.9.1) or Shipper Gateway (7.9.22).

Picklist/Pre-Shipper - Automatic

Use Picklist/Pre-Shipper – Automatic (7.9.1) to create a pre-shipper for scheduled orders. You can create pre-shippers in batches.

Note QAD Enterprise Applications converts pre-shippers to shippers before shipping.

Creating a pre-shipper pegs shipper lines based on the active RSS (Required Ship Schedule) for the appropriate requirement. As shipper lines are created and pegged, the requirement is consumed.

Auto Allocation. Determines if the system performs a general inventory allocation for confirmed scheduled order lines that are not yet general allocated at the time you run Picklist/Pre-Shipper Automatic.

- If Yes, allocations are limited to the quantity available to allocate
 - If there is not enough inventory to allocate the entire scheduled order, the system partially allocates the inventory
 - If there is no inventory available to allocate, the system does not allocate inventory for the scheduled order
- If No, system does not allocate inventory. Default

Allocate Components. Lets you automatically apply pick logic and create detail inventory allocations for components of configured kits.

- If Yes, system creates detail allocations for the confirmed scheduled order lines

- If No, system uses scheduled order line site for the site and default item location. Default

Note Quantity to ship for a component is determined by the quantity open for the configured kit item, not the quantity available to allocate for the component.

Ship Avail Qty for Kit. Determines quantity picked for kit items. (A kit is a type of configured item that represents a set of items that are picked and shipped together. No real assembly takes place.)

- If Yes, the system determines the component of the kit with the least quantity available to allocate. The quantity to ship for the kit item is set to this quantity
- If No, the quantity to ship for the kit item is set to the corresponding quantity open on the order line. Default

Stage Open Quantities. Allows creation of picklists for scheduled order lines that cannot be detail allocated because inventory is not yet available. Useful if at the time you create the picklist the inventory is not available, but will become available soon.

- If Yes, picklists will be created based on open scheduled order line quantities.
 - The open scheduled order line quantity does not have to be detail allocated
 - Can create a pre-shipper for an order line even if there is insufficient inventory
 - Overrides the effects of the Auto Allocation setting and overrides a Yes setting in Ship Avail Qty for Kit
- If No, picklists will be created based on scheduled order lines that have been detail allocated only. Default

Note If this option is set to Yes, you cannot have the Use Containers option also set to Yes.

Override Partial OK. Determines if the partial shipment flag on each scheduled order is to be considered when printing picklists.

- If Yes, the customer will accept a partial shipment
 - A packing list prints (and shipments made) even if the entire scheduled order quantity is not available
 - The remainder of the scheduled order is backordered and remains in the system until it can be shipped
- If No, the customer will not accept partial shipment
 - If all items are not available (allocated) and cannot be completely shipped, a packing list does not print for this scheduled order
 - Packing list prints only if all line items have been allocated
 - Default

Use Containers. Determines if containers meeting specific criteria are assigned to and referenced on the picklists. Useful if you temporarily store your finished goods in containers before shipping. It allows you to pick specific containers rather than items at specific locations.

- If Yes, system assigns containers meeting the specific criteria to picklists. Picklists reference the assigned containers
- If No, system does not assign containers to picklists. Default

Note If this option is set to Yes, the Stage Open Quantities options cannot be set to Yes.

Only containers meeting the following criteria are assigned to picklists:

- The container has no parent: The container cannot already be assigned to another container, pre-shipper, or shipper
- The container contains only the scheduled order line item number: Automatic container assignment doesn't work when containers contain more than one item number
- The container contains a quantity of the scheduled order line item number that is equal to or less than the uncontainerized quantity for the scheduled order line
- The container item number is either the primary container for the scheduled order line or one of the alternate containers for the scheduled order line

Break on Sales Order. Determines if system creates separate pre-shippers for each selected scheduled order with the same ship-to.

- If Yes, system creates separate pre-shippers
- If No, system creates a combined pre-shipper. Default

Update. Determines if the changes are made to the database.

- If Yes, the system generates the report and makes the changes to the database. Default
- If No, the system only generates the report

Break on Maximum Weight. Determines the maximum gross weight for the pre-shipper.

- If zero (0), system creates pre-shippers without regard to maximum gross weight
- If nonzero, system checks pre-shipper gross weight before adding a new order line item to make sure the addition will not cause the pre-shipper to exceed the maximum gross weight. If it would exceed the maximum gross weight, the system creates a new pre-shipper

UM Maximum Weight. The unit of measure of the Break on Maximum Weight value.

Break on Maximum Volume. Determines the maximum volume for the pre-shipper.

- If zero (0), the system creates pre-shippers without regard to maximum volume
- If nonzero, the system the pre-shipper volume before adding a new order line item to make sure the addition will not cause the pre-shipper to exceed the maximum volume. If it would exceed the maximum volume, the system creates a new pre-shipper

UM Maximum Volume. The unit of measure of the Break on Maximum Volume value.

Include Packing List Comments. Determines whether or not the system leaves room for packing list comments on the pre-shipper.

- If Yes, the system leaves room for packing list comments on the pre-shipper
- If No, the system does not leave room for packing list comments on the pre-shipper. Default

Print Only Lines to Pick. Determines if the system prints on the pre-shipper all scheduled order line item numbers that have been detailed allocated.

- If Yes, system prints only scheduled order line item numbers that have been detailed allocated. Default
- If No, system prints all scheduled order line item numbers

Print Features and Options. Determines if the system prints configures line item numbers followed by a list of features and options.

- If Yes, features and options print after the configured item number
- If No, only the configured item number prints. Default

Print Packing List Comments.

- If Yes, system prints packing list comments
- If No, system does not print packing list comments. Default

Create Pre-Shipper in SO UM. When an alternate unit of measure (UM) is used, this determines which UM the system uses when creating the pre-shipper.

- If Yes, system uses the UM specified on the scheduled order in Scheduled Order Maintenance. Default
- If No, system uses the UM specified for the item in Item Master Maintenance

Form Code. The form code of the document format on which you want these documents to print. Defaults to 1

Shipper Verification. Shipper verification occurs automatically at the end of processing. A pre-shipper is generated displaying the general order details (order number, ship-to, item number) and the pre-shipper number. It also provides information regarding the pegged requirements, including requirement detail authorization numbers.

Authorization numbers are assigned to shipper lines based on a FIFO (first in, first out) method

You can use Pre-Shipper/Shipper Workbench (7.9.2) to view and maintain pegged shipper lines.

Exercise: Create a Shipper

Use Picklist/Pre-Shipper - Automatic (7.9.1) to create a shipper for the customer Pacific Health Care Systems (10C1003) using the following information:

Field	Data
Sales Order/To	[The customer scheduled order number created earlier]
Auto Allocation	No
Allocate Components	No
Ship Avail Qty for Kit	No
Stage Open Quantities	Yes
Override Partial OK	Yes
Use Containers	No
Break on Sales Order	No
Print Only Lines to Pick	No

Pre-Shipper/Shipper Workbench

Use Pre-Shipper/Shipper Workbench (7.9.2) to:

- Modify pre-shippers that were created automatically
- Maintain the relationship between RSS requirements and individual shipper lines
- Maintain item/container records for a pre-shipper/shipper
- Create a pre-shipper/shipper without using Picklist/Pre-Shipper Automatic
- Establish a master container hierarchy

Header Frame

The header frame uniquely identifies shipper using the ship-from site, pre-shipper/shipper number, ship-to.

- If a pre-shipper exists for the entered information, the system retrieves that pre-shipper
- If a pre-shipper does not exist, the system creates a new document

Carrier Detail Frame

Carrier Detail Frame

The screenshot shows the 'Carrier Detail Frame' within the 'Pre-Shipper/Shipper Workbench'. The form is titled 'Pre-Shipper/Shipper Workbench' and includes a menu bar with 'Go To', 'Actions', 'Copy', 'Print', 'Preview', and 'Attach'. The main content area is divided into several sections:

- Header:** Ship-From ID: 10-100, Number: SH2710100001, Inventory Movement Code: [dropdown]
- Ship-From Information:** Ship-From ID: 10-100, Site 100 USA, Pre-Shipper/Shipper: Shipper, Number: SH2710100001
- Ship-To Information:** Ship-To/Dock: 10C1000, Wal-Mart, 702 S.W. 8th Street
- Shipping Group:** Shipping Group: [dropdown], Inventory Movement Code: [dropdown]
- Carrier Configuration:**
 - Carrier: [input field]
 - Multi: (highlighted by a callout box)
 - Ship Via: FEDX (dropdown)
 - FOB Point: [dropdown]
 - Mode of Transport: [dropdown]
 - Carrier Shipment Ref: SH2710100001 (dropdown)
 - Vehicle ID: [dropdown]
 - Payment Type: [dropdown]
 - Carrier Account: [input field]
- Additional Options:**
 - Document Format: 01 (dropdown)
 - Consolidate Ship: optional
 - Language: us (dropdown)
 - Merge Other Pre-Shippers:
 - Comments:
 - Total Pallets: 0 (input field)

CS-SH-160

Use the Carrier Detail frame to enter carrier data for this shipment (Ship Via, FOB Point, Mode of Transport).

- If the shipment uses more than one carrier, set the Multi field to Yes
 - The Carriers frame displays
- If you are combining pre-shippers, set the Merge Other Pre-Shippers field to Yes
 - Defaults to No
 - Cannot merge shippers
 - Merged pre-shippers must share the same Ship-To/Dock address
 - If Yes, the system prompts you to enter the pre-shipper number you want to merge with this pre-shipper

Shipper Workbench Frame


Shipper Workbench Frame

The screenshot displays the Shipper Workbench interface. At the top, there's a menu bar with options like 'Go To', 'Actions', 'Copy', 'Print', 'Preview', and 'Attach'. Below this, there are input fields for 'Ship-From ID: 10-100', 'Number: SH2710100001', and 'Inventory Movement Code:'. The main area contains a table with columns: Level, Order, Ln, Item Number, Quantity, UM, Container, and Canc B/O. A callout box labeled '1. Select item' points to the 'Level' column. Another callout box labeled '2. Modify item information' points to a detailed information panel at the bottom. This panel includes fields for Sales Order, Line, Order, Site, Loc, Qty Picked, Net Weight, Tare Weight, Gross Weight, Volume, Lot/Serial, Reference, ID, Description, Comments, and Cancel B/O. The QAD logo is in the bottom left, and 'CS-SH-170' is in the bottom right.

The Shipper Workbench frame shows what items and containers are included in this shipment. The lower frame shows the shipper detail for individual items or containers. Using these frames, you can:

- Add items or containers
- Delete items or containers
- Modify or remove items for the item/container records
- Maintain pegged shipper lines

Add Options



- 1 In the Shipper Workbench frame, using your cursor, select a container number, pre-shipper number or shipper number.
- 2 From the actions menu select Insert, or right mouse click and select Insert.
The Add Options pop-up box appears.
- 3 Choose option 1, Add Item, click OK or press enter.
The Item Information frame appears.
- 4 In the Item Number field enter the item number you are adding and in the Sales Order field enter the scheduled order number.
Note The item must be from an open scheduled order having the same ship-from and ship-to as the pre-shipper or shipper.
- 5 Complete the remaining item detail information.

To Add a Container

Container Information Frame

Pre-Shipper/Shipper Workbench

Go To Actions Copy Print Preview

Item Information

Item Number: 100634

Purchase Order:

Customer Reference:

Model Year:

Sales Order: SD10051 Line: 1

Quantity: Site:

Unit of Measure: Location:

Conversion: Lot/Serial:

Type: Reference:

Net Weight: Multi Entry:

Volume: Comments:

ID: Detail Allocations:


Ship Avail Qty for Kit:

Back Next

QAD CS-SH-190


- 1 In the Shipper Workbench frame, using your cursor, select a container number, pre-shipper number or shipper number.
- 2 From the actions menu select Insert.
The Add Options pop-up box appears.
- 3 Choose option 2, Add Container.
The Container Information frame appears.
Note You can only add to a pre-shipper containers created in Container Workbench.
- 4 Enter the item number for the container you are adding and complete the remaining container information.

Add Options



- 1 In the Shipper Workbench frame, using your cursor, select a container number, pre-shipper number or shipper number.
- 2 From the actions menu select Insert
The Add Options pop-up box appears.
- 3 Choose option 3, Add Container (plus Contents).
The Container Information frame appears.
- 4 Enter the item number for the container you are adding and complete the remaining container information.
The Item Information frame appears
Note You cannot add a container created in Container Workbench to a shipper.
- 5 In the Item Number field enter the item number you are adding and in the Sales Order field enter the scheduled order number.
Note The item must be from an open scheduled order having the same ship-from and ship-to as the pre-shipper or shipper.
- 6 Complete the remaining item detail information.

Delete Options



- 1 In the Shipper Workbench frame, select a container number.
- 2 Click the Delete button. This brings up the pop-up window with the delete options.
- 3 Choose one of the following options:
 - a Delete Pre-Shipper/Shipper: Delete the entire container from the database.
 - b Delete Item/Container Line: Delete a container or item line from the database. Any container or item belonging to the deleted container or item line is moved up one level. You cannot delete a container line if it results in an item that does not have a container item.
 - c Delete Container Plus Contents: Delete a container and all containers or items belonging to it.
 - d Remove Container: Remove a next level container from a container. The container can still be accessed under its own container number.
 - e Remove Container Plus Contents: Remove a next level container and all containers or items belonging to it from a container. The container can still be accessed under its own container number.
- 4 The system prompts you to confirm the deletion.

To Maintain Pegged Shipper Lines

Maintain Pegged Shipper Lines

- 1 In the Shipper Workbench frame, select the line you want.
- 2 Click Next.
- 3 Set the Consume Req field to Yes.
The Consume Required Ship Schedule Requirements frame displays.

Consume Required Ship Schedule Requirements Frame

Another frame displays if the Consume Req field was set to Yes. This frame shows the RSS requirements for the scheduled order line number.

You can modify the Ship Line Peg Qty. The system adjusts the Open Qty based on the pegged quantity you enter.

The system calculates the open quantity for the requirement based on:

- The Ship Complete percentage set in Scheduled Order Maintenance
- The RSS requirement quantity tied to this shipper line
- The amount pegged (the quantity entered in Ship Line Peg Qty)
- Dynamic Unpeg set in Scheduled Order Maintenance

Trailer Information Frame

Trailer Information Frame

The screenshot displays the 'Pre-Shipper/Shipper Workbench' window. The title bar includes 'Pre-Shipper/Shipper Workbench' and a close button. The menu bar contains 'Go To', 'Actions', 'Copy', 'Print', 'Preview', and 'Attach'. Below the menu bar, there are three fields: 'Ship-From ID: 10-100', 'Number: SH2710100002', and 'Inventory Movement Code:'. The main content area is divided into two columns. The left column contains 'Ship-From ID: 10-100', 'Pre-Shipper/Shipper: Shipper', and 'Number: SH2710100002'. The right column contains 'Site 100 USA', 'Wal-Mart', and '702 S.W. 8th Street'. Below this, there are fields for 'Shipping Group:', 'Inventory Movement Code:', and 'Trailer Information'. The 'Trailer Information' section includes a 'Status:' field with a dropdown menu, a 'Trailer Comments:' checkbox, and a 'Cancel Date:' field.

Status. Specifies if the shipper is active or cancelled.


- If blank, the shipper is active
- If X, the shipper is cancelled. You cannot cancel a confirmed shipper. Cancelled shippers are ignored by the system, except for deleting or archiving
- If C, the shipper is confirmed in Pre-Shipper/Shipper Confirmed (7.9.5)

Cancel Date. The date the shipper was cancelled.

Trailer Comments. Determines if trailer comments are added to this shipment.

- If Yes, you can enter trailer comments; a Transaction Comments screen appears
- If No, you cannot enter trailer comments

Print Shipper Frame



In this frame you determine how your pre-shipper/shipper will print.

Include Shipper Comments.

- If Yes, shipper comments are included
- If No, shipper comments are not included

Include Packing List Comments. Determines whether to consider the size of pack list comments when calculating the maximum number of lines to be printed on the pre-shipper/shipper. Used in conjunction with the Max Lines on a Pre-Shipper field set in Customer Schedules Control (7.3.24).

- If Yes, system leaves enough room on each page of the pre-shipper/shipper to print the packing list comments
- If No, system does not allocate space for packing list comments on the pre-shipper/shipper

Print Features and Options. Determines if a list of features and options prints.

- If Yes, system prints each configured assemble to order item followed by a list of features and options for the item
- If No, system prints only the item number for the configured assemble to order item

Print Sales Order Detail. Determines whether the order number and the order line number associated with the line items on the pre-shipper/shipper will be included.

- If Yes, the order number and order line number are included

- If No, they are not

Display Quantity In SO UM. Determines which UM the system uses to display the quantity and UM for the item.

- If Yes, system displays the quantity and UM using the sales order UM
- If No, system displays the quantity and UM using the pre-shipper/shipper UM

Company Address. Determines the company address that prints at the top of the pre-shipper/shipper document.

Print Lot/Serial Numbers. Determines whether or not lot and or serial numbers are printed on the shipper.

As you select next to print the shipper document a message line appears to let you know the pre-shipper has been converted into a shipper and the shipper number.

Exercise: Add Item to the Shipper


The customer wants a shipment today. Use Pre-Shipper/Shipper Workbench (7.9.2) to add a shipment to the shipper created earlier.

Field	Data
Ship-From:	10-300
Number:	[Record the system-generated number]
Ship-To/Dock:	LB

Advance to the Shipper Workbench frame and ship 100 of item 03011 from site 10-300 to the customer Pacific Health Care Systems (10C1003). Provide a lot number as required.

Print the shipper and when the system prompts if all documents have printed correctly, select Yes.

Shipper Gateway



Shipper Gateway (7.9.22) uses an external ASCII file in the designated format to create shippers. The data can also come from a UNIX process.

- Pegging automatically occurs during execution of Shipper Gateway
- Relationship between RSS lines and individual shipper lines is maintained
- As shipper lines are created and pegged, the requirement is consumed

Shipper verification occurs automatically at the end of processing. A report is generated displaying the pegged requirements, including requirement detail authorization numbers.

Process/File. Specify where the system is to look for the records.

- If Process, the system looks for an executable program or script. This can only be used with UNIX systems
- If File, the system looks for an ASCII file

Filename. The name of the file or process.

- If a Process, it must exist in your PROPATH and be an executable program
- If a File, it must be in ASCII format


Verify Only. •If Yes, the system verifies the shipment contents match the pre-shipper. If No, the system verifies the shipment contents and creates shippers from the scanned information

Verify Shipper

Customer Schedule Shipment Processing




- Create Containers
- Create Shipper
- **Verify Shipper**
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice

 CS-SH-280

Shipper verification occurs automatically at the end of the creating a pre-shipper/shipper. You also have the option of manually verifying a pre-shipper/shipper. This is useful in the event you make modifications to the pre-shipper/shipper.

Manual Shipper Verification

Manual Shipper Validation




The screenshot shows a web application window titled "Manual Shipper Validation". The window has a menu bar with "Go To", "Actions", "Copy", "Print", "Preview", and "Attach". Below the menu bar, there is a header area with "Ship-From ID:10-100" and "Number:SH2710100001". The main content area contains three input fields: "Ship-From ID:" with the value "10-100" and a search icon, "Pre-Shipper/Shipper:" with a dropdown menu showing "Shipper", and "Number:" with the value "SH2710100001" and a search icon. The text "Site 100 USA" is visible to the right of the "Ship-From ID" field. The QAD logo is in the bottom left corner, and "CS-SH-290" is in the bottom right corner.

Use Manual Shipper Verification (7.9.10) to manually verify the shipper. This gives you the ability to locate and correct potential shipment problems before proceeding with the shipment process.


Enter the information identifying the shipper and specify an output device for the report.

Print Shipping Labels

Customer Schedule Shipment Processing



- Create Containers
- Create Shipper
- Verify Shipper
- **Print Shipping Labels**
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice

 CS-SH-300

You print shipping labels by container. When you reference multiple containers under one container ID, the system prints multiple labels. If no other containers are referenced, one label prints.

Shipping Label Print

Shipping Label Print


Shipping Label Print X

Go To Actions Copy Print Preview Attach

Ship-From Site: 10-100 Container ID:

Ship-From Site: Container ID:

Label Number: To: Output:


CS-SH-310

Use Shipping Label Print (7.7.7) to print the bar code shipping labels for containers. You can print master labels and carton labels. When you assemble a container for shipment, you need labels for each carton and a label, a master label, for the container holding the cartons.

In the Output field, select the printer for which you have added bar code escape codes and developed template files.


Note Your printer must be set up to handle bar code labels and you must have set up the template files.

Print Bill of Lading

Customer Schedule Shipment Processing



- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- **Print Bill of Lading**
- Confirm Shipper
- Send Shipper
- Print Invoice

 CS-SH-330

QAD Enterprise Applications gives you the ability to print a bill of lading (BOL) for each shipment. The system uses the shipper as the basis for the bill of lading.

- A BOL shows a detailed breakdown of a shipper's content
- A master BOL combines two or more individual BOLs. Use Master Bill of Lading Maintenance (7.9.12.2) to create a master BOL

Bill of Lading Print


Bill of Lading Print

Bill of Lading Print x

Go To Actions Copy Print Preview Attach

Ship-From ID: 10-100 Shipper: SH2710100001

Ship-From ID: Site 100 USA
Shipper: Output:


CS-SH-340

Use Bill of Lading Print (7.9.12.1) to print a separate BOL for a shipper. You identify the BOL by the ship-from site and the shipper ID code. The BOL shows:


- Items shipped
- Total weight of the items
- Containers used to pack the items

The report has two sections, a header section and a line item section.


- **Header Section:** The header section contains sold-to and ship-from information. It also shows the shipper ID and ship date. If comments were entered, they are also shown. Also shown are carrier details such as Ship Via, FOB Point, Mode of Transport, Carrier Shipment Ref., and Vehicle ID.
- **Line Item Section:** The line item section contains a breakdown of the shipper's content. It lists the:
 - Items shipped
 - Quantity of items being shipped
 - Net weight (weight of the item without packing materials or containers)
 - Tare weight (weight of packing materials or containers)
 - Gross weight (combined weight of the item and all packing materials or containers)

Confirm Shipper

Customer Schedule Shipment Processing



- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- **Confirm Shipper**
- Send Shipper
- Print Invoice

 CS-SH-360

During the process of confirming the shipper, the system:

- Decreases finished goods inventory
- Uses the requirement quantity to increase the cumulative shipped quantity
- Decreases the net requirement for the order line item
- Performs the first step in invoicing
- Updates general ledger (GL) accounts

Pre-Shipper/Shipper Confirm

Pre-Shipper/Shipper Confirm

Pre-Shipper/Shipper Confirm x
 Go To | Actions | Copy | Print | Preview | Attach
 Ship-From ID:10-100 Number:SH2710100002

Ship-From ID: 10-100	Site 100 USA
Pre-Shipper/Shipper: Shipper	
Number: SH2710100002	
Ship-To/Dock: 10C1000	Wal-Mart 702 S.W. 8th Street
Ship Date: 10/27/2010	<div style="border: 1px solid blue; border-radius: 10px; padding: 5px; display: inline-block;"> Default to system date </div>
Effective Date: 10/27/2010	
Document:	

Vehicle ID:

Ship Time:

Arrive Date:

Arrival Time:

CS-SH-370

Use Pre-Shipper/Shipper Confirm (7.9.5) to:

- Record the shipments
- Convert pre-shipper to shipper

Requirement quantities are considered open until you confirm the shipper. Once a shipper is confirmed:

- Pegged quantities are transferred to shipped quantities
- Shipped quantities are incremented by the ship line quantities
- Pegged quantities are decremented by the ship line quantities

Field Definitions

Ship-From. The site shipping the shipment.

Pre-Shipper/Shipper. Enter the document you are confirming (pre-shipper or shipper).

If confirming a pre-shipper, the system converts it to a shipper before beginning the confirmation process. The system displays a message box advising you that it is converting pre-shipper to shipper and shows you the shipper number

Number. Number identifying the pre-shipper or shipper you want to confirm.

Ship-To/Dock. The location receiving the shipment.

Ship Date. The last date the system processed a shipment for the scheduled order associated with this shipper. Defaults to the system date

Effective Date. The date of the shipment. Defaults to the system date

Note A detail window allows entry the time of shipment, the specific vehicle ID the shipment is loaded onto, and the estimated time of delivery.

Handling Shipment Dates at a GL Period End. Usually the ship date and effective date of the shipment are the same. However, you can assign an effective date that is earlier or later than the actual ship date.

- Effective date must be in an open GL calendar period
- Useful if a GL period ends before all shipments from that period have been fully processed

If you are not automatically posting and printing the invoice at confirmation, make sure the same date is used for:

- Effective Date in Pre-Shipper/Shipper Confirm
- Invoice Date in Preview Invoice Print (7.13.3)
- Effective Date in Invoice Post and Print (7.13.4)

If you use different dates, your shipment history for the GL period will not correspond to the Accounts Receivable and GL balances.

Invoice Options

Invoice Options

Pre-Shipper/Shipper Confirm
Go To Actions Copy Print Preview Attach

Ship-From ID: 10-100 Number: SH2710100002


Ship-From ID: 10-100 Site 100 USA
 Pre-Shipper/Shipper: Shipper
 Number: SH2710100002

Ship-To/Dock: 10C1000 Wal-Mart
 702 S.W. 8th Street

Ship Date: 10/27/2010
 Effective Date: 10/27/2010

Document:

Post Invoice:
 Print Invoice:
 Daybook Set:
 Consolidate Invoices:
 Calculate Freight:


CS-SH-380

You use the fields in this frame to determine how the system processes the invoices generated by the shipment.

Post Invoice. The confirmation process can perform the first step in invoicing. The value defaults from the Auto Inv Post field set in Scheduled Order Maintenance.

Note You can override this setting for individual shippers.

- If Yes, confirmation automatically posts the invoice to the customer's AR account. You can print the invoice during the confirmation process or later using Invoice Print or Reprint (7.13.12) or Invoice Export (35.8)
- If No, you follow the normal invoice process, manually posting and printing the invoice using Invoice Post and Print (7.13.4)

Print Invoice. Determines if the invoice is printed when the shipper is confirmed. You can only set this to Yes when Post Invoice is Yes.

Consolidate Invoices. Only has an effect if Post Invoice is Yes.

Calculate Freight. Determines if the system recalculates the freight charges for all scheduled orders attached to the shipper being confirmed.

- If Yes, the system recalculates freight charges
- If No, the system does not recalculate freight charges

After you complete entering all information, the system prompts you twice. The first is to ask if all information is correct. The second is to ask if you want to print the invoice.

Printing Invoices. If you want to print the invoice, a frame displays asking for invoice printing information.

Form Code. Use to specify the format for printing the invoice. Defaults to 1, standard format.


Exercise: Confirm the Shipper

Use Pre-Shipper/Shipper Confirm (7.9.5) to confirm the shipper you just created.


- 1 Accept the default header information.
- 2 Accept the default invoice information. Select Yes at the system prompt.
- 3 Accept the default invoice detail information.
- 4 Print the invoice.

Send Shipper

Customer Schedule Shipment Processing



- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- **Send Shipper**
- Print Invoice

 CS-SH-400

QAD Enterprise Applications gives you two options to send the shipper to your customer:

- Print it and include with the shipment, like a packing list
- Electronically as an ASN when the shipment leaves your shipping area

Pre-Shipper/Shipper Print

Pre-Shipper/Shipper Print

Pre-Shipper/Shipper Print x
Go To Actions Copy Print Preview Attach

Ship-From: To: Number:

Ship-From: <input type="text"/>	To: <input type="text"/>
Ship-To/Dock: <input type="text"/>	To: <input type="text"/>
Number: <input type="text"/>	To: <input type="text"/>
Inventory Movement Code: <input type="text"/>	To: <input type="text"/>
Document Format: <input type="text"/>	To: <input type="text"/>
Language: <input type="text"/>	To: <input type="text"/>
Address List Type: <input type="text"/>	To: <input type="text"/>
Carrier: <input type="text"/>	To: <input type="text"/>

Print Pre-Shippers/Shippers: ▼

Include Printed Pre-Shippers/Shippers Entity Address:

Print Features and Options Print Lot/Serial Numbers

Assign Shipper Numbers Print Customer Address

Shipper Sequence ID:


Include Pre-Shipper/Shipper Comments

Include Sales Order Packing List Comments

Print Sales Order Detail

Display Quantity In SO UM

Output:
Batch ID:


CS-SH-410

Use Pre-Shipper/Shipper Print (7.9.4) to create and print a shipper record. You can print a pre-shipper or a shipper, but you cannot print both at the same time.

The system updates the item quantity picked for this order

Shipment ASN Export

Use Shipment ASN Export (35.4.1) to electronically transmit the ASN to the customer. The system exports one ASN at a time. The shipper number becomes the ASN number. Whether or not an ASN is electronically transmitted using EDI to the customer depends on the setting of the EDI ASN field in Trading Partner Parameters Maintenance (35.1). If Yes, then the ASN can be transmitted by EDI.

The ASN provides shipment detail such as:

- Purchase order and order line number
- Supplier and customer item numbers
- Authorization numbers, if available
- Items, quantities shipped, and cumulative quantities
- Arrival date and time

It is not uncommon for a customer to plan the shipment quantities directly into their production line based on the ASN, with no receipt processing and no inspection.


Ship-From Site. The site sending the shipment.

Shipper ID. Number identifying the shipper.

Ship-To/Dock. The ship-to or dock address where the deliveries are to be made. Frequently this is the point on the production line where the shipped items are going to be used. Their arrival time is coincident with the item the first item is needed for production.

Print Invoice

Customer Schedule Shipment Processing



- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- **Print Invoice**


CS-SH-430

Invoices itemize what a customer owes you for the products you shipped. An invoice contains three sections:

- Header – order number, date, addresses, terms
- Line Items – item number, quantity, ship-to site
- Trailer – line item totals, taxes, freight

Processing the shipper flags the order as ready for invoicing. You have two options for invoicing:

- Print an invoice and send the printed invoice to the customer
- Electronically transmit the invoice to the customer

The Print Inv Hist field in Trading Partner Parameters Maintenance (35.1) determines if invoices can be printed (Yes) or not (No). If invoices are neither printed nor transmitted, the customer pays against the ASN. The EDI Inv Hist field in Trading Partner Parameters Maintenance determines if invoices are sent using EDI (set to Yes).

If a customer requests a printed invoice and the order is set for auto-invoicing, the shipper confirmation process creates an invoice using the Shipper ID number as the invoice number. It then closes the invoice. This is equivalent to the standard printing and posting of an invoice and

- Lets you make several daily or weekly shipments without requiring specific invoicing tasks
- Gives you the option to print closed invoices at the end of the day, week, or month. Use Invoice Print or Reprint (7.13.12) to print closed invoices

Preview Invoice Print

Preview Invoice Print

Preview Invoice Print

Go To Actions Copy Print Preview Attach

Site: To:

Sales Order: ← Enter scheduled order number

Daybook Set:

Ship Date:

Site:

Sold-To:

Bill To:

Salesperson:

Language ID:

Invoice Date: 10/27/2010

Print Only Lines to Invoice:

Print Lot/Serial Numbers Shipped:

Print Features and Options:

Consolidate Invoices:

Discount Detail: None

Discount Summary: None

Entity Address: 12-100

Form Code: 1

Include Debit Invoices:

Include Credit Invoices:

Print Call Invoice Detail:

Message: *** Preview invoice; this is not a Tax invoice ***

Output: Batch ID:

QAD CS-SH-440

Use Preview Invoice Print (7.13.3) to print a single invoice or a range of invoices. After printing the invoices, you post them by running Invoice Post and Print (7.13.4).

Note You could have printed an invoice as part of the shipper confirm process by checking the print invoice selection.

Invoice Print or Reprint

Invoice Print or Reprint

Invoice Print or Reprint x
Go To Actions Copy Print Preview Attach


Site: To: Sold-To:

Invoice: <input type="text"/>	To: <input type="text"/>
Sales Order: <input type="text"/>	To: <input type="text"/>
Ship Date: <input type="text"/>	To: <input type="text"/>
Site: <input type="text"/>	To: <input type="text"/>
Sold-To: <input type="text"/>	To: <input type="text"/>
Bill To: <input type="text"/>	To: <input type="text"/>
Invoice Date: <input type="text"/>	To: <input type="text"/>
Daybook: <input type="text"/>	To: <input type="text"/>
Batch: <input type="text"/>	To: <input type="text"/>
Reprint: <input type="checkbox"/>	Entity Address: <input type="text" value="12:100"/> Form Code: <input type="text" value="1"/>

Include Invoices
 Include Credit Memos
 Override Print Inv Hist
 Print Lot/Serial Numbers Shipped
 Print Features and Options
 Print Only Lines to Invoice
 Discount Detail:
 Discount Summary:
 Print Call Invoice Detail

Message:

Output: Batch ID:


CS-SH-450

Use Invoice Print or Reprint (7.13.12) to print a single closed invoice or a range of invoices.

Invoice Export

Invoice Export

Invoice Number:

Ship Date:

Site:

Customer:

Bill To:

Ship-to:

Invoice Date:

EDI Batch Number:

Show Warning Messages:

Print Details:

Update/Export/Both: Export

Print Fail/Pass/Both: Both

Output:
Batch ID:

Enter batch number to re-export documents
or
leave blank to process unexported documents

QAD CS-SH-460

Use Invoice Export (35.4.3) to electronically transmit single, multiple, or cumulative invoices to a customer.

To export an invoice using EDI, the EDI Inv Hist field should be set to Yes in Trading Partner Parameters Maintenance (35.13.10) and in Scheduled Order Maintenance (7.3.13).

Customer Schedule Shipment Processing Summary

Customer Schedule Shipment Processing Summary



- Create Containers
- Create Shipper
- Verify Shipper
- Print Shipping Labels
- Print Bill of Lading
- Confirm Shipper
- Send Shipper
- Print Invoice

Course Overview

Course Overview

- ✓ Introduction to Customer Schedules
- ✓ Business Considerations
- ✓ Set up Customer Schedules
- ✓ Process Customer Schedules
- ✓ Process Customer Schedules Shipments



CS-SH-480

Chapter 6

Special Processes

Special Processes

- Unconfirm Shipper
- Cumulative Totals
- Retrobilling



CS-SPPR-010

QAD Enterprise Applications gives you the ability to:

- Unconfirm a confirmed shipper
- Adjust cumulative totals for a scheduled order line item
- Reset the cumulative totals for a scheduled order
- Adjust prices on a scheduled order

Unconfirm Shipper

Special Processes

- Unconfirm Shipper
- Cumulative Totals
- Retrobilling



CS-SPPR-020

You have the option of undoing or reversing a confirmed shipper. Unconfirming a shipper returns it to the pre-confirmed state, allowing it to be:

- Modified
- Canceled
- Reprinted
- Reconfirmed

Shipper Unconfirm

Shipper Unconfirm

Shipper Unconfirm x

Go To Actions Copy Print Preview Attach

Ship-From ID:12-200 Number:0002457

Ship-From ID: Automotive Mfg Site

Pre-Shipper/Shipper:


Number:

Ship-To/Dock:

Ship Date: 10/27/2010

Effective Date:

Document:


Shipper Unconfirm (7.9.21)
CS-SPPR-030

Use Shipper Unconfirm (7.9.21) to unconfirm a confirmed shipper. In order for a shipper to be unconfirmed, the following criteria must be met:

- The shipper must have been confirmed
- Selection of the shipper must be permitted by both site security and inventory movement security
- The effective date must be in a valid, open GL fiscal period for all entities with inventory affected by the confirmed shipper
- Sites and locations where the inventory was issued from must still exist

Note If a confirmed shipper does not meet the above criteria and you try to unconfirm it, the system displays an error message.

When unconfirming a shipper the system does the following:

- Reverses the movement of inventory out of the ship-from site/location/lot-serial for each shipped line and container
- Reverses any automatic transfer made between the inventory site of each line item and container, and the ship-from site of the shipper
- Creates IC and SO GL transactions, reversing the GL transactions created at the original confirmation
- Creates intercompany transactions, as necessary

- Reverses modifications to sales order fields updated at confirmation, including:
 - Line item quantities
 - Calculated freight charges included in the price
 - Schedule details
- Updates the MRP to reflect items returned to inventory
- Creates reversing entries to Global Tax Management history
- Cancels the accompanying legal document

Unconfirming a shipper does not do any of the following:

- Fully populate all fields of re-created location and lot/serial records. If such information is required—for example, the unconfirmed shipper is not going to be reconfirmed—you must enter the information manually
- Fully reverse changes to GL average costs for line items. After the original confirmation, average costs could have been changes and recorded in various other transactions that are not reversible if other receipts or issues were made in that time period
- Reverse trailer amounts entered or modified during or following the original confirmation
- Reverse the issue of any invoice numbers assigned during or following the original confirmation

Cumulative Totals

Special Processes

- Unconfirm Shipper
- **Cumulative Totals**
 - Adjust Cumulative Line Item Totals
 - Reset Cumulative Totals To Zero
- Retrobilling



CS-SPPR-040

If you use cumulative tracking you may find that you occasionally need to make adjustments to the line item cumulative totals for a customer or reset the scheduled order totals to zero (0).

Adjust Cumulative Line Item Totals

Special Processes

- Unconfirm Shipper
- Cumulative Totals
 - **Adjust Cumulative Line Item Totals**
 - Reset Cumulative Totals To Zero
- Retrobilling




CS-SPPR-050

In some situations, you may need to adjust a scheduled order's cumulative line item totals.

- When a customer sends you a revised scheduled typically an ASN is attached
 - The ASN shows the cumulative quantity the customer has received along with information about the last shipment
 - If their totals are different from yours, you need to resolve the difference
- A customer may request that you reset a scheduled order's line item cumulative total to zero and adjust the cumulative start date. This could be the result of an accounting close or the start of their fiscal year
- When you initially start QAD Enterprise Applications and you need to bring in a customer's cumulative totals

Cumulative Shipped Maintenance



Use Cumulative Shipped Maintenance (7.5.16) to change a line item's cumulative shipped quantity or to reset the line item's quantity to zero (0). You can also use Cumulative Shipped Maintenance to enter a customer's cumulative shipped quantities when you first start using QAD Enterprise Applications.

Note You should control this program with security.

The system maintains an audit trail for all inventory transactions. When you adjust a cumulative quantity, a CUM-SADJ transaction is recorded in transaction history. You can view these transactions using Transaction Detail Inquiry (3.21).

You identify the scheduled order by entering the ship-from, ship-to, order number, item number, and line number.

Adjust or Reset (A/R). If you are changing (adjusting) the cumulative shipped quantity, select A(djust). If you are resetting the quantity on this line item to zero, select R(eset).

- Selecting Adjust moves you to the Cum Shipped and Prior Day Cum Shipped fields. Adjust the Cum Shipped quantity if the ASN reflects the most recent shipment. Adjust the Prior Day Cum Shipped quantity if another shipment has gone out.
- Selecting Reset moves you to the Cum Shipped Start Date and the Prior Day Cum Shipped Date fields. The cum shipped and prior day cum shipped quantities will be reset to 0.

Cum Shipped. The adjusted cumulative quantity shipped for this line item.

Prior Day Cum Shipped. The cumulative quantity shipped as of the end of the previous day.

Cum Shipped Start Date. The date to start accumulating cumulative quantities.

Prior Day Cum Shipped Date. The date through which the prior cumulative quantity includes.

Reset Cumulative Totals To Zero

Special Processes

- Unconfirm Shipper
- Cumulative Totals
 - Adjust Cumulative Line Item Totals
 - **Reset Cumulative Totals To Zero**
- Retrobilling



CS-SPPR-070

Some customers require that once a year you reset their scheduled order cumulative totals to zero (0).

Cum Shipped Reset

Use Cum Shipped Reset (7.5.18) to reset cumulative totals for scheduled orders. This resets the cumulative totals for the entire order on the specified date and time. The process generates a report listing all selected scheduled orders. You can reset one scheduled order or several scheduled orders.

When the cumulative totals are reset to zero for a date in the past, all shipments made between the specified time in the past and the current system date are totaled and set as the new cumulative total for the scheduled order line

Note This procedure cannot be undone.

The first half of the Cum Shipped Reset screen consists of selection criteria ranges such as ship-from, sold-to, ship-to, dock address, item number, PO number, customer ref, model year, and order. Use these values to identify the cumulative shipped quantities to reset.

Update. Enter Yes to reset the cumulative totals. Enter No to print the report without resetting cumulative totals. Each option produces a report showing the scheduled orders selected.

Note You cannot undo resetting the cumulative shipped total.

Shipment/Effective Date. The type of date specified in the Cum Shipped Start Date.

Shipment: The value in Cum Shipped Start Date is the date when the shipment was initially entered into the system.

Effective: The value in Cum Shipped Start Date is the date when the shipment was effective for accounting purposes.

Cum Shipped Start Date. This is the date to start accumulating cumulative quantities. It replaces the scheduled order's current cumulative start date (specified in Scheduled Order Maintenance). Defaults to the system date

Cum Shipped Start Date. Enter the new date to start accumulating cumulative quantities for the scheduled orders.

Start Time. Enter the time when cumulative shipped reset is to occur on the specified date. The time must be entered in 24-hour format.

Include Manual Cum Adjustment. Enter Yes to include all manual adjustments in the Cum Shipped total. Enter No to ignore all manual adjustments made in Cumulative Shipped Maintenance (7.5.16).

Report Summary/Detail. Determines if the report prints in Detail or Summary format.

Remarks. Comments regarding this transaction for reference only.

Sort Option. Determines the order of the information from the selected scheduled orders appears on the report.

Retrobilling

Special Processes

- Unconfirm Shipper
- Cumulative Totals
 - Adjust Cumulative Line Item Totals
 - Reset Cumulative Totals To Zero
- **Retrobilling**



CS-SPPR-090


Retrobilling is the process where a price change and effective date (in the past), agreed upon between you and your customer, is put into effect. It gives you the means to adjust prices on items already shipped to your customers.

The QAD Enterprise Applications retrobilling function gives you the ability to make price changes by individual line item in a scheduled order instead of by invoice. You can:

- Specify a scheduled order
- Change prices for one or more line items on a scheduled order
- Create a separate debit/credit invoice for each line item or create a single invoice for all line items within the same purchase order
- Specify if the retrobill change is a change in an existing price or a totally new price

The line items being changed can be from the same purchase order or from multiple purchase orders. If they are from multiple purchase orders, they all must be on the same scheduled order.

Retrobilling




You can enter multiple retrobills that affect the same items over overlapping dates and invoices. The system uses the as-of-date specified in Retrobill Maintenance (7.13.13.1) to determine the sequence for applying multiple retrobills.


If the effective date is in the past, an invoice detailing all shipments since the effective date through the end date must be created for the incremental price difference.

Retrobill Process

Retrobill Process



- Retrobill Maintenance (7.13.13.1)
- Retrobill Inquiry (7.13.13.2)
- Retrobill Report (7.13.13.3)
- Invoice Post and Print (7.13.4)
- Customer Invoice View (27.1.1.3)

 CS-SPPR-110

The procedure for processing a retrobill for a scheduled order line item is:

- 1** Create retrobills in Retrobill Maintenance (7.13.13.1). Set up the retrobill identifier and specify the scheduled order affected and the terms of the retrobill.
- 2** View retrobill information in Retrobill Inquiry (7.13.13.2).
- 3** Create a debit/credit invoice with Retrobill Report (7.13.13.3).
- 4** Use Invoice Post and Print (7.13.4) to post and optionally print the invoice.
- 5** Use Customer Invoice View (27.1.1.3) to view the invoice.

Retrobill Maintenance

Use Retrobill Maintenance (7.13.13.1) to set up a retrobill for a scheduled order line item.

Note If the new item price is to appear on future shipments to this customer, you also need to go into Scheduled Order Maintenance and change the price. If a price list is used, you must modify it. You only use Retrobill Maintenance to change prices on items you have already shipped.

First Frame

In this frame you set up the retrobill identifier: the sold-to code and amendment number.

Amendment Number. This is typically provided by the customer and it authorizes the retrobill.

As of Date. Date to be used when more than one retrobill is applied to the same scheduled order line items. The system uses this date to determine the sequence for applying retrobills.

Memo Per Item. Determines how many debit/credit invoices are to be created.

- Set to Yes if you want a separate debit/credit invoice created for each line item
- Set to No if you want one debit/credit invoice created for all line items in a purchase order, or if no debit/credit invoice should be created

Note This field works in conjunction with the Create Memos field in Retrobill Report (7.13.13.3). Both fields, Memo Per Item and Create Memos, must be set to Yes if you want to print invoices.

Retrobill Maintenance 2nd Frame

Retrobill Maintenance


Go To Actions Copy Print Preview Attach

Sold-To: 22C1000 Amendment Number: RET1234 Ship-From: 12-200

Sold-To: 22C1000 Auto-Plus International
 Amendment Number: RET1234

As-of Date: 10/1/2010
 Reason Code: 01
 Memo Per Item:
 Comments:

Ship-From: 12-200 Order: Line:
 Ship-To: 22C1000
 Item Number: 02200 UM:
 PO Number:
 Customer Ref:
 Model Year:
 From Ship Date: Price/Change:
 To Ship Date: Amount:
 Memo Invoice:


Retrobill Maintenance (7.13.13.1)
CS-SPPR-130

This frame consists of two sections. In the first section you identify the scheduled order and line item affected by the retrobill. In the second section you define the terms of the retrobill.

Identify the scheduled order by entering the ship-from, ship-to, item number, purchase order number, and scheduled order number. Enter the line item number being changed.

From Ship Date/To Ship Date. The beginning and ending dates for the date range the system uses to select invoices for retrobill processing. Invoices outside this range are not included.

Price/Change. Indicates whether the Amount field contains a new price (Price) or a price change (Change).

Price: The value entered in the Amount field replaces the current price.

Change: The amount is applied to the current price. To reduce an existing price, enter a negative amount.

Amount. The currency value to be used. This can be a positive or negative amount. If you are making a change to reduce an existing price, enter a negative value. How the system uses this amount, depends on the setting of the Price/Change field.

Memo Invoice. Displays the debit/credit invoice number after you run Retrobill Report (7.13.13.3) with the Create Memo field set to Yes.

Retrobill Inquiry

Retrobill Inquiry

Retrobill Inquiry - 10/27/2010 5...
10/27/10

Retrobill Inquiry

Sold-To: 22C1000 Auto-Plus International
 Amendment Number: RET1234 Output: PAGE

Sold-To: 22C1000 Auto-Plus International
 Amendment Number: RET1234

As-of Date: 10/01/10 Memo Per Item: No
 Reason Code: 01 Comments: No

Ship-From Item	Model Yr	PO Number	Customer Reference	Memo Inv Order Line	P/C	Eff From	Eff To	Amount
12-200	02200			AUT02	Price	10/25/10		
22C1000	CP02001			1		10/25/10		0.00

7.13.13.2
Retrobill Inquiry
rcrbiq.p

CS-SPPR-140

Use Retrobill Inquiry (7.13.13.2) to view the retrobill information you entered in Retrobill Maintenance.

Retrobill Report

Retrobill Report

Retrobill Report x

Sold-To: 22C1000


Authorization Number: _____

Create Memos: No

Use Default Accounts: Yes

Retrobill Acct:

Output:


Retrobill Report (7.13.13.3)
CS-SPPR-150

Use Retrobill Report (7.13.13.3) to run the retrobill process. The retrobill process:

- Selects invoices meeting the selection criteria you defined in Retrobill Maintenance
- Uses the price/change setting and the specified amount to calculate the net amount of the price adjustment for each line item being changed

Sold-To. The customer to whom this retrobill applies.

Authorization Number. The customer's authorization number.

Note The sold-to and authorization number identify the retrobill record.

Create Memos. Determines if the retrobill process creates a debit/credit invoice.

- If Yes, the process creates a debit/credit invoice
- If No, the process does not create a debit/credit invoice

Note In Retrobill Maintenance (7.13.13.1), the Memo Per Item setting determines if a debit/credit invoice is created per line item or per purchase order. In the Retrobill Report (7.13.13.3), the Create Memo setting determines if a debit/credit invoice is created at all. If the Credit Memo fields is set to No, a debit/credit invoice is not created regardless of how the Memo Per Item field is set.

Use Default Accounts. Determines which accounts the system uses.

- If Yes, system uses the default sales account
- If No, the system uses the accounts you enter in the Retrobill Account fields

Retrobill Acct. You can specify account numbers for the system to use in posting the calculated debit/credit amount. Accounts are used to track the difference between the invoiced price and the price in the effective retrobill.

Retrobill Process

Retrobill Process



- Retrobill Maintenance (7.13.13.1)
- Retrobill Inquiry (7.13.13.2)
- Retrobill Report (7.13.13.3)
- Invoice Post and Print (7.13.4)
- Customer Invoice View (27.1.1.3)

Product Information Resources

QAD offers a number of online resources to help you get more information about using QAD products.

[QAD Forums \(community.qad.com\)](http://community.qad.com)

Ask questions and share information with other members of the user community, including QAD experts.

[QAD Knowledgebase \(knowledgebase.qad.com\)*](http://knowledgebase.qad.com)

Search for answers, tips, or solutions related to any QAD product or topic.

[QAD Document Library \(www.qad.com/documentlibrary\)](http://www.qad.com/documentlibrary)

Get browser-based access to user guides, release notes, training guides, and so on; use powerful search features to find the document you want, then read online, or download and print PDF.

[QAD Learning Center \(learning.qad.com\)*](http://learning.qad.com)

Visit QAD's one-stop destination for all courses and training materials.

*Log-in required

