

# **QAD Automation Solutions: Label Printing Services Release Notes Version 2.0.1 Service Pack 1**

**November 2016**

These release notes include information about enhancements and fixes related to the 2.0.1.SP1 release of QAD Label Printing Services.

Use the following list to find a specific release:

***Release Notes for Current Release 2***

# Release Notes for Current Release

**Label Printing Services Version:** 2.0.1.SP1

**QAD Enterprise Edition:** 2015 Enterprise Edition and higher

**.NET UI:** 2.9.5 + CP5 (Cumulative Patch #5)

**Release Date:** November 2016

**User Guide:** Refer to the *QAD Automation Solutions: Label Printing Services User Guide* version 2.0.1.SP1, dated November 2016.

**Prerequisites:** Refer to the *QAD Automation Solutions: Label Printing Services Installation Guide* version 2.0.1.SP1, dated November 2016 for information on compatibility and prerequisites.

**Conversion Information:** Conversion information is included in the *QAD Automation Solutions: Label Printing Services Installation Guide* version 2.01.SP1 dated November 2016.

## Contents

- **For YAB installations.** as-label-print-service-pack-2.0.1.1.zip
- **For QDT installations.** as-label-print-service-pack-installer-2.0.1.1.zip

## LPS 2.0.1.SP1 Contents

Patch version: version.lps

Compile list for reference: lps-compile.list

Source Code:

- xrc/us/lb/lbdellabelhist.p
- xrc/us/lb/lbsvlbfm.p

System Data: Consists of menus, labels and messages

## Enhancement

The following enhancement is for QAD ticket **LPSPD-90**:

### New Delete Utility for Label Printing Services Data

You can now have the system delete label data by specifying the number of *days* of label data you want to delete in Delete Label Format History (36.13.16.4.13). The Days of History to Retain field in Delete Label Format History lets you enter any number of days between 0 and 999; the default is 7 days. You can also choose to simulate the deletion by setting the Simulate field. When you do, the system displays a list of the data to be deleted.

When you specify the number of days of label data that you want to preserve, the system uses that number to calculate a date to preserve data:

*Delete Dates = add-interval( today, (-1 \* <Number of days to retain>), day)*

Since the history dates are based on date and time, the system sets the delete dates to 23:59:59:999 to pick up all history records for that day. The system deletes data in the following tables:

- labelMstr
- labelDet
- labelPrntQue
- labelReprint
- responseHstD
- requestHist
- requestHstRsp
- sourceMsg

**Fig. 1**  
Delete Label Format History (36.13.16.4.13)



